# LARGE ARM FLAT BED MACHINES

CLASSES 6900, 10300 and 12700

with

# **ILLUSTRATIONS**

and

# PRICE LIST OF PARTS FOR REPAIRS ONLY

CATALOG No. 34

UNION SPECIAL MACHINE COMPANY CHICAGO, ILLINOS

**BRANCH OFFICES:** 

NEW YORK ST. LOUIS

PHILADELPHIA COHOES, N. Y. ROCHESTER, N. Y. UTICA, N. Y. MINNEAPOLIS

BOSTON

AMSTERDAM, N. Y CINCINNATI SAN FRANCISCO

Copyrighted 1912 Union Special Machine Company Chicago, Illinois

# IMPORTANT NOTICE TO CUSTOMERS


The parts listed in this catalog are furnished at list prices for repairs only.

Attention is hereby called to the fact that many of said parts are subjects of patents, or enter into patented combinations, and that in furnishing these parts at list prices we only license their use for repairing machines of our own make, in their original condition.

Notice is hereby given that the sale of such parts by the purchaser, or the use thereof for changing over machines from one style to another, or for any other than *bona fide* repair purposes, is an infringement, for which the seller or user will be liable to prosecution.

#### CONTENTS

The matter of this catalog relates only to machines in Classes 6900, 10300 and 12700, and cannot be applied to machines in other classes. The class number can be ascertained by reference to the name plate on Power transmitter parts are listed in a separate catalog. Page Illustration of Machine Showing Installation...... 5 Oiling Diagram Style 6900 G..... 8 Oiling Diagram Class 10300..... 9 Price List of Parts......43



STYLE 6900 G—READY TO OPERATE

#### DESCRIPTION OF MACHINES

The Class Number is stamped on the name plate and represents a type of machines subdivided into several styles.

The **Style Number** consists of the class number and a letter and is given only in the catalog. It represents a machine as fitted for a designated kind of work.

The Gauge Number represents the space between the rows of needle punctures. The spacing of gauges Nos. 8 to 36 inclusive, is as follows:

Gauge No.	Space	Gauge No.	Space
8	$\dots$ $\frac{1}{8}$ -inch	30	$\dots$ $\frac{15}{32}$ -inch
12	$\dots \frac{3}{16}$ -inch	32	
16	$\dots$ $\frac{1}{4}$ -inch		$\dots \frac{9}{16}$ -inch
24	3-inch		16

Two needle machines listed in this catalog are furnished only in Nos. 8, 12 and 16 gauges.

On machines in Class 12700, the number following the first hyphen (-) represents the distance between the left-hand and the center needle. The number following the second hyphen (-) represents the distance between the center and the right-hand needle.

### STYLES OF MACHINES IN CLASS 6900

# Large Arm Flat Bed Two Needle Machines, One Looper, Twin Needle Stitch, Short Needles

Style

6900 E-For imitation hemstitch work; (specify gauge of machine)

6900 G—For ornamental stitching, knit underwear, etc., with under trimmer (specify gauge of machine)

6900 H—For folding and stitching belt loops for trousers; strips cut in short lengths (specify gauge of machine)

## STYLES OF MACHINES IN CLASS 10300

## Flat Bed, Twin Needle Overstitch Machines, Short Needles

Style

10300 B—For sewing lace edging on knit underwear, etc., with large cloth plate (specify gauge of machine)

10300 C—For finishing cut edges, knit underwear, etc., with feed cap and narrow cloth plate (specify gauge of machine)

10300 D—For sewing lace edging on knit underwear, etc., with feed cap and narrow cloth plate (specify gauge of machine)

#### DESCRIPTION OF MACHINES

Style

10300 F—For sewing lace edging on knit underwear, etc., with large cloth plate and tandem differential feed (specify gauge of machine)


10300 G—For sewing lace edging on knit underwear, etc., with feed cap, narrow cloth plate and tandem differential feed (specify gauge of machine)

#### STYLES OF MACHINES IN CLASS 12700

## Large Arm Flat Bed Three Needle Combination Machines, Single Needle and Twin Needle Stitch, Short Needles


Style

12700 A—For sewing lace edging on knit underwear, etc., collarette finish; lace next to presser foot, twin needle stitch on right-hand side (specify both gauges of machine and submit sample of lace)




STYLE 6900 H.

#### OILING DIAGRAM




8

### OILING DIAGRAM



Class 10300



**Thread Stands** The above  $\frac{1}{16}$ -size illustration shows two styles of thread stands set up ready for use. One of these styles is furnished with each of these machines. It should be placed back of the machine pulley and a short distance to the right.

**Style C** To obviate the effects of vibration on the spools, this style is generally fastened to the floor, the jointed rod passing centrally through a  $\frac{3}{4}$ -inch hole in the table. However, if so desired, the base can be fastened to the top of the table, using only one part of the rod.

Thread wire extensions, No. 21113 A, are furnished only where large cones of thread are used.

**Style D** This style is designed to be fastened on the table, but by ordering an extra rod, No. 21126, a coupling, No. 21127, and four coupling screws, No. 22580, it can be fastened to the floor.

The spool support can be adjusted to any height desired above the table and the thread guides to any height above the spools.

#### NEEDLES

Ordering

To have orders promptly and accurately filled, the empty package, a sample needle, or the full description should be given.

See marks on packages. An intelligible order would read as follows:

100 needles, No. 1, round shank, short, double groove, round point.

100 needles, No. 2, round shank, short, double groove, ball eye, round point.

100 needles, No. 4, round shank, short, double groove, ball eye, round point, spotted.

100 needles, No. 2, round shank, short, round point, double groove, ball eye, spotted, nickel plated, Government.

Success in the operation of these machines can be assured only by the use of genuine Union Special Needles, furnished by the Union Special Machine Company. Obviously, it is to our interest to maintain the reputation of the machines by furnishing the very best needles obtainable.

Terms

Attention is directed to our established practice. Prices on needles are strictly net. Leaving the factory in perfect condition, packed with skillful care, they are forwarded at the buyer's risk, f. o. b., Chicago. Regular postage rates will be charged on all needles sent by mail.

**Illustrations** Each needle illustration shows: (1) A full size needle, (2) a magnified view of its point, and (3) its incision relative to the line of stitching, as indicated by dotted lines.

Sizes of Needles

The needles increase in size as follows:
Nos. 000, 00, 0, 1, 2, 3 and 4. The
Government round point needles are made in sizes Nos. 2 and 3 only.

The Round Point This point, sometimes called "cloth point," is almost universally used on cloth and knit goods work. Having no sharp edges, it consequently forces its way through the fabric. The illustrations and descriptions on the following page show the several styles.

The ball eye needles are used on fabrics that offer considerable resistance to needle penetration. To reduce the friction between the blade and the fabric, they are larger at the eye than at any part of the blade.

#### NEEDLES

The nickel plated needles also are used on fabrics that are difficult to penetrate, as the nickel reduces the friction.

The Government round point needles are especially designed for seaming such closely woven fabrics as khaki. They have along, tapering point. To give them additional strength, the grooves are narrower and shallower, consequently it requires a needle two sizes larger for a given size thread.

The spotted needles are used in the large sizes. They have a spot milled out on the rear side just above the eye. This provides a clearance for the loopers and enables them to be set closer to the center of the needles.

	•	
A PRINTING HER RESTRICTION OF THE PARTY OF T		
Round shank, short, round point, double groove, per M		\$10 00
Round shank, short, round point, double groove, nickel-		
plated, Per M		11 00
placed, 1 of 1/2		11 00
Round shank, short, round point, double groove,		
ball eye, per M		10.00
5 1/2/	:	10 00
Round shank, short, round point, double groove,		
ball eye, nickel-plated, per M		11 00
	- 0	
THE RESIDENCE OF THE PARTY OF T		
Round shank, short, round point, double groove, ball eye,		
spotted, No. 4 and smaller, per M	9 v. 0.	12 00
ARTICLE AND THE PARTY OF THE PA		
Round shank, short, round point, double groove, ball eye,		
spotted, nickel plated, Government, per M	:	13 00
그 10. [12] [12] [12] [13] [14] [15] [15] [15] [15] [15] [15] [15] [15		400 NO.

# ILLUSTRATIONS AND PRICE LIST OF PARTS FOR REPAIRS ONLY

**Plates** Grouped according to scale will be found illustrations of parts similar in appearance and, to some extent, component parts that go together in the same subdivisions of the mechanism.

Price List of Parts

Turning from the plates to the price list, the description of each part and its principal uses will be found to give all necessary information. Where a part is used on all machines, no specific use is mentioned in the description. The screw or screws belonging to each part are repeated after its description. If two or more parts in a group have the same general description and use the same screws, the screws are only specified after the last part in the group.

- (—) A dash in the "Plate number" column of the price list indicates the absence of an illustration.
- (‡) A double dagger in the "Number to order by" column indicates that the component parts cannot be furnished separately.
- (\*) A star in the "Number to order by" column indicates that the part can only be furnished upon the return of the broken or worn out part. This rule we are forced to adopt because of the difficulty of protecting our customers and ourselves against improper use of these particular parts, which, like others, are furnished at list prices for repairs only.

Ordering Goods A large number of parts have their full numbers stamped upon them. Other parts, difficult to distinguish, are marked instead with identification letters.

If customers furnish the number stamped on a piece, errors will be avoided and we shall be enabled promptly to duplicate the desired part. If only an identification letter is furnished, it should be accompanied with a general description of the part.

All part numbers represent the same part regardless of the catalog in which they appear.

All supplies, including oil, belting, belt hooks, malleable iron belt lacings, taps, reamers, screw drivers and powdered oilstone, will be promptly furnished.

Terms Attention is directed to our established practice. Prices on all parts and supplies are strictly net. Being shipped in perfect condition, packed with skillful care, they are forwarded at the buyer's risk, f. o. b., Chicago. Regular postage rates will be charged on all goods sent by mail.




PLATE No. 2 -Full Size.





PLATE No. 3 Full Size.




From the library of: Superior Sewing Machine & Supply LLC

6920 B

6990

6927 A







From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC

PLATE No. 8-Full Size. 93 A 22516 22569 82 

From the library of: Superior Sewing Machine & Supply LLC

136

75.A

(85)

22522

22587

PLATE No. 9-Full Size.

























































































From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC

PLATE No. 13-Full Size. 1349 (110-3) (110-4) W 1286 B 6956 C 3336 1290 6956 E G 2.2 12964 C 1287 12873 1288 57-W.B. 1008 1007


From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC

### PLATE No. 18-One-half Size.











































PLATE No. 19-One-half Size. 10303 G 10303 D 10303 B 10303 A 10303 C 23168 B-23168 L 23254 D 23254 E

From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC

PLATE No. 21-One-half Size.



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC

PLATE No. 23-One-third Size. [68] 21113 168B To d (00.B) 105 21145

From the library of: Superior Sewing Machine & Supply LLC

21102

10322

169

PLATE No. 24 - One-third Size.























PLATE No. 25-One-third Size.




From the library of: Superior Sewing Machine & Supply LLC


PLATE No. 26-One-fourth Size. 10348 10360 10355 10352 10353 **50** ₹0 7 5156 5157 G 27 6998 T 42 6998 H 6998 J 6998 S 416 A 416 B 416 8645 8645 422 8647

From the library of: Superior Sewing Machine & Supply LLC

PLATE No. 27-One-eighth Size.




From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC

# PLATE No. 29-TWO-THIRDS SIZE.



6998 G-Knife Grinder.

These Parts are Furnished at List Prices for Repairs Only. See Notice on Page 3.

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
2	20	Cloth Plate Slide, right (2 9 16 inches long)	\$0 40 04
2 A	20	" " " left	40
2 CU	20	" " right $(2\frac{5}{16} \text{ inches long})$ " " Stop Screw No. 150	40 04
4 D	6	Cast-off Wire, for use with take-up No. 101 V on machines in Class 10300, also for use with take-up No. 101 on Styles 6900 E and 6900 H	30
		" Screw No. 87	04
5	17	Collar, for main shaft	25
	1.	" Screws No. 95.	03
6 A	25	Looper Eccentric Fork, with shoes.	75
	20	" " Clamp Screw No. 85	05
		" Set Screws No. 72	05
6 B	20	" " Shoe	10
		" " Shoe Screw No. 94	04
Т6	10	Feed Dog Tilting Rod Check Nut, for tilting feed	
7	26	machines	15
		for Styles 10300 B, 10300 C and 10300 D,	1 00
		also for tilting feed machines " Screws No. 88	1 00
G7	13	Penetrating Knife Clamp Spring, for knife grinder	03
8	15	Feed Rocker Shaft $(5\frac{3}{16})$ inches long, hardened and	04
	10	ground) sizes .407, .408, .410, .413 and .416	45
9 A	24	Feed Bar, for Style 6900 E	75
9 X	24	" for machines in Class 12700	50
		" " Screws No. 88	03
10	20	" Prong and Sponge, for machines in Classes 6900	
		and 12700 and for Styles 10300 B, 10300 C	
		and 10300 D. also for tilting feed machines	20
10.1		Frong Screws No. 94	04
10 A		Frong Sponge	02
G10	9	Thumb Screw (length $\frac{19}{32}$ inch) for penetrating knife	
-11	15	swinging frame clamp No. 6998 Q	15
11	15	Feed Bar Shaft $(3\frac{7}{16}$ inches long, hardened and ground)	40
G11	26	sizes .407, .408 and .410 Pulley, for knife grinder	40 50

### PRICE LIST OF PARTS

These Parts are Furnished at List Prices for Repairs Only. See Notice on Page 3.

Numb to orde		Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
12	27	Feed Crank Cover	\$0 30
13	20	" " Spring	10
		" " Spring Screw No. 94	04
G13	9	Pulley Spindle Clamp Screw, for knife grinder	03
14	4	Feed Crank Cover Hinge Screw	10
15	25	" Link (hardened)	40
		" " Link Screw No. 79	04
16	17	" Link Ferrule (hardened and ground)	30
17	11	" " Stud	2
18	10	" Stud Nut, also for Nos. 36 R, 6039, 10347,	
	10	10349 and 10357	10
19	14	" " Stud Cap	1.
		" Stud Cap Screws No. 77	0;
G19	26	Swinging Frame Pivot Pin Sleeve, for knife grinder	60
20	10	Feed Crank Stud Washer (7/32-inch hole)	0
G20	12	Swinging Frame Pivot Pin Adjusting Nut for knife grinder	3.
21	17	Feed Crank Link Pin (hardened and ground) also for No.	
		6956 A	1
		" " Link Pin Screw No. 77	0:
G21	12	Swinging Frame Pivot Pin Adjusting Nut Guide, for	0.
0.21	12	knife grinder	3.
	-	" " Adjusting Nut Guide Screw	O.
		No. 87	0
22	J 2	Feed Dog, for Nos. 8 and 12 gauge Style 6900 E	8
	2	" Screw No. 93	0
G22	13	Swinging Frame Pivot Pin Spring, for knife grinder	1
23	20	Feed Bar Shoe (hardened and ground) for machines in	
	20	Classes 6900 and 12700 and for Styles	
		19300 B, 10300 C and 10300 D, also	
		for tilting feed machines	1
		" " Scre No. 94	0
G23	12	Swinging Frame Pivot Pin Spring Collar, for knife grinder	1
0.20	12	" " Spring Collar Screw No. 98	0
24	X 19	Cloth Plate Gauge	2
-1	10	" " Screws No. 25 C	0.
T24	22	Wrench, for feed dog tilting rod check nut	2
25		Screw $(\frac{9}{32})$ inch long for cloth plate gauges and attach-	20
20	0	ments	0.
A26	5	Looper Needle Guard (marked A) for looper No. 6907 H	13
120	3	" " Screw No. 73 A	0.
G26	9	Thumb Screw (length $\frac{15}{32}$ inch) for knife clamp No.	0.
020	9	6998 R, also for No. 6998 N	1.
G27	26	그리고 그 그 그는 그는 이 이 전에 이렇게 하면 되었다면 그런 말이 되었다면 그런	7.
28		Pulley Spindle (hardened and ground) for knife grinder	0:
28	0 7	Side Pressure Screw, for presser feet in Class 12700	U

These Parts are Furnished at List Prices for Repairs Only. See Notice on Page 3.

		SEE NOTICE ON LAGE 5.	
Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per 4 part
G28	12	Pulley Spindle Washer, for knife grinder	\$0 25
* 29 S	25	Looper Rocker (hardened) for Style 6900 G	1 00
G29	9	Pulley Spindle Washer Screw, for knife grinder	10
30	25	Looper Rocker Frame (hardened) for machines in Classes	
	20	10300 and 12700, also for Styles	
		6900 E and 6900 H	1 00
		" " Screw, left, No. 88	03
		" " Screw, right, No. 98	03
		" " Spot Screw, No. 96	03
31	15	Looper Rock Shaft ( $3\frac{1}{8}$ inches long, hardened and ground)	00
51	10	sizes .407, .408, .410, .413 and .416,	
		also for No. 10360	45
32	177	" " $(1\frac{1}{8} \text{ inches long, hardened and ground})$	10
32	17	sizes .407, .408, .410, .413 and .416	30
99	0	Looper Rocker Stud (hardened)	35
33	9		10
34	10	" " Nut	10
‡36 L	18	Looper Connection Rod Ball Joint, left, complete, for	1 05
1 00 D	10	use with Nos. 6036 and 6933	1 25
‡ 36 R	18	Bait Joint, Hght, complete, for	1 05
	100	use with Nos. 6036 and 6933	1 25
		Dan Joint Screws No. 37 A	04
37 L	10	ivat, left thread, for disc with	
		Nos. 6036, 6933, 10345 and	10
		10356	10
37 R	10	rvat, fight thread, for use with	
	1	Nos. 6036, 6933, 10345 and	10
		10356	10
38	17	Looper Eccentric (ground, marked D. eccentricity, .208	
	1	inch) for Style 6900 E	50
38 V	17	(ground, marked v, eccentricity .174	
		inch) for machines in Class 12700	
		and for Style 6900 H	50
		Belew No. 90	03
39	14	Lower Tension Arm Thread Guide, for Style 12700 A	05
40	14	" Thread Eyelet	10
41 A	17	Presser Foot Lifter (hardened) for machines in Classes	
		10300 and 12700, also for Styles	00
		6900 E and 6900 H	30
		Screw No. 80	05
42 A	9	Screw rin (nardened)	10
43	17	Feed Lift Eccentric (ground, marked F)	40
2004		Screw No. 90	03
47	10	Needle Lever Stud Nut (hardened)	20
48	10	" " Washer (7/16-inch hole)	03

<sup>‡ \*</sup>See page No. 13

#### [50 EW-61X]

# PRICE LIST OF PARTS

These Parts are Furnished at List Prices for Repairs Only.

- See Notice on Page 3.

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
*50 EW	15	Needle Bar (hardened and ground) sizes .257, .260, .263, .266, .270, .273, .276, .280 and .283, for No. 16 gauge Style 6900 H	\$1 50
52 A	14	Needle Bar Set Screws No. 88	08
		machines using needle thread intermittent nipper springs  " Thread Eyelet and Frame Thread Eyelet	10
		Screw No. 98 A	04
54	18	Needle Bar Link (hardened) also for Nos. 6967 and 6967 D	78
54 A	18	Differential Rocker Link (hardened) for Style 6900 G	90
56  AW	17	Needle Clamp Collar, for No. 16 gauge Style 6900 H	40
56 C	17	" " " Pin, for No. 732 A	0-
56  CA	17	" " Pin, for No. 56 AW	0.
57	20	Looper Thread Nipper Spring, upper	10
		" " Screw No. 99	0
57 WB	13	Needle Bar Thread Nipper Plate	0.
57 WC	13	wire)	0:
57 WD	8	" " Stud, also for No. 15480 C	0:
58	20	Looper Thread Nipper Spring, lower	08
		Belew No. 90	04
59 S	95	Operating Screw No. 97.	2 0
00 13	25	Eccentric Pulley (marked M)	0
60 A	15	Presser Bar (hardened and ground) sizes .319, .322, .325,	7.
60 X	15	.328, .331 and .334, for Style 6900 E  " (hardened and ground) sizes .319, .322, .325, .328, .331 and .334, for machines in Classes	
		10300 and 12700, also for Styles 6900 G	
		and 6900 H	7
61 C	12	Presser Bar Connection, for Style 6900 E	3.
		" " Screw, front, No. 77	03
	0000	" " " Screws, back, No. 88	03
61 X	12	" " for machines in Classes 10300	
		and 12700, also for Styles	
		6900 G and 6900 H	38
		" " Screw, front, No. 89	03
		" " Screw, back, No. 77	0:

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.	Price
	Pla	TERMS ON PARTS, NET CASH	part
62	15	Presser Guide Bar (hardened and ground) sizes .319, 322, .325, .328, .331 and .334, for machines	
		in Classes 10300 and 12700, also for Styles	
62 A	15	6900 G and 6900 H  Presser Guide Bar (hardened and ground) sizes .319,	\$0 4
02.11	10	322, 325, 328, 331 and 334, for Style 6900 E	4
64	18	Presser Spring Rest, for Style 6900 G.	5
		" " Screw No. 88	(
64 A	9	Presser Spring Screw Regulator	-
64 B	10	" " Regulator Check Nut	-
65  DN	3	Presser Foot, for No. 8 gauge Style 6900 E	1 :
		" " Screw No. 91	
67	17	Main Shaft Sleeve (1 1 inches long)	
68	17	" " $(1\frac{11}{16} \text{ inches long})\dots$	
69 S	28	Spool Pin (four inches long) for Style D thread stand	
70	20	Looper Eccentric Sponge Holder and Sponge	
		" Sponge Holder Screw No. 94	
70 A		" " Sponge	
72	7	Set Screw, for looper eccentric fork	
73	7	" for loopers, also for No. 10340	
73 A	7	Screw, for looper needle guards	
75	- 8	Adjusting Screw, for knife bar on Style 6900 G, also for No. 6998 M	
75 A	8	Screw, for needle lever connections with non-separable bearings, also for No. 10364	(
77	7	" for feed crank stud cap, also for Nos. 21, 61 C, 61 X, 1286 and 6932	
78	7	" lower, for link pins	(
79	8	" for feed crank link	(
80	8	" for cloth plates, also for No. 10337	(
81	7	Spot Screw, for spreader eccentric	(
82	8	Screw, for regulating stitch	(
84 A	10	Stitch Regulating Ferrule $(\frac{7}{32}$ -inch long)	(
84 B	10	" " $(\frac{32}{32}$ -inch long)	(
85	8	Clamp Screw, for looper eccentric fork, also for Nos. 6967 and 6967 D	(
86	8	Screw, for presser foot lifters	0
86 A	8	" large size, for presser foot lifters (tap No. 21513).	0
87	8	" for throat plates, also for Nos. 4 D, G21, 129, 3004, 6904, 12704, 15447 B and 21390 D	0
87 U	7	" for needle bar thread eyelets, also for Nos. 186 A, 6955 A, 6956 B, 8651, 10336, 10339 and 12741	0

# PRICE LIST OF PARTS

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
90	-	Screw, for feed rockers, also for Nos. 9 A, 9 X, 30, 50 EW,	-
88	7	61 C, 64, 161, 730, 730 A, 1288, 2538, 5142.	
		5156, 5217, 6985, 10343, 12730, 12730 A, 15446	
		and 15447 E	\$0 0
99.4	_	" for thread controller rack and presser spring rest.	0
88 A	7	Set Screw (\frac{1}{8} inch long) for needles	0
88 B	7	Screw, for take-ups, also for Nos. 61 X, 732, 6937 and	·
89	7	12718	0
90	7	" for looper thread nipper springs, also for Nos.3072,	
		6968 and 21390 E	0
91	7	" fillister head, for presser feet	0
91-A	7	" for side pressure yoke, for presser feet in Class 12700	0
92	8	Cloth Plate Slide Stop Screw, for Styles 10300 C and	
02,	0	10300 G, also for No. 10333 C	0
92 A	7	Screw, for cloth plate guard No. 10333 C	0
93 93	8	" $(\frac{7}{16} \text{ inch long})$ for feed dogs, also for Nos. 102.	
90	0	171, 1002, 1075, 5150, 6035, 6967 B. 15447 F.	
		15447 H and 16198	0
02.4	8	" fillister head, for cloth plates and for feed dogs	
93 A	0	on machines with feed bar needle guards, also	
		for No. 416 A	0
0.4	8	" for looper eccentric fork shoes, also for Nos. 10, 13,	
94	0	23, 70, 104, 5125, 7638, 15447 G and 15447 H	0
0.5	7	" for main shaft collar, also for Nos. 100 B, 10363	
95	,	21113 and 21113 A	- 0
00	7	" for looper tocker frame, also for Nos. 38, 38 V, 43.	
96	'	1054, 6906, 10314, 21102 C, 21102 D and	
		21102 E	0
07	7	" for operating looper thread nipper springs, also for	
97	'	Nos. 9 A, 9 X, 103, 5142, 6976, 6985, 10344,	
		12735, 15446 B and 21390 F	0
07.4	0	" for looper connection rod ball joints, also for Nos.	
97 A	8	10346, 10347, 10357 and 10364	(
00	7	" $(\frac{3}{16} \text{ inch long})$ slotted, for needles, also for Nos.	
98	'	G11, G23, 30, 111, 334, 337, 424, 1005, 6932,	
		7453 and 11262	(
00 4	7	" for needle lever thread eyelets, also for No. 52 A.	(
98 A	23	Thread Wire (sixteen inches long) for Style C thread	,
100 B	20	stand	
		" Screw No. 95	
101	18	Take-up, for use with cast-off wire No. 4 D on Styles	
101	18	6900 E and 6900 H	
		0300 E and 0300 II	

These Parts are Furnished at List Prices for Repairs Only. See Notice on Page 3.

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  Price per part
		TERMS ON PARTS, NET CASH
101 V	18	Take-up, for use with cast-off wire No. 4 D on machines
		in Class 10300 \$0.7
	20000	" Screw No. 89
102	25	" Frame 5
		" Frame Screws No. 93 0
103	14	" Thread Eyelet, for machines in Classes 6900 and
		10300
		" Thread Eyelet Support Screw No. 97 0
104	20	" Thread Eyelet Spring 0
		" Thread Eyelet Spring Screw No. 94 0
105	23	Machine Thumb Screw, $1\frac{1}{2}$ , $2\frac{1}{2}$ , $3$ , $3\frac{1}{2}$ , $4$ , $4\frac{1}{2}$ , $5$ , $5\frac{1}{2}$ and
	-	6 inches inclusive
106	11	Tension Post, for thread pad 2
106 A	11	" Post, solid, lower, for looper thread on machines
		in Class 12700 2
107	17	" Spring Ferrule 0
108	11	" Nut 0
109	11	" Disc (hardened) 0
110		Tension Spring:
110-1	13	" (.026-inch diameter wire) for looper
	-	threads
110-2	13	" (.028-inch diameter wire) for needle and
		looper threads, also for No. 1000 0
110-3	13	" (.040-inch diameter wire) for needle
	1	threads 0
110-4	13	" (.048-inch diameter wire) for needle
		threads0
111	14	Tension Thread Eyelet, with two eyes (distance between
		centers of eyes $1\frac{7}{16}$ inches) 1
		" " Screw No. 98 0
112 DN	1	Throat Plate, for No. 8 gauge Style 6900 E 1 2
	1	" " Screws No. 87 0
118	22	Thread Hook
118 B	22	Thread Tweezers
129	10	Washer, for swinging frame pivot pin on knife grinder
120	10	" Screw No. 87
134	8	Screw, for stationary knife stop on knife grinder 1
135	8	" for bell crank lever frame, also for No. 5157
136	8	" for differential rocker support on Style 6900 G,
100	3	also for No. 10353
137	14	Thread Controller Thread Eyelet.
138	7	" "Thread Eyelet Screw
‡139 A	16	" Lever and Washer, assembled 1 (
141	8	" Lever Screw, also for No. 6967 D
141	0	Level Belew, also for Ivo. 0907 D

### [ 142 C-213]

### PRICE LIST OF PARTS

These Parts are Furnished at List Prices for Repairs Only. See Notice on Page 3.

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
142 C	18	Thread Controller Rack and Presser Spring Rest  " Rack and Presser Spring Rest Screw	\$0.75
		No. 88 A	04
149	27	Cloth Plate, for Styles 6900 E and 6900 H	2 50
150	7	" " Slide Stop Screw	04
153 F	27	Needle Lever (steel forging) for Styles 6900 E, 6900 H and 12700 A.	2 25
154	20	" " Washer	05
‡155	25	Needle Lever Connection, with non-separable bearings	1 35
+100	20	" " Connection Screws No. 75 A	04
156	9	" "Ball (hardened)	40
158	14	" "Thread Eyelet, right	10
158 A	14	" "Thread Eyelet, with three eyes	14
158 B	14	" "Thread Eyelet, with two eyes	12
200		" Thread Eyelet Screw No. 98 A	04
161	17	Spreader Bar Collar	15
		" Collar Screw No. 88	03
162	18	Needle Bar Connection, sizes .257, .260, .263, .266, .270, .273, .276, .280 and .283	40
168	23	Presser Spring (.085-inch metal) for machines in Classes 6900 and 12700	35
168 B	23	" (.065-inch metal) for machines in Class	35
169	23	Main Shaft (hardened and ground) sizes .530, .531, .533, .536, .539 and .542, for machines in Classes 6900	
	20	and 12700	2 50
170	28	Screw Driver, round steel, diameter $\frac{7}{32}$ inch, length over all nine inches	30
171	24	Tension Bracket, for Style 12700 A	30
100000000000000000000000000000000000000		" Screws No. 93	04
* 183	25	Looper Rocker (hardened) for Style 12700 A	1 25
186 A	14	Needle Thread Pull-off Wire ( $\frac{9}{16}$ inch wide)	06 04
187 A	7	Screw, for felt cushion	04
188 D	9	Thumb Screw, for lace edging spool support cone	10
201 A	28	Lace Edging Spool Support Frame	50
201 C	~ 9	" " Support Frame Pin Thumb Screw	10
202 A	14	Needle Thread Pull-off and Take-up Wire Post	35
		" and Take-up Wire Post Screw	
* 213	25	No. 22529  Looper Rocker (hardened) for machines in Class 10300, also for Styles 6900 E and 6900 H	05 1 00

<sup>‡\*</sup>See page No. 13

These Parts are Fuenished at List Prices for Repairs Only. See Notice on Page 3.

260 269 299 330 A	9 10 17	Knife Holder Friction Washer, for knife grinder Nut (left thread) for use with looper connection rods	\$0 08
299		Nut (left thread) for use with looper connection rods	
	17		
	17	Nos. 6037 and 6934	10
330 A		Differential Rocker Pivot Pin $(1\frac{3}{8})$ inches long, hardened	
330 A		and ground) for Style 6900 G	20
	17	Main Shaft Sleeve (19/64 inch long)	06
337	14	Tension Thread Eyelet, with one eye (length over all $1\frac{7}{16}$	
8		inches)	07
		" Eyelet Screw No. 98	03
413	28	Oil Can	10
414	27	Table Brace, complete	1 50
416	26	Foot Lift Lever, complete	75
416 A	26	" " Lever Extension	25
		" Lever Extension Screws No. 93 A	04
416 B	26	" " Lever Casting	40
420	11	" Lever Stud, also for No. 6948 B.	20
421	26	" Chain (thirty-eight inches long) also for No.	
		6948 A	15
422	26	Foot Treadle	20
423	22	" " Rest	15
424	17	" " Pin	05
		" " Pin Screw No. 98	03
426	22	Foot Lift Lever Spring	05
426 A	17	" " " Pin. also for No. 3336	01
462	10	Knife Bar Carrier Link Stud Nut (hardened)	20
486	11	" " " (hardened and ground)	40
540	13	Guide Pin, for adjustable pull-off frame No. 15435 C	05
605	7	Screw, for spring on presser foot No. 6920 A, also for	00
000	•	No. 6956 E	05
725	2	Feed Dog, for No. 8 gauge Styles 10300 B and 10300 D,	00
120	-	also for No. 12 gauge Style 10300 D	85
		" Screw No. 93	04
727	5	Looper, with guard, for Nos. 8 and 12 gauge Style 6900 E	1 45
727 A	5	" without guard, for Nos 8 and 12 gauge Style	1 10
		6900 E	1 25
		" Set Screw No. 73	05
729	5	Looper Needle Guard (marked Q) for loopers Nos. 727,	00
10.700	9	10307 and 10307 A	15
		" " Screw No. 73 A	05
* 730	15	Needle Bar (hardened and ground) sizes .257, .260, .263,	00
		.266, .270, .273, .276, .280 and .283, for No. 8	
		gauge machines	1 50
		00	. 50

\*See Page No. 13

### [730 A-1275 A]

# PRICE LIST OF PARTS

Number to order by	Plate No.	in seco	nd colu to be t notice	mn refe used in	orderin	all parts sent by mail. Figures to plates illustrating parts, and g. Prices subject to change ARTS, NET CASH	Price per part
* 730 A	15	Needle	Bar (	.266,	.270,	ground) sizes .257, .260, .263, .273, .276, .280 and .283, for the machines	\$1 50
		"	" 5	Set Scr	ews No	. 88	03
732	17	Needle				No. 8 gauge machines	50
.02		"	"	"		ew No. 89	03
732 A	17	"	"	ii.		No. 12 gauge machines	50
738	3	Presser	Foot	for N		ıge Style 10300 C	1 35
738 A	3	"	"			auge Style 10300 C	1 35
100 A	3	"	"			L	04
750		I non I	deine			rt, complete, with thirteen-inch	. 03
750		Lace 1	aging	Spoor	Suppor	axle	2 00
771	28	"	"	"	"	Frame Pin (hardened, length	2 00
751	28	1077				over all three inches)	10
	-	"	ä	u	"		10
		.,	**			Frame Pin Thumb Screw	10
		"	ü	ü	"	No. 201 C	10
752	28		"			Axle (length over all thirteen	
	-0.000			"		inches)	35
753	17	"	"	===		Cone, adjustable	20
		"	"	"	"	Cone Screw No. 188 D	10
907	10	Knife	Depres	ser Ca	m Stud	Nut	10
1000	22		l Pad,	comple	ete		1 00
1002	22	"	"	Cup.			25
		"	. "	Cup S	Screw N	Vo. 93	04
1003	22	"	"	Cup 1	Pin		10
1004	22	"	"	Cup I	Pelt		05
1005	22	"	"	Brack	et		15
		"	"	Brack	et Scre	w No. 98	03
1007	13	"	"	Tensi	on Plat	e, complete	10
1008	13	"	"	Tensi	on Felt	, lower	03
1054	17	Loope	Ecce			marked V2, eccentricity .152	
						for Style 6900 G	50
		"		S		o. 96	93
1075	24	Tensio	n Brac			6900 G	35
10.0		"	6			Io. 93	04
1096	7	Stop S	crew			resser foot No. 6927 A	03
1216	25	1				complete, with separable bear-	00
1210	20	recuir				r	3 00
1275	18	Needle	0			ened and ground) internal oil-	0 00
1210	10	reedie	Leve	. Stud	7	with screw, standard size	1 50
1275 A		"	"	"	-	ened and ground) internal oil-	1 00
1210 A						without screw, standard size.	1 45
					mg,	without screw, standard size.	1 46

These Parts are Furnished at List Prices for Repairs Only. See Notice on Page 3.

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH				
1275 B		Needle Lever Stud (hardened and ground) internal oil- ing, with screw, extra size on frame end (specify the number of thou- sandths of an inch larger than standard size) made only to order	\$1 75			
1275 C		" " (hardened and ground) internal oiling, with screw, extra size on lever end (specify the number of thousandths of an inch larger than standard size) made only to order	1 75			
1275 D		" " (hardened and ground) internal oil- ing, with screw, extra size on both ends (specify the number of thou- sandths of an inch larger on each	1 70			
		end than standard size) made only				
1275 E		to order	2 00			
1273 E		ing, without screw, extra size on frame end (specify the number of thousandths of an inch larger than standard size) made only to order	1 70			
1275 F		" (hardened and ground) internal oil- ing, without screw, extra size on lever end (specify the number of thousandths of an inch larger than				
1275 G	-	standard size) made only to order  " " (hardened and ground) internal oil- ing, without screw, extra size on	1 70			
		both ends (specify the number of thousandths of an inch larger on each end than standard size)				
	14	made only to order	1 95			
		" " Screw No. 22586	05			
1280	10	Needle Lever Bolt Nut	10			
1286	17	Needle Bar Link Pin (hardened and ground) complete, internal oiling, also for Nos.	0.1			
		54 A, 486 and 15446 B	30			
		" " Screw, upper, No. 77	03			
1286 A	17	" " (hardened and ground) internal oiling, without spring, ball or	U			
		screw	20			
1286 B	13	" " " Spring	04			
		" " " Spring Screw No. 22560	0;			

#### [1287-5142]

# PRICE LIST OF PARTS

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
1287	13	Needle Bar Thread Nipper, complete	\$0.5
1288	13	" " " Collar	3
1200	10	" " Collar Screw No. 88	0
1290	13	" " Spring (.016-inch diameter	
1290	10	wire)	0
1946	11	Tension Post (length over all $1\frac{11}{16}$ inches) for use with	
1346	11	hardened steel ferrule No. 1347	2
.0.1	11		
1347	11	rost refruie (length over an 16 men, hardened)	0
		for use with tension post No. 1346	0
1349	13	" Spring (.036-inch diameter wire) for needle	
		threads	C
1361	4	Presser Spring Pin.	C
1362	4	Main Shaft Sleeve Pin	(
1588	4	Spring Latch, for No. 12750	(
		" Screw No. 22562	(
1755	17	Presser Foot Lifter (hardened) for Style 6900 G	:
2.1 2.2		" " Screw No. 86	(
2538	17	Thread Controller Rack and Presser Spring Rest Support	
2000		Collar, also for No. 64	:
		" and Presser Spring Rest Support	
		Collar Screw No. 88	(
3004	6	Cast-off Wire, for use with take-up No. 3023	2
3004	0	" " Screw No. 87	(
2005 T	2	Main Feed Dog, for Styles 10300 F and 10300 G	1 (
3005  F			1 (
		Defews 110. 22000	
3005 G		Nos. 3005 F, 5150 and two No. 22593, assembled	1 8
3005 L		Nos. 3005 M, 15447 C and two No. 22593, assembled	2
3005 M	2	Feed Dog, for Nos. 8 and 12 gauge tilting feed machines	
		in Class 10300	1 1
		" " Screws No. 22593	(
3023	18	Take-up, for use with cast-off wire No. 3004	1 (
		" Screw No. 89	(
3026 C	2	Differential Feed Dog, for Styles 10300 F and 10300 G.	1 2
		" " Screw No. 22585	(
3072	6	Cast-off Wire Guard	2
		" " Screw No. 90	(
3336	13	Knife Depresser Spring, for Style 6900 G	(
5125	3	Feed Bar Needle Guard (hardened, marked AJ) for	
		Styles 6900 H, 10300 B,	
		10300 C and 10300 D	
		" " Serew No. 94	(
5142	24	Feed Bar, for Styles 6900 H, 10300 B, 10300 C and	,
0142	21	10300 D	7
-		" Screws No. 88	

These Parts are Furnished at List Prices for Repairs Only. See Notice on Page 3.

Number to order by	Plate No.	are not	to be used t notice.	harged on all parts sent by mail. Figures efer only to plates illustrating parts, and in ordering. Prices subject to change S ON PARTS, NET CASH	Price per part
5143	24	Feed B	ar, for diff	erential feed dog	\$0.90
5144	10	Differer	itial Feed	Bar Link Stud Nut	10
5150	2			Iolder, for Styles 10300 F and 10300G	75
		"	" "	" Screw No. 93	04
5156	26	Feed R	ocker, for	differential feed machines	1 25
		"		ws No. 88	03
5157	26	Feed R		nection	65
		"		nection Screws No. 135	06
* 5217	15	Needle	Bar (harde	ened and ground) sizes .257, .260, .263,	
				6, .270, .273, .276, .280, and .283, for	
			Sty	le 12700 A	1 50
		"		crews No. 88	03
5231	17	Needle	Separator,	for right-hand set of needles on Style	
				12700 A	30
5232		"	"	Pin	03
6035	27	Frame (	Guard		1 00
		"	" Sere	ews No. 93	04
6035  A	27	Cloth P	late Guard	, including felt cushion, for machines in	
				Classes 6900 and 12700	1 00
			" "	Screws No. 22730	05
6035 B		Felt Cu		No. 6035 A	03
2002				ew No. 187 A	04
6036	16	Looper	Connection	n Rod, tubular (length over all $8\frac{7}{8}$ )	
				inches) for use with Nos. 36 L	
0007	10	"	"	and 36 R	50
6037	16	"	••	" tubular (length over all $8\frac{7}{8}$	
				inches) for use with Nos. 6038	0.0
6038	10	"	"	and 6039	30
0000	18		23.5	Dan Joint, left, complete, for	1.05
6039	18	"	"	use with Nos. 6037 and 6934	1 25
0000	10			" Ball Joint, right, complete, for use with Nos. 6037 and 6934	1 05
		"	-"	" Ball Joint Screws No. 97 A	1 25 04
6042	11	Needla	Lover Belt	(length over all $1\frac{11}{32}$ inches)	20
6901	27	Cloth P	lete for St	yle 6900 G	3 00
0001		"	" Seron	s No. 80	05
		"		, fillister head, No. 93 A	04
6904	6	Cast-off	Wire, for	Style 6900 G	30
	1990	"		w No. 87	04
6905 A	2	Feed De	og, for Styl		V.I
6905 A-12		" "		. 8 and 12 gauges	1 25
6905 H	2	" "		e 6900 H, also for side buckle strap	
				ines in Class 6900:	
6905 H-12		" "		12 gauge	95

### [6905 H-6932]

# PRICE LIST OF PARTS

		SEE NOTICE ON PAGE 3.	
Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
6905-H		Continued:	
6905 H-16		Feed Dog, for No. 16 gauge	\$ 1 25
		" " Screw No. 93	04
6906	17	Feed Lift and Knife Bar Eccentric (ground, marked CD)	
		for Style 6900 G	1 50
		" and Knife Bar Eccentric Screw No. 96	03
6907 H	5	Looper, with guard, for Style 6900 H, also for side buckle	
		strap machines in Class 6900	1 45
6908 A	5	" without guard, for Style 6900 H, also for side	
		buckle strap machines in Class 6900	1 25
6908 G	5	" for Nos. 8 and 12 gauge Style 6900 G	1 25
		" Set Screw No. 73	03
6915 G	27	Needle Lever (steel forging) for Style 6900 G	2 35
6920 A	3	Presser Foot, with yielding sides, for Style 6900 H:	
6920 A-12		" for No. 12 gauge	4 00
6920 A-16		" for No. 16 gauge	4 00
$6920 \; \mathrm{B}$	3	" for Style 6900 G:	
$6920 \text{ B}{-8}$	-	" for No. 8 gauge	1 60
$6920 \text{ B}{-}12$		" for No. 12 gauge	1 60
6920 C	3	" for side buckle straps, $\frac{11}{16}$ inch wide:	
$6920 \text{ C}{-}12$		" for No. 12 gauge	2 23
6920 C-16		" for No. 16 gauge	2 25
6920 E	3	" for Style 6900 E:	1 0
6920 E-12		" for No. 12 gauge	1 23
		" " Screw No. 91	04
6923 G	18	Take-up, for Style 6900 G	1 00
		" Screw No. 89	08
6924 A	1	Throat Plate, for Style 6900 G:	2 50
6924 A-8		" for No. 8 gauge" " for No. 12 gauge	2 50
6924 A-12		" " for Style 6900 E:	2 50
6924 E	1	" " for No. 12 gauge	1 25
6924 E-12 6924 H	1	" for Style 6900 H, also for side buckle strap	1 20
0924 H	1	machines in Class 6900:	
6924 H-12		" for No. 12 gauge	1 23
6924 H-12		" " for No. 16 gauge	1 50
032411-10		" Screws No. 87	04
6927 A	3	Presser Foot, with spring guide, for Style 6900 G:	
6927 A-12		" for No. 12 gauge	3 00
0021 A 12		" " Screw No. 91	04
6932	25	Looper Rocker Frame (hardened) for Style 6900 G	1 20
0002	20	" " Screw, left, No. 77	03
		" " Screw, right, No. 98	03
		" " Spot Screw No. 96	03

Number to order by	Plate No.	are no	t to be us t notice.	e charged on all parts sent by mail. Figures n refer only to plates illustrating parts, and sed in ordering. Prices subject to change MS ON PARTS, NET CASH	Price per part
6933	16	Looper		ion Rod, tubular (length over all $9\frac{3}{8}$	
				inches) for use with Nos. 36 L	
	1			and 36 R	\$0.50
6934	16	"	"	" tubular (length over all $9\frac{3}{8}$	ΦO 50
				inches) for use with Nos. 6038	
				and 6039	50
6937	21	Differen	ntial Roc	eker, for Style 6900 G	1 00
		"	6	Screw No. 89	03
6938	21	Differen	ntial Roc	ker Support	1 50
		"	(	Support Screws No. 136	08
6939	11	Noodlo	Lovor P.	olt (length over all $1\frac{7}{16}$ inches)	20
6948 A	21	Knife I	Johrosson	Lever, for Style 6900 G	
001011	-1	"	epresser"	" Corone N = 99707	30
6948 B	21	L'nite I		Screws No. 22585	04
0340 D	21	Kinie i	Depresser "		1 20
6948 C	21	"	"	Stud No. 420	20
0348 C	21	"	"	Bracket	70
6948 D	9	"	"	Bracket Screws No. 22517	05
6954 A				Cam Stud (hardened)	10
The second second	4	Station	ary Knife		25
6954 B	4		**	Clamp	30
00== 1			. "	Clamp Screw No. 22561	04
6955 A	4	Penetra	ting Kni	fe	80
				Clamp Screw No. 87 U	04
2052			"	Stop and Adjusting Screw No. 87 U	04
6956 A	21	Knife E			1 20
20 K 2 T			Adjus	sting Screw No. 75	04
6956 B	12		" Depre	esser Cam	35
00.00	40		" Depre	esser Cam Screw No. 87 U	04
6956 C	13		" Spring	g	04
6956 D	10		" Adjus	sting Screw Check Nut	15
6956 E	13		" Adjus	sting Screw Check Nut Retainer	05
		"	" Adjus	sting Screw Check Nut Retainer Screw	
	i		No.	. 605	05
6967	21	"	" Carrie	er, with shoes, for machines using knife	
				bar carrier guide	2 55
		ш	u u	Clamp Screw No. 85	05
6967 B	21	"	ш и	Guide	40
		"	u u	Guide Screw No. 93	04
6967 C	12	"	u u	Guide Bearing (hardened)	18
6967 D	21	"	" "	with shoes, for machines using sup-	55.50
				porting screw No. 141	2 55
6967  F	10	"		Supporting Screw Bushing	10
				Transfer Dubling	

### [6968-7638]

# PRICE LIST OF PARTS

		SEE NOTICE ON TAGE 5.	
Number order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
6968	21	Knife Bar Carrier Fork, with shoes	\$1 50
0000		" " Fork Clamp Screw, lower, No. 22522	06
		" " Fork Clamp Screws, upper, No. 90	04
6970	14	Needle Lever Thread Eyelet, for Style 6900 G	40
		" " Screws No. 98 A	04
6975 A	14	Intermediate Pull-off, for needle and looper threads on	
12212		Style 6900 G	1 25
6976	14	" Thread Wire, for looper threads	12
		" Thread Wire Screw No. 97	04
6985	24	Feed Bar, for Style 6900 G	75
	1.5	" " Screws No. 88	03
6990	3	Spring, for guide on presser foot No. 6927 A	06
6998 G	29	Knife Grinder, complete, including emery wheel	10 00
6998 H	26	Grinder Head	2 00
6998 J	26	Grinder Swinging Frame	2 50
		" " Set Screw No. 22591	06
6998 K	15	" " Pivot Pin (hardened and	
	1.555.55	ground)	1 00
6998 M	12	" " Stop Collar	90
		" " Stop Collar Set Screw No.	
		22560 B	04
		" " Stop Collar Stop Screw No. 75	04
6998 N	12	Stationary Knife Clamping Plate, for knife grinder	80
		" Clamping Plate Thumb Screw No. G26	15
		" Clamping Plate Screws No. 22524	05
6998 P	12	" Stop, for knife grinder	60
		" Stop Screw No. 134	10
6998 Q	12	Penetrating Knife Swinging Frame Clamp, for knife	
		grinder	60
		" " Frame Clamp Thumb	
		Screw No. G10	15
6998 R	12	Knife Clamp, for bevel cut on penetrating knife, for	20
		knife grinder	60
		" Thumb Screw No. G26	15
6998 S	26	Knife Holder, for bevel cut on penetrating knife, for	
		knife grinder	2 00
2000		Screw No. 9075	15 60
6998 T	26	Grinder Emery Wheel	
7453	14	Tension Thread Eyelet, lower, for intermediate pull-off	10
		on Style 6900 G " " Screw No. 98	03
7020	1.7	Belew No. 98	10
7638	14	Lower Thread Deflecting Wire	04
		wire Screw No. 94	04

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
8645	26	Quilting Guide, right	\$0 30
8646	26	" " left	30
		" Screw No. 22558	04
8647	26	" "Support	80
		" Support Screw No. 22558	04
8648		" complete	1 50
8651	14	Needle Thread Take-up Wire	07
0001	1.1	" " Wire Screw No. 87 U	04
9034	14	Needle Bar Thread Eyelet, with three eyes	10
2001	1.4	" " Screw No. 87 U	
9675	9		04
10301		Knife Holder Screw, for knife grinder	15
10501	27	Cloth Plate, for Styles 10300 B and 10300 F	2 50
		Serews No. 80	05
10001 0	07	Screw, minster nead, No. 95 A	04
10301 C	27	10r Styles 10300 C, 10300 D and 10300 G.	1 75
10001 77		Screws No. 80	05
10301 F	27	for use without feed crank cover, on thing	
		feed machines	2 60
		" Screws No. 80	05
		" Screw, fillister head, No. 93 A	04
10301 G	27	" for use with feed crank cover, on tilting feed	
		machines	1 85
		" Screws No. 80	05
10303 A	19	Cloth Plate Edge Guide	35
10303  B	19	" " " for Styles 10300 B and 10300 F,	
		also for tilting feed machines	
		without feed crank cover	35
10303 C	19	" " " for Style 10300 C	30
10303 D	19	" " " for Styles 10300 D and 10300 G	35
10303 G	19	" " " for tilting feed machines with	
		feed crank cover	35
		" " " Screws No. 25 C	05
10305	2	Feed Dog, for Nos. 8 and 12 gauge Style 10300 C	85
		" " Screw No. 93	04
10307	5	Looper, with guard, for machines in Class 10300	1 45
10307 A	5	" with guard, for use with throat plates Nos.	
		10324 A and 10324 B	1 45
10308	5	" without guard, for machines in Class 10300	1 25
10308 A	5	" without guard, for use with throat plates Nos.	
	0.000	10324 A and 10324 B.	1 25
		" Set Screw No. 73	05
		337 337 3137 317 317 317 317 317 317 317	50

#### [10314-10336]

# PRICE LIST OF PARTS

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
10314	17	Looper Eccentric (ground, marked C, eccentricity .135	
		inch) for machines in Class 10300	\$0.50
		" Screw No. 96	03
10315	27	Needle Lever (steel forging) for machines in Class 10300	2 25
10320 B	4	Presser Foot, for Styles 10300 B and 10300 D:	
10320 B-8		" for No. 8 gauge	2 25
$10320 \text{ B}{-}12$		" for No. 12 gauge	2 25
10320  F	4	" for Styles 10300 F and 10300 G, also for	
		tilting feed machines:	
10320  F-8		" for No. 8 gauge	3 00
10320  F-12		" for No. 12 gauge	3 00
		" Screw No. 91	0-
10322	23	Main Shaft (hardened and ground) sizes .530, .531, .533,	
		.536, .539 and .542, for machines in Class 10300	2 50
10324	1	Throat Plate, for Styles 10300 B, 10300 C and 10300 D:	200 740
10324 - 8		" for No. 8 gauge	1 2
10324 - 12		" for No. 12 gauge	1 2
10324  A	-1	" for deflected stitch on Styles 10300 B,	
		10300 C and 10300 D:	
$10324 \text{ A}{-8}$		" for No. 8 gauge	1 3
$10324~\mathrm{B}$	1	" for deflected stitch on Styles 10300 F and	
		10300 G, also for machines with tilting	
		feed:	
$10324 \text{ B}{-8}$		" for No. 8 gauge	1 6
$10324 \text{ B}{-}12$		" for No. 12 gauge	1 60
10324 F	1	" for Styles 10300 F and 10300 G, also for	
		machines with tilting feed:	
$10324 \text{ F}{-8}$		" for No. 8 gauge	1 5
10324 F-12		" for No. 12 gauge	1 50
	Value	Screws No. 87	0
10333	27 -	Cloth Plate Guard, sheet metal, for Styles 10300 B and	0
		10300 F	3
		Sciews No. 22302 B	0
10333 C	27	sheet metal, for Styles 10000 C,	
		10300 D and 10300 G	4
		Serew, 11011t, 110. 32	0-
		Selew, back, No. 32 A	0
10334  A	14	Needle Bar Thread Eyelet, with two eyes	0:
10005		Screw No. 87 U	11.00
10335	14	Lower Tension Arm Thread Guide, for machines in	
10990	1.	Classes 6900 and 10300	0
10336	14	Needle Thread Pull-off Wire	0
		" " Screw No. 87 U	0

# These Parts are Furnished at List Prices for Repairs Only. See Notice on Page 3.

Number to order by	Plate No.	in seco	nd coli to be t notic	l be charged on all parts sent by mail. Figures imm refer only to plates illustrating parts, and used in ordering. Prices subject to change e. ERMS ON PARTS, NET CASH	Pri pe pa	
10337	27	Feed C	rank (	Cover Bracket, for Styles 10300 C, 10300 D	V	
	18			and 10300 G	\$0	50
		"	"	" Screws No. 80		0.
10338	14	Pull-off	Wire	Post and Edging Guide Support	,	4.
		"	"	" and Edging Guide Support Screw No.		
				22529		0
10339	21	Lace E	dging	Guide, for machines in Class 10300		6
		"	"	" Screw No. 87 U		0
10340	5	Spreade	er, for	machines in Class 10300:		
10340-8		. "		No. 8 gauge		80
10340-12		"	for	No. 12 gauge		8
		"	Ser	rew No 73		0.
10341	16	Spreade	er Bar	(hardened and ground) sizes .257, .260 and		
		1700			1	0
10342	13			r Spring		0
10343	18	"	"	Lifter	1	0
		"	"	Lifter Screw No 88		0
10344	18	"	"	Rocker (hardened)		7
		"	"	Rocker Clamp Screw No. 97		0
10345	16	"	"	Rocker Connection Rod $(4\frac{1}{4} \text{ inches long})$		20
10346	18	"	"	Rocker, complete with ball joint	1	6
		"	"	Rocker Screws No. 97-A		0
‡10347	18	"	"	Rocker Connection Rod Ball Joint, right,		
				complete, also for No. 10356	1	2
		"	"	Rocker Connection Rod Ball Joint Screws		
				No. 97 A		0
10348	26	"	"	Bell Crank Lever	1	0
10349	9	"	"	Bell Crank-Lever Ball (hardened) also for		
				Nos. 10347, 10357 and 10359		3.
10350	12	"	"	Bell Crank Lever Washer, also for No.10359		0
10352	26	"	"	Cross Head	1	5
10353	26	"	"	Cross Head Frame	1	0
		"	"	Cross Head Frame Screws No. 136		0
10354	26	"	"	Cross Head Gib, upper		5
10355	26	"	"	Cross Head Gib. lower		4.
		"	"	Cross Head Gib Screws No. 22516		0
10356	16	. "	"	Cross Head Connection Rod $(3\frac{3}{16})$ inches		
				long)		2
‡10357	18	"	"	Cross Head Connection Rod Ball Joint,		
		-		left, complete	1	2
		"	"	Cross Head Connection Rod Ball Joint		
				Screws No. 97 A		0
10359	26	"	66	Cross Head Bell Crank Lever	1	00

### 10360-12718

# PRICE LIST OF PARTS

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
10360	26	Bell Crank Lever Frame	\$1 75
10500	20	" " Screws No. 135	06
10909	177	. Sciews No. 155	2 00
10363	17	Spreader Eccentric (marked AK)	03
		Spot Screw No. 51	03
÷ 10004	0.5	Set Screw No. 95	
10364	25	" Connection	1 35
		" Connection Screws, upper, No. 97 A	04
11001		" Connection Screws, lower, No. 13 A	04
11261 A	11	Tension Post (length over all $1\frac{7}{8}$ inches) for use with	0.
		hardened steel ferrule No. 11261 B	25
11261 B	11	retruie (nardened, length over an 64 mch)	
		for use with tension post No. 11261 A	10
11262	14	Tension Thread Eyelet, lower, with two eyes (distance	
		between centers of eyes $1\frac{9}{16}$ inches) for	
A		machines in Class 12700	10
		Tension Thread Eyelet Screw No. 98	03
12701	27	Cloth Plate, for Style 12700 A	2 50
-		" " Screws No. 80	03
		" Screw, fillister head, No. 93 A	0-
12704	6	Cast-off Wire, for Style 12700 A	35
		" "Screw No. 87	04
12705	2	Feed Dog, for Style 12700 A:	
12705-24-12		" for No. 24–12 gauge	1 75
12705-30-12		" for No. 30–12 gauge	1 75
12705-32-12		" for No. 32–12 gauge	1 75
12705-36-12		" for No. 36-12 gauge	1 75
		" " Screw No. 93	04
12708		Looper, front, for Style 12700 A:	
12708-24-12	-6	" for No. 24–12 gauge	1 2
12708-30-12	6	" for No. 30-12 gauge	1 2
12708-32-12	6	" for No. 32-12 gauge	1 2
12708-36-12	6	" for No. 36-12 gauge	1 2
12709 A		" back, for Style 12700 A:	
12709 A-36-12	6	" for Nos. 24-12, 30-12, 32-12 and 36-12 gauges	1 2
		" Set Screw No. 73	0
12718	17	Needle Holder, for Style 12700 A:	
12718-24-12		" for No. 24–12 gauge	1 73
12718-30-12		" for No. 30–12 gauge	1 73
12718-32-12		" for No. 32–12 gauge	1 7
12718-36-12		" for No. 36–12 gauge	1 73
		" " Screw No. 89	0:
		DOLLW THU. OF	0.
	-		

THESE PARTS ARE FURNISHED AT LIST PRICES FOR REPAIRS ONLY.
SEE NOTICE on PAGE 3.

	Number to order by	Plate No	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per i
	12720 A	4	Presser Foot, for Style 12700 A:	
	12720 A-24-12		" for No. 24–12 gauge	\$4 50
	12720 A-30-12		" for No. 30–12 gauge	4 50
	12720 A-32-12		" for No. 32–12 gauge	4 50
	12720 A-36-12		" for No. 36–12 gauge	4 50
			" " Screw No. 91	04
	12723	18	Take-up, for Style 12700 A.	75
			" Screw No. 89	03
	12724	1	Throat Plate, for Style 12700 A:	.00
	12724-24-12	_	" for No. 24–12 gauge	2 00
	12724-30-12		" for No. 30–12 gauge	2 00
	12724-32-12		" for No. 32–12 gauge	2 00
	12724-36-12		" for No. 36–12 gauge	2 00
			" Screws No. 87	04
	12730	17	Needle Stop Collar, for Nos. 32-12 and 36-12 gauges	90
	12730 A	17	" " for Nos. 24–12 and 30–12 gauges	90
			" " Screw No. 88	03
	12735		Take up Thread Eyelet, for Style 12700 A:	00
	12735-36-12	14	" for Nos. 24–12, 30–12, 32–12	
			and 36–12 gauges	60
			" " Support Screw No. 97	04
	12741	21	Lace Edging Guide	70
			" " Screw No. 87 U	04
	12750	21	Straight Bar Lace Edging Controlling Guide, complete.	6 00
	12873	13	Bushing (ground) for needle bar bearings	25
			" Clamp Screw No. 22569	05
	12934 B	9	Feed Dog Pivot Screw, for tilting feed machines	20
	12935	16	" "Tilting Rod, for tilting feed machines	65
	12964 C	13	Needle Bar Link Pin Spring Ball	02
	14544	16	Differential Feed Bar Shaft (hardened and ground, $3\frac{9}{16}$	
			inches long)	40
	14675	12	Knife Bar Carrier Shoe (hardened and ground) also for	
			No. 6968	10
			" " Screw No. 22570	05
‡	15430	25	Needle Lever Connection Bearing, lower	75
			" Bearing Screws No. 22587	05
	15430 C	10	" " Tube Nut, upper, left thread	10
	15430 D	10	" " Tube Nut, lower, right thread	10
‡ :	15430 E	25	" " Bearing, upper	70
			" Bearing Screws No. 22587	05
	15430 F	25	" " Tube, with oil reservoir	1 10
	15430 H	10	" " Oil Reservoir Cover	25

‡See Page No.13

### [15430 K-21102 C]

# PRICE LIST OF PARTS

			SEE NOTICE ON TAGE 5.	
Number to order	er by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
15430	K	10	Needle Lever Connection Oil Reservoir Leather Washer	\$0 02
15430		25	" " Tube Felt	02
15435	70.00	14	Pull-off Frame, adjustable, for needle threads on Style	
19499		14	6900 G	50
			" " Screw No. 22529	05
15446		24	Feed Dog Tilting Bar, for tilting feed machines	85
19440		24	" " " Screws No. 88	03
15446	D	24	Differential Feed Bar Link	40
10440	ь	24	" " Screw No. 97	04
15446	C	4	" " Stud (hardened and ground)	35
15447	C	24	Feed Dog Supporting Bar, for tilting feed machines	90
15447	Λ	9	" Vertical Adjusting Screw, for tilting feed	
19447	Λ	J.	machines	15
15447	B	4	Feed Dog Vertical Adjusting Screw Plate, for tilting feed	
19447	D	1	machines	25
			" Vertical Adjusting Screw Plate Screws No. 87	04
15447	C	2	" " Holder, for tilting feed machines	90
. 15447		24	Feed Bar, for main feed dog on Styles 10300 F and	
. 10117	13		10300 G	1 10
			" " Screws No. 88	03
15447	F	24	" "Shoe (hardened and ground)	20
10111		70	" " Shoe Screw No. 93	04
15447	G	20	" " Prong and Sponge	35
			" " Prong Screws No. 94	04
15447	Н	26	Differential Feed Bar Guide	45
			" " " Screw, front, No. 93	04
			" " " Screw, back, No. 94	04
15480	C	4	Spring, for presser foot No. 10320 F	15
			" Screw No. 57 WD	. 03
15492		11	Tension Post, solid, for looper thread on Style 6900 G	28
16198	3	4	Frame Thread Eyelet Holder, adjustable, for Style 6900 G	33
			" " Screw No. 93	04
21102	2	23	Thread Guide, for Style D thread stand	08
			" Screw No. 22560	0:
21102	2 A		" Holder, for Style D thread stand:	
21102	2 A-2	23	" Holder, for two thread guides	3
21102	2 A-4	23	" . " Holder, for three or four thread guides	4
			" Holder Serew No. 22580	0
21102	2 B	28	" Holder Supporting Rod, for Style D	
			thread stand	1
			" Holder Supporting Rod Screw No. 22560	0
21102	2 C	28	Spool Support Tube, for Style D thread stand	7
			" " Screws No. 96	0

These Parts are Furnished at List Prices for Repairs Only. See Notice on Page 3.

Number to order by	Plate No.	are not to be used in ordering. Prices subject to change	rice per part
21102 D	28	Base, for thread stands	0 40
		" Screws No. 96	03
21102 E		Spool Support, for Style D thread stand:	
21102 E-2	28	" for two spools	40
21102 E-3	28	" " for three spools	- 50
		" " Screw No. 96	03
21106 B	22	Gravity Tension Thread Flyer and Spool Cap, assembled	25
21113	23	Thread Wire, complete (twenty-two inches long) for Style	
		C thread stand	35
		" " Screw No. 95	03
21113 A		" Extension (six inches long) for Style C	00
		thread stand	05
		" Extension Screw No. 95	03
21113 B		Thread Wire Coupling, for Style C thread stand	15
2111015		" " Coupling Screws No. 22558	04
21126	28	Supporting Rod $(19\frac{3}{4} \text{ inches long})$ for Style C thread	04
21120	20	stand	90
21127	28		20
21121	28	Coupling, for Style C thread stand	20
21100 4		Coupling Screws No. 22500	03
21130 A		Spool Support, for Style C thread stand:	-
21130 A-3	28	for three spools	70
$21130 \text{ A}{-5}$	28	for five spoots	90
		Screw No. 22022	03
21145	23	Wooden Cone, for thread stands	10
21149	22	Holder, for small spools	50
21201	28	Screw Driver, round steel (diameter $\frac{5}{32}$ inch, length over	
		all nine inches)	30
21202		" round steel (diameter $\frac{7}{32}$ inch, length over	
		all 10 3/16 inches)	40
21203		" round stee! (diameter $\frac{7}{32}$ inch, length over	
		all fifteen inches)	50
21204		" round steel (diameter \(\frac{1}{4}\) inch, length over	
	19.1	all fifteen inches)	60
21205		" octagon steel (diameter 5/16 inch, length	
	-	over all fifteen inches)	75
21206	28	" Wrench, steel handle	15
21207	28	" round steel (diameter $\frac{5}{64}$ inch, length over	10
		all 3 7/32 inches)	10
21208	28		1 25
21210	10	Looper Collar (.040 inch thick)	05
	10	" " (.054 inch thick)	05
21211			

#### [21225-21390 E]

# PRICE LIST OF PARTS

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
$ 21225  21225 - \frac{3}{16}  21225 - \frac{7}{32} $	5 —	Looper Gauge:  " " \frac{3}{16} \text{ inch.} \frac{3}{72} \text{ inch.} \frac{7}{31} \text{ inch.} \frac{1}{16} \text{ inch.} \t	\$0 20 20
$21225 - \frac{1}{4}$ $21350$	22	" <sup>1</sup> / <sub>4</sub> inch	20
21350 A	22	dozen  " " with three rows of teeth, for	15
		one-inch flat belt. per dozen	15 50
21351 21355		where Bert Flooks, for $\frac{32}{32}$ -men round bert, per five hundred $(\frac{1}{4} \text{ cent each in quantities less than five hundred})$ Chair Leg Extension (four inches long)	08
		" " (six inches long)	10
21355 A		" " (three inches long)	08
21355 B 21360		Drive Bushing (ground, $\frac{7}{8}$ inch long, external diameter	
21367		.319, .322, .325 and .328) for needle bar bearings Flat Head Stove Bolt, including nut and washer $(\frac{1}{4}x4$	15
		inches)	03
21375 A	28	Oil Guard, for eccentric pulley	1 00
21377		Tray, or wooden base, for machine	$2\ 00$
21388	22	Wrench $(\frac{3}{8} \text{ inch, } 3\frac{1}{2} \text{ inches long, hardened})$ for nuts Nos. 18, 34, 37 L, 37 R, 269, 462 and 1280	15
21388 B	22	" $(\frac{1}{2} \text{ inch}, 4\frac{3}{8}  inches long, hardened) for needle$	
		lever connection tube nuts	20
21388 F	28	" steel handle, for nut No. 5144	15
21390		Needle Thread Intermittent Nipper Spring. complete (includes one each Nos. 87, 90, 97, 21390 A,	
		21390 B, 21390 D, 21390 E, 21390 F and 22564)	1 35
21390 A	20	Needle Thread Intermittent Nipper Spring, front	15
21390 B	20	" " Nipper Spring, back " " Nipper Spring Screw No.	12
		22564	04
21390 D	20	" " Nipper Spring Support	50
		" " Nipper Spring Support Screw No. 87	04
21390 E	20	" " Nipper Spring Operating Block	12
		" " Nipper Spring Operating Block Screw No. 90	04
		2300 2010 1 2010	

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
21390 F	20	Needle Thread Intermittent Nipper Spring Operating	
	- 25	Block Support	\$0 35
	-	" " Nipper Spring Operating	\$0.00
		Block Support Screw	
		No. 97	04
21394		Grinder Frame, including emery wheel (five inches	
		diameter and \(\frac{1}{4}\)-inch face, unless otherwise speci-	
		fied) speed of wheel should be 3000 revolutions per	
		minute	3 50
‡ 21400	-	Expansion Reamer, complete, sizes .257, .260, .263, .266,	
		.270, .273 and .276 for needle bar	4 50
‡ 21408		" complete, sizes .319322, .325 and	
		.328, for presser bar and presser	
		guide bar	5 50
‡ 21420		Expansion Reamer, complete, sizes .407, .410 and .413,	
		for feed rocker shaft, feed bar shaft	
		and looper rock shafts	6 00
‡ 21426	-	" complete, sizes .530, .533 and 536,	
		for main shaft	7 50
21442		Taper Reamer, complete, for needle bar link pins and	
		feed crank link pin	1 50
21508	_	Tap (marked H2) for No 22525	50
21509		" (marked J2) for No. 22526	50
21513		" (marked Q2) for No. 86 A	50
21518		" (marked X2) for No. 22521	50
22516	8	Screw, for spreader bar cross head gibs	04
22517	8	" for knife depresser bracket	05
22521	8	" large size, for cloth plates (tap No. 21518)	08
22522	8	Clamp Screw, lower, for knife bar carrier fork	06
22524	- 8	Screw for stationary knife clamping plate, for knife	
22525		grinder	05
22525	8	large size, diameter 32 inch, for throat plates	
00500	0	(tap No. 21508)	05
22526	8	large size, diameter 16 inch, for throat plates	
00700	0	(tap No. 21509)	05
22529	_8	for needle thread pun-on and take-up wire posts,	
22539		also for Nos. 10338 and 15435 C	05
22539 22558		" for main shaft sponge hole	10
22008	7	Screw, for quilting guide and quilting guide support, also	
22560	7	for No. 21113 B	04
44000	1	" for needle bar link pin spring, also for Nos. 21102	200
22560 B	7	and 21102 B Set Screw, for grinder swinging frame stop collar	03 04

#### [22561 -29402]

# PRICE LIST OF PARTS

Number to order by	Plate No.	Postage will be charged on all parts sent by mail. Figures in second column refer only to plates illustrating parts, and are not to be used in ordering. Prices subject to change without notice.  TERMS ON PARTS, NET CASH	Price per part
22561	-7	Serew, for stationary knife clamp	\$0 04
22562	7	" for spring latch No. 1588	04
22564	7	" for needle thread intermittent nipper springs	04
22569	8	Clamp Screw, for needle bar bushings	05
22570	7	Screw, for shoe No. 14675	05
22580	7	" for thread guide holder, also for No. 21127	03
22582 B	7	" for cloth plate guard No. 10333	05
22585	7	" for feed dog No. 3026 C, also for No. 6948 A	04
22586	7	" for needle lever stud	05
22587	8	" for needle lever connection bearings Nos. 15430	
		and 15430 E	05
22591	7	Set Screw, for knife grinder swinging frame	06
22593	7	Screw, for feed dogs Nos. 3005 F and 3005 M	05
22597	7	" for eccentric pulley	03
22622	7	" for spool support on Style C thread stand	03
22730	7	" for cloth plate guard No. 6035 A	05
23168 B	19	Plate Hemmer, to make a 1/4-inch hem on upper side of	
		fabric, for Style 6900 E	1 75
23168 L	19	" to make a $\frac{1}{8}$ -inch hem on upper side of	
		fabric, for Style 6900 E	1 75
23254 C	19	Folder, for Style 6900 H (uses strip $\frac{11}{16}$ inch wide)	4 00
23254 D	19	" for side buckle straps:	
$23254 \text{ D} - \frac{11}{16}$		" for $\frac{11}{16}$ -inch strap (uses strip $1\frac{13}{32}$ inches wide)	4 50
— 23254 E	19	" for Style 6900 H (uses strip 11 inch wide) for	
		light-weight material	4 00
23254  F	19	" for Style 6900 H (uses strip $\frac{3}{4}$ inch wide) for	
		corduroy and heavy-weight material	4 00
		" Screws No. 25 C	05
29051 A		Nos. 59 S and 15430, assembled and lapped together	3 00
29066 A		Nos. 15430 E and 156, assembled and lapped together	1 35
29116		Nos. 10363 and two each Nos. 10364 and 10349, assem-	
		bled and lapped together	6 80
29304 B		Nos. 153 F and 1275 A, assembled and lapped together	3 90
29317 A		Nos. 10315 and 1275 A, assembled and lapped together	3 90
29331		Nos. 6915 G and 1275 A, assembled and lapped together	4 00
29402		Nos. 422, 98, 423 and 424, assembled	40