
Inamato

INDUSTRIAL SEWING MACHINE

ILLUSTRATRED SPARE PARTS LIST FOR HIGH SPEED INTERLOCK CHAIN STITCH MACHINES




MODEL

D V -100	DV-104	DW-100	DW-109
DV-100S	D V -105	DW-100S	
D V -101	D V -106	DW-103	
DV-102	D V -108	DW-104	
D V -103	D V -109	DW-105	-PEC-

KONDO SEWING MACHINE CO.LTD.

From the library of: Superior Sewing Machine & Supply LLC




CONTENTS

目 次


MISCELLANEOUS COVER	カバー関係 1
MISCELLANEOUS COVER & BASE	カバー・ベース関係 2
THREAD EYELET & FOOT LIFTER	糸道・膝揚ゲ関係 3
MAIN DRIVING SHAFT MECHANISM	下シャフト関係 4
NEEDLE BAR MECHANISM	針棒フレーム関係 5
LOOPER DRIVING MECHANISM	ルーパー機構 6
FEED DRIVING MECHANISM	送り機構 7
PRESSER FOOT LIFTER MECHANISM	押工揚ゲ機構 8
MISCELLANEOUS BUSHING	ブッシュ関係 9
OIL LUBRICATING SYSTEM	給油関係10
SUBCLASS ORGANIZATION PARTS (1)	サブクラス構成部品11
SUBCLASS ORGANIZATION PARTS (2)	サブクラス構成部品12
DV. DW-100S EXCLUSIVE PARTS	サブクラス専用部品13
DV-101, -102 EXCLUSIVE PARTS	サブクラス専用部品14
DV. DW-103, -104 EXCLUSIVE PARTS	サブクラス専用部品15
DV. DW-104 CUTTING DEVICE	テープカッター装置16
DV-106, -108 EXCLUSIVE PARTS	サブクラス専用部品17
DV. DW-105, -109 EXCLUSIVE PARTS (1)	サブクラス専用部品18
DV. DW-105, -109 EXCLUSIVE PARTS (2)	サブクラス専用部品19
DV. DW-109 EXCLUSIVE PARTS (1)	サブクラス専用部品20
DV. DW-109 EXCLUSIVE PARTS (2)	サブクラス専用部品21
PEC "DEVICE"	P E C 装置········22
ACCESSORE	アクセサリー関係23
INDEX	索 引24

Please always mention our parts




From the library of: Superior Sewing Machine & Supply LLC

Ref. No.	Parts No.	Description	品	名	Amt. Req.
1	90109	Cloth Plate Complete Set	大カバー	- (組)	1
2	5343	Screw for 90109, 90112			
3	1732	Screw for 90109			
4	90138	Cloth Plate Slide Cover(C,D) (needle distance 4.8n	nm, 5.6 mm)滑り板(C市、	D巾)········ 1
4-1	90161	Cloth Plate Slide Cover(E) (needle distance 6.4mm	ı)	滑り板(E巾)	1
5	90139	Slide Cover Spring	滑り板/	ヾネ	1
6	4237	Screw for 90139	滑り板ノ	ヾネ止 ネジ	2
7	90107	Top Cover	······上蓋······		1
8	90152	Top Cover Gasket	上薪パッ	, キン	1
9	5075	Oil Hole Screw			
10	525	Seal for 5075 ·····			
11	9106	Screw for 90107, 90105	止 ネジ		····· 8
12	90099	Machine Frame	·····アーム^	ベット(組)	1
13	90105	Head Cover	盘盘		1
14	90151	Head Cover Gasket	面蓋パッ	, キン	1
15	30753	Oil Gauge			
16	30754	Oil Gauge Gasket			
17	578	Drain Hole Seal	······Oリング	Ť	1
18	7678	Drain Hole Screw	油抜キネ	、ジ	2
19	90189	Seal Plug for Machine Arm	詰栓		1
20	90112	Side Cover			
21	90118	Front Cover Hinge Pin	·····ヒンジヒ	· ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・	2
22	90116	Front Cover Hinge	前カバー	-ヒンジ	······ 2
23	9150	Screw for 90116	前カバー	・ヒンジ止 ネジ	······ 4
24	90114	Front Cover Latch Spring			
25	4358	Screw for 90114	前開キカ	バーバネ止 ネジ	······ 2
26	90113	Front Cover(C,D) (needle distance 4.8mm, 5.6mm)	前開キカ	バー(C巾、D巾)·····	····· 1
26-1	90160	Front Cover(E) (needle distance 6.4mm)	前開キカ	パー(E巾)	1
27	90171	Looper Thread Guard		<i>`</i>	1
28	547	Washer for 90171			
29	5163	Screw for 90171, 90186			
30	90186				
31	30185	Looper Thread Eyelet (Right) Base Rubber Cushion (Lower) Base Rubber Cushion (Upper)	ゲゴム座(下)/	····· 1
32	90145	Base Rubber Cushion (Upper) 10. 5/9	4. CPESTV	1 W/51795B	<u>1</u>
33	9154	Screw for 90099	止 ネジ	······································	<u>2</u>
34	90137	Belt Guard			
35	1156	Screw for 90137		4.00 1 20.00	




From the library of: Superior Sewing Machine & Supply LLC

Ref. No.	Parts No.	Description	品	名	Amt. Req.
1	90955	Oil Filter Cover	沪過器」	上蓋	······ 1
2	90956	Oil Filter Cover Gasket	······沪過器」	L蓋パッキン	1
3	4440	Screw for 90955, 90124, 90133, 90131, 90135, 90608	止 ネジ		19
4	90153	Feed Bar Oil Shield			
5	9121	Screw for 90153			
6	90124	Thread Eyelet Plate			
7	90130	Thread Eyelet Plate Gasket			
8	90180	Arm Oil Shield			
9	9853	Screw for 90180			
10	90133	Crank Chamber Cover	·····ベット」	Ŀ蓋 (小)·······	1
11	90134	Crank Chamber Cover Gasket	······ベット」	L蓋パッキン(小)·	1
12	90924	Felt (Large)	フェルト	人(大)	1
13	90925	Felt (Small)	フェルト	卜 (小)	1
14	1202	Screw for 90924, 90925	フェルト	ト止 ネジ	4
15	90131	Tail Cover	ベット行	後蓋	1
16	90132	Tail Cover Gasket	ベット行	養蓋パッキン	1
17	90135	Side Cover	ベット村	黄蓋	1
18	90136	Side Cover Gasket	ベット村	黄蓋 パッキン	1
19	90932	Base Stay Rubber Cushion	ベース間	固定 ゴム座	······ 4
20	90933	Base Stay Washer			
21	91200	Flat Head Screw			
22	90931	Base ····			
23	90127	Base Gasket			
24	90608	Feed Dog Driving Rod Front Cover			
25	90638	Feed Dog Adjust Cover			
26	6035	Screw for 90608			
27	644	Washer for 90608			
28	335	Nut ····			
29	90853	Looper Eyelet (Long)			
30	4358	Screw for 90853	ルーパー	- 糸道(長)止 ネジ	······ 1
_31	90140	Dust Proof Cover			
2	2308	Screw for 90140	防塵カ/	(一止 ネジ	······ 1




From the library of: Superior Sewing Machine & Supply LLC

Ref.	Parts	Description		4	Amt.
No.	No.	Description	品		Req.
1	90803	Tension Release Lever Shaft			1
1		Swing Proof Spring			
2 3	90824	Tension Release Lever			
	90801				
4	1156	Screw for 90801			
5	90701	Foot Lifter Lever			
6	7650	Screw for 90701			
7	90820	Ornamental Thread Take-up Support			
8	4440	Screw for 90820			
9	90856	Tension Disc Eyelet			
10	90812	Tension Post Ferrule	⋯⋯⋯調子棒糸習	ョシ	5
	2212	<i>m</i> . n .	AD 1-		
11	9840	Tension Post			
12	31111	Tension Disc			
13	90847	Needle Thread Tension Spring			
14	56	Lock Nut			
15	90816	Needle Thread Eyelet			
16	533	Washer for 90816			
17	9322	Screw for 90816, 90817, 90818			
18	90855	Needle Bar Thread Eyelet Guide	針棒糸道カ	ダイド	1
19	90826	Supplementary Tension Guide	⋯⋯小調子台⋯		1
20	9825	Screw for 90826, 90855	ネジ		1
		90 € 5 · · · · · · · · · · · · · · · · · ·			
21	37108	Tension Disc			
22	90846	Supplementary Tension Spring	小調子バネ	ŧ	2
23	9827	Screw for 90846	小調子バネ	な止 ネジ	1
24	90818	Needle Bar Thread Eyelet	⋯⋯計棒糸道⋯		1
25	90330	Needle Clamp Thread Guard	針止糸掛ケ	F	1
26	1228	Screw for 90330			
27	90817	Needle Thread Take-up			
28	90840	Needle Bar Thread Retainer Bracket	針緣小調子	2台	1
29	3357	Screw for 90840			
30	90828	Ornamental Thread Eyelet			
30	30020	O'hamemat Imread Djetet	加入水道		
31	1892	Screw for 90828		- ネジ	1
32	90844	Needle Bar Thread Retainer Plate			
33	1092	Screw for 90844			
34	90830	Ornamental Thread Guide			
35	4358	Screw for 90830			
36	90819	Needle Thread Guide			
	9533	Screw for 90819			
37		Looper Thread Tension Spring			
38	90814	Tension Post			
39	9838	Tension Disc Separator			
40	90804	Tension Disc Separator	⋯⋯⋯⋯┼檢ゞ似⋯		1
41	90857	Tension Disc Eyelet for Looper Thread		1 幺渚	1
42	90805	Tension Post Support	幺詢子女…	·····	1
43	90807	Thread Lead-in Guide			
		Nut for 90805			
44	813	Retaining Finger Support Bracket	******		2
45	90850				
46	4438	Screw for 90850			
47	90848	Looper Thread Take-up Eyelet	調子カム糸	:道""""""""""""""""""""""""""""""""""""	2
48	531	Washer for 90848			
49	5133	Screw for 90848			
0	90838	Retaining Finger	ルーパー糸	案内	······ 1
	00000	Datable Firm Database		\$5 da 100 ~	•
51	90839	Retaining Finger Presser			
52	2308	Screw for 90839			
53	90185	Looper Thread Eyelet (Left)			
54	1202	Screw for 90185	ルーバー糸	道(左)止 ネジ	1




From the library of: Superior Sewing Machine & Supply LLC

Ref.	Parts	$\underline{A}mt.$
No.	No.	Description 品 名 Req.
1	90221	Pulley
2 3	9202	Screw for 90221
3	9203	Screw for 90221
4	90222	Pulley Washer
5	90204	Crank Shaft Housing
6	1372	Screw for 90204
7	2368	Screw for 90204
8	90205	Housing Cap Gasket
9	90401	Needle Bar Driving Eccentric
10	1448	Screw for 90401
11	90200	Crank Shaft Complete Set
12	9218	Screw for 90200 1
13	560	Seal for 9218
14	90213	Counter weight for Crank Shaft (Small)バランスウェイト(小)
15	90212	Counter weight for Crank Shaft (Large)バランスウェイト(大)
16	4440	Screw for 90212, 90213
17	9503	Screw for 90200
18	9502	Screw for 90200
19	7645	Screw for 90200
20	90873	Looper Thread Take-up下糸調子カム
21	1457	Screw for 90873
22	90604	Eccéntric Cover
23	1399	Screw for 90604送り調節エキセン蓋止 ネジ
24	90637	Roller Bearingニードルベアリングニードルベアリング 1
25	90600	Feed Dog Regulating Control Eccentric Complete Set …送り調節エキセン(組) 1
26	9606	Screw for 90600送り調節エキセン(組)止 ネジ 1
27	9209	Screw for 90600
28	5040	Screw for 90600送り調節エキセン(組)止 ネジ 1
29	90601	Feed Dog Driving Eccentric上下送りエキセン
30	7650	Screw for 90601上下送リエキセン止 ネジ2
31	90521	Looper Driving Eccentric Crank
2	3635	Screw for 90521エキセンクランク止 ネジ
33	9533	Screw for 90521エキセンクランク止 ネジ



From the library of: Superior Sewing Machine & Supply LLC

Ref. No.	Parts No.	Description	_E	名	Amt. Req.
1	90300	Needle Lever Connecting Rod (Small)	下ロッ	۱ (۱ <u>۱) (۱</u>	1
2	9303	Screw for 90300	下ロッ	ト(小)止 ネジ	······ 2
	90304	Needle Lever Connection (Long)	ロットä	車結桿(長)	1
4	305	Nut for 90304			
5	306	Nut for 90304	ナ _{ット}		······ 1
6	90306	Needle Lever Connecting Rod	上ロッ	۱	······ 1
7	7311	Screw for 90306	上ロッ	ト止 ネジ	······ 2
8	37130	Ball Stud Guide	振り止っ	×	······ 1
9	1170	Screw for 37130	振り止っ	メ止 ネジ	······ 1
10	37132	Ball Stud	球	•••••	······ 1
11	7121	Screw for 37132			
12	90314	Needle Bar Driving Crank			
13	7006	Screw for 90314			
14	90315	Needle Bar Shaft			
15	90351	Needle Bar Shaft Gasket			
16	3632	Screw for 90351			
17	90319	Needle Bar Shaft Cap Gasket			
18	90318	Needle Bar Shaft Cap			
19	1399	Screw for 90318			
20	90321	Needle Bar Connection Link			
21	90320	Needle Bar Connection Link Pin			
22	9322	Screw for 90320			
23	290	Felt			
24	282	Oil Wick for 90320			
25	90324	Needle Bar Connecting Bracket			
26	4437	Screw for 90324			
27	4313	Screw for 90320			
28	90342	Needle Bar (C) Complete Set Needle Distance (4.8)			
28-1	90344	Needle Bar (D) Complete Set (5.6mm)			
28-2	90345	Needle Bar (E) Complete Set (6.4mm)	······針棒(E) (組)	1
29	1457	Screw for 90335, 90336, 90337	針棒止	ネジ	······ 2
	4318	Screw for 90335, 90336, 90337			
31	3404	Screw for 90334			
32		Needle ·····			
33	90165	Throat Plate (C) Needle Distance (4.8mm)	······針板(C)	······ 1
34	90166	Throat Plate (D) Needle Distance (5.6mm)	······針板(D)	1
34-1	90167	Throat Plate (E) Needle Distance (6.4mm)	······針板(E)	1
34-2	9142	Screw for 90165, 90166, 90167			
35	90108	Throat Plate Supporter			
36	1395	Screw for 90108	⋯⋯針板取!	リ付ケ板止 ネジ	2
37	703	Pin for 90108	⋯⋯針板取!	リ付ケ板ピン	····· 2




From the library of: Superior Sewing Machine & Supply LLC

LOOPER DRIVING MECHANISM

ルーパー機構


-	
_	
•	
	ļ
	3

Ref. No.	Parts No.	Description 品 名 Req.
1	90513	Looper Oscillating Leverルーパー前後ダルマ 1
2	9508	Screw for 90513, 90529, 90524
3	90515	Looper Link Pin (Short)ルーパーリンクピン(短) 1
4	9517	Screw for 90515ルーパーリンクピン(短)止 ネジ 1
5	90514	Looper Link
6	90519	Looper Driving Shaft Collarルーパーシャフトカラー 1
7	7650	Screw for 90519ルーパーシャフトカラー止 ネジ 1
8	9604	Screw for 90519ルーパーシャフトカラー止 ネジ 1
9	90516	Looper Link Pin (Long)ルーパーリンクピン(長) 1
10	9506	Screw for 90516ルーパーリンクピン(長)止 ネジ 1
11	90518	Looper Link Holder
12	90520	Looper Driving Shaft
13	90524	Looper Driving Leverルーパー振リクランク 1
14	37121	Ball Stud
- 15	7121	Screw for 37121
16	37311	Looper Connecting Rod Complete Set
17	7311	Screw for 37311
18	37130	Ball Stud Guide振り止メーー振り止メーー振り止メーー振り止メーー
19	1170	Screw for 37130振り止メ止 ネジ振り止メル ネジ
20	90525	Looper Holderルーパー台ルーパー台1
21	703	Looper Adjusting Pinルーパー調節ピン 1
22	90529	Looper
23	90530	Looper Thread Guard
24	1228	Screw for 90530
25	9526	Screw for 90525
26	712	Washer for 90525
27	5550	Screw for 90525
28	1892	Screw for 703ルーパー調節ピン止 ネジ 1




From the library of: Superior Sewing Machine & Supply LLC

Ref. No.	Parts No.	Description	品	名	Amt. Req.
1	90504	Looper Oscillating Rod	···・ルーパーi	前後振りロット	1
	90516	Looper Driving Lever Link Pin (Long)			
\bigcirc_3^2	9506	Screw for 90516			
4	90507	Looper Driving Lever			
5	9508	Screw for 90507, 90609, 90611			
6	90509	Feed Bar Shaft	後シャフ	k	1
7	750	Feed Bar Shaft Plug			
8	90611	Feed Bar Pin			
9	90923	Oil Wick for 90611			
10	90710	Cotter Pin			
10	30710		B1 C >		.
11	90511	Feed Bar Shaft Collar			
12	1457	Screw for 90511			
13	90610	Feed Bar			
14	90617	Differential Feed Bar Connection Rod			
15	9614	Screw for 90617			
16	555	Washer for 90617	·····座金·······		······ 1
17	615	Screw for 90617			
18	90620	Cotter Pin			
19	90613	Feed Bar Bracket	・・・・・送り取り	付ケ台	1
0 0	90618	Differential Feed Bar Guide			
21	1222	Screw for 90619	前送リ台	ピン止 ネジ	······ 2
22	90619	Differential Feed Bar Pin	前送リ台	ピン	······ 1
23	90625	Differential Feed Dog (C, D) (Needle Distance 4.8, 5.	6mm) …前3	送り(C, D)	······ 1
23-1	90632	Differential Feed Dog (E) (Needle Distance 6.4mm)	…前送リ(E)	······ 1
24	1175	Screw for 90625, 90632	前送リ止	ネジ	······ 1
25	90633	Needle Guard	****針受ケ****		······ 1
26	5038	Screw for 90633	針受ケ止	ネジ	2
27	90624	Main Feed Dog (C, D) (Needle Distance 4.8, 5.6mm)	…後送リ(C	, D)	1
27-1	90634	Main Feed Dog (E) (Needle Distance 6.4mm)			
28	9624	Screw for 90624, 90634	後送リ止	ネジ	····· 2
		B.W			-
29	90621	Differential Feed Dog Adjusting Plate			
9 0	5550	Screw for 90621, 90627			
31	5631	Screw for 90624, 90634			
32	90626	Feed Dog Driving Lever			
33	90515	Feed Dog Driving Lever Link Pin (Short)			
34	9506	Screw for 90515			
35	90627	Feed Bar Lever			
36	90609	Feed Dog Driving Connecting Rod Pin	┉送リ前後[コットピン	······ <u>1</u>
37	730	Plug for 90609, 90648	·····詰栓·······		······ 2
38	90648	Feed Dog Driving Connecting Rod	···・送リロッ	۲ ·····	······ 1



From the library of: Superior Sewing Machine & Supply LLC

Ref.	Parts				Amt.
No.	No.	Description	品	名	Req.
1	0715	Presser Spring Regulater for 90725	4m - 14 A	a Ast	1
1	9715 90725	Presser Bar Spring (Outer)			
2		Presser Dar Spring (Outer)	…押エハイ	《(太)	1
3	90726	Presser Bar Spring (Inner)			
4	90717	Presser Bar			
5	90519	Looper Shaft Collar			
6	1457	Screw for 90519, 90422			
7	90420	Top Spreader Roker And Presser Bushing			
8	90714	Presser Bar Connecting Bracket			
9	90713	Presser Bar Guide			
10	90732	Presser Foot Complete Set (Needle Distance 4.8mm)	⋯押工(組) С ф	1
10-1	90722	Presser Foot Complete Set (Needle Distance 5.6mm)			
10-2	90731	Presser Foot Complete Set (Needle Distance 6.4mm)	…押エ(組)) E 巾······	1
11	9604	Screw for 90714, 90705	…止 ネジ		3
12	90421	Top Spreader Bracket Gasket	…飾リ糸ハ	レーパー台パッキン	1
13	90422	Top Spreader Bracket			
14	1227	Screw for 90425			
15	90425	Top Spreader			
16	90412	Top Spreader Connecting Rod (Smal)			
17	1174	Screw for 90412			
18	90418	Ball Stud			
	30410				
19	419	Nut for 90418			
20	306	Nut for 90413, 90404	…ナット …		3
21	90413	Top Spreader Connection (Long)	…横口ット	·連結桿······	1
22	90829	Ornamental Thread Take-up Bracket	…飾り糸縞	♪リ台	1
23	90822	Ornamental Thread Take-up			
24	1459	Screw for 90829			
25	331	Nut for 90705			
26	90724	Foot Lifter Connection Adjusting Pin			
27	533	Washer for 90724			
28	90704	Foot Lifter Link Lever			
29	9508	Screw for 90704	祖丁培力	デレバール ネジ	
	90696	Foot Lifter Shaft Sparse Ring	ᇬᅮᅩᇕᄼ ᄱᄱᆉᆔᆍᇸᄼ	・レハ・止 マリング	1
0 31		Foot Lifter Shaft	14 上180 /		1
	90695	Foot Lifter Connection			
32	90705	Foot Lifter Driving Lever Complete Set			
33	90706	Foot Lifter Spring	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	月レハー(和)	1
34	90708	Screw for 90706			
35	9707	Foot Lifter Link			
36	90711	Washer for 90409			
37	319	Ball Stud (Without Screw)			
38	90409				
39	7121	Screw for 90409, 37121			
40	90405	Top Spreader Roker Arm			
41	37121	Driving Lever Ball Stud	球		······ 1
42	90406	Top Spreader Driving Lever	…飾リ糸ル	ノーパー振リ軸腕	1
43	2043	Screw for 90406, 90713			
44	90306	Top Spreader Connecting Rod (Medium)			
45	7311	Screw for 90306			
46	37130	Ball Stud Gaide			
47	1170	Screw for 37130			
8	90404	Top Spreader Connection (Short)			
0	JU1U1				
49	305	Nut for 90404			
50	90400	Top Spreader Connecting Rod (Large)			
51	9303	Screw for 90400			
52	90408	Oil Splasher			
53	9322	Screw for 90408	…下ロット	油掛ケ止 ネジ	······ 1




MISCELLANEOUS BUSHING

ブッシュ関係


-	_
	~
•	_
	_,


Ref. No.	Parts No.	Description 品名 Req.
1	90332	Needle Bar Bushing (Upper)
3	9209	Screw for 90332, 90333, 90697
3	90333	Needle Bar Bushing (Lower) 1
4	90720	Presser Bar Bushing押工棒ブッシュ1
5	7650	Screw for 90720, 90209 2
6	90510	Feed Driving & Looper Oscillating Shaft Bushing後シャフトブッシュ 4
7	1435	Screw for 90510後シャフトブッシュ止 ネジ
8	3434	Screw for 90510, 90208
9	90512	Feed Driving Shaft Bushing (Right)後シャフトブッシュ(右) 1
10	90208	Crank Shaft Bushing (Long)
11	90214	Crank Shaft Bushing Gasket
12	90207	Crank Shaft Bushing (Short)
13	90209	Oil Lubricate Bushing下シャフト給油ブッシュ 1
14	90149	Seal Plug ····································
15	90317	Upper Shaft Bushing上シャフトブッシュ 1
16	3632	Screw for 90317上シャフトブッシュ止 ネジ 1
17	90697	Foot Lifter Shaft Bushing押工揚ゲ軸ブッシュ





From the library of: Superior Sewing Machine & Supply LLC


Ref. No.	Parts No.	Description	品名	Amt. Req.
1	90952	Oil Filter	the state of the s	
2	90953	Oil Filter Holder		
(3	90918	Feed Dog Oil Lubricate Pipe		
4	90958	Round Oil Filter Screen (Lower)		
5	90951	Round Oil Filter Screen		
6	32932	Round Oil Filter Screen Clamp		
7	90907	Oil Pump Complete Set		
8	9930	Screw for 90907		
9	90901	Oil Pump Driving Worm Gear		
10	1459	Screw for 90901	ウオームギャー止 ネジ	······ 2
11	90906	Square Rubber		1
12	567	Seal for 7668, 37669		5
13	37669	Oil Tube Fitting One Way End		
14	7668	Oil Tube Fitting Stud (Short)		
15	37675	Oil Tube Clamp		
16	90944	Oil Tube (65mm)		
17	9909	Oil Tube Fitting		
18	90941	Oil Tube (90mm)		
19	419	Nut for 9917		
20	570	Seal for 9917		
21	90172	Keep Plate		
22	9917	Screw for 90172		1
23	90942	Oil Tube (160mm)	オイルパイプ(160mm)	······ 2
24	90930	Oil Relief Valve	·····································	······ 1
25	90911	Upper Shaft Oil Nozzle		
26	90919	Oil Nozzle Fitting Seal	·······注油管継手·············注油管継手······	······ 1
27	90910	Oil Receiver		
28	90928	Oil Tube Holder	⋯⋯⋯⋯⋯オイルパイプ支エ⋯⋯⋯⋯	······ 1
29	9853	Screw for 90910		
30	9932	Screw for 90910		1
31	9150	Screw for 90911		
2	32942	Oil Sight Gauge		
33	90943	Oil Tube (320mm)	オイルパイプ(320mm)	1












































SUBCLASS ORGANIZATION PARTS(1) サブクラス構成部品 1 1


Ref. No.	Parts No.	Description	品			名	Amt. Req.
1	91131	Presser Foot (A) for needle distance (3.2mm)	…押エ	(A)) (組)	1
\bigcirc 1-1	91132	Presser Foot (B) for (4.0mm)	・・押エ	(B)) (組)	1
	91133	Presser Foot (C) for (4.8mm)	・・押エ	(C)) (組)	1
	91134	Presser Foot (D) for (5.6mm)					
	91135	Presser Foot (E) for (6.4mm)					
2	91100	Throat Plate (A) for needle distance (3.2mm)					
	91101	Throat Plate (B) for (4.0mm)					
	91102	Throat Plate (C) for (4.8mm)					
200	91103	Throat Plate (D) for (5.6mm)	…針板	(D)	•••••	<u>1</u>
	91104	Throat Plate (E) for (6.4mm)	・・針板	(E)		······ 1
		The second secon					
3	91191	Presser Foot (A) for needle distance (3.2mm)	…押工	(A)) (組)	······ 1
3-1	91192	Presser Foot (B) for (4.0mm)	∵押工	(B)) (組)	1
4	91231	Presser Foot (A) for needle distance (3.2mm)					
	91232	Presser Foot (B) for (4.0mm)					
4-2	91233	Presser Foot (C) for (4.8mm)					
4-3	91234	Presser Foot (D) for (5.6mm)					
4-4	91235	Presser Foot (E) for (6.4mm)					
5	91359	Presser Foot (C) for needle distance (4.8mm)	…押エ	(C)) (組)	1
5-1	91361	Presser Foot (E) for (6.4mm)	…押エ	(E)) (組)	······· 1
6	91283	Throat Plate (C) for needle distance (4.8mm)	"針板	(C))	••••••	1
	01005	Throat Plate (E) for (6.4mm)	61.4E	, r ,			1
6-1	91285	Presser Foot (A) for needle distance (3.2mm)	''±\17/X	(= <i>)</i>	140	١	1
<u> </u>	94215	Presser Foot (B) for (4.0mm)	押工	(A)	(和日))	1
	94216	Presser Foot (C) for (4.8mm)		(0)	14日)	1
	94217	Presser Foot (C) for (4.8mm)	神工	(0)	(和日))	1
554	94219						
8	91675	Throat Plate (A) for needle distance (3.2mm)	**************************************	(A)	,	••••••	1
	91676	Throat Plate (B) for (4.0mm)	**************************************	(8)	,	••••••	1
	91677	Throat Plate (C) for (4.8mm)	"針板	(C)	,	•••••	1
	91679	Throat Plate (E) for (6.4mm) Presser Foot (D) for needle distance (5.6mm)	"矿权	(E)		١	1
9	91197	Presser Foot (D) for needle distance (5.0mm)	"押工	(0)	/ (市旦	,	1
9-1	91198	Presser Foot (E) for (6.4mm)	・・押エ	(E)) (組)	1
40	90166	Throat Plate (D) for needle distance (5.6mm)	··針板	(D))		1
10-1	90167	Throat Plate (E) for (6.4mm)	…針板	(E))		1
11	94908	Presser Foot (D) for needle distance (5.6mm)	∵押エ	(D))(組)	1
11-1	94909	Presser Foot (E) for (6.4mm)	…押エ	(E)	(組)	1
12	91764	Throat Plate (D) for needle distance (5.6mm)	··針板	(D)			1
12-1	91765	Throat Plate (E) for (6.4mm)	··針板	(E)			1
13	91991	Presser Foot	∵押工	(組))		1
14	91981	Throat Plate	"針板		••••••		1
15	92072	Presser Foot	…押エ	(組))	•••••	······ 1
16	02071	Throat Plate	全+ 材石				1
16	92071	Presser Foot (A) for needle distance (3.2mm)	ν:π. Τ⊞υ-	(Δ)	/ 4 B	······	1
17	91965	Presser Foot (B) for (4.0mm)					
17-1	91966	Presser Foot (C) for (4.8mm)	.HE T	(C)	(水丘)	<i>,</i> \	1
17-2		Throat Plate (A) for needle distance (3.2mm)	· 4+ #E	(0)	(n) <u>H</u>	,	1
18	91941	Throat Plate (B) for (4.0mm)	4+ 1 /2	(1
18-1		Throat Plate (B) for (4.0mm)	과 기사	(0)			1
18-2		Presser Foot (C) for needle distance (4.8mm)	亚1亿人	(C)	140	١	1
19	92157	Presser Foot (C) for needle distance (4.8mm)	押工	(C)	(祖))	1
	92158	Presser Foot (D) for (5.6mm)	"押工	(U)	(祖))	1 1
9-2	92159	Presser Foot (L) for (0.4mm)	"押工	(E)	(相))	1
20	92151	Throat Plate (C) for needle distance (4.8mm)	··針板	(C)			1
20-1		Throat Plate (D) for (5.6mm)	··針板	(D)			··········· 1
20-2		Throat Plate (E) for (6.4mm)	·針板	(E)			1
	52.00	TO ANNOUNCE OF THE PROPERTY OF					_
























SUBCLASS ORGANIZATION PARTS(2) サブクラス構成部品 12

Ref. No.	Parts No.	Description	品	名	Amt. Req.
140.		Description	<u> </u>		neq.
1	91145	Needle Bar Thread Eyelet	針棒糸道	ň	······ 1
2	91143	Needle Thread Eyelet	····針糸道··		1
4	91144	Needle Thread Take-up			
4	90001	Needle Bar (A) Complete Set			
4-1	90002	Needle Bar (B) Complete Set			
4-2		Needle Bar (C) Complete Set			
4-3		Needle Bar (D) Complete Set			
	90005	Needle Bar (E) Complete Set			
		Screw for Needle Bar			
5	1457	Screw for Needle Clamp			
6	3404	Screw for Neeale Clamp	<u></u> 新止×1	E ネン	T
7	91320	Needle Bar	針棒		1
8	91323	Needle Clamp (C) for needle distance (4.8mm)			
8-1	91325	Needle Clamp (E) for (6.4mm)	針止メ((E)	1
9	91986	Needle Clamp			
10	92081	Needle Bar			
11	62	Nut for 92081			
12	56	Lock Nut for DV-100, 100S, 102, 103, 104, 105, 106, 109			
12	56	Lock Nut for DV-101			
12	56	Lock Nut for DV-108			
-		Looper Thread Tension Spring for DV-100,100S,101,10			
3	90814	Looper Intend Tension Spring for DV-100,1003,101,10	12,103,104	#,100,100,10 3 **	調丁ハイ(人) ム
13	90814	Looper Thread Tension Spring for DV-108	糸調子/	ヾネ (太)	1
14	31111	Tension Disc for DV-100, 100S, 102, 103, 104, 105, 106,			
14	31111	Tension Disc for DV-101			
14	31111	Tension Disc for DV-108			
15	9838	Tension Post for DV-100, 100S, 101, 103, 104, 105, 109			
15	9838	Tension Post for DV-102, 106			2
-		Tension Post for DV-108	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・		
15	9838				
16	90847	Needle Thread Tension Spring for DV-100,100S,102,10	3,104,100	,100,109 … 糸調子	ハネ(組) 2
16	90847	Needle Thread Tension Spring for DV-101, 108			
17	90812	Tension Post Ferrule for DV-100,100S,102,103,104,105	,106,109	調子棒糸省シ	······ 4
17	90812	Tension Post Ferrule for DV-101	調子棒≯	を習 シ	3
O 7	90812	Tension Post Ferrule for DV-108	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	と廻う	2
18	60185	Tension Disc Separator	* * * * * * * * * * * * * * * * * * *	F	1
	90856	Tension Disc Eyelet for DV-100,100S,103,104,105,109			
19		Tension Disc Eyelet for DV-100,1003,103,104,103,105			
19	90856	Tension Disc Eyelet for DV-101, 102, 100			
19	90856	Tension Disc Eyelet for DV-100	······ 胸寸·川月	ド退	
20	90857	Tension Disc Eyelet for Looper Thread for DV-102,			
21	90857	Tension Disc Eyelet for Looper Thread for DV-100,100S,101,			
22	91142	Tension Post Support	⋯⋯未調子台	⋽ ·····	1
22	90807	Thread Lead-in Guide for DV-102, 106	⋯・糸調子台	分 杀道····································	······ 4
22	90807	Thread Lead-in Guide for DV-100,100S,101,103,104,105,	109 …糸割	周子台糸道	3
22	90807	Thread Lead-in Guide for DV-108	──糸調子台		ž
23	813	Nut for DV-102, 106	···・ナット・		<u>2</u>
23	813	Nut for DV-100, 100S, 101, 103, 104, 105, 108, 109	+ », h		······ 1
24	90804	Tension Disc Separator		⊽ ·····	1
25	90805	Tension Post Support	幺捆工4	~ }	1
40	30003	Totalou Too Cabbot	\L GW1 1 C	-	-

13

DV,DW-100S





From the library of: Superior Sewing Machine & Supply LLC

DV.DW-100S EXCLUSIVE RARTS

<u>サブクラス専用部品</u> **13**


Ref. No.	Parts No.	Description 品名 名 Req.
1	91174	Tape Guide Holder Plate Comeplet Set
2	91175	Tape Guide Holder Comlete Setテープガイド支エ(組) 1
3	1208	Screw for 91175
4	91177	Tape Guide (Long)
5	18	Nut for 91177 1
6	6802	Screw for 91174テープガイド取り付ケ板止ネジ 2
7	6806	Nut for 91174 2
8	91170	Tape Guide Holder Plateテープガイド取り付ケ板 1
9	91176	Tape Guide Complete Setテープガイドラッパ(組) 1
10	544	Washer for 91176 Page 2
11	4359	Screw for 91176
12	91184	Holder ·······················定規·············





サブクラス専用部品 14

lef. Vo.	Parts No.	Description	品		名	-	Amt. Req.
1	91227	Presser Bar Bushing	ин т	練ブ	,, s, ,		. 1
2	91228	Feed Dog $(A \sim D)$ for needle distance $(3.2 \sim 5.6 mm)$					
2-1		Feed Dog (E) for needle distance (6.4mm)					
3	1175	Screw for 91228, 91229, 91342					
4	91201	Seal Pin					
5	1613	Flat Head Screw					
6	91202	Shaft Collar					
7	1448	Screw for 91202					
8	91251	Holder (A) for needle distance (3.2mm)					
8-1	91252	Holder (B) for (4.0mm)					
0-1	91232	Trotaer (D) for (4. Ontal)		(0)			1
8-2	91253	Holder (C) for (4.8mm)	…定規	(C)			1
2.022 E47	91254	Holder (D) for (5.6mm)					
	91255	Holder (E) for (6.4mm)					
9	9852	Screw for 91251, 91252, 91253, 91254, 91255, 91373, 91375					
10	613	Washer for 91251, 91252, 91253, 91254, 91255, 91373, 9137					
11	91397	Tape Guide					
12	90636	Feed Dog Driving Rod Front Cover					
13	90831	Looper Eyelet (Short)					
14	1202	Screw for 90831, 91399					
15	91398	Thread Eyelet Plate					
	31330	Thread Lyelet I tale	上海	不坦1	I/X		1
16	91388	Looper Thread Take-up Eyelet	…調子	カム	糸道		1
17	92039	Retaining Finger					
18	92040	Retaining Finger Support Plate					
19	9142	Screw for 92040					
20	91399	Looper Eyelet					
21	92037	Looper Thread Take-up					
22	1457	Screw for 92037					
23	91987	Looper Driving Eccentric Crank					
24	9533	Screw for 91987					
25	3635	Screw for 91987					
2)	3033	Screw 101 91901		ري	ノフンノ正 ホン		2
26	91293	Looper (Rear) (C) for needle distance (4.8mm)	····ルー	バー((後)(C)··································		1
6 5−1	0.1000	Looper (Rear) (E) for (6.4mm)	····ノレ - ノ	11-11	(後)(E)··································		1
27	91290	Looper (Front)	ノレー	11-1	(前)		1
28	91329	Looper Holder					
29	7650	Screw for 91290, 91293, 91295	ノレー	/:-i	- ト ネジ		2
30	5550	Screw for 91329, 91303, 91305, 91340	ト ネ	: ジ・			3
31	712	Washer for 91329	座金.				1
32	9526	Screw for 91329					
33	91303	Feed Dog (C) for needle distance (4.8mm)	送りず	斯(C)		1
33-1	91305	Feed Dog (E) for (6.4mm)	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	斯(E	ý		1
<i>JJ</i> 1	31303						
34	5631	Screw for 91303, 91305, 91228, 91229	…送りも	如止	ネジ		1
35	91340	Needle Guard Driving Guide	…針受	ケ案で	<u> </u>		1
36	1222	Screw for 91341					
37	9650	Screw for 91341					
38	91341	Needle Guard Driving Pin	…針母人	ナ台ト	<u>-</u> ン	***************************************	1
39	91342	Needle Guard		· · · · · ·			ĩ
40	91373	Holder (C) for needle distance (4.8mm)	・・・・定規(C)			ī
40-1	91375	Holder (E) for (6.4mm)	でがし、	E)			ī
41	7678	Screw for 91397	・・・・テー	ー・ ブガィ	イドル ネジ		î
7.1	,0,0	20.00 ,0. 0200.			-		3 -3




From the library of: Superior Sewing Machine & Supply LLC

DV.DW-103,-104 EXCLUSIVE PARTS

<u>サブクラス専用部品</u> **15**

lef. Vo.	Parts No.	Description	品	名	Amt. Req.
1	91381	Cloth Plate Slide Cover (DV, DW-103, Only)	滑リ板		1
2	91700	Choth Plate	大カバー		······ 1
	91704	Throat Plate Supporter			
4	91729	Main Feed Dog (A~D) for needle distance 3.2~5.6	5mm …後送	リ(A~D)	1
5	9624	Screw for 91729	後送リ止	ネジ	······ 2
5	5631	Screw for 91729	・後送リ止	ネジ	1
7	91728	Differential Feed Dog (A~D) for needle distance 3.2	~5.6mm	····前送リ(A~D)·······	······ 1
8	1175	Screw for 91728			
9	91706	Tape Guide Holder	テープガ	イド取リ付ケ板	······ 1
10	4440	Screw for 91706	····・テープガ	イド取り付ケ板止 ネ	ジ 2
11	547	Washer for 91706			
12	340	Nut for 91708			
13	91708	Tape Guide (Long)			
14	91709	Tape Guide (Short)	テープガ	イド(短)	2
15	91707	Tape Guide Adjuster	····・テープガ	イド支工	······ 2
16	1457	Screw for 91707, 91709	止 ネジ・		4
17	91702	Front Cover	前開キカ	バー	1
18	91784	Edge Guide	当テ定規		······ 1
19	613	Washer for 91784	座金		1
20	9852	Screw for 91784	当テ定規	止 ネジ	1
		•			
21	91731	Folder (See Below The Note)			
22	91736	Folder Clamp			
23	5554	Screw for 91736			
24	9932	Screw for 91731			
25	91735	Folder Support Bracket	定規取り	付ケ台	······ 1
26	562	Washer for 91735	······座金·······		······ 2
27	5553	Screw for 91735	定規取リ	付ケ台止 ネジ	2
(a		Note; Please Indicate The Following Folder Type and Size, When You Place Order		規を御注文の際は、型 イズをお知らせ下さい	

Type	P	Q	R	S
Size		folder sizes. (in $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$,		





From the library of: Superior Sewing Machine & Supply LLC

DV.DW-104 CUTTING DEVICE

<u>テープカッター装置</u> 16

Ref. No.	Parts No.	Description <u>品名</u> Amt. Req.
1	91844	Cutting Device Complete Setテーブカッター装置(組) 1
2	91840	Cutting Knife Lever
3	91842	Cutting Knife Lever Springテープカッターレバーバネ
4	6638	Screw for 91842
5	4446	Screw for 91842テーブカッターレバーバネ止 ネジ 1
6	7650	Screw for 91840, 91834
7	91834	Cutting Knife Holder 1
8	91838	Cutting Knife Springテープカッターバネ
9	91833	Cutting Knife (Upper)テープカッター(上) 1
10	9150	Screw for 91833テープカッター(上)止 ネジ 2
11	4440	Screw for 91833テーブカッター(上)止 ネジ 2
12	91832	Cutting Device Holderテーブカッター装置取り付ケ台 1
13	2308	Screw for 91840
14	340	Nut for 91840 1
15	1156	Screw for 91832, 91839
16	91841	Cutting Knife Lever Pin 1
17	6245	Screw for 91839テープカッター(下)止 ネジ 1
18	91835	Cutting Knife Holder Pinテープカッター(上)取り付ケ台ピン 1
19	91839	Cutting Knife (Lower)テープカッター(下)
30	91852	Cloth Plate Slide Cover Guide Plate
21	91837	Cutting Knife Guide Holderテープカッター案内取り付ケ台 1
22	91836	Cutting Knife Guide
23	4237	Screw for 91836, 91853
24	91853	Cloth Plate Slide Cover Spring滑り板バネ
25	91851	Cloth Plate Slide Cover
26	91845	Measuring Gauge
27	91846	Slide Gauge
28	6436	Screw for 91846指針止 ネジ
29	5343	Screw for 91845
30	1175	Screw for 91852






From the library of: Superior Sewing Machine & Supply LLC

DV-106,-108 EXCLUSIVE PARTS

サブクラス専用部品 17


ef. Vo.	Parts No.	Description	品	名	$egin{array}{l} Amt.\ Req. \end{array}$
1	92041	Needle Thread Guide			1
2	9533	Screw for 92041, 91987			
	91277	Needle Bar Bushing			
4	91398	Thread Eyelet Plate			
5	9142	Screw for 92040			
6	92040	Retaining Finger Support Plate			
7	92039	Retaining Finger			
8	91388	Looper Thread Take-up Eyelet			
9	91201	Seal Pin			
10	1613	Dish Screw			
10	1013	Dish Screw	正 イン		
11	91202	Shaft Collar	······クランクゔ	シャフトカラー	······ 1
12	1448	Screw for 91202	·······················クランクゔ	シャフトカラー止 ネ	ジ 2
13	91399	Looper Eyelet	·····・・ルーパーシ	糸道	1
14	92037	Looper Thread Take-up			
15	1457	Screw for 92037			
16	91987	Looper Driving Eccentric Crank			
17	3635	Screw for 91987			
18	91984	Differential Feed Dog			
19	1175	Screw for 91984, 92079			
20	91985	Main Feed Dog			
	0.000				
21	5550	Screw for 91985, 91329			
22	91990	Needle Guard			
23	5038	Screw for 91990, 92084			
24	91329	Looper Holder			
25	91988	Looper (Front)			
26	91989	Looper (Rear)			
27	7650	Screw for 91988, 91989			
28	712	Washer for 91329			
29	9526	Screw for 91329	·····ルーパー台	台止 ネジ	······ 2
30	90636	Feed Dog Driving Rod Front Cover	送リロット	トカバー	1
31	90831	Looper Eyelet (Short)	ルーパー≯	糸道(短)	······ 1
	1202	Screw for 90831, 91399			
33	5631	Screw for 92080			
34	92079	Differential Feed Dog			
35	92080	Main Feed Dog			
36	9624	Screw for 92080	後送り止	ネジ	2
37	92084	Needle Guard ·····	針受ケ	••••••	······ 1
38	92082	Looper	······ノレーパー·		1
39	9508	Screw for 92082	······ルーパー』	Ŀ ネジ	1



From the library of: Superior Sewing Machine & Supply LLC

<u>DV.DW-105,-109 EXCLUSIVE PARTS(1)</u> サブクラス専用部品 18


, ,	ъ.				4
lef. Vo.	$egin{array}{c} Parts \ No. \end{array}$	Description	品	名	Amt. Req.
10.		Description			1004.
1	91905	Needle Bar Shaft	10-10-10-10-10-10-10-10-10-10-10-10-10-1		
2	32906	Needle Bar Shaft Oil Seal			
3	91978	Needle Bar Shaft Bushing (Front)			
4	91904	Needle Bar Driving Crank			
5	7121	Screw			
6	3635	Screw for 91904			
7	9322	Screw			
8	91907	Needle Bar Shaft Bushing (Rear)			
9	32650	Needle Bar Driving Crank Bushing Plug)			
10	91933	Tape Holder (Upper)	テープ支	工(上)	1
11	91939	Tube	ビニール	パイプ	1
12	6802	Screw for 91933	テープ支	エ止 ネジ	······ 1
13	554	Washer for 91933			2
14	451	Nut for 91933	·······ナット····		1
15	1092	Screw for 37109	小調子バ	ネ止 ネジ	······ 1
16	37109	Ornamental Thread Retainer Spring			
17	37108	Ornamental Thread Retainer Disc.			
18	92137	Ornamental Thread Retainer Bracket			
19	90830	Ornamental Thread Guide Plate			
20	4358	Screw for 90830			
	01004	01.1.0			-
21	91934	Clutch Cover			
22	37611	Clutch Cover Knob			
23	340	Nut for 91934, 92138			
24	1174	Screw for 91936			
25	533	Needle Thread Eyelet			
26	91143	Needle Ihread Lyelet			
27	91936				
28	91938	Clutch Cover Pin			
29	335	Nut for			
30	9121	* •			
31	91935	Clutch Cover Plate			
2	4440	Screw for 91935			
33	91951	Clutch Cover Spring Washer			
34	91937	Clutch Cover Spring			
35	1175	Screw for 91937			
36	247	Adjusting Ball Stop Nut			
37	91964	Graduation Showing Plate			
38	91908	Meatering Lever			
39	5550	Screw for 91908			
40	91909	Adjusting Ball	·······調節球····	***************************************	1
41	94588	Upper Knife Connecting Rod (Small)			
42	4357	Screw for 94588, 94589	上メスロ	ット止 ネジ	······ 4
43	91963	Adjusting Ball Lever	······調節球調	節レバー	······ 1
44	1330	Screw for 91963	·········調節球調	節レバー止 ネジ	1
45	92138	Clutch Rod Connection	··········クラッチ	ロット連結棒	······ 1
46	343	Nut for 92138	ナット		1
47	94589	Upper Knife Connecting Rod (Large)	上メスロ	ット(大)	······ 1
48	32612	Seal Plug	詰栓		2



From the library of: Superior Sewing Machine & Supply LLC


DV.DW-105,-109 EXCLUSIVE PARTS(2) サブクラス専用部品 19

Ref. No.	Parts No.	Description	品	名	Amt. Req.
1	91911	Clutch Lever	クラッチ	軸腕	1
2	38034	Ball Stud (Long)	小球(長)		1
	511	Washer for 38034			······ 1
4	18	Nut for 38034			
5	5550	Screw for 91911			
6	32646	Clutch Shaft Collar			
7	3434	Screw for 32646			
8	91917	Clutch Shaft			
9	91914	Clutch Frame Bushing (Right)			
10	91912	Clutch Frame			
11	3433	Screw for 91914			
12	2237	Screw for 91931			
13	91931	Spring Latch Nut			
14	91932	Link Shaft Spring			
15	92135	Tape Holder (Lower)			
16	547	Washer for 92135			
17	9853	Screw for 92135			
18	3560	Screw for 92133			
19	144	Nut for 92133			
20	92134	Break Spring	ブレーキ	バネ	1
21	91961	Break Holder			
22	7609	Screw for 91961			
23	92133	Break Shoe	····································	片	······ 1
24	9930	Screw for 91912	····・·クラッチ	台止 ネジ	······ 1
25	6802	Screw for 91913			
26	554	Washer for 91913	······································		3
27	91913	Clutch Frame Holder	クラッチ	台受ケ	1
28	2308	Screw for 91913	···············クラッチ	台受ケ止 ネジ	······ 1
29	451	Nut for 91913	····・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・		······ 1
30	91916	Clutch Frame Bushing (Left)	················クラッチ	台ブッシュ(左)	······ 1
31	91918	Clutch Lock Shaft			
2	91922	Link Shaft			
33	9209	Screw for 91918			
34	91915	Clutch Frame Bushing (Center)	·····・・クラッチ -	台フッシュ(中)	<u>1</u>
35	91977	Tension Roller (Large) Complete Set	·····ローラー	(大)(組)	
36	91920	Tension Roller (Small)			
37	91962	Tension Roller Clutch			
38	91928	Tape Guide Wire			
39	91921	Tension Roller Link			
40	9322	Screw for 91928, 91922			
41	91940	Tape Guide Chip			
42	1459	Screw for 91940	····・·テープガ	イドチップ止 ネジ	2



DV.DW-109 EXCLUSIVE PARTS(1) サブクラス専用部品 20

lef. Vo.	Parts No.	Description 品名 Req.
1	91894	Machine Frame (DV, DW-105) 1
2	92249	Machine Frame (DV, DW-109)アームベット(組) 1
	91968	Cloth Plate Complete Set大カバー(組)1
4	1732	Screw for 91968大カバー(組)止 ネジ 2
5	5343	Screw for 91968, 92257, 92258, 91975
6	92145	Main Feed Dog後送リーー・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・
7	9624	Screw for 92145後送り止 ネジ
8	5631	Screw for 92145後送り止 ネジ
9	92146	Differential Feed Dog
10	1175	Screw for 92146
11	92257	Side Cover横カバー 1
12	92258	Top Cover
13	91975	Throat Plate Supporter針板取り付ケ板
14	92252	Edge Guide
15	9852	Screw for 92252, 92254
16	613	Washer for 92252
17	92129	Needle Guard
18	1228	Screw for 92129針受ケ止 ネジ
19	92256	Feed Dog Driving Rod Front Cover送リロットカバー 1
20	92268	Washer for Feed Dog Driving Rod Front Cover送リロットカバー座金 1
21	4440	Screw for 92256
22	92254	Chip Guard (Lower)




From the library of: Superior Sewing Machine & Supply LLC

OV.DW-109 EXCLUSIVE PARTS(2)


<u>サブクラス専用部品 21</u>

ef. Vo.	Parts No.	Description		品	名	Amt. Req.
1	91972	Crank Shaft Complete Set		クラ	ンクシャフト(組)	1
2	92264	Upper Knife Driving Eccentric	••••••	面エ	キセン	······ 1
	92266	Upper Knife Connecting Rod (Large)		上メ.	スロット(大)	······ 1
4	2043	Screw for 92266	•••••	上メ	スロット(大)止 ネジ	2
5	340	Nut for 94587				
6	94587	Upper Knife Connection				
7	343	Nut for 94587				
8	94589	Upper Knife Connecting Rod	•••••	上メ	スロット	1
9	4357	Screw for 94589			1 Sept 1 2 Sept 1 12 Sept	
10	92255	Rod Oil Receiver		ロッ	ト油受ケ	1
11	4401	Screw for 92255				
12	92253	Chip Guard (Upper)				
13	9121	Screw for 92253				
14	94573	Upper Knife Connecting Ball(Long)				
15	92265	Upper Knife Holder Arm				
16	3646	Screw for 94574 ····				
17	1457	Screw for 94573, 94574				
18	1175	Screw for 94576				
19	94576	Upper Knife				
20	94581	Lower Knife Clamp		下メ	ス押工	1
21	94579	Lower Knife Holder		下メ	ス台	······ 1
22	94580	Lower Knife				
23	100	Screw for 94581		下 🗸	ス押工止 ネジ	1
24	92267	Lower Knife Holder Bracket		下 🗸	ス台ブラケット	······ 1
25	3635	Screw for 94579				
26	94582	Lower Knife Holder Locking Plate		下メ	ス台廻リ止メ	·····1
27	4440	Screw for 94582		下メ	ス台廻り止メ止 ネジ	······ 2
28	7763	Screw for 92267		下メ	ス台ブラケット止 ネジ	······ 2
29	703	Pin for 92267		下メ	ス台ブラケット位置決メピン	··········· 2
30	94574	Upper Knife Holder Pin		上メ	ス台ピン	1
31	94562	Upper Knife Hoder Pin Collar				
3	3637	Screw for 94562				
33	94577	Upper Knife Spring		上メス	スバネ	1



From the library of: Superior Sewing Machine & Supply LLC

==3				
ef.	Parts	D		Amt.
10.	<i>No.</i>	Description	品名	Req.
1	92200	PEC (Photo Electoric Cutting Device) Holder		
2	91839	Cutting Knife		
	5550	Screw for 91839, 92206	1 00	
4	6245	Screw for 91839		
5	92201	Cover for 91839	2000 OF 000 DOG	
6	550	Space Ring for 92201		
7	620	Space Ring for 92201		
8	538	Washer for 92201	1.10 miles	
9	4440	Screw for 92201, 91883Photo-transistor Case		
10	92219	rnoto-transistor Case	······································	1
11	5036	Screw for 92219	····································	······ 2
12	11610	Photo-transistor	······フオトトランジスター······	······ 1
13	92224	Photo-transistor Holder	PT取付軸	2
14	92225	Bushing for Cord		
15	92204	Shaft for 92203		
16	92203	Cutting Knife Holder		
17	3635	Screw for 92203		
18	91833	Cutting Knife (Upper)		
19	9150	Screw for 91883		
29	92205	Spring for 92203	·······カッターバネ·········カ	1
21	92206	Lever for 92204		1
22	644	Spring Washer for 92206		
23	92207	Joint		
24	92208	Pin for 92206		
25	1227	Screw for 92208		
26	18	Nut		
27	92214	Frange (Front)		
28	5083	Screw for 92214		
29	92213	Seal for 92214		
30	92211	Shock Absorbed Seal	緩衝ゴムシート	······ 2
				_
31	92237	Plnger		
2.2	3632	Screw for 92237		
33	92238	Plunger Rod for 92237		
34	92239	Solenoid Coil	·····································	1
35	92220 92212	Space Ring for 92220	·····································	1
36 37	92212	Solenoid Case		
38	644	Spring Washers		
39	5038	Screw for 92209		
40	92235	Shock Absorbed Seal		
	OLLOG			
41	92216	Frange (Rear)		
42	92215	Metal Consent Holder		
43	92226	Cord Supporter (Large)		
44	94251	Thoat Plate Supporter	············針板取付板·······················	1
45	92236	Light Complete Set	豆球(組)	1
46	11663	Light for 92236	豆坪 (40) 1 → > ***	
47	4351	Screw for 92236		
48	7405	Control Box Complete Set		
	11685	Tape Guide	宝川街(祖)	1
20	92202	<u>.</u>		
51	11682	Pedal Switch Complete Set	ペダルスイッチ(組)	1
52	37677	Cord Supporter (Small)		7
53	92241	Cloth Plate for DV, DW-103PEC	大カバー	1
54	91889	Cloth Plate for DV, DW-105PEC	大カバー	1
55	92163	Cloth Plate for DV, DW-109PEC	大カバー	1
56	535	Washer for 37677	座金	1
57	4358	Screw for 37677	コード支工(小)止 ネジ	······ 7
58	5525	Screw for 92200	カッター装置台止 ネジ	2
		From the library of: Superior Sewi	ng Machine & Supply Ll	LU



Ref. No.	Parts No.	Description	品	名	1	Amt. Req.
1	99003	Thread Stand 5 Spool Type Complete Set	・・5本糸用糸	. 女 (組)····································	· t.	国内
1000000	99004	Thread Stand 6 Spool Type Complete Set	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	寸(組)	1	• 1
	99000	Thread Stand 2 Spool Type Complete Set				
2	30064	Knited Tape Stand for DV, DW-103, 104				
3	94304	Elastic Tape Stand for DV, DW-105, 109				
4		Oil (0. 35 l)				
5	37909	Thread Tweezers				
6	37932	Oiler	…油差シ		·· 1	• 1
7	37911	Pedal Complete Set	・ペダル(組)			1
8	37907	Pedal Complete Set ·····				•
9	37937	Machine Cover ·····				
10		Wood Screw				
11	37913	Attachment Box				
12		Needle (Schmetz UY 128 GAS Organ DV×1)				
13	37916	Hexagon Wrench Key (Medium) (3.18)				
14	37915	Wrench (Medium) (7.14×7.14)				
15	37945	Wrench (Large) (7.14×7.94)				
16	37910	Monkey Wrench				
17	37903	Screw Driver (Small)				
18	37902	Screw Driver (Medium)	・・ドライバー	(中)	·· 1	• 1
19	37901	Screw Driver (Large)	・ドライバー	(+)	1	. 1
20	99013	Culm Cap				
21	99011	Culm Pipe				
22	99021	Thread Hanger (2 Spool Type) Complete Set				
22-1		Thread Hanger (2 Spool Type)				
23	99026	Thread Hanger (3 Spool Type) Complete Set				
23-1		Thread Hanger (3 Spool Type)				
24	99023	Thread Bushing				
25	99012	Culm Socket				
26	99030	Thread Guide Bar ·····				
27	99028	Thread Guide Holder Complete Set	・糸客内ホル	ダー(組)・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	. 1	• 1
0 -1	99029	Thread Guide Holder				
28	99031	Thread Guide Bar Bracket				
29	99032	Thread Guide				
30	99014	Spool Holder (2 Spool Type) Complete Set				
30-1	99015	Spool Holder (2 Spool Type)	・スプールホ	ルダー(2本糸用)	. 1	• 1
31	99024	Spool Holder (3 Spool Type) Complete Set				
31-1	99025	Spool Holder (3 Spool Type)	・スプールホ	ルダー(3本糸用)	. ī	• î
32	99017	Spool Pin				
33	99020	Spool Cushion				
34	99018	Spool Mat	・スプールマ	», 	. 5	. 5
35	99019	Spool Seat Disc ······	・受ケ	····	. ś	. 5
36	99010	Thread Stand Base	· 糸 立 台 · · · · ·	••••	· 1	• 1
37	99016	Name Plate				
<i>J</i> ,	55510	11000 - 1010			-	-

-												
	Parts No.	Page No.	Ref.	Parts No.	Page No.	Ref.	Parts No.	Page No.	Ref.	Parts No.	Page No.	Ref.
	18	13	5	644	2	27	1457	8	6	4437	5	26
	18	19	4	644	22	22	1457	12	5	4438	3	46
1	18	22	26	644	22	38	1457	14	22	4440	2	
Ì	56	3	14	703	5	37	1457	15	16	4440	3	8
	56	12	12	703	6	21	1457	17	15	4440	4	16
	62	12	11	703	21	29	1457	21	17	4440	15	10
	100	21	23	712	6	26	1459	8	24	4440	16	11
	144	19	19	712	14	31	1459	10	10	4440	18	32
	247	18	36	712	17	28	1459	19	42	4440	20	21
	282	5	24	730	7	37	1613	14	5	4440	21	27
	290	5	23	750	7	7	1613	17	10	4440	22	9
	305	5	4	813	3	44	1732	1	3	4446	16	5
	305	8	49	813	12	23	1732	20	4	5036	22	11
1	306	5	5	1092	3	33	1892	3	31	5038	7	26
	306	8	20	1092	18	15	1892	6	28	5038	17	23
	319	8	37	1156	1	35	2043	8	43	5038	22	39
	335	8	25	1156	3	4	2043	21	4	5040	4	28
	335	2	28	1156	16	15	2237	19	12	5075	1	9
	335	18	29	1170	5	9	2308	2	32	5083	22	28
	340	15	12	1170	6	19	2308	3	52	5133	3	1
	340	16	14	1170	8	47	2308	16	13	5163	1	29
	340	18	23	1174	8	17	2308	19	28	5343	1	2
	340	21	5	1174	18	24	2368	4	7	5343	16	29
1	343	18	46	1175	7	24	3357	3	29	5343	20	5
	343	21	7	1175	14	3	3404	5	31	5525	22	58
Ì	419	8	19	1175	15	8	3404	12	6	5550	6	27
	419	10	19	1175	17	19	3433	19	11	5550	7	30
	451	18	14	1175	18	35	3434	9	8	5550	14	30
	451	19	29	1 1 75	20	10	3434	19	7	5550	17	21
	511	19	3	1175	21	18	3560	19	18	5550	18	39
	525	1	10	1186	8	56	3632	5	16	5550	19	6
	531	3	48	1202	2	14	3632	9	16	5550	22	5
	533	3	16	1202	3	54	3632	22	32	5553	15	27
	533	8	27	1202	14	14	3635	4	32	5554	15	23
	533	18	25	1202	17	32	3635	14	25	5631	7	31
	535	22	56	1208	13	3	3635	17	17	5631	14	34
	538	22	8	1222	7	21	3635	18	6	5631	15	6
	544	13	10	1222	14	36	3635	21	25	5631	17	33
	547	1	28	1227	8	14	3635	22	17	5631	20	8
	547	15	11	1227	12	25	3637	21	32	6035	2 16	26 17
	547	19 22	16	1228	3 6	26	3646	21 1	16 6	6245 6235	22	4
	550 554	18	6	1228 1228		24 18	4237 4237	16	23	6436	16	28
	554 554	19	13 26	1330	20 18	44	4313	5	27	6608	16	4
	554 555	7	16	1372	4	6	4313	5 5	30	6802	13	6
	560	4	13	1395	5	36	4351	22	47	6802	18	12
	562	15	26	1399	4	23	4357	18	42	6802	19	25
	562 567	10	20 12	1399	5	23 19	4357	21	9	6806	13	
	570	10	20	1435	9	7	4358	1	25	7026	5	13
	578	10	17	1433	4	10	4358	2	30	7121	5	11
	613	14	10	1448	14	7	4358	3	35	7121	6	15
	613	15	19	1448	17	12	4358	18	20	7121	8	39
	613	20	16	1457	4	21	4358	22	57	7121	18	5
1	615	7	17	1457	5	29	4359	13	11	7311	5	7
	620	22	7	1457	7	12	4401	21	11	7311	6	17
					•						-	

Parts No.	Page No.	Ref.	Parts No.	Page No.	Ref. No.	Parts No.	Page No.	Ref.	Parts No.	Page No.	Ref. No.
7311	8	45	9533	14	24	37132	5	10	90161	1	4-1
7405	22	48	9533	17	2	37311	6	16	90165	5	33
7609	19	22	9604	16	8	37611	18	22	90166	5	33-1
7645	4	19	9604	18	11	37669	10	13	90166	11	10
7650	3	6	9606	4	26	37675	10	15	90167	5	33-2
7650	4	30	9614	7	15	37677	22	52	90167	11	10-1
7650	6	7	9624	7	28	37901	23	19	90171	1	27
7650	9	5	9624	15	5	37902	23	18	90172	10	21
7650	14	29	9624	17	36	37903	23	17	90180	2	8
7650	16	6	9624	20	7	37907	23	8	90185	3	53
7650	17	27	9650	14	37	37909	23	5	90186	1	30
7668	10	14	9707	8	35	37910	23	16	90189	1	19
7678	1	18	9715	8	1	37911	23	7	90200	4	11
7678	14	41	9730	8	54	37913	23	11	90204	4	5
7763	21	28	9825	3	20	37915	23	14	90205	4	8
9106	1	11	9827	3	23	37916	23	13	90207	9	12
9121	2	5	9838	3	39	37932	23	6	90208	9	10
9121	18	30	9838	12	15	37937	23	9	90209	9	13
9121	21	13	9840	3	11	37945	23	15	90212	4	15
9142	5	34	9852	14	9	38034	19	2	90213	4	14
9142	14	19	9852	15	20	60185	12	18	90214	9	11
9142	17	5	9852	20	15	90001	12	4	90221	4	1
9150	1	23	9853	2	19	90002	12	4-1	90222 90300	4	$\begin{bmatrix} 4 \\ 1 \end{bmatrix}$
9150	10	31	9853	10 19	29 17	90003 90004	12 12	4-2 4-3	90304	5 5	3
9150 9150	16 22	10 19	9853 9909	10	17	90004	12	4-3 4-4	90304	5	6
9154	1	33	9917	10	22	90099	1	12	90306	8	44
9202	4	2	9930	10	8	90105	1	13	90314	5	12
9203	4	3	9930	19	24	90107	1	7	90315	5	14
9209	4	27	9932	10	30	90108	5	35	90317	9	15
9209	9	2	9932	15	24	90109	1	1	90318	5	18
9209	19	33	11610	22	12	90112	ī	20	90319	5	17
9218	4	12	11663	22	46	90113	1	26	90320	5	21
9303	5	2	11682	22	51	90114	1	24	90321	5	20
9303	8	51	11685	22	49	90116	1	22	90324	5	25
9322	3	17	30064	23	2	90118	1	21	90330	3	25
9322	5	22	30185	1	31	90124	2	6	90332	9	1
9322	8	53	30753	1	15	90127	2	23	90333	9	3
9322	18	7	30754	1	16	90130	2	7	90342	5	28
9322	19	40	31111	3	12	90131	2	15	90344	5	28-1
9502	4	18	31111	12	14	90132	2	16	90345	5	28-2
9503	4	17	32612	18	48	90133	2	10	90351	5	15
9506	6	10	32646	19	6	90134	2	11	90400	8	50
9506	7	3	32650	18	9	90135	2	17	90401	4	9
9506	7	34	32906	18	2	90136	2	18	90404	8	48
9508	6	2	32932	10	6	90137	1	34	90405	8	40
9508	7	5	32942	10	32	90138	1	4	90406	8	42
9508	8	29	37108	3	21	90139	1	5	90408	8	52
9508	17	39	37108	18	17	90140	2	31	90409	8	38
9517	6	4	37109	18	16	90145	1	32	90412	8	16
9526	6	25	37121	6	14	90149	9	14	90413	8	21
9526	14 17	32	37121	8	41	90151	1	14 2	90418	8	18 7
9526	17	29 27	37130	5 6	8 18	90152 90153	1	8 4	90420 90421	8 8	12
9533	3	37 33	37130 37130	6 8	18 46	90153	2 1	26-1	90421	8	13
9533	4	33	37130	O	40	30100	1	20-1	30422	O	13

INDEX

7 -										_	1
Parts No.	Page No.	Ref. No.									
90425	8	15	90710	7	10	90901	10	9	91227	14	1
90504	7	1	90711	8	36	90906	10	11	91228	14	2
90507	7	4	90713	8	9	90907	10	7	91229	14	2-
90509	7	6	90714	8	8	90910	10	27	91231	11	4
90510	9	6	90717	8	4	90911	10	25	91232	11	4-1
90511	7	11	90720	9	4	90918	10	3	91233	11	4-2
90512	9	9	90722	8	10-1	90919	10	26	91234	11	4-3
90513	6	1	90723	8	55	90923	7	9	91235	11	4-4
90515	6	5	90724	8	26	90924	2	12	91251	14	8
90515	6	3	90725	8	2	90925	2	13	91252	14	8-1
90516	7	33	90726	8	3	90928	10	28	91253	14	8-2
90516	6	9	90731	8	10-1	90930	10	24	91254	14	8-3
90518	7	2	90732	8	10	90931	2	22	91255	14	8-4
90519	6	11	90801	3	3	90932	2	19	91277	17	3
90519	6	6	90803	3	1	90933	2	20	91283	11	6
90510	8	5	90804	3	40	90941	10	18	91285	11	6-1
90520	6	12	90804	12	24	90942	10	23	91290	14	27
90521	4	31	90805	3	42	90943	10	33	91293	14	26
90524	6	13	90805	12	25	90944	10	16	91295	14	26-1
90525	6	20	90807	3	43	90951	10	5	91303	14	30
90529	6	22	90807	12	22	90952	10	1	91305	14	33-1
90530	6	23	90812	3	10	90953	10	2	91320	12	7
90600	4	25	90812	12	17	90955	2	1	91323	12	8
90601	4	29	90814	3	38	90956	2	2	91325	12	8-1
90604	4	22	90814	12	13	90958	10	4	91329	14	28
90608	2	24	90816	3	15	91100	11	2	91339	17	24
90609	7	36	90817	3	27	91101	11	2-1	91340	14	35
90610	7	13	90818	3	24	91102	11	2-2	91341	14	38
90611	7	8	90819	3	36	91103	11	2-3	91342	14	39
90613	7	19	90820	3	7	91104	11	2-4	91359	11	5
90617	7	14	90822	8	23	91131	11	1	91361	11	5-
90618	7	20	90824	3	2	91132	11	1-1	91373	14	40
90619	7	22	90826	3	19	91133	11	1-2	91375	14	40-1
90620	7	18	90828	3	30	91134	11	1-3	91381	15	1
90621	7	29	90829	8	22	91135	11	1-4	91388	14	1
90624	7	27	90830	3	34	91142	12	21	91388	17	8
90625	7	23	90830	18	19	91143	12	2	91397	14	11
90626	7	32	90831	14	13	91143	18	26	91398	14	15
90627	7	35	90831	17	31	91144	12	3	91398	17	4
90632	7	23-1	90838	3	50	91145	12	1	91399	14	20
90633	7	25	90839	3	51	91170	13	8	91399	17	13
90634	7	27-1	90840	3	28	91174	13	1	91675	11	
90636	14	12	90844	3	32	91175	13	2	91676	11	8-1
90636	17	30	90846	3	22	91176	13	9	91677	11	8-2
90637	4	24	90847	3	13	91177	13	4	91679	11	8-3
90638	2	25	90847	12	16	91184	13	5	91700	15	2
90648	7	38	90848	3	47	91191	11	3	91702	15	17
90695	8	31	90850	3	45	91192	11	3-1	91704	15	:
90696	8	30	90853	2	29	91197	11	9	91706	15	9
90697	9	17	90855	3	18	91198	11	9-1	91707	15	15
90701	3	5	90856	3	9	91200	2	21	91708	15	13
90704	8	28	90856	12	19	91201	14	4	91709	15	14
90705	8	32	90857	3	41	91201	17	9	91728	15	7
90706	8	33	90857	12	20	91202	14	6	91729	15	4
90708	8	34	90873	4	20	91202	17	11	91731	15	21
91			2			•			5		

From the library of: Superior Sewing Machine & Supply LLC

												~	1
	Parts No.	Page No.	Ref. No.	Parts No.	Page No.	Ref. No.	Parts No.	Page No.	Ref.	Parts No.	Page No.	Ref. No.	
	91735	15	25	91943	11	18-2	92202	22	50	94589	18	47	
	91736	15	22	91951	18	33	92203	22	16	94589	21	8	
	91764	11	12	91961	19	21	92204	22	15	94908	11	11	
	91765	11	12-1	91962	19	37	92205	22	20	94909	11	11-1	
-	91784	15	18	91963	18	43	92206	22	21	99003	23	1	
	91833	16	9	91964	18	37	92207	22	23	99004	23	1-1	
	91833	22	18	91965	11	17	92208	22	24	99000	23	1-2	
	91832	16		91966	11	17-1	92208	22	37	99010	23	36	
	91834	16	12 7	91966	11	17-1 17-2	92211	22	30	99011	23	21	
	91835		18	91968	20	3	92212	22	36	99012	23	25	
		16	22	91908	21	1	92212	22	29	99013	23	20	
	91836	16		91972	20	13	92213	22	2 3 27	99013	23	30	
	91837	16	21	91978	18	3	92214	22	42	99014	23	30-1	
	91838	16	8	91978	19		92216	22	42	99015	23	27	
	91839	16	19	f*		35		22 22		99016	23 23	32	
	91839	22	2	91981	11	14	92219		10	50913PALL 24110011011011		34	
	91840	16	2	91984	17	18	92220	22	35	99018	23		
	91841	16	16	91985	17	20	92224	22	13	99019	23	35	
	91842	16	3	91986	12	9	92225	22	14	99020	23	33	
	91844	16	1	91987	14	23	92226	22	43	99021	23	22	
	91845	16	26	91987	17	16	92235	22	40	99022	23	22-1	
	91846	16	27	91988	17	25	92236	22	45	99023	23	24	
	91851	16	25	91989	17	26	92237	22	31	99024	23	31	
	91852	16	20	91990	17	22	92238	22	33	99025	23	31-1	
	91853	16	24	91991	11	13	92239	22	34	99026	23	23	
	91889	22	54	92037	14	21	92241	22	53	99027	23	23-1	
	91894	20	1	92037	17	14	92249	20	2	99028	23	27	
	91904	18	4	92039	14	17	92252	20	14	99029	23	27-1	
	91905	18	1	92039	17	7	92253	21	12	99030	23	26	
	91907	18	8	92040	14	18	92254	20	22	99031	23	28	
	91908	18	38	92040	17	6	92255	21	10	99032	23	29	
	91909	18	40	92041	17	1	92256	20	19				
	91911	19	1	92071	11	16	92257	20	11				
	91912	19	10	92072	11	15	92258	20	12				
	91913	19	27	92079	17	34	92264	21	2				
	91914	19	9	92080	17	35	92265	21	15				
	91915	19	34	92081	12	10	92266	21	3				
	91916	19	30	92082	17	38	92267	21	24			9	
	91917	19	8	92084	17	37	92268	20	20				
	91918	19	31	92129	20	17	94215	11	7				
	91920	19	36	92133	19	23	94216	11	7-1				
	91921	19	39	92134	19	20	94217	11	7-2				
	91922	19	32	92135	19	15	94219	11	7-3				
	91928	19	38	92137	18	18	94251	22	44				
	91931	19	13	92138	18	45	94304	23	3				
	91932	19	14	92145	20	6	94562	21	31				
	91933	18	10	92146	20	9	94573	21	14				
	91934	18	21	92151	11	20	94574	21	30				
	91935	18	31	92152	11	20-1	94576	21	19				
	91936	18	27	92153	11	20-2	94577	21	33				
	91937	18	34	92157	11	19	94579	21	21				
	91938	18	28	92158	11	19-1	94580	21	22				
	91939	18	11	92159	11	19-2	94581	21	20				
	91940	19	41	92163	22	55	94582	21	26				
	91941	11	18	92200	22	1	94587	21	6				
	91942	11	18-1	92201	22	5	94588	18	41				