
Introduction to our new product lines: • Rulers **Tagging Guns & Needles** • Fasteners • Safety Pins • Pins Hand Sewing Needles Presented by Superior



Lance®, Laser II®, Laser III®, Major®, Sabre® and Supreme® are registered trademarks of Superior Sewing Machine & Supply, LLC










Traditional Safety Pins Used to fasten 2 pieces of fabric together Used to hold embroidery in place Used to patch torn or damaged clothing 0 being jabbed Used as a temporary button or zipper applications **Black Safety Pins** fabrics industrial applications Great for attaching hunting badges **Coilless Pins** Have no coil to wrap around or snag delicate fabrics Used in creating fashion accessories 0 Used to place-mark on knitting and crocheting Used to hold appliqué in place on delicate fabrics **Kiltie Pins** Used to hold skirts and kilts closed Used as shawl pins Used as horse blanket pins Used in creating fashion accessories **Bank Pins** Used when working with heavyweight material Used in model assembly applications

General Uses for Pins

- Perfect for diapers, as the safety clasp prevents the baby from
- Used in thousands of other household, craft and industrial
- Perfect for emergency repairs without being detected on dark
- Can be used in thousands of other household, craft and
- Used in thousands of other household, craft and industrial



Dressmaker Pins

- Used when working with medium to lightweight materials
- Used to place Appliqué, sequins or trim
- Used in thousands of other household, craft and industrial applications

Black Bank Pins

- Used when working on fine fabrics
- Used in Entomology
- Used in Taxidermy


- Used to hold hefty upholstery and outdoor fabric in place Used in model assembly
- Artist supplies

Laundry Pins / Net Pins

- Perfect for keeping your mesh laundry bag closed and garments inside
- Used as horse blanket pins

Marking Pins

- Used for identification on Items such as:
- Locker I.D.s
- Swim badges
- Key holders



Quality Specifications

Safety Pins are constructed using either hardened brass or high carbon steel, with a nickel or gilt plating These coatings strengthen the safety pin and help protect against rust and corrosion Nickel plating results in a silver colored finish Gilt plating results in a gold colored finish

Black Safety Pins are constructed using either hardened brass or steel which is then specially treated to give the pins a black matte finish

The oxidation process makes these safety pins rust resistant

Coilless Safety Pins are constructed using either hardened brass or high carbon steel, with a nickel or gilt plating These coatings strengthen the safety pin against rust and corrosion • Nickel plating results in a silver colored finish Gilt plating results in a gold colored finish

Kiltie Pins are constructed using hardened steel, with a nickel plating or gilt plating Nickel plating results in a silver colored finish Gilt plating results in a gold colored finish • • This coating makes these pins highly resistant to corrosion and oxidation

Laundry Bag / Net Pins are constructed using stainless steel wire, with a nickel plating These pins have safety blunted points Used to secure mesh laundry bags •

Marking Pins are constructed using stainless steel The stainless steel construction makes these pins very long lasting and resistant to corrosion They are available in three shapes: Mushroom, Flared, Standard

Quality Specifications (continued)

Bank Pins are constructed using hardened steel, with a nickel plating Nickel plating results in a silver colored finish This coating makes these pins highly resistant to corrosion and oxidation

- Heavy gauge steel
- Large rounded heads

- Medium gauge steel
- Large rounded heads


Black Bank Pins are constructed using hardened steel, which is double-coated with black enamel The black enamel makes these pins rust resistant

- Large rounded heads
- - •

 - Closed "T" head eliminates snagging fabrics

 Dressmaker Pins are constructed using hardened steel, with a nickel plating Nickel plating results in a silver colored finish This coating makes these pins highly resistant to corrosion and oxidation

• <u>T-Pins</u> are constructed using a steel inner core, with a nickel plating for rust resistance and fast, effortless insertion Nickel plating results in a silver colored finish Each T-pin features a T-bar head making it easier to grasp and see • The sharp point penetrates even the toughest surface without bending or breaking The steel inner core helps keep the point sharp




Pin Code Explanation Charts

| or® |
|-----|
| me® |
| |
| |
| |
| |
| |

| | S | afety Pins | | | | | | Pins ar | d T-Pins |
|-----------|--|--------------|------------------|-----------------|-------------|---------|-----------------|-----------------|----------|
| MM | Metal | Platin | g Sold | Brar | nd | Si | ze Inche | s MM | Metal |
| 19 mm | n S = Steel N = Nickel O = Open Brass = Major® | | /lajor® | 1 | 6 1" | 25.4 mm | S = Steel | | |
| 22 mm | B = Brass | G = Gil | t C = Close | ed Steel = Su | preme® | 1 | 7 1 1/16 | 5" 27 mm | |
| 27 mm | | Oxy = Bla | ack | | | 2 | 0 1 1/4' | " 32 mm | |
| 38 mm | | | | | | 2 | 4 1 1/2 | " 38 mm | |
| 51 mm | | | | | | 2 | 8 1 3/4 | ' 44.45 mm | |
| 73 mm | | | | | | 3 | 2 2" | 50.8 mm | |
| e.g. X-00 | -BGC (3/4' | ' / 19 mm, I | Brass, Gilt, Clo | sed) | | | | | |
| | | | | | | | | | |
| | | | | Kiltie Pi | ns | | | | |
| Siz | ze | Inches | MM | Metal | Platir | ng | Sold | Brai | nd |
| 7 | | 2 1/2" | 63 mm | S | N = Nic | ckel | C = Close | d Steel = Su | preme® |
| 1 | 1 | 3" | 76 mm | S | G = G | ilt | C = Close | d | |
| | | | | Laundry Bag / | Net Pins | | | | |
| | | | | | | | | | |
| Siz | | Inches | MM | Metal | | iting | Sold | Brai | |
| 3 | | 3 1/4" | 82.6 mm | SS = Stainless | steel No | one | C = Close | d Brass = N | ∕lajor® |
| 4 | | 4 1/4" | 108 mm | | | | | | |
| 5 | | 5" | 127 mm | | | | | | |
| | | | | Marking | Pins | | | | |
| Size | Inch | es MN | N | Metal | Platin | g | Sold | Branc | l |
| ALL | 2" | 50.8 | mm SS = S | Stainless Steel | None | 3 | C = Closed | Stainless Steel | = Major® |
| Λ | /lajor® and | d Supreme | B are registe | red trademark | s of Super | rior Se | ewing Mach | nine & Supply, | LLC |

You will not be able to determine the composition of a pin by its outward appearance. To assist you, please refer to the charts below. By understanding the coding used in the pin part number, you will always be able to select the right pin for your needs.






| Product No. | | Length / MM | | iameter 5 / MM | Metal | Plating | Open / Closed | How Many Pins per Box | How Many Gross per Box | How Many Boxes per Case |
|-------------|---------|----------------|--------|-------------------|-------|---------|------------------|--------------------------|---------------------------|----------------------------|
| X-00-BGC | 3/4" | 19 mm | .0255" | 64 mm | В | G | С | 1440 | 10 | 25 |
| X-0-BGC | 7/8" | 22 mm | .0265" | .68 mm | В | G | С | 1440 | 10 | 25 |
| X-0-BNO | 7/8" | 22 mm | .0265" | .68 mm | В | Ν | 0 | 1440 | 10 | 25 |
| X-1-BGO | 1 1/16" | 27 mm | .0290" | .74 mm | В | G | 0 | 1440 | 10 | 20 |
| X-1-BGC | 1 1/16" | 27 mm | .0290" | .74 mm | В | G | С | 1440 | 10 | 20 |
| X-1-BNO | 1 1/16" | 27 mm | .0290" | .74 mm | В | Ν | 0 | 1440 | 10 | 20 |
| X-1-BNC | 1 1/16" | 27 mm | .0290" | .74 mm | В | Ν | С | 1440 | 10 | 20 |

Major® Safety Pins Specifications

Sold by the box 1 Gross = 144 pins





| Product No. | | ll Length s / MM | | Diameter s / MM | Metal | Plating | Open / Closed | How Many Pins per Box | How Many Gross per Box | How Many Boxes per Case |
|-------------|---------|---------------------|--------|--------------------|-------|---------|------------------|--------------------------|---------------------------|----------------------------|
| X-00-SGC | 3/4 " | 19 mm | .0255" | 64 mm | S | G | С | 1440 | 10 | 25 |
| X-0-SGC | 7/8" | 22 mm | .0255" | .64 mm | S | G | С | 1440 | 10 | 25 |
| X-0-SNC | 7/8" | 22 mm | .0255" | .64 mm | S | Ν | С | 1440 | 10 | 25 |
| X-1-SGC | 1 1/16" | 27 mm | .0295" | .75 mm | S | G | С | 1440 | 10 | 20 |
| X-1-SO | 1 1/16" | 27 mm | .0310" | .79 mm | S | Ν | 0 | 1440 | 10 | 20 |
| X-1-SC | 1 1/16" | 27 mm | .0310" | .79 mm | S | Ν | С | 1440 | 10 | 20 |
| X-2-SO | 1 1/2" | 38 mm | .0385" | .99 mm | S | Ν | 0 | 1440 | 10 | 10 |
| X-2-SC | 1 1/2" | 38 mm | .0385" | .99 mm | S | Ν | С | 1440 | 10 | 10 |
| X-3-SC | 2" | 50.8 mm | .0455" | 1.15 mm | S | Ν | С | 1440 | 10 | 10 |

Supreme[®] Safety Pin Specifications

Sold by the box 1 Gross = 144 pins






| Product No. | | all Length es / MM | | Diameter es / MM | Metal | Plating | Open / Closed | How Many Pins per Box | How Many Gross per Box | F Bo |
|-------------|------|-----------------------|--------|---------------------|-------|---------|------------------|--------------------------|---------------------------|---------|
| X-00-OXY | 3/4" | 19 mm | .0270" | 0.67 mm | В | OXY | С | 1440 | 10 | |
| X-0-OXY | 7/8" | 22 mm | .0250" | 0.64 mm | В | OXY | С | 1440 | 10 | |
| X-3-OXY | 2" | 50.8 mm | .0495" | 1.36 mm | В | OXY | С | 1440 | 10 | |



Major[®] Black Safety Pins

Sold by the box 1 Gross = 144 pins










| Product No. | | Length / MM | | iameter 5 / MM | Metal | Plating | Open / Closed | How Many Pins per Box | How Many Gross per Box | ŀ |
|-------------|---------|----------------|--------|-------------------|-------|---------|------------------|-----------------------------|------------------------------|---|
| X-00-SGC-C | 3/4" | 19 mm | .0270" | .68 mm | S | G | С | 1440 | 10 | |
| X-0-BGO-C | 7/8" | 22 mm | .0270" | .68 mm | В | G | 0 | 1440 | 10 | |
| X-0-BGC-C | 7/8" | 22 mm | .0265" | .64 mm | В | G | С | 1440 | 10 | |
| X-0-SGC-C | 7/8" | 22 mm | .0270" | .68 mm | S | G | С | 1440 | 10 | |
| X-1-SGC-C | 1 1/16" | 27 mm | .0295" | .75 mm | S | G | С | 1440 | 10 | |



Sold by the box 1 Gross = 144 pins






| Product No. | | II Length es / MM | | Diameter s / MM | Metal | Plating | Open / Closed | How Many Pins per Box | How Many Gross per Box |
|-------------|--------|----------------------|--------|--------------------|-------|---------|------------------|--------------------------|------------------------------|
| 7N-KILT | 2 1/2" | 63.5 mm | .0980" | 2.48 mm | S | Ν | С | 144 | 1 |
| 11G-KILT | 3" | 76 mm | .0790" | 2.01 mm | S | G | С | 144 | 1 |

Major[®] Kiltie Pins

Sold by the box (144 pins)








| Product No. | | ll Length s / MM | | Diameter es / MM | Metal | Plating | Open / Closed | How Many Pins per Poly- Bag | How Many Poly-Bags per Box |
|----------------|--------|---------------------|--------|---------------------|-------|---------|------------------|-----------------------------------|----------------------------------|
| 3NP | 3 1/4" | 82.6 mm | .0787" | 2.00 mm | SS | Ν | С | 10 | 10 |
| 4NP | 4 1/4" | 108 mm | .1102" | 2.80 mm | SS | Ν | С | 10 | 10 |
| 5NP | 5" | 127 mm | .1259" | 3.20 mm | SS | Ν | С | 10 | 10 |

- The pin cap can be engraved with up to 5 characters, at an additional cost. - Minimum quantity 100 pins for customization.










| Product No. | Shape | | rall Length hes / MM | | e Diameter nes / MM | Metal | Plating | Open / Closed | How Many Pins per Box | How Boxe Ca |
|-------------|----------|----|-------------------------|-------|------------------------|-------|---------|------------------|-----------------------------|-------------------|
| M1-MS | Mushroom | 2" | 50.8 mm | .060" | 1.52 mm | SS | None | С | 100 | 1 |
| M2-FS | Flared | 2" | 50.8 mm | .060" | 1.52 mm | SS | None | С | 100 | 1 |
| M3-SS | Standard | 2" | 50.8 mm | .054" | 1.37 mm | SS | None | С | 100 | 1 |

- The pin cap can be engraved with up to 5 characters, at an additional cost. - Minimum quantity 100 pins for customization.




Mushroom Shaped


Major® is a registered trademark of Superior Sewing Machine & Supply, LLC

Major[®] Stainless Steel Marking Pins

Sold by the box (100 pins)



Flared Shape



Standard Shape





| Product No. | Size | Leng Inches | | Diam Inches | | Metal | Plating | How Many Pounds per Box | How N Boxes Master |
|-------------------------|-----------|----------------|---------|----------------|---------|-------|---------|-------------------------------|--------------------------|
| Royal Ruth E | Bank Pins | | | | | | | | |
| 17SB-05 | 17 | 1 1/16 " | 27 mm | .034" | 0.86 mm | S | Ν | 5 * | 5 |
| 24SB-05 | 24 | 1 1/2" | 38 mm | .046″ | 1.16 mm | S | Ν | 5 | 5 |
| 32SB-05 | 32 | 2" | 50.8 mm | .046" | 1.16 mm | S | Ν | 5 | 5 |
| Royal Ruth E | Black Ban | k Pins | | | | | | | |
| 17BB-5 | 17 | 1 1/16" | 27 mm | .028″ | 0.70 mm | S | В | 5 | 5 |
| 24BB-5 | 24 | 1 1/2" | 38 mm | .035″ | 0.90 mm | S | В | 5 | 5 |
| 32BB-5 | 32 | 2" | 51 mm | .047" | 1.20 mm | S | В | 5 | 5 |
| Lance [®] Dres | smaker P | ins | | | | | | | |
| 17SD-05 * | 17 | 1 1/16" | 27 mm | .028″ | 0.70 mm | S | Ν | 5 | 5 |
| 17SD-1 | 17 | 1 1/16" | 27 mm | .028" | 0.70 mm | S | Ν | 5 ** | 5 |
| 20SD-1 | 20 | 1 1/4" | 32 mm | .030″ | 0.70 mm | S | Ν | 5 ** | 5 |
| 24SD-1 | 24 | 1 1/2" | 38 mm | .036″ | 0.90 mm | S | Ν | 5 ** | 5 |

* The 17SB-05 is packed in ten (10) 1/2 pound inner packages per box ** The 17SD-1, 20SD-1 and 24SD-1 are packed in five (5) 1 pound inner packages per box, 25 Lbs. to a master carton

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Royal Ruth Nickel and Black Bank Pins Lance[®] Nickel Dressmaker

Sold by the box



Many s per ^r Case



| Product No. | lnc | Size hes / MM | | meter s / MM | Metal | Plating | How Many Pounds per Box | How Many Boxes per Junior Carton | How Many Junior Cartons per Master Case |
|-------------|--------|------------------|--------|-----------------|-------|---------|-------------------------------|--|--|
| X16T-05 | 1" | 25.4 mm | .0300" | 0.76 mm | S | Ν | 1/2 lbs. | 10 | 5 |
| X20T-05 | 1 1/4" | 32 mm | .0335" | 0.85 mm | S | Ν | 1/2 lbs. | 10 | 5 |
| X24T-05 | 1 1/2" | 38 mm | .0455" | 1.15 mm | S | Ν | 1/2 lbs. | 10 | 5 |
| X28T-05 | 1 3/4" | 44.45 mm | .0455" | 1.15 mm | S | Ν | 1/2 lbs. | 10 | 5 |
| X32T-05 | 2" | 50.8 mm | .0455" | 1.15 mm | S | Ν | 1/2 lbs. | 10 | 5 |

Note: * All counts per pounds are approximate and should be used as a guide only

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Lance[®] T-Pins

All T-Pins are sold by the junior carton (5 lbs.)


| | | 1 | / |
|--|---|---|---|
| | | | / |
| | | | |
| | 1 | | |
| | | | |
| | | | |





Private label available upon request. A minimum order is required.

Customization







Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Lance® Hand Sewing Needles

CAREFULLY CRAFTED OF CARBON STEEL AND FULLY NICKEL PLATED

* Made to European Needle Specifications





Lance[®] Hand Sewing Needles

Sharps Needles are medium length needles. They are the most popular needle for general hand sewing. The # 12 Sharps are also used by tattoo artists in applying tattoos. # 2, 3 & 4 are suitable for medium to heavy fabrics. # 5, 6, 7, 8, 9 & 10 are suitable for light to medium fabrics. #11 & 12 are suitable for fine fabrics or creating small delicate stitches. Sold 40 packs of 25 needles = 1000 needles •

Beading Needles are very fine and long needles, with long eyes. These needles are suitable for stinging beads, pearls and sequins anything requiring a thin needle. Beading needles are ideal when attaching beads to a fabric that already have embroidery. Only available in sizes 10 and 12.

Sold 40 packs of 25 needles = 1000 needles •

Darning Needles (cotton) # 1-12 are long needles with long eyes and sharp points. They are used for mending, darning using cotton or yarn, basting and layering fabrics together. Sold 40 packs of 25 needles = 1000 needles

0

Crewel (Embroidery) Needles are identical in length and thickness to Sharps but have a longer eye for easier threading when using multiple strands of thread. Because of their large eye, these needles are ideal for people who have difficulty seeing the eye of a needle. Sold 40 packs of 25 needles = 1000 needles




| Product No. | Size | | ameter es / MM | | ngth s / MM | Max Thread Size | Minimum Bead Size | How Many per Pack | How M pe |
|-------------|------|-------|-------------------|-------|----------------|--------------------|----------------------|----------------------|-------------|
| 10-BDG | 10 | .018" | 0.46 mm | 2.16" | 55 mm | 0.30 mm | 15/0 | 25 | |
| 12-BDG | 12 | .014" | 0.35 mm | 2.00" | 51 mm | 0.16 mm | 15/0 | 25 | |



Lance[®] Beading Needles

Sold by the box (1000 need





Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

| dl | es) |
|----|-----|
| | |

Many Packs per Box 40 40

Product No.


- 1-CR
- 2-CR
- 3-CR
- 4-CR
- 5-CR
- 6-CR
- 7-CR
- 8-CR
- 9-CR
- 10-CR
- 11-CR
- 12-CR

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Lance[®] Crewel Needles

Sold by the box (1000 needles)

| Size | | ngth es / MM | | neter s / MM | How Many per Pack | How Many Packs per Box |
|------|-------|-----------------|-------|-----------------|----------------------|---------------------------|
| 1 | 1.91" | 48.5 mm | .046" | | 25 | 40 |
| 2 | 1.83" | 46.5 mm | .043" | 1.09 mm | 25 | 40 |
| 3 | 1.79" | 45.5 mm | .040" | 1.02 mm | 25 | 40 |
| 4 | 1.69" | 43.0 mm | .037" | 0.94 mm | 25 | 40 |
| 5 | 1.63" | 41.5 mm | .034" | 0.86 mm | 25 | 40 |
| 6 | 1.55" | 39.5 mm | .030" | 0.76 mm | 25 | 40 |
| 7 | 1.50" | 38.0 mm | .027" | 0.69 mm | 25 | 40 |
| 8 | 1.42" | 36.0 mm | .024" | 0.61 mm | 25 | 40 |
| 9 | 1.36" | 34.5 mm | .021" | 0.53 mm | 25 | 40 |
| 10 | 1.28" | 32.5 mm | .018" | 0.46 mm | 25 | 40 |
| 11 | 1.22" | 31.0 mm | .016" | 0.42 mm | 25 | 40 |
| 12 | 1.14" | 29.0 mm | .014" | 0.35 mm | 25 | 40 |



| Size | | | | | How Many per Pack | How Many Packs per Box |
|------|---|---|--|--|---|--|
| 1 | 2.38" | 60.5 mm | .046" | 1.17 mm | 25 | 40 |
| 2 | 2.28" | 58.0 mm | .043" | 1.09 mm | 25 | 40 |
| 3 | 2.21" | 56.0 mm | .040" | 1.02 mm | 25 | 40 |
| 4 | 2.13" | 54.0 mm | .037" | 0.94 mm | 25 | 40 |
| 5 | 2.03" | 51.5 mm | .034" | 0.86 mm | 25 | 40 |
| 6 | 1.94" | 49.5 mm | .030" | 0.76 mm | 25 | 40 |
| 7 | 1.85" | 47.0 mm | .027" | 0.69 mm | 25 | 40 |
| 8 | 1.77" | 45.0 mm | .024" | 0.61 mm | 25 | 40 |
| 9 | 1.67" | 42.5 mm | .021" | 0.53 mm | 25 | 40 |
| 10 | 1.59" | 40.5 mm | .018" | 0.46 mm | 25 | 40 |
| 11 | 1.50" | 38.0 mm | .016" | 0.42 mm | 25 | 40 |
| 12 | 1.42" | 36.0 mm | .014" | 0.35 mm | 25 | 40 |
| 18 | 2.46" | 62.5 mm | .050" | 1.27 mm | 25 | 40 |
| | 1 2 3 4 5 6 7 8 9 10 10 11 | Size Inche 1 2.38" 2 2.28" 3 2.21" 4 2.13" 5 2.03" 6 1.94" 7 1.85" 8 1.77" 9 1.67" 10 1.59" 11 1.50" 12 1.42" | Inches / MM 1 2.38" 60.5 mm 2 2.28" 58.0 mm 3 2.21" 56.0 mm 4 2.13" 54.0 mm 5 2.03" 51.5 mm 6 1.94" 49.5 mm 7 1.85" 47.0 mm 8 1.77" 45.0 mm 9 1.67" 42.5 mm 10 1.59" 40.5 mm 11 1.50" 38.0 mm 12 1.42" 36.0 mm | Size Inches / MM Inches 1 2.38" 60.5 mm .046" 2 2.28" 58.0 mm .043" 3 2.21" 56.0 mm .040" 4 2.13" 54.0 mm .037" 5 2.03" 51.5 mm .034" 6 1.94" 49.5 mm .030" 7 1.85" 47.0 mm .027" 8 1.77" 45.0 mm .024" 9 1.67" 42.5 mm .021" 10 1.59" 40.5 mm .018" 11 1.50" 38.0 mm .016" 12 1.42" 36.0 mm .014" | Size Inches / MM Inches / MM 1 2.38" 60.5 mm .046" 1.17 mm 2 2.28" 58.0 mm .043" 1.09 mm 3 2.21" 56.0 mm .040" 1.02 mm 4 2.13" 54.0 mm .037" 0.94 mm 5 2.03" 51.5 mm .034" 0.86 mm 6 1.94" 49.5 mm .030" 0.76 mm 7 1.85" 47.0 mm .027" 0.69 mm 8 1.77" 45.0 mm .024" 0.61 mm 9 1.67" 42.5 mm .021" 0.53 mm 10 1.59" 40.5 mm .018" 0.46 mm 11 1.50" 38.0 mm .016" 0.42 mm 12 1.42" 36.0 mm .014" 0.35 mm | Size Inches / MM Inches / MM per Pack 1 2.38" 60.5 mm .046" 1.17 mm 25 2 2.28" 58.0 mm .043" 1.09 mm 25 3 2.21" 56.0 mm .040" 1.02 mm 25 4 2.13" 54.0 mm .037" 0.94 mm 25 5 2.03" 51.5 mm .034" 0.86 mm 25 6 1.94" 49.5 mm .030" 0.76 mm 25 7 1.85" 47.0 mm .027" 0.69 mm 25 8 1.77" 45.0 mm .024" 0.61 mm 25 9 1.67" 42.5 mm .021" 0.53 mm 25 10 1.59" 40.5 mm .018" 0.46 mm 25 11 1.50" 38.0 mm .016" 0.42 mm 25 12 1.42" 36.0 mm .014" 0.35 mm 25 |

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Lance[®] Darners Needles Sold by the box (1000 needles)



| Product No. | Size | | ength es / MM | | meter s / MM | | How Many Packs per Box |
|-------------|------|-------|------------------|-------|-----------------|----|---------------------------|
| 1-SH | 1 | 1.91" | 48.5 mm | .046" | 1.17 mm | 25 | 40 |
| 2-SH | 2 | 1.83" | 46.5 mm | .043" | 1.09 mm | 25 | 40 |
| 3-SH | 3 | 1.79" | 45.0 mm | .040" | 1.02 mm | 25 | 40 |
| 4-SH | 4 | 1.69" | 43.0 mm | .037" | 0.94 mm | 25 | 40 |
| 5-SH | 5 | 1.63" | 41.5 mm | .034" | 0.86 mm | 25 | 40 |
| 6-SH | 6 | 1.55" | 39.5 mm | .030" | 0.76 mm | 25 | 40 |
| 7-SH | 7 | 1.50" | 38.0 mm | .027" | 0.69 mm | 25 | 40 |
| 8-SH | 8 | 1.42" | 36.0 mm | .024" | 0.61 mm | 25 | 40 |
| 9-SH | 9 | 1.36" | 34.5 mm | .021" | 0.53 mm | 25 | 40 |
| 10-SH | 10 | 1.28" | 32.5 mm | .018" | 0.46 mm | 25 | 40 |
| 11-SH | 11 | 1.22" | 31.0 mm | .016" | 0.42 mm | 25 | 40 |
| 12-SH | 12 | 1.14" | 29.0 mm | .014" | 0.35 mm | 25 | 40 |

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Lance[®] Sharps Needles

Sold by the box (1000 needles)



Laser II[®], Laser III & Laundry Tack[®] Tagging Guns & Needles

Laser II®, Laundry Tack® and Sabre® are registered trademarks of Superior Sewing Machine & Supply, LLC

Sabre® Fasteners



| Product No. | Description | |
|-------------|--|--|
| L2R-LAN | Laser II® Standard Pistol –Grip Tagger (10651) | |
| L3R-LAN | Laser III [®] Heavy Duty Meat ID Tagger | |

(08958)

| LTG/ | S – | LAN |
|------|-----|-----|
| | | |

Laundry Tack[®] Fine Fabric Tagger (10312)

- Sold individually
- Packed one gun per box
- 50 guns per junior carton
- 100 guns per master case

Laser II®, Laser III®, Laundry Tack® are registered trademarks of Superior Sewing Machine & Supply, LLC

Sabre[®] Tagging Guns







- Uses our Laser II[®] #400-LAN all steel needle.
- Will accommodate any brand fine fasteners.

Durable ABS construction. Solid steel and brass components. Lightweight and compact with a shorter "nose" makes one-hand tagging "a breeze". Totally interchangeable with the Mark II[™] & Mark III[™] needles and fasteners. Uses Laser II[®] #300-LAN standard or #700-LAN all steel heavy duty needles. Our unique Laser II[®] needle, with built in blade, is replaced in one simple step. For greater economy, use our #841-LAN stainless steel shaft with plastic base needle.

Made of specially selected USDA Accepted plastics and stainless steel parts. Equipped with an easy to replace stainless steel ejector rod.

It features several drain holes so debris can be flushed out quickly.

A unique needle lock set screw that insures that the needle will not come out accidentally. To replace the needle, unscrew the lock set screw and tap out the needle. Uses Laser II[®] #700-LAN all steel heavy duty or #300-LAN standard needle. For greater economy, use our #841-LAN stainless steel shaft with plastic base needle. Only gun that can be used in the meat, poultry and fish tagging process.

Durable ABS construction. Solid steel and brass components. Lightweight and compact with a shorter "nose" makes one-hand tagging "a breeze". Totally interchangeable with the Mark II[™] needles and fasteners.

For greater economy, use our #844-LAN stainless steel shaft with plastic base needle.


Sabre[®] Standard Fasteners

| Product No. | Use with the Following Guns | | ent Length es / MM | How Many Fasteners per Box | How Many Boxes per Case |
|-------------------------|---|------|-----------------------|----------------------------------|-------------------------------|
| SBR-05-X | Laser II® , Mark II™ , Eagle, Simba | 1/2" | 12.7 mm | 2500 | 20 |
| SBR-1-X | Laser II® , Laundry Tack® Gun (LTG), Mark II™, Mark III™ | 1" | 25.4 mm | 2500 | 20 |
| SBR-2-X | Laser II®, Laser III®, Mark II™, Eagle, Simba, TagFast | 2" | 50.8 mm | 2500 | 20 |
| SBR-3-X | Laser II [®] , Mark II™, Eagle, Simba and other similar guns using needle with blade | 3" | 76.2 mm | 2500 | 20 |
| SBR-05 (AF05) | Laser II®, Laundry Tack® Gun (LTG), Mark II™, Eagle | 1/2" | 12.7 mm | 5000 | 40 |
| SBR-1 (AF1) | Laser II® , Laundry Tack® Gun (LTG), Mark II™, Mark III™ | 1" | 25.4 mm | 5000 | 40 |
| SBR-2 (AF2) | Laser II®, Laser III, Mark II™, Eagle, Simba, TagFast | 2" | 50.8 mm | 5000 | 40 |
| SBR-3 (AF3) | Laser II [®] , Mark II™, Eagle, Simba and other similar guns using needle with blade | 3" | 76.2 mm | 5000 | 20 |
| SBR -3B (AF3B) BLACK | Laser II [®] , Mark II™, Eagle, Simba and other similar guns using needle with blade | 3" | 76.2 mm | 5000 | 20 |
| SBR-5 (AF5) | Laser II® , Laundry Tack Gun (LTG), Mark II™, Mark III™ | 5" | 127 mm | 5000 | 20 |

Fit all standard tagging guns including Mark II[™] and Mark III[™].

Laser II®, Laser III®, Laundry Tack®, Sabre® are registered trademarks of Superior Sewing Machine & Supply, LLC

Sold by the box





100M


100M

100M

- 200M
- 200M

- 200M
- 50M
- 50M
- 50M
- per Case 50M

Fasteners



•



Sold by the pack, each pack contains 4 Needles. Laser II®, Laser III® are registered trademarks of Superior Sewing Machine & Supply, LLC

Tagging Gun Needles

LASER II[®] & LASER III[®] TAGGING GUN NEEDLES


Laser II[®] & Laser III[®] needles are designed to fit the Laser series tagging guns and many other tagging guns, including Avery Dennison guns. All Laser II[®] & Laser III[®] needles are machine milled from high quality carbon steel to exacting standards. They have steel (not plastic) base. The # 700-LAN needle is USDA Accepted for use in the food industry.

LASER II[®] & LASER III[®] ECONOMY TAGGING GUN NEEDLES

Laser II[®] & Laser III[®] Needles are designed to fit Laser series tagging guns and many other tagging guns, including Avery Dennison guns. These needles have a stainless steel shaft and sturdy plastic base.

T-SERIES STANDARD TAGGING GUN NEEDLES

 T-Series Needles are designed to fit all standard tagging guns. T-Series Needles are used in guns with detachable cutting blades. All T-Series Needles are machine milled from high quality carbon steel to exacting standards. They have a steel (not plastic) base.



| Product No. | | Dennison Style # | | ngth s / MM | | meter es / MM | Material | Use with the Following Guns | 1 |
|-------------|------------------------|---------------------|-------|----------------|--------|------------------|---|--|---|
| 300 –LAN | Standard | | 1.28" | 32 mm | .0740" | 1.88 mm | All Steel | Laser II® Regular, Mark II™ Regular, Eagle, Simba | |
| 400 – LAN | Fine Fabric | 10070 | 1.00" | 25 mm | .0540" | 1.37 mm | Heavy Duty All Steel | Laser II® Fine Fabric, Laundry Tack® Gun (LTG), Mark II™ Fine Fabric, Mark III™ Fine Fabric, Fine Fabric Plus® | |
| 700 – LAN | Heavy Duty | 08913 | 1.28" | 32 mm | .0867" | 2.20 mm | Heavy Duty All Steel Nickel Plated USDA Accepted | Laser II® and Laser III® Regular, Mark II™ Regular, Eagle, Simba, TagFast® | |
| 841 – LAN | Standard | 08941 | 1.28" | 32 mm | .0740" | 1.88 mm | Stainless Steel Shaft Plastic Base | Laser II® Regular, Mark II™ Regular, Eagle, Simba and other similar guns using needle with blade | |
| 844 – LAN | Fine Fabric | 08944 | 1.00" | 25 mm | .0540" | 1.37 mm | Stainless Steel Shaft Plastic Base | Laser II® Fine Fabric, Laundry Tack® Gun (LTG), Mark II™ Fine Fabric, Eagle Fine Fabric | |
| T94 – LAN | Standard | | 1.28" | 32 mm | .0740" | 1.88 mm | All Steel | Fits all Standard guns | |
| T97 – LAN | Standard Heavy Duty | 08913 | 1.28" | 32 mm | .0867" | 2.20 mm | All Steel | Fits all Standard guns | |

Laser II®, Laser III®, Laundry Tack® are registered trademarks of Superior Sewing Machine & Supply, LLC


Laser Tagging Needles Sold by the pack (4 needles)

| ing | Needles per Pack | Packs per Box |
|---------------------|------------------------|---------------------|
| ll™ a | 4 | 50 |
| indry II™ ine | 4 | 50 |
| ® Ilar, t® | 4 | 50 |
| II™ and ng | 4 | 50 |
| II™ abric | 4 | 50 |
| S | 4 | 50 |
| S | 4 | 50 |

Lance®

Aluminum Rulers • Curves L-Squares T-Squares Triangles





Lance[®] anodized aluminum, scratch-resistant measuring tools are precision made using the highest quality materials and the finest workmanship to guarantee smooth, clean work edges and easily-read measurements. The accuracy and clarity of Lance[®] calibrations meet the highest standards in the industry.

- •
- - 16ths on the bottom edge.
 - centimeters on the bottom edge.

Quality Specifications

Curves are designed to draw the numerous contours of the human form.

Hip Curves: Calibrations are on one edge, on both sides. Patternmakers, designers and tailors alike reach for this tool to measure or draw hipline, trouser inseam, lapels, sleeves, skirt seams, etc. French Curves: Calibrations are on one edge, on both sides. Used to form arm hole curves. These tools complement the Hip Curve by adding the various curves formerly found only in a Burmester set. **T-Squares** are available in lengths from 12" to 72" and made of standard or heavy duty gauge aluminum. Calibrations are in 8ths and 16ths of an inch on the blade, and in 8ths of an inch on the head. The T-Square heads are made from ABS plastic for the greatest durability. The blue standard head is 9" long. The Green heavy duty head is 16" long.

Triangles are excellent tools for commercial artists, draftsmen and hobbyist. They are available in angles of 30°/60°/90° or 45°/45°/90°, and in lengths from 6" to 14". They are calibrated in 16ths of an inch on one edge, one side. Each triangle has 20 or 26 circular template holes, depending on its size. The diameter of the circular template holes ranges from 1/32" to 1 3/8".

Straight Edge Rulers are universally used tools and come in the following configurations: **Inches:** Calibrations are on two edges in 16ths and 8ths on one side. Inches and Centimeters: Calibrations are on two edges, on one side. Millimeters to centimeters on the top edge. Inches in

Millimeters and Centimeters: Calibrations are on two edges, on one side. Millimeters to centimeters on the top edge and

Cork-Backed Inking Rulers: Calibrations are on two edges, on one side. Inches in 8ths and 16ths. Since the water-resistant cork backing raises the ruler above the work surface, inking can be done without fear of bleeding or smearing.

Quality Specifications (continued)

edge on the reverse side.

Lance[®] Black Anodized Rulers are constructed of black, anodized, hardened aluminum, .090" thick and 1" wide. They are designed for use in demanding environments such as machine shops and factories where conditions often prove destructive for rulers of a less hardy construction. The calibrations appear in a sharp contrast of silver against a black background and are able to withstand extensive wear and tear.

Specialty Rulers

•

- a standard ruler calibrated in 16ths.

<u>L-Squares</u> are universally used tools and come in the following configurations: Standard L-Squares are calibrated in inches or centimeters. Each arm is calibrated on two edges on one side and on one

Half-Size L-Squares are calibrated in inches or centimeters. Each arm is calibrated on one edge on two sides. The Half-Size L-Square is a half scale of our Standard L-Squares.

Mini L-Squares are calibrated in inches or centimeters. Each arm is calibrated on two edges on one side and one edge on the reverse side. The short arm is also calibrated as a center-finding ruler.

Cuff Rulers are handy accurate tools used to quickly mark trouser cuffs of various lengths and widths. Calibrated in inches, 8ths on top edge and 16ths on the bottom edge.

Center Finding Rulers are designed as an efficient aid in finding the center between two points. They are a significant timesaving device in pattern-making, tailoring, form design and crafts of all kind. There is a zero-point at the center of the top edge of the ruler, with equal incremental measurements to the left and to the right in 32nds of an inch. The bottom edge is

Agate / Pica Rulers are precision tools used in the layout of printed material. Calibrated on two edges, on two sides. Side One: Inches, in 16ths on top edge and Picas on the bottom.

Side Two: Inches, in 16ths on top edge and Agates on the bottom.


Hip Curves

| Product No. | Length | Calibrations |
|-------------|--------|--------------|
| HC-024-LAN | 24" | 1/8" |
| HC-060M-LAN | 60 cm | 1/2 cm |




Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC






| Product No. | Length | Calibrations |
|-------------|--------|--------------|
| FC-012-LAN | 12" | 1/8" |
| FC-024-LAN | 24" | 1/8" |
| FC-032M-LAN | 32 cm | 1/2 cm |
| FC-060M-LAN | 60 cm | 1/2 cm |



French Curves



Standard T-Squares (Blue Head 9")

| Product No. | Length-Width | Calibrations |
|-------------|--------------|--------------|
| T-012-LAN | 12" x 1-1/2" | 1/8", 1/16" |
| T-015-LAN | 15" x 1-1/2" | 1/8", 1/16" |
| T-018-LAN | 18" x 1-1/2" | 1/8", 1/16" |
| T-030-LAN | 30" x 1-1/2" | 1/8", 1/16" |



Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC


Lance[®] T-Squares

Heavy Duty T-Squares (Green Head 16")


Product No

- HT-024-LAN
- HT-030-LAN
- HT-036-LAN
- HT-042-LAN
- HT-048-LAN
- HT-060-LAN
- HT-072-LAN






| о. | Length-Width | Calibrations |
|----|--------------|--------------|
| N | 24" x 2" | 1/8", 1/16" |
| N | 30" x 2" | 1/8", 1/16" |
| N | 36" x 2" | 1/8", 1/16" |
| N | 42" x 2" | 1/8", 1/16" |
| N | 48" x 2" | 1/8", 1/16" |
| N | 60" x 2" | 1/8", 1/16" |
| N | 72" x 2" | 1/8", 1/16" |



30°/60°/90° Triangles

| Product No. | |
|----------------|--|
| TR-3060-8-LAN | |
| TR-3060-10-LAN | |
| TR-3060-12-LAN | |





Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Lance[®] Triangles

| ength | Calibrations |
|-------|--------------|
| 8" | 1/16" |
| 10" | 1/16" |
| 12" | 1/16" |
| 14" | 1/16" |

| - |
|---|
| |
| |
| F |

| Product No. | Length | Calibrations |
|----------------|--------|--------------|
| TR-4590-6-LAN | 6" | 1/16' |
| TR-4590-8-LAN | 8" | 1/16' |
| TR-4590-10-LAN | 10" | 1/16' |
| TR-4590-12-LAN | 12" | 1/16' |

%F -10 Maril **%**1 際ル .*** *% % 2% *% 考估 er/or 34 76 **% 21. C 17% 5% 100 *% ##/s = #/s 24 3 * * wraters ?
9 and the second ? 6 Antadadada

5°/45°/90° Triangles




Calibrated in Inches

| Product No. | Length- Width | Calibrations |
|-------------------------|-----------------------------|--------------------------|
| SE-006-LAN | 6" x 3/4" | 1/16", 1/32" |
| Compressed calib | ration is necessary on smal | ler rulers (e.g. SE-006) |
| SE-012-LAN | 12" x 1" | 1/8", 1/16" |
| SE-015-LAN | 15" x 1-1/4" | 1/8", 1/16" |
| SE-018-LAN | 18" x 1-1/4" | 1/8", 1/16" |
| SE-024-LAN | 24" x 1-1/4" | 1/8", 1/16" |
| SE-036-LAN | 36" x 2" | 1/8", 1/16" |
| SE-048-LAN | 48" x 2" | 1/8", 1/16" |
| SE-060-LAN | 60" x 2" | 1/8", 1/16" |
| SE-072-LAN | 72" x 2" | 1/8", 1/16" |
| SE-096-LAN | 96" x 2" | 1/8", 1/16" |

| 16THS 1 | 10000000000000000000000000000000000000 | 3 1000000000000000000000000000000000000 | 4 |
|-----------------------|--|---|----|
| 32 11111111 | 34 | 33 | 35 |

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC





| cm | 5 |
|------|-----|
| INCH | Ļ |
| | . 1 |

| Product No. | Length-Width | Calibratic |
|--------------|------------------|------------|
| SE-015EM-LAN | 15 cm x 1.91 cm | 1/32", |
| SE-030EM-LAN | 30 cm x 2.54 cm | 1/16", |
| SE-060EM-LAN | 60 cm x 3.49 cm | 1/16", |
| SE-150EM-LAN | 150 cm x 3.81 cm | 1/16", |
| SE-200EM-LAN | 200 cm x 3.81 cm | 1/16", |

Lance[®] Straight Edge Rulers

Calibrated in Inches / Centimeters






Lance[®] Straight Edge Rulers (continued)

Calibrated in

| | Centimeters | |
|-------------|-----------------|--------------|
| Product No. | Length- Width | Calibrations |
| SE-030M-LAN | 30 cm x 3.8 cm | mm, cm |
| SE-045M-LAN | 45 cm x 3.8 cm | mm, cm |
| SE-060M-LAN | 60 cm x 3.8 cm | mm, cm |
| SE-100M-LAN | 100 cm x 3.8 cm | mm, cm |
| | | |




Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Cork-Backed Inking Rulers Calibrated in Inches

Centimeters


| Product No. | Length-Width | Calibratic |
|----------------------------|------------------------------|-------------------|
| CB-006-LAN | 6" x 3/4" | 1/16", 1/ |
| Compressed calibrat | tion is necessary on smaller | rulers (e.g. SE-0 |
| CB-012-LAN | 12" x 1" | 1/8", 1/ |
| CB-015-LAN | 15" x 1-1/2" | 1/8", 1/ |
| CB-018-LAN | 18" x 1-1/2" | 1/8", 1/ |
| CB-024-LAN | 24" x 1-1/2" | 1/8", 1/ |
| CB-036-LAN | 36" x 2" | 1/8", 1/ |
| CB-048-LAN | 48" x 2" | 1/8", 1/ |





6 5








Standard L-Square **Calibrated in Inches or Centimeters**

| Product No. | Blade Length |
|-------------|---------------|
| LS-024-LAN | 24" X 14" |
| LS-615M-LAN | 60 cm x 35 cm |



Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Lance[®] L-Square

Calibrations


1/8", 1/24", 1/32", 1/2", 1/4ths, 1/8ths, 16ths, 2/3rds, 6ths, 12ths

Centimeters in mms, 3rds, 2/3rds, 6ths, 12ths, 24ths, 1/2s, 4ths, 8ths, 16ths, 32nds

Product N

LS-012-05

LS-030-05




Half-Size L-Squares Calibrated in Inches or Centimeters

| ۱o. | Blade Length | Calibra |
|--------|---------------|--|
| 5-LAN | 12" x 6" | 1/8", 1/24", 1/4ths, 1/ 2/3rds, |
| 5M-LAN | 30 cm X 16 cm | Centimet 3rds, 2 12ths, 24ths 8ths, 1 |



ations , 1/32", 1/2", /8ths, 16ths, 6ths, 12ths eters in mms, 2/3rds, 6ths, is, 1/2s, 4ths, 16ths, 32nds



Lance[®] L-Square

 3
 4
 5
 6
 7
 8
 9
 10
 11
 12

 M
 LANCE[™]
 Lance[™]

 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12

 3

Mini L-Square Calibrated in Inches or Centimeters

Product No.

Blade Length

12" X 6"

LS-012-LAN

LS-030M-LAN


30 cm x 15 cm

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Calibrations

1/8", 1/16"

mm, cm



3

| Product No. | Size | Product No. | Size |
|--------------|------|--------------|------|
| TLR-012B-LAN | 12" | TRL-012B-LAN | 12" |
| TLR-024B-LAN | 24" | TRL-024B-LAN | 24" |
| TLR-036B-LAN | 36" | TRL-036B-LAN | 36" |
| TLR-048B-LAN | 48" | TRL-048B-LAN | 48" |
| TLR-060B-LAN | 60" | TRL-060B-LAN | 60" |
| TLR-072B-LAN | 72" | TRL-072B-LAN | 72" |
| TLR-096B-LAN | 96" | TRL-096B-LAN | 96" |
| TLR-144B-LAN | 144" | TRL-144B-LAN | 144" |

Left to Right

Lance[®] Black Engraved Rulers

Calibrated in Inches 16ths - Top Edge


Right to Left

Calibrated in Inches 16ths – Bottom Edge

Left to Right

Product No

- BLR-012B-
- BLR-024B-
- BLR-036B-
- BLR-048B-
- BLR-060B-
- BLR-072B-I
- BLR-096B-
- BLR-144B-I



Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Right to Left

| 0. | Size | Product No. |
|-----|------|--------------|
| LAN | 12" | BRL-012B-LAN |
| LAN | 24" | BRL-024B-LAN |
| LAN | 36" | BRL-036B-LAN |
| LAN | 48" | BRL-048B-LAN |
| LAN | 60" | BRL-060B-LAN |
| LAN | 72" | BRL-072B-LAN |
| LAN | 96" | BRL-096B-LAN |
| LAN | 144" | BRL-144B-LAN |



| Size |
|------|
| 12" |
| 24" |
| 36" |
| 48" |
| 60" |
| 72" |
| 96" |
| |

144"




6 8 9 10

Lance[®] Black Engraved Rulers

Calibrated in Centimeters & Millimeters – Top Edge Calibrated in Inches & 16ths – Bottom Edge

| Product No. | Size / Inches | |
|----------------|------------------|----------|
| TBLR-20EM-LAN | 20" | 50.8 cm |
| TBLR-40EM-LAN | 40" | 101.6 cm |
| TBLR-60EM-LAN | 60" | 152.4 cm |
| TBLR-80EM-LAN | 80" | 203.2 cm |
| TBLR-100EM-LAN | 100" | 254.0 cm |



Lance[®] Black Engraved Rulers

Calibrated in Centimeters & Millimeters Top / Left to Right

| Product No. | Size |
|----------------|--------|
| TLR-050B-M-LAN | 50 cm |
| TLR-100B-M-LAN | 100 cm |
| TLR-150B-M-LAN | 150 cm |
| TLR-200B-M-LAN | 200 cm |


Bottom / Left to Right


| Product No. | Size |
|----------------|--------|
| BLR-050B-M-LAN | 50 cm |
| BLR-100B-M-LAN | 100 cm |
| BLR-150B-M-LAN | 150 cm |
| BLR-200B-M-LAN | 200 cm |

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Top / Right to Left


| Product No. | Size |
|----------------|--------|
| TRL-050B-M-LAN | 50 cm |
| TRL-100B-M-LAN | 100 cm |
| TRL-150B-M-LAN | 150 cm |
| TRL-200B-M-LAN | 200 cm |
| TRL-210B-M-LAN | 210 cm |





Bottom / Right to Left

| Product No. | Size |
|----------------|--------|
| BRL-050B-M-LAN | 50 cm |
| BRL-100B-M-LAN | 100 cm |
| BRL-150B-M-LAN | 150 cm |
| BRL-200B-M-LAN | 200 cm |




Lance[®] Specialty Rulers

Cuff Rulers

| Product No. | Length - Width | Calibrations | | Product No. | Length - Wid |
|---------------|----------------|----------------------|---|---------------------------------------|---|
| CR-125-LAN | 12" X 1-1/4" | 1/8", 1/16" | | CF-012-LAN | 12" X 1 3/4" |
| CR-150-LAN | 12" X 1-1/2" | 1/8", 1/16" | | CF-018-LAN | 18" X 1 3/4" |
| CR-175-LAN | 12" X 1-3/4" | 1/8", 1/16" | | CF-024-LAN | 24" X 1 3/4" |
| CR-200-LAN | 12" X 2" | 1/8", 1/16" | | CF-036-LAN | 36" X 1 3/4" |
| CR-225-LAN | 12" X 2-1/4" | 1/8", 1/16" | | CF-048-LAN | 48" X 1 3/4" |
| атня 1 | 2 CUFF | 3 4 | 3 | 2 1 5 | € •O |
| | te – Pica | | | | |
| Aga | ite rita | NUICIS | | INCHES 1 | 2 |
| | Length - Width | Calibrations | | PICAS (6 & 12 PT) 6 1 2 3 4 5 7 | 8 10 12 14 16 18 9 11 13 15 17 |
| AP-012-LAN | 12" X 1" | 1/16", picas, agates | | | |
| AP-018-LAN | 18" X 1 1/2" | 1/16", picas, agates | | | 2 3 |
| AP-024-LAN | 24" X 1 1/2" | 1/16", picas, agates | | AGATE | ລູ ຊູ ຊູ |

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Center Finding Rulers



- <u> |||</u>
- 32"
- 32"
- 32"
- ns

| Lance [®] # | Fairgate # | Size | Ruler Type | Special Information |
|----------------------|------------|------------|--|------------------------|
| AP-012-LAN | 32-112 | 12" x 1" | Agate / Pica Rule | |
| AP-018-LAN | 32-118 | 18" x 1.5" | Agate / Pica Rule | |
| AP-024-LAN | 32-124 | 24" x 1.5" | Agate / Pica Rule | |
| BLR-012B-LAN | 82-112 | 12" | Bottom Left / Right Black Engraved Aluminum Rule | |
| BLR-024B-LAN | 82-124 | 24" | Bottom Left / Right Black Engraved Aluminum Rule | |
| BLR-036B-LAN | 82-136 | 36" | Bottom Left / Right Black Engraved Aluminum Rule | |
| BLR-048B-LAN | 82-148 | 48" | Bottom Left / Right Black Engraved Aluminum Rule | |
| BLR-050B-M-LAN | 82-205 | 50cm | Bottom Left / Right Black Engraved Aluminum Rule | Metric |
| BLR-060B-LAN | 82-160 | 60" | Bottom Left / Right Black Engraved Aluminum Rule | |
| BLR-072B-LAN | 82-172 | 72" | Bottom Left / Right Black Engraved Aluminum Rule | |
| BLR-096B-LAN | 82-196 | 96" | Bottom Left / Right Black Engraved Aluminum Rule | |
| BLR-100B-M-LAN | 82-210 | 100cm | Bottom Left / Right Black Engraved Aluminum Rule | Metric |
| BLR-144B-LAN | 82-144 | 144" | Bottom Left / Right Black Engraved Aluminum Rule | |
| BLR-150B-M-LAN | 82-215 | 150cm | Bottom Left / Right Black Engraved Aluminum Rule | Metric |
| BLR-200B-M-LAN | 82-220 | 200cm | Bottom Left / Right Black Engraved Aluminum Rule | Metric |
| BRL-012B-LAN | 83-112 | 12" | Bottom Right / Left Black Engraved Aluminum Rule | |
| BRL-024B-LAN | 83-124 | 24" | Bottom Right / Left Black Engraved Aluminum Rule | |
| BRL-036B-LAN | 83-136 | 36" | Bottom Right / Left Black Engraved Aluminum Rule | |
| BRL-048B-LAN | 83-148 | 48" | Bottom Right / Left Black Engraved Aluminum Rule | |
| BRL-050B-M-LAN | 83-205 | 50cm | Bottom Right / Left Black Engraved Aluminum Rule | Metric |
| BRL-060B-LAN | 83-160 | 60" | Bottom Right / Left Black Engraved Aluminum Rule | |
| BRL-072B-LAN | 83-172 | 72" | Bottom Right / Left Black Engraved Aluminum Rule | |
| BRL-096B-LAN | 83-196 | 96" | Bottom Right / Left Black Engraved Aluminum Rule | |
| BRL-100B-M-LAN | 83-210 | 100cm | Bottom Right / Left Black Engraved Aluminum Rule | Metric |
| BRL-144B-LAN | 83-144 | 144" | Bottom Right / Left Black Engraved Aluminum Rule | |
| BRL-150B-M-LAN | 83-215 | 150cm | Bottom Right / Left Black Engraved Aluminum Rule | Metric |
| BRL-200B-M-LAN | 83-220 | 200cm | Bottom Right / Left Black Engraved Aluminum Rule | Metric |

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Ruler Cross Reference

| ſ | 4 | 4 | |
|---|---|---|--|
| | | | |
| | | | |
| | | - | |
| | | | |
| | | | |
| | | | |

| Lance [®] # | Fairgate # | Size | |
|----------------------|------------|-------------|-------------------|
| CB-006-LAN | 20-106 | 6" x 3/4" | Straight Edge Cor |
| CB-012-LAN | 20-112 | 12" x 1" | Straight Edge Cor |
| CB-015-LAN | 20-115 | 15" x 1.5" | Straight Edge Cor |
| CB-018-LAN | 20-118 | 18" x 1.5" | Straight Edge Cor |
| CB-024-LAN | 20-124 | 24″ x 1.5″ | Straight Edge Cor |
| CB-036-LAN | 20-136 | 36″ x 2″ | Straight Edge Cor |
| CB-048-LAN | 20-148 | 48" x 2" | Straight Edge Cor |
| CF-012-LAN | 23-112 | 12" x 1.75" | Center Finding Ru |
| CF-018-LAN | 23-118 | 18" x 1.75" | Center Finding Ru |
| CF-024-LAN | 23-124 | 24" x 1.75" | Center Finding Ru |
| CF-036-LAN | 23-136 | 36" x 1.75" | Center Finding Ru |
| CF-048-LAN | 23-148 | 48" x 1.75" | Center Finding Ru |
| CR-125-LAN | 14-100 | 12″ x 1.25″ | Cuff Rule Aluminu |
| CR-150-LAN | 14-101 | 12" x 1.5" | Cuff Rule Aluminu |
| CR-175-LAN | 14-111 | 12" x 1.75" | Cuff Rule Aluminu |
| CR-200-LAN | 14-102 | 12" x 2" | Cuff Rule Aluminu |
| CR-225-LAN | 14-112 | 12" x 2.25" | Cuff Rule Aluminu |
| FC-012-LAN | 12-112 | 12″ | French Curve Alu |
| FC-024-LAN | 12-124 | 24" | French Curve Alu |
| FC-032M-LAN | 12-232 | 32cm | French Curve Alu |
| FC-060M-LAN | 12-260 | 60cm | French Curve Alu |
| HC-024-LAN | 11-124 | 24″ | Hip Curve Alumin |
| HC-060M-LAN | 11-260 | 60cm | Hip Curve Alumin |
| HT-024-LAN | 60-124 | 24″ | Heavy Duty T-Squ |
| HT-030-LAN | 60-130 | 30″ | Heavy Duty T-Squ |
| HT-036-LAN | 60-136 | 36″ | Heavy Duty T-Squ |
| HT-042-LAN | 60-142 | 42″ | Heavy Duty T-Squ |

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Ruler Cross Reference

Ruler Type

ork Back Rule Rule Rule Rule Rule านm านท านm านท านm uminum uminum uminum Metric uminum Metric num Rule num Rule Metric quare uare quare uare

Special Information



| Lance [®] # | Fairgate |
|----------------------|----------|
| HT-048-LAN | 60-148 |
| HT-060-LAN | 60-160 |
| HT-072-LAN | 60-172 |
| LS-012-05-LAN | 50-148 |
| LS-012-LAN | 50-147 |
| LS-024-LAN | 50-124 |
| LS-030-05M-LAN | 50-247 |
| LS-030M-LAN | 50-248 |
| LS-615M-LAN | 50-235 |
| SE-006-LAN | 20-106 |
| SE-012-LAN | 20-112 |
| SE-015EM-LAN | 20-115 |
| SE-015-LAN | 20-315 |
| SE-018-LAN | 20-118 |
| SE-024-LAN | 20-124 |
| SE-030EM-LAN | 20-330 |
| SE-030M-LAN | 21-230 |
| SE-036-LAN | 20-136 |
| SE-045M-LAN | 20-345 |
| SE-048-LAN | 20-148 |
| SE-060EM-LAN | 20-360 |
| SE-060-LAN | 20-160 |
| SE-060M-LAN | 21-260 |
| SE-072-LAN | 20-172 |
| SE-096-LAN | 20-196 |
| SE-100M-LAN | 20-310 |
| SE-150EM-LAN | 20-350 |

Ruler Cross Reference

Size e # 48″ Heavy Duty T-Squ 60" Heavy Duty T-Sq Heavy Duty T-Squ 72″ 12″ x 6″ Mini L-Square Al 12" x 6.5" Mini L-Square Al L-Square Alumin 24" x 14" Half Size L-Square 30cm x 150mm 30cm x 15cm Mini L-Square Al 8 615 mm x 355 mm L-square Aluminu Straight Edge Alu 6" x 3/4" 6 12" x 1" Straight Edge Alu Straight Edge Alu 15 cm x 1.91 cm Straight Edge Alu 15" x 1.25" Straight Edge Alu 18" x 1.25" 8 Straight Edge Alu 24" x 1.25" Straight Edge Alu 30 cm x 2.54 cm 0 Straight Edge Alu 30 cm x 35 mm 36" x 2" Straight Edge Alu 6 Straight Edge Alu 45 cm x 35 mm Straight Edge Alu 48" x 2" 8 Straight Edge Alu 60 cm x 35 cm 60" x 2" Straight Edge Alu Straight Edge Alu 60 cm x 35 mm 72" x 2" Straight Edge Alu 96" x 2" Straight Edge Alu Straight Edge Alu 1 meter x 35 mm Straight Edge Alu 150 cm x 3.81 cm

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Ruler Type


Special Information

| uare | |
|-------------|----------|
| luare | |
| luare | |
| luminum | |
| luminum | |
| num | |
| re | Met |
| luminum | Met |
| um | Met |
| uminum Rule | |
| uminum Rule | |
| uminum Rule | Metric / |
| uminum Rule | |
| uminum Rule | |
| uminum Rule | |
| uminum Rule | Metric / |
| uminum Rule | MM / |
| uminum Rule | |
| uminum Rule | Metric / |
| uminum Rule | |
| uminum Rule | Metric / |
| uminum Rule | |
| uminum Rule | MM / |
| uminum Rule | |
| uminum Rule | |
| uminum Rule | MM / |
| uminum Rule | |





English



English

English


/CM


/ CM

| Lance [®] # | Fairgate # | Size | Ruler Type | Spec Informa |
|----------------------|------------|------------------|--|-----------------|
| SE-200EM-LAN | 20-320 | 200 cm x 3.81 cm | Straight Edge Aluminum Rule | Meti |
| T-012-LAN | 63-112 | 12″ | Standard T-Square | |
| T-015-LAN | 63-115 | 15″ | Standard T-Square | |
| T-018-LAN | 63-118 | 18″ | Standard T-Square | |
| T-030-LAN | 63-130 | 30″ | Standard T-Square | |
| TBLR-100EM-LAN | 80-300 | 100″ | Top / Bottom Left / Right Black Engrave Rule | Metric / I |
| TBLR-20EM-LAN | 80-320 | 20″ | Top / Bottom Left / Right Black Engrave Rule | Metric / I |
| TBLR-40EM-LAN | 80-340 | 40″ | Top / Bottom Left / Right Black Engrave Rule | Metric / I |
| TBLR-60EM-LAN | 80-360 | 60″ | Top / Bottom Left / Right Black Engrave Rule | Metric / I |
| TBLR-80EM-LAN | 80-380 | 80″ | Top / Bottom Left / Right Black Engrave Rule | Metric / I |
| TLR-012B-LAN | 80-112 | 12″ | Top Left / Right Black Engrave Rule | |
| TLR-024B-LAN | 80-124 | 24″ | Top Left / Right Black Engrave Rule | |
| TLR-036B-LAN | 80-136 | 36″ | Top Left / Right Black Engrave Rule | |
| TLR-048B-LAN | 80-148 | 48″ | Top Left / Right Black Engrave Rule | |
| TLR-050B-M-LAN | 80-205 | 50 cm | Top Left / Right Black Engrave Rule | Meti |
| TLR-060B-LAN | 80-160 | 60″ | Top Left / Right Black Engrave Rule | |
| TLR-072B-LAN | 80-172 | 72″ | Top Left / Right Black Engrave Rule | |
| TLR-096B-LAN | 80-196 | 96″ | Top Left / Right Black Engrave Rule | |
| TLR-100B-M-LAN | 80-210 | 100 cm | Top Left / Right Black Engrave Rule | Meti |
| TLR-144B-LAN | 80-144 | 144″ | Top Left / Right Black Engrave Rule | |
| TLR-150B-M-LAN | 80-215 | 150 cm | Top Left / Right Black Engrave Rule | Metr |
| TLR-200B-M-LAN | 80-220 | 200 cm | Top Left / Right Black Engrave Rule | Metr |
| TR-3060-10-LAN | 70-110 | 10″ | 30/60 Template Triangle | |
| TR-3060-12-LAN | 70-112 | 12″ | 30/60 Template Triangle | |
| TR-3060-14-LAN | 70-114 | 14″ | 30/60 Template Triangle | |
| TR-3060-8-LAN | 70-108 | 8″ | 30/60 Template Triangle | |
| TR-4590-10-LAN | 71-110 | 10″ | 45/90 Template Triangle | |

Lance® is a registered trademark of Superior Sewing Machine & Supply, LLC

Ruler Cross Reference





etric

etric

etric etric

| Lance [®] # | Fairgate # | Size | Ruler Type | Special Information |
|----------------------|---------------|--------|--------------------------------------|------------------------|
| TR-4590-12-LAN | 71-112 | 12" | 45/90 Template Triangles | |
| TR-4590-6-LAN | 71-106 | 6" | 45/90 Template Triangles | |
| TR-4590-8-LAN | 71-108 | 8" | 45/90 Template Triangles | |
| TRL-012B-LAN | 81-112 | 12" | Top Right / Left Black Engraved Rule | |
| TRL-024B-LAN | 81-124 | 24" | Top Right / Left Black Engraved Rule | |
| TRL-036B-LAN | 81-136 | 36" | Top Right / Left Black Engraved Rule | |
| TRL-048B-LAN | 81-148 | 48" | Top Right / Left Black Engraved Rule | |
| TRL-050B-M-LAN | 81-205 | 50 cm | Top Right / Left Black Engraved Rule | Metric |
| TRL-060B-LAN | 81-160 | 60" | Top Right / Left Black Engraved Rule | |
| TRL-072B-LAN | 81-172 | 72" | Top Right / Left Black Engraved Rule | |
| TRL-096B-LAN | 81-196 | 96" | Top Right / Left Black Engraved Rule | |
| TRL-100B-M-LAN | 81-210 | 100 cm | Top Right / Left Black Engraved Rule | Metric |
| TRL-144B-LAN | 81-144 | 144" | Top Right / Left Black Engraved Rule | |
| TRL-150B-M-LAN | 81-215 | 150 cm | Top Right / Left Black Engraved Rule | Metric |
| TRL-200B-M-LAN | 81-220 | 200 cm | Top Right / Left Black Engraved Rule | Metric |
| TRL-210B-M-LAN | Not Available | 210 cm | Top Right / Left Black Engraved Rule | Metric |



Ruler Cross Reference