




PEGASUS

INDUSTRIAL
SEWING MACHINE

PARTS LIST

MODEL DW-3 DW-7


**TWO OR THREE NEEDLE
FOUR OR FIVE THREAD
CYLINDER BED
INTERLOCK
STITCH MACHINE**



MODEL DW-3

MODEL DV-1

**TWO NEEDLE
THREE THREAD
CYLINDER BED
COVER SEAMING
MACHINE**



MODEL DV-1

**MIMA SEWING MACHINE CO., LTD.
PEGASUS SEWING MACHINE MFG. CO., LTD.**

OSAKA - JAPAN - TOKYO

IN ORDERING PARTS

This book has been arranged to simplify ordering repair parts for model DW-3, DW-7 and DV-1, on the basis of model DW-3.

Various sections of the mechanisms are shown on each page. On the page opposite the illustrations will be found a listing of the parts with their reference numbers, parts numbers, names and the number of pieces required.

Parts whose numbers are marked with an asterisk (*), appeared in from page 3 to 17 except page 15, e.g. *192138, Ref. No. 23, Page 3, are used for model DW-3 and DW-7 only, not for model DV-1. Parts used for model DV-1 only are illustrated and listed in page 18 and 19.

All the gauge parts such as needle clamp, needle plate, feed dog and presser foot for each model are illustrated and listed on the pages 20 and 21.

At the back of this list, a numerical index of all parts is shown. This will facilitate locating the illustrations and descriptions when only the part number is known.

In ordering parts from this list, the part number MUST be quoted exactly as it is shown in the second column on the page opposite the illustrations. Reference number should never be used in ordering parts.

CONTENTS

	PAGE 頁
MACHINE ARM-BED & COVERS	アーム・ベッド・外部機構 2 ~ 3
MAIN SHAFT MECHANISM	主軸機構 4 ~ 5
NEEDLE BAR DRIVE MECHANISM & THREAD PARTS	針棒機構 6 ~ 7
LOOPER DRIVE MECHANISM	ルーパー機構 8 ~ 9
FEED MECHANISM	送り機構 10 ~ 11
PRESSER FOOT & LIFTING MECHANISM	押工機構 12 ~ 13
SPREADER DRIVE MECHANISM & THREAD PARTS	範り振り機構 (DW-3、DW-7型専用) 14 ~ 15
(FOR MODEL DW-3 & DW-7 ONLY)	
LOOPER THREAD PARTS	裏糸調子機構 16 ~ 17
PARTS FOR MODEL DV-1 ONLY	DV-1型専用部品 18 ~ 19
LIST OF GAUGE PARTS	ゲージパーツ表 20 ~ 21
ACCESSORIES	付 属 品 22 ~ 23
NUMERICAL INDEX OF PARTS	部品番号索引 24

部品表御利用に際して

本部品表はDW-3型を基本にDW-7、DV-1型ミシンの修理用部品を容易に御利用頂ける様編集されている。

機構別に各頁に収録され、部品図解頁（左開き）の反対頁（右開き）には参照番号、部品番号、名称、使用数量の順で記載されている。

3頁から17頁（15頁を除く）にわたり*印の付された部品番号（例 参照番号23、3頁）はDW-3、DW-7型にのみ共通で、DV-1型には使用されない。DV-1型専用部品は18、19頁に収録されている。


全ての機種の針抱、針板、送り歯、押工等のゲージパーツは20頁、21頁のゲージパーツ表に収録されている。

本部品表の最終頁（24頁）には部品番号索引表を付し、部品番号のみでその図解、名称等が容易に引き出せる。

本部品表に基き部品御注文の際、参照番号は絶対に使用されず必ず部品番号のみを明示下さい。

本部品表は1970年11月現在製造中のDW/DV型ミシン用に作成されております。


目 次



MACHINE ARM-BED & COVERS

アーム・ベッド・外部機構

Ref. No. 参照番号	Parts No. 部品番号	Name 名 称	Qt. 数量
1	*192001	Machine arm アーム ベッド	1
2	192002A	" cylinder bed 筒	1
3	5311	" " " screw タ止ネジ	4
4	137010	Name plate 銘板	1
5	137011G	" " pin タ止ピン	4
6	200356	Model plate, for model DW-3 only 型式板 (DW-3)	1
7	200366	" plate, for model DW-7 only タ (DW-7)	1
8	137011G	" plate pin タ止ピン	2
9	200384	Machine cylinder bed shim 筒取付川鉄板	1
10	192128	" arm rear cover 後カバー	1
11	128-2	" " " screw タ止ネジ	2
12	192129 A	" cylinder bed cover 前カバー	1
13	192131	" " " plunger タピン	1
14	129-1	" " " " screw タタ引ネジ	1
15	192130	" " " " spring タタ押バネ	1
16	192132	" " " latch タ前板バネ	1
17	132-1	" " " " screw タ止ネジ	1
18	191134 A	Looper cover ルーパーカバー	1
19	192133	" latch タ止板バネ	1
20	62-1	" " " screw タ止ネジ	1
21	192137	" shaft bushing 筒メタル	1
22	5310	" " " screw タ止ネジ	3
23	*192138	Needle thread guide 土台糸道	1
24	42-1	" " " screw タ止ネジ	1
25	137142	" " " " washer タタ座金	1
26	192138-3	" " " pin タ止ピン	1
27	*192144A	Thread guide stand L型糸道土台	1
28	144-2	" " " screw タ止ネジ	2
29	*192145A	" guide L型糸道	1
30	11-1	" " screw 糸道棒止ネジ	1



1




2



3



4



5




6



7



8



9



10



11



12



13



14



15



16



17




18



19




20



21



22



23



24



25




26

MAIN SHAFT MECHANISM

主 軸 機 構


Ref. No. 参照番号	Parts No. 部品番号	Name 名 称	Qt. 数量
1	192003	Pulley ブーリー	1
2	3-1	" spot screw タ 止ネジ(先有)	1
3	3-2	" set screw タ タ(先無)	1
4	192004	Main shaft 主軸大シャフト	1
5	192005	" " bushing (right) 大シャフトブッシュ大	1
6	2022-3	" " " " screw タ 止ネジ	1
7	200493	" " " " oil wick タ 給油フェルト	1
8	200390	" " " " " hole wick タ タ	2
9	192006	Needle bar drive eccentric 針棒上下ロッド球大	1
10	6-1	" " " " spot screw タ 止ネジ(先有)	1
11	6-2	" " " " set screw タ タ(先無)	1
12	192007	Feed rocker eccentric 送り変動ロッド球A(段付)	1
13	6-1	" " " " spot screw タ 止ネジ(先有)	1
14	192008	Looper lever eccentric ルーパー前後ロッド球	1
15	8-1	" " " " spot screw タ 止ネジ(先有)	1
16	192009	" shaft rocker eccentric ルーパーロッド球大	1
17	6-1	" " " " spot screw タ 止ネジ(先有)	1
18	6-2	" " " " set screw タ タ(先無)	1
19	192010	Feed lift eccentric 送り変動ロッド球B(段無)	1
20	6-1	" " " " spot screw タ 止ネジ(先有)	1
21	*193011	Spreader drive gear 片振り下ギヤー	1
22	11-1	" " " " screw タ 止ネジ	2
23	*192012	Main shaft bushing (left) 大シャフトブッシュ小(段付)	1
24	2022-3	" " " " screw タ 止ネジ	1
25	*200334	" " " " oil wick タ 給油フェルト	2
26	*202024	" " " " " hole wick タ 立油穴給油フェルト	1



NEEDLE BAR DRIVE MECHANISM & THREAD PARTS

針 棒 機 構


Ref. No.	Parts No.	Name	名 称	Qt.	Remarks
参照番号	部品番号			数量	備 考
1	200387	Needle bar drive arm	針棒クランク	1	
2	5307	" " " " clamp screw	ク 締付ネジ	2	
3	5308	" " " " " nut	ク ナット	2	
4	192055	" " " " stud	ク 軸	1	
5	202175	" " " " " oil wick	ク 紙油紐	1	
6	55-1	" " " " " nut	ク ナット	1	
7	5306	" " " " oil plug screw	ク 油穴蓋ネジ	1	
8	192056	" " " " collar	ク カラー	1	
9	192057	" " " " ball stud	針棒ロッド球小	1	
10	192058	" " " " " guide	ク 振り止メ	1	
11	192059	" " " rod head (small)	針棒ロッド小	1	
12	59-1	" " " " " cap screw	ク 蓋止ネジ	2	
13	192059-1	" " " " oil cap	オイルカップ組	1	
14	192060	" " " rod	針棒ロッド連結パイプ	1	
15	202175	" " " " oil wick	ク 紙油紐	1	
16	60-1	" " " nut (right)	ク ナット右	1	
17	60-2	" " " nut (left)	ク 左	1	
18	192061	" " " head (large)	針棒ロッド大	1	
19	59-1	" " " " cap screw	ク ブラシ	2	
20	200390	" " " " oil wick	ク 紙油フェルト	1	
21	200389	" " " " " hole wick	ク ク ク	1	
22	*192062	" " " thread eyelet	針棒クランク糸道	1	
23	62-1	" " " " " screw	ク 止ネジ	1	
24	192064	" " thread eyelet	針棒糸道	1	
25	64-1	" " " " screw	ク 止ネジ	1	
26	200388	" " clamp	針棒抱キ	1	
27	65-1	" " " screw	ク 止ネジ	3	
28	200653	" " drive link	針棒リンク	1	
29	200654	" " " pin	ク ピン	2	
30	202175	" " " " oil wick	ク ク 紙油紐	2	
31	44-3	" " " " screw	ク ク 止ネジ	1	
32	192068	" " bushing	針棒ブッシュ	2	
33	24-1	" " " screw	ク 止ネジ	2	
34	192069	" " thread nipper bracket	針棒糸調子台	1	
35	24-1	" " " " screw	ク 止ネジ	1	
36	192070	" " " nipper	小調子皿	1	
37	192070-1	" " " " spring	ク バネ	1	
38	9070-2	" " " " " stud screw	ク ク 止ネジ	1	
39	*192071-3	" " clamp thread guide wire	針抱糸道	1	
40	* 71-4	" " " " screw	ク 止ネジ	1	
41	200371	" guard	針受	1	
42	200372	" " stud	ク 軸	1	
43	6-2	" " " screw	ク ク 止ネジ	1	
44	191143	" bar thread take-up wire	針棒糸掛	1	
45	143-1	" " " " " screw	ク 止ネジ	1	
46	71-1	" clamp screw, for center needle	針抱止ネジ(先有)	1	
47	65-1	" " screw, for left & right needles	ク ク (先無)	2	
48	31-1	" plate screw	針板止ネジ	2	
49	192150	" thread tension post (long)	針糸調子棒(長)	1	
50	192153A	" " " " " spacer	ク パイプA	1	
51	192123	" " " post (short)	ク 棒(短)	2	1 pc. only for DW-7 & DV-1
52	192127A	" " " " spacer	ク パイプB	2	DW-7, DV-1は1ヶのみ
53	192152	" " " spring	糸調子バネ(強)	3	
54	200361	" " " guide	ク 台	3	2 pcs. only for DW-7 & DV-1
55	123-1	" " " nut	ク ナット	3	DW-7, DV-1は2ヶのみ
56	192124	" " " spring bushing	ク ク 止パイプ	3	
57	192126	" " " disc	ク 盤	6	4 pcs. only for DW-7 & DV-1 DW-7, DV-1は4ヶのみ



LOOPER DRIVE MECHANISM


ルーパー機構

Ref. No. 参照番号	Parts No. 部品番号	Name 名 称	名 称	Qt. 数量
1	192032	Looper shaft rocker connection	ルーパー振リロッド	1
2	16-2	" " " cap screw (long)	タ 盖止ネジ(大)	2
3	32-2	" " " " screw (short)	タ (小)	2
4	200389	" " " oil wick	タ 給油フェルト	2
5	192033	" lever connection	ルーパー前後ロッド	1
6	16-2	" " cap screw	タ 盖止ネジ	2
7	11-1	" " set screw	タ 軸止ネジ	1
8	192029	" " pin	タ 小軸	1
9	200389	" " oil wick	タ 給油フェルト	1
10	192035	" lever	ルーパー前後調節器	1
11	11-1	" screw	タ 止ネジ	2
12	35-2	" lock screw	タ 押ネジ	1
13	35-3	" " " nut	タ ナット	1
14	192036	" " stud	タ ネジ	1
15	26-1	" " " nut	タ 座付ナット	1
16	192037	" shaft	タ 軸	1
17	192154	" " bushing	タ ブッシュ	2
18	192038	" shaft rocker connection brace	ルーパーロッド振り止連絡器	1
19	192040	" " " " " collar	タ タ 軸カラー	3
20	11-1	" " " " " screw	タ タ タ 止ネジ	3
21	192041	" " " " stud	タ タ 連結六角ネジ	1
22	28-1	" " " " " nut	タ タ タ ナット	1
23	200385	" lever link	ルーパー調節器リンク	1
24	42-1	" " screw	タ 止ネジ	1
25	200654	" " pin	タ ピン	1
26	44-3	" " " screw	タ 止ネジ	1
27	202175	" " " oil wick	タ 給油紐	1
28	200386	" shaft rocker stud	ルーパー調節器長ネジ	1
29	26-1	" " " nut	タ 座付ナット	1
30	28-1	" " " lock nut	タ リンクピン長ネジナット	1
31	192045	" shaft rocker bushing	ルーパーシャフトブッシュ	1
32	192046	" " " connection link	ルーパーロッド振り止メ	1
33	46-1	" " " " screw	タ 止ネジ	1
34	192047	" " " ball stud	タ 球	1
35	47-1	" " " " " nut	タ ナット	1
36	192048	" shaft	ルーパーシャフト	1
37	192049	" " rocker ball	ルーパー振リロッド球小	1
38	28-1	" " " " nut	タ ナット	1
39	192050	" " " " collar	タ 座金	1
40	192051	" holder	ルーパー台	1
41	51-1	" " screw	タ 止ネジ	1
42	*192052	Looper	ルーパー	1
43	51-2	" screw	タ 止ネジ	1
44	192053	" guard	タ 補助器	1
45	1231	" " screw	タ タ 止ネジ	1
46	202473	" lever shaft bushing oil wick	ルーパー前後調節器軸ブッシュ給油フェルト	2
47	202473	" shaft bushing oil wick	筒前後メタル給油フェルト	2



FEED MECHANISM
送リ機構


Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	192013	Feed lift lever	送り上下台	1
2	192014	" dog vertical adjusting pin	送り上下エキセン軸	1
3	14-1	" " " " " screw	タ 止ネジ	2
4	192016	" lift lever & rocker connection	送り変動ロッド	2
5	11-1	" " " " " " pin screw	タ ピン止ネジ	2
6	16-2	" " " " " cap screw	タ 蓋止ネジ	4
7	200390	" " " " " oil wick	タ 紙油エルト	2
8	192017	" bar guide pin	送り台連結軸	1
9	192018	" bar	送り台	1
10	192028	" " link stud	タ 止ネジ	1
11	28-1	" " " " nut	タ タナット	1
12	192019	" lift lever link pin	タ 連結チエン芯ネジ	2
13	192020	" " " link (right)	タ タ (B)	1
14	192021	" " " link (left)	タ タ (A)	1
15	192015	" " " " bushing	送り上下台ブッシュ	2
16	192022	" rocker	送り調節器	1
17	192023	" " shaft	タ 軸	1
18	14-1	" " " screw	タ タ止ネジ	1
19	192029	" " connection pin	タ 小軸	2
20	192024	" " shaft collar	タ 軸カラー	2
21	24-1	" " " " screw	タ タ タ 止ネジ	2
22	192025	" bar link	送り調節桿	1
23	192027	" " " bushing	タ カラー	2
24	192026	Stitch regulating stud	送り調節段ネジ	1
25	26-1	" " " nut	タ 座付ナット	1
26	30-1	Feed dog screw	送り歯止ネジ	2



PRESSER FOOT & LIFTING MECHANISM

押工機構










Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	192072	Presser spring	押工板バネ	1
2	192072-1	" " pin	タ ピン	1
3	192077	" " rest	タ 受	1
4	24-1	" " " screw	タ タ止ネジ	1
5	192083	" " adjusting screw	タ 押シネジ	1
6	83-1	" " " " lock nut	タ タ ナット	1
7	192073	Foot lift lever extension	押工上板金	1
8	42-1	" " " " screw	タ 止ネジ	2
9	192074	" " lever	押工上クランク	1
10	192075	" " " stud	タ 段ネジ	1
11	192081	" " " spring	タ 引バネ	1
12	192081-1	" " " stop pin	タ タ 当りピン	1
13	192081-2	" " " spring pin	タ タ 引ピン	1
14	192076B	Presser guide bar	押工上棒	1
15	200443	" " " stop collar	押工上ゲストッパーカラー	1
16	24-1	" " " " screw	タ 止ネジ	2
17	*192079	" bar	押工棒	1
18	44-3	" " connection screw	タ 止ネジ	1
19	*193080	" " bushing	片振り押工棒ブッシュ下	1
20	106-2	" " " clamp screw	タ 止ネジ	1
21	192079-2	" " retaining ring	押工棒金輪	1
22	192078	" " connection	タ 抱キ	1
23	24-1	" " " screw	タ タ 止ネジ	1
24	46-1	" foot screw	押工止ネジ	1



SPREADER DRIVE MECHANISM & THREAD PARTS (FOR MODEL DW-3 & DW-7 ONLY)

節リ振り機構 (DW-3, DW-7 型専用)


Ref. No. 参照番号	Parts No. 部品番号	Name 名稱	名 称	Qt. 数量
1	193085	Spreader drive gear	片振り上ギヤー	1
2	192086	" " " shaft	上ギヤー軸	1
3	202175	" " " " oil wick	タ給油紐	1
4	5309	" " " " screw	タ止ネジ	1
5	192087	" " " washer	タ頭座金	1
6	87-1	" " " " screw	タ止ネジ	1
7	200492	" " " shaft oil wick	タ軸給油フエルト	1
8	192088	" connecting rod head (large)	節リ振りロッド	1
9	16-2	" " " " cap screw	タ蓋止ネジ	2
10	201767	" " " " oil wick	タ給油フエルト	1
11	192089	" " rod	タ引棒	1
12	89-1	" " nut (left)	タナット左	1
13	28-1	" " " (right)	タタ右	1
14	192090	" connection rod head (small)	節リ振りロッド小	1
15	32-2	" " " " cap screw	タ蓋止ネジ	2
16	192091	" " " " ball stud	タ球	1
17	28-1	" " " " " nut	タナット	1
18	192092	" " " " " washer	タ座金	1
19	193095	" carrier	片振り台	1
20	193098	Spreader (cover thread finger)	片振り	1
21	44-3	" screw	タ止ネジ	2
22	193170	thread eyelet holder	針棒糸道台	1
23	65-1	" " " screw	タ止ネジ	1
24	193171	" eyelet	第一糸道	1
25	1333	" " " screw	タ止ネジ	1
26	193173	" guide	糸道	1
27	64-1	" " screw	タ止ネジ	2
28	193172	" " bracket	タ台	1
29	109-1	" " " screw	タ止ネジ	2
30	167061	" " " " washer	タタタ座金	2
31	193174	" eyelet	第二糸道	1
32	62-1	" " screw	タ止ネジ	1
33	192100	" carrier connection head (right)	節リ振り台連結ロッド右	1
34	46-1	" " " " screw	タ止ネジ	1
35	192102	" connecting rod	節リ振りロッド連結棒	1
36	102-1	" " " " nut (right)	タタナット右	1
37	102-2	" " " " (left)	タタ左	1
38	192103	" carrier connection head (left)	節リ振りロッド左	1
39	46-1	" " " " screw	タ止ネジ	1
40	192104	" " connecting rod ball stud	節リ振りロッド球足長	2
41	35-3	" " " " nut	片振りロッド球ナット	1
42	167061	" " " " " washer	タ座金	1
43	193093	" rocker	片振り連結台二又	1
44	192105	" " shaft	節リ振りロッド連結二又軸	1
45	11-1	" " " screw	タ止ネジ	2
46	193175	" thread nipper tension bracket	片振り小調子台	1
47	62-1	" " " " screw	タ止ネジ	2
48	137108	" " " disc	皿	2
49	1092	" " " stud screw	タ止ネジ	1
50	137109	" " " spring	タバネ	1
51	193179	" " take-up eyelet	片振り二又糸道	1
52	109-1	" " " screw	タ止ネジ	1
53	137142	" " " " washer	タ座金	1
54	193179-2	" " " " guide pin	タ案内ビン	1
55	193180	" " take-up	片振り腕糸道	1
56	62-1	" " " screw	タ止ネジ	2
57	192123	" " tension post	節リ糸調子棒(短)	1
58	192127A	" " " spring spacer	タパイプB	1
59	192148	" " " spring	タバネ(中)	1
60	200361	" " " guide	タ台	1
61	123-1	" " " nut	タナット	1
62	192124	" " " spring bushing	タ止パイプ	1
63	192126	" " " disc	皿	2




LOOPER THREAD PARTS

裏糸調子機構

Ref. No. 参照番号	Parts No. 部品番号	Name 名 称	名 称	Qt. 数量
1	192107 A	Looper thread take-up cover bracket	裏糸道カバー	1
2	107-1	" " " " screw	タ 止ネジ	2
3	192108	" " " cover	タ 蓋	1
4	107-2	" " " hinge pin	タ ハインジピン	1
5	192109	" " " latch	タ 板バネ	1
6	109-1	" " " " screw	タ タ 止ネジ	1
7	167061	" " " " " washer	タ タ タ 座金	1
8	192110	" " control bracket	下糸調子取付台	1
9	46-1	" " " " screw	タ 止ネジ	2
10	192111	" " finger	下糸弛メ	1
11	46-1	" " " screw	タ 止ネジ	2
12	192112	" " nipper spring (upper)	下糸調節板バネ上	1
13	109-1	" " " " screw	タ タ止ネジ	1
14	167063	" " " (lower)	タ 下	1
15	192114	" " cast-off wire	下糸捌キ	1
16	31-1	" " " " screw	タ 止ネジ	1
17	192114-2	" " " " pin	タ 止ピン	1
18	192116	" take-up eyelet	下糸二又糸道	1
19	192115	" " " spring	タ 押エバネ	1
20	42-1	" " " " screw	タ タ 止ネジ	1
21	46-1	" " " " stop screw	タ 当リネジ	1
22	44-3	" " " " stop lock screw	タ タ 止ネジ	1
23	192117	" controller cam	下糸調節器小	1
24	31-1	" " " screw	タ タ止ネジ	1
25	192118	" " nipper spring cam	タ 中	1
26	192119	" take-up	タ 大	1
27	65-1	" " screw	タ タ止ネジ	1
28	192120	" tube	下糸道パイプ	1
29	120-2	" " clamp	タ 止金	1
30	30-1	" " " screw	タ タ 止ネジ	1
31	192121	" " eyelet	筒中糸道	1
32	62-1	" " screw	タ 止ネジ	1
33	192123	" " tension post	下糸調子芯棒	1
34	123-1	" " " nut	タ ナット	1
35	192124	" " " spring bushing	タ タ 止パイプ	1
36	192125	" " " spring	タ バネ(細)	1
37	192126	" " " disc	タ 盤	2
38	192127 A	" " " post spacer	タ 棒パイプB	1
39	200361	" " " guide	タ 台	1
40	192122	" " guide wire	筒前糸道	1
41	62-1	" " " screw	タ 止ネジ	1



• DV-1 •
2



3




4




5




6



7



8



9



10



11



12















13

PARTS FOR MODEL DV-1 ONLY

DV-1型専用部品

<u>Ref. No.</u> 参照番号	<u>Parts No.</u> 部品番号	<u>Name</u>	<u>名 称</u>	<u>Qt.</u> 数量
1	191001	Machine arm	アーム	1
2	200370	Model plate	型式板	1
3	191012	Main shaft bushing (left)	大シャフトブッシュ小(段付)	1
4	200493	" " " " oil wick	タ タ給油エルト	1
5	191052	Looper	ルーパー	1
6	191079	Presser bar	押工棒	1
7	191138	Needle thread eyelet	土台糸道	1
8	191145A	Thread guide	L型糸道	1
9	191011	Main shaft counter balance	モーション	1
10	6-1	" " " " spot screw	タ 止ネジ(先有)	1
11	14-1	" " " " set screw	タ タ (先無)	1
12	191154	Needle thread take-up eyelet	針棒クランク巻糸道	1
13	62-1	" " " " screw	タ 止ネジ	1



LIST OF GAUGE PARTS

ゲージパーツ表

Model	Needle gauge	Ref. No.	Needle clamp	Ref. No.	Feed dog	Ref. No.	Needle bar	Ref. No.	Needle plate	Ref. No.	Presser foot(solid)	Ref. No.	Presser foot(hinged)	Remarks	
機種	針巾	参照番号	針抱	参照番号	送り歯	参照番号	針棒	参照番号	針板	参照番号	押工(固定)	参照番号	押工(自由)	備考	
DW-3	5.5mm	1	192071	3	200478	6	192063	8	200475	11	*	200483	16	200585	Standard model (標準型)
										12	**	200482			
	5.5mm	1	192071	4	200477	6	192063	9	***	200479	13	****	193084	16	200585
DW-7	3.2mm	1	192071	5	200442	7	200359	10	200444	14	200451	17	200587		
	4.0mm	1	192071	5	200442	7	200360	10	200445	14	200452	17	200586	Standard model (標準型)	
DV-1	5.0mm	2	191071A	5	200442	7	191063	10	191031	15	191084				Standard model (標準型)
	6.35mm	2	191071A	5	200450	7	200449	10	200446	15	200440				

* 200483.....Chaining-off fingers are of unequal length. (爪差付)

** 200482.....Chaining-off fingers are of equal length. (爪差無)

*** 200479.....Without guide tips. (案内金無)


**** 193084.....Without guide tip. (案内金無)




1




2



3



4




5



6




7




8



9



10



11



12

ACCESSORIES
付 属 品

Ref. No. 参照番号	Parts No. 部品番号	Name 名 称	Qt. 数量
1	127	Screw driver (large) ドライバー(大)	1
2	128	" driver (medium) " (中)	1
3	200486	Oil pan オイルパン	1
4	191155	Auxiliary plate 差シ板	1
5	206	" " thumb screw " 蝶ボルト	1
6	126	Treadle chain クサリ	1
7	132	Oiler (containing 50cc oil) 油差シ(50cc入り)	1
8	121	Treadle 靴(組)	1
9	130A-9.5	Combination wrench (9.5mm) スパナ(9.5mm)	1
10	131A	Tweezers ピンセット	1
11	9207	Machine thumb screw 蝶ネジ	1
12	DVx1	Needle (DVx1 #11) 針(DVx1 #11)	10

NUMERICAL INDEX OF PARTS

部品番号索引

Parts No.	Page Ref. No.								
部品番号	頁 参照番号								
3-1	5	2		62-1	3	20		191079	19 6
3-2	5	3		62-1	7	23		191084	21 15
6-1	5	10		62-1	15	32		191134 A	3 18
6-1	5	13		62-1	15	47		191138	19 7
6-1	5	17		62-1	15	56		191143	7 44
6-1	5	20		62-1	17	32		191145 A	19 8
6-1	19	10		62-1	17	41		191154	19 12
6-2	5	11		62-1	19	13		191155	23 4
6-2	5	18		64-1	7	25		192001	3 1
6-2	7	43		64-1	15	27		192002 A	3 2
								1920081-1	13 12
8-1	5	15		65-1	7	27		192003	5 1
11-1	3	30		65-1	7	47		192004	5 4
11-1	5	22		65-1	15	23		192005	5 5
11-1	9	7		65-1	17	27		192006	5 9
11-1	9	11		71-1	7	46		192007	5 12
11-1	9	20		71-4	7	40		192008	5 14
11-1	11	5		83-1	13	6		192009	5 16
11-1	15	45		87-1	15	6		192010	5 19
14-1	11	3		89-1	15	12		192012	5 23
14-1	11	18		102-1	15	36		192013	11 1
								192100	15 33
14-1	19	11		102-2	15	37		192014	11 2
16-2	9	2		106-2	13	20		192015	11 15
16-2	9	6		107-1	17	2		192016	11 4
16-2	11	6		107-2	17	4		192017	11 8
16-2	15	9		109-1	15	29		192018	11 9
24-1	7	33		109-1	15	52		192019	11 12
24-1	7	35		109-1	17	6		192020	11 13
24-1	11	21		109-1	17	13		192021	11 14
24-1	13	4		120-2	17	29		192022	11 16
24-1	13	16		121	23	8		192023	11 17
								192112	17 12
24-1	13	23		123-1	7	55		192024	11 20
26-1	9	15		123-1	15	61		192025	11 22
26-1	9	29		123-1	17	34		192026	11 24
26-1	11	25		126	23	6		192027	11 23
28-1	9	22		127	23	1		192028	11 10
28-1	9	30		128	23	2		192029	9 8
28-1	9	38		128-2	3	11		192029	11 19
28-1	11	11		129-1	3	14		192032	9 1
28-1	15	13		130A-9.5	23	9		192033	9 5
28-1	15	17		131A	23	10		192035	9 10
								192122	17 40
30-1	11	26		132	23	7		192036	9 14
30-1	17	30		132-1	3	17		192037	9 16
31-1	7	48		143-1	7	45		192038	9 18
31-1	17	16		144-2	3	28		192040	9 19
31-1	17	24		206	23	5		192041	9 21
32-2	9	3		1092	15	49		192045	9 31
32-2	15	15		1231	9	45		192046	9 32
35-2	9	12		1333	15	25		192047	9 34
35-3	9	13		2022-3	5	6		192048	9 36
35-3	15	41		2022-3	5	24		192049	9 37
								192126	17 37
42-1	3	24		5306	7	7		192050	9 39
42-1	9	24		5307	7	2		192051	9 40
42-1	13	8		5308	7	3		192052	9 42
42-1	17	20		5309	15	4		192053	9 44
44-3	7	31		5310	3	22		192055	7 4
44-3	9	26		5311	3	3		192056	7 8
44-3	13	18		9070-2	7	38		192057	7 9
44-3	15	21		9207	23	11		192058	7 10
44-3	17	22		137010	3	4		192059	7 11
46-1	9	33		137011G	3	5		192059-1	7 13
								192137	3 21
46-1	13	24		137011G	3	8		192060	7 14
46-1	15	34		137108	15	48		192061	7 18
46-1	15	39		137109	15	50		192062	7 22
46-1	17	9		137142	3	25		192063	21 6
46-1	17	11		137142	15	53		192064	7 24
46-1	17	21		167061	15	30		192068	7 32
47-1	9	35		167061	15	42		192069	7 34
51-1	9	41		167061	17	7		192070	7 36
51-2	9	43		167063	17	14		192070-1	7 37
55-1	7	6		191001	19	1		192071	21 1
								193011	5 21
59-1	7	12		191011	19	9		192071 A	21 2
59-1	7	19		191012	19	3		192071-3	7 39
60-1	7	16		191052	19	5		192072	13 1
60-2	7	17		191063	21	7		192072-1	13 2
								193093	15 43