


PARTS LIST

R57-03S

R57-14S

R57-57S



PEGASUS SEWING MACHINE MFG. CO., LTD.

From the library of: Superior Sewing Machine & Supply LLC

IN ORDERING PARTS

This list has been arranged to simplify ordering repair parts for R57-03S, R57-14S and R57-57S on the basis of R57-03S.

Various sections of the mechanisms are shown on each page. On the page opposite the illustration will be found a listing of the parts with their reference numbers, part numbers, names and number of pieces required.

The parts specifically used in Models R57-14S and R57-57S are listed and illustrated on pages 26-27.


In ordering parts from this list, use ONLY THE PART NUMBER in the second column. Reference number should never be used in ordering parts.

This list covers the abovementioned model machines in September, 1975 production and is applicable to your machine subject to change without notice.

TABLE OF CONTENTS


	PAGE
MACHINE BED FRAME	2-3
MAIN FRAME AND MISCELLANEOUS COVERS	4 - 5
CRANKSHAFT MECHANISM	6-7
NEEDLE DRIVE MECHANISM	8-9
RIGHT LOOPER DRIVE MECHANISM	10-11
LEFT LOOPER DRIVE MECHANISM	12-13
MAIN AND DIFFERENTIAL FEED DRIVE MECHANISM	14-15
UPPER AND LOWER KNIFE DRIVE MECHANISM	16-17
PRESSER FOOT AND LIFT MECHANISM	_
(1) PUMP LUBRICATING MECHANISM	20-21
(2) PUMP LUBRICATING MECHANISM	_
(3) PUMP LUBRICATING MECHANISM	
SPECIFIC PART ASSORTMENTS	
ATTACHMENT	
PLAIN FEED DRIVE MECHANISM	
CHAIN CUTTER MODEL KSR-570	-
CHAIN CUTTER MODEL KSR-572	-
THREAD STAND	
ACCESSORIES	
TIST OF ORGANIZATION PARTS	36

November, 1975 printed in Japan



MACHINE BED FRAME


```
Ref.
    No. Part No. Description
2054851 TRO97NY Machine bed frame
               " arm
      2
        202501A
                   11
                       " gasket
      3 202371
                   **
                       " screw (4)
        5078
                     " hinge pin (2)
                   11
      5
        201002
                     " cover plate
      6 201178B
                       " " gasket
      7
                   11
        201179B
        5117
                   11
     8
                                    screw (10)
     9 202932
                   11
                      bed cover plate
     10 201177A
                      " " gasket
        5118 " " " scr
202354 " " bottom pin (4)
                          " screw (4)
     11
     12 202354
     13 202863B
               Dead hole plug
                " " plug
     14 202687
2055/3 15
        TRI 65NY
                Feed mechanism cover, complete with TRO87NY & TRO88NY
                          cover screw washer (2)
        5215
     16
                  11 11
     17 201191
     18 201004
                 Oil filter screen (left)
                " " plate
" " screw (3)
        201005
     19
     20 1175-2
        202662 " "
                         11
                                (front)
     21
                                " plate
     22 202663D
                 11
                     11
                           11
                                     gasket screw (2
                 **
                     11
                           11
     23 202720B
                                 11
                11 11
                           11
                                          screw (2)
     24
         1175-2
     25
        201330 " sight gauge
20548226 TRI53NY
                Type plate - R57-03S
                Oil filler plug
     27
         5198
                 " cooler cover
     28 201318B
                    " " screw (3)
                11
     29
        5094
                           11
     30
                             gasket
       202748
```



From the library of: Superior Sewing Machine & Supply LLC


MAIN FRAME AND MISCELLANEOUS COVERS

Ref.		
No.	Part No.	Description
٠,	202466	Cloth plate, complete with parts of Ref.Nos.1-6
1	201181C	" plate
2	202467	TT STITE
3	201184	"
4	1216	" " screw (4)
5	1202	" joint screw (4)
6	201185	" " " washer (4)
7	200159A	" " hinge
8	5095	" " screw (2)
9_	200183	" " thrust washer
10	201221A	" " pin
11	5099	" " " nut
12	200821	" " " Washer
13	202865	" " " retainer
14	5293	" " " screw
15	201186	" " lock spring
16	1216	" " screw (2)
17	200162	" " washer
18	200163A	" " stud
19	1435	" " " screw
20	1435	" stop screw
21	3044	" " " nut
22	******	" " fabric guard - see page 31
23	1216	" " " screw (2)
24	202521	" " pin
25	1457	ĎŢŪ
26		SCIEW
	202522	Buop 1111g
27	202514A	Machine top cover
28	5094 5005	potem /tough/(5)
_29	5095	(8001.0)
30	202515A	Upper knife cover
31	202516	ntuge
32	2918	" " screw (2)
33	202579	" " pin (2)
34	202517	" " lock spring
35	5117	" " " screw
36	202843	Chip guard, complete with 201090
37	1216	" guard screw (upper)
38	2905	" " (lower)
39	202660	Front cover extension
40	2921	" " screw (2)
41	201200	" cover
42	201201	" " hinge
43	1216	" " screw (2)
_44	201202	" " pin
45	201203	" " lock spring
46	1216	" " screw
47	202937	Right looper cover, complete with 202939
48	1216	" cover screw (2)
49	202938	Looper thread plate
50	1216	" " screw (3)
51	202936	Feed mechanism cover latch
52	1216	" " screw (2)
53	201755	Machine top cover plug
54	205379	Upper knife cover name plate
74		Abbot witto oator remo breing




CRANKSHAFT MECHANISM

```
Ref.
     No.
         Part No.
                    Description
20 1486 1 TROTTNY
                    Crankshaft, complete with TRO78NY 20 Feels
2054882 PROTONY
                    Crankshaft key
2054893
                         11
          TROSINY
                               oil flow regulator
                         11
       4
           1459
       5
                               bearing (left)
          202902
       6
                         11
          202907
                                              oil seal ring
       7
          202906
                                              retainer
                                                 " screw (3)
                                          11
       8
           1175-2
                         11
                                  11
                                          11
       9
          202908
                                              oil seal ring
      10
         202901
                         11
                                  11
                                          11
                                              retaining ring
20569011
                               bushing (center)
                         11
          TRO79NY
                                " screw
                       11
      12
           2022-3
                         11
      13
         201010A
                               counterweight
                               " screw (2)
          5060
      14
                         11
      15
         201298
                               worm
                                " screw (2)
           5060
      16
                         11
      17
          202902
                               bearing (right)
                         11
      18 202907
                                               oil seal ring
                         11
                                  11
                                          11
      19
          202904
                                               retaining bracket
                         11
      20
          202905
                                                                gasket
                                                - 11
      21
           1175-2
                         11
                                  11
                                          11
                                                                screw (3)
                         11
                                  11
                                          11
       22
          202909
                                               oil seal collar
      23
          205149
                    Oil cooling fan
                     " " position screw
      24
           5149
                                " screw
                     11
                           11
           1458
      25
      26
          201017A
                    Pulley
                    "
      27
            5080
                           position screw
           5081
      28
                       11
                           screw
                       11
      29
          201018B
                           cap
      30
                           " screw (3)
           5010
                     - 11
                           " name plate
      31
          202523
                       11
                           11 11 11
      32
          5214
                                          screw
                       11
       33
          201022
                           'o' ring (2)
```




NEEDLE DRIVE MECHANISM

Ref. No.	Part No.	Descrip	ti on	
1	201023	Needle	drive	connection
2	2213-1 202711A	11	11	cap acrea (r)
3	202711A 1457	11	11	uruge bru
4 5	201025	H	11	" " screw crank
				CIAIR
6	5084	11	11	" screw (2)
7	205273	Ħ	11	shaft
8	201027A	11	11	" bushing (2)
9	202910	11	11	" " thrust washer
10	202911	1f	If	" oil seal
		•		
11	201029	11	11	" thrust collar
12	5084	11	11	" " screw
13	1457	11	11	" screw
14	205266	11	11	arm " clemp screw
15	5002	11	"	" clamp screw
16	201031A	11	clamp	
17	201031A 201239A	11	стяшЪ	screw stud
18	3044	11	##	" " nut
19	205322	11	plate	1140
20	4009-1	11	PTGOO	screw (2)
	+00 <i>y</i> ±			
21	201034A	"	11	key
22	5053	***	11	" screw
23	201248B	11	guard	(front)
24	201249B	. 11	11	(rear)
25	5364	79	11	screw (2)
26	202401	11	11	(front) holder
26 27	202491 202492	11	11	(rear) holder
28	1175-3	11	11	" " screw (2)
20	202480	11	thread	tension, complete with 201035A, 202278, 201086,
	202400		0112 001	201039, 201482x2 & 5082A
				
29	201035A	11	П	tension nut
30	202278	11	**	" spring bushing
31	201086	11	11	" " (medium)
32	201039	11	11	" cup
33	201482	11	11	" disc (2)
7.4	E0004	11	11	" nost
34 35	5082A			Post
35	202999	Thread	gulae	
36 37	5185 201048 <u>A</u>			" screw d eyelet
38	201040A 205270	иеепте	unea	take-up
				vanc-up
39	1186	11	11	" screw
40	205263	tt	11	guide (upper)
41	1174	11	11	" screw
42	205264	II	11	" (lower)
43	1206	If	11	" screw
44	137906	11	11	" " washer
45	U0x154	Needle		




RIGHT LOOPER DRIVE MECHANISM

Ref.	Part No.	Descr	intion		
110.					
1	202619A				connection
2	5002	11	"	"	cap screw (2)
2054953	TROSONY	11	"	11	" hinge pin
4	5084	11	"	11	" " screw
5_	202709A	11	11	"	" crank
6	202710A	11	11		shaft crank
610/7	2022-4	11	11	11	" screw (2)
2054968	TROSONY	11	***	11	" hinge pin
9	5084	11	11	11	" " screw
_10	202922	11	11	11	" thrust washer
11	202622B	11	11	"	shaft
12	202178	11	11	11	" oil wick
13	202081	11	- 11	11	" felt
14	202623A	11.	11	11	" bushing (front)
15	204054	11 0	11	11	" (rear)
16	202626A	11	11	11	connection
17	5219	11	11	11	" clamp screw
18	202175	11	11	- 11	" oil wick
20549/19	TRO91NY	11	11	lever	
20	202625	- 11	11	11	hinge pin
21	202176	- 11	- 11	11.	" " oil wick
22	5146	11	11	11	" " screw
20549223	202914	11	11		guide
203-7-23	202915	11	11	- 11	" oil felt
20549324	202916	11	11	11	
2054925	202910	11	11	11	16 GATHET
	1231	- 11	"	11	SCIEW
27	202177	11	11	11	WICK (Z)
28	202917		11	11	busining (11011t)
29	5305	"	11	11	Clamb Bolew
30	202918	"			DIACKET
31	2133-1	11	11	11	" removing screw
32	202926	- 11	11		cone pin (2)
33	5095	11	11	11	" screw (2)
34	202919	11	"	5111	" bushing (rear)
35	202920	11	11	11	" " retainer
36	204273	11	11	11	" oil felt
37	202842	11	looper	- #2	
38	5220	11	11	screw	
39	201048A	n	"	threa	
40	201048A	11	11	"	eyelet, complete with 201048A-1
41	1459	11	tt.	11	eyelet screw
	202409	11	11	11	tension, complete with parts of Ref.Nos.42-47
42	201035A	11	11	11	tension nut
43	202278	11	11	11	" spring bushing
44	201068	11	11	"	" (weak)
45	201039	11	11	11	" cup
46	201482	- 11	11	11	" disc (2)
.47	5082A	11	11		" post
48	202849	***	11	11	" guide
49	201089	11	11	- 11	guide (left)
50	2921	11-	- 11	11	" screw
51	202875	11	- 11	11	" " washer
52	202859	11	- 11		" (right)
53	2921	11		11	" screw
54	202875	11	11	11	" " washer
55	202829A	11	11	- 11	take-up
56	5064	11	11	- "11	" screw
57	202858	11	"	11	" holder
58	2921	11	11	11	" screw
90	2721				DOTEM




LEET LOOPER DRIVE MECHANISM

Ref.		_			
No.	Part No.	Desci	ription	·	· · · · · · · · · · · · · · · · · · ·
1	201073B		looper		connection
2	5002	11	11	11	" cap screw (large) (2)
3	1170-1	17	11	11	" " (small) (2)
4	201074A	11	11	11	" guide
5	1156	- 11	11		" " screw
6	202286	t†	11	tt .	" " washer
7	201075	11	11	ff	" ball stud
8	5048	11	11	11	" " screw
9	201079A	н	11	11	crank
10	5048	11	11	11	" screw (2)
11	201080	11	11	11	shaft
12	201081A	11	II	. 11	" bushing (2)
13	202923	11	11	11	" housing
14	201084A	11	11	lever	•
15	5274	tt	***	11	clamp screw
16	202861	11	looper		•
17	5328	11	Īŧ	screw	
18	201048A	11	11	thread	d eyelet (upper), complete with 201048A-1
19	201048A	11	11	11	" (lower), complete with 201048A-1
20	1459	11	11	***	" (lower) screw
	202480	11	f†	11	tension, complete with 201035A, 202278, 201086, 201039, 201482x2 & 5082A
21	201035A	tt	11	11,	" nut
22	202278	11	11	11	" spring bushing
23	201086	11	11	11	" (middle)
24	201039	11	††	11	" cup
25	201482	11	11	11	" disc (2)
26	5082A	11	11	11	" post
27	202849	11	11	11	" guide
28	201089	11	ff	11	guide (right)
29	2921	41	11	117	" " screw
30	202875	11	11	11	" " washer
31	202860	11	11	11	" (left)
32	2921	11	11	11	" screw
33	202875	17	11	п	" " washer
34	202830A	11	11	11	take-up
35·	2921	11	11	11	" screw
36	201088	Ħ	II	11	" bracket
37	1202	f1	11	**	" " screw
3 8	201091	11	11	17	tube
39	1892	11	11	11	" screw
40	201092A	11	11	***	" bracket
41	1175-2	11	11	ff	" " screw (2)
. •	· -				\- /




MAIN AND DIFFERENTIAL FEED DRIVE MECHANISM

	Ref.											
	No.	Part No.	Descr	ipti	on							
	1	201093A	Main	feed	bar,	comple	ete wi	th 20109	3-1A			
	2	205248	11	11	dog	-						
	3	1202	11	11		screw					*	
	4	201096A	Diff.	fee			ete v	vith 2010	93-1A			
	5	202854A	11	. 11					JJ -11			
	6	1202	11	11	11 -	screw						
0549	77	TROSSNY	Main	feed	conn	ecting	link					
	8	206119	11	- 11		11	11	bushing				
	9	206120	- 11	11		11	11	11	screw			
	10	3044	"	"		"	***	. 11	11	nut		
·	11	200098	11	11	EU.	11	11	11	11	" wash	er	V.
5499	912	TROSGNY	Diff.	fee	d con	necting	g link					
3.77	13	206122	11	11		11	11	bushing				
	14	206123	11	11		<u>. 11</u>	- 11	"	screw	7		
	15	3044	11	11		11 8	"	"	11 1	nut		
·	16	200098	11	11		11	"	11 2	"	" was	her	
1500-	617	TRO83NY-6	Main	feed	ecce	ntric -	- #6					
	(18		-Diff.	fee	d ecc	entric	- #6					
	/19							ring (2)				
	20	5213	11		11	lock r						
	21	202924	11		11	11	" Wa	sher	100	0.		
	22	205133	11	bar	lift	block						
	23	201107	11	11	guide	block						
	24	202200	11		_	adjust	pin					
	25	2022	// 11	11	"	11	777	screw				
	26	201109	, n	11	guide	(right	:)					
	27	1175-3	11	11	11	11	sci	ew (2)				
	28	167066	11	11	11	11	1	washe	r (2)			
549	729	TROS2NY	11	11	11	(left)) = = 1					
	30	5095	11	11	· II	"		ew (2)				
	31	201110	11	11	11	oil wi	.ck ti	ibe				
	32	1435	11	11	11	11	11	" screw	T			
	33	202176	11	11	11	" wi	ck					




UPPER AND LOWER KNIFE DRIVE MECHANISM

Ref.									
No.	Part No.	Descr	iption						
1	202925				connec				
2	5187	obber	WIITT 6	11	Counted			(0)	
			11	17	** **	cap so		(2)	
3	202711A	11	11	. 11		hinge "	pin		
4	1457	11	11	H		"	11	screw	
5 	201360В		•••		crank				
6	5381	11	11	H	" ,	clamp screw	7		
7	205292	11	11	lever		ete with 20		8 & 205147	
8	201115A	11	11	lever	shaft 1	bushing (2))		
9	202927	` H	11	tt		oil seal			
10	201117	11	11	11		thrust coll	ar		
	5004	11	11	11	11	11 1		(2)	
11	5084	11	** **	11			່ ຮ	crew (2)	
12	202636	"	"	11	guide				
13	2022			"	11 8	screw			
14	201121A	- 11	knife						
15	5088	11	ff	screw	·				
16	167066	11	11	11	washer			•	•
17	202637В	11	11	holde	r			•	
18	1175-2	11	11	11	screw				
19	202638B	11	tt	11		, complete	with	202381	
20	1189	11	11	11		screw			
21	201125	- 11	***	11	11	pin			
22	202295		knife	•					
23	202739	17	11	holder	r				
24	4009–1	11	Ħ	11	screw				
25	201129		11	***	spring	3			
26	201130A	11	ff	11	*11	retainer			
27	1175-3	II	11	* 11	l1	11	scre	·w	
28	201131A	11	11	11	guide				
29	1175-3	17	11	11	II Butter	screw (2)			
30	201132B	Ħ	11	clamp	stud	DOTON (2)	-		
77			11	11	lt ni			,, 	
31 30	5260	!! !!	**	11	110	lt ' wechen			
32	201134	11	**	11	" '	' washer			



PRESSER FOOT AND LIFT MECHANISM


Ref.		
No.	Part No.	Description
1	205202B	Presser arm
2	5214	" " screw
3	202505	" swing-out connection
4	5164	" " hinge screw
5	201141	" " bushing
6	202575A	" " bracket
7	5266	11 11 14 14 14
8	202574	Foot lift lever shaft
9	202576	
10	202577	tiffust Collar
11		retarning ring
	202589	busining (5)
12	202578	Presser arm guide
13	5117	SCIEM
14	202503	regulator
15	5214	" " screw
16	202683	" stopper
17	•5345	" " screw
18	5258	" regulating screw (eccentric)
19	5137	" " " nut
_20	202451	Chain cutter knife
21	2921	" " screw
22	202504A	Presser foot holder
23	4009-1	" " clamp screw
24	202799	" foot
25	201224B	" chaining-off finger
26	5089	" " screw
27	201156	" hinge spring
28	202512A	" regulator
29	1229	" " screw
30	205342	" " uncurler
31	5428	" " screw
32	201265B	" " fabric guard
33	1231	" " " screw
34	202507	" bar, complete with 202508, 202509, 202778 & 202779
35	201148A	par shring
36	202518A	Housing
37	2903	SCIEW (2)
38 30	202510	Pressure regulating thumb screw
39	202871	TOCK HAL
40	202511	Hand lift lever
41	5256	SCIEW
42	201160B	Foot lift lever
43	202868	uruge bru wasuer
44	201161	pin .
45	2022	" " screw
46	201162A	" " spring
47	201163	" " intermediate lever
48	201164A	" " collar
49	2022	" " screw
_50	2022-4	" " " " (with hex. head)
51	201165	" lever connecting pin
52	201166	" " " split-pin (2)
53	201167A	" " bracket
54	5142	" " " screw (2)
55	5097	" " regulating screw (2)
56	3044	" " " nut (2)



(1) PUMP LUBRICATING MECHANISM


```
Ref.
No.
     Part No.
                 Description
     205378
                 Gear pump, complete with parts of Ref.Nos.1-12
  1 *201288A
                      pump housing, complete with 201548x2, 201289A,
                            201290A, 2213-1x2, 201291 & 201292 housing screw (4)
       2213-1
  3 *201293A
                            casing plate
                   11
        5117
                                           screw (4)
  5 *201294
                            (right)
                 Pump gear
                   11
                         11
  6 *201295
                            (left)
  7 *201296
                   11
                         **
                            shaft (long)
                   11
                         11
  8 *201009
                                          key
                   11
                         #
                              11
  9 *201297
                                   (short)
                   11
                         11
                                      **
                                            screw (2)
 10
       1458
 11 *201299
                 Worm wheel
 12
        5060
                             screw (2)
     201338
                 Oil screen filter, complete with 201339 & 201340
 13
     201311
 14
                             filter gasket
                         11
                  11
                                 " frame
 15
     201341
                         11
                                 IŤ
 16
       1175-2
                  11
                                     screw (3)
 17
     201334B
                 Oil pan
                  11
                      11
 18
     201335
                          gasket
                  11
                          filter (2)
 19
     201487
                  11
 20
        5138B
                     drain plug screw
     202287A
                  11
                       11
                              11
 21
                                        washer
                  11
                     pan bolt (4)
 22
        5150B
                            " washer (4)
     204806
 23
```

^{*} It takes three months to ship after receipt of order.




(2) PUMP LUBRICATING MECHANISM


```
Ref.
     No.
         Part No.
                     Description
                     Oil cooler assembly, complete with 201343B, 201344B & 201484
           201342B
        2
           201345A
                            11
                                tube clamp
                      11
        3
            3001
                                  11
                                            screw
        4
          201315
                                retaining plate
        5
          201316
                      11
                            11
                                                 gasket
                      11
        6
            5152
                                               screw (2)
                      11
                            11
                                    11
                                            11
       7
                                               " washer (2)
          200149
                      11
205503 8
          TROSONY-
                         distributor
        9
            5095
                      11
                             11
                                     screw (2)
       10
           202903
                                     plug
                      11
      11
           201323
                                     oil splash screw (right)
                      11
                                     " " (front)
      12
          201324
      13 202794
                      11
                         splash indicator, complete with 202792 & 202793
                      11
      14 201327
                         tube, complete with 201757 - for worm gear
                      11
      15 201759
                         tube joint washer (2)
                              joint
      16
           201758
                      11
                           11
          202208
      17
                              clamp
                               " screw
                      11
                           11
      18
            5117
                      11
                           11
      19
                              joint (4)
         201300A
                      11
                           11
       20
          201301
                              " oil splash screw (4)
                               11 11 11
                      11
                           11
                                                " washer (7)
       21
          202287A
                      11
                           11
                              clamp, complete with parts of Ref.Nos.23-26 (6)
20551722
          TR140NY
                      11
                           11
      23
          TR156NY
                              clamp (6)
                                " screw (6)
" washer (6)
      24
          TR157NY
                      11
                           11
                      11
                           11
       25
         TR158NY
      26 TR159NY
                      11
                         11
                                11
                                     " nut (6)
       27
          201319A
                         pump tube
                               " spring
       28
          201304
                         distributor tube, for TRO79NY
                      11
       29
          201320-1
       30 202931
                      11
                                     tube
      31
                      11
         202928
                         distributor, for TRO79NY
                      11
       32
           1156
                         distributor screw
                      11
                                     tube joint oil splash screw (2)
       33
          200152
                      11
                                      " joint (2)
       34 200136
                      11
                              11
                                       11
                                                oil splash screw washer (4)
       35
          200138
       36
           200134A
                     11
                              11
                                      tube
                              11
                                       " clamp (2)
       37
           202199
```



(3) PUMP LUBRICATING MECHANISM

```
Ref.
       No.
            Part No.
                        Description
             206233
         1
                        Oil cleaner
                               11
         2
             206429
                                     box
                                11
         3
                                      11
               5186
                                          screw (2)
                         11
                                11
                                      11
                                          cap
         4
            206430
                         11
         5
               5152
                                11
                                       11
                                           " screw (3)
                         11
                                11
                                      11
         6
                                           " ring
             206431
                         11
                                11
         7
                                       11
             204185
                                          'o' ring (2)
         8
            TR160NY
                                          bracket, complete with TRO95NY & TRO96NYx2
         9
                         11
                                11
                                       11
              5002
                                          bracket screw (4)
                         11
                                11
                                       11
             TRO95NY
 205506
                                          bracket
                                11
                                       11
 205507
             TROSONY
                                                   joint (2)
205508 10
            TROSSNY
                         11
                            flow regulator casing
                         11
205509 11
            TRO99NY
                               11
                                  regulator
               5029
                         11
                               11
                                      11
        12
                                             stop screw
                                      11
            TRIO2NY-
2055/0 13
                                             spring
                         11
                                      11
        14
               5138B
                               11
                                             screw
        15
                         11
                              11
                                      11
                                               " washer
             202287A
        16
               5261
                        Dead hole plug screw
                        Oil tube (2)
        17
             202929
                               11
        18
            202930
                                  spring (2)
                         11
2055/719 TR140NY
                                  clamp, complete with TR156NY, TR157NY, TR158NY & TR159NY
                         11
                               11
                                  clamp (2)
       20
            TRI56NY
                               11
                                    11
        21
            TR157NY
                                         screw (2)
                                          11
        22
             TRI58NY
                                               washer (2)
                         11
                               11
                                    11
                                           11
        23
            TR159NY
                                               nut (2)
                              11
        24
                                  clamp (4)
             201303
                         11
        25
            201300A
                            splash joint (2)
                         11
                                11
        26
            201301
                                    screw (short)
                         11
                                11
        27
                                           washer (3)
             202287A
2055/228
                                11
                                       11
                                           washer
             TRIOINY
2055/1/29
             TRIOONY
                                           (long)
```






SPECIFIC PART ASSORTMENTS

```
Ref.
      No.
          Part No.
                    Description
                    *** Parts for model R57-14S only ***
205483
          TR154NY
                    Type plate - not shown
       1
           205358
                    Needle plate
        2
          202842
                    Right looper - #2 stamped
                    *** Parts for model R57-57S only ***
205484
          TR155NY
                    Type plate - not shown
           205239
                    Needle plate
           205250
        4
                    Main feed dog
       5
                     " screw
            1202
        6
           202544D
                    Differential feed dog
       7
            1202
                                          screw
          205253
       8
                    Presser foot body
       9
                      11
                              " chaining-off finger
          201224B
                       11
                              11
                                  11
       10
            5089
                                                     screw
                       11
                              11
      11
           205342A
                                 uncurler
                                  " screw
       12
            5428
                       11
                              11
      13
           201265B
                                 fabric guard
                       11
                              11
      14
            1231
                                    11 11
                                              screw
      15
           202874
                    Right looper - #1 stamped
           201037
                    Needle thread tension spring (heavy) - not shown
           201086
                    Left looper thread tension spring (middle) - not shown
205500 -/0 TRO38NY-10 Main feed eccentric - #10 - not shown
 205500 -8 TRO38NY-8 Diff. feed eccentric - #8 - not shown
```

ATTACHMENTS	AT	TA	C	H٨	٨E	N	T	5
-------------	----	----	---	----	----	---	---	---


	201500	Edge guide, complete with parts of Ref.Nos.16-24
16	201232A	" guide arm holder
17	1202	" " screw (2)
18	201485	" " arm
19	201191	" " hinge screw washer
20	5184	" " screw
21	3044	" " " nut
22	201233A	" guide
23	1202	" " screw
24	137906	" " washer
	205355	Eye guard, complete with parts of Ref. Nos. 25-29
25	204924	" guard
26	204925	" screw nut washer
27	2918	" " screw (2)
28	5099	" " nut (2)
29	205345	" hinge, complete with 204923, 204926, 204927, 205343 & 204989x2
30	205340	Upper knife cover
31	205344	Eye guard hinge base
32	5405	" " screw (2)
33	200821	" " " washer (2)




From the library of: Superior Sewing Machine & Supply LLC

PLAIN FEED DRIVE MECHANISM FOR MODEL R57-14S ONLY


	Ref. No.	Part No.	Descr	ipti	on.											
	1	201093A	Plain					127								
	2	205356	11	"	uve											*
	3	1202	"	"		~~~										
	4	202671	Auxil			100000000000000000000000000000000000000										
	5	5335	11		11	" scr	ew									
	6	202566	Plain			spacer						1				
20549	87	TRO85NY	11	"		connect	ing	link								
	8	206119	11	- 11		11		11	bushi	ing						
	9	206120	11	- 11	***	11		11	- 11		screw					
	10	3044	"	11	"	"		"	"		"	nut				
	11	200098	11	11	11	11	30/	11	11		11	11	wasl	ner		
20150	12	TRO93NY	11	11		11		11	colla	ar						
205500			-Feed	ecce	ntri	- #5										
205501	14	TRO84NY			3 11	needle	bear	ing								
	15	5213	11		11	lock nu	ıt									
	16	202924	11		11	11 1	' wa	sher		1			0 .			
	17	202200	11	bar	tilt	adjust p	oin									
	18	2022	11	11	11	11	" S	crew								
	19	205133	11	11	lift	block										
	20	201107	11	11	guide	block										
	21	201109	11	11	11	(right))									
	22	1175-3	11	11	11	11		ew (2)							
•	23	167066	11	11	11	. 11	11	W	asher	(2))					
20549	7 24	TROS2NY	11	11	11	(left)				200						
	25	5095	11	11	11	"	scre	w (2)							
	26	202943	Crank	shaf	t bea	aring (le	eft)	reta	iner					es.	3000	
2055/6		TR166NY				cover,				TRO	94NY	& TRO	08817	7		
/-	28	5215	11		11	cover s										
	29	201191	11		11	11	11	was	her							



Ref.		
No.	Part No.	Description
	300237	KSR-570 head complete
1	300212	Chain cutter frame
2	1189	" " screw (3)
3	300045	" " bracket
4	5205	" " " screw (2)
5	300046	" " base
6	300047	Stationary blade
7	5022	" " screw (3)
8	300236	Movable blade
9	300234	" guide
10	303278	" " spring
11.	300235	" " screw nut
12	4009-1	" " screw
13	1186	" screw
<u>14</u> 15	5408	Pressure regulating screw
15	5409	" " nut
16	300135A	Movable blade guide pin
17	300056	Stationary blade fabric guard - used in place of Cloth Plate Fabric Guard




Ref.										
No.	Part No.	Descript	ion							
	300241	KSR-571	head	complet	te					
1	300111	Chain cu	tter	frame						
2	1189	11	11	11 5	screw (3	3)				
3	300045	11	11	ן יי	bracket	•				
4	5205	11	11	11	11	screw	(2)			
5	300046	19	11	11	11	base				
6	300112	Stations	ry b	lade						
7	5022	11	_	" sci	rew (3)		•			
8	300247	Movable	blade	Э						
9	300051A	11	11	guide						
10	303278	11	11	11	spring					
11	300235	11	11	11	screw I	nut				
12	4009-1	11	11	11	screw					
13	1186	11	11	screw						
14	300248	11	17	11	washer					
15	300135A	11	17	guide	pin					,
16	300115	Stations	ry b	lade fal	bric gua		used in Fabric G	_	f Cloth	Plate



THREAD STAND

Ref.			Spoo	
No.	Part No.	Description	3	4
	208	Thread stand, complete - 3 spools	1	-
	209	" stand, complete - 4 spools	· -	1
1	216	" stand upper rod	1	1
2	217	" " " screw	1	1
3	218	" " lower rod	1	1
4	219	Spool pin bracket	1	_
5	243	" " clamp plate	1	-
6	220	" " bracket	-	2
7	221	" " clamp screw	2	2
8	222	" " nut	2	2
9	223	" pin	3	4
10	224	" " washer	3 3 3 3	4
11	225	" " nut spring washer	3	4
12	226	" " nut	3	4
13	227	" tray	3	4
14	228	" retaining fin	3	4
15	229	Thread guide bar rod bracket	1	1
16	230	" " " clamp screw	1	1
17	231	" " " " " " nut	1	1
18	232	" " rod	1	1
19	230	" " screw	1	1
20	231	" " " nut	1	1
21	233	" " " retaining block	1	1
22	230	" " " " clamp screw .	1	1
23	231	" " " " " " nut	1	1
24	234	" " bar	1	1
25	230	" " clamp screw	1	1
26	231	" " " " nut	1	1
27	235	" " wire (long)	2	_
28	236	" " " lock nut	2	
29	237	" " (short)	1	4
30	236	" " " lock nut	1	4
31	260	" " holder	1	· –
32	261	" " holder	-	1
33	239	" " screw	1	1
34	240	" stand base	1	1
35	241	" " wood screw	3	
36	242	" " rod screw	2	3 2
-	- • -			



ACCESSORIES

Ref.		Description year and Alle also stay	Machine model.
481	127	00101101101 (10100)	BEO-FEE
2 3	128 129	" (medium) " (small)	
4	152	Socket wrench	
5	154		
2055006	TRO38NY-xx	" eccentric - see Page 36	
- 7		Needle (10 pieces)	
8	134	Oil container (750cc) 10% Manua subsets	
9	245	Treadle m wewol mengu mast drawn that dain	
10	135A	Oil funnel - CASTON AND FOR ESTATE TARGOT SANOT	
11	202295 201127	Lower knife - for Models R57-03S & R57-14S " knife - for Model R57-57S	R57-1.48
12	153	Threading wire	
13	131	Tweezers	876-77S
14	132	Oiler	
15	126	Treadle chain	
16	130	Wrench - 12mm & 14mm	
17	286	" - 9.5mm	
18	284	" - 7.0mm	
19	283	" - 6.0mm	
20	282	" - 5.0mm best states notated	enidosM
21	200	Allen key	
		ANGELIES STEEDEN MISSELL PROTOS 990108	
		INVERT. DESTRUCT ANSERT SECTOR	

LIST OF ORGANIZATION PARTS

model G	auge		Feed dog			Presser			
		plate	main	diff.	aux.	poda	finger	fab.guard	uncurler
R57-03S 51	mm	205322	205248	202854A		202799	201224B	201265B	205342A
R57-14S 4	mm	205358	205356		202671	tt	11	ti .	11
R57-578 31	mm	205239	205250	202544D		205253	H .	n	11

							Feed	eccentri	cs (TR	038 ny-)
Machine model	Looper right	left	Needle (guard rear	Knives upper	lower	with main	machine diff.		cessory diff.
R57-03S	202842	202861	201248B	201249В	201121A	202295	6	6	5.5	7
R57-14S	11	11	11	H.	11	11	6		8	,
R57-57S	202874	TT .	11	11	11 .	201127	10	8	10	14

Machine model	needle	n springs left looper thread	Feed mechanism cover	KS chain cutter	Type plate
R57-03S	201086	201086	TR165NY	KSR-572	TR153NY
R57-14S	11	201068	TR166NY	KSR-570	TR154NY
R57-578	201037	201086	TR165NY	KSR-572	TR155NY