




Spare Parts Catalogue

PFAFF 3335

PFAFF INDUSTRIEMASCHINEN GMBH KAISERSLAUTERN

Preface

This parts catalogue contains the front parts, arm parts, cylinder bed parts, machine base parts and accessory parts of the Pfaff 3335-0-1 as well as the organizational parts of Pfaff machines 3335-0-5, 3335-0-317/1 and 3335-300. Also included are two tables of organizational parts for Pfaff machines 3335-0-317/1 through /32 and 3335-300 through -309 as well as a list of obsolete parts.

Parts which differ according to the model (A, B or C), such as take-up lever and needle bar, are compiled in a table on page 4.

Wherever feasible, the individual parts which make up an assembly have been grouped on the illustration pages as they are arranged in the machine.

All underlined part numbers signify assemblies which are made up of several component parts.

An asterisk preceding the part number indicates that this part is available in an obsolete version also. Whenever this part needs replacement in an older machine, the obsolete version must be reordered.

A numerical index of all parts listed is included on the last pages of this catalogue.

Part number changes will be published on correction sheets and disseminated with our circulars.

Subject to alterations in design.

August 1964

PFAFF		Part Number Change		Section III; 3 3335-0
To be filed with page: 15		Change No.: 1-24 574	Date: Apr. 14, 1965	
Old Parts		New Parts		
28 007 Washer for No. 701 515 used with Nos. 24 588; 24 591		91-029 535-15 Washer for No. 701 515 used with Nos. 24 588; 24 591		
700 297 Fastening screw for No. 11 126		11-130 284-15 Fastening screw for No. 11 126		
Remarks: No. 28 007 can be replaced by No. 91-029 535-15. No. 700 297 can be replaced by No. 11-130 284-15.				

No. 8/engl.

PFAFF		Part Number Change		Section V; 1 3335-0
To be filed with page: 23		Change No.: 1-25 211	Date: Oct. 20, 1965	
Old Parts		New Parts		
<u>6764</u> Oscillating rock shaft, complete		<u>91-006 782-91</u> Oscillating rock shaft, complete		
Remarks: Assembly number was changed, while components remained the same.				

No. 9/engl.

PFAFF		Part Number Change		Section IV;3 3335-0
To be filed with page: 19		Change No.: 1-25 379	Date: Jan. 3, 1966	
Old Parts		New Parts		
701 063 Fastening screw 2x, (not ill.) for No. 24 578		11-130 458-15 Fastening screw 2x, for No. 24 578		
Remarks: Cylinder bed No. 24 578 was reinforced which made it necessary to lengthen the two rear screws.				

No. 10/engl.

PFAFF		Part Number Change		Section V;2 3335-0
To be filed with page: 23		Change No.: 1-25 593	Date: Feb. 28, 1966	
Old Parts		New Parts		
23 005 Slip washer for No. 24 508		12-640 200-55 Slip washer (O.D. 13.7 mm) for No. 24 508		
Remarks: No. 23 005 cannot be replaced by No. 12-640 200-55.				

No. 11/engl.

From the library of: Superior Sewing Machine & Supply LLC

PFAFF		Part Number Change		Section III; 4 3335-0
To be filed with page: 15		Change No.: 1-25 627	Date: March 11, 1966	
Old Parts		New Parts		
2170 Slide block for No. 124 149		91-126 687-05 Slide block for No. 124 149		
Remarks: No. 2170 can be replaced by No. 91-126 687-05.				


No. 12/engl.

PFAFF		Part Number Change		Section VI; 1 3335-0
To be filed with page: 27		Change No.: 1-25 705	Date: March 24, 1966	
Old Parts		New Parts		
24 553 Plastic pad for No. 24 506				
Remarks: No. 24 553 deleted on Pfaff 3335-0.				

No. 12/engl.

		Part Number Change		Section I;1 3335-0
To be filed with page: 7		Change No.: 1-26 012	Date: June 30, 1966	
Old Parts		New Parts		
437 Driving screw for No. 22 860		91-100 147-15 Driving screw for No. 22 860		
Remarks: No. 437 can be replaced by No. 91-100 147-15.				

No. 14/engl.














Automatic Bartackers

- PFAFF 3335-0-1** Automatic lockstitch bartacker fitted with link take-up, central bobbin shuttle, tack length and width adjustment, positive thread nipper, needle and bobbin thread trimmer, work clamp lifter locking device, and automatic stop motion.
- PFAFF 3335-0-5** Same as Pfaff 3335-0-1, but fitted with special work clamp.
- PFAFF 3335-0-317** Same as Pfaff 3335-0-1, but fitted with special work clamp and larger needle plate.


Component Parts of Pfaff Machines 3335 and 3335-0 in Models A, B and C

Part Name	Model		
	A	B	C
Needle bar crank	22312	22312	22539
Take-up lever, complete	22122	22122	22542
Take-up lever link	7016	7016	22776
Take-up crank	22313	22313	22541
Needle bar frame, complete	22450	22450	22569
Needle bar	722451	722451	722567
Needle plate, complete	24557 48666 (for -317)	124347	124348
Needle plate	24515 48668 (for -317)	24515	24515
Needle plate insert	22111	65543	65546


Front Parts



700058	Fastening screw for No. 8020	8020	Lifting bracket guide for No. 22037
64	Fastening screw for Nos. 8021; 22514	8021	Lifting bracket guide for No. 22037
73	Fastening screw for No. 22860	8618	Oil tube, 1½" long, for No. 22775
700073	Fastening screw for Nos. 22455; 22568 and binding screw for No. 22115	8648	Thread check spring
94	Fastening screw for No. 7705	10104	Hinge stud for No. 22568
700150	Fastening screw for No. 6632	10181	Tension release washer for No. 20363
700152	Fastening screw for No. 10104	10183	Tension spring for No. 20363
700153	Fastening screw for No. 20363	20338	Thread guide for No. 22455
700173	Fastening screw for No. 20361	20361	Thread tension, lower, complete, consisting of Nos. 94; 729; 1522; 2061; 2065; 2531; 7705; 7718; 8648; 105447
219	Fastening screw for No. 22325	20363	Thread tension, upper, complete, consisting of Nos. 905; 1636; 2065; 10181; 10183; 105447
700288	Fastening screw for No. 22104 and needle set screw	22037	Presser bar lifting bracket
700336	Fastening screw for No. 22388	22104	Thread wiper wire for No. 22398
392	Regulating screw for No. 6525	22115	Needle bar connecting stud
437	Driving screw for No. 22860	22122	Take-up lever (Models A & B) complete, consisting of Nos. 700073; 6632; 7014; 7015; 7016; 22115; 22313; 22775; 100213
510	Fastening screw for No. 22037	22128	Tension release plunger for No. 20361
624	Fastening screw for No. 729	22286	Thread wiper wire bracket for No. 22398
700681	Fastening screw for No. 22286	22313	Take-up crank (Models A & B)
700717	Fastening screw for No. 22861	22325	Thread nipper spring for No. 722451
729	Tension stud for No. 20361	22388	Thread guide
905	Tension stud for No. 20363	22398	Thread wiper, complete, consisting of Nos. 700288; 22104; 22286; 22975; 100217
1241	Hinge screw for No. 22993	22450	Needle bar frame (Models A & B), complete consisting of Nos. 219; 700288; 10104; 22325; 722451; 22568
1522	Nut for No. 729	722451	Needle bar (Models A & B)
1636	Nut for No. 905	22455	Face plate, complete, consisting of Nos. 6640; 20338; 22456
2061	Tension spring for No. 20361	22456	Face plate
2065	Tension disc for Nos. 20361; 20363	22514	Tension release bracket for No. 22037
2531	Tension release washer for No. 20361	22568	Needle bar frame
2536	Washer for No. 64	22672	Oil Wick for No. 5544
3005	Tension release pin for No. 20361	22775	Needle bar connecting link
5544	Oil tube, 1" long, for No. 7016	22860	Thread wiper lever for No. 22975
6219	Washer for No. 700681	22861	Clamp foot lifting lever
6523	Presser bar	22975	Thread wiper wire holder for No. 22398
6525	Presser bar spring	22993	Thread nipper lever for No. 22325
6526	Washer for No. 392	63048	Oil tube, 1³⁄₃₂" long, for No. 7014
6611	Thread guide	63049	Oil wick for No. 63048
6616	Oil wick for No. 8618	*100213	End screw for No. 22313
6632	Hinge stud for No. 7016	*100217	Hinge screw for No. 22975
6640	Rivet for No. 20338	105447	Washer for Nos. 1522; 1636
7014	Take-up lever		
7015	Hinge pin for Nos. 7014; 7016		
7016	Take-up lever link (Models A & B)		
7705	Thread check spring stop for No. 20361		
7718	Tension bracket, with fastening screw No. 624, for No. 729		




Arm Parts



- | | |
|---|--|
| 11 Hinge screw for No. 22059 | 20272 Stop cam spring for No. 20658 |
| 29 Hinge screw for No. 25165 | 20275 Novotex segment for No. 20658 |
| 46 Set screw for No. 22334 | 20276 Idler pulley |
| 58 Fastening screw for cap of No. 22059 | 20399 Ball bearing for No. 20276 |
| 700082 Fastening screw for Nos. 21030; 22328; 22454 | ★ 20658 Driving pulley w/
No. 700689 Fastening screw for No. 20658
No. 20061 Position pin for No. 21164 |
| 87 Fastening screw for No. 22335 | ★ 20659 Cap ring for No. 20658 |
| 700150 Fastening screw for Nos. 20002; 20205;
21195; 22042 | 21030 Stop tripping segment for No. 24934 |
| 153 Fastening screw for No. 22313 (see page 1) | 21111 Positioning pin for Nos. 24605; 24606 |
| 700243 Fastening screw for No. 22330 | 21164 Check block for No. 20272 |
| 700252 Fastening screw for Nos. 22333; 24606
and binding screw for Nos. 22331; 22334 | 21195 Arm shaft bushing, rear, w/oil wick No. 10198 |
| 700277 Fastening screw for No. 20659 | 21208 Feed cam position stud for No. 22009 |
| 700364 Spring suspension screw for No. 7329 | 22001 Arm shaft |
| 367 Fastening screw for No. 22313 (see page 1) | 22009 Worm wheel shaft |
| 405 Fastening screw for No. 22312 | 22042 Knife cam positioning flange for No. 22228 |
| 456 Fastening screw for No. 22312 | 22059 Shuttle drive connecting rod
w/fastening screw No. 58 |
| 700510 Fastening screw for
worm wheel of No. 24732 | 22228 Knife cam |
| 511 Fastening screw for No. 61104 | 22312 Needle bar crank (Models A & B) |
| 700680 Fastening screw, pointed,
for worm of No. 24732 | 22328 Thread nipper rod extension for No. 22329 |
| 700689 Fastening screw, blunt,
for No. 20658 and worm of No. 24732 | 22329 Thread nipper rod |
| 700865 Fastening screw for No. 22228 | 22330 Bearing bracket for No. 22329 |
| 701342 Fastening screw for No. 24605 | 22331 Thread nipper crank |
| 1512 Nut for No. 11 | 22332 Thread nipper hinge stud |
| 1513 Nut for No. 22329 | 22333 Top cover |
| 701515 Nut for No. 22506 | 22334 Thread nipper tripping lever |
| 1547 Nut for No. 46 | 22335 Finger for No. 22334 |
| 701635 Nut for No. 21208 | 22454 Thread nipper tripping segment for No. 24934 |
| 701638 Nut for No. 22009 | 22506 Thread guide |
| 1848 Positioning pin
for worm wheel of No. 24732 | 24605 Worm wheel shaft bearing bracket, front |
| 2056 Positioning pin for No. 20658 | 24606 Worm wheel shaft bearing bracket, rear |
| 7329 Tension spring for No. 22334 | 24732 Worm gear assembly, w/
No. 700510 Fastening screw
for worm wheel
No. 700680 Fastening screw, pointed,
for worm
No. 700689 Fastening screw, blunt,
for worm |
| 11238 Oil tube, 2 ⁹ / ₁₆ " long, for No. 24606 | 24934 Feed cam, w/
No. 700082 Fastening screw for Nos. 21030;
22454
No. 21030 Stop tripping segment
No. 22454 Thread nipper tripping segment |
| 18358 Oil cup for No. 20002 | 25165 Thread nipper rod joint for Nos. 22329;
22331 |
| 20002 Arm shaft bushing, front, w/ oil pad No. 12199
(outside dia. 1 ⁹ / ₆₄ " or 1 ³ / ₁₆ " = 29 or 30 mm) | 61104 Set collar for No. 22001 |
| 20061 Position pin for No. 20658 | ★ 101885 Positioning pin for No. 22042 |
| 20062 Stop cam for No. 20658, w/ position pin
No. 20063 for No. 21164 | 24577 Arm (not. ill.) |
| 20063 Position pin for No. 20062 | |
| 20205 Arm shaft bushing, center (outside dia. 1 ¹ / ₈ "
or 1 ⁹ / ₆₄ " = 28.5 or 29 mm) | |




Arm Parts



700017	Hinge screw for No. 22530	20353	Ball joint for No. 22772, complete, consisting of
700058	Fastening screw for No. 22533		No. 20345 Ball joint end bearing
700150	Fastening screw for No. 20030		No. 20346 Ball joint
700152	Fastening screw for No. 20481	20386	Pressure spring for No. 20067
153	Fastening screw for No. 700592	20387	Spring collar for No. 20386
700230	Set screw for No. 23019	20396	Oil felt washer for No. 20067
700297	Fastening screw for Nos. 11126; 21196	20467	Stop pin for No. 17584
700323	End screw for Nos. 20066; 20085; and fastening screw for No. 22586	20481	Stop pin for No. 23019
700352	Fastening screw for No. 20265	21065	Roller for Nos. 24588; 24591 (Orders should specify the number of dots on the face side: 1 x = 12.70 mm, or .4999" dia.; 2 x = 12.72 mm, or .5007" dia.; 3 x = 12.74 mm, or .5015" dia.; 4 x = 12.76 mm, or .5023" dia.)
700364	Spring suspension screw for No. 7329	21093	Brake block, complete, consisting of Nos. 21094; 21095; 25998
407	Fastening screw for No. 24594	21094	Brake block for No. 21093
700545	Spring suspension screw for No. 7329	21095	Brake lining for No. 21093
700592	Hinge screw for No. 24535	21097	Brake regulating bracket for No. 21093
700654	Spring suspension screw for No. 20349	21196	Belt shifter
700655	Hinge screw for No. 22773	21372	Washer for No. 11176
700659	Spring suspension screw for No. 9624	22003	Lifting lever
700660	Hook suspension screw for No. 22003	22004	Lifting lever guide
700686	Fastening screw for Nos. 22512; 22680	22171	Connecting rod for No. 22772
717	Fastening screw for No. 22680	22238	Bearing bracket for No. 24535
700809	Fastening screw for Nos. 20353; 22004	22512	Ball joint connection, complete, consisting of
700926	Fastening screw for No. 21097		No. 20346 Ball joint
700964	Hinge screw for Nos. 20065; 20066		No. 22511 Connection
700965	Spring suspension screw for No. 11903	22513	Bracket for Nos. 22512; 22680
700990	Fastening screw for Nos. 20269; 20271; 22238	* 22530	Locking lever
701000	Fastening screw for Nos. 22512; 22513	22533	Bracket for No. 22530
701154	Fastening screw for No. 20265	22586	Tripping dog for No. 22701
701199	Hinge screw for Nos. 20065; 20067	22680	Lifting lever stop for No. 22003
1207	Fastening screw for cap of No. 24613	22701	Tripping lever
701216	Hinge screw for No. 23019	22772	Ball joint connection for No. 22530, complete, consisting of Nos. 701662; 20353, complete; 22171; 22773
701397	Fastening screw for Nos. 24589; 24592	22773	Connecting rod joint for No. 22772
701511	Nut for No. 700017	23019	Brake lever
701515	Nut for Nos. 700230; 700686; 701000; 124150	24429	Stop for No. 24593
701578	Wing nut for No. 24595	24535	Knife bar tripping lever for No. 124149
701658	Nut for No. 20067	24586	Slide block for No. 24588
701662	Nut for Nos. 701199; 22171	24587	Slide block stud for No. 24588
701705	Nut for No. 24587	24588	Feed regulator
1759	Slide block stud for No. 2170	24589	Hinge stud for No. 24588
1849	Roller stud for No. 1864	24591	Feed across regulator
1864	Roller for No. 24535 (outside dia. = 7.0 mm; 7.02 mm; 7.04 mm; 7.06 mm; 7.08 mm; optional)	24592	Hinge stud for No. 24591
2160	Washer for No. 2170	24593	Ball joint connection, complete, consisting of Nos. 407; 24594; 24595; 24596; 24613
2161	Positioning pin for No. 2160	24594	Guide fork for No. 24593
2170	Slide block for No. 124149	24595	Ball screw stud for No. 24593
2264	Positioning pin for Nos. 22004; 22238	24596	Ball stud for No. 24593
2536	Washer for No. 700058	24613	Ball joint connection, w/fastening screw No. 1207, for No. 24593
7328	Chain suspension hook for No. 22003	25694	Pressure spring for No. 20396
7329	Tension spring for No. 22701	25998	Rivet for No. 21095
9624	Tension spring for No. 23019	28007	Washer for Nos. 700990; 22512; 701515
11126	Stop motion lever hinge stud	28200	Washer for No. 20481
11176	Circlip for No. 20069	30240	Friction roller for No. 153
11903	Tension spring for No. 17584	30313	Washer for No. 25694
12526	Washer for No. 701578	31788	Circlip for No. 24587
16328	Slip washer for No. 700660	98264	Spring washer for No. 701662
17584	Stop motion lever	124149	Knife bar tripping lever, complete, consisting of: Nos. 1759; 1849; 2160; 2161; 2170; 24535
20030	Hinge stud for No. 22003	124150	Roller stud for Nos. 24588; 24591
20065	Stop link		
20066	Hinge stud for No. 20065		
20067	Stop link rod		
20069	Hinge stud for No. 20067		
20085	Hinge bolt for No. 22701		
20086	Washer for Nos. 700323; 20066; 20085		
20265	Bearing bracket for No. 17584		
20269	Catch for No. 17584		
20271	Latch for No. 22701		
20335	Roller stud, flanged, for No. 1864		
20349	Spring suspension bracket for Nos. 11903; 17584		


Cylinder Bed Parts



700173	Fastening screw for Nos. 22091; 24513; 24557	24532	Pressure spring, left, for No. 24615
★ 700230	Fastening screw for No. 24598	24533	Pressure spring, right, for No. 24615
700252	Fastening screw for No. 24599	24557	Needle plate (Model A), complete, consisting of Nos. 512; 700772; 22093; 22099; 22111; 24515; 101501
512	Fastening screw for No. 22111	24586	Slide block for No. 24597
700681	Fastening screw for No. 24512	24597	Feed across driving lever for No. 24611
700772	Fastening screw for No. 22099	24598	Fulcrum stud, lower, for No. 24597
700799	Fastening screw for Nos. 22452; 22453	24599	Cylinder arm top cover
701029	Fastening screw for No. 24935	24604	Slide block stud for No. 24597
701041	Fastening screw for Nos. 24936; 24937	24607	Work clamp frame for No. 24615
701099	Fastening screw for No. 22241	24608	Slide plate for No. 24615
★ 701269	Fastening screw for No. 24616	24611	Feed plate carrier bar for Nos. 24935; 24938
701278	Fastening screw for No. 24623	24615	Work clamp, complete, consisting of Nos. 701041; 701269; 701508; 22252; 245532; 24533; 24607; 24608; 24616; 24622; 100030
701344	Fastening screw for No. 24938	24616	Work clamp face plate for No. 24615
701386	Fastening screw for No. 24621	★ 24621	Fulcrum stud, upper, for No. 24597
★ 701387	Fastening screw for No. 24596 (see page III)	★ 24622	Work clamp foot bracket for No. 24615
701508	Regulating nut for No. 22252	24623	Cover for No. 24599
5548	Washer for No. 701029	24935	Work clamp, w/work clamp feet, complete, consisting of Nos. 24615, complete; 24936; 24937
22091	Position bracket for No. 22241	24936	Work clamp foot, left
22093	Knife carrier for No. 24557	24937	Work clamp foot, right
22099	Knife holder pinion stud bracket for No. 24557	24938	Feed plate
22111	Needle plate insert for No. 24557 (Model A)	100030	Fastening screw for No. 24608
22241	Knife bar tripping fork for No. 24511	101501	Nut for No. 700772
22252	Stud, threaded, for No. 24615	24578	Cylinder arm (not ill.)
22452	Bobbin thread knife for No. 24557	701063	Fastening screw for No. 24578 (not ill.)
22453	Needle thread knife for No. 24557	★ 101824	Positioning pin for No. 24578 (not ill.)
24511	Knife bar		
24512	Knife bar rack for No. 24511		
24513	Position bracket for No. 24511		
24515	Needle plate for No. 24557		

Organizational Parts of the Pfaff 3335-0-1/2 (not ill.) (For standard parts please refer to the Pfaff 3335-0-1/1)

24939	Work clamp, w/ work clamp feet, complete, consisting of Nos. 24615, complete; 24940; 24941
24940	Work clamp foot, left
24941	Work clamp foot, right
24942	Feed plate




Cylinder Bed and Machine Base Parts




700070	Fastening screw for No. 24254	20273	Starting lever
700150	Fastening screw for No. 6571	21134	Positioning pin for Nos. 22565; 22566
700152	Fastening screw for Nos. 24585; 123778; 124148	21202	Pressure spring for No. 20273
* 700152	Fastening screw for No. 24582	21372	Washer for No. 701705
* 700230	Fastening screw for No. 24583	22061	Shuttle race
250	Regulating screw for No. 6892	22063	Shuttle race ring
700297	Fastening screw for No. 20273	22116	Pressure spring for No. 22063
700335	Fastening screw for No. 24505	22162	Shuttle race, complete, consisting of Nos. 700991; 22063; 22116; 24254 complete
* 589	End screw for No. 6569	22565	Shuttle race cap, left, for No. 24254
* 598	Slide block stud for No. 6569	22566	Shuttle race cap, right, for No. 24254
687	Fastening screw for No. 18502	22974	Shuttle race cap, left, for No. 24254
700689	Fastening screw for No. 24507	23005	Slip washer for No. 24508
700987	Guide screw for No. 21202	24048	Shuttle race, w/ shuttle and bobbin case, complete, consisting of Nos. 6694; 22162, complete; 24423 complete
700988	Set screw for No. 20273	24254	Shuttle race, complete, consisting of Nos. 700996; 21134; 22061; 22565; 22566
700991	Fastening screw for No. 22063	* 24423	Bobbin case, complete, consisting of Nos. 250; 2134; 6847, complete; 6892; 24424
700996	Fastening screw for Nos. 22565; 22566	* 24424	Bobbin case
701342	Fastening screw for No. 24510	24502	Cylinder arm cap w/ hinge pin No. 8814
701508	Nut for No. 100100	24505	Cylinder arm cap spring for No. 24502
1512	Nut for No. 598	24506	Machine base
701563	Nut for No. 700988	24507	Hinge stud for No. 24506
1635	Jam nut for No. 24509	24508	Plunger for No. 24506
701705	Nut for No. 24584	24509	Nut for No. 24508
2030	Bobbin	* 24510	Position block for No. 24506
2044	Positioning pin for No. 6569	24536	Pressure spring for No. 24508
2134	Pressure spring for No. 6848	24554	Rubber cushion
6568	Shuttle driver shaft crank	24582	Shuttle driver shaft bushing, front
6569	Shuttle driver shaft crank, complete, consisting of Nos. 589; 598; 1512; 6568; 6601; 6644	24583	Shuttle driver shaft bushing, rear
6570	Oscillating rock shaft for No. 6764	24584	Bearing stud for No. 65548
* 6571	Oscillating rock shaft hinge pin for No. 6764	24585	Bearing bushing for No. 65548
6601	Slide block for No. 6569	24601	Guide plate, left
6615	Oil pad for No. 6570	24602	Guide plate, right
* 6644	Washer for No. 6569	24619	Slide block for No. 24584
6694	Shuttle	24930	Shuttle driver shaft
6764	Oscillating rock shaft, complete, consisting of Nos. 6570; 6571	65548	Bearing stud, complete, consisting of Nos. 700152; 24584; 24585
* 6847	Bobbin case latch, complete, consisting of Nos. 6848; 6849; 100086; 101798	* 100086	Stop screw for No. 6848
* 6848	Bobbin case latch for No. 6847	100100	Set screw for No. 124148
* 6849	Bobbin case latch lever for No. 6847	100187	Fastening screw for Nos. 24601; 24602
* 6892	Tension spring for No. 24423	* 101798	Hinge pin for No. 6847
8814	Hinge pin for No. 24502	123778	Set collar for No. 24930
9149	Oil wick for No. 6571	124148	Shuttle race regulating bushing
11126	Starting lever hinge stud for No. 20273		
18502	Shuttle driver		


**Accessory Parts
PFAFF 3335 & 3335-0**



- 62 Set screw for No. 5566
- 73 Fastening screw for No. 29686
- 700073 Fastening screw for No. 53591
- 82 Fastening screw for No. 5567
- 700150 Fastening screw for No. 31559
- 700152 Fastening screw for No. 30135
- * 153 Fastening screw for No. 46566
- 273 Fastening screw for No. 46570
- 359 Hinge screw for Nos. 5564; 5565
- 363 Fastening screw for No. 41075
- 364 Hinge screw for Nos. 5568; 5569
- 366 Hinge screw for Nos. 5568; 5569
- 431 Fastening screw for No. 24506 (see page V)
- 737 Tension stud for No. 32303
- 700772 Fastening screw for No. 32300
- 700798 Hinge screw for Nos. 53593; 53594
- 700983 Hinge screw for No. 29959
- 701195 Fastening screw for Nos. 53596; 53597
- * 701286 Fastening screw for Nos. 32302; 32303
- * 701378 Fastening screw for No. 29960
- 1416 Wood screw for No. 46367
- 1417 Wood screw for No. 31560
- * 1417 Wood screw for No. 46598
- 1418 Wood screw for No. 29840
- 1435 Wood screw for No. 32215
- 1529 Nut for No. 431
- 1533 Nut for No. 737
- 701628 Wing nut for No. 700983
- 4531 Washer for No. 73
- 5005 Tension disc for No. 32303
- 5125 Tension spring for No. 32303
- 5564 Bobbin winder frame for No. 41075
- 5565 Bobbin winder frame base for No. 41075
- 5566 Bobbin winder stop latch for No. 41075
- 5567 Bobbin winder frame spring for No. 41075
- 5568 Bobbin winder stop latch trip lever for Nos. 5564; 5569
- 5569 Bobbin winder thumb lever for No. 41075
- 10107 Position pin for No. 5005
- 20565 Slip washer for Nos. 53593; 53594
- 21485 Chain for No. 20273 (see page V)
- 21486 Chain for No. 22003 (see page III)
- 24553 Plastic pad for No. 24506 (see page V)
- 25976 Spool cap for No. 46598 (on special request)
- 26110 Spool pin for No. 46598
- 26179 Spool disc for No. 46598
- 28043 Washer for No. 1529
- 29371 Hexagon screw wrench for No. 701705 on No. 24587 (see page III)
- 29520 Washer for No. 29840
- 29571 Catch for No. 29840
- 29601 Washer for No. 1416
- 29683 Eye guard, complete, consisting of Nos. 29684; 29959 complete (Special model)
- 29684 Perspex eye guard for No. 29683
- 29685 Holder for No. 29684
- 29686 Screw washer for No. 29685
- 29840 Catch for No. 32299, complete, consisting of Nos. 29571; 29841
- 29841 Leather for No. 29840
- 29959 Bracket, for No. 29683, complete, consisting of Nos. 73; 700983; 701628; 4531; 29685; 29686; 36153; 36154; 36155; 36156; 36157; 36158
- * 29960 Thread unwinder base, w/ fastening screw No. 701378, for No. 46598
- 30135 Set collar for No. 31559
- 31251 Treadle, narrow
- 31559 Chain suspension stud for No. 31560
- 31560 Treadle, narrow, complete, consisting of Nos. 700150; 700152; 30135; 31251; 31559
- * 31986 Belt guard for No. 31986, complete
- * 31986 Belt guard for No. 32299, complete consisting of Nos. 700772; 31986; 32214; 32300; 98929; 101501
- 32214 Spacer for No. 31986
- 32215 Position strap bracket for No. 32299
- 32218 Support for No. 32299
- * 32299 Belt guard, complete, consisting of Nos. 701286; 1418; 1435; 29520; 29840, complete; 31986, complete; 32215; 32218; 32302; 32303, complete; 69047
- * 32300 Position strap for No. 31986
- * 32302 Baffle plate for No. 32299
- 32303 Bobbin winder tension bracket for No. 32299, complete, consisting of Nos. 737; 1533; 5005; 5125; 32304; 40623
- 32304 Bobbin winder tension bracket, w/ position pin No. 10107, for No. 32303
- 35461 Set collar, w/ fastening screw No. 153, for No. 46571
- 36153 Bracket for No. 29959
- 36154 Hinge plate, slotted, for No. 29959
- 36155 Hinge plate, pronged, for No. 29959
- 36156 Carrying arm section for No. 29959
- 36157 Washer for No. 36158
- 36158 Hinge cup for No. 29959
- 40623 Spool pin for No. 32303
- 41062 Bobbin winder spindle for No. 41075
- 41065 Bobbin winder pulley for No. 41075
- 41075 Bobbin winder, complete, consisting of Nos. 62; 82; 359; 364; 366; 5564; 5565; 5566; 5567; 5568; 5569; 41062; 41065
- 46366 Bobbin winder base for No. 41075
- 46367 Bobbin winder, table model, complete, consisting of Nos. 363; 41075, complete; 46366
- 46566 Thread guide for No. 46598
- 46570 Spool rest, w/ fastening screw No. 273, for No. 46598
- 46571 Spool rest rod for No. 46598
- 46598 Thread unwinder, complete, consisting of Nos. 26110; 26179; 29960; 35461; 46566; 46570; 46571; 46694
- * 46694 Spool pin washer (foam rubber) for No. 46598
- 53591 Eye guard, complete, consisting of Nos. 700798; 701195; 20565; 53592; 53593; 53594; 53595; 53596; 53597 (standard type; when used on older machines, drill and tap M4 borehole in machine at needle-bar end)
- 53592 Bracket for No. 53591
- 53593 Carrying arm, top, for No. 53591
- 53594 Carrying arm, bottom, for No. 53591
- 53595 Hinge stud, for Nos. 53593; 53594
- 53596 Perspex eye guard for No. 53591
- 53597 Reinforcing bar for No. 53591
- 53599 Suspension wire for No. 53591
- 69047 Washer for No. 701286
- 98929 Spring washer for No. 101501
- 101501 Nut for No. 700772



**Organizational Parts
PFAFF 3335-0-5/1, /2 & /3**



700011	Hinge screw for No. 22683	22184	Pressure spring for No. 22200
19	Hinge screw for No. 22687	22185	Interlocking rod for No. 22200
700034	Guide screw for No. 22185	22187	Base plate for No. 22184
700073	Fastening screw for No. 22183	22190	Buttonhole position finger for No. 22200
700082	Fastening screw for Nos. 21030; 22454	22191	Work clamp foot bracket, left, for No. 22193
700150	Fastening screw for No. 22175	22192	Work clamp foot bracket, right, for No. 22194
700252	Fastening screw for No. 21302	22193	Work clamp foot, left, for No. 22200
700034	Guide screw for No. 22185	22194	Work clamp foot, right, for No. 22200
700366	Guide and hinge screw for Nos. 22191; 22192	22195	Connection for Nos. 21137; 22185
700668	Fastening screw for No. 22179	22196	Pressure spring for Nos. 22191; 22192
700681	Fastening screw for Nos. 21137; 22193; 22194	22200	Work clamp, complete, consisting of Nos. 19; 700034; 700073; 700150; 700364; 700366; 700668; 700681; 700926; 700973; 700991; 700997; 701031; 701039; 701041; 701513; 701548; 9605; 21134; 21137; 21148; 22174; 22175; 22178; 22179; 22180; 22182; 22183; 22184; 22185; 22187; 22190; 22191; 22192; 22193; 22194; 22195; 22196; 22686; 22687; 22688; 22689; 24006 complete; 28007; 28101
715	Fastening screw for cap of No. 22175	22454	Thread nipper tripping segment for No. 24950
700926	Fastening screw for No. 22686	22681	Bracket for No. 22683
700973	Stop screw for No. 22687	22682	Stud, threaded, for No. 24959
700991	Fastening screw for Nos. 22185; 22195	22683	Connection lever, for Nos. 24006; 24959
700997	Binding screw for No. 22174 and Fastening screw for Nos. 24006; 24959	22685	Clamp foot lifting lever
701031	Regulating screw for No. 22184	22686	Bearing bracket for No. 22200
701039	Stop screw for No. 22686	22687	Locking lever for No. 22200
701041	Fastening screw for No. 22688	22688	Bearing bracket for No. 22687
701511	Nut for No. 22682	22689	Torsion spring for No. 22687
701513	Nut for Nos. 701031; 701039	24006	Ball joint connection for No. 22200, complete, consisting of Nos. 701662; 20353, complete; 22181
701548	Nut for No. 700973	24950	Feed cam, w/ No. 700082 Fastening screw for Nos. 21030; 22454
701662	Nut (right-hand thread) for Nos. 22181; 50254		No. 21030 Stop tripping segment
701680	Nut (left-hand thread) for No. 50254		No. 22454 Thread nipper tripping segment
5548	Washer for No. 701511	24956	Feed plate
9605	Shaft for Nos. 22174; 22175	24959	Ball joint connection for No. 22683, complete, consisting of Nos. 701662; 701680; 20353 complete; 50248 complete; 50254
20353	Ball joint (right-hand thread) for Nos. 24006; 24959, complete, consisting of No. 20345 Ball joint end bearing No. 20346 Ball joint	28007	Washer for No. 700997
21030	Stop tripping segment for No. 24950	28101	Washer for Nos. 700034; 700991
21134	Position pin for No. 21137	50248	Ball joint (left-hand thread) for No. 24959, complete, consisting of No. 20346 Ball joint No. 50249 Ball joint end bearing
21137	Work clamp spreader for Nos. 22191; 22192	50254	Connecting rod for No. 24959
21148	Hinge pin for Nos. 22180; 22182		
21302	Stop		
22174	Connection for Nos. 22200; 24006		
22175	Thrust lever, w/ fastening screw No. 715, for No. 22200		
22178	Ball stud for No. 22175		
22179	Stop screw plate for No. 22200		
22180	Bearing bracket for No. 22200		
22181	Connecting rod for No. 24006		
22182	Work clamp carrier for No. 22200		
22183	Position bracket for No. 22182		







Organizational Parts of the Pfaff 3335-0-5/2 (not ill.) (For standard parts please refer to the Pfaff 3335-0-5/1)

24960	Feed cam, w/ No. 700082 Fastening screw for Nos. 21030; 22858	24961	Knife cam
	No. 21030 Stop tripping segment	124329	Worm gear assembly, w/ No. 700680 Fastening screw, pointed
	No. 22858 Thread nipper tripping segment		No. 700689 Fastening screw, blunt


Organizational Parts of the Pfaff 3335-0-5/3 (not ill.) (For standard parts please refer to the Pfaff 3335-0-5/1)

22858	Thread nipper tripping segment for No. 24962	24962	Feed cam, w/ No. 700082 Fastening screw for Nos. 21030; 22858
22897	Knife cam		No. 21030 Stop tripping segment
24731	Worm gear assembly, w/ No. 700680 Fastening screw, pointed		No. 22858 Thread nipper tripping segment
	No. 700689 Fastening screw, blunt		

**Organizational Parts
PFAFF 3335-0-317/1**



- 73 Fastening screw for Nos. 124605; 124606
- 700082 Fastening screw for Nos. 21030; 22858
- 700510 Fastening screw for worm wheel of No. 24730
- 512 Fastening screw for No. 22111
- 700545 Spring suspension screw for No. 124608
- 700680 Fastening screw, pointed for worm of No. 24730
- 700689 Fastening screw, blunt, for worm of No. 24730
- 742 Positioning screw for No. 124612
- 700772 Fastening screw for No. 22099
- 780 Hinge screw for No. 124610
- 700798 Hinge screw for No. 124611
- 701000 Fastening screw for No. 124608
- 701228 Fastening screw for No. 124614
- 701269 Fastening screw for No. 124593
- 701515 Nut for No. 100221
- 2087 Washer for No. 124612
- 21030 Stop tripping segment for No. 124586
- 22093 Knife carrier for No. 48666
- 22099 Knife holder pinion stud bracket for No. 48666
- 22111 Needle plate insert for No. 48666
- 22693 Knife cam
- ★ 22702 Roller for No. 124586
(Orders should specify the number indicated on the face side: 1 = 9.84 mm, or .3873"; 2 = 9.86 mm, or .3881"; 3 = 9.88 mm, or .3889" dia.)
- 22858 Thread nipper tripping segment for No. 124586
- 24590 Roller stud for No. 22702
- 24608 Slide plate for No. 124588
- 24730 Worm gear assembly, w/
No. 700510 Fastening screw for worm wheel
No. 700680 Fastening screw, pointed, for worm
No. 700689 Fastening screw, blunt, for worm
- 48666 Needle plate, complete, consisting of Nos. 512; 700772; 22093; 22099; 22111; 48668; 101501
- 48668 Needle plate for No. 48666
- 69479 Needle bearing, front, for No. 124594
- 80220 Tension spring for No. 124608
- 100002 Fastening screw for No. 124607
- 100030 Fastening screw for No. 24608
- 100150 Hinge screw for No. 124596
- 100151 Fastening screw for No. 124594
- 100152 Fastening screw for No. 124600
- 100153 Fastening screw for No. 124601
- 100221 Regulating screw for No. 124588
- 101501 Nut for No. 700772
- 124139 x 37 x 19 Work clamp, w/work presser plate, complete, consisting of Nos. 124588, complete; 124594 x 8, complete; 124602; 124613, complete
- 124586 Feed cam w/
No. 700082 Fastening screw for Nos. 21030; 22858
No. 21030 Stop tripping segment
No. 22858 Thread nipper tripping segment
- 124588 Work clamp, complete, consisting of Nos. 701269; 701515; 24608; 100030; 100221; 124590; 124591; 124592; 124593
- 124590 Work clamp frame for No. 124588
- 124591 Reversing mechanism bracket for No. 124588
- 124592 Pressure spring for No. 124588
- 124593 Work clamp face plate for No. 124588
- 124594 x 8 Cam stud reversing mechanism, complete, consisting of Nos. 69479; 100150; 100151; 100152; 100153; 124595; 124596; 124599 x 8; 124600; 124601; 124602; 124603
- 124595 Cam stud bracket for No. 124594
- ★ 124596 Reversing lever for No. 124594
- 124599 x 8 Cam stud for No. 124594
- 124600 Spur gear for No. 124594
- 124601 Washer for No. 124594
- 124602 Needle bearing, rear, for Nos. 124594; 124613
- 124603 Pressure spring for No. 124594
- 124605 Clamp foot lifting lever
- 124606 Bracket for No. 124605
- 124607 Stop for No. 124596
- 124608 Starting lever interlocking mechanism, complete, consisting of Nos. 700545; 742; 780; 700798; 2087; 80220; 124609; 124610; 124611; 124612
- 124609 Bracket for No. 124608
- 124610 Latch for No. 124608
- 124611 Locking lever for No. 124608
- 124612 Torsion spring for No. 124608
- 124613 x 37 x 19 Work presser plate, complete, consisting of Nos. 701228; 124614 x 37 x 19; 124615
- 124614 x 37 x 19 Work presser plate, for No. 124613
- 124615 Bearing bracket for No. 124613



**Table of Organizational Parts
PFAFF 3335-0-317/1
through /32**

1) Table of Subclass Varieties of the Pfaff 3335-0-317

(For standard parts see page VIII)

Part Name	/1	/2	/3	/4	/5
Work clamp, w/ work presser plate, complete	124139 x 37 x 19	124139 x 47 x 24	124165 x 40 x 11	124139 x 40 x 28	124139 x 47 x 15,5
Cam stud reversing mechanism, complete	124594 x 8	124594 x 8	124594 x 4	124594 x 8	124594 x 8
Cam stud	124599 x 8	124599 x 8	124599 x 4	124599 x 8	124599 x 8
Work presser plate, complete	124613 x 37 x 19	124613 x 47 x 24		124613 x 40 x 28	124613 x 47 x 15,5
Work presser plate	124614 x 37 x 19	124614 x 47 x 24	124623 x 40 x 11	124614 x 40 x 28	124614 x 47 x 15,5
Worm gear assembly, w/ set screws	24730	124086	24730	124086	124086
Knife cam	22693	124085	22693	124085	124085
Feed cam, w/ tripping segments and tripping segment set screws	124586	124616	124619	124624	124627
Thread nipper tripping segment	22858	24780	22858	24780	24780
Feed cam roller	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702
Roller stud	24590	24590	24590	24590	24590

Part Name	/19	/20	/21	/22	/23
Work clamp, w/ work presser plate, complete	124139 x 48 x 30	124139 x 37 x 21	124139 x 43 x 22	124845 x 40,4 x 13,6 x 31,4	124849
Cam stud reversing mechanism, complete	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 4
Cam stud	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 4
Work presser plate, complete	124613 x 48 x 30	124613 x 37 x 21	124613 x 43 x 22	124665 x 40,4 x 13,6 x 31,4	
Work presser plate	124614 x 48 x 30	124614 x 37 x 21	124614 x 43 x 22	124666 x 40,4 x 13,6 x 31,4	124668
Worm gear assembly, w/ set screws	124086	124086	24731	24771	24731
Knife cam	124085	124085	22573	24770	22573
Feed cam, w/ tripping segments and tripping segment set screws	124655	124658	124661	124664	124667
Thread nipper tripping segment	24780	24780	22858	24780	22858
Feed cam roller	²⁾ ★ 22702	²⁾ ★ 22702	³⁾ 21065	²⁾ ★ 22702	³⁾ 21065
Roller stud	24590	24590	124150	24590	124150

¹⁾ To convert a machine from one variety to another one listed in this table, compare both varieties and order the parts that differ.

²⁾ Orders should specify the number indicated on the face side:


1 = 9.84 mm, or .3873"; 2 = 9.86 mm, or .3881"; 3 = 9.88 mm, or .3889" dia.

Variety and Part Number								
/6	/7	/8	/9	/10	/11	/12	/14	/15
124165 x 43 x 12	124139 x 38 x 16,5	124139 x 48 x 23	124139 x 49 x 21	124139 x 32 x 26	124139 x 45 x 16	124139 x 48 x 28	124165 x 34 x 12	124139 x 42 x 16
124594 x 4	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 4	124594 x 8
124599 x 4	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 4	124599 x 8
	124613 x 38 x 16,5	124613 x 48 x 23	124613 x 49 x 21	124613 x 32 x 26	124613 x 45 x 16	124613 x 48 x 28		124613 x 42 x 16
124623 x 43 x 12	124614 x 38 x 16,5	124614 x 48 x 23	124614 x 49 x 21	124614 x 32 x 26	124614 x 45 x 16	124614 x 48 x 28	124623 x 34 x 12	124614 x 42 x 16
24730	124086	124086	124086	24730	124086	124086	24730	24730
22693	124085	124085	124085	22693	124085	124085	22693	124085
124630	124632	124635	124638	124641	124644	124647	124650	124652
22858	24780	24780	24780	22858	24780	24780	22858	22858
²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702
24590	24590	24590	24590	24590	24590	24590	24590	24590


Variety and Part Number								
/24	/25	/26	/27	/28	/29	/30	/31	/32
124139 x 29 x 28	124139 x 47 x 24	124139 x 22 x 25	124139 x 21 x 21	124139 x 28 x 24	124139 x 28 x 17	124139 x 27 x 11	124845 x 35,5 x 11,5 x 34	124139 x 34 x 34
124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8
124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8
124613 x 29 x 28	124613 x 47 x 24	124613 x 22 x 25	124613 x 21 x 21	124613 x 28 x 24	124613 x 28 x 17	124613 x 27 x 11	124665 x 35,5 x 11,5 x 34	124613 x 34 x 34
124614 x 29 x 28	124614 x 47 x 24	124614 x 22 x 25	124614 x 21 x 21	124614 x 28 x 24	124614 x 28 x 17	124614 x 27 x 11	124666 x 35,5 x 11,5 x 34	124614 x 34 x 34
24730	24771	24730	24730	24730	24730	24731	24730	24730
22693	24770	22693	22693	22693	22693	22573	22693	22693
124669	122618	122619	122620	122621	122622	122623	122624	122625
22858	24780	22858	22858	22858	22858	22858	22858	22858
²⁾ ★ 22702	²⁾ 22702	²⁾ 22702	²⁾ 22702	²⁾ 22702	²⁾ 22702	²⁾ 21065	²⁾ 22702	²⁾ 22702
24590	24590	24590	24590	24590	24590	124150	24590	24590

²⁾ Orders should specify the number of dots on the face side:
1 x = 12.70 mm, or .4999" dia.; 2 x = 12.72 mm, or .5007" dia.; 3 x = 12.74 mm, or .5015" dia.; 4 x = 12.76 mm, or .5023" dia.

★ See obsolete parts on page IX



**Obsolete Parts
PFAFF 3335-0**

20112 vollst.

1759

2160

2161




46728

44196

1411

24035 vollst.2280 vollst.

495599



100026

124598



249

22991

2280 vollst.

2139

2138

2133

24269



22531

604



701329

700169

700798

1317

101796

69809

2513

101795


803

273

407

701316

700785


31395 vollst.

The number marked with an asterisk is no additional order number, but merely an aid to facilitate locating the obsolete part in this catalogue. Your orders should indicate the bold-type order number of the parts desired.


(★ 701269) 700169	Fastening screw (taper head for No. 24616)	(★ 22530) 22531	Catch for No. 22530
(★ 100086) 249	Stop screw for No. 2133	(★ 24424) 22991	Bobbin case for No. 24035
(★ 701378) 273	Fastening screw (9,4 mm, or .37" long) for thread unwinder base	(★ 24423) 24035	Bobbin case, complete, (replaced by No. 24423)
(★ 153) 407	Fastening screw for No. 46566	(★ 24622) 24269	Work clamp foot bracket (6 mm, or 1/4" thick) for No. 24615
(★ 701286) 521	Fastening screw for thread tension No. 31395	(★ 32300) 28514	Hinge for No. 31320
604	Fastening screw for No. 22531	(★ 32300) 28518	Hinge for No. 31320
(★ 701286) 700717	Fastening screw for No. 31989	28540	Hinge for Nos. 31318; 31320
(★ 700230) 700785	Fastening screw (M5 thread) for No. 24598	(★ 31986) 31318	Belt guard section (replaced by Nos. 701286; 1435; 31986, complete; 32215; 32218; 32302; 32303, complete; 69047)
(★ 700565) 700798	Hinge screw (8 mm, or 5/16" head dia.) for No. 22975	(★ 31986) 31320	Belt guard section (replaced by Nos. 701286; 1435; 31986, complete; 32215; 32218; 32302; 32303, complete; 69047)
(★ 701378) 803	Fastening screw (9.0 mm, or .35" long) for thread unwinder base	(★ 32299) 31395	Belt guard, w/ thread tension, complete, (replaced by Nos. 701286; 1435; 31986, complete; 32215; 32218; 32302; 32303, complete; 69047)
1032	Fastening screw for Nos. 28514; 28518; 28540	(★ 32300) 31987	Position spring for No. 31986
(★ 700152) 701316	Fastening screw (M 4 thread) for No. 24582	(★ 32300) 31988	Position spring for No. 31986
(★ 700230) 701316	Fastening screw (M 4 thread) for No. 24583	(★ 32302) 31989	Baffle plate (1st version) for No. 32299; (replaced by Nos. 701286; 31990; 32218)
(★ 100213) 1317	End screw for No. 22313	(★ 32302) 31990	Baffle plate (2nd version), w/ 35 mm (1 3/8")-wide mounting surface for No. 32299
(★ 701387) 701329	Fastening screw (M 4 thread) for No. 24596	(★ 32300) 32213	Position strap for No. 31986
1401	Wood screw for Nos. 31987; 31988	(★ 29960) 44196	Thread unwinder base
(★ 1417) 1411	Wood screw for No. 44196	(★ 46694) 46728	Friction washer (felt) for No. 44196
1448	Wood screw for Nos. 28514; 28518	(★ 6571) 69809	Plug for borehole, for No. 6571
(★ 598) 1759	Slide block stud for No. 6569	100026	Fastening screw for No. 124598
(★ 6848) 2133	Bobbin case latch slide for No. 2280	(★ 24621) 101795	Fulcrum stud, upper, for No. 24597
(★ 6849) 2138	Bobbin case latch lever for No. 2280	(★ 22702) 101796	Roller (10 mm, or 25/64" outside dia.) for feed cam
(★ 101798) 2129	Hinge pin for No. 2280	(★ 124596) 124596	Reversing lever (1st version) for No. 124594; (replaced by No. 124596, 2nd version)
(★ 6644) 2160	Washer for No. 6569	(★ 124596) 124598	Toothed segment for No. 124594; (replaced by No. 124596; 2nd version)
(★ 589) 2161	Positioning pin for No. 6569	(★ 24510) 495599	Spacer for No. 24510
(★ 6847) 2280	Bobbin case latch complete, consisting of Nos. 2133; 2138; 2139	(★ 101624) 6531	Positioning pin (not ill.), (small dia: 6.5 mm, or 1/4"), for cylinder arm No. 24578
(★ 101885) 2513	Positioning pin (small dia: 3.3 mm, or .13") for No. 22042		
(★ 6892) 6662	Tension spring for No. 24035		
(★ 20658) 20057	Driving pulley for No. 20112		
(★ 20659) 20064	Cap ring for No. 20057		
(★ 20658) 20112	Driving pulley, complete, (w/ 4 tapped holes for attaching No. 20064)		

X

**Organizational Parts
PFAFF 3335-300
(obsolete)**



- 700017** Hinge screw for No. 24528
700083 Fastening screw for No. 24526
88 Fastening screw for No. 24522
700169 Fastening screw for No. 22508
700172 Fastening screw for No. 22459
700252 Fastening screw for Nos. 24529; 24534
700288 Fastening screw for No. 24191 and stop screw for No. 24520 (for large tacks)
700293 Thumb screw for No. 22467
700297 Binding screw for No. 24534
700336 Fastening screw for No. 21154 and stop screw for No. 22459
340 Positioning screw for No. 22467
700510 Fastening screw for worm wheel of No. 24730
700680 Fastening screw, pointed, for worm of No. 24730
700689 Fastening screw, blunt, for worm of No. 24730
700691 Fastening screw for No. 24530
700770 Fastening screw for No. 24309
700785 Fastening screw for No. 24524
700809 Fastening screw for Nos. 21032; 22016
700926 Fastening screw for cap of Nos. 24539; 24543
701041 Fastening screw for Nos. 24307; 24308
701043 Fastening screw for No. 24530
701343 Hinge screw for No. 24516
701344 Fastening screw for No. 24514
701353 Fastening screw for bearing cap of No. 24534
701511 Nut for No. 24517
701515 Nut for Nos. 22703; 22704; 70100012 and regulating nut for No. 24549
2044 Positioning pin for No. 21032
2513 Positioning pin for No. 22042 (see page II)
21032 Worm wheel shaft bearing bracket, front
21070 Hinge stud for No. 24521
21083 Tripping dog for No. 22701 (see page III)
21111 Positioning pin for No. 22016
21154 Guide plate for No. 22720
22016 Worm wheel shaft bearing bracket, rear
22058 Shuttle driver shaft
22459 Feed regulator post for No. 22720
22465 Feed regulator swivel for No. 22466
22466 Hinge stud for No. 22459
22467 Swivel clamp for No. 22465, complete, consisting of Nos. 700293; 340; 22468; 22469; 22477
22468 Swivel clamp for No. 22467
22469 Thrust washer for No. 22467
22477 Circlip for No. 22467
22508 Work clamp face plate for No. 24545
22693 Knife cam (as seen from reverse side)
22702 Roller for Nos. 24520; 24521 (Orders should specify the number indicated on the face side: 1 = 9.84 mm, or .3873"; 2 = 9.86 mm, or .3881"; 3 = 9.88 mm, or .3889" dia.)
22703 Roller stud for No. 24521
22704 Roller stud for No. 24520
22720 Feed plate carrier bar for Nos. 24309; 24565
22858 Thread nipper tripping segment for No. 24305
24191 Stop for No. 24520 (For small tacks, to be fitted when mounted on machine)
24305 Feed cam
24307 Work clamp foot, left
24308 Work clamp foot, right
24309 Feed plate
24514 Cover for No. 22720
24516 Feed across driving lever for No. 22720
24517 Roller stud for No. 24518
24518 Roller for No. 24516 (Orders should specify the number of lines on the bevelled face side: 1 line = 8.0 mm, or .3149"; 2 lines = 8.01 mm, or .3153"; 3 lines = 8.02 mm, or .3157" dia.)
24520 Feed regulator
24521 Feed across regulator
24522 Washer (2nd version) for No. 24539
24524 Ball stud for No. 24538
24525 Ball screw stud for No. 24542
24526 Feed across driving block for No. 22720
24527 Guide plate for No. 22720
24528 Slide block for No. 22720
24529 Guide plate for No. 22720
24530 Cylinder arm top cover for No. 24501
24534 Bearing bracket for Nos. 24520; 24521, with No. 700297 Binding screw No. 701353 Fastening screw
24537 Ball joint connection, complete, consisting of Nos. 701515; 24538, complete; 24542, complete; 70100012
24538 Ball joint for No. 24537, complete, consisting of Nos. 88; 24522; 24524; 24539
24539 Ball joint end bearing, w/fastening screw No. 700926, for No. 24538
24541 Guide fork (1st version) for No. 24539
24542 Ball joint for No. 24537, complete, consisting of Nos. 24525; 24543
24543 Ball joint end bearing, w/fastening screw No. 700926, for No. 24542
24545 Work clamp, complete, consisting of Nos. 700169; 701041; 701515; 22508; 24546; 24547; 24549
24546 Work clamp frame for No. 24545
24547 Work clamp foot bracket for No. 24545
24549 Pressure spring for No. 24545
24565 Work clamp, w/work clamp feet, complete, consisting of Nos. 24307; 24308; 24545, complete
24730 Worm gear assembly, w/ No. 700510 Fastening screw for worm wheel No. 700680 Fastening screw, pointed, for worm No. 700689 Fastening screw, blunt, for worm
28007 Washer for No. 701515
70100012 Connecting screw for Nos. 24538; 24542
22000 Armt (not ill.)
24501 Cylinder arm (not ill.)
701063 Fastening screw (not ill.) for No. 24501
6531 Positioning pin (not ill.) for No. 24501



**Table of Organizational Parts
PFAFF 3335-300 through -309
(obsolete)**

1) Table of Organizational Parts for the Subclasses of the Pfaff 3335

(For standard parts see page X)

Part Name	-300	-301	-302	-303/1
Work clamp, w/ work clamp feet, complete	24565	24566	24567	24568
Work clamp, complete	24545	24545	24545	24296
Work clamp frame	24546	24546	24546	24531
Threaded stud for work clamp frame				22252
Work clamp foot bracket	24547	24547	24547	24269
Pressure spring for work clamp foot bracket	24549	24549	24549	
Pressure spring for work clamp foot bracket, left				24532
Pressure spring for work clamp foot bracket, right				24533
Pressure spring regulating nut	701515	701515	701515	701508
Work clamp foot, left	24307	24286	24291	
Work clamp foot, right	24308	24287	24292	
Work clamp foot				24297
Feed plate carrier bar	22720	22064	22720	22720
Feed plate	24309	24288	24293	24301
Worm gear assembly w/ set screws	24730	24732	24730	24730
Knife cam	22693	22230	22693	22783
Feed cam	24305	24283	24289	24294
Thread nipper tripping segment	22858	22454	22858	22858
Roller for feed regulator and feed across regulator	²⁾ 22702	³⁾ 21065	²⁾ 22702	²⁾ 22702
Feed across regulator roller stud	22703	21071	22703	22703
Feed regulator roller stud	22704	21064	22704	22704
Clamp foot lifting lever, complete	22859	22859	22859	24298

¹⁾ To convert a machine from one subclass to another one listed in this table, compare both subclasses and order the parts that differ.


²⁾ Orders should specify the number indicated on the face side:

1 = 9.84 mm, or .3873"; 2 = 9.86 mm, or .3881"; 3 = 9.88 mm, or .3889" dia.

Subclass and Part Number						
-303/2	-304	-305	-306	-307	-308	-309
24568	24569	24570	24571	24572	24573	24574
24296	24545	24545	24545	24545	24545	24545
24531	24546	24546	24546	24546	24546	24546
22252						
24269	24547	24547	24547	24547	24547	24547
	24549	24549	24549	24549	24549	24549
24532						
24533						
701508	701515	701515	701515	701515	701515	701515
		24316	24321	24326	24331	24336
		24317	24322	24327	24332	24337
24297	24312					
22720	22720	22720	22720	22720	22720	22064
24302	24313	24318	24323	24328	24333	24338
24730	24730	24731	24731	24731	24730	24732
22783	22693	22573	22573	22573	22693	22230
24294	24310	24314	24319	24324	24329	24334
22858	22858	22858	22858	22858	22858	22454
³⁾ 22702	³⁾ 22702	³⁾ 22702	³⁾ 22702	³⁾ 22702	³⁾ 22702	³⁾ 21065
22703	22703	22703	22703	22703	22703	21071
22704	22704	22704	22704	22704	22704	21064
24298	22859	22859	22859	22859	22859	22859

³⁾ Orders should specify the number of dots on the face side:

1 x = 12.70 mm, or .4999" dia.; 2 x = 12.72 mm, or .5007" dia.; 3 x = 12.74 mm, or .5015" dia.; 4 x = 12.76 mm, or .5023" dia.



Numerical Index

3335 1	3335 2	3335 3	3335 4	3335 5	3335 6
Nr. Fig.	Nr. Fig.	Nr. Fig.	Nr. Fig.	Nr. Fig.	Nr. Fig.
11 II	700150 II	273 VI	437 I	687 V	700926 III
700011 VII	700150 III	+ 273 IX	456 II	700689 II	700926 VII
700017 III	700150 V	700277 II	510 I	700689 V	700926 X
700017 X	700150 VI	700288 I	700510 II	700689 VIII	700964 III
19 VII	700150 VII	700288 X	700510 VIII	700689 X	700965 III
29 II	700152 I	700293 X	700510 X	700691 X	700973 VII
700034 VII	700152 III	700297 III	511 II	715 VII	700983 VI
46 II	700152 V	700297 V	512 IV	717 III	700987 V
58 II	700152 VI	700297 X	512 VIII	700717 I	700988 V
700058 I	153 II	700323 III	+ 521 IX	+ 700717 IX	700990 III
700058 III	153 III	700335 V	700545 III	729 I	700991 V
62 VI	153 VI	700336 I	700545 VIII	737 VI	700991 VII
64 I	700153 I	700336 X	589 V	742 VIII	700996 V
700070 V	+ 700169 IX	340 X	700592 III	700770 X	700997 VII
73 I	700169 X	700352 III	598 V	700772 IV	701000 III
73 VI	700172 X	359 VI	+ 604 IX	700772 VI	701000 VIII
73 VIII	700173 I	363 VI	624 I	700772 VIII	701029 IV
700073 I	700173 IV	364 VI	700654 III	780 VIII	701031 VII
700073 VI	219 I	700364 II	700655 III	+ 700785 IX	+ 1032 IX
700073 VII	700230 III	700364 III	700659 III	700785 X	701039 VII
82 VI	700230 IV	700364 VII	700660 III	700798 VI	701041 IV
700082 II	700230 V	366 VI	700668 VII	700798 VIII	701041 VII
700082 VII	700243 II	700366 VII	700680 II	+ 700798 IX	701041 X
700082 VIII	+ 249 IX	367 II	700680 VIII	700799 IV	701043 X
700083 X	250 V	392 I	700680 X	+ 803 IX	701063 IV
87 II	700252 II	405 II	700681 I	700809 III	701063 X
88 X	700252 IV	407 III	700681 IV	700809 X	701099 IV
94 I	700252 VII	+ 407 IX	700681 VII	700865 II	701154 III
700150 I	700252 X	431 VI	700686 III	905 I	701195 VI

+ = Obsolete Parts

Numerical Index

3335	7	3335	8	3335	9	3335	10	3335	11	3335	12
	Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.
	701199 III		701508 IV		701662 VII		2531 I		6616 I		10107 VI
	1207 III		701508 V		701680 VII		2536 I		6632 I		10181 I
	701216 III		701508 44a		701705 III		2536 III		6640 I		10183 I
	701228 VIII		701511 III		701705 V		3005 I		6644 V		11126 III
	1241 I		701511 VII		1759 III		4531 VI		+ 6662 IX		11126 V
	701269 IV		701511 X		+ 1759 IX		5005 VI		6694 V		11176 III
	701269 VIII		1512 II		1848 II		5125 VI		6764 V		11238 II
	701278 IV		1512 V		1849 III		5544 I		6847 V		11903 III
	701286 VI		1513 II		1864 III		5548 IV		6848 V		12526 III
	+ 701316 IX		701513 VII		2030 V		5548 VII		6849 V		16328 III
	+ 1317 IX		701515 II		2044 V		5564 VI		6892 V		17584 III
	+ 701329 IX		701515 III		2044 X		5565 VI		7014 I		18358 II
	701342 II		701515 VIII		2056 II		5566 VI		7015 I		18502 V
	701342 V		701515 X		2061 I		5567 VI		7016 I		20002 II
	701343 X		701515 44a		2065 I		5568 VI		7016 4		20030 III
	701344 IV		1522 I		2087 VIII		5569 VI		7328 III		+ 20057 IX
	701344 X		1529 VI		+ 2133 IX		6219 I		7329 II		20061 II
	701353 X		1533 VI		2134 V		6523 I		7329 III		20062 II
	701378 VI		1547 II		+ 2138 IX		6525 I		7705 I		20063 II
	701386 IV		701548 VII		+ 2139 IX		6526 I		7718 I		+ 20064 IX
	701387 IV		701563 V		2160 III		+ 6531 IX		8020 I		20065 III
	701397 III		701578 III		+ 2160 IX		6531 X		8021 I		20066 III
	+ 1401 IX		701628 VI		2161 III		6568 V		8618 I		20067 III
	+ 1411 IX		1635 V		+ 2161 IX		6569 V		8648 I		20069 III
	1416 VI		701635 II		2170 III		6570 V		8814 V		20085 III
	1417 VI		1636 I		2264 III		6571 V		9149 V		20086 III
	1418 VI		701638 II		+ 2280 IX		6601 V		9605 VII		+ 20112 IX
	1435 VI		701658 III		+ 2513 IX		6611 I		9624 III		20205 II
	+ 1448 IX		701662 III		2513 X		6615 V		10104 I		20265 III

Numerical Index

3335	13	3335	14	3335	15	3335	16	3335	17	3335	18
	Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.
	20269 III		21065 44a		22009 II		22180 VII		22330 II		22513 III
	20271 III		21070 X		22016 X		22181 VII		22331 II		22514 I
	20272 II		21071 44a		22037 I		22182 VII		22332 II		22530 III
	20273 V		21083 X		22042 II		22183 VII		22333 II	+	22531 IX
	20275 II		21093 III		22058 X		22184 VII		22334 II		22533 III
	20276 II		21094 III		22059 II		22185 VII		22335 II		22539 4
	20335 III		21095 III		22061 V		22187 VII		22388 I		22541 4
	20338 I		21097 III		22063 V		22190 VII		22398 I		22542 4
	20349 III		21111 II		22064 44a		22191 VII		22450 I		22565 V
	20353 III		21111 X		22091 IV		22192 VII		22450 4		22566 V
	20353 VII		21134 V		22093 IV		22193 VII		722451 I		722567 4
	20361 I		21134 VII		22093 VIII		22194 VII		722451 4		22568 I
	20363 I		21137 VII		22099 IV		22195 VII		22452 IV		22569 4
	20386 III		21148 VII		22099 VIII		22196 VII		22453 IV		22573 36a
	20387 III		21154 X		22104 I		22200 VII		22454 II		22573 44a
	20396 III		21164 II		22111 4		22228 II		22454 VII		22586 III
	20399 II		21195 II		22111 IV		22230 44a		22454 44a		22672 I
	20467 III		21196 III		22111 VIII		22238 III		22455 I		22680 III
	20481 III		21202 V		22115 I		22241 IV		22456 I		22681 VII
	20565 VI		21208 II		22116 V		22252 IV		22459 X		22682 VII
	20658 II		21302 VII		22122 I		22252 44a		22465 X		22683 VII
	20659 II		21372 III		22122 4		22286 I		22466 X		22685 VII
	21030 II		21372 V		22128 I		22312 II		22467 X		22686 VII
	21030 VII		21485 VI		22162 V		22312 4		22468 X		22687 VII
	21030 VIII		21486 VI		22171 III		22313 I		22469 X		22688 VII
	21032 X		22000 X		22174 VII		22313 4		22477 X		22689 VII
	21064 44a		22001 II		22175 VII		22325 I		22506 II		22693 VIII
	21065 III		22003 III		22178 VII		22328 II		22508 X		22693 X
	21065 36a		22004 III		22179 VII		22329 II		22512 III		22693 36a

+ = Obsolete Parts

Numerical Index

3335	19	3335	20	3335	21	3335	22	3335	23	3335	24
	Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.
	22693 44a		22993 I		24308 44a		24501 X		24532 44a		24569 44a
	22701 III		23005 V		24309 X		24502 V		24533 IV		24570 44a
	22702 VIII		23019 III		24309 44a		24505 V		24533 44a		24571 44a
	22702 X		24006 VII		24310 44a		24506 V		24534 X		24572 44a
	22702 36a	+	24035 IX		24312 44a		24507 V		24535 III		24573 44a
	22702 44a		24048 V		24313 44a		24508 V		24536 V		24574 44a
	22703 X		24191 X		24314 44a		24509 V		24537 X		24577 II
	22703 44a		24254 V		24316 44a		24510 V		24538 X		24578 IV
	22704 X	+	24269 IX		24317 44a		24511 IV		24539 X		24582 V
	22704 44a		24269 44a		24318 44a		24512 IV		24541 X		24583 V
	22720 X		24283 44a		24319 44a		24513 IV		24542 X		24584 V
	22720 44a		24286 44a		24321 44a		24514 X		24543 X		24585 V
	22772 III		24287 44a		24322 44a		24515 4		24545 X		24586 III
	22773 III		24288 44a		24323 44a		24515 IV		24545 44a		24586 IV
	22775 I		24289 44a		24324 44a		24516 X		24546 X		24587 III
	22776 4		24291 44a		24326 44a		24517 X		24546 44a		24588 III
	22783 44a		24292 44a		24327 44a		24518 X		24547 X		24589 III
	22858 VII		24293 44a		24328 44a		24520 X		24547 44a		24590 VIII
	22858 VIII		24294 44a		24329 44a		24521 X		24549 X		24590 36a
	22858 X		24296 44a		24331 44a		24522 X		24549 44a		24591 III
	22858 36a		24297 44a		24332 44a		24524 X		24553 VI		24592 III
	22858 44a		24298 44a		24333 44a		24525 X		24554 V		24593 III
	22859 44a		24301 44a		24334 44a		24526 X		24557 4		24594 III
	22860 I		24302 44a		24336 44a		24527 X		24557 IV		24595 III
	22861 I		24305 X		24337 44a		24528 X		24565 X		24596 III
	22897 VII		24305 44a		24338 44a		24529 X		24565 44a		24597 IV
	22974 V		24307 X		24423 V		24530 X		24566 44a		24598 IV
	22975 I		24307 44a		24424 V		24531 44a		24567 44a		24599 IV
+	22991 IX		24308 X		24429 III		24532 IV		24568 44a		24601 V

Numerical Index

3335	25	3335	26	3335	27	3335	28	3335	29	3335	30
	Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.
	24602 V		24935 IV		29371 VI		32215 VI		48668 4		100086 V
	24604 IV		24936 IV		29520 VI		32218 VI		48668 VIII		100100 V
	24605 II		24937 IV		29571 VI		32299 VI		50248 VII		100150 VIII
	24606 II		24938 IV		29601 VI		32300 VI		50254 VII		100151 VIII
	24607 IV		24939 IV		29683 VI		32302 VI		53591 VI		100152 VIII
	24608 IV		24940 IV		29684 VI		32303 VI		53592 VI		100153 VIII
	24608 VIII		24941 IV		29685 VI		32304 VI		53593 VI		100187 V
	24611 IV		24942 IV		29686 VI		35461 VI		53594 VI		100213 I
	24613 III		24950 VII		29840 VI		36153 VI		53595 VI		100217 I
	24615 IV		24956 VII		29841 VI		36154 VI		53596 VI		100221 VIII
	24616 IV		24959 VII		29959 VI		36155 VI		53597 VI		101501 IV
	24619 V		24960 VII		29960 VI		36156 VI		53599 VI		101501 VI
	24621 IV		24961 VII		30135 VI		36157 VI		61104 II		101501 VIII
	24622 IV		24962 VII		30240 III		36158 VI		63048 I	+	101795 IX
	24623 IV		25165 II		30313 III		40623 VI		63049 I	+	101796 IX
	24730 VIII		25694 III		31251 VI		41062 VI		65543 4		101798 V
	24730 X		25976 VI		+ 31318 IX		41065 VI		65546 4		101824 IV
	24730 36a		25998 III		+ 31320 IX		41075 VI		65548 V		101885 II
	24730 44a		26110 VI		+ 31395 IX		+ 44196 IX		69047 VI		105447 I
	24731 VII		26179 VI		31559 VI		46366 VI		69479 VIII		122618 36a
	24731 36a		28007 III		31560 VI		46367 VI		+ 69809 IX		122619 36a
	24731 44a		28007 VII		31788 III		46566 VI		80220 VIII		122620 36a
	24732 II		28007 X		31986 VI		46570 VI		98264 III		122621 36a
	24732 44a		28043 VI		+ 31987 IX		46571 VI		98929 VI		122622 36a
	24770 36a		28101 VII		+ 31988 IX		46598 VI		100002 VIII		122623 36a
	24771 36a		28200 III		+ 31989 IX		46694 VI		70100012 X		122624 36a
	24780 36a		+ 28514 IX		+ 31990 IX		+ 46728 IX		+ 100026 IX		122625 36a
	24930 V		+ 28518 IX		+ 32213 IX		48666 4		100030 IV		123778 V
	24934 II		+ 28540 IX		32214 VI		48666 VIII		100030 VIII		124085 36a

+ = Obsolete Parts

Numerical Index


335	31	335	32	335	33	335	34	335	35	335	36
	Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.
	124086 36a		124603 VIII		124658 36a						
	124139 VIII		124605 VIII		124661 36a						
	124139 36a		124606 VIII		124664 36a						
	124148 V		124607 VIII		124665 36a						
	124149 III		124608 VIII		124666 36a						
	124150 III		124609 VIII		124667 36a						
	124150 36a		124610 VIII		124668 36a						
	124165 36a		124611 VIII		124669 36a						
	124329 VII		124612 VIII		124845 36a						
	124347 4		124613 VIII		124849 36a						
	124348 4		124613 36a	+	495599 IX						
	124586 VIII		124614 VIII								
	124586 36a		124614 36a								
	124588 VIII		124615 VIII								
	124590 VIII		124616 36a								
	124591 VIII		124619 36a								
	124592 VIII		124623 36a								
	124593 VIII		124624 36a								
	124594 VIII		124627 36a								
	124594 36a		124630 36a								
	124595 VIII		124632 36a								
	124596 VIII		124635 36a								
+	124596 IX		124638 36a								
+	124598 IX		124641 36a								
	124599 VIII		124644 36a								
	124599 36a		124647 36a								
	124600 VIII		124650 36a								
	124601 VIII		124652 36a								
	124602 VIII		124655 36a								




Provisorische Bestandteile-Liste

**PFAFF 3335-0-317-960
X322**

G. M. PFAFF AG WERK KAISERSLAUTERN




- | | |
|----------------------|---------------------------------|
| 91-122 708-11 | Auslösehebel |
| <u>91-122 746-91</u> | Rollenträger mit Rolle, vollst. |
| 91-122 820-05 | Scherenhälfte, untere |
| 91-122 821-05 | Scherenhälfte, obere |
| 91-122 823-05 | Druckfeder |
| 91-122 832-05 | Zugfeder |



11-182 424-15 Gelenkschraube
 91-010 523-05 Druckfeder
 91-021 201-05 Druckfeder
 91-031 887-35 Kugelpfanne
 91-031 888-15 Kugelschraubenbolzen
 91-060 119-05 Zugfeder
 91-100 233-15 Klemm- und Mitnehmeschraube
 91-122 728-05 Abstreifbügel
 91-122 729-31 Fadenführung
 91-122 732-05 Federbügel
 91-122 734-15 Trägerwinkel
 91-122 778-05 Drehfeder
 91-122 799-11 Schaltwinkel

91-122 811-14¹⁾ Schiebefeder
 91-122 842-11 Umbuggwinkel-Träger, linker;
 für /10 = Nr. 91-122 943-11
 91-122 845-11 Umbuggwinkel-Träger, rechter;
 für /10 = Nr. 91-122 945-11
 91-122 846-05 Biegefeder
 91-122 848-05 Druckfeder
 91-122 857-93¹⁾ Bandspanner vollst.
 91-122 908-05 Druckfeder
 99-096 049-91 Endtaster (4x)
 99-096 076-91 Mikroschalter (4x)
 99-097 004-91 Magnet
 99-099 364-91 Magnet
 99-099 989-91 Abdeckkappe

¹⁾ Bei Bestellung unbedingt Oberteil-Nr. und Klassenbezeichnung angeben !



91-066 109-05 Druckfeder

91-105 005-05 Druckfeder

91-122 735-15 Anschlag

91-122 753-45 Hebel

91-122 763-15 Schieber

91-122 767-15 Zugstange

91-122 768-15 Kugelscheibe

91-122 772-11 Sperrklinke

91-122 776-05 Drehfeder

91-122 809-05 Drehfeder

91-122 849-44¹⁾ Unterlagplatte

91-122 851-04¹⁾ Umbuggwinkel, linker

91-122 852-04¹⁾ Umbuggwinkel, rechter

91-122 853-33¹⁾ Etikettenführung

91-122 905-05 Druckfeder

91-122 912-05 Druckfeder zu Nr.99-097 004-91

91-122 918-05 Druckfeder

91-124 603-05 Biegefeder

99-096 048-91 Magnet

99-097 004-91 Magnet

A Stoffdrückerplatte

(bei Bestellung unbedingt Oberteil-Nr. und Klassenbezeichnung angeben !)

¹⁾ Bei Bestellung unbedingt Oberteil-Nr. und Klassenbezeichnung angeben !

-958/01

zur Pfaff

3300; 3304; 3334; 3335-0

24564

