

Unterklassen-Ausstattung
Subclass parts
Composition des sous-classes
Composición de las subclases

Unterklassen-Ausstattung Subclass organizations

Equipement des sous-classes Dotación de las subclases









Unterklasse Subclass Sous-classe Subclase	Ausführung Model Version Tipo de máquina	Nadelstange Needle bar Barre à aiguille Barra de aguja	Stoffschieber Feed dog Griffe Transportador inferior	Stichplatte Needle plate Plaque à aiguille Placa de aguja	Nähfuß Presser foot Pied presseur Pie prensatelas	Stoffschieberfuß Nibrating presser Pied entraîneur Transportador superior	Messer Knife Couteau Cuchilla
-701/01 (-706/04) -731/01-2/61 [9] = 2,5-4,0 mm	AN; BN	91-173 791-92	91-059 550-04	91-058 762-03	91-057 262-93	91-049 253-45	91-173 792-04
-701/01 (-706/04) -731/01-2/61 -900/11 (-900/51) [9] = 2,5-4,0 mm	AN; BN	91-173 791-92	91-059 550-04	91-058 780-03	91-057 262-93	91-049 253-45	91-173 792-04
-701/01 (-706/04) -731/01-2/61 [9] = 5,0-15,0 mm	AN; BN	91-173 791-92	91-059 551-04 [9.2]	91-058 764-93	91-057 266-93	91-049 254-44 [9.2]	91-173 792-04 [9] = 4-5 mm 91-173 793-04 [9] = 6-15 mm
-701/01 (-706/04) -731/01-2/61 -900/11 (-900/51) [9] = 5,0-15,0 mm	AN; BN	91-173 791-92	91-059 551-04 [9.2]	91-058 782-93	91-057 266-93	91-049 254-44 [9.2]	91-173 792-04 [9] = 4-5 mm 91-173 793-04 [9] = 6-15 mm
-701/01 (-706/04) -731/01-61/41 [9] = 3,5 mm	AN; BN	91-173 791-92	91-059 550-04	91-058 762-03	91-057 769-93	91-049 285-44 [9.2]	91-173 792-04
-701/01 (-706/04) -731/01-61/41 -900/11 (-900/51) [9] = 3,5 mm	AN; BN	91-173 791-92	91-059 550-04	91-058 780-03	91-057 769-93	91-049 285-44 [9.2]	91-173 792-04
-701/01 (-706/04) -731/01-61/41 [9] = 5,0 mm	AN; BN	91-173 791-92	91-059 551-04 [9.2]	91-058 764-93	91-057 769-93	91-049 285-44 [9.2]	91-173 792-04
-701/01 (-706/04) -731/01-61/41 -900/11 (-900/51) [9] = 5,0 mm	AN; BN	91-173 791-92	91-059 551-04 [9.2]	91-058 782-93	91-057 769-93	91-049 285-44 [9.2]	91-173 792-04

[4] = Ausführung angeben
= Indicate model
= Préciser la version
= Indique el tipo de máquina

[9] = Schneideabstand
= Trimming margin
= Distance de coupe
= Margen de corte

[9.2] = Schneideabstand bei Bestellung angeben
= State trimming margin on order
= Indiquer la distance de coupe à la commande
= Indique el margen de corte en los pedidos

Unterklassen-Übersicht / Table of subclasses / Table des sous-classes / Tabla de subclasses

91-173 791-92  11-174 086-15	91-059 550-04  	91-058 762-03   	91-058 764-93   
	91-059 551-04   	91-058 780-03   	91-058 782-93   
91-057 262-93    	91-057 266-93    	91-057 769-93    	
91-049 253-45  	91-049 254-44    	91-049 285-44    	
91-173 792-04 	91-173 793-04 		

From the library of: Superior Sewing Machine & Supply LLC

PFAFF INDUSTRIEMASCHINEN GMBH KAISERSLAUTERN