

Pfaff 951 Subclass

PFAFF

951

Unterklassen-Ausstattung







































Subclass parts
































Composition des sous-classes










Composición de las subclases

Table of subclasses
Table des sous-classes
Tabla de subclases

PFAFF 951

Unterklasse Subclass Sous-classe Subclase	-8/01 (-900/..)	-34/02 (-900/..)	-731/01-6/01	-731/01-6/01-900/..
Arbeitsgang Operation Opération Operación	Universalteilesatz, zum Nähen mittlerer Materialien. Universal part set for sewing medium-weight materials. Jeu de pièces universel, pour matières moyennes. Juego de piezas universal para coser géneros semipesados.	Zum Nähen besonders feiner Stoffe mittels Brücken-Teilesatz. For stitching delicate fabrics with Bridge-type part set. Couture de tissus particulièrement fins; jeu de pièces en pont. Para géneros muy finos mediante juego de piezas en puente.		
Ausführung Model Version Tipo de máquina	B	A	B	B
Schnedabstand in mm Trimming margin in mm Distance de coupe en mm Margen de corte en mm			2,5 - 12,0 mm	4,0 - 12,0 mm
Nadelstange Needle bar Barre à aiguille Barra de aguja	91-069 794-91	91-069 794-91	91-069 571-92	91-069 571-92
Stoffschieber  Feed dog Griffe Transportador inferior	91-059 816-05	91-059 812-04	91-047 467-04   =2,5 - 3,5 mm 91-059 833-04   =4,0 - 7,0 mm 91-059 844-04   =8,0 - 12,0 mm	91-059 833-04   =4,0 - 7,0 mm 91-059 844-04   =8,0 - 12,0 mm
Stichplatte  Needle plate Plaque à aiguille Placa de aguja	91-150 307-25	91-058 047-25	91-048 710-93   =2,5 - 3,5 mm 91-048 715-93   =4,0 - 7,0 mm 91-048 774-93   =8,0 - 12,0 mm	91-048 715-93   =4,0 - 7,0 mm 91-048 774-93   =8,0 - 12,0 mm
Nähfuß  Presser foot Pied presseur Pie prensatelas	91-154 172-21	91-054 841-23	91-054 426-03 	91-054 426-03 
Messer  Knife Couteau Cuchilla		91-058 047-25	91-169 395-04x7   =2,5 - 3,5 mm 91-069 595-04x7   =4,0 - 6,0 mm 91-069 595-04x9   =7,0 - 12,0 mm	91-069 595-04x7   =4,0 - 6,0 mm 91-069 595-04x9   =7,0 - 12,0 mm

<p>91-069 571-92</p>  <p>11-330 085-15</p> <p>-731/01-6/01 (-900/..)</p>	<p>91-069 794-91</p>  <p>91-069 795-01</p> <p>91-167 865-05</p> <p>91-701 179-15</p> <p>-8/01 (-900/..) -34/02 (-900/..)</p>	<p>91-047 467-04  </p> <p> = 2,5 - 3,5 mm</p>  <p>-731/01-6/01</p> <p>91-059 812-04 </p>  <p>-34/02 (-900/..)</p>	
<p>91-059 816-05</p>  <p>-8/01 (-900/..)</p>	<p>91-059 833-04  </p> <p> = 4,0 - 7,0 mm</p>  <p>-731/01-6/01 (-900/..)</p>	<p>91-059 844-04  </p> <p> = 8,0 - 12,0 mm</p>  <p>-731/01-6/01 (-900/..)</p>	
<p>91-048 710-93  </p> <p> = 2,5 - 3,5 mm</p>  <p>91-048 701-05</p> <p>91-048 703-04 </p> <p>91-048 711-03  </p> <p>91-000 730-25 (3x)</p> <p>-731/01-6/01</p>		<p>91-048 715-93  </p> <p> = 4,0 - 7,0 mm</p>  <p>91-048 701-05</p> <p>91-048 703-04 </p> <p>91-048 716-03  </p> <p>91-000 730-25 (3x)</p> <p>-731/01-6/01 (-900/..)</p>	

<p>91-048 774-93 4 9/2 9 = 8,0 - 12,0 mm</p>  <p>91-048 775-05 91-048 703-04 9/2 91-048 776-03 4 9/2 91-000 730-25 (3x)</p> <p>-731/01-6/01 (-900/..)</p>	<p>91-058 047-25 4</p>  <p>-34/02 (-900/..)</p>	<p>91-150 307-25 4</p>  <p>-8/01 (-900/..)</p>	
<p>91-054 426-03 4 9/2 9 = 2,5 - 12,0 mm</p>  <p>91-057 104-05 3/1</p> <p>-731/01-6/01 (-900/..)</p>	<p>91-054 841-23 4</p>  <p>91-155 591-05 3/1</p> <p>-34/02 (-900/..)</p>	<p>91-154 172-21</p>  <p>-8/01 (-900/..)</p>	<p>91-069 595-04 x 7 9/2 9 = 4,0 - 6,0 mm</p>  <p>-731/01-6/01 (-900/..)</p>
<p>91-069 595-04 x 9 9/2 9 = 7,0 - 12,0 mm</p>  <p>-731/01-6/01 (-900/..)</p>	<p>91-169 395-04 x 7 9/2 9 = 2,5 - 3,5 mm</p>  <p>-731/01-6/01</p>		