Form 18686 September, 1933 PRINTED IN U. S. A.

LIST of PARTS



MACHINE No. 105-20

THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING


Before starting the machine apply Singer Cloth and Leather Oil to all oil holes and bearings. Particular care should be taken to see that a sufficient quantity of oil is poured into the oil hole leading to the oil reservoir at the back of the machine. The main bearings of the machine are lubricated by means of this oil reservoir which should be kept filled with oil. When the machine is in continuous use, it should be oiled frequently.

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked

"For Singer Machines"

are not Singer made needles.



INDEX

	P	AGE
Accessories		. 14
Edge Folder		. 14
KNEE LIFTER PARTS		14
Machine Base		15
Machine No. 105-20		7
Numerical List of Parts		17
THREAD UNWINDER		15

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A—Hardened, Polished, Nickel Plated and Buffed B—Polished, Nickel Plated and Buffed C—Hardened Only

D-Polished Only

E—Soft, Not Polished F—Hardened and Polished

H-Blued

J-Nickel Plated Only

K-Hardened and Nickel Plated

L—Brass Plated M—Oxidized

N—Japanned, Dull P—Japanned, Bright

R—Merlized T—Copper Plated T. A.—Hardened, Polished, Copper and Nickel Plated

and Buffed T. J.—Copper and Nickel Plated and Polished T. J.—Copper and Nickel Plated Only

T. K.—Hardened, Copper and Nickel Plated
T. M.—Copper Plated and Oxidized
T. L.—Copper and Brass Plated
U.—Zinc Plated

V.—Silver Plated

W—Polished and Nickel Plated Y—Black Nickel Plated Only

Z-Chromium Plated

Z. B.—Polished, Nickel Plated, Buffed and Chromium Plated Z. J.—Nickel and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500 and 50001 to 51500 are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers

1801 to 2000 and 51801 to 52000 are Roller Numbers


2001 to 50000 and 52001 and upward are numbers of Machine Parts

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

When ordering parts which differ as to Gauge (the distance between seams) the Gauge, as well as the Number must be given on order.

LIST OF PARTS COMPLETE FOR



MACHINE No. 105-20

FOR HEMMING SILK GLOVES AND SIMILAR WORK IN LIGHT MATERIAL. TWO NEEDLES, ONE LOOPER. GAUGES 3/4 AND 1/8 INCH. BALANCE WHEEL No. 59208. DIAMETER OF BELT GROOVE 23/6 INCHES. SPEED 3500.

NO.	PLATE	NAME
*59399		Arm, upper and lower (solid) with 15404 and two 15405
50401	7007	A Data Cl. Cl.
59491	7365	Arm Rotary Shaft
59523	7355	" " Bushing (back) with
		52045
52045	7355	Arm Rotary Shaft Bushing (back) Packing (cotton)
1285c	7364	Arm Rotary Shaft Bushing (back) Set

	NAME
NO. PLATE	Arm Rotary Shaft Bushing (front) with
59524 7355	
	52045
52045 7355	Arm Rotary Shaft Bushing (front) Packing
	(cotton)
448c 7364	Arm Rotary Shaft Bushing (front) Set
	Screw
59525 7355	Arm Rotary Shaft Bushing (intermediate)
	with 52045
52045 7355	Arm Rotary Shaft Bushing (intermediate)
02010 1000	Packing (cotton)
1285c 7364	Arm Rotary Shaft Bushing (intermediate)
12000 7004	Set Screw
F000F F00F	Arm Side Cover
59207 7365	
1423л 7364	DCICW
59208 7365	Balance Wheel, 23/16 in. diam., with 424c
	and 1354c
1354c 7364	Balance Wheel Position Screw
424c 7364	" Set Screw
59401 7367	Cloth Plate with 59292
59307 7365	" " Slide (left)
59308 7365	" " (right)
59292 7364	" " Steady Pin
59402	Cloth Plate complete, Nos. 59307, 59308
03102	and 59401
1149c 7364	Cloth Plate Screw
	Feed Bar with two each 458c and 882c
59209 7365	
59440	55205 With 65216 and 65211
59210 7365	Carrier with two each 4450 and
	458c
57234 7355	Feed Bar Carrier Hinge Pin
57235 7355	" " " Bushing
457c 7364	" " " " Set
	Screw
458c 7364	Feed Bar Carrier Hinge Pin Set Screw
59211 7355	" " Hinge Pin
882c 7364	" " Set Screw
59403 7363	" Dog, 19 teeth (18 teeth to the inch)
00100 1000	for 59431
176л 7364	Feed Dog Screw
*59213	" Eccentric
*59494 —	" Body with 42727
	" " Set Screw
7071 7357	" Clamping Washer " " Screw
217E 7364	
59495 7355	Feed Eccentric (adjustable) complete, Nos.
	217E, 7071, 50328c, 59213, 59494 and two
	51061c

	27,247
NO. PLATE	NAME
59216 7355	Feed Eccentric Connection
59217 7355	Dar with 59216
59218 7355	1 lug
449c 7361	" " Set Screw
59518 7357	" Lifting Eccentric with two 50150c
59519	" " 59518 with 59220
59220 7357	" Connection
59221 7357	" " Bar with
V	59218
59218 7355	Feed Lifting Eccentric Connection Bar
00210 .000	Plug
458c 7364	Feed Lifting Eccentric Connection Bar
1000 1001	Set Screw
42727 7364	Feed Lifting Eccentric Position Pin
	" " Set Screw
002000	" Regulating Screw
00000	Looper with 590s and 59408
00100	" Carrier with 50395c
59381 7357	" " Driver with two 1186E
59406 7357	" " Clamping Screw
1186E 7357	
207л 7364	Timing belew
59225 7357	11016 1 1ag
59226 7357	Shart
59227 7357	Clair with 1145E
1143E 7357	Clamping Screw
59407 7356	" Needle Guard with 54707
54707 7356	" " Pin
590л 7357	" " Screw
50395c 7357	" Set Screw
59408 7357	" Thread Guard
590л 7357	" " Screw
59409 7356	Needle Bar (hollow) with 906c
59410 7356	" Bushing (lower)
462c 7364	" " Set Screw
42253 7356	" " (upper)
462c 7364	" " Set Screw
59236 7356	" Connecting Bracket with 1751
00200 1000	and 460c
175ј 7364	Needle Bar Connecting Bracket Clamping
1100 1001	Screw
59237 7356	Needle Bar Connecting Link
40247 7356	" " " Hinge Pin
10211 1000	(lower)
208F 7364	Needle Bar Connecting Link Hinge Pin
208F 7504	(lower) Set Screw
40247 7356	Needle Bar Connecting Link Hinge Pin
40247 7350	(upper)
	(upper)

NO. PLA	TE NA	ME
460c 736		
4000 750	(unner) Cet Connecti	ing Link Hinge Fin
59238 733		ith 200n 440g and
99298 196		
50007 700		
59607 736	Needle Bar Lever Co	onnecting Rod with
	55515, 59242, 5950	03, 128835 and two
F0000	each 141E and 047E	
59608 —	- Needle Bar Lever Co	nnecting Rod 59607
F0040 F03	with 59240 and 596	05
59240 735		
1000 HO	Stud	
1036c 735		
*******	Stud Set Screw	
*59503 736		onnecting Rod Cap
414 50	(lower)	
141E 736		onnecting Rod Cap
*****	(lower) Screw	
*59242 736		
0.15 50	(upper)	
647E 736		
FOROK MO		
59605 735		
KOROR HOL	tric with 448c, 1299	c and two 59606
59606 735		meeting Rod Eccen-
100005 505	tric Lubricating Pac	1 (wood)
128835 735		meeting Rod Eccen-
1900- 793	tric Oil Cup	
1299c 735		necting Rod Eccen-
448c 736	tric Position Screw.	
4480 750		necting Rod Eccen-
42077 735	tric Set Screw	
187 _J 736		nnecting Rod Guide
1011 190	Screw	
59245 735		
09240 700	Stud	meeting Rod Guide
59246 735	Stud	nnosting Dad Caila
39240 750	Stud Bracket with 5	
193л 735		procting Ded Cells
1993 196	Stud Bracket Screw	meeting Rod Guide
55515 735		neeting Red Oil D. J
30010 100	(braided cotton)	necting frod On Pad
59247 735		ge Pin
59248 735	is " " " " "	" Bushing
100	(back)	
624c 736		linge Pin Bushing
,00	(back) Set Screw	gilliand in Dushilla
	(Strong Source Coron	

NO. PLATE	NAME
59249 7358	Needle Bar Lever Hinge Pin Bushing
	(front)
465c 7357	Needle Bar Lever Hinge Pin Bushing
	(front) Set Screw
448c 7364	Needle Bar Lever Hinge Pin Set Screw
59412 7358	" Clamp with 46478 and two 50505F
46478 7358	" "Thread Guide
59321 7358	" Guard
171F 7364	" " Screw
50505F 7358	" Set Screw
59544 7358	Presser Bar
59252 7358	" " Bushing (lower)
00-0-	" " Set Screw
465c 7357	Set Screw
42253 7356	(upper)
465c 7357	Set Screw
59253 7358	Linter
51815 7358	Roller and Stud
89F 7358	Hinge Screw
50138E 7364	" " Stop Screw
59505 7358	" " Lifting Bracket with 3911,
	1143c, 51810, 51811 and 51815
391л 7358	Presser Bar Lifting Bracket Adjusting
	Screw
59506 7358	Presser Bar Lifting Bracket Guide
624c 7364	" " Set Screw
1143c 7357	" " Set Screw
59257 7359	" " Spring
59258 7358	" " Block
51810 7358	" " Roller and Stud
59413 7363	" Foot Hinge Pin
59414	" " Plate
59415 ——	" " Shank
59416 7363	Presser Foot (hinged) complete, Nos. 59413
	to 59415
185н 7364	Presser Foot Screw
1317р 7364	Pressure Regulating Thumb Screw
1547л 7364	" " Lock Nut
59264 7358	Slack Thread Controller
95c 7358	" " Hinge Screw
59265 7358	" " Link
87c 7358	" " Hinge Screw
59417 7361	" " Pull-off
59418 7359	" " Evelet
59419 7359	" " " Plate with
30110 1000	63767
63767 7362	Slack Thread Pull-off Eyelet Plate Pin
63767 7362	" " Position Pin.
00101 1002	Tosition I III.

NO. PLATE	NAME
228л 7364	Slack Thread Pull-off Eyelet Screw
193л 7357	" " Screw
59420 7359	" Regulator
59267 7359	" " Holder with 465c
59268 7359	" " Crank with
00200 1000	two 465c
51811 7358	Slack Thread Regulator Holder Crank
	Roller and Stud
465c 7357	Slack Thread Regulator Holder Crank
	Set Screw
465c 7357	Slack Thread Regulator Set Screw
59421 7362	Tension (under thread) Bracket
38670 7359	" " Steady Pin
2102 7362	" " Disc
51570c 7362	" " Regulating Thumb
	Nut
50326c 7362	Tension (under thread) Screw Stud
59539	" " " " 59326c
	with 51570c
59534 7362	Tension (under thread) Spring
59537 7362	" " Bushing
	(large)
59538 7362	Tension (under thread) Spring Bushing
	(small)
2102 7362	Tension (upper thread) Disc.
51570c 7362	" " Regulating Thumb
	Nut
50326c 7362	Tension (upper thread) Screw Stud
59539	" " " " 50326c
	with 51570c
1547E 7364	Tension (upper thread) Screw Stud Nut.
59535 7362	" " Spring
59537 7362	" " " Bushing
	(large)
59538 7362	Tension (upper thread) Spring Bushing
	(small)
59270 7362	Thread (under) Eyelet
1423л 7364	" " Screw
59422 7362	" Nipper Bracket
59423	" " 59422 with
	9547, 59301, 59419 and two 63767
59301 7362	Thread (under) Nipper Bracket Stud
452c 7362	" " " " Set
F00F0	Screw
59272 7362	Thread (under) Nipper Guide Plate
59273 7362	Releasing Bracket
190л 7361	
	Screw

NO.	PLATE	NAME
59274	7362	Thread (under) Nipper Releasing Stud
59275	7362	" " Spring
1423л	7364	" " " Screw
9547	7359	" " Steady Pin
59276	7362	" Protector
240F	7362	" " Set Screw
59277	7359	" Take-up (left)
59278	7359	" " (right)
190л	7361	" " Screw
59280	7359	" " Staple
59281	7359	" " Holder
		with 904c
59282	7359	Thread (under) Take-up Staple Holder
		Collar with 460c
460c	7364	Thread (under) Take-up Staple Holder
		Collar Set Screw
59283	7359	Thread (under) Take-up Staple Holder
		Collar Spring
236F	7364	Thread (under) Take-up Staple Holder
		Collar Spring Screw
904c	7361	Thread (under) Take-up Staple Set Screw
59424	7359	" " Stripper
59285	7359	" " " Bracket
		with 240F
596D	7359	Thread (under) Take-up Stripper Bracket
		Screw
207F	7364	Thread (under) Take-up Stripper Screw
59425	7362	" (upper) Check Spring
59426	7360	Dracket with
		2273, 59427 and two 904c
2273	7360	Thread (upper) Check Spring Bracket Pin
*59427	7360	" " " " Stud
452c	7362	
F0.400	7000	Set Screw
59428	7360	Thread (upper) Check Spring Regulating
004	5001	Stud
904c	7361	Thread (upper) Check Spring Regulating
004-	7961	Stud Set Screw
904c	7361	
59429	7360 7364	" " Eyelet (side of arm)
50014c 59430	7364	Dolow
906c	7364	" " Take-up
59431	7363	Throat Plate for 59403
691F	7363	" " Screw
*15404		Trade Mark
15405	1	" " Rivet
10100		IU. VOU

ACCESSORIES

NO.	PLATE	NAME
120344	7366	Oiler (copper plated) with 120345
120345	7366	" Spout, 5 in. long
26026	7366	Screw Driver (large)
26485	7366	" (small)
120341	7366	Tweezers (curved)
4822	7366	Wrench for 1547
22003	7366	" " 1575

EDGE FOLDER

NO.	PLATE	NAME
120265	7360	Edge Folder (adjustable) on Shank
14431	7360	" " Screw

KNEE LIFTER PARTS

NO. I	PLATE	NAME
32040		Chain, 123/4 in. long, with 56864 and 56865
	7361	" Hook (large)
	7361	" (small)
*10000000000000000000000000000000000000	7361	Lifting Lever
21 _D	210000	" " Hinge Screw
	7361	" " Spring
	7361	" " Stop
219л	7364	" " Screw
	7367	Rock Shaft
2764	7367	" " Hanger (back) with two wood
		screws 1 in. No. 10
16128	7367	Rock Shaft Hanger (front) with two wood
		screws 1 in. No. 10
16646	7367	Rock Shaft Knee Arm
16647		Rock Shaft Knee Arm complete, Nos.
		2766, 2767 and 16646
2766	7367	Rock Shaft Knee Arm Hub with 356c
356c	7364	" " " Set Screw
2767	7367	" " Plate with 356c
356c	7364	" " Set Screw
6337	7367	" Lifting Bracket with two 356c
6338	7367	" " " Hook
356c	7364	" " Set Screw
356c	7364	" " Set Screw
32134	7367	" " Spring

NO.	PLATE	NAME
2770	7367	Rock Shaft Spring Adjusting Dog with 356c
356c	7364	" " Set Screw
2770	7367	" " Stop Dog with 356c
356c	7364	" " Set Screw
32135	7367	Rock Shaft complete, Nos. 2764, 6337,
		6338, 7124, 16128, 16647, 32134 and
		three 2770
59512		Knee Lifter complete (power table) Nos.
		21D, 219J, 32040, 32135 and 59509 to
		59511

MACHINE BASE

NO.	PLATE				ME
59295	7367	Machine	Base	with 1	00р, 36006, 59296 and
		four ea	ch 84	ЮE, 59	297 and wood screws
59296	7360	Machine	Base	Cover	
36006	7360	"	"	"	Friction Washer
100p	7364	"	"	"	Hinge Screw
840E	7364	"	"	Screw	
59297	7360	"	Cush	ion (fe	elt)

THREAD UNWINDER

FOR THREE SPOOLS

NO. PLATE	NAME
225259 20778	Spool Rest (for one spool) with 201018c
225257 20778	" (for two spools) with 201018c
150203	" Cushion (felt)
225388 20778	" " Rod
200383c 7364	" " Set Screw
201018c 7364	" " Set Screw
202490 20778	" Stand with 200383c
225391 20778	Thread Guide
201696」 7361	" " Lock Nut
225326 7361	" Position Cup
225324 20778	" Rod with 208E and 225322
208E 7364	" " Screw
225322 7361	" " Washer
*150057	" Separator
150058 20778	" " 150057 with 150059
*150059	" " Bracket
150060 20778	" " Arm with 164J
100000,20110	and 9525

NO.	PLATE	NAME
164л	7364	Thread Separator Bracket Arm Clamping Screw
9525	7361	Thread Separator Bracket Arm Clamping Screw Washer
164 _J	7364	Thread Separator Bracket Screw
9525	7361	" " Washer
150061		Thread Separator complete, Nos. 164 _J , 9525, 150058 and 150060
150178	20778	Thread Unwinder complete, Nos. 150061, 2016961, 202490, 225257, 225259, 225324, 225326, 225388 and three each 150203, 225391 and wood screws 1/8 in. No. 12
27739	7366	Thread Cone (wood) for large cones
225390	7366	" Holder, for inverted cones
NT-	- NT	07700 1 007000 1 1.1

Note. Nos. 27739 and 225390 are used with, but not included in 150178.

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked
"For Singer Machines"
are not Singer made needles. 2

FOR MACHINE No. 105-20

NUMERICAL LIST OF PARTS

NO. I	PLATE	NAME
21 _D	7364	Lifting Lever Hinge Screw for 59512
87c	7358	Slack Thread Controller Link Hinge Screw
89F	7358	Presser Bar Lifter Hinge Screw
95c	7358	Slack Thread Controller Hinge Screw
100p	7364	Machine Base Cover Hinge Screw for
		59295
141E	7364	Needle Bar Lever Connecting Rod Cap
	. 501	(lower) Screw for 59607
164л	7364	Thread Unwinder Thread Separator
1010	.001	Bracket Arm Clamping Screw for
		150060
164л	7364	Thread Unwinder Thread Separator
1043	1001	Bracket Screw for 150061
171 _F	7364	Needle Guard Screw
175 _J	7364	" Bar Connecting Bracket Clamp-
1101	1004	ing Screw for 59236
176л	7364	Feed Dog Screw
185H	7364	Presser Foot Screw
187л	7361	Needle Bar Lever Connecting Rod Guide
1911	1901	Screw
100-	7361	Thread (under) Nipper Releasing Bracket
190л	1901	Screw
190ј	7361	Thread (under) Take-up Screw
1931	7357	Needle Bar Lever Connecting Rod Guide
1991	1001	Stud Bracket Screw
193ј	7357	Slack Thread Pull-off Screw
2071	7364	Looper Carrier Driver Timing Screw
2075 207F	7364	Thread (under) Take-up Stripper Screw
207F	7364	Needle Bar Connecting Link Hinge Pin
208F	1904	(lower) Set Screw for 59238
2002	7364	Thread Unwinder Thread Guide Rod
200E	1904	Screw for 225324
217E	7364	Feed Eccentric Clamping Washer Screw
211E	1004	for 59495
219л	7364	Lifting Lever Stop Screw for 59512
2281	7364	Slack Thread Pull-off Eyelet Screw
236F	7364	Thread (under) Take-up Staple Holder
200F	1904	Collar Spring Screw
240F	7362	Thread (under) Protector Set Screw for
ZHUF	1002	59285
2560	7364	Rock Shaft Knee Arm Hub Set Screw for
990C	7004	2766
2560	7364	Rock Shaft Knee Plate Set Screw for 2767
9900	1904	Trock phare Truce I face becover for 2101

NO. PLATE	NAME
356c 7364	Rock Shaft Lifting Bracket Hook Set
	Screw for 6337
356c 7364	Rock Shaft Lifting Bracket Set Screw
	for 6337
356c 7364	Rock Shaft Spring Adjusting Dog Set
	Screw for 2770
356c 7364	Rock Shaft Stop Dog Set Screw for 2770
391 _J 7358	Presser Bar Lifting Bracket Adjusting
0010 1000	Screw for 59505
424c 7364	Balance Wheel Set Screw for 59208
448c 7364	Arm Rotary Shaft Bushing (front) Set
4400 7504	Screw
110- 7261	Needle Bar Lever Connecting Rod Eccen-
448c 7364	Needle Bar Lever Connecting Rod Eccen-
110 5001	tric Set Screw for 59605
448c 7364	Needle Bar Lever Hinge Pin Set Screw
	for 59238
449c 7361	Feed Eccentric Connection Bar Set Screw
	for 59210
452c 7362	Thread (under) Nipper Bracket Stud Set
	Screw
452c 7362	Thread (upper) Check Spring Bracket
	Stud Set Screw
457c 7364	Feed Bar Carrier Hinge Pin Bushing Set
	Screw
458c 7364	Feed Bar Carrier Hinge Pin Set Screw
	for 59209
458c 7364	Feed Lifting Eccentric Connection Bar
	Set Screw for 59210
460c 7364	Needle Bar Connecting Link Hinge Pin
	(upper) Set Screw for 59236
460c 7364	Thread (under) Take-up Staple Holder
	Collar Set Screw for 59282
462c 7364	Needle Bar Bushing (lower) Set Screw
462c 7364	" " (upper) Set Screw
465c 7357	" Lever Hinge Pin Bushing
2500 1551	(front) Set Screw
465c 7357	Presser Bar Bushing (lower) Set Screw.
465c 7357	" " (upper) Set Screw
465c 7357	Slack Thread Regulator Holder Crank
1000 1001	Set Screw for 59268
465c 7357	Slack Thread Regulator Set Screw for
2000 1001	50267
590л 7357	59267 Looper Needle Guard Screw
590J 7357	" Thread Guard Screw for 50405
	Timead Chard Belew for 39403.
596р 7359	Thread (under) Take-up Stripper Bracket
604- 7064	Screw.
624c 7364	Needle Bar Lever Hinge Pin Bushing
	(back) Set Screw

NO. PLATE	NAME
624c 7364	Presser Bar Lifting Bracket Guide Set
	Screw
647E 7364	Needle Bar Lever Connecting Rod Cap
	(upper) Screw for 59607
691F 7363	Throat Plate Screw
840E 7364	Machine Base Screw for 59295
882c 7364	Feed Bar Hinge Pin Set Screw for 59209
904c 7361	Thread (under) Take-up Staple Set Screw
	for 59281
904c 7361	Thread (upper) Check Spring Regulating
	Stud Set Screw for 59426
904c 7361	Thread (upper) Check Spring Stop Screw
906c 7364	" Take-up Set Screw for
0000 .002	59409
1036c 7357	Needle Bar Lever Connecting Rod Ball
10000 1001	Stud Set Screw for 59238
1143E 7357	Looper Carrier Shaft Crank Clamping
11101 1001	Screw for 59227
1143c 7357	Presser Bar Lifting Bracket Set Screw for
11160 1001	59505
1149c 7364	Cloth Plate Screw
1186E 7357	Looper Carrier Driver Clamping Screw
11001 1001	for 59406
1285c 7364	Arm Rotary Shaft Bushing (back) Set
12000 7001	Screw
1285c 7364	Arm Rotary Shaft Bushing (intermediate)
1285c 7364	Set Screw
1299c 7356	Needle Bar Lever Connecting Rod Eccen-
	tric Position Screw for 59605
1317р 7364	Pressure Regulating Thumb Screw
1354c 7364	Balance Wheel Position Screw for 59208
1423ј 7364	Arm Side Cover Screw
1423ј 7364	Thread (under) Eyelet Screw
1423л 7364	" " Nipper Spring Screw
1443 р 7360	Edge Folder Screw
1547л 7364	Pressure Regulating Thumb Screw Lock
	Nut
1547E 7364	Tension (upper thread) Screw Stud Nut
2102 7362	" (under thread) Disc
2102 7362	" (upper thread) Disc
2273 7360	" (upper) Check Spring Bracket
	Pin for 59426
2764 7367	Rock Shaft Hanger (back) with two wood
	screws 1 in. No. 10, for 32135
2766 7367	Rock Shaft Knee Arm Hub with 356c, for
	16647

	NO.	PLATE	NAME
	2767	7367	Rock Shaft Knee Plate with 356c, for
			16647
	2770	7367	Rock Shaft Spring Adjusting Dog with
			356c, for 32135
	2770	7367	Rock Shaft Stop Dog with 356c, for 32135
	4822	7366	Wrench for 1547 (Accessories)
	6337	7367	Rock Shaft Lifting Bracket with two
			356c, for 32135
	6338	7367	Rock Shaft Lifting Bracket Hook for
			32135
	7071	7357	Feed Eccentric Clamping Washer for
		1000000	59495
	7124	7367	Rock Shaft for 32135
	9525	7361	Thread Unwinder Thread Separator
	0000		Bracket Arm Clamping Screw Washer
			for 150060
	9525	7361	Thread Unwinder Thread Separator
	0020	1001	Bracket Screw Washer for 150061
	9547	7359	Thread (under) Nipper Spring Steady
	5011	1003	Pin for 59423
*	15404		Trade Mark
	15405		" " Rivet
	16128	7367	Rock Shaft Hanger (front) with two wood
	10126	1001	screws 1 in. No. 10, for 32135
	16646	7367	Rock Shaft Knee Arm for 16647
	16647	1001	Rock Shaft Knee Arm complete for 32135,
	10011		Nos. 2766, 2767 and 16646
	22003	7366	Wrench for 1575 (Accessories)
	26026	7366	Screw Driver (large) Accessories
	26485	7366	" (small) Accessories
	27739	7366	(Sman) Accessories
	21139	7300	Thread Unwinder Thread Cone (wood)
	20040		for large cones, for 150178
	32040	A	Chain, 1234 in. long, with 56864 and
	20124	7907	56865, for 59512
	32134	7367	Rock Shaft Spring for 32135
	32135	7367	Rock Shaft complete for 59512, Nos.
			2764, 6337, 6338, 7124, 16128, 16647,
	00000	7000	32134 and three 2770
3	36006	7360	Machine Base Cover Friction Washer for
	00070	2020	59295
1	38670	7359	Tension (under thread) Bracket Steady
	10017		Pin
	40247	7356	Needle Bar Connecting Link Hinge Pin
	100.15	more.	(lower)
1	40247	7356	Needle Bar Connecting Link Hinge Pin
	10077	7070	(upper)
100	42077	7356	Needle Bar Lever Connecting Rod Guide

NO.	PLATE	NAME
42253	7356	Presser Bar Bushing (upper)
42253	7356	Needle Bar Bushing (upper)
42727	7364	Feed Lifting Eccentric Position Pin for
10170	7950	59494 Needle Clamp Thread Guide for 59412
46478	7358	Thread (upper) Eyelet (side of arm)
50014c		Screw
50138E	7364	Presser Bar Lifter Stop Screw
50150c	7364	Feed Lifting Eccentric Set Screw for 59518
50326c	7362	Tension (under thread) Screw Stud for 59539
50326c	7362	Tension (upper thread) Screw Stud for 59539
50328c	7364	Feed Regulating Screw for 59495
50395c	7357	Looper Set Screw for 59381
50505F	7358	Needle Set Screw for 59412
51061c	7364	Feed Eccentric Body Set Screw for 59495
51570c	7362	Tension (under thread) Regulating Thumb
		Nut for 59539
51570c	7362	Tension (upper thread) Regulating Thumb Nut for 59539
51810	7358	Presser Bar Spring Roller and Stud for 59505
51811	7358	Slack Thread Regulator Holder Crank Roller and Stud for 59505
51815	7358	Presser Bar Lifter Roller and Stud for
		59505
52045	7355	Arm Rotary Shaft Bushing (back) Packing (cotton) for 59523
50045	7355	Arm Rotary Shaft Bushing (front) Pack-
52045	7500	ing (cotton) for 59524
52045	7355	Arm Rotary Shaft Bushing (intermediate)
		Packing (cotton) for 59525
54707	7356	Looper Needle Guard Pin for 59407
55515	7356	Needle Bar Lever Connecting Rod Oil Pad (braided cotton) for 59607
56864	7361	Chain Hook (large) for 32040
56865	7361	" (small) for 32040
57234	7355	Feed Bar Carrier Hinge Pin
57235	7355	" " " Bushing
59207	7365	Arm Side Cover
59208	7365	Balance Wheel, 23/16 in. diam., with 424c and 1354c
59209	7365	Feed Bar with two each 458c and 882c,
20200		for 59440

NO.	PLATE	NAME
59210	7365	Feed Bar Carrier with two each 449c and
		458c, for 59440
59211	7355	Feed Bar Hinge Pin for 59440
*59213		" Eccentric for 59495
59216	7355	" Connection
59217	7355	" " Bar with 59218 " " Plug for
59218	7355	
		59217
59218	7355	Feed Lifting Eccentric Connection Bar
		Plug for 59221
59220	7357	Feed Lifting Eccentric Connection for
		59519
59221	7357	Feed Lifting Eccentric Connection Bar
		with 59218
59225	7357	Looper Carrier Hole Plug
59226	7357	" " Shaft
59227	7357	" " Crank with 1143E
59236	7356	Needle Bar Connecting Bracket with 1751
		and 460c
59237	7356	Needle Bar Connecting Link
59238	7356	" Lever with 208F, 448c and
		1036c
59240	7357	Needle Bar Lever Connecting Rod Ball
		Stud for 59608
*59242	7365	Needle Bar Lever Connecting Rod Cap
		(upper) for 59607
59245	7356	Needle Bar Lever Connecting Rod Guide
		Stud for 59246
59246	7356	Needle Bar Lever Connecting Rod Guide
		Stud Bracket with 59245
59247	7358	Needle Bar Lever Hinge Pin
59248	7358	" " " Bushing
		(back)
59249	7358	Needle Bar Lever Hinge Pin Bushing
		(front)
59252	7358	Presser Bar Bushing (lower)
59253	7358	" " Lifter
59257	7359	" " Spring
59258	7358	" " Block
59264	7358	Slack Thread Controller
59265	7358	" " Link
59267	7359	" Regulator Holder with 465c
59268	7359	" " Crank with
		two 465c
59270	7362	Thread (under) Eyelet
59272	7362	" Nipper Guide Plate
59273	7362	" " ReleasingBracket

NO.	PLATE	NAME
59274	7362	Thread (under) Nipper Releasing Stud
59275	7362	" " Spring
59276	7362	" Protector
59277	7359	" Take-up (left)
59278	7359	" " (right)
59280	7359	" " Staple
59281	7359	" " " Holder
		with 904c
59282	7359	Thread (under) Take-up Staple Holder
		Collar with 460c
59283	7359	Thread (under) Take-up Staple Holder
00200	1000	Collar Spring
59285	7359	Thread (under) Take-up Stripper Bracket
99209	1999	with 240F
59292	7364	Cloth Plate Steady Pin for 59401
59292	7367	Machine Base with 100p, 36006, 59296
09290	1901	and four each 840E, 59297 and wood
		screws 1½ in. No. 14
59296	7360	Machine Base Cover for 59295
59297	7360	"Cushion (felt) for 59295
59301	7362	Thread (under) Nipper Bracket Stud for
00001	1002	59423
59307	7365	Cloth Plate Slide (left) for 59402
59308	7365	" " (right) for 59402
59321	7358	Needle Guard
59381	7357	Looper Carrier with 50395c.
*59399	1001	Arm, upper and lower (solid)
59401	7367	Cloth Plate with 59292, for 59402
59402	7507	Cloth Plate complete, Nos. 59307, 59308
00102		and 59401
59403	7363	Feed Dog, 19 teeth (18 teeth to the inch)
99409	1909	for 59431
59405	7357	Looper with 590J and 59408
59406	7357	" Carrier Driver with two 1186E
59407	7356	" Needle Guard with 54707
59408	7357	" Thread Guard for 59405
59409	7356	Needle Bar (hollow) with 906c
59410	7356	" "Bushing (lower)
59412	7358	" Clamp with 46478 and two 50505r
59413	7363	Presser Foot Hinge Pin for 59416
59414		" " Plate for 59416
59415		" " Shank for 59416
59416	7363	Presser Foot (hinged) complete, Nos.
		59413 to 59415
59417	7361	Slack Thread Pull-off
59418	7359	" " Eyelet

NO.	PLATE	NAME
59419	7359	Slack Thread Pull-off Eyelet Plate with
99419	1000	63767, for 59423
59420	7359	Slack Thread Regulator
59421	7362	Tension (under thread) Bracket
59421	7362	Thread (under) Nipper Bracket for 59423
59423	7502	" " 59422 with
39423	-	9547, 59301, 59419 and two 63767
59424	7359	Thread (under) Take-up Stripper
59424	7362	" (upper) Check Spring
59426	7360	" " " Bracket
00120	1000	with 2273, 59427 and two 904c
*59427	7360	Thread (upper) Check Spring Bracket
39421	1500	Stud for 59426
59428	7360	Thread (upper) Check Spring Regulating
00120	1000	Stud
59429	7360	Thread (upper) Eyelet (side of arm)
59430	7360	" Take-up
59431	7363	Throat Plate for 59403
59440		Feed Bar 59209 with 59210 and 59211
59491	7365	Arm Rotary Shaft
*59494		Feed Eccentric Body with 42727, for
		59495
59495	7355	Feed Eccentric (adjustable) complete,
		Nos. 217E, 7071, 50328c, 59213, 59494
		and two 51061c
*59503	7365	Needle Bar Lever Connecting Rod Cap
00000	,000	(lower) for 59607
59505	7358	Presser Bar Lifting Bracket with 391J,
00000	1000	1143c, 51810, 51811 and 51815
59506	7358	Presser Bar Lifting Bracket Guide
59509	7361	Lifting Lever for 59512
59510	7361	" " Spring for 59512
59511	7361	" " Stop for 59512
59512		Knee Lifter complete (power table), Nos.
		21 _D , 219 _J , 32040, 32135, 59509 to 59511
59518	7357	Feed Lifting Eccentric with two 50150c,
00010		for 59519
59519	-	Feed Lifting Eccentric 59518 with 59220
59523	7355	Arm Rotary Shaft Bushing (back) with
-		52045
59524	7355	Arm Rotary Shaft Bushing (front) with
		52045
59525	7355	Arm Rotary Shaft Bushing (intermediate)
		with 52045
59534	7362	Tension (under thread) Spring
59535	7362	" (upper thread) Spring

NO.	PLATE	NAME
59537	7362	Tension (under thread) Spring Bushing
		(large)
59537	7362	Tension (upper thread) Spring Bushing (large)
59538	7362	Tension (under thread) Spring Bushing (small)
59538	7362	Tension (upper thread) Spring Bushing (small)
59539	-	Tension (under thread) Screw Stud 50326c with 51570c
59539	-	Tension (upper thread) Screw Stud 50326c with 51570c.
59544	7358	Presser Bar
59605	7356	Needle Bar Lever Connecting Rod Eccen-
		tric with 448c, 1299c and two 59606, for 59608
59606	7356	Needle Bar Lever Connecting Rod Eccentric Lubricating Pad (wood) for 59605
59607	7365	Needle Bar Lever Connecting Rod with
		55515, 59242, 59503, 128835 and two
		each 141E and 647E, for 59608
59608		Needle Bar Lever Connecting Rod 59607 with 59240 and 59605
63767	7362	Slack Thread Pull-off Eyelet Plate Pin for 59419
63767	7362	Slack Thread Pull-off Eyelet Position Pin for 59423
120265	7360	Edge Folder (adjustable) on Shank
120341	7366	Tweezers (curved) Accessories
120344	7366	Oiler (copper plated) with 120345 (Accessories)
120345	7366	Oiler Spout, 5 in. long, for 120344 (Accessories)
128835	7356	Needle Bar Lever Connecting Rod Eccentric Oil Cup for 59607
*150057	-	Thread Unwinder Thread Separator for 150058
150058	20778	Thread Unwinder Thread Separator 150057 with 150059, for 150061
*150059	-	Thread Unwinder Thread Separator Bracket for 150058
150060	20778	Thread Unwinder Thread Separator Bracket Arm with 164j and 9525, for 150061
150061	-	Thread Unwinder Thread Separator complete for 150178, Nos. 164j, 9525, 150058
		and 150060

NAME
Thread Unwinder complete, for three
spools, Nos. 150061, 2016961, 202490,
225257, 225259, 225324, 225326, 225388
and three each 150203, 225391 and
wood screws 1/8 in. No. 12
Thread Unwinder Spool Rest Cushion
(felt) for 150178
Thread Unwinder Spool Rest Rod Set
Screw for 202490
Thread Unwinder Spool Rest Set Screw
for 225257 and 225259
Thread Unwinder Thread Guide Lock
Nut for 150178
Thread Unwinder Spool Stand with
200383c, for 150178
Thread Unwinder Spool Rest (for two
spools) with 201018c, for 150178
Thread Unwinder Spool Rest (for one
spool) with 201018c, for 150178
Thread Unwinder Thread Guide Rod
Washer for 225324
Thread Unwinder Thread Guide Rod
with 208E and 225322, for 150178
Thread Unwinder Thread Guide Position
Cup for 150178
Thread Unwinder Spool Rest Rod for
150178
Thread Unwinder Thread Cone Holder,
for inverted cones, for 150178
Thread Unwinder Thread Guide for 150178

Genuine Singer Needles should be used in Singer Machines.


These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked

"For Singer Machines"
are not Singer made needles.

FOR MACHINE No. 105-20

PLATE 7355-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 7356-FULL SIZE 42253 128835 1299 40247

PLATE 7357—FULL SIZE




PLATE 7358-FULL SIZE






PLATE 7359-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 7360-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 7361-FULL SIZE




PLATE 7362-FULL SIZE




PLATE 7363-FULL SIZE




PLATE 7364-FULL SIZE





PLATE 7365-ONE-HALF SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 7366-ONE-HALF SIZE



PLATE 7367-ONE-FOURTH SIZE




PLATE 20778-ONE-SIXTH SIZE

