

July 12, 1931

Department #54

HISTORICAL COPY

DO NOT REMOVE

109-321

FOR AGENTS ONLY

List of Parts Complete

for

Machine No. 109-321

ALS:LR

July 12, 1951

Department #54

List of Parts Complete  
for  
Machine No. 109-321

| No.      | Name                                                                   |
|----------|------------------------------------------------------------------------|
| *133116  | Arm, upper and lower (solid) with 948E, 15404,<br>133126 and two 15405 |
| 57202    | Arm Oil Tube for oiling 64267                                          |
| 11119    | " " " with 52043, for oiling 133101                                    |
| 56003    | " " " " " " 133026                                                     |
| 52045 2  | " " " Packing (cotton)                                                 |
| 127905   | " Rock Shaft                                                           |
| 127906   | " " " 127905 with 64253, 64254 and 127772                              |
| 42365    | " " " Back Bearing Oil Pad (felt)                                      |
| 64386    | " " " Bushing (back)                                                   |
| 446 C    | " " " " " Set Screw                                                    |
| 64386    | " " " " (intermediate)                                                 |
| 423 C    | " " " " " Set Screw                                                    |
| 52045 2  | " " " " Oil Pad (cotton)                                               |
| 64253    | " " " Collar with two 624C                                             |
| 624 C 2  | " " " " Set Screw                                                      |
| 64254    | " " " Crank (back) with four 1149C                                     |
| 1149 C 4 | " " " " " Set Screw                                                    |
| 127772   | " " " " (front) with 448C                                              |
| 127838   | " " " " " Pin                                                          |
| 448 C    | " " " " " Set Screw                                                    |
| 54105    | " " " Flanged Bushing                                                  |
| 52045    | " " " " " Oil Pad (cotton)                                             |
| 453 C    | " " " " " Set Screw                                                    |

|         |                                                                           |
|---------|---------------------------------------------------------------------------|
| 18154   | Arm Rock Shaft Front Bearing Oil Pad (felt)                               |
| 127910  | " Rotary Shaft with 1498C and 57824                                       |
| 127912  | " " " 127910 with 64366 and 127783                                        |
| 133120  | " " " Bushing (front)                                                     |
| 51521 C | " " " " " Set Screw                                                       |
| 57781   | " " " " (intermediate) with 49093 and<br>64805                            |
| 49093   | Arm Rotary Shaft Bushing (intermediate) Oil Pad<br>(braided cotton) long  |
| 64805   | Arm Rotary Shaft Bushing (intermediate) Oil Pad<br>(braided cotton) short |
| 832 C   | Arm Rotary Shaft Bushing (intermediate) Set Screw                         |
| 54008   | " " " Collar with three 1259C                                             |
| 1259 C  | " " " " Set Screw                                                         |
| 61441   | " " " Flanged Bushing with 49093 and<br>64805                             |
| 49093   | Arm Rotary Shaft Flanged Bushing Oil Pad (braided<br>cotton) long         |
| 64805   | Arm Rotary Shaft Flanged Bushing Oil Pad (braided<br>cotton) short        |
| 159 F   | Arm Rotary Shaft Flanged Bushing Screw                                    |
| 57824   | " " " Oil Pad (felt)                                                      |
| 127885  | " " " " Tube with 64508                                                   |
| 64508   | " " " " " Oil Pad (braided cotton)                                        |
| 144 D   | " " " Screw                                                               |
| 15196   | " Side Cover                                                              |
| 190 J   | " " " Screw for 61187                                                     |
| 51224 W | " " " Thumb Screw                                                         |
| 64259   | Balance Wheel with two 51283C                                             |
| 51283 C | " " Set Screw                                                             |
| 127886  | Cloth Plate with three 57404                                              |

|         |                                                                                       |
|---------|---------------------------------------------------------------------------------------|
| 57404   | Cloth Plate Oil Tube                                                                  |
| 57344   | " " Slide                                                                             |
| 57345   | Cloth Plate Slide complete, Nos. 57344, two 52683<br>and four 725J                    |
| 52683   | Cloth Plate Slide Spring                                                              |
| 57334   | " " " " Bracket                                                                       |
| 193 E   | " " " " " Screw                                                                       |
| 725 J   | " " " " " Screw                                                                       |
| 127887  | Cloth Plate complete for general work, Nos. 57345,<br>127886, two 57334 and four 193E |
| 898 F   | Cloth Plate Screw (large)                                                             |
| 1011 F  | " " " (small)                                                                         |
| 127882  | " " Support Bracket with 29627, 30524C,<br>51250C and two 1520E                       |
| 51250 C | Cloth Plate Support Bracket Adjusting Screw (bottom)                                  |
| 30524 C | " " " " " " (top)                                                                     |
| 1520 E  | " " " " " " Nut                                                                       |
| 29627   | " " " " " Dowel Pin                                                                   |
| 148 E   | " " " " " Screw                                                                       |
| 64267   | Crank Connecting Rod with two each 896F and 1057E                                     |
| 64366   | " " " 64267 with 50069C                                                               |
| 50069 C | " " " Ball Screw Stud (upper)                                                         |
| 1516 E  | " " " " " " " Nut                                                                     |
| 64268   | " " " " " " " Washer                                                                  |
| 896 E   | " " " Cap (lower) Screw                                                               |
| 1057 E  | " " " " (upper) Screw                                                                 |
| 57298   | " " " Oil Case with 57290, 57291 and<br>four each 185E and 448C                       |
| 57290   | Crank Connecting Rod Oil Case Cap                                                     |
| 57291   | " " " " " " Packing (felt)                                                            |

|         |                                                                                               |
|---------|-----------------------------------------------------------------------------------------------|
| 185 E   | Crank Connecting Rod Oil Case Cap Screw                                                       |
| 448 C   | " " " " " Set Screw                                                                           |
| 57223   | Face Plate for 1 9/16 in. to 2 15/16 in. gauges                                               |
| 61226   | " " " 3 in. to 3 1/2 in. gauges                                                               |
| 46111   | " " Pin                                                                                       |
| 51224 W | " " Thumb Screw                                                                               |
| 61018   | Feed Bar with 624C                                                                            |
| 61459   | " " 61018 with 127744                                                                         |
| 57225   | " " Hinge Pin                                                                                 |
| 624 C   | " " " " " Set Screw                                                                           |
| 61367   | " Dog, 17 teeth (13 teeth to the inch) for 61368                                              |
| 61423   | " " 17 teeth (13 teeth to the inch) for 61424                                                 |
| 61427   | " " 17 teeth (13 teeth to the inch) for 61428                                                 |
| 57293   | " " Packing .005 in. thick                                                                    |
| 57294   | " " " .012 in. thick                                                                          |
| 57321   | " " " .021 in. thick                                                                          |
| 1255 C  | " " Screw                                                                                     |
| *57227  | " Eccentric                                                                                   |
| *61020  | " " Body                                                                                      |
| 51061 C | " " " Set Screw                                                                               |
| 217 E   | " " Set Screw                                                                                 |
| 7071    | " " " " Washer                                                                                |
| 57228   | Feed Eccentric (adjustable) complete, Nos. 217E, 7071,<br>50653C, 57227, 61020 and two 51061C |
| 57988   | Feed Eccentric Connection with 127848 and 127851                                              |
| 57989   | " " " 57988 with 57228 and 127788                                                             |
| 127848  | " " " Oil Cup                                                                                 |
| 127851  | " " " " " Oil Pad (braided<br>cotton)                                                         |
| 127744  | Feed Lifting Connection                                                                       |
| 127730  | " " Eccentric with 457C                                                                       |

|                                                                                                                                                             |                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 457 C                                                                                                                                                       | Feed Lifting Eccentric Set Screw                                  |
| 50653 C                                                                                                                                                     | " Regulating Screw                                                |
| 127509                                                                                                                                                      | " Rocking Frame with four 624C                                    |
| 127788                                                                                                                                                      | " " " Bar                                                         |
| 624 C                                                                                                                                                       | " " " " Set Screw                                                 |
| 57234                                                                                                                                                       | " " " Hinge Pin                                                   |
| 57235                                                                                                                                                       | " " " " " Bushing                                                 |
| 449 C                                                                                                                                                       | " " " " " " Set Screw                                             |
| 624 C                                                                                                                                                       | " " " " " Set Screw                                               |
| 127950                                                                                                                                                      | Looper                                                            |
| 61297                                                                                                                                                       | " Carrier with three 50379C                                       |
| 61474                                                                                                                                                       | " " Packing                                                       |
| <p>Note: No. 61474 is furnished in thicknesses of .030 in., .046 in., .075 in., .085 in., .090 in. and .120 in. when ordering state thickness required.</p> |                                                                   |
| 127746                                                                                                                                                      | Looper Carrier Rock Shaft with 177C                               |
| 61461                                                                                                                                                       | " " " " 127746 with 61361                                         |
| 127790                                                                                                                                                      | " " " " Connection with two each 171E, 1057E and 1485E            |
| 127897                                                                                                                                                      | Looper Carrier Rock Shaft Connection 127790 with 127747           |
| 127747                                                                                                                                                      | Looper Carrier Rock Shaft Connection Ball Stud                    |
| 177 C                                                                                                                                                       | " " " " " " " Set Screw                                           |
| 171 E                                                                                                                                                       | Looper Carrier Rock Shaft Connection Cap (lower) Screw            |
| 1485 E                                                                                                                                                      | " " " " " " (upper) Screw (right end)                             |
| 1057 E                                                                                                                                                      | Looper Carrier Rock Shaft Connection Cap (upper) Screw (left end) |
| 61361                                                                                                                                                       | Looper Carrier Rock Shaft Hinge Pin (eccentric)                   |
| 61031                                                                                                                                                       | " " " " " " Bushing                                               |

|         |                                                                                             |
|---------|---------------------------------------------------------------------------------------------|
| 1299 C  | Looper Carrier Rock Shaft Hinge Pin Bushing Set Screw                                       |
| 61189   | " " " " " " Handle                                                                          |
| 133122  | Looper Carrier Rock Shaft Hinge Pin Handle complete,<br>Nos. 1094F, 61189, 61190 and 133124 |
| 61190   | Looper Carrier Rock Shaft Hinge Pin Handle Body with<br>1299C and two 453C                  |
| 1299 C  | Looper Carrier Rock Shaft Hinge Pin Handle Body Position<br>Screw                           |
| 453 C   | Looper Carrier Rock Shaft Hinge Pin Handle Body Set<br>Screw                                |
| 453 C   | Looper Carrier Rock Shaft Hinge Pin Handle Set Screw                                        |
| 133123  | " " " " " " Lock Stud (hollow)                                                              |
| 133124  | " " " " " " " " Plate                                                                       |
| 1094 F  | " " " " " " " " " "                                                                         |
|         | Screw                                                                                       |
| 133125  | Looper Carrier Rock Shaft Hinge Pin Lock Stud Spring                                        |
| 717 C   | " " " " " " Position Screw                                                                  |
| 1698 E  | " " " " " " " " Nut                                                                         |
| 51279 C | " " " Screw                                                                                 |
| 1698 E  | " " " Nut                                                                                   |
| 127597  | " Driving Shaft with two 61039                                                              |
| 127783  | " " " 127597 with 127730                                                                    |
| 133126  | " " " Bracket                                                                               |
| 948 E   | " " " " Screw                                                                               |
| 133127  | " " " Bushing                                                                               |
| 51322 C | " " " " Set Screw                                                                           |
| 133128  | " " " Hole Plug                                                                             |
| 46200   | " " " Oil Pad (felt) for oiling 127597                                                      |
| 61361   | " " " " " " " " 61361                                                                       |
|         | and 127597                                                                                  |
| 2117    | Looper Driving Shaft Pin                                                                    |

|         |                                                                                    |
|---------|------------------------------------------------------------------------------------|
| 61039   | Looper Driving Shaft Plug                                                          |
| 1498 C  | " " " Set Screw                                                                    |
| 61279   | " Protector Stud                                                                   |
| 453 C   | " " " Set Screw                                                                    |
| 50379 C | " Set Screw                                                                        |
| 57244   | Needle Bar (hollow)                                                                |
| 127559  | " " 57244 with 127560 for 1 9/16 in. to 2 15/16 in. gauges                         |
| 61362   | Needle Bar 57244 with 61364, for 3 in. to 3 1/2 in. gauges                         |
| 38456   | Needle Bar Bushing (lower)                                                         |
| 1133 E  | " " " " Set Screw                                                                  |
| 61042   | " " " (upper)                                                                      |
| 1133 E  | " " " " Set Screw                                                                  |
| 133101  | " " Connecting Link                                                                |
| 133114  | " " " " 133101 with 57940 and 133111                                               |
| 57940   | " " " " Hinge Stud                                                                 |
| 1520 E  | " " " " " " Nut                                                                    |
| 133111  | " " " Stud with 50379C and two 187E, for 1 9/16 in. to 2 15/16 in. gauges          |
| 133112  | Needle Bar Connecting Stud with 50379C and two 187E, for 3 in. to 3 1/2 in. gauges |
| 187 E   | Needle Bar Connecting Stud Clamping Screw                                          |
| 127560  | " Clamp with three 50014F, for 127559                                              |
| 61363   | " " " " 904F, for 61364                                                            |
| *57375  | " " Holder'                                                                        |
| 1190 D  | " " " Screw                                                                        |
| 61364   | Needle Clamp complete, for 61362, Nos. 57375, 61363 and three 1190D                |
| 57449   | Needle Clamp Guide for 3 in. to 3 1/2 in. gauges                                   |

|         |                                                                                                                        |
|---------|------------------------------------------------------------------------------------------------------------------------|
| 57450   | Needle Clamp Guide Bracket (left) for 3 in. to 3 1/2 in. gauges                                                        |
| 158 D   | Needle Clamp Guide Bracket (left) Screw                                                                                |
| 57378   | " " " " (right) for 3 in. to 3 1/2 in. gauges                                                                          |
| 158 D   | Needle Clamp Guide Bracket (right) Screw                                                                               |
| 57379   | " " " " Holder for 3 in. to 3 1/2 in. gauges                                                                           |
| 1193 D  | Needle Clamp Guide Bracket Holder Screw                                                                                |
| 914 F   | " " " Screw                                                                                                            |
| 127954  | " " (lower) Support                                                                                                    |
| 127955  | " " (upper) Support                                                                                                    |
| 51278 J | " " Support Clamping Screw                                                                                             |
| 1654 E  | " " " " " Nut                                                                                                          |
| 9525    | " " " " " Washer                                                                                                       |
| 127956  | Needle Clamp Support (adjustable) complete, for 3 in. to 3 1/2 in. gauges, Nos. 1654E, 9525, 51278J, 127954 and 127955 |
| 50365 J | Needle Clamp Support Screw (lower)                                                                                     |
| 220 J   | " " " " (upper)                                                                                                        |
| 57319   | " Guard (left) with 50239F                                                                                             |
| 57319   | " " (intermediate) with 50239F                                                                                         |
| 57320   | " " (right) with 50239F                                                                                                |
| 57351   | " " Bar                                                                                                                |
| 57943   | " " " Bracket (left) with 440C                                                                                         |
| 177 C   | " " " " " Screw                                                                                                        |
| 57944   | " " " " (right) with 440C                                                                                              |
| 177 C   | " " " " " Screw                                                                                                        |
| 57354   | " " " " Holder                                                                                                         |

|         |                                                         |
|---------|---------------------------------------------------------|
| 29627   | Needle Guard Bar Bracket Holder Dowel Pin               |
| 50154 D | " " " " " Screw                                         |
| 440 C   | " " " Set Screw                                         |
| 50239 F | " " Set Screw                                           |
| 50014 F | " Set Screw for 127560                                  |
| 904 F   | " " " " 61363                                           |
| 57255   | Presser Bar                                             |
| 61046   | " " Bushing (lower)                                     |
| 1133 E  | " " " " Set Screw                                       |
| 38456   | " " " (upper)                                           |
| 1133 E  | " " " " Set Screw                                       |
| 127836  | " " Guide                                               |
| 61049   | " " " Connecting Stud with 453C                         |
| 453 C   | " " " " " Set Screw                                     |
| 57257   | " " Lifter for 1 9/16 in. to 2 15/16 in.                |
|         | gauges                                                  |
| 57383   | Presser Bar Lifter for 3 in. to 3 1/2 in. gauges        |
| 57258   | " " " Hinge Pin                                         |
| 447 C   | " " " " " Set Screw                                     |
| 1872    | " " " Roller and Stud                                   |
| 194 D   | " " " Stop Screw                                        |
| 61047   | " " Lifting Bracket with 460C and 1872                  |
| 127839  | " " " Lever with 193F, for 1 9/16 in.                   |
|         | 2 15/16 in. gauges                                      |
| 127840  | Presser Bar Lifting Lever for 3 in. to 3 1/2 in. gauges |
| 61075   | " " " " Connecting Stud                                 |
| 460 C   | " " " " " " Set Screw                                   |
| 61167   | " " " " Extension for 127840                            |
| 162 J   | " " " " " Screw                                         |

|         |                                                                                   |
|---------|-----------------------------------------------------------------------------------|
| 802 D   | Presser Bar Lifting Lever Hinge Screw                                             |
| 57978   | " " " " Spring                                                                    |
| 38467   | " " Spring (flat)                                                                 |
| 38468   | " " " Stud                                                                        |
| 18280   | " Foot Hinge Pin                                                                  |
| 442 C   | " " " " Set Screw                                                                 |
| 61300   | " " Plate                                                                         |
| 61301   | " " Shank with 442C                                                               |
| 35250   | " " Spring                                                                        |
| 61302   | Presser Foot (spring hinged) complete, Nos. 18280,<br>35250, 61300 and 61301      |
| 176 J   | Presser Foot Screw                                                                |
| 574 W   | Pressure Regulating Thumb Screw                                                   |
| 1539 W  | " " " " Lock Nut                                                                  |
| 133097  | Slack Thread (upper) Controller Body for 133098                                   |
| 127961  | " " " " Spring                                                                    |
| 127739  | " " " " " Collar                                                                  |
| 211 J   | " " " " " " Screw                                                                 |
| 133098  | Slack Thread (upper) Controller complete, Nos. 211J,<br>127739, 127961 and 133097 |
| 211 J   | Slack Thread (upper) Controller Screw                                             |
| 127964  | " " Regulator                                                                     |
| 127758  | " " " Holder with 624C                                                            |
| 61261   | " " " " Crank with 187E and 1963                                                  |
| 187 E   | " " " " " Clamping Screw                                                          |
| 1963    | " " " " " Roller and Stud                                                         |
| 624 C   | " " " Set Screw                                                                   |
| 2102    | Tension (under thread) Disc                                                       |
| 51570 C | " " " Regulating Thumb Nut                                                        |
| 50326 C | " " " Screw Stud                                                                  |
| 59539   | " " " " " 50326C with 51570C                                                      |

|         |                                          |
|---------|------------------------------------------|
| 59534   | Tension (under thread) Spring            |
| 59537   | " " " " Bushing (large)                  |
| 59538   | " " " " " (small)                        |
| 57076   | " " " Thread Guide                       |
| 2102    | " (upper thread) Disc                    |
| 51570 C | " " " Regulating Thumb Nut               |
| 50326 C | " " " Screw Stud                         |
| 59539   | " " " " " 50326C with 51570C             |
| 59535   | " " " Spring                             |
| 59537   | " " " " Bushing (large)                  |
| 59538   | " " " " " (small)                        |
| 57076   | " " " Thread Guide                       |
| 127972  | " Plate with 439D                        |
| 439 D   | " " Position Stud                        |
| 57265   | " " Spring                               |
| 663 E   | " " " Screw                              |
| 32572   | " Releasing Disc                         |
| 57266   | " " Lever                                |
| 57267   | " " " Connection                         |
| 61164   | " " " " for 61167                        |
| 1094 F  | " " " " Screw for 61167                  |
| 193 F   | " " " " Set Screw                        |
| 788 D   | " " " Hinge Screw                        |
| 127977  | " " Pin (large)                          |
| 133068  | " " " (small)                            |
| 127978  | " " Plate                                |
| 691 F   | " " " Screw                              |
| 127807  | Thread (under) Eyelet (back) with 127812 |
| 691 F   | " " " " Screw                            |
| 127812  | " " " " Thread Guide                     |

|         |                                                         |
|---------|---------------------------------------------------------|
| 127984  | Thread (under) Eyelet (front)                           |
| 127986  | " " " " Post                                            |
| 127987  | " " " " " 127986 with 203J                              |
|         | and 127984                                              |
| 448 C   | Thread (under) Eyelet (front) Post Set Screw (left)     |
| 430 C   | " " " " " " " (right)                                   |
| 203 J   | " " " " Set Screw                                       |
| 61103   | " " Protector                                           |
| 397 F   | " " " Screw                                             |
| 127989  | " " Take-up                                             |
| 190 E   | " " " Screw                                             |
| 127990  | " " " Driving Crank with 1454E                          |
| 1454 E  | " " " " " Clamping Screw                                |
| 1131 C  | " " " " " Hinge Screw                                   |
| 1520 E  | " " " " " " " Nut                                       |
| 127991  | " " " Eccentric with two 446C                           |
| 127992  | " " " " Connection with 50240E,                         |
|         | 127851, 127994, 127995 and two 127848                   |
| 127993  | Thread (under) Take-up Eccentric Connection 127992 with |
|         | 127991                                                  |
| 127848  | Thread (under) Take-up Eccentric Connection Oil Cup     |
| 127994  | " " " " " " "                                           |
|         | Oil Pad (back) braided cotton                           |
| 127851  | Thread (under) Take-up Eccentric Connection Oil Cup     |
|         | Oil Pad (front) braided cotton                          |
| 50240 E | Thread (under) Take-up Eccentric Connection Oil Cup     |
|         | Oil Plug Screw                                          |
| 127995  | Thread (under) Take-up Eccentric Connection Oil Cup     |
|         | Oil Plug Screw Washer leather                           |
| 446 C   | Thread (under) Take-up Eccentric Set Screw              |

|         |                                                                                          |
|---------|------------------------------------------------------------------------------------------|
| 127996  | Thread (under) Take-up Eyelet (left)                                                     |
| 203 E   | " " " " " Set Screw                                                                      |
| 127997  | " " " " (right)                                                                          |
| 203 E   | " " " " " Set Screw                                                                      |
| 127998  | " " " " Packing (.015" thick)                                                            |
| 127999  | " " " " (.025" thick)                                                                    |
| 128000  | " " " " (.060" thick)                                                                    |
| 133001  | " " " " Shaft                                                                            |
| 133002  | " " " " Bracket with two 203E                                                            |
| 133003  | Thread (under) Take-up Shaft Bracket complete, Nos.<br>127990, 133001, 133002 and 133004 |
| 575 E   | Thread (under) Take-up Shaft Bracket Screw (left)                                        |
| 129 E   | " " " " " " (right)                                                                      |
| 133004  | " " " " Collar with two 446C                                                             |
| 446 C   | " " " " " Screw                                                                          |
| 133006  | " (upper) Eyelet (back)                                                                  |
|         | Note: No. 133006 is only furnished when Thread<br>Nipper is required.                    |
| 127775  | Thread (upper) Eyelet (back) Hole Plug                                                   |
| 178 C   | " " " " " Set Screw                                                                      |
| 133012  | " " " " (front)                                                                          |
|         | Note: No. 133012 is only furnished when Thread<br>Nipper is not required.                |
| 203 J   | Thread (upper) Eyelet (front) Screw                                                      |
| 133017  | " " " " Nipper Body                                                                      |
| 131039  | " " " " " Hole Plug                                                                      |
| 50554 C | " " " " " Set Screw                                                                      |
| 68130   | " " " " " Disc (inside)                                                                  |
| 68131   | " " " " " Washer (fiber)                                                                 |
| 133018  | " " " " " (outside)                                                                      |

|         |                                                                                                                     |
|---------|---------------------------------------------------------------------------------------------------------------------|
| 1698 C  | Thread (upper) Nipper Disc (outside) Nut                                                                            |
| 34099   | " " " " " Washer                                                                                                    |
| 68133   | " " " Roller                                                                                                        |
| 68134   | " " " Hinge Pin                                                                                                     |
| 133020  | " " " Spacing Collar                                                                                                |
| 133023  | " " " Stud                                                                                                          |
| 133024  | Thread (upper) Nipper Stud complete, Nos. 68133,<br>68134 and 133023                                                |
| 13218   | Thread (upper) Nipper Stud Spring                                                                                   |
| 133026  | Thread (upper) Nipper complete, Nos. 16980, 13218,<br>34099, 68130, 68131, 133017, 133020, 133024<br>and two 133018 |
| 133029  | Thread (upper) Nipper Thread Guide                                                                                  |
| 207 J   | " " " " " Screw                                                                                                     |
| 133030  | " " Oil Cup                                                                                                         |
| 133031  | " " " " 133030 with 133031                                                                                          |
|         | Note: No. 133031 is not regular fitting of machine<br>if desired it must be so stated on order.                     |
| 133032  | Thread (upper) Oil Cup Oil Pad (felt)                                                                               |
| 50004 W | " " " " Screw                                                                                                       |
| 133034  | " " Take-up                                                                                                         |
| 50379 C | " " " Set Screw                                                                                                     |
| 61368   | Throat Plate for 61367                                                                                              |
| 61424   | " " " 61423                                                                                                         |
| 61426   | " " " 61427                                                                                                         |
| 691 F   | " " Screw                                                                                                           |
| *15404  | Trade Mark                                                                                                          |
| 15405   | 2 " " Rivet                                                                                                         |