DEPARTMENT No. 54 SEPTEMBER 22, 1926

## LIST OF PARTS COMPLETE



FOR .

Machine No. 125-2

THE SINGER MANUFACTURING COMPANY

## LIST OF PARTS COMPLETE

FOR

## MACHINE No. 125-2

FOR STITCHING TWO OR FOUR HOLE BUTTONS FROM 14 TO 24 LINE ON SHIRTS, UNDERWEAR, BARBERS' AND WAITERS' COATS, ETC. FOR HAND OPERATION ONLY. THE NUMBER OF STITCHES IN EACH BUTTON IS CONTROLLED BY THE OPERATOR. AUTOMATIC TENSION. THREAD CONTROLLER. BASE NO. 34207. CLOTH PLATE 33/4 INCHES WIDE, 1/2 INCH FROM THE NEEDLE TO EDGE OF CLOTH PLATE, NEXT TO THE OPERATOR. THIS MACHINE IS REGULARLY FITTED WITH FEED PLATE HOLDER AND THREE FEED PLATES, FOR THE DIFFERENT SIZES OF TWO AND FOUR HOLE BUTTONS WITHIN THE CAPACITY OF THE MACHINE.

*122551	Arm,	upper	and lo	wer (s	solid	l)		. <b></b>		
34114	"	Rock S	haft	<b></b> .				<b></b>		
32034	"	"	" (	Crank	(bae	ck)	with	1259c	and 1	439c
1439c	"	"	"	"	"			ion Sci		
1259c	".	"	"	"	"			crew		
122552	"	"	"	"	(fro			two 12		
1259c	"	"	"	"	` "			Screw		
122553	"	Rotary	Shaft	with	1019					
122554	"	"	. "					2c		
462c	"	"	"	"						
199p	"	"	"	Screv						
122555	Balar	nce Whe	el wi							
80023	"	"								
122556	"	"								
122557	"	"		"	"			with 8		
452c	"	"		"	"			ew		
8382	"	"		"	"					
122558	Butte	on Clan	ıp (lei	ft) wit	h 17					
122559	"	"						d 1772		
122560	"	"								
122561	"	"	"	Slid	ing :	Bra	cket.		<b>.</b>	
2022	"	"	"					Hinge		
122562	"	"	"	60	2			Spring		
240p	"	"	"		ı		"	"	Screw	
1175յ	"	"	Hi	nge Sc	rew.					
122563	"	. "						uttons		

. 2	IAI	LID FOIL	MIA	CIIIND	110. 1	20-2
122564	Button	Clamp Le	370r	Adjusting	r Plate	<b>.</b>
122004	"		"	ziajustinę 4	s i iau	Screw
23258	"	"	"	"	"	" Washer
122565	"	<b>66</b> -	"	"	"	Stop Pin
122000 109j	"	"	"	Hingo So	ross	
122566	"	"				
2081	"	"	"			
17718	"	"	<b></b>	" "		sher
931	"	"	"	Position 9		
933 1117 <sub>J</sub>	"	"				ımb Screw
1758j	"		"	rtegulatii		' " Lock-
11001		ing Thur	h N	·t		LOCK-
122569	Rutton	Clamp Di	tmai	n (lawar)		
122309 1175j	Button	Ciamp 11	44	ii (lower).		,
122568	"	"	"	"	ocrew "	Bracket with
122008						
996.	Dutton	42039			 	Due sleet Comme
226J	Button	Clamp Pi	tmai			Bracket Screw
122567	"	"	"	(upper)		
122570	"	"	"			n two 50138j
50138J				Set Scr	ew	
122571	Button					s. 122567, 122569
.==.0	<b>.</b>					• • • • • • • • • • • • • • • • • • • •
17716	Button	Clamp Sp	read			• • • • • • • • • • • • • • • • • • • •
17717		"	"	Lever		
50237к	. "	"	"	"		Screw
1180л	"	"	"	. "	Locki	ng Thumb Screw
17718	••				••	.,
1100	D	Washer				• • • • • • • • • • • • • • • • • • • •
	Button	Clamp Sp	reac			
122572	"	"	"	Spring	_	• • • • • • • • • • • • • • • • • • • •
42639	"	"	"	"		
1181л	. "	"	"			v Stud
17720	"					•••••
122573	"	" Sp				• • • • • • • • • • • • • • • • • • • •
122574	"	"	"			• • • • • • • • • • • • • • • • • • • •
228J	"	"	"			• • • • • • • • • • • • • • • • • • • •
17720	"					
17722.	"	. 51				
1183л	"					• • • • • • • • • • • • • • • • • • • •
17723		ia.				
122575	Button	_	_	-		Юр, 1117ј, 1180ј,
•		-				, 17716, 17717,
				3, 50237 <sub>1</sub>		2558 to 122564,
						22574, two each
						5 and three each
100000	<b>D</b>					
122609	Button					2585, 122606 and
		two 337 <sub>J</sub> .				

122576	Clath Plata
	Cloth Plate
1104F	Screw (large)
219 <sub>D</sub>	(smail)
34433	Crank Connecting Rod with 34434 and two 171E
*34434	Сар ,
171E	" " Screw
1139c	" " Hinge Screw
1520E	" " " " Nut
34133	Face Plate with 22414
337D	" " Screw
22414	" " Thread Eyelet
122577	Feed Cam and Gear (solid) with two 457c
457c	" " " Set Screw
122599	" " " " Shaft
122579	" " " Bracket with 449c
130p	" " " Screw
122600	" " " Collar with two 465c
465c	" " Set Screw
	Det Derew
122580	Lever with 1825
122581	Tinge Stud
449c	Set Screw
122582	Connection
122583	Extension
50130c	" " " Hinge Screw
190b	" " Serew
7071	" " " Washer
1823	" " Roller and Stud
122603	" Plate for two hole buttons
122604	" " medium buttons
122605	" " large rubber buttons
122585	" " Bracket
122606	" " Holder
337л	" " Screw
50474c	" Regulating Screw Stud
212p	" " Cap Screw
1698c	" " " Nut
18413	" " " Spring
34099	" " Washer
50475j	" " Thumb Serew
1755j	" " Lock Nut
122586	
122580	" " " Sleeve " Regulator with 1186E
1186E	Clamping Screw
122588	Silue
122589	Looper with 34418
1019c	Det Berew
34418	wasner
122590	Needle Bar

		_	~ .				1010
34170				ing l			1313E
1313E	"	"	. "	_		•	Screw
32111	"	"	"	8			and 1296c
195E	"	"	"				Screw
1296c	"	"	ες.		" P	osition (	Screw
122591	"	Clan	np with	223 ғ	,		
337D	"	"					
223г	"	Set S	Screw				
122592	Presso	er Bar					
34104		"	Guide B	Brack	et wit	h 223E.	
223E	"	"	"	"	Adj	justing S	Screw
34105	"	"	"	"	Gui	ide	
457c	"	"	"	"	**	Set S	Screw
999г	"	"	"	"	Set	Screw.	
122593	"	"	Lifter				•
50293E	"	"					
1521E	"	"	"	"	46		
9534	"	"	Spring				
22405	"	"					
	D	D.					
			-				••••
34137	Spoor	Brack					• • • • • • • • • • • • • • • • • • • •
2049	"	"					
1008p	"						
19066	"	Spind	le				
1009c	"						
19067	"	Threa	d Guidii.	ng L			
691 a	**	"	••		", Sci	rew	
124609		d Con		leev	e. <b>.</b>		
124607	"			prin	g		
124608	"		"	"	Colla	ır with 1	1477F
1477F	"		"	"	"	Set Se	erew
122607			" S	tud	with 5	6549 an	d 124631
*124631			"	"	Collar		
56549	"		"	"	"	Pin	
447c	"		"	"	Set Sc	rew	
122608	Threa	d Con	troller e	omp	lete, N	los. 122	607 and 124607
34171	Thres	d Eve	let (doul	ble).			
122594	"		rd				
34139	"			ıstin			
34140	"	1119		"	g 15144		with 22434 to
01110		224	36				
1170	TL						
	Threa	a Nip		ıstın;	g Stua "		lug Screw
22434	"	"		"	"	wasnei	(leather) lower
22435	"	"			"	"	" upper
22436	••	••			••		(steel)

Body with two 22447....

	FARTS FOR MACHINE NO. 120-2					
34292	Thread Nipper Body complete, Nos. 22440, 22443, 22446, 22450, 34212, 34213, 34432, 34520 and two 22451					
1125 p	Thread Nipper Body Set Screw					
34430	" " Cap					
*34431	" " Stud					
34432	" " 34431 with 34430					
22440	" " Washer (cloth)					
34213	" Disc (grooved)					
22443	" Locking Washer					
34520	" " Cap (leather)					
22446	" " Ring					
22447	" " Position Pin					
22449	" " Rod					
122601	" " Eccentric					
1167E						
22450	" "Spring with 22452 and 22453					
22451	" Washer (leather) lower					
22451	" " " upper					
22452	" " (flange) lower					
22453	" " " " upper					
9543	" Retaining Disc (lower)					
34439	" " (upper)					
34410	" " Cover					
50014c						
9545	" " Spring					
122595	Throat Plate					
244 ј	" Screw					
•	8 mil					
IRON BASE						
34207	Iron Base with three wood screws 11/4 in. No. 12					
663E	Machine Screw					
43267	" " Washer					
	,					
ACCESSORIES						
36569	Oiler with 36571					
36570	" 36569, filled with oil					
36571	". Spout, 134 in. long, with 36807					
36807	wasner (leatner)					
26026	Screw Driver (large)					

25539 Stiletto.....

Wrench for 1698.....

26485



