Form 19082, Revised (642) Printed in U.S.A.





# MACHINES Nos. 147-100 and 147-101

THE SINGER MANUFACTURING COMPANY

# INSTRUCTIONS FOR OILING

These machines are equipped with an oiling system which automatically delivers the proper amount of oil to the principal bearings of the machine.

Oil in the arm reservoir is splashed by an agitator on the lower end of the connecting rod and lubricates the various bearings inside the arm. Cups within the arm distribute some of this oil through the connecting pipes and wicks to the principal bearings outside the arm.

IN ORDER THAT THIS SYSTEM MAY OPERATE, IT IS ABSOLUTELY NECESSARY THAT THE OILING INSTRUCTIONS GIVEN IN FORM 18930, INSTRUCTION BOOK FOR THESE MACHINES, BE FOLLOWED TO THE LETTER.

Use either "SINGER OIL FOR HIGH SPEED SEWING MA-CHINES" (Cloth and Leather) for general use, or "STAIN-LESS OIL FOR HIGH SPEED SEWING MACHINES" where stainless oil is desired.

> Copyright, U. S. A., 1938, 1940, 1941 and 1942 by The Singer Manufacturing Co. All Rights Reserved for all Countries

# INDEX

|  | Page |
|--|------|
| Accessories                            | . 23 |
| Belt Guard                             | . 23 |
| Bench Stands                           | . 23 |
| Chart for Fittings for 147-100 Machine | . 21 |
| Chart for Fittings for 147-101 Machine | . 22 |
| Foot Lifter Parts                      | . 24 |
| Knee Lifter Parts                      | . 24 |
| Lap Seam Fellers                       | . 25 |
| Machine Bases                          | . 25 |
| Machine Base Oil Drain Jar             | . 26 |
| Machine No. 147-100                    | . 7  |
| Machine No. 147-101                    | . 19 |
| Numerical List of Parts                | . 31 |
| Obsolete Parts                         | . 28 |
| Thread Unwinder                        | . 27 |

# INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column. The number stamped on a Sewing Machine Part is in every case the number of the single part only. Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination. Each number always indicates the SAME PART in whatever list it appears, or for whatever machine. The letters after some of the numbers indicate the style of finish only, as follows: A-Hardened, Polished, Nickel Plated and Buffed A.A-Buffed and Chromium Plated A.B-Hardened, Polished, Buffed and Chromium Plated A.C-Brown Baking Enamel Finish A.D-Gray Baking Enamel Finish A.E-Hardened, Bright Rumbled and Nickel Plated A.F-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated A.G-Alumilite, Plain A.H-Alumilite, Dyed A.J-Polished, Nickel Plated and Chromium Plated A.K-Hardened, Polished, Nickel Plated and Chromium Plated A.L-Heat Treated for Toughness B-Polished, Nickel Plated and Buffed C-Hardened Only C.R-Hardened and Merlized D-Polished Only E-Soft, Not Polished F-Hardened and Polished F.J-Hardened, Polished and Nickel Plated G-Bright Rumbled and Nickel Plated H-Blued J-Nickel Plated Only K-Hardened and Nickel Plated L-Brass Plated M-Oxidized N-Japanned, Dull P-Japanned, Bright P.P-Wrinkle Finish R-Merlized S-Cadmium Plated T-Copper Plated T.A-Hardened, Polished, Copper and Nickel Plated and Buffed T.B-Copper and Nickel Plated and Polished T.J-Copper and Nickel Plated Only T.K-Hardened, Copper and Nickel Plated T.L-Copper and Brass Plated T.M-Copper Plated and Oxidized

#### INSTRUCTIONS FOR ORDERING - Continued

U-Zinc Plated

V-Silver Plated

W-Polished and Nickel Plated

X-Black Oxide, for Iron and Steel

X.C-Hardened and Black Oxide, for Iron or Steel

Y-Black Nickel Plated Only

Z-Chromium Plated

Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated

Z.C-Hardened and Chromium Plated

Z.D-Polished and Chromium Plated

Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

Z.J-Nickel and Chromium Plated

Z.T-Copper and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers

1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts.


The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with as asterisk (\*) are furnished only when repairs are made at factory.

When ordering parts which differ as to Gauge (the distance between seams) the Gauge, as well as the Number must be given on order.

#### LIST OF PARTS COMPLETE

FOR



# MACHINE No. 147-100

For Lap Seaming Light Weight Fabrics. Two needles, two loopers. Gauges from  $\frac{3}{32}$  in. to  $\frac{1}{2}$  in., in steps of  $\frac{1}{32}$  in. Standard gauges are  $\frac{1}{8}$  in.,  $\frac{5}{32}$  in.,  $\frac{3}{16}$  in.,  $\frac{1}{4}$  in. and  $\frac{9}{32}$  in. Length of stitch 10 to 25 to the inch. Needle bar stroke I  $\frac{1}{8}$  inches. Ball Bearing. Speed 4300 R.P.M.

| No.    | Plate | Name                               |
|--------|-------|------------------------------------|
| *      |       | Arm, upper and lower (solid) with  |
|        |       | 948J, 15404, 68483, two 131676     |
|        |       | and four 131022                    |
| 68428  | 20688 | Arm Bottom Cover                   |
| 68429  | 20688 | " " Gasket (cork)                  |
| 1057AL | 20688 | " " " Screw (4)                    |
| 50608R | 20688 | Arm Hole Plug Screw, for access to |
|        |       | Crank Connecting Rod (upper        |
|        |       | bearing)                           |
| 139017 | 20688 | Arm Hole Plug Screw Washer         |
| 68350  | 20695 | Arm Oil Cup, for oiling Arm Rock   |
|        |       | Shaft Front Bearing                |

#### PARTS FOR MACHINE NO. 147-100

| No.                       | Plate         |         | Name                              |
|---------------------------|---------------|---------|-----------------------------------|
| 131864                    | 20720 A       | rm      | 0il Cup, for 131866               |
| 131865                    | 20720         | 11      | " " 0il Gauge                     |
| 131866                    |               | mm      | Oil Cup with Oil Gauge complete,  |
| 101000                    | 20120 11      |         | for filling oil reservoir, Nos.   |
|                           |               |         |                                   |
| 171710                    | 00005         |         | 131864 and 131865                 |
| 131319                    | 20695 A       |         | Oil Cup Oil Pad (braided cotton)  |
|                           |               |         | for 68350                         |
| 131293                    |               | rm      | Rock Shaft                        |
| 131474                    |               | "       | " " 131293 with 1235F, '          |
|                           |               |         | 127838 and 131475                 |
| 1309C                     | 20695 A       | rm      | Rock Shaft Adjusting Screw        |
| 131056                    | 20695         | 11      | " " Washer                        |
| 68433                     | 20695         | "       | " " Bushing (back)                |
| 68435                     | 20695         | "       | " " " Cap                         |
| 131095                    | 20695         |         | " " " " "                         |
| 101000                    | 20000         |         | Washer (fibre)                    |
| 11017                     | 00005         |         |                                   |
| 446AL                     | 20695 A       | rm      | Rock Shaft Bushing (back) Set     |
|                           |               |         | Screw                             |
| 68436                     | 20695 A       | rm      | Rock Shaft Bushing (intermediate) |
| 423AL                     | 20695         | "       | n n n                             |
|                           |               |         | Set Screw                         |
| 131072                    | 20720 A:      | rm      | Rock Shaft Crank, back (ball      |
| A NAME                    |               |         | bearing, solid) with two 50083AL. |
| 50083AL                   | 20720 A       | mm      | Rock Shaft Crank (back) Set Screw |
| COOCCIE                   | 20120 M       | 1 III   | (2)                               |
| 131475                    | 20695 A       |         | (2)Rock Shaft Crank (front) with  |
| 101470                    | 20695 A       | r-m     | NOCK Shalt Grank (IPont) with     |
| 107070                    |               |         | 853AL                             |
| 127838                    |               | rm      | Rock Shaft Crank (front) Pin      |
| 131456                    | 20000         |         | " " Flanged Bushing (front)       |
| 453AL                     | 20695         | "       |                                   |
|                           |               |         | Set Screw                         |
| 42365                     | 20695 A:      | rm      | Rock Shaft Oil Pad (braided       |
|                           |               |         | cotton) for oiling Back Bearing   |
| 54969                     | 20695 A       |         | Rock Shaft Oil Pad (braided       |
|                           |               |         | cotton) for oiling Intermediate   |
|                           |               | 1       | Bearing                           |
| 1235F                     | 20695 A       | nm      | Rock Shaft Oil Plug Screw         |
| 131476                    | 20720 A       | - m     | Botomy Shoft                      |
|                           | LUIZU A       | rm .    | Rotary Shaft                      |
| Note:                     | when No       | • +     | 31476 is required for repairs,    |
|                           | Line Looper   | r D     | riving Shaft and Feed Lifting     |
|                           | Eccentric     | mu      | st be returned to the factory to  |
| 171405                    |               |         | to the new part.                  |
| 131485                    | A1            | rm :    | Rotary Shaft 131476 with 640E,    |
|                           | 68            | 848     | 2, 131930and 131502               |
| 131366                    | 20720 A       | rm .    | Rotary Shaft Ball Bearing (back)  |
|                           |               |         | (2)                               |
| 131478                    | 20720 A       | rm :    | Rotary Shaft Ball Bearing (back)  |
|                           |               |         | Case                              |
| 131479                    | A1            | rm :    | Rotary Shaft Ball Bearing (back)  |
|                           |               |         | Case 131478 with 131369 and three |
|                           |               |         | 2050                              |
| 131526                    | 47            | rom .   | Rotary Shaft Ball Bearing (back)  |
| 101000                    | A             | . III . | Case with Ball Bearings complete, |
|                           |               |         | Nog 171470 171400 and the         |
|                           |               | -       | Nos. 131479, 131480 and two       |
| 131700                    | 20720 .       |         | 131366                            |
| 131369                    | 20720 A       | c'm .   | Rotary Shaft Ball Bearing (back)  |
|                           |               |         | Case Cap                          |
| The set of the set of the | summer of the | 0       |                                   |

#### PARTS FOR MACHINE NO. 147-100

|       | No.     | Plate  | Name                                  |
|-------|---------|--------|---------------------------------------|
|       | 2050    | 20720  | Arm Rotary Shaft Ball Bearing (back)  |
|       | 2000    | 20120  |                                       |
|       |         |        | Case Cap Screw (3)                    |
|       | 131370  | 20720  | Arm Rotary Shaft Ball Bearing (back)  |
|       |         |        | Case Position Stud (3)                |
|       | 429C    | 20720  | Arm Rotary Shaft Ball Bearing (back)  |
|       |         |        | Case Set Screw                        |
|       | 131480  | 20720  | Arm Rotary Shaft Ball Bearing (back)  |
|       | 101400  | 20120  |                                       |
|       |         | 0.0000 | Spacing Collar                        |
|       | 131366  | 20720  | Arm Rotary Shaft Ball Bearing (inter- |
|       |         |        | mediate)                              |
|       | 131481  | 20720  | Arm Rotary Shaft Ball Bearing (inter- |
|       |         |        | mediate) Case                         |
|       | 1304C   | 20720  | Arm Rotary Shaft Ball Bearing (inter- |
|       | 10040   | 20120  | mediate) Case Set Screw               |
|       | -       |        |                                       |
|       | 131482  | 20720  | Arm Rotary Shaft Ball Bearing (inter- |
|       |         |        | mediate) Collar with two 457AL        |
|       | 457AL   | 20720  | Arm Rotary Shaft Ball Bearing (inter- |
|       |         |        | mediate) Collar Set Screw (2)         |
|       | 131457  | 20720  | Arm Rotary Shaft Bushing (front)      |
|       |         |        | " " " " Set                           |
|       | 761E    | 20720  | Det                                   |
|       |         |        | Screw                                 |
|       | 42367   | 20720  | Arm Rotary Shaft Front Bearing Oil    |
|       |         |        | Pad, lower (braided cotton)           |
|       | 54218   | 20720  | Arm Rotary Shaft Front Bearing Oil    |
|       | OILIO   | 20120  | Pad, upper (braided cotton)           |
|       | 2440    | 00700  | Arm Rotary Shaft Screw                |
|       | 144D    | 20720  | Arm Rotary Shalt Screw                |
|       | 131276  | 20688  | Arm Side Cover (oil vent)             |
|       | 131909  | 20688  | " " " Cap                             |
|       | 131280  | 20688  | " " " Position Pin                    |
|       | 1289X   | 20688  | " " " Screw                           |
|       | 131910  | 20688  | " " " Spring                          |
|       |         |        |                                       |
|       | 131911  | 20688  | Arm Side Cover (oil vent) complete,   |
|       |         |        | Nos. 1289X, 131276, 131280,           |
|       |         |        | 131909 and 131910                     |
|       | 68448   | 20688  | Arm Side Cover Gasket                 |
|       | 1057AL  | 20688  | " " " Screw (4)                       |
|       | 131483  | 20720  | Balance Wheel, 2 in. pulley, with two |
|       | 101-100 | 20120  | 51283AL for round belt                |
|       | 171710  |        | Balance Wheel "V" belt groove, out-   |
|       | 131710  |        |                                       |
|       |         |        | side diam. of belt groove 2.9 in.,    |
|       |         |        | with two 51283AL                      |
|       | 128510  | 20720  | Balance Wheel Cover                   |
|       | 51283AL | 20720  | " " Set Screw (2)                     |
| Ser   | 172092  | 20722  | Cloth Plate                           |
| Der.  | 68368   | 20722  | " " Slide (left)                      |
|       |         |        |                                       |
|       | 131050  | 20722  | opi ing                               |
|       | 725J    | 20722  | DOICH                                 |
|       |         |        | (2)                                   |
|       | 131051  | 20722  | Cloth Plate Slide (left) complete,    |
|       |         |        | Nos. 68368, 131050 and two 725J       |
|       | 131375  | 20722  | Cloth Plate Slide (right) No Throat   |
|       | 101010  | 20122  | Plate clearance cut, for 131382       |
|       | 222220  |        |                                       |
| 6-17A | 131376  |        | Cloth Plate Slide (right) 1/16 in.    |
| 12    |         |        | Throat Plate clearance cut, for       |
|       |         |        | 131383                                |
|       |         |        |                                       |

| 10                   | PA    | RTS FOR M4 HINE NO. 147-100   |
|----------------------|-------|---|
| No.                  | Plate | Nomo  |
| 131377               | FIACE | Name  |
| 191911               |       | Cloth Plate Slide (right) 7/64 in.<br>Throat Plate clearance cut, for |
|                      |       | 131384  |
| 131378               |       | Cloth Plate Slide (right) 1/8 in.                                     |
|                      |       | Throat Plate clearance cut, for 131385                                |
| 131379               |       | Cloth Plate Slide (right) 9/64 in.                                    |
|                      |       | Throat Plate clearance cut, for                                       |
|                      |       | 131386  |
| 131380               |       | Cloth Plate Slide (right) 3/16 in.                                    |
|                      |       | Throat Plate clearance cut, for 131387                                |
| 131381               | 20722 | Cloth Plate Slide (right) Spring                                      |
| 725J                 | 20722 | orocu i rece prine (Likuc) philuk                                     |
| 1200                 | 20122 | Screw (2)   |
| 131382               | 20722 | Cloth Plate Slide (right) complete,                                   |
| 101002               | LUILL | (No Throat Plate clearance cut)                                       |
|                      |       | for <del>1112000</del> Nos. 131375, 131381                            |
|                      |       | and two 725J  |
| 131383               |       | Cloth Plate Slide (right) complete                                    |
| 101000               |       | (1/16 in Threat Plate alegner   |
|                      |       | (1/16 in. Throat Plate clearance                                      |
|                      |       | cut) for <b>140000</b> , Nos. 131376,<br>131381 and two 725J          |
| 131384               |       | Cloth Plate Slide (right) complete                                    |
| 101004               |       | (7/64 dr Dbroot Dlate oleven  |
|                      |       | (7/64 in. Throat Plate clearance                                      |
|                      |       | cut) for 131300, Nos. 131377,   |
| 131385               |       | 131381 and two 725J<br>Cloth Plate Slide (right) complete             |
| 101000               |       | (1/8 in. Throat Plate clearance                                       |
|                      |       |   |
|                      |       | cut) for 1 <del>52562</del> , Nos. 131378,<br>131381 and two 725J     |
| 131386               |       | Cloth Plate Slide (right) complete                                    |
| 101000               |       | (9/64 in. Throat Plate clearance                                      |
|                      |       | cut) for 151598, Nos. 131379,   |
|                      |       | 131381 and two 725J   |
| 131387               |       | Cloth Plate Slide (right) complete                                    |
|                      |       | (3/16 in. Throat Plate clearance                                      |
|                      |       | cut) for 2010000 Nos. 131380,   |
|                      |       | 131381 and two 725J   |
| 131300-              |       | -Gloth Plate complete, for Threat-                                    |
|                      |       | Plates with no offeet, Nec.131051,                                    |
|                      |       | -101074-and-131303  |
| 131303               |       | -Oloth Ploto complete, for Threat                                     |
|                      |       | Plates with 1/16 in. offect, Nec.                                     |
|                      |       | -131051, 181874-and-181888  |
| 101090-              |       | -Gloth-Plate complete, for Threat                                     |
|                      |       | -Platon-with-7/64 in-offsot, Nee.                                     |
|                      |       | -151051, 151374-and 131384  |
| 1 <del>31391 -</del> |       | -Sloth-Plate-complete-for-Threat                                      |
|                      |       | Platos with 1/8 in offect, Noc.                                       |
|                      |       | 161061, 131374 and 131365   |
| 131392               |       | - Oloth-Plato-completo,-for-Whroat                                    |
|                      |       | Plates with 0/61 in. offest, Nos.                                     |
| 3 7 3 7              |       | 131051, 131374 and 131386   |
| 131393               |       | Cloth Plate complete, for Throat                                      |
|                      |       | Plates with 3/16 in. offset, Nos.                                     |

×2.

÷ź

Plates with 3/16 in. offset, Nos. 131051, 131374 and 131387......

Ser. 174356 Cloth plat extension 1011 F screw Ser. 170805 鑃 98 supporting bracket 50473 F Cloth plate extension supporting bracket screw (lower) 50473 F Cloth plate extension supporting bracket screw (upper) 1708 J Cloth plate extension supporting bracket screw (upper) nut 59632 Cloth plate oil tube

|      |              | Dist           |         |         | Nome            |            |                            |                                     |
|------|--------------|----------------|---------|---------|-----------------|------------|----------------------------|-------------------------------------|
|      | 0.           | Plate          | Cleth   |         | Name            | (100+)     | 121                        |                                     |
|      | 011F<br>396F | 20722          | CIOTU " | Plate " | Screw "         |            | )                          |                                     |
|      | 0821         |                | "       |         |                 |            |                            |                                     |
|      | 389F         | 20722          | п       | "       | "               | uuaru<br>" |                            | (lower)                             |
|      | 473F         | 20722          | "       | "       | "               | "          |                            | upper)                              |
| *131 |              | 20720          | Crank   | Conned  | cting R         | od wit     |                            |                                     |
| 101  | 112          | 20120          |         |         | nd 1057.        |            |                            |                                     |
|      | Note:        | When 1         | No. 131 | 471 1   | s requi         | red fo     | r repai                    | rs.                                 |
|      |              | the Con        |         |         |                 |            |                            |                                     |
|      |              | (back)         |         |         |                 |            |                            |                                     |
|      |              | All Agen       |         |         |                 |            |                            |                                     |
|      |              | the Mach       | nine Nu | mber :  | for whi         | ch it      | is requ                    | ired,                               |
|      | 1            | in order       | r to ob | tain (  | correct         | Needl      | e Bar S                    | stroke.                             |
| 131  | 930          |                | Crank   | Conne   | cting R         | od 131     | 471 wit                    | h                                   |
|      |              |                | 18      | 1343.   | .13.10.         | 12         |                            |                                     |
|      | 896AL        | 20720          |         |         | cting R         |            |                            |                                     |
|      |              |                |         |         | 2)              |            |                            |                                     |
| 1    | 057AL        | 20720          | Crank   | Conne   | cting R         | od Cap     | (upper                     | ,)                                  |
|      | 100          | 00767          | Se      | rew (   | 2)              |            |                            | •••••                               |
|      | 460          | 20723          | Face P  | 'late   | (lower )        |            |                            |                                     |
|      | 461          | 20723          |         |         | "               |            | Gasket<br>Screw (          | and the second second second second |
|      | 330D         | 20723          |         |         | (upper          |            |                            | WARE CONTRACT TO THE                |
|      | 395<br>234   | 20723          | "       |         |                 |            | osition                    |                                     |
|      | 053E         | 20723          | "       |         | "               |            | "                          | "                                   |
| 1    | 00015        | 20125          | Sc      | rew.    |                 |            |                            |                                     |
| 51   | 224W         | 20723          | Face F  | late    | (upper          | half)      | Thumb S                    | Screw.                              |
|      | 729          | 20724          |         |         |                 |            |                            |                                     |
|      | 730          | 20724          | 11      | " Fe    | ed Dog          | Seat (     | adjusta                    | ble)                                |
|      |              |                |         |         | 0AL             |            |                            |                                     |
|      | 190J         | 20724          | Feed E  | Bar Fe  | ed Dog          | Seat S     | crew                       |                                     |
| 22   | 436          | 20724          | "       |         | " "             |            |                            |                                     |
| 131  | 731          |                |         |         | th Feed         |            |                            |                                     |
|      |              |                |         |         | complet         |            |                            |                                     |
|      |              |                |         |         | 131729,         |            |                            |                                     |
|      | 107          | 0.0704         | 20      | )/E     | · · · · · · · · |            |                            | • • • • • • •                       |
|      | 197          | 20724          | reed f  |         | nge Pin         | (ecce      | r with                     | 73541                               |
| 59   | 343<br>735AL | 20724<br>20724 |         |         |                 | "          | Set S                      | CORN.                               |
| 134  | 258          | 20724          |         |         | ide Blo         |            |                            |                                     |
|      | 259          | 20724          | "       | "       | "               | " 134      | 258 wit                    | :h                                  |
| 101  | 200          | 00101          | 68      | 3495 a  | nd 1342         |            |                            |                                     |
| 68   | 495          | 20724          | Feed H  | Bar Sl  | ide Blo         | ck Oil     | Pad (v                     | vick)                               |
|      | 260          | 20724          | "       |         | " "             |            | " Re                       | etainer                             |
| 68   | 467          | 20724          | 11      |         | aring P         |            |                            |                                     |
|      | 207E         | 20724          | "       | п       | п               |            | crew (2                    |                                     |
| 131  | 500          | 20720          | Feed C  | Connec  | ting Ro         | d with     | 1057AI                     | J,68497,                            |
|      |              |                |         |         | and two         |            |                            |                                     |
|      | 502          |                | Feed (  | Connec  | ting Ro         |            |                            |                                     |
|      | 896AL        | 20720          |         |         |                 |            | Screw                      |                                     |
|      | 057AL        | 20720          | "       |         |                 |            | ping So                    |                                     |
|      | 497          | 20720          |         |         |                 | OTT        | Pad (wirking Pad (wirking) |                                     |
|      | 260          | 20720          |         |         | 7 teeth         |            |                            |                                     |
| 101  | .052         | 20169          |         |         | or 3/32         |            |                            |                                     |
|      |              |                |         |         | for 13          |            |                            |                                     |
|      |              |                | 0.      |         |                 |            |                            |                                     |

From the library of: Superior Sewing Machine & Supply LLC

#### PARTS FOR MACHINE NO. 147-100

| No.     | Plate  | Name   |
|---------|--------|--|
| 131321  | 20730  | Feed Dog, 16 teeth (16 teeth to the  |
|         |        | inch) for 5/32 in. to 11/32 in.  |
|         |        | gauges, with row of teeth between  |
|         |        | the needles, for 131527 and  |
|         |        | 131528   |
| 131093  | 20731  | Feed Dog, 16 teeth (16 teeth to the  |
|         |        | inch) for 3/8 in. and 13/32 in.  |
|         |        | gauges, for 131094 and 131149  |
| 131160  | 20732  | Feed Dog, 16 teeth (16 teeth to the  |
|         |        | inch) for $3/8$ in. to $1/2$ in.   |
| 171070  | 00777  | gauges, for 131163 and 131166  |
| 131938  | 20733  | Feed Dog, 14 teeth (14 teeth to the  |
|         |        | inch) with row of teeth between  |
|         |        | the needles, for 5/32 in. to 11/32 in. gauges, for 131527 and                  |
|         |        | 131528   |
| 50073J  | 20729  | Feed Dog Screw, when stationary  |
|         | 20120  | Needle Guard is used   |
| 140275J | 20732  | Feed Dog Screw, when movable Needle  |
|         |        | Guard is used  |
| 460AL   | 20724  | Feed Dog Stop Screw  |
| *54024  |        | Feed Eccentric with 138306   |
| *23729  |        | " Body   |
| 51061AL | 20720  | " " " Set Screw (3)  |
| 7071    | 20720  | " " Clamping Washer (2)  |
| 217J    | 20720  | DCI-EW   |
| 138306  |        | (2)  |
| 54025   | 20720  | Feed Eccentric Lubricating Pad (wood)<br>Feed Eccentric (adjustable) complete, |
| 54025   | 20120  | Nos 1303C 23729 54024 two  |
|         |        | Nos. 1103C, 23729, 54024, two<br>each 217J, 7071 and three 51061AL             |
| 11030   | 20720  | Feed Regulating Screw  |
| 131240  | 20724  | " Rocking Frame with two 453AL   |
| 131732  |        | " " 131240 with 59343,   |
|         |        | 131197 and 131731  |
| 57234   | 20724  | Feed Rocking Frame Hinge Pin   |
| 57235   | 20724  | """"Bushing  |
|         | ·      | (2)  |
| 453AL   | 20724  | Feed Rocking Frame Hinge Pin Bushing   |
| 453AL   | 20724  | Set Screw (2)<br>Feed Rocking Frame Hinge Pin Set                              |
| 400AL   | 20124  | Screw (2)  |
| 131458  | 20729  | Looper (back) closed eye, for lap  |
|         | 20120  | seam felling   |
| 131131  | 20729  | Looper (back) closed eye, for general  |
|         |        | work   |
| Note    | : When | ordering No. 131131 or 131458, state   |
|         | gauge  | of Machine for which required.   |
| 4520    | 20725  | Looper (back) Set Screw  |
| 131459  | 20729  | " (front) closed eye, for lap  |
| 131132  | 20729  | seam felling   |
| 101196  | 20123  | Looper (front) closed eye, for<br>general work                                 |
| Note    | : When | ordering No. 131132 or 131459, state   |
|         | gauge  | of Machine for which required.   |
| 1120AL  |        | Looper (front) Set Screw   |
|         |        |  |

From the library of: Superior Sewing Machine & Supply LLC

#### PARTS FOR MACHINE NO. 147-100

|                                       | S. 2. 11 . |  |
|---------------------------------------|------------|--|
| No.                                   | Plate      | Name                                   |
| 54027                                 | 20725      | Looper Carrier with two 175E           |
|                                       |            |  |
| 175E                                  | 20725      | Aujusting berew (2)                    |
| 54227                                 | 20725      | " " Connection                         |
| 54228                                 | 20725      | " " " Shaft                            |
| 128419                                | 20725      | " " " Oil                              |
| TLOTIO                                | 20120      | Pad (braided cotton)                   |
|                                       |            |  |
| 68478                                 | 20725      | Looper Carrier Connection Shaft        |
|                                       |            | Sleeve (eccentric)                     |
| 51263D                                | 20725      | Looper Carrier Connection Shaft        |
|                                       |            | Sleeve Cap Screw                       |
| 00170                                 | 00705      | Looper Carrier Driver with four 175E.  |
| 68479                                 | 20725      |  |
| 175E                                  | 20725      | " " " Cap Screw (4)                    |
| *13111                                | 020725     | Looper Driving Shaft and Feed Lifting  |
| all C als all all                     | -          | Eccentric                              |
| Noto                                  | . When     | No. 68481 is required for repairs, the |
| NOLE                                  | a when     | No. 00401 13 required for repairs, one |
|                                       |            | ary Shaft must be returned to the      |
| · · · · · · · · · · · · · · · · · · · |            | to be adjusted to the new part.        |
| *13111                                | 7          | Looper Driving Shaft and Feed Lifting  |
| adde-"allo allo allo ade              | - aller    | Eccentric 68481 with 54027,54227,      |
|                                       |            | 54228 and 68479                        |
|                                       |            | 54228 and 68479                        |
| *68483                                |            | Looper Driving Shaft and Feed Lifting  |
|                                       |            | Eccentric Bracket with 761E            |
| 948J                                  | 20720      | Looper Driving Shaft and Feed Lifting  |
|                                       |            | Eccentric Bracket Screw                |
|                                       | 00705      | Looper Driving Shaft and Feed Lifting  |
| 68484                                 | 20725      |  |
|                                       |            | Eccentric Bushing                      |
| 131028                                | 20725      | Looper Driving Shaft and Feed Lifting  |
|                                       |            | Eccentric Bushing Oil Plug             |
| 761E                                  | 20720      | Looper Driving Shaft and Feed Lifting  |
| 1015                                  | 20120      | Ecoper Driving Bhart and reed Driving  |
|                                       |            | Eccentric Bushing Position Screw.      |
| 68497                                 |            | Looper Driving Shaft and Feed Lifting  |
|                                       |            | Eccentric Front Bearing Oil Pad        |
|                                       |            | (wick)                                 |
| CLOE                                  | 20720      | Looper Driving Shaft and Feed Lifting  |
| 640E                                  | 20720      |  |
|                                       |            | Eccentric Screw                        |
| 131052                                | 20725      | Looper Holder with 452C and 1120AL     |
| 51119J                                | 20725      | " " Screw                              |
| 68485                                 | 20725      | " Throw-out Handle with two            |
| 00400                                 | 20120      | 443AL                                  |
|                                       | 00705      |  |
| 68486                                 | 20725      | Looper Throw-out Handle Plunger        |
| 43503                                 | 20725      | " " " Spring                           |
| 443AL                                 | 20725      | " " " Set Screw (2)                    |
| 131497                                | 20723      | Needle Bar (hollow)                    |
| 131498                                |            | Needle Bar complete, for 3/32 in. to   |
| 131490                                |            | Needic Dai compiete, ioi 0/02 in: co   |
|                                       |            | 1/2 in. gauges, Nos. 131044 and        |
|                                       |            | 131497                                 |
| 131291                                | 20723      | Needle Bar Bushing (lower)             |
| 1133E                                 | 20723      | " " " Set Screw                        |
| 64320                                 | 20723      | " " " (upper)                          |
|                                       |            | " " " Set Screw.                       |
| 1133E                                 | 20723      | D00 D0104                              |
| 68488                                 | 20723      | CONNECTING TILLY AND THE CAR           |
|                                       |            | (upper) Controller                     |
| 131491                                |            | Needle Bar Connecting Link and Thread  |
| 101101                                |            | (upper) Controller 68488 with          |
|                                       |            | 68489 and 131492                       |
|                                       | 00707      |  |
| 68489                                 | 20723      | Needle Bar Connecting Link Hinge Stud  |
|                                       |            | (hollow)                               |
|                                       |            |  |

| No.             | Plate   | Name   |
|-----------------|---------|--|
| 1520J           | 20723   | Needle Bar Connecting Link Hinge Stud                          |
| 131270          | 20723   | Nut<br>Needle Bar Connecting Link Hinge Stud                   |
| 861F            | 20723   | 011 Pad (wick)<br>Needle Bar Connecting Link Hinge Stud        |
| 853A            | L 20695 | 011 Plug Screw<br>Needle Bar Connecting Link Hinge Stud        |
| 131492          | 20723   | Set Screw.   |
| 131492<br>1492E |         | Needle Bar Connecting Stud with 1492E<br>"""" Clamping         |
| 777044          | 0.000   | Screw  |
| 131044          | 20723   | Needle Clamp with two 1498F, for 3/32<br>in. to 1/2 in. gauges |
| 131174          | 20732   | Needle Guard (movable) for 3/16 in.<br>to 3/8 in. gauges       |
| 131121          | 20732   | Needle Guard (movable) for 13/32 in.<br>to 1/2 in. gauges      |
| 68123           | 20724   | Needle Guard (movable) Clamp                                   |
| 54067           | 20729   | " (stationary) for 3/32 in.                                    |
| 01007           | 20720   | to 5/32 in. gauges   |
| 54068           | 20729   | Needle Guard (stationary) for 3/16 in                          |
| 54069           | 20730   | to 9/32 in. gauges   |
| 04003           | 20130   | Needle Guard (stationary) for 5/16 in.                         |
| 131175          | 20731   | to 3/8 in. gauges<br>Needle Guard (stationary) for 13/32       |
| 54038           | 20729   | in. to 1/2 in. gauges  |
| 176J            |         | Needle Guard (stationary) Holder                               |
|                 | 20729   | " Screw  |
| 2170            | 20729   | DCITEW   |
| 1498F<br>68492  | 20723   | Needle Set Screw (2)   |
| 66492           | 20703   | Oil Pipe (back of arm) with 68497,                             |
|                 |         | for oiling Feed Rocking Frame                                  |
| 68493           | 20707   | Hinge Pin Front Bearing  |
| 176E            | 20703   | Oil Pipe (back of arm) Clamp                                   |
| 176E<br>68494   | 20703   | Screw  |
| 68494           | 20703   | Connection   |
|                 |         | with 68495 and two 198E, for oil-                              |
|                 |         | ing Feed Rocking Frame Hinge Pin                               |
| 198E            | 00707   | Back Bearing.  |
| 1905            | 20703   | Oil Pipe (back of arm) Connection Cap                          |
| 68495           | 20703   | Screw (2).   |
| 00495           | 20703   | Oil Pipe (back of arm) Connection Oil                          |
| 68496           | 20703   | Pad (wick).  |
| 1733            | 20703   | Oil Pipe (back of arm) Coupling                                |
| 1755            | 20703   | 1400   |
| 68497           | 20703   | (brass)  |
| 68498           | 20703   | Oil Pipe (back of arm) Oil Pad (wick)                          |
| 00430           | 20703   | Oil Pipe (front of arm) with 131089                            |
|                 |         | and two 1733, for oiling Looper                                |
|                 |         | Driving Shaft and Feed Lifting<br>Eccentric Front Bearing      |
| 131112          | 20703   | Oil Bing (front of our) with covor                             |
|                 | 20103   | 011 Pipe (front of arm) with 68497                             |
|                 |         | and 131003, for oiling Feed Bar                                |
| 68500           | 20703   | Slide Block.   |
| 00000           | 20103   | 011 Pipe (front of arm) with 1733,                             |
|                 |         | 131084 and 131089, for oiling Arm                              |
|                 |         | Rotary Shaft Front Bearing                                     |

From the library of: Superior Sewing Machine & Supply LLC

#### PARTS FOR MACHINE NO. 147-100

| No              | Plate          | Name   |
|-----------------|----------------|--|
| No.<br>131113   | 20703          | Oil Pipe (front of arm) with 68497                                 |
| 101110          | 20103          | and 131003, for oiling Feed Con-                                   |
|                 |                | necting Rod  |
| 131258          |                | Oil Pipe (front of arm) complete, Nos.                             |
| 101200          |                | 68498, 68500, 131112 and 131113.                                   |
| 131002          | 20703          | Oil Pipe (front of arm) Connection                                 |
|                 |                | with two 198E, for oiling Looper                                   |
|                 |                | Throw-out Device   |
| 131003          | 20703          | Oil Pipe (front of arm) Connection                                 |
|                 |                | with two 198E, for 131112 and                                      |
|                 |                | 131113 (2)   |
| 131084          | 20703          | Oil Pipe (front of arm) Connection                                 |
|                 |                | with two 198E, for 68500   |
| 198E            | 20703          | Oil Pipe (front of arm) Connection                                 |
|                 |                | Cap Screw (8)  |
| 131004          | 20703          | Oil Pipe (front of arm) Coupling                                   |
|                 |                | (center)   |
| 131004          | 20703          | Oil Pipe (front of arm) Coupling                                   |
| 3 23 002        | 00000          | (left)   |
| 131087          | 20703          | Oil Pipe (front of arm) Coupling                                   |
| 1733            | 20703          | (right) with Oil Lead<br>Oil Pipe (front of arm) Coupling Nut      |
| 1755            | 20703          | (brass) (3)  |
| 131089          | 20703          | Oil Pipe (front of arm) Oil Pad (wick)                             |
| 101005          | 20705          | for 68498 and 68500 (2)  |
| 68497           | 20703          | Oil Pipe (front of arm) Oil Pad (wick)                             |
| 00101           | 20100          | for 131112 and 131113 (2)  |
| 131912          | 20723          | Presser Bar (hollow)   |
| 131006          | 20723          | " " Bushing (lower)  |
| 1133E           | 20723          | " " " Set  |
|                 |                | Screw  |
| 38456           | 20723          | Presser Bar Bushing (upper)  |
| 1133E           | 20723          | """"" Set Screw.   |
| 131401          | 20723          | " " Lifting Bracket with   |
|                 |                | 453AL  |
| 11173           | 20723          | Presser Bar Lifting Bracket Guide                                  |
| 453AL           | 20723          | Der  |
| 45747           | 0.0707         | Screw<br>Presser Bar Lifting Bracket Set Screw                     |
| 453AL<br>131402 | 20723<br>20727 | " " " Lever  |
| 68184           | 20727          | " " " Extension  |
| 161J            | 20727          |  |
| 1010            | 20121          | Screw (2)  |
| 802D            | 20727          | Presser Bar Lifting Lever Hinge Screw                              |
| 131749          | 20688          | " " Spring   |
| 131750          | 20688          | " " " (auxiliary)  |
| 131751          | 20688          | " " Screw Stud   |
| 1637J           | 20688          | " " " Lock Nut   |
| 38468           | 20688          | " " Stud   |
| 131830          | 20688          | Presser Bar Spring complete, Nos.                                  |
|                 |                | 1637J,51697W and 131749 to 131752                                  |
| 131851          | 20688          | Presser Bar Spring (less auxiliary                                 |
|                 |                | spring) complete, Nos. 1637J,<br>42290K, 51697W, 131749 and 131751 |
| 00070           | 20720          | 42290K, 51697W, 151749 and 151751<br>Presser Foot Hinge Pin        |
| 26276           | 20729          | 11.00001. 1.000 HTHRA TTH  |

From the library of: Superior Sewing Machine & Supply LLC

| No.            | Plate   | Name   |
|----------------|---------|--|
| 131591         | 20729   | Presser Foot Plate                                 |
| 46087          | 20729   | " " Shank  |
| 131592         | 20729   | Presser Foot (hinged) complete, for                |
|                |         | 3/32 in. to 13/32 in. gauges, for                  |
|                |         | plain stitching, for 131094,                       |
|                |         | 131172, and 131528, Nos. 26276,                    |
|                |         | 46087 and 131591                                   |
| 26276          | 20729   | Presser Foot Hinge Pin                             |
| 131916         | 20729   | " " Plate  |
| 46087          | 20729   | " " Shank  |
| 131917         | 20729   | Presser Foot (hinged) complete, for                |
|                |         | 3/32 in. to 13/32 in. gauges, for                  |
|                |         | lap seam felling, Nos. 26276,                      |
|                |         | 46087 and 131916                                   |
| Note           | : Press | er Foot No. 131917 is regularly fur-               |
|                | nished  | with this machine unless another                   |
|                | Presser | Foot is specified on order.                        |
| 26276          | 20732   | Presser Foot Hinge Pin                             |
| 131161         | 20732   | " " Plate  |
| 54120          | 20732   | " " Shank  |
| 131162         | 20732   | Presser Foot (hinged) complete, for                |
|                |         | 3/8 in. to 1/2 in. gauges, for                     |
|                |         | lap seam felling. Nos. 26276.                      |
|                |         | 54120 and 131161                                   |
| 26276          | 20732   | Presser Foot Hinge Pin                             |
| 131164         | 20732   | " " Plate  |
| 46087          | 20732   | " " Shank  |
| 131165         | 20732   | Presser Foot (hinged) complete, for                |
|                |         | 3/32 in. to 1/2 in. gauges, for                    |
|                |         | plain stitching, Nos.26276,46087                   |
|                |         | and 131164   |
| 190J           | 20729   | Presser Foot Screw                                 |
| 51697W         | 20688   | Pressure Regulating Thumb Nut                      |
| 131752         | 20688   | " " Washer   |
|                |         | for 131830   |
| 42290K         | 20688   | Pressure Regulating Thumb Nut Washer               |
|                |         | for 131851   |
| 54291          | 20723   | Slack Thread Regulator Hole Plug                   |
| 131012         | 20727   | Tension (under thread) Bracket                     |
| 691F           | 20727   | " " " Screw  |
| 01.00          |         | (2)  |
| 2102<br>51570C | 20727   | Tension (under thread) Disc (4)                    |
| 515700         | 20727   | NEKUTGOTIK   |
| 50326C         | 00707   | Thumb Nut (2)                                      |
| 59539          | 20727   | Tension (under thread) Screw Stud (2)              |
| 29229          |         |  |
| 131740         | 20727   | 50326C with 51570C (2)                             |
| 59537          |         | Tension (under thread) Spring (2)                  |
| 09037          | 20727   |  |
| 59538          | 20727   | (large) (2)  |
| 03000          | 20121   | Tension (under thread) Spring Bushing              |
| 131696         | 20727   | (small) (2)<br>Tension (under thread) Thread Guide |
| 101030         | 20121   | (2)  |
| 54070          | 20727   | (2)  |
| 01010          | 20121   | Tension (upper thread) Bracket                     |

From the library of: Superior Sewing Machine & Supply LLC

#### PARTS FOR MACHINE NO. 147-100

| No.    | Plate  | Name                                  |
|--------|--------|---------------------------------------|
| 376J   | 20727  | Tension (upper thread) Bracket Screw. |
| 2102   | 20727  | " " " Disc (4)                        |
| 515700 | 20727  |                                       |
| 515/00 | 20121  | Vagutactug                            |
|        |        | Thumb Nut (2)                         |
| 32572  | 20727  | Tension (upper thread) Releasing Disc |
|        |        | (2)                                   |
| 54988  | 20727  | Tension (upper thread) Releasing Pin  |
|        |        | (2)                                   |
| 54071  | 20727  | Tension (upper thread) Releasing      |
|        |        | Shaft                                 |
| 54047  | 20727  | Tension (upper thread) Releasing      |
| 01011  | 2012.  | Shaft Crank with 624AL                |
| 54048  | 20727  | Tension (upper thread) Releasing      |
| 34040  | 20121  |                                       |
|        | 0.000  | Shaft Crank Link                      |
| 624AL  | 20727  | Tension (upper thread) Releasing      |
|        |        | Shaft Crank Set Screw                 |
| 68261  | 20727  | Tension (upper thread) Releasing      |
|        |        | Shaft Spring                          |
| 131011 | 20727  | Tension (upper thread) Releasing      |
|        |        | Shaft Spring Position Plate           |
| 316C   | 20727  | Tension (upper thread) Releasing      |
|        |        | Shaft Stop Screw                      |
| 1547J  | 20727  | Tension (upper thread) Releasing      |
| 10470  | 20121  | Shaft Stop Screw Nut                  |
| 507000 | 20727  |                                       |
| 503260 | 20727  | Tension (upper thread) Screw Stud (2) |
| 59539  |        | Tension (upper thread) Screw Stud     |
|        |        | 50326C with 51570C (2)                |
| 131741 | 20727  | Tension (upper thread) Spring (2)     |
| 59537  | 20727  | " " " Bushing                         |
|        |        | (large) (2)                           |
| 59538  | 20727  | Tension (upper thread) Spring Bushing |
|        |        | (small) (2)                           |
| 131696 | 20727  | Tension (upper thread) Thread Guide   |
|        |        | (2)                                   |
| 53225  | 20727  | Thread (under) Eyelet (back)          |
| 190J   | 20727  | " " " Screw                           |
| 131407 | 20720  | " " Take-up with 1258AL               |
|        |        | Take-up with itsoab                   |
| 131408 | 20728  | OIT GUALG                             |
| 50438J | 20728  | DC1 6#                                |
| 1258AL | 20720  | Dec Dolew                             |
| 131824 | 20728  | ourthher                              |
| 54242  | 20728  | " " " Clamp.                          |
| 190J   | 20728  | n n n n n                             |
|        |        | Screw                                 |
| 131825 | 20728  | Thread (under) Take-up Stripper Plate |
| 131411 | 20728  | 11 11 11 11 11 11                     |
|        |        | Bracket                               |
| 131934 | 20728  | Thread (under) Take-up Stripper Plate |
|        |        | Bracket 131411 with 32062,50438J,     |
|        |        | 54242,131408,131413 to 131415,        |
|        |        | 131824, 131825, two each 207J,        |
|        |        | 7071, 50470J and four 190J            |
| OCED   | 20720  | Thread (under) Take-up Stripper Plate |
| 965D   | 20728  |                                       |
|        | 0.0700 | Bracket Screw                         |
| 190J   | 20728  | Thread (under) Take-up Stripper Plate |
|        |        | Screw (3)                             |
|        |        |                                       |

From the library of: Superior Sewing Machine & Supply LLC

17

| No.    | Plate         | Name   |
|--------|---------------|--|
| 32062  | 20728         | Thread (under) Take-up Stripper  |
|        |               | Washer   |
| 131413 | 20728         | Thread (under) Take-up Thread Guard<br>(fibre)   |
| 50470J | 20728         | Thread (under) Take-up Thread Guard<br>Screw (2)   |
| 131414 | 20728         | Thread (under) Take-up Thread Guide  |
| 207J-  | 20728         | (left)<br>Thread (under) Take-up Thread Guide  |
| 7071   | 20728         | (left) Screw<br>Thread (under) Take-up Thread Guide<br>(left) Screw Washer                                   |
| 131415 | 2072 <b>8</b> | Thread (under) Take-up Thread Guide<br>(right)   |
| 207J   | 20728         | Thread (under) Take-up Thread Guide<br>(right) Screw   |
| 7071   | 2072 <b>8</b> | Thread (under) Take-up Thread Guide<br>(right) Screw Washer  |
| 128721 | 20727         | Thread (upper) Eyelet  |
| 190J   | 20727         | " " Screw  |
| 131499 | 20723         | " " Take-up with 223J  |
| 223J   | 20723         | Thread (upper) Take-up Clamping Screw  |
| 131495 | 20727         | " " (auxiliary)  |
| 131496 | 20727         | п п п п п  |
| 997J   | 20727         | Thread (upper) Take-up (auxiliary)<br>Clamp Screw  |
| 131033 | 20729         | Throat Plate, for 3/32 in. to 1/4 in.<br>gauges, for 131032, for lap seam                                    |
| 131527 | 20730         | felling.<br>Throat Plate, for 5/32 in. to 11/32<br>in. gauges, for 131321 and 131938,                        |
| 131149 | 20731         | for lap seam felling<br>Throat Plate, for 3/8 in. and 13/32<br>in. gauges, for 131093, for lap               |
| 131163 | 20732         | seam felling<br>Throat Plate, for 3/8 in. to 1/2 in.<br>gauges, for 131160, for lap seam                     |
| 131172 | 20729         | felling<br>Throat Plate, for 3/32 in. to 1/4 in.<br>gauges, for 131032, for plain                            |
| 131528 | 20730         | stitching.<br>Throat Plate, for 5/32 in. to 11/32<br>in. gauges, for 131321 and 131938,                      |
| 131094 | 20731         | for plain stitching<br>Throat Plate, for 3/8 in. and 13/32<br>in. gauges, for 131093, for plain<br>stitching |
| 131166 | 20732         | Throat Plate, for 3/8 in. to 1/2 in.<br>gauges, for 131160, for plain<br>stitching                           |
| · Note | : When        | ordering Throat Plates, state gauge re-  |
|        | quired.       |  |
| 742F   | 20729         | Throat Plate Screw (2)   |
| *15404 |               | Trade Mark   |
| 131676 |               | " " Rivet (2)  |

# MACHINE No. 147-101

For Lap Seaming Light and Medium Weight Fabrics. Two needles, two loopers. Gauges from  $\frac{3}{32}$  in. to  $\frac{1}{2}$  in., in steps of  $\frac{1}{32}$  in. The Standard gauges are  $\frac{3}{16}$  in. and  $\frac{1}{4}$  in. Length of stitch 6 to 25 to the inch. Needle bar stroke I  $\frac{7}{32}$  inches. Ball Bearing. Speed 4000 R.P.M. NOTE: THIS MACHINE IS THE SAME AS THE 147-100 MACHINE,

WITH THE FOLLOWING EXCEPTIONS:

| No.             | Plate          | Name   |
|-----------------|----------------|--|
| 131072          | 20721          | Arm Rock Shaft Crank, back (ball                                     |
|                 |                | bearing, solid) with two 50083AL,                                    |
| 131485          |                | in place of 131343<br>Arm Rotary Shaft 131476 with 640E.             |
| 131403          |                | 68459, 131111 and 131502, in   |
|                 |                | place of 131477  |
| 68459           |                | Crank Connecting Rod 131471 with                                     |
|                 |                | 131072, in place of 131484   |
| 131118          | 20736          | Feed Dog, 16 teeth (14 teeth to the                                  |
|                 |                | inch) for 3/8 in. to 1/2 in.   |
| 131241          | 20738          | gauges, for 131124 and 131215<br>Feed Dog, 12 teeth (10 teeth to the |
| TOTCET          | 20100          | inch) for 3/16 in. to 3/8 in.  |
|                 |                | gauges, for 131115   |
| 68381           | 20738          | Feed Dog, 17 teeth (14 teeth to the                                  |
|                 |                | inch) for 3/16 in. to 3/8 in.  |
| *131110         | 20726          | gauges, for 131115<br>Looper Driving Shaft and Feed Lifting          |
| ~131110         | 20120          | Eccentric, in place of 68481   |
| *131111         |                | Looper Driving Shaft and Feed Lifting                                |
|                 |                | Eccentric 131110 with 54027,   |
|                 |                | 54227, 54228 and 68479, in place                                     |
| 00070           | 00550          | of 68482   |
| 26276<br>131242 | 20738<br>20738 | Presser Foot Hinge Pin<br>" " Plate                                  |
| 131233          | 20738          | " " Shank  |
| 131243          | 20738          | Presser Foot (hinged) complete, for                                  |
|                 |                | 3/16 in. to 1/2 in. gauges, for                                      |
|                 |                | lap seam felling for work shirts                                     |
|                 |                | and overalls, Nos. 26276, 131233                                     |
| 26276           | 20736          | and 131242<br>Prosper Foot Hings Bin                                 |
| 131595          | 20736          | Presser Foot Hinge Pin<br>" " Plate                                  |
| 131596          | 20736          | " " Shank  |
|                 |                |  |

| 20     | PAR           | TS FOR MACHINE NO. 147-101  |
|--------|---------------|---|
| No.    | Plate         | Name  |
| 131597 | 20736         | Presser Foot (hinged) complete, for<br>3/8 in. to 1/2 in. gauges, for<br>lap seam felling, for 131124, Nos.<br>26276, 131595 and 131596 |
| 26276  | 20736         | Presser Foot Hinge Pin  |
| 131593 | 20736         | " " Plate   |
| 36030  | 20736         | " " Shank   |
| 131594 | 20736         | Presser Foot (hinged) complete, for   |
|        | 20.00         | 3/8 in. to 1/2 in. gauges, for<br>plain stitching, for 131215, Nos.<br>26276, 36030 and 131593  |
| 131209 | 20734         | Throat Plate, for 3/32 in. to 1/4 in.<br>gauges, for 131032, for lap seam<br>felling  |
| 131211 | 20735         | Throat Plate, for 5/32 in. to 11/32<br>in. gauges, for 131321, for lap<br>seam felling  |
| 131322 | 2073 <b>8</b> | Throat Plate, for 5/32 in. to 11/32<br>in. gauges, for 131321, for lap<br>seam felling, for elastic work on                             |
| 131213 | 20737         | men's underwear<br>Throat Plate, for 3/8 in. and 13/32<br>in. gauges, for 131093, for lap<br>seam felling                               |
| 131115 | 20738         | Throat Plate, for 3/16 in. to 3/8 in.<br>gauges, for 68381 and 131241, for<br>lap seam felling, for work shirts<br>and overalls         |
| 131124 | 20736         | Throat Plate, for 3/8 in. to 1/2 in.<br>gauges, for 131118, for lap seam<br>felling   |
| 131210 | 20734         | Throat Flate, for 3/32 in. to 1/4 in.<br>gauges, for 131032, for plain<br>stitching   |
| 131212 | 20735         | Throat Plate, for 5/32 in. to 11/32<br>in. gauges, for 131321, for plain<br>stitching   |
| 131214 | 20737         | Throat Plate, for 3/8 in. and 13/32<br>in. gauges, for 131093, for plain<br>stitching   |
| 131215 | 20736         | Throat Plate, for 3/8 in. to 1/2 in.<br>gauges, for 131118, for plain<br>stitching  |

#### FITTINGS FOR 147-100 MACHINE

#### FOR LAP SEAM FELLING - LAP SEAM FELLERS 121437 AND 121460

|   | 3/32    | 1/8             | 5/32    | 3/16              | 7/32             | 1/4            | 9/32   | 5/16   | 11/32           | 3/8               | 13/32           | 7/16   | 15/32  | 1/2    |
|---|---------|-----------------|---------|-------------------|------------------|----------------|--------|--------|-----------------|-------------------|-----------------|--------|--------|--------|
| Feed Dog                                    | 131032  | 131032          |         | 131032<br>*131321 |                  |                |        |        |                 | *131093<br>131160 |                 |        |        | 131160 |
|   |         | 131458          | 131458  | 131458            | 131458           | 131458         | 131458 | 131458 | 131458          | 131458            | 131458          | 131458 | 131458 | 131458 |
| Looper (front)<br>Needle Guard (stationary) |         | 131459<br>54067 | 54067   | 54068             |                  | 54068          | 54068  | 54069  | 131459<br>54069 | 54069             | 131175          | 131175 | 131175 | 131175 |
|   | 131917, | 131917          | 131917  |                   | 131174<br>131917 | 131917         | 131917 | 131917 |                 | 131174<br>*131917 | *131917         |        |        |        |
| Presser Foot<br>Throat Plate                | 131033  | 131033          | 131033  | 131033            | 131033           | 131033         |        |        |                 | 131162<br>*131149 | <b>\$131149</b> |        |        |        |
| Throat Plate                                |         |                 | *131527 | <b>*131527</b>    | <b>*131527</b>   | <b>*131527</b> | 131527 | 131527 | 131527          | 131163            | 131163          | 131163 | 131163 | 131163 |

#### FOR PLAIN STITCHING

| Feed Dog                  |        | 131032 |                |                | 131032         |         |        |        |        |                |        |        |        |        |
|---------------------------|--------|--------|----------------|----------------|----------------|---------|--------|--------|--------|----------------|--------|--------|--------|--------|
| Feed Dog                  |        |        | <b>*131321</b> | *131321        | *131321        |         |        |        |        |                |        |        |        |        |
| Looper (back)             | 131131 | 131131 | 131131         | 131131         |                | 131131  |        |        |        |                |        |        |        |        |
| Looper (front)            | 131132 | 131132 | 131132         |                |                |         |        |        |        |                |        |        |        |        |
| Needle Guard (stationary) | 54067  | 54067  | 54067          |                |                |         |        |        |        |                |        |        |        |        |
| Needle Guard (movable)    |        |        |                |                | 131174         |         |        |        |        | 131174         |        |        |        |        |
| Presser Foot              | 131592 | 131592 | 131592         | 131592         | 131592         | 131592  | 131592 | 131592 | 131592 | <b>*131592</b> |        |        |        |        |
| Presser Foot              |        |        |                |                |                |         |        |        |        |                | 131165 |        |        |        |
| Throat Plate              |        | 131172 |                | 131172         |                |         |        |        |        | <b>*131094</b> |        |        |        |        |
| Throat Plate              |        |        | *131528        | <b>*131528</b> | <b>*131528</b> | *131528 | 131528 | 131528 | 131528 | 131166         | 131166 | 131166 | 131166 | 131166 |

Note: Where gauges overlap regular fittings are designated by an asterisk (\*) Note: When movable peak the set we are designed by an asterisk (\*) Note: When movable peak the set of the set

#### FITTINGS FOR 147-101 MACHINE

#### FOR LAP SEAM FELLING

#### LAP SEAM FELLER 121438, FOR MEDIUM HEAVY MATERIAL

#### LAP SEAM FELLER 121437, FOR LIGHT AND MEDIUM WEIGHT MATERIAL

|  | 3/32   | 1/8                       | 5/32    | 3/16              | 7/32             | 1/4              | 9/32             | 5/16   | 11/32            | 3/8                       | 13/32             | 7/16   | 15/32   | 1/2    |
|--|--------|---------------------------|---------|-------------------|------------------|------------------|------------------|--------|------------------|---------------------------|-------------------|--------|---------|--------|
| Feed Dog<br>Feed Dog<br>Looper (back)<br>Looper (front)<br>Needle Guard (stationary)<br>Needle Guard (movable)<br>Presser Foot<br>Presser Foot |        | 131032                    | *131321 | 131032<br>#131321 | #131321          | #131321          | 131321           | 131321 | 131321           |                           | <b>\$131093</b>   |        |         |        |
|  | 131459 | 131458<br>131459<br>54067 | 131459  |                   | 131459           | 131459           | 131459           |        | 131459           | 131458<br>131459<br>54C69 | 131459            | 131459 |         | 131459 |
|  | 131917 | 131917                    | 131917  | 131174<br>131917  | 131174<br>131917 | 131174<br>131917 | 131174<br>131917 | 131174 | 131174<br>131917 |                           | 131121<br>*131917 | 131121 | 131 121 | 131121 |
|  | 131209 | 131209                    | 131209  |                   |                  | 131209           |                  |        |                  | 131124                    | 131124            | 131124 | 131124  | 131124 |

#### FOR PLAIN STITCHING

|                           | 131032 | 131032 | 131032  | 131032         | 131032          | 131032  |        |        |        | 131118  | 131118   | 131118  | 131118 | 131118 |
|---------------------------|--------|--------|---------|----------------|-----------------|---------|--------|--------|--------|---------|----------|---------|--------|--------|
| Feed Dog                  |        |        | *131321 | <b>*131321</b> | <b>\$131321</b> | #131321 | 131321 | 131321 | 131321 | *131093 | #131093  |         |        |        |
| Looper (back)             | 131131 | 131131 | 181131  | 131131         | 131131          | 131131  | 131131 | 131131 | 131131 | 131131  | 131131   | 1131131 | 131131 | 131131 |
|                           |        | 131132 | 131132  | 131132         |                 |         |        |        |        | 131132  |          |         |        |        |
| Needle Guard (stationary) | 54067  | 54067  | 54067   | 54068          | 54068           | 54068   | 54068  | 54069  | 54069  | 54069   | 131175   | 131175  | 131175 | 131175 |
| Needle Guard (movable)    |        |        |         | 131174         | 131174          | 131174  | 131174 | 131174 | 131174 | 131174  | 131121   | 131121  | 131121 | 131121 |
| Presser Foot              | 131592 | 131592 | 131592  | 131592         | 131592          | 131592  | 131592 | 131592 | 131592 | *131592 | \$131592 | 101101  | 101101 |        |
| Presser Foot              |        |        |         |                |                 |         |        |        |        |         | 131594   |         |        |        |
| Throat Plate              | 131210 | 131210 | 131210  | 131210         | 131210          |         |        |        |        | 131215  |          |         |        |        |
| Throat Plate              |        |        |         | #131212        |                 | #131212 | 131212 | 131212 | 131212 | *131214 | *131214  |         |        |        |

Note: Where gauges overlap regular fittings are designated by an asterisk (\*)

Note: When movable needle guard is used Needle Guard Clamp 68123 and Feed Dog Screw 140275J are also required.

# ACCESSORIES

| No.    | Plate | Name                              |
|--------|-------|-----------------------------------|
| 120344 | 20691 | Oiler (copper plated) with 120345 |
| 120345 | 20691 | " Spout, 4 1/2 in. long           |
| 120440 | 20691 | Screw Driver (large)              |
| 121108 | 20691 | " " (small)                       |
| 120341 | 20691 | Tweezers (curved)                 |
| 4822   | 20691 | Wrench for 1547                   |
| 8908   | 20691 | " " 1520                          |

# **BELT GUARD**

| No.   | Plate | Name                                  |
|-------|-------|---------------------------------------|
| 68222 | 20633 | Belt Guard with two wood screws 1 in. |
|       |       | No. 12                                |

# BENCH STANDS BENCH STAND NO. 79772

## FOR MACHINE BASE NO. 131264

#### WHEN MACHINE IS MOUNTED ON TOP OF TABLE

| No.<br>79772 | Plate<br> | Name<br>Bench Stand with 27998, two each<br>41538, 126849, three wood screws<br>1 1/4 in. No. 12, four each<br>60656, wood screws 1 1/4 in. No. |
|--------------|-----------|---|
|              |           | 10, eight wood screws 5/8 in. No.<br>6 and sixteen wood screws 5/8 in.<br>No. 7   |
| 126849       | 20691     | Flap Hinge with four wood screws 3/4<br>in. No. 7 (2)   |
| 27998        | 20691     | Flap Hook and Eye (brass) with wood<br>screw 1/2 in. No. 5  |
| 126247       | 20691     | Flush Bolt (2)  |
| 126248       | 20691     | " " Plate (2)   |
| 41538        |           | Flush Bolt with Plate complete, Nos.<br>126247, 126248 and four brass<br>wood screws 5/8 in. No. 4 (2)  |
| 60656        | 20691     | Hinge (4)   |

# BENCH STANDS BENCH STAND NO. 135115 FOR MACHINE BASE NO. 131919

## WHEN MACHINE IS MOUNTED SEMI-SUBMERGED

| No.<br>135115 / | Plate | Name                                 |
|-----------------|-------|--------------------------------------|
| 135115 🥤        |       | Bench Stand with 27998, 60220 and    |
|                 |       | four each 126849 with wood screws    |
|                 |       | 5/8 in. No. 7 F.H. (in place of      |
|                 |       | wood screws 3/4 in. No. 7 F.H.)      |
|                 |       | and wood screws 1 1/2 in. No. 10     |
|                 |       | F.H                                  |
| 126849          | 20691 | Flap Hinge with four wood screws 5/8 |
|                 |       | in. No. 7 F.H. (4)                   |
| 27998           | 20691 | Flap Hook and Eye (large) with wood  |
| 1               |       | screw 1/2 in. No. 5                  |
| 60220 /         |       | Flap Hook and Eye (small) with wood  |
|                 |       | screw 5/8 in. No. 4                  |

# FOOT LIFTER PARTS

| No.    | Plate      | Name                                |
|--------|------------|-------------------------------------|
| 643    | 9          | Chain, 36 in. to 45 in., with 56864 |
|        |            | and 56865                           |
| 1      | Note: When | ordering No. 6439, state length re- |
|        | quired.    |                                     |
| 487    | 9 20633    | Chain Connecting Link               |
| 56864  | 4 20691    | " Hook (large)                      |
| 5686   | 5 20691    | " " (small)                         |
| 126249 | 9 20633    | Treadle                             |
| 4882   | 20633      | " Shaft                             |
| 126250 | 20633      | " Spring                            |
| 15045  | L 20633    | " Stand                             |
| 150452 | 2 20633    | Treadle complete, Nos. 4879, 4882,  |
|        |            | 126249, 126250, 150451 and two      |
|        |            | wood screws 1 in. No. 16 F.H        |
|        |            |                                     |

# **KNEE LIFTER PARTS**

### FOR USE WHEN MACHINE IS MOUNTED ON TOP OF TABLE

| No.   | Plate | Name  |
|-------|-------|---|
| 37563 |       | Chain, length 15 in., with 56864 and 56865                |
| 56864 | 20691 | Chain Hook (large)  |
| 56865 | 20691 | " " (small)   |
| 2763  | 20633 | Rock Shaft  |
| 12242 | 20633 | " Hanger with two wood<br>screws 1 in. No. 10 (2)         |
| 6335  | 20633 | Rock Shaft Knee Arm                                       |
| 6336  |       | Rock Shaft Knee Arm complete, Nos.<br>2766, 2767 and 6335 |

| No.     | Plate | Name                                  |
|---------|-------|---------------------------------------|
| 2766    | 20633 | Rock Shaft Knee Arm Hub with 356C     |
| 3560    | 20633 | " " " " Set Screw                     |
| 2767    | 20633 | " " " Plate with 356C                 |
| 3560    | 20633 | " " " Set Screw                       |
| 6337    | 20633 | " " Lifting Bracket with two          |
|         |       | 356C                                  |
| 7125    | 20633 | Rock Shaft Lifting Bracket Hook       |
| 3560    | 20633 | " " " " Set                           |
|         |       | Screw                                 |
| 3560    | 20633 | Rock Shaft Lifting Bracket Set Screw. |
| 2770    | 20633 | " " Stop Dog with 1402190             |
| 1402190 | 20633 | " " " Set Screw                       |
| 23767   | 20633 | Rock Shaft complete, Nos. 2763, 2770, |
|         |       | 6336, 6337, 7125 and two 12242        |

# LAP SEAM FELLERS

| No.    | Plate | Name   |
|--------|-------|--|
| 121437 | 20739 | Lap Seam Feller (adjustable) on Shank,<br>for sleeving, for light and<br>medium weight material                                |
| 121438 | 20740 | Lap Seam Feller (adjustable) on Shank,<br>for sleeving, for medium heavy<br>and heavy weight material, for<br>147-101 Machine  |
| 121460 | 20739 | Lap Seam Feller, short (adjustable)<br>on Shank, for sleeving, for light<br>and medium weight material, for<br>147-100 Machine |
| 1499J  | 20739 | Lap Seam Feller Screw  |

# M, B, MACHINE BASES MACHINE BASE NO. 131264

WHEN MACHINE IS MOUNTED ON TOP OF TABLE FOR USE WITH BENCH STAND NO. 79772

| No.    | Plate | Name                                |
|--------|-------|-------------------------------------|
| 131263 | 21038 | Machine Base                        |
| 54477  | 21038 | " " Screw Stud, to fasten           |
|        |       | base to table (3)                   |
| 131205 | 21038 | Machine Base Screw Stud to position |
|        |       | machine on base (4)                 |
| 51576E | 21038 | Machine Base Screw Stud Nut (3)     |
| 9842   | 21038 | " " " Washer                        |
|        |       | (3)                                 |
| 131022 | 21038 | Machine Base Screw Stud Bushing     |
|        |       | (rubber) (4)                        |
| 131279 | 21038 | Machine Cushion (felt) (4)          |
| 131264 | 21038 | Machine Base complete, Nos. 131263, |
|        |       | three each 9842,51576E,54477 and    |
|        |       | four each 131205 and 131279         |

#### MACHINE BASE

Name

No. Plate 131328 21038

3 21038 Machine Base and Oil Drain Jar (swinging type) complete, Nos. 131264 and 131268.....

# MACHINE BASE NO. 131919 WHEN MACHINE IS MOUNTED SEMI-SUBMERGED FOR USE WITH BENCH STAND NO. 135115

| No. / Plate    | Name                                  |
|----------------|---------------------------------------|
| 131918 / 20718 | Machine Base                          |
| 51428R 🗸 20718 | " " Bolt with 1778R (4)               |
| 1778R 🗸 20718  | " " Nut (4)                           |
| 126150 20718   | " " " Lock Washer (4)                 |
| 69353 20718    | Machine Base Bolt complete, to fasten |
|                | base to table, Nos. 51428R and        |
|                | 126150 (4)                            |
| 131205 20718   | Machine Base Screw Stud, to position  |
|                | machine on base (4)                   |
| 131022 21038   | Machine Base Screw Stud Bushing       |
|                | (rubber) (4)                          |
| 131279 20718   | Machine Cushion (felt) (4)            |
| 131919 / 20718 | Machine Base complete, Nos. 131918    |
| ,              | and four each 69353, 131205 and       |
| 4              | 131279                                |
| 131920 / 20718 | Machine Base and Oil Drain Jar        |
|                | (swinging type) complete, Nos.        |
|                | 131268 and 131919                     |

# MACHINE BASE OIL DRAIN JAR

#### (SWINGING TYPE)

| No.    | Plate | Name                                 |
|--------|-------|--------------------------------------|
| 131185 | 21038 | Jar (glass)                          |
| 131191 | 21038 | " Сар                                |
| 131188 | 21038 | " Clamp                              |
| 131217 |       | " " 131188 with 131189               |
| 131189 | 21038 | " " Lever                            |
| 12470  | 21038 | " " " Hinge Screw (2)                |
| 131265 | 21038 | Nipple (long) (2)                    |
| 131266 | 21038 | " (short)                            |
| 131267 | 21038 | " Elbow (2)                          |
| 131268 | 21038 | Machine Base Oil Drain Jar (swinging |
|        |       | type) complete, Nos. 131185,         |
|        |       | 131191, 131217, 131266 and two       |
|        |       | each 1247C, 131265 and 131267        |

From the library of: Superior Sewing Machine & Supply LLC

# THREAD UNWINDER

# (FOR FOUR SPOOLS)

| No.                     | Plate   | Name                                   |
|-------------------------|---------|--|
| 225257                  | 21043   | Spool Rest (for two spools) with       |
|                         |         | 2010180 (2)                            |
| 150203                  | 21043   | Spool Rest Cushion (felt) (4)          |
| 225388                  | 21043   | " " Rod                                |
| 2003830                 | 21043   | " " Set Screw                          |
| 2010180                 | 21043   | " " Set Screw (2)                      |
| 202490                  | 21043   | " Stand with 200383C                   |
| 225391                  | 21043   | Thread Guide (4)                       |
| 201696J                 | 21043   | " " Lock Nut                           |
| 225326                  | 21043   | " " Position Cup                       |
| 225324                  | 21043   | " " Rod with 208AL and                 |
|                         |         | 225322                                 |
| 208AL                   | 21043   | Thread Guide Rod Screw                 |
| 225322                  | 21043   | " " Washer                             |
| 150058                  | 21043   | " Separator                            |
| 150060                  | 21043   | " " Bracket Arm with                   |
|                         |         | 164J and 9525                          |
| 164J                    | 21043   | Thread Separator Bracket Arm Clamping  |
|                         |         | Screw                                  |
| 9525                    | 21043   | Thread Separator Bracket Arm Clamping  |
|                         |         | Screw Washer                           |
| 164J                    | 21043   | Thread Separator Bracket Arm Screw     |
| 9525                    | 21043   | 17 M 11 M 11                           |
|                         |         | Washer                                 |
| 15006 <b>1</b>          |         | Thread Separator complete, Nos. 164J,  |
|                         |         | 9525, 150058 and 150060                |
| 150062                  | 21043   | Thread Unwinder complete, Nos. 150061, |
|                         |         | 201696J, 202490, 225324, 225326,       |
|                         |         | 225388, two 225257, three wood         |
|                         |         | screws 7/8 in. No. 12 and four         |
|                         |         | each 150203 and 225391                 |
| 27739                   | 21043   | Thread Cone (wood) for large cones     |
| 225390                  | 21043   | " " Holder, for inverted               |
|                         |         | cones                                  |
| Note                    | e: Nos. | 27739 and 225390 are used with, but    |
| not included in 150062. |         |  |

From the library of: Superior Sewing Machine & Supply LLC

t

27

ſ

# **OBSOLETE PARTS**

| No.     | Plate | Name                                   |
|---------|-------|--|
| *68430  |       | Arm Oil Cup for 131309                 |
| 131309  | 20741 | " " 68430 with 131310 for              |
|         |       | filling oil reservoir, use 131866      |
| 131305  | 20741 | Arm Oil Cup Drip Pan with two 563AL.   |
| 563AL   | 20741 | " " " " Position Screw                 |
|         |       | for 131305 (2)                         |
| 131310  | 20741 | Arm Oil Cup Oil Tube for 131309        |
| 131277  | 20741 | Arm Side Cover Cap, superseded by      |
|         |       | 131909, not interchangeable            |
| 51224W  | 20741 | Arm Side Cover Cap Thumb Screw, use    |
|         |       | 1289X                                  |
| 131278  |       | Arm Side Cover (oil vent) complete,    |
|         |       | Nos. 51224W, 131276, 131277 and        |
|         |       | 131280, use 131911                     |
| 131394  |       | Cloth Plate Thread Guard, use 131610.  |
| 131396  | 20742 | Feed Bar, superseded by 131729, not    |
|         |       | interchangeable                        |
| 131397  |       | Feed Bar complete, Nos. 50429AL,68467, |
|         |       | 131396 and two 207E, use 131731        |
| 157J    | 20741 | Feed Dog Screw, when stationary        |
|         |       | Needle Guard is used, for use          |
|         |       | with Feed Bar No. 131397               |
| 50073J  | 20741 | Feed Dog Screw, when movable Needle    |
|         |       | Guard is used, for use with Feed       |
|         |       | Bar No. 131397                         |
| 50429AL | 20741 | Feed Dog Stop Screw for 131397         |
| 131398  |       | Feed Rocking Frame 131240 with 59343,  |
|         |       | 131197 and 131397, use 131732          |
| 64319   | 20742 | Needle Bar (hollow) for 131045         |
| 131045  | 20742 | Needle Bar complete, for 3/32 in. to   |
|         |       | 1/2 in. gauges, for 147-101            |
|         |       | Machine, Nos. 64319 and 131044         |
|         |       | use 131498                             |
| 131399  |       | Needle Bar Connecting Link and Thread  |
|         |       | (upper) Controller 68488 with          |
|         |       | 68489 and 131400 for 147-101 Ma-       |
|         |       | chine, use 131491                      |
| 131400  | 20741 | Needle Bar Connecting Stud with 211F   |
|         |       | and 1492E, use 131492                  |
| 64330   | 20742 | Presser Bar, use 131912                |
| 38467   | 20742 | " " Spring (flat)                      |
| 131158  | 20741 | " Foot Plate for 131159                |
| 131159  | 20741 | Presser Foot (hinged) complete, for    |
|         |       | 3/32 in. to 13/32 in. gauges, for      |
|         |       | lap seam felling, Nos. 26276,          |
| 62414   | 00743 | 54120 and 131158, use 131917           |
| 574W    | 20741 | Pressure Regulating Thumb Screw        |
| 1539W   | 20741 | " " Lock                               |
| 3560    | 20743 | Nut.                                   |
| 356C    | 20741 | Rock Shaft Stop Dog Set Screw, use     |
|         |       | 140219C                                |

From the library of: Superior Sewing Machine & Supply LLC

)

#### **OBSOLETE PARTS**

| Ne     | Plate | Name                                   |
|--------|-------|--|
| No.    |       | Slack Thread Controller for 147-101    |
| 131025 | 20741 | Machine                                |
| 54242  | 20741 | Slack Thread Controller Clamp for      |
|        |       | 147-101 Machine                        |
| 190J   | 20741 | Slack Thread Controller Clamp Screw    |
| 1300   | COLTT | for 147-101 Machine                    |
| 131403 | 20742 | Slack Thread Regulator                 |
| 131404 | 20741 |  |
| 131405 | 20741 | " " Holder                             |
| 101400 | 20172 | with 171ÅL                             |
| 1423J  | 20741 | Slack Thread Regulator Holder Crank    |
| 14200  | LOITZ | Cap Screw                              |
| 171AL  | 20741 | Slack Thread Regulator Holder Crank    |
| TUTAT  | 20141 | Clamping Screw for 131405              |
| 171400 | 20741 | Slack Thread Regulator Holder Crank    |
| 131406 | 20741 | Connection Link                        |
|        | 00743 | Slack Thread Regulator Screw           |
| 217J   | 20741 | Tension (under thread) Spring, use     |
| 59534  | 20741 |  |
|        |       | 131740                                 |
| 57076  | 20741 | Tension (under thread) Thread Guide,   |
|        |       | use 131696                             |
| 59535  | 20741 | Tension (upper thread) Spring, use     |
|        |       | 131741                                 |
| 57076  | 20741 | Tension (upper thread) Thread Guide    |
|        |       | (double) use 131696                    |
| 13]409 | 20741 | Thread (under) Take-up Stripper, use   |
|        |       | 131824                                 |
| 131410 | 20742 | Thread (under) Take-up Stripper Plate, |
|        |       | use 131825                             |
| 131412 |       | Thread (under) Take-up Stripper Plate  |
|        |       | Bracket 131411 with 32062, 50438J,     |
|        |       | 54242, 131408 to 131410, 131413        |
|        |       | to 131415, two each 207J, 7071,        |
|        |       | 50470J and four 190J, use 131934.      |
| 46009  | 20741 | Thread (upper) Eyelet for 147-101      |
|        |       | Machine                                |
| 131334 | 20741 | Thread (upper) Take-up for 131335      |
| 54095  | 20741 | Thread (upper) Take-up Plate for       |
|        | •     | 131335                                 |
| 68164  |       | Thread (upper) Take-up Plate Spring    |
|        |       | for 131335                             |
| 1449J  | 20741 | Thread (upper) Take-up Plate Spring    |
|        | •     | Screw for 131335                       |
| 131335 | 20741 | Thread (upper) Take-up complete, for   |
|        |       | 147-101 Machine, Nos. 1449J,54095,     |
|        |       | 68164 and 131334                       |
| 211F   | 20741 | Thread (upper) Take-up Set Screw       |
| 15405  |       | Trade Mark Rivet, use 131676 (2)       |
|        | -     |  |

From the library of: Superior Sewing Machine & Supply LLC

#### Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines"

are not Singer made needles.

2

# FEED ROLLS (cont!d.)

•

• ·

140279 AL F

13720 1

-

Feed roll (upper) set screw " shaft

4

# FKED ROLLS ( cont'd. )

3

•

| 1             | 2 in. vide. with two 140279 AL   |
|---------------|--|
| 127534        | 2 in. wide, with two 140279 AL<br>Feed roll (upper) bar  |
| Ser. 17080    |  |
| 10 2000       | 453 AL   |
| - Ser. 17081  | 405 AL<br>0 Feed roll (upper) bar bracket<br>comp., Nos. 79 C, 866 D, 913 D,<br>1330 C, 1876, 23404, 38648,<br>54471 to 54473, 127534, 127536,<br>127542, Ser. 170809 and two<br>208 D |
|               | comp., Nos. 79 C, 866 D, 913 D,  |
|               | 54471 to 54472 197524 197526   |
|               | 127542. Ser. 170809 and two  |
| 1             |  |
| -1193 D       | Feed roll (upper) bar bracket  |
|               | screw (lover)  |
| 769 D         | Feed roll (upper) bar bracket  |
| - 127536      | BCrew (upper)  |
| · 12/00       | Feed roll (upper) " collar   |
| 1876          | with 448 AL<br>Feed roll (upper) " "   |
|               | roller and screw stud  |
| ⁄448 AL       | Feed roll (upper) bar collar   |
| 1             | set screw  |
| 23404         | Feed roll (upper) " spring   |
| 127540        | bracket with   |
| 127542        | 453 AL   |
| 121042        | Feed roll (upper( bracket guide  |
| ▲53 AL        | pin<br>Feed roll (upper) " "   |
|               | pin set screw  |
| 153 AL        | Feed roll (upper) " set  |
|               | SGREW SCC  |
| ·24471        | Fedd roll (upper) lifter   |
| /866 C        | Feed roll (upper) " Hinge  |
| 1             | BCTOW  |
| -1472         | Feed roll (upper) " latch  |
| /79 C         | reed Poll (upper) " "  |
| <b>√38648</b> | hinge screw<br>Feed roll (upper) " "   |
| 130040        | spring   |
| - 54473       | Feed roll (upper) " "  |
|               | stop   |
| ~208 D        | Feed roll (upper) " "  |
| 1             | stop screw   |
| √1330 C       | Feed roll (upper) " stop   |
| 1             | screv  |
| 13 7          | Feed roll (upper) pressure   |
|               |  |
|               |  |

# FEED ROLLS (cont'd.)

|                                     | FEED ROLLS (cont'd.)  | /                      |
|-------------------------------------|---|------------------------|
| 50375 F                             | Feed roll (lover) clutch sleeve   | Ser. 17385             |
|                                     | set screv   | 6                      |
| /131725                             | Feed roll (lower) " washer  | 131712                 |
| 131726                              | Aestitik  | 131713                 |
| 1                                   | plate   | laha =                 |
| · 131727                            | Feed roll (lower) " comp.   | 1949 J                 |
|                                     | Nos. 131713, 131715, 131716,  | 1                      |
|                                     | 131724, two 131725 and six  | 131714                 |
|                                     | each 68152, 131717 and 131718<br>Feed roll (lower) connecting<br>rod with Ser. 170600 and | · <b>1317</b> 15       |
| <b>'Ser. 170806</b>                 | Feed roll (lower) connecting  |                        |
|                                     | rod with Ser. 17060c and  | 1 <b>3171</b> 6        |
| <i>(</i> <b>, , , , , , , , , ,</b> | two 896 AL  |                        |
| /Ser. 170807                        | Feed roll (lower) connecting  |                        |
|                                     | <b>rod with Ser.17</b> 0806 and 54456   | <b>′1390 C</b>         |
| /Ser. 170808                        | Feed roll (lover) connecting  | 1375 AL                |
|                                     | rod cap   |                        |
| - 896 AL                            | Feed roll (lower) "   | ´131717<br>´68152      |
|                                     | rod cap screw   | 68152                  |
| 1257 C                              | Feed roll (lower) "   |                        |
| 1                                   | rod hinge screv   | ×131718                |
| /1620 E                             | Feed roll (lover) connecting  |                        |
|                                     | rod hinge screw nut   | 🖌 Ser. 1788            |
| 54024                               | Feed roll (lower) eccentric   | 2                      |
|                                     | with 138306   | <b>Ser.</b> 1788       |
| ·54455                              | Feed roll (lower) "   |                        |
|                                     | body  | 1                      |
| / 51061 AL                          | Feed roll (lower)   | <sup>(</sup> Ser. 1788 |
| Ĩ                                   | body set screw  | ,                      |
| 7071                                | Feed roll (lower)   | <b>Ser. 1788</b>       |
|                                     | clamping washer   |                        |
| ⁄217 J                              | Feed roll (lower) "   |                        |
| ,                                   | clamping washer screw   | ′948 <b>d</b>          |
| 138306                              | Feed roll (lower) eccentric   | 1                      |
|                                     | lubricating pad (wood)  | <sup>/</sup> 62562     |
| > 54456                             | Feed roll (lover) eccentric   | 1                      |
|                                     | (adjustable) comp., Nos.  | ∕465 C                 |
|                                     | 1103 C, 54024, 54455, two   | 1                      |
|                                     | each 217 J. 7071, and three   | ∕140267 F              |
| /                                   | 51061 AL  | 1                      |
| ∕1103 C                             | Feed roll (lover) eccentric   | × 131723               |
|                                     | regulating screw  |                        |
| 140279 AL                           | Feed roll (lower) set screw   | × 131724               |
| <b>Ser.</b> 173852                  | " (upper) soft rubber,  |                        |
|                                     |   |                        |

#### FEED ROLLS

| 173852 |  |
|--------|--|
| •      | 2 in. vide with two 140279AL                                       |
| 2<br>3 | Feed roll (lower) clutch (brake)                                   |
| 3      |  |
|        | 131712 with three 131726   |
|        | Feed roll (lower) clutch brake                                     |
| •      | clamping screw   |
| 4      | Feed roll (lower) clutch drive                                     |
| 5      |  |
| -      | 131714 with three 131726   |
| 6      | Feed roll (lover) clutch drive                                     |
|        | connection with 1375 AL and  |
|        | 1390 C   |
| С      | Feed roll (lower) clutch drive                                     |
|        | connection clamping screw  |
| AL     | Feed roll (lower) clutch drive                                     |
|        | connection set screw   |
| 7      | Feed roll (lower) clutch roller<br>Feed roll (lower) clutch roller |
|        | Feed roll (lover) clutch roller                                    |
|        | plunger  |
| .8     | Feed roll (lower) " "  |
| •      | nlunger soring   |
| 178824 | plunger spring<br>Feed roll (lower) " shaft                        |
| -,     | with 131723  |
| 178825 |  |
| 1,002) | Ser. 178824 with 131727,   |
|        | 140267 F and two 62562   |
| 178823 | Feed roll (lower) clutch shaft                                     |
| 10052  | bracket with 949 J   |
| 178826 |  |
| 110020 | bracket comp. Nos. ger.  |
|        | 172902 and gam 172905  |
|        | 178823 and Ser. 178825<br>Feed roll (lower) clutch shaft           |
| ,      | Feed POLI (TOWER) CITARON SUBIC                                    |
|        | bracket screw  |
| 2      | Feed roll (lower) clutch shaft                                     |
| •      | collar with two 465 C  |
|        | Feed roll (lower) clutch shaft                                     |
| ·      | collar set screw   |
| 57 F   | Feed roll (lover)  |
|        | oil plug   |
| 23     | LAAT LOTT (TOARL)  |
|        | oil wick   |
| 24     | Feed roll (lover) " sleeve   |
|        | <b>with two</b> 50375 F  |

|                       |  |                 | Arm, upper and lower solid with GLRJ, 15404, two 131676 and four 131022   |
|-----------------------|--|-----------------|---|
|                       |  | Ser. 176213     | Cloth Flate Extension for feed rolls 1 in. to 1 $1/4$ in. wide            |
| 4                     |  | Ser. 180121     | 811de (left) for Ser. 180122  |
| 1                     | Feed Roll (upper) Shaft for feed rolls up to and including 1 $1/4$ in.                           | Ser. 180122     | Cloth Flate Slide (left) complete, Nos. 36419, Ser. 190121 and two 725J   |
| 127546                |  | # Sor. 180123   | " " (right) for Ser. 180124   |
| <b>6</b> <sup>2</sup> | wide<br>Peed Roll (upper) Shaft for feed rolls above 1 1/4 in. wide and                          | · Ser. 180124   | Cloth Plato Slide (right) complete, Ros. 131361, Ser. 160123 and two 725J |
| 127547                |  | 36419           | * * (small) Spring for Ser. 160122  |
| 1                     | including 2 in. wide<br>Feed Roll (upper) Bracket 127539, 54457 and 127546 (1 1/4 in. feed roll) |                 | Cloth Plate complete, Nos. 131051, Ser. 172092, and 131383 for 131209     |
| × 544.75              |  |                 | and 131212  |
| 133251                | " " Spacing Collar   |                 | Cloth Plate complete, Nos. 131051, Ser. 172092 and 131364 for 151115.     |
|                       | Note: When ordering No. 133251 state width required.   |                 | 131172, 131213, 131527 and Sor. 161120                                    |
|                       |  |                 | / Cloth Flate complete, Nos. 131051, Ser. 172092 and 131386 for 131124,   |
|                       |  |                 | 131215 and Ser. 179676  |
|                       |  |                 | Cloth Plate complete, Nos. 131051, Ser. 172092, and 131587 for 68105,     |
|                       |  |                 | 68108, 68201, 68200, Ser. 158258, Ser. 167849 and Ser. 189136             |
|                       |  |                 | Cloth Plate complete, Nos. Ser. 180122, Ser. 172092 and Ser. 190124       |
|                       |  |                 | Tor Ser. 173253   |
| ~                     |  | 5JLL57          | Feed Roll (lower') 1 1/1 in. wide with two 140279AL                       |
|                       |  |                 |   |
|                       |  | 68058           |   |
|                       |  | 81 لمالية مسم   | " (upper) 1 in. wide with two 11.0279AL                                   |
|                       |  | 1 68059         | • • 1 in. wide with two LLO27QAL  |
|                       |  | 131728          | * (soft rubber) 1 1 4 in. wide with two 140279AL                          |
|                       |  | • Ser. 172941   | 1 1/9 in. wide with two 140279AL  |
|                       |  | pror. 173505 13 | 979." " 1 1/2 in. wide with two 140279AL<br>P Jisy                        |
|                       |  | 127538          | • (upper) Bracket for Peed Rolls up to and including 1 1/4 in.            |
|                       |  |                 | wide  |
|                       |  | 127540          | Feed Roll (upper) Bracket for Feed Rolls above 1 1/4 in. wide and         |
|                       |  |                 | including 2 in. wide  |
|                       |  |                 | -1-   |
|                       |  |                 | 4   |

From the library of: Superior Sewing Machine & Supply LLC

¢. -

-

# NUMERICAL LIST OF PARTS

# NUMERICAL LIST OF PARTS

| No.          | Plate | Name   |
|--------------|-------|--|
| 144D         | 20720 | Arm Rotary Shaft Screw   |
| 157J         | 20741 | Feed Dog Screw, when stationary                                      |
|              |       | Needle Guard is used, for use  |
|              |       | with Feed Bar No.131397, obsolete                                    |
| 161J         | 20727 | Presser Bar Lifting Lever Extension                                  |
|              |       | Screw (2)  |
| 164J         | 21043 | Thread Unwinder Thread Separator                                     |
|              |       | Bracket Arm Clamping Screw for                                       |
|              |       | 150060   |
| 164J         | 21043 | Thread Unwinder Thread Separator                                     |
|              |       | Bracket Arm Screw for 150061   |
| 171AL        | 20741 | Slack Thread Regulator Holder Crank                                  |
|              |       | Clamping Screw for 131405,   |
|              |       | obsolete   |
| 175E         | 20725 | Looper Carrier Adjusting Screw for                                   |
|              |       | 54027 (2)  |
| 175E         | 20725 | Looper Carrier Driver Cap Screw for                                  |
|              |       | 68479 (4)  |
| 176J         | 20729 | Needle Guard (stationary) Holder                                     |
|              |       | Screw  |
| 176E         | 20703 | Oil Pipe (back of arm) Clamp Screw                                   |
| 190 <b>J</b> | 20724 | Feed Bar Feed Dog Seat Screw for                                     |
|              |       | 131731   |
| 190J         | 20729 | Presser Foot Screw   |
| 190J         | 20727 | Thread (under) Eyelet (back) Screw                                   |
| 190J         | 20728 | Thread (under) Take-up Stripper Clamp                                |
|              |       | Screw for 131412 and 131934  |
| 190J         | 20728 | Thread (under) Take-up Stripper Plate                                |
|              |       | Screw for 131412 and 131934 (3)                                      |
| 190J         | 20727 | Thread (upper) Eyelet Screw  |
| 190 <b>J</b> | 20741 | Slack Thread Controller Clamp Screw<br>for 147-101 Machine, obsolete |
|              |       | IOF 14/-101 Machine, Obsolete  |
| 19 <b>8E</b> | 20703 | Oil Pipe (back of arm) Connection Cap<br>Screw for 68494 (2)         |
| 3002         | 20703 | Oil Pipe (front of arm) Connection                                   |
| 198E         | 20703 | Cap Screw for 131002, 131003 and                                     |
|              |       | 131084 (8)   |
| 205C         | 20720 | Arm Rotary Shaft Ball Bearing (back)                                 |
| 2000         | 20120 | Case Cap Screw for 131479 (3)  |
| 207E         | 20724 | Feed Bar Wearing Plate Screw for                                     |
| 2015         | LUILI | 131397 and 131731 (2)  |
| 207J         | 20728 | Thread (under) Take-up Thread Guide                                  |
| 2010         | 20120 | (left) Screw for 131412 and  |
|              |       | 131934   |
| 207J         | 20728 | Thread (under) Take-up Thread Guide                                  |
| 2010         |       | (right) Screw for 131412 and   |
|              |       | 131934   |
| 208AL        | 21043 | Thread Unwinder Thread Guide Rod                                     |
|              |       | Screw for 225324   |
| 211F         | 20741 | Thread (upper) Take-up Set Screw for                                 |
|              |       | 131400, obsolete   |

From the library of: Superior Sewing Machine & Supply LLC

| No.   | Plate | Name   |
|-------|-------|--|
| 217J  | 20720 | Feed Eccentric Clamping Washer Screw<br>for 54025 (2)  |
| 2170  | 20729 | Needle Guard (stationary) Screw  |
| 217J  | 20741 | Slack Thread Regulator Screw,<br>obsolete  |
| 223J  | 20723 | Thread (upper) Take-up Clamping Screw<br>for 131499  |
| 316C  | 20727 | Tension (upper thread) Releasing<br>Shaft Stop Screw   |
| 330D  | 20723 | Face Plate (lower half) Screw (2)  |
| 356C  | 20633 | Rock Shaft Knee Arm Hub Set Screw for  |
| 3560  | 20633 | 2766<br>Rock Shaft Knse Plate Set Screw for<br>2767  |
| 356C  | 20633 | Rock Shaft Lifting Bracket Hook Set<br>Screw for 6337  |
| 3560  | 20633 | Rock Shaft Lifting Bracket Set Screw<br>for 6337   |
| 3560  | 20741 | Rock Shaft Stop Dog Set Screw,<br>obsolete, use 140219C  |
| 376J  | 20727 | Tension (upper thread) Bracket Screw.  |
| 389F  | 20722 | Cloth Plate Thread Guard Screw (lower)   |
| 423AL | 20695 | Arm Rock Shaft Bushing (intermediate)<br>Set Screw   |
| 4290  | 20720 | Arm Rotary Shaft Ball Bearing (back)<br>Case Set Screw   |
| 443AL | 20725 | Looper Throw-out Handle Set Screw for<br>68485 (2)   |
| 446AL | 20695 | Arm Rock Shaft Bushing (back) Set<br>Screw   |
| 452C  | 20725 | Looper (back) Set Screw for 131052   |
| 453AL | 20695 | Arm Rock Shaft Flanged Bushing<br>(front) Set Screw  |
| 453AL | 20724 | Feed Rocking Frame Hinge Pin Bushing<br>Set Screw for 131240 (2)                                   |
| 453AL | 20724 | Feed Rocking Frame Hinge Pin Set<br>Screw (2)  |
| 453AL | 20723 | Presser Bar Lifting Bracket Guide Set<br>Screw   |
| 453AL | 20723 | Presser Bar Lifting Bracket Set Screw  |
| 457AL | 20720 | for 131401<br>Arm Rotary Shaft Ball Bearing (inter-<br>mediate) Collar Set Screw for<br>131482 (2) |
| 460AL | 20724 | Feed Dog Stop Screw for 131730   |
| 563AL | 20741 | Arm Oil Cup Drip Pan Position Screw<br>for 131305, obsolete (2)                                    |
| 574W  | 20741 | Pressure Regulating Thumb Screw,<br>obsolete   |
| 624AL | 20727 | Tension (upper thread) Releasing<br>Shaft Crank Set Screw for 54047                                |
| 640E  | 20720 | Looper Driving Shaft and Feed Lifting<br>Eccentric Screw for Lifting<br>131485                     |
| 691F  | 20727 | Tension (under thread) Bracket Screw (2)   |

From the library of: Superior Sewing Machine & Supply LLC

32 、

| No.              | Plate          | Name  |
|------------------|----------------|---|
| 725J             | 20722          | Cloth Plate Slide (left) Spring Screw                         |
|                  |                | for 131051 (2)  |
| 725J             | 20722          | Cloth Plate Slide (right) Spring                              |
|                  |                | Screw for 131382 to 131387 (2)                                |
| 735AL            | 20724          | Feed Bar Hinge Pin Collar Set Screw                           |
|                  |                | for 59343   |
| 742F             | 20729          | Throat Plate Screw (2)  |
| 761E             | 20720          | Arm Rotary Shaft Bushing (front) Set                          |
|                  |                | Screw   |
| 761E             | 20720          | Looper Driving Shaft and Feed Lifting                         |
|                  |                | Eccentric Bushing Position Screw                              |
|                  |                | for 68483   |
| 802D             | 20727          | Presser Bar Lifting Lever Hinge Screw                         |
| 853AL            | 20695          | Needle Bar Connecting Link Hinge Stud                         |
| 861F             | 20723          | Set Screw for 131475<br>Needle Bar Connecting Link Hinge Stud |
| 001F             | 20125          | 011 Plug Screw  |
| 896AL            | 20720          | Crank Connecting Rod Cap (lower)                              |
| OJUNI            | 20120          | Screw for 131471 (2)  |
| 896AL            | 20720          | Feed Connecting Rod Cap Screw for                             |
| 000112           | 20120          | 131500 (2)  |
| 948J             | 20720          | Looper Driving Shaft and Feed Lifting                         |
|                  |                | Eccentric Bracket Screw for                                   |
|                  |                | <del></del>   |
| 965D             | 20728          | Thread (under) Take-up Stripper Plate                         |
|                  |                | Bracket Screw   |
| 997J             | 20727          | Thread (upper) Take-up (auxiliary)                            |
|                  |                | Clamp Screw   |
| 1011F            | 20722          | Cloth Plate Screw (left) (2)                                  |
| 1053E            | 20723          | Face Plate (upper half) Position                              |
| 105747           |                | Plate Screw   |
| 1057AL           | 20688<br>20688 | Arm Bottom Cover Screw (4)                                    |
| 1057AL<br>1057AL | 20688          | Arm Side Cover Screw (4)                                      |
| 103786           | 20120          | Crank Connecting Rod Cap (upper)<br>Screw for 131471 (2)      |
| 1057AL           | 20720          | Feed Connecting Rod Clamping Screw                            |
| 100 110          | 20120          | for 131500  |
| 1103C            | 20720          | Feed Regulating Screw for 54025                               |
| 1120AL           | 20725          | Looper (front) Set Screw for 131052                           |
| 1133E            | 20723          | Needle Bar Bushing (lower) Set Screw.                         |
| 1133E            | 20723          | " " (upper) Set Screw.  |
| 1133E            | 20723          | Presser Bar Bushing (lower) Set Screw                         |
| 1133E            | 20723          | " " (upper) Set Screw   |
| 1235F            | 20695          | Arm Rock Shaft Oil Plug Screw for                             |
|                  |                | 131474  |
| 12470            | 21038          | Machine Base Oil Drain Jar Clamp                              |
| 105047           | 00700          | Lever Hinge Screw for 131268 (2).                             |
| 1258AL           | 20720          | Thread (under) Take-up Set Screw for                          |
| 1289X            | 20688          | 131407<br>Arm Side Cover Cap Screw for 131911                 |
| 1203X<br>1304C   | 20720          | Arm Rotary Shaft Ball Bearing (inter-                         |
| 20010            | 20120          | mediate) Case Set Screw                                       |
| 1309C            | 20695          | Arm Rock Shaft Adjusting Screw                                |
| 1423J            | 20741          | Slack Thread Regulator Holder Crank                           |
|                  |                | Cap Screw, obsolete   |
|                  |                |   |

•

From the library of: Superior Sewing Machine & Supply LLC

•

•

| No.   | Plate          | Name  |
|-------|----------------|---|
| 1449J | 20741          | Thread (upper) Take-up Plate Spring                                   |
|       |                | Screw for 131335, obsolete  |
| 1492E | 20723          | Needle Bar Connecting Stud Clamping                                   |
|       |                | Screw for 131400 and 131492   |
| 1498F | 20723          | Needle Set Screw for 131044 (2)                                       |
| 1499J | 20739          | Lap Seam Feller Screw   |
| 1520J | 20723          | Needle Bar Connecting Link Hinge Stud                                 |
|       |                | Nut   |
| 1539W | 20741          | Pressure Regulating Thumb Screw Lock                                  |
|       |                | Nut, obsolete   |
| 1547J | 20727          | Tension (upper thread) Releasing                                      |
| 16777 | 00000          | Shaft Stop Screw Nut  |
| 1637J | 20688          | Presser Bar Spring Screw Stud Lock                                    |
| 1733  | 20703          | Nut for 131830 and 131851<br>Oil Pipe (back of arm) Coupling Nut      |
| 1133  | 20103          | (brass)   |
| 1733  | 20703          | 011 Pipe (front of arm) Coupling Nut                                  |
| 1100  | 20100          | (brass) for 68498 and 68500 (3).                                      |
| 1778R | 20718          | Machine Base Bolt Nut for 51428 (4).                                  |
| 2102  | 20727          | Tension (under thread) Disc (4)                                       |
| 2102  | 20727          | " (upper thread) Disc (4)   |
| 2763  | 20633          | Rock Shaft for 23767  |
| 2766  | 20633          | Rock Shaft Knee Arm Hub with 356C,                                    |
|       |                | for 6336  |
| 2767  | 20633          | Rock Shaft Knee Plate with 356C, for                                  |
|       |                | 6336  |
| 2770  | 20633          | Rock Shaft Stop Dog with 140219C, for                                 |
|       |                | 23767   |
| 4822  | 20691          | Wrench for 1547 (Accessories)   |
| 4879  | 20633          | Chain Connecting Link for 150452                                      |
| 4882  | 20633          | Treadle Shaft for 150452  |
| 6335  | 20633          | Rock Shaft Knee Arm for 6336  |
| 6336  |                | Rock Shaft Knee Arm complete, for                                     |
| 0777  | 00077          | 23767, Nos. 2766, 2767 and 6335.                                      |
| 6337  | 20633          | Rock Shaft Lifting Bracket with two                                   |
| 6439  |                | 356C, for 23767<br>Chain, 36 in. to 45 in. with 56864                 |
| 6435  |                | and 56865   |
| Note  | • When         | ordering No. 6439, state length                                       |
|       | require        |   |
| 7071  | 20720          | Feed Eccentric Clamping Washer for                                    |
|       | •              | 54025 (2)   |
| 7071  | 20728          | Thread (under) Take-up Thread Guide                                   |
|       |                | (left) Screw Washer for 131412  |
|       |                | and 131934  |
| 7071  | 20728          | Thread (under) Take-up Thread Guide                                   |
|       |                | (right) Screw Washer for 131412                                       |
| -     |                | and 131934  |
| 7125  | 20633          | Rock Shaft Lifting Bracket Hook for                                   |
| 8908  | 20691          | 23767<br>Wrench for 1520 (Accessories)                                |
| 9525  | 20691<br>21043 |   |
| 9969  | 21043          | Thread Unwinder Thread Separator<br>Bracket Arm Clamping Screw Washer |
|       |                | for 150060  |
| 9525  | 21043          | Thread Unwinder Thread Separator                                      |
|       | 01010          | Bracket Arm Screw Washer for  |
|       |                | 150061  |
|       | In             | f. Our anian Ocuring Mashing 9. Our al                                |

34

-

| No.    | Plate | Name  |
|--------|-------|---|
| 9842   | 21038 | Machine Base Screw Stud Nut Washer<br>for 131264 (3)  |
| 11173  | 20723 | Presser Bar Lifting Bracket Guide   |
| 12242  | 20633 | Rock Shaft Hanger with two wood<br>screws 1 in. No. 10 for 23767 (2)  |
| *15404 |       | Trade Mark for 931446?  |
| 15405  |       | " " Rivet, obsolete, use<br>131676 (2)  |
| 22436  | 20724 | Feed Bar Feed Dog Seat Screw Washer<br>for 131731   |
| *23729 |       | Feed Eccentric Body for 54025   |
| 23767  | 20633 | Rock Shaft complete, for use when<br>Machine is mounted on top of<br>table, Nos. 2763, 2770, 6336,<br>6337, 7125 and two 12242  |
| 26276  | 20729 | Presser Foot Hinge Pin, for 131159,<br>131162, 131165, 131243, 131592,<br>131594, 131597 and 131917                             |
| 27739  | 21043 | Thread Unwinder Thread Cone (wood)<br>for large cones, for use with<br>150062   |
| 27998  | 20691 | Bench Stand Flap Hook and Eye (brass)<br>with wood screw 1/2 in. No. 5<br>for 79772   |
| 27998  | 20691 | Bench Stand Flap Hook and Eye (large)<br>with wood screw 1/2 in. No. 5<br>for 135115  |
| 29234  | 20723 | Face Plate (upper half) Position<br>Plate   |
| 32062  | 20728 | Thread (under) Take-up Stripper<br>Washer for 131412 and 131934   |
| 32572  | 20727 | Tension (upper thread) Releasing Disc (2)   |
| 36030  | 20736 | Presser Foot Shank for 131594   |
| 37563  |       | Chain, length 15 in. with 56864 and 56865   |
| 38456  | 20723 | Presser Bar Bushing (upper)   |
| 38467  | 20742 | " Spring (flat) obsolete  |
| 38468  | 20688 |   |
| 41538  |       | Bench Stand Flush Bolt with Plate<br>complete, for 79772, Nos.126247,<br>126248 and four brass wood screws<br>5/8 in. No. 4 (2) |
| 42290K | 20688 | Pressure Regulating Thumb Nut Washer<br>for 131851  |
| 42365  | 20695 | Arm Rock Shaft Oil Pad (braided cotton) for oiling Back Bearing   |
| 42367  | 20720 | Arm Rotary Shaft Front Bearing Oil<br>Pad, lower (braided cotton)   |
| 43503  | 20725 | Looper Throw-out Handle Plunger<br>Spring   |
| 46009  | 20741 | Thread (upper) Eyelet for 147-101<br>Machine, obsolete  |
| 46087  | 20729 | Presser Foot Shank for 131165, 131592<br>and 131917   |

From the library of: Superior Sewing Machine & Supply LLC

35

| No.     | Plate | Name   |
|---------|-------|--|
| 50073J  | 20741 | Feed Dog Screw, when movable Needle<br>Guard is used, for use with Feed<br>Bar No. 131397, obsolete                        |
| 50073J  | 20729 | Feed Dog Screw, when stationary<br>Needle Guard is used, for use<br>with Feed Bar No. 131731                               |
| 50083AL | 20720 | Arm Rock Shaft Crank (back) Set Screw<br>for 151072 and 131343 (2)   |
| 503260  | 20727 | Tension (under thread) Screw Stud for 59539 (2)  |
| 503260  | 20727 | Tension (upper thread) Screw Stud for<br>59539 (2)   |
| 50396F  | 20722 | Cloth Plate Screw (right)  |
| 50429AL | 20741 | Feed Dog Stop Screw for 131397,<br>obsolete  |
| 50438J  | 20728 | Thread (under) Take-up 011 Guard<br>Screw for 131412 and 131934  |
| 50470J  | 20728 | Thread (under) Take-up Thread Guard<br>Screw for 131412 and 131934 (2)   |
| 50473F  | 20722 | Cloth Plate Thread Guard Screw (upper)   |
| 50608R  | 20688 | Arm Hole Plug Screw, for access to<br>Crank Connecting Rod (upper bear-<br>ing)  |
| 51061AL | 20720 | Feed Eccentric Body Set Screw for<br>54025 (3)   |
| 51119J  | 20725 | Looper Holder Screw  |
| 51224W  | 20741 | Arm Side Cover Cap Thumb Screw for<br>131278, obsolete, use 1289X  |
| 51224W  | 20723 | Face Plate (upper half) Thumb Screw  |
| 51263D  | 20725 | Looper Carrier Connection Shaft<br>Sleeve Cap Screw  |
| 51283AL | 20720 | Balance Wheel Set Screw for 131483<br>and 131710 (2)   |
| 51428R  | 20718 | Machine Base Bolt with 1778R for<br>69353 (4)  |
| 515700  | 20727 | Tension (under thread) Regulating<br>Thumb Nut for 59539 (2)   |
| 515700  | 20727 | Tension (upper thread) Regulating<br>Thumb Nut for 59539 (2)   |
| 51576E  | 21038 | Machine Base Screw Stud Nut for<br>131264 (3)  |
| 51697W  | 20688 | Pressure Regulating Thumb Nut for<br>131830 and 131851   |
| 53225   | 20727 | Thread (under) Eyelet (back)   |
| *54024  |       | Feed Eccentric with 138306, for 54025  |
| 54025   | 20720 | Feed Eccentric (adjustable) complete,<br>for 131502, Nos. 1103C, 23729,<br>54024, two each 217J, 7071 and<br>three 51061AL |
| 54027   | 20725 | Looper Carrier with two 175E, for  |
| 54038   | 20729 | Needle Guard (stationary) Holder   |
| 54047   | 20727 | Tension (upper thread) Releasing<br>Shaft Crank with 624AL   |

36

,

|   |                |                | •  |
|---|----------------|----------------|--|
|   | No.            | Plate          | Name   |
|   | 54048          | 20727          | Tension (upper thread) Releasing   |
|   |                |                | Shaft Crank Link   |
|   | 54067          | 20729          | Needle Guard (stationary) for 3/32<br>in. to 5/32 in. gauges                   |
|   | 54068          | 20729          | Needle Guard (stationary) for 3/16<br>in. to 9/32 in. gauges                   |
|   | 54069          | 20730          | Needle Guard (stationary) for 5/16<br>in. to 3/8 in. gauges                    |
|   | 54070          | 20727          | Tension (upper thread) Bracket   |
|   | 54071          | 20727          | Tension (upper thread) Releasing   |
|   | 54095          | 20741          | Shaft<br>Thread (upper) Take-up Plate for<br>131335, obsolete                  |
|   | 54120          | 20732          | Presser Foot Shank for 131159 and<br>131162                                    |
|   | 54218          | 20720          | Arm Rotary Shaft Front Bearing Oil<br>Pad, upper (braided cotton)              |
|   | 54227          | 20725          | Looper Carrier Connection for 66466<br>131111                                  |
|   | 54228          | 20725          | Looper Carrier Connection Shaft for<br>69199 and 131111                        |
|   | 54242          | 20728          | Thread (under) Take-up Stripper Clamp<br>for 131412 and 131934                 |
|   | 54242          | 20741          | Slack Thread Controller Clamp for<br>147-101 Machine, obsolete                 |
|   | 54291          | 20723          | Slack Thread Regulator Hole Plug   |
|   | 54477          | 21038          | Machine Base Screw Stud, to fasten<br>base to table for 131264 (3)             |
|   | 54969          | 20695          | Arm Rock Shaft Oil Pad (braided cotton) for oiling Intermediate                |
|   | 54988          | 20727          | Bearing<br>Tension (upper thread) Releasing Pin                                |
|   | 50004          | 00003          | (2)  |
| • | 56864<br>56865 | 20691<br>20691 | Chain Hook (large) for 6439 and 37563<br>Chain Hook (small) for 6439 and 37563 |
|   | 56665          | 20891          | Tension (under thread) Thread Guide,   |
|   |                |                | obsolete, use 131696   |
|   | 57076          | 20741          | Tension (upper thread) Thread Guide<br>(double) obsolete, use 131696           |
|   | 57234          | 20724          | Feed Rocking Frame Hinge Pin   |
|   | 57235          | 20724          | Feed Rocking Frame Hinge Pin Bushing (2)                                       |
|   | 59343          | 20724          | Feed Bar Hinge Pin Collar with 735AL,<br>for 131398 and 131732                 |
|   | 59534          | 20741          | Tension (under thread) Spring, obso-<br>lete, use 131740                       |
|   | 59535          | 20741          | Tension (upper thread) Spring, obso-<br>lete, use 131741                       |
|   | 59537          | 20727          | Tension (under thread) Spring Bushing<br>(large) (2)                           |
|   | 59537          | 20727          | Tension (upper thread) Spring Bushing<br>(large) (2)                           |
|   | 59538          | 20727          | Tension (under thread) Spring Bushing<br>(small) (2)                           |
|   | 59538          | 20727          | Tension (upper thread) Spring Bushing<br>(small) (2)                           |
|   |                |                |  |

From the library of: Superior Sewing Machine & Supply LLC

•.

| No.     | Plate   | Name                                   |
|---------|---------|--|
| 59539   |         | Tension (under thread) Screw Stud      |
|         |         | 50326C with 51570C (2)                 |
| 59539   |         | Tension (upper thread) Screw Stud      |
|         |         | 50326C with 51570C (2)                 |
| 60220   |         | Bench Stand Flap Hook and Eye (small)  |
|         |         | with wood screw 5/8 in. No. 4 for      |
|         |         | 135115                                 |
| 60656   | 20691   | Bench Stand Hinge for 79772 (4)        |
| 64319   | 20742   | Needle Bar (hollow) for 131045,        |
| 04010   | 20142   |  |
| 64320   | 20723   | obsolete<br>Needle Bar Bushing (upper) |
| 64330   | 20742   | Presser Bar, obsolete, use 131912      |
| 68123   | 20742   | Needle Guard (movable) Clamp           |
| 68164   | 20724   |  |
| 00104   |         | Thread (upper) Take-up Plate Spring    |
| 68184   | 20727   | for 131335, obsolete                   |
| 68222   | 20633   | Presser Bar Lifting Lever Extension    |
| 00222   | 20633   | Belt Guard with two wood screws 1 in.  |
| 68261   |         | No. 12                                 |
| 00201   | 20727   | Tension (upper thread) Releasing       |
| 68350   | 20505   | Shaft Spring.                          |
| 66550   | 20695   | Arm Oil Cup, for oiling Arm Rock       |
| 60760   | 0.0700  | Shaft Front Bearing                    |
| 68368   | 20722   | Cloth Plate Slide (left) for 131051    |
| 68381   | 20738   | Feed Dog, 17 teeth (14 teeth to the    |
|         |         | inch) for 3/16 in. to 3/8 in.          |
|         |         | gauges, for 131115, for 147-101        |
|         |         | Machine                                |
| 68428   | 20688   | Arm Bottom Cover                       |
| 68429   | 20688   | " Gasket (Cork)                        |
| *68430  |         | orr orb row rereader obsorate          |
| 68433   | 20695   | " Rock Shaft Bushing (back)            |
| 68435   | 20695   | " " Cap                                |
| 68436   | 20695   | Arm Rock Shaft Bushing (intermediate)  |
| 68448   | 20688   | Arm Side Cover Gasket                  |
| 68459   |         | Crank Connecting Rod 131471 with       |
|         |         | 131072, for 131485                     |
| 68460   | 20723   | Face Plate (lower half)                |
| 68461   | 20723   | """ Gasket (cork)                      |
| 68467   | 20724   | Feed Bar Wearing Plate for 131397 and  |
|         |         | 131731                                 |
| 68478   | 20725   | Looper Carrier Connection Shaft        |
|         |         | Sleeve (eccentric)                     |
| 68479   | 20725   | Looper Carrier Driver with four 175E,  |
|         |         | for 68482 and 131111                   |
| *69493- | - 30735 | Looper Driving Shaft-and Food-Lifting  |
| N7 ±    |         | Recentric for 00402                    |
| 140-0   |         | No. 68481 is required for repairs the  |
|         | Sector. | ary Shaft-must-be returned to the.     |
| *00402  | 1000013 | to be adjusted to the new part         |
| 00402   |         | Looper Driving Shaft and Food Lifting  |
|         |         | - Booonbrig-68481 with 54027,54227,    |
| *68483  |         | 54828 and 60479, for 131477            |
| 00403   |         | Looper Driving Shaft and Feed Lifting  |
|         |         | Eccentric Bracket with 761E, for       |
|         |         | 401119                                 |
|         |         |  |

| No.              | Plate          | Neme  |
|------------------|----------------|---|
| 68484            | 20725          | Looper Driving Shaft and Feed Lifting<br>Eccentric Bushing  |
| 68485            | 20725          | Looper Throw-out Handle with two  |
| 68486            | 20725          | 443AL<br>Looper Throw-out Handle Plunger  |
| 68488            | 20723          | Needle Bar Connecting Link and Thread   |
|                  |                | (upper) Controller for 131399 and 131491  |
| 68489            | 20723          | Needle Bar Connecting Link Hinge Stud<br>(hollow) for 131399 and 131491   |
| 68492            | 20703          | Oil Pipe (back of arm) with 68497,<br>for oiling Feed Rocking Frame<br>Hinge Pin Front Bearing  |
| 68493            | 20703          | Oil Pipe (back of arm) Clamp  |
| 68494            | 20703          | " " " Connection<br>with 68495 and two 198E, for  |
|                  |                | oiling Feed Rocking Frame Hinge   |
|                  |                | Pin Back Bearing  |
| 68495            | 20724          | Feed Bar Slide Block Oil Pad (wick)<br>for 134259   |
| 68495            | 20703          | Oil Pipe (back of arm) Connection Oil<br>Pad (wick) for 68494   |
| 68496            | 20703          | Oil Pipe (back of arm) Coupling   |
| 68497            | 20720          | Feed Connecting Rod Oil Pad (wick)<br>for 131500  |
| 68497            |                | Looper Driving Shaft and Feed Lifting<br>Eccentric Front Bearing Oil Pad<br>(wick)  |
| 68497            | 20703          | 0il Pipe (back of arm) 0il Pad (wick)<br>for 68492  |
| 68497            | 20703          | 011 Pipe (front of arm) 011 Pad<br>(wick) for 131112 and 131113 (2).  |
| 68498            | 20703          | 011 Pipe (front of arm) with 131089<br>and two 1733, for oiling Looper<br>Driving Shaft and Feed Lifting<br>Eccentric Front Bearing for<br>131258   |
| 68500            | 20703          | 0il Pipe (front of arm) with 1733,<br>131084 and 131089, for oiling Arm<br>Rotary Shaft Front Bearing for<br>131258   |
| 69353            | 20718          | Machine Base Bolt complete, to fasten<br>base to table for 131919, Nos.<br>51428R and 126150 (4)  |
| 79772            |                | Bench Stand with 27998, two each<br>41538, 126849, three wood screws<br>1 1/4 in. No. 12, four each 60656,<br>wood screws 1 1/4 in. No. 10,<br>eight wood screws 5/8 in. No. 6<br>and sixteen wood screws 5/8 in.<br>No. 7 for Machine Base No.131264<br>when Machine is mounted on top of<br>table |
| 120341<br>120344 | 20691<br>20691 | Tweezers (curved) Accessories<br>Oiler (copper plated) with 120345<br>(Accessories)   |

| No.    | Plate | Name  |
|--------|-------|---|
| 120345 | 20691 | Oiler Spout, 4 1/2 in. long for   |
| 120440 | 20691 | 120344<br>Screw Driver (large) Accessories  |
| 121108 | 20691 | " " (small) Accessories   |
| 121437 | 20739 | Lap Seam Feller (adjustable) on Shank   |
| 161407 | 20133 | for sleeving, for light and<br>medium weight material   |
| 121438 | 20740 | Lap Seam Feller (adjustable) on Shank<br>for sleeving, for medium heavy<br>and heavy weight material, for<br>147-101 Machine  |
| 121460 | 20739 | Lap Seam Feller, short (adjustable)<br>on Shank for sleeving, for light<br>and medium weight material, for<br>147-100 Machine |
| 126150 | 20718 | Machine Base Bolt Nut Lock Washer for<br>69353 (4)  |
| 126247 | 20691 | Bench Stand Flush Bolt for 41538 (2).   |
| 126248 | 20691 | Bench Stand Flush Bolt Plate for  |
|        | 20031 | 41538 (2)   |
| 126249 | 20633 | Treadle, for 150452   |
| 126250 | 20633 | " Spring for 150452   |
| 126849 | 20691 | Bench Stand Flap Hinge with four wood<br>screws 5/8 in. No. 7 F.H. for<br>135115 (4)  |
| 126849 | 20691 | Bench Stand Flap Hinge with four wood<br>screws 3/4 in. No. 7, for 79772<br>(2)   |
| 127838 | 20695 | Arm Rock Shaft Crank (front) Pin for<br>131474  |
| 128419 | 20725 | Looper Carrier Connection Shaft Oil<br>Pad (braided cotton)   |
| 128510 | 20720 | Balance Wheel Cover   |
| 128721 | 20727 | Thread (upper) Eyelet   |
| 131002 | 20703 | 011 Pipe (front of arm) Connection<br>with two 198E, for oiling Looper<br>Throw-out Device                                    |
| 131003 | 20703 | 011 Pipe (front of arm) Connection<br>with two 198E, for 131112 and<br>131113 (2)   |
| 131004 | 20703 | Oil Pipe (front of arm) Coupling<br>(center)  |
| 131004 | 20703 | Oil Pipe (front of arm) Coupling<br>(left)  |
| 131006 | 20723 | Presser Bar Bushing (lower)   |
| 131011 | 20727 | Tension (upper thread) Releasing<br>Shaft Spring Position Plate   |
| 131012 | 20727 | Tension (under thread) Bracket  |
| 131022 | 21038 | Machine Base Screw Stud Bushing<br>(rubber) for <b>Bases</b> (4)  |
| 131025 | 20741 | Slack Thread Controller for 147-101   |
|        |       | Machine, obsolete   |
| 131028 | 20725 | Looper Driving Shaft and Feed Lifting<br>Eccentric Bushing Oil Plug   |

From the library of: Superior Sewing Machine & Supply LLC

40

| No.     | Plate   | Name  |
|---------|---------|---|
| 131032  | 20729   | Feed Dog, 17 teeth (16 teeth to the   |
| 131032  | 20123   | inch) for 3/32 in. to 1/4 in.<br>gauges for 131033 and 131172 for<br>147-100 Machine and for 131209<br>and 131210 for 147-101 Machine                                       |
| 131033  | 20729   | Throat Plate for 3/32 in. to 1/4 in.<br>gauges, for 131032, for lap seam<br>felling, for 147-100 Machine  |
| Note    | : When  | ordering Throat Plates, state gauge   |
|         | require |   |
| 131044  | 20723   | Needle Clamp with two 1498F, for 3/32<br>in. to 1/2 in. gauges for 131045<br>and 131498   |
| 131045  | 20742   | Needle Bar complete for 3/32 in. to<br>1/2 in. gauges for 147-101 Ma-<br>chine, Nos. 64319 and 131044,<br>obsolete, use 131498  |
| 131050  | 20722   | Cloth Plate Slide (left) Spring for<br>131051   |
| 131051  | 20722   | Cloth Plate Slide (left) complete for<br>191988-to-181896, Nos. 68368,  |
| · •     |         | 131050 and two 725J   |
| 131052  | 20725   | Looper Holder with 452C and 1120AL  |
| 131056  | 20695   | Arm Rock Shaft Adjusting Screw Washer   |
| 131072  | 20721   | Arm Rock Shaft Crank, back (ball bear-<br>ing, solid) with two 50083AL, for<br>68459  |
| 131084  | 20703   | 011 Pipe (front of arm) Connection<br>with two 198E, for 68500  |
| 131087  | 20703   | Oil Pipe (front of arm) Coupling<br>(right) with Oil Lead   |
| 131089  | 20703   | 011 Pipe (front of arm) 011 Pad<br>(wick) for 68498 and 68500 (2)   |
| 131093  | 20731   | Feed Dog, 16 teeth (16 teeth to the<br>inch) for 3/8 in. and 13/32 in.<br>gauges, for 131094 and 131149 for<br>147-100 Machine and 131213 and<br>131214 for 147-101 Machine |
| 131094  | 20731   | Throat Plate for 3/8 in. and 13/32<br>in. gauges for 131093, for plain<br>stitching, for 147-100 Machine  |
| Note    | : When  | ordering Throat Plates, state gauge   |
|         | require |   |
| 131095  | 20695   | Arm Rock Shaft Bushing (back) Cap<br>Washer (fibre)   |
| *131110 | 20726   | Looper Driving Shaft and Feed Lifting<br>Eccentric for 131111   |
| *131111 |         | Looper Driving Shaft and Feed Lifting<br>Eccentric 131110 with 54027,54227,<br>54228 and 68479, for 131485  |
| 131112  | 20703   | 011 Pipe (front of arm) with 68497<br>and 131003 for oiling Feed Bar<br>Slide Block for 131258  |
| 131113  | 20703   | 011 Pipe (front of arm) with 66497<br>and 131003, for oiling Feed Con-<br>necting Rod for 131258  |

No. Plate Name 131115 20738 Throat Plate for 3/16 in. to 3/8 in. gauges, for 68381 and 131241, for lap seam felling for work shirts and overalls, for 147-101 Machine Note: When ordering Throat Plates, state gauge required. Feed Dog, 16 teeth (14 teeth to the inch) for 3/8 in. to 1/2 in. 131118 20736 gauges, for 131124 and 131215. for 147-101 Machine..... 131121 20732 Needle Guard (movable) for 13/32 in. to 1/2 in. gauges..... Throat Plate for 3/8 in. to 1/2 in. gauges, for 131118, for lap seam 131124 20736 felling, for 147-101 Machine..... Note: When ordering Throat Plates, state gauge required. 131131 20729 Looper (back) closed eye, for general work..... 131132 20729 Looper (front) closed eye, for general work ..... When ordering Nos. 131131 and 131132, state Note: gauge of machine for which required. 131149 20731 Throat Plate for 3/8 in. and 13/32 in. gauges for 131093, for lap seam felling, for 147-100 Machine ..... Note: When ordering Throat Plates, state gauge required. 20741 131158 Presser Foot Plate for 131159, obsolete..... 131159 20741 Presser Foot (hinged) complete, for 3/32 in. to 13/32 in. gauges, for lap seam felling, Nos. 26276, 54120 and 131158, obsolete, use 131917..... 131160 20732 Feed Dog, 16 teeth (16 teeth to the inch) for 3/8 in. to 1/2 in. gauges, for 131163 and 131166, for 147-100 Machine..... Presser Foot Plate for 131162..... 131161 20732 Presser Foot (hinged) complete, for 131162 20732 3/8 in. to 1/2 in. gauges, for lap seam felling, for 147-100 Machine, Nos. 26276, 54120 and 131161.... Throat Plate for 3/8 in. to 1/2 in. 131163 20732 gauges, for 131160, for lap seam felling, for 147-100 Machine..... 131164 Presser Foot Plate for 131165..... 20732 131165 20732 Presser Foot (hinged) complete for 3/32 in. to 1/2 in. gauges, for plain stitching, for 147-100 Machine, Nos. 26276, 46087 and 131164.....

From the library of: Superior Sewing Machine & Supply LLC

42

| No.       | Plate             | Name  |
|-----------|-------------------|---|
| 131166    | 20732             | Throat Plate for 3/8 in. to 1/2 in.                                     |
|           |                   | gauges, for 131160, for plain<br>stitching, for 147-100 Machine         |
| <b></b> . |                   | stitching, for 147-100 Machine  |
| Note      |                   | ordering Throat Plates, state gauge                                     |
| 131172    | require<br>20729  | Throat Plate for 3/32 in. to 1/4 in.                                    |
| 101116    | 20120             | gauges, for 131032, for plain   |
|           |                   | stitching, for 147-100 Machine  |
| Note      | : When            | ordering Throat Plates, state gauge                                     |
|           | require           |   |
| 131174    | 20732             | Needle Guard (movable) for 3/16 in.                                     |
|           | 00773             | to 3/8 in. gauges   |
| 131175    | 20731             | Needle Guard (stationary) for 13/32<br>in. to 1/2 in. gauges            |
| 131185    | 21038             | Machine Base Oil Drain Jar (glass)                                      |
| 101100    | 21000             | for 131268  |
| 131188    | 21038             | Machine Base Oil Drain Jar Clamp for                                    |
|           |                   | 131217  |
| 131189    | 21038             | Machine Base Oil Drain Jar Clamp  |
|           |                   | Lever for 131217  |
| 131191    | 21038             | Machine Base Oil Drain Jar Cap for                                      |
|           |                   | 131268  |
| 131197    | 20724             | Feed Bar Hinge Pin (eccentric) for<br>131398 and 131732                 |
| 131205    | 21038             | Machine Base Screw Stud, to position                                    |
| 101200    | 21000             | machine on base, for 131264 and   |
|           |                   | 131919 (4)  |
| 131209    | 20734             | Throat Plate for 3/32 in. to 1/4 in.                                    |
|           |                   | gauges, for 131032, for lap seam  |
|           |                   | felling, for 147-101 Machine<br>Throat Plate for 3/32 in. to 1/4 in.    |
| 131210    | 20734             | Throat Plate for 3/32 in. to 1/4 in.                                    |
|           |                   | gauges, for 131032, for plain<br>stitching, for 147-101 Machine         |
|           | 20735             | Throat Plate for 5/32 in. to 11/32                                      |
| 131211    | 20135             | in. gauges, for 131321, for lap   |
|           |                   | seam felling, for 147-101 Machine                                       |
| 131212    | 20735             | Throat Plate for 5/32 in. to 11/32                                      |
|           |                   | in. gauges, for 131321, for plain                                       |
|           |                   | stitching, for 147-101 Machine  |
| 131213    | 20737             | Throat Plate for 3/8 in. and 13/32                                      |
|           |                   | in, gauges, for 131093, for lap   |
| 131214    | 20737             | seam felling, for 147-101 Machine<br>Throat Plate for 3/8 in. and 13/32 |
| *****     | 20.07             | in. gauges, for 131093, for plain                                       |
|           |                   | stitching, for 147-101 Machine  |
| 131215    | 20736             | Throat Plate for 3/8 in. to 1/2 in.                                     |
|           |                   | gauges, for 131118, for plain   |
|           |                   | stitching, for 147-101 Machine<br>ordering Throat Plates, state gauge   |
| Note      | : When<br>require |   |
| 131217    | require           | Machine Base Oil Drain Jar Clamp  |
|           |                   | 131188 with 131189. for 131268  |
| 131233    | 20738             | 131188 with 131189, for 131268<br>Presser Foot Shank for 131243         |
| 131240    | 20724             | Feed Rocking Frame with two 453AL,                                      |
|           |                   | for 131398 and 131732   |
| 131241    | 20738             | Feed Dog, 12 teeth (10 teeth to the                                     |
|           |                   | inch) for 3/16 in. to 3/8 in.<br>gauges for 131115, for 147-101         |
|           |                   | Machine   |
|           |                   |   |

| No.            | Plate | Name  |
|----------------|-------|---|
| 131242         | 20738 | Presser Foot Plate for 131243                                       |
| 131243         | 20738 | Presser Foot (hinged) complete for                                  |
|                |       | 3/16 in. to 1/2 in. gauges, for                                     |
|                |       | lap seam felling, for work shirts                                   |
|                |       | and overalls, for 147-101 Machine,                                  |
|                |       | Nos. 26276, 131233 and 131242                                       |
| 131258         |       | 011 Pipe (front of arm) complete, Nos.                              |
|                |       | 68498, 68500, 131112 and 131113.                                    |
| <b>13126</b> 3 | 21038 | Machine Base for 131264   |
| 131264         | 21038 | Machine Base complete, for 131328,                                  |
|                |       | Nos. 131263, three each 9842,                                       |
|                |       | 51576E, 54477 and four each   |
|                |       | 131205 and 131279   |
| 131265         | 21038 | Machine Base Oil Drain Jar Nipple                                   |
|                |       | (long) for 131268 (2)   |
| 131266         | 21038 | Machine Base Oil Drain Jar Nipple                                   |
|                |       | (short) for 131268  |
| 131267         | 21038 | Machine Base Oil Drain Jar Nipple                                   |
|                |       | Elbow for 131268 (2)  |
| 131268         | 21038 | Machine Base Oil Drain Jar (swinging                                |
|                |       | type) complete, for 131328 and                                      |
|                |       | 131920, Nos. 131185, 131191,  |
|                |       | 131217.131266 and two each 1247C.                                   |
|                |       | 131265 and 131267   |
| 131270         | 20723 | Needle Bar Connecting Link Hinge Stud                               |
|                |       | Oil Pad (wick)  |
| 131276         | 20688 | Arm Side Cover (oil vent) for 131278                                |
|                |       | and 131911  |
| 131277         | 20741 | Arm Side Cover Cap for 131278, obso-                                |
|                |       | lete, superseded by 131909, not                                     |
| 131278         |       | interchangeable   |
| 131270         |       | Arm Side Cover (oil vent) complete,                                 |
|                |       | Nos. 51224W,131276,131277 and                                       |
| 131279         | 21038 | 131280, obsolete, use 131911<br>Machine Base Machine Cushion (felt) |
| 1012/3         | 21038 | for 131264 and 131919 (4)   |
| 131280         | 20688 | Arm Side Cover Cap Position Pin for                                 |
| 101000         | 20000 | 131278 and 131911   |
| 131291         | 20723 | Needle Bar Bushing (lower)  |
| 131293         | 20695 | Arm Rock Shaft for 131474   |
| 131305         | 20741 | Arm Oil Cup Drip Pan with two 563AL,                                |
|                |       |   |
| 131309         | 20741 | obsolete<br>Arm 0il Cup 68430 with 131310 for                       |
|                |       | filling oil reservoir, obsolete,                                    |
|                |       | use 131866  |
| 131310         | 20741 | Arm Oil Cup Oil Tube for 131309,                                    |
|                |       | obsolete  |
| 131319         | 20695 | Arm Oil Cup Oil Pad (braided cotton)                                |
|                |       | for 68350   |
| 131321         | 20730 | Feed Dog, 16 teeth (16 teeth to the                                 |
|                |       | inch) for 5/32 in. to 11/32 in.                                     |
|                |       | gauges, with row of teeth between                                   |
|                |       | the needles, for 131527 and   |
|                |       | 131528 for 147-100 Machine, and                                     |
|                |       | for 131211, 131212 and 131322,<br>for 147-101 Machine               |
|                |       | 10r 14/-101 Machine   |

| No.    | Plate   | Name                                   |
|--------|---------|--|
| 131322 | 20738   | Throat Plate for 5/32 in. to 11/32 in. |
|        |         | gauges, for 131321, for lap seam       |
|        |         | felling, for elastic work on           |
|        |         | men's underwear, for 147-101 Ma-       |
|        |         | chine                                  |
| Note   | : When  | ordering Throat Plates, state gauge    |
|        | require |  |
| 131328 | 21038   | Machine Base and Oil Drain Jar (swing- |
|        |         | ing type) complete, for use when       |
|        |         | Machine is mounted on top of           |
|        |         | table, for use with Bench Stand        |
|        |         | No. 79772, Nos. 131264 and 131268      |
| 131334 | 20741   | Thread (upper) Take-up for 131335,     |
|        |         | obsolete                               |
| 131335 | 20741   | Thread (upper) Take-up complete for    |
|        |         | 147-101 Machine, Nos. 1449J,54095,     |
|        |         | 68164 and 131334, obsolete             |
| 131343 | 20720   | Arm Rock Shaft Grank, back (ball-      |
|        |         | ·bearing, solid) with two 50083AL,     |
|        |         | for 131484                             |
| 131366 | 20720   | Arm Rotary Shaft Ball Bearing (back)   |
|        |         | for 131526 (2)                         |
| 131366 | 20720   | Arm Rotary Shaft Ball Bearing (inter-  |
|        |         | mediate)                               |
| 131369 | 20720   | Arm Rotary Shaft Ball Bearing (back)   |
|        |         | Case Cap for 131479                    |
| 131370 | 20720   | Arm Rotary Shaft Ball Bearing (back)   |
|        |         | Case Position Stud (3)                 |
| 172092 | 20722   | Cloth Plate for 101388 to 131393       |
| 131375 | 20722   | Cloth Plate Slide (right) No Throat    |
|        |         | Plate clearance cut, for 131382        |
| 131376 |         | Cloth Plate Slide (right) 1/16 in.     |
|        |         | Throat Plate clearance cut, for        |
|        |         | 131383                                 |
| 131377 |         | Cloth Plate Slide (right) 7/64 in.     |
|        |         | Throat Plate clearance cut, for        |
|        |         | 131384                                 |
| 131378 |         | Cloth Plate Slide (right) 1/8 in.      |
|        |         | Throat Plate clearance cut, for        |
|        |         | 131385                                 |
| 131379 |         | Cloth Plate Slide (right) 9/64 in.     |
|        |         | Throat Plate clearance cut, for        |
|        |         | 131386                                 |
| 131380 |         | Cloth Plate Slide (right) 3/16 in.     |
|        |         | Throat Plate clearance cut, for        |
|        |         | 131387                                 |
| 131381 | 20722   | Cloth Plate Slide (right) Spring for   |
|        |         | 131382 to 131387                       |
| 131382 | 20722   | Cloth Plate Slide (right) complete     |
|        |         | (No Throat Plate clearance cut)        |
|        |         | for 131388, Nos. 131375, 131381        |
|        |         | and two 725J                           |
| 131383 |         | Cloth Plate Slide (right) complete     |
|        |         | (1/6 in. Throat Plate clearance        |
|        |         | cut) for 131389, Nos. 131376,          |
|        |         | 131381 and two 725J                    |
|        |         |  |

Ser

| No.  | Plate                  | Name   |
|--|------------------------|--|
| 131384   |                        | Cloth Plate Slide (right) complete   |
|  |                        | (7/64 in. Throat Plate clearance   |
|  |                        | cut) for <del>121300</del> , Nos. 131377,  |
|  |                        | 131381 and two 725J  |
| 131385   |                        | Cloth Plate Slide (right) complete   |
|  |                        | (1/8 in. Throat Plate clearance  |
|  |                        | cut) for <del>131391</del> , Nos. 131378,  |
|  |                        | 131381 and two 725J  |
| 131386   |                        | Cloth Plate Slide (right) complete   |
|  |                        | (9/64 in. Throat Plate clearance   |
|  |                        | cut) for <b>201302</b> , Nos. 131379,  |
|  |                        | 131381 and two 725J  |
| 131387   |                        | Cloth Plate Slide (right) complete   |
|  |                        | (3/16 in. Throat Plate clearance   |
|  |                        | cut) for <del>101355</del> , Nos. 131380,  |
|  |                        | 131381 and two 725J  |
| 101000   |                        | -Cloth Plate complete, for Threat-   |
|  |                        | Plator with no offect, Noc.131051,-  |
|  |                        | -101074 and 131383   |
| 121283   |                        | Cluth Flate complete, for Threat   |
|  |                        | Plates with 1/6 in, offset, Nos.   |
|  |                        | -131051, 131374-and-131383   |
| 1 <del>31390-</del>  |                        | -Cloth Plate complete, for Threat  |
|  |                        | -Platon with 7/64 in. offset, Nos.   |
|  |                        | 131051, 131374 and 131384  |
| 131391   |                        | Cloth Plate complete, for Threat   |
|  |                        | Platos with 1/8 in offset, Nos   |
| 1.21.200   |                        | 131051, 131374 and 131305  |
| <del>131392</del>  |                        | - Gloth Plate complete, for Threat   |
|  |                        |  |
|  |                        | Plates with 9/64 in offset Nos   |
| 1-2-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1                            |                        | <u>-Platon with 9/64 in offset. Nos.</u><br>151651, 161674 and 131386.   |
| 131393   |                        | -Plates-with 9/64 in, offset, Nos.<br>151851, 161374 and 131386  |
| 131393   |                        | -Plates with 9/64 in. offset, Nos.<br>151951, 151374 and 131386<br>Cloth Flate complete, for Threat.<br>Plates with 3/16 in. offset, Nos.  |
|  |                        | -Plates with 9/64 in. offset, Nos.<br>151851, 151374 and 131386<br>Cloth Flate complete, for Threat<br>Plates with 3/16 in. offset, Nos<br>151051, 151374 and 181387   |
| 1 <del>31393</del><br>131394                                       |                        | Plates with 9/64 in. offset, Nos.<br>151951, 151374 and 131386<br>Cloth Flate complete, for Threat.<br>Plates with 3/16 in. offset, Nos.<br>151051, 151574 and 131387<br>Cloth Plate Thread Guard, obsolete,   |
| 131394   |                        | Plates with 9/64 in offset, Nos<br>151851, 161374 and 131386<br>Cloth Plate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>151051, 151374 and 181387<br>Cloth Plate Thread Guard, obsolete,<br>use 131610  |
| 131394<br>131395   | 20723                  | Plates with 9/64 in offset, Nos.<br>101051, 101274 and 131386<br>Cloth Plate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>151051, 191974 and 121307<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)  |
| 131394   | 20723<br>20742         | Plates with 9/64 in offset, Nos.<br>101051, 101274 and 131386<br>Cloth Plate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>151051, 131374 and 121307<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-   |
| 131394<br>131395   |                        | Plates with 9/64 in offset, Nos.<br>101051, 101274 and 131386<br>Cloth Plate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>131051, 131374 and 121397<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-  |
| 131394<br>131395<br>131396   |                        | Plates with 9/64 in offset, Nos.<br>151651, 161374 and 131386<br>Cloth Flate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>131051, 131374 and 131387<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able  |
| 131394<br>131395   |                        | Plates with 9/64 in offset, Nos.<br>151057, 161374 and 131386<br>Cloth Plate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>151051, 151574 and 161387<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398. Nos.   |
| 131394<br>131395<br>131396   |                        | Plates with 9/64 in offset, Nos.<br>151057, 161374 and 131386<br>Cloth Flate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>151051, 151574 and 161387<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two   |
| 131394<br>131395<br>131396<br>131397                               |                        | Plates with 9/64 in offset, Nos<br>151851, 161374 and 131386<br>Cloth Plate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>151051, 151374 and 181887<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two<br>207E. obsolete. use 131731  |
| 131394<br>131395<br>131396   |                        | Plates with 9/64 in offset, Nos<br>151851, 161374 and 131386<br>Cloth Plate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>151051, 151574 and 181387<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two<br>207E, obsolete, use 131731<br>Feed Rocking Frame 131240 with 59343,   |
| 131394<br>131395<br>131396<br>131397                               |                        | Plates with 9/64 in offset, Nos<br>101851, 101374 and 131386<br>Cloth Plate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>151051, 131374 and 181887<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two<br>207E, obsolete, use 131731<br>Feed Rocking Frame 131240 with 59343,<br>131197 and 131397, obsolete, use   |
| 131394<br>131395<br>131396<br>131397                               |                        | Plates with 9/64 in offset, Nos.<br>101051, 101374 and 131386<br>Cloth Plate complete, for Threat.<br>Plates with 3/16 in offset, Nos.<br>131051, 131374 and 131387<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two<br>207E, obsolete, use 131731<br>Feed Rocking Frame 131240 with 59343,<br>131197 and 131397, obsolete, use<br>131732  |
| 131394<br>131395<br>131396<br>131397<br>131398                     |                        | Plates with 9/64 in offset, Nos<br>101051, 101374 and 131386<br>Plates with 3/16 in offset, Nos<br>131051, 131374 and 131397<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two<br>207E, obsolete, use 131731<br>Feed Rocking Frame 131240 with 59343,<br>131197 and 131397, obsolete, use<br>131732<br>Needle Bar Connecting Link and Threed  |
| 131394<br>131395<br>131396<br>131397<br>131398                     |                        | Plates with 9/64 in offset, Nos.<br>101051, 101374 and 131386<br>Plates with 3/16 in offset, Nos<br>131051, 131374 and 131397<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two<br>207E, obsolete, use 131731<br>Feed Rocking Frame 131240 with 59343,<br>131197 and 131397, obsolete, use<br>131732<br>Needle Bar Connecting Link and Thread<br>(upper) Controller 68488 with  |
| 131394<br>131395<br>131396<br>131397<br>131398                     |                        | Plates with 9/64 in offset, Nos<br>151851, 151374 and 131386<br>Plate complete, for Threat<br>Plate with 3/16 in offset, Nos<br>131051, 131374 and 151387<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two<br>207E, obsolete, use 131731<br>Feed Rocking Frame 131240 with 59343,<br>131197 and 131397, obsolete, use<br>131732<br>Needle Bar Connecting Link and Thread<br>(upper) Controller 68488 with<br>68489 and 131400, for 147-101 Ma-   |
| 131394<br>131395<br>131396<br>131397<br>131398                     |                        | Plates with 9/64 in offset, Nos<br>151851, 161374 and 131386<br>Plate complete, for Threat<br>Plate thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two<br>207E, obsolete, use 131731<br>Feed Rocking Frame 131240 with 59343,<br>131197 and 131397, obsolete, use<br>131732<br>Needle Bar Connecting Link and Thread<br>(upper) Controller 68488 with<br>68489 and 131400, for 147-101 Ma-<br>chine, obsolete, use 131491   |
| 131394<br>131395<br>131396<br>131397<br>131398<br>131399           | 20742                  | Plates with 9/64 in offset, Nos<br>151851, 161374 and 131386<br>Cloth Plate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>151051, 151574 and 181387<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two<br>207E, obsolete, use 131731<br>Feed Rocking Frame 131240 with 59343,<br>131197 and 131397, obsolete, use<br>131732<br>Needle Bar Connecting Link and Thread<br>(upper) Controller 68488 with<br>68489 and 131400, for 147-101 Ma-<br>chine, obsolete, use 131491<br>Needle Bar Connecting Stud with 211F   |
| 131394<br>131395<br>131396<br>131397<br>131398<br>131399           | 20742                  | Plates with 9/64 in offset, Nos<br>151851, 161374 and 131386<br>Cloth Plate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>151051, 151374 and 181887<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two<br>207E, obsolete, use 131731<br>Feed Rocking Frame 131240 with 59343,<br>131197 and 131397, obsolete, use<br>131732<br>Needle Bar Connecting Link and Thread<br>(upper) Controller 68488 with<br>68489 and 131400, for 147-101 Ma-<br>chine, obsolete, use 131491<br>Needle Bar Connecting Stud with 211F<br>and 1492E, for 131399, obsolete,               |
| 131394<br>131395<br>131396<br>131397<br>131398<br>131399           | 20742                  | Plates with 9/64 in offset, Nos<br>151851, 161374 and 131386<br>Cloth Plate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>151051, 151574 and 181387<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two<br>207E, obsolete, use 131731<br>Feed Rocking Frame 131240 with 59343,<br>131197 and 131397, obsolete, use<br>131732<br>Needle Bar Connecting Link and Thread<br>(upper) Controller 68488 with<br>68489 and 131400, for 147-101 Ma-<br>chine, obsolete, use 131491<br>Needle Bar Connecting Stud with 211F   |
| 131394<br>131395<br>131396<br>131397<br>131398<br>131399<br>131400 | 20742<br><br><br>20741 | Plates with 9/64 in offset, Nos<br>151851, 161374 and 131386<br>Cloth Plate complete, for Threat<br>Plates with 3/16 in offset, Nos<br>151051, 151374 and 181887<br>Cloth Plate Thread Guard, obsolete,<br>use 131610<br>Face Plate (upper half)<br>Feed Bar for 131397, obsolete, super-<br>seded by 131729, not interchange-<br>able<br>Feed Bar complete, for 131398, Nos.<br>50429AL, 68467, 131396 and two<br>207E, obsolete, use 131731<br>Feed Rocking Frame 131240 with 59343,<br>131197 and 131397, obsolete, use<br>131732<br>Needle Bar Connecting Link and Thread<br>(upper) Controller 68488 with<br>68489 and 131400, for 147-101 Ma-<br>chine, obsolete, use 131491<br>Needle Bar Connecting Stud with 211F<br>and 1492E, for 131399, obsolete,<br>use 131492 |

|                | _                      |   |
|----------------|------------------------|---|
| No.            | Plate                  | Name  |
| 131402         |                        | Presser Bar Lifting Lever   |
| 131403         |                        | Slack Thread Regulator, obsolete  |
| 131404         | 20741                  | Slack Thread Regulator Holder,<br>obsolete  |
| 131405         | 20741                  | Slack Thread Regulator Holder Crank<br>with 171AL, obsolete   |
| 131406         | 20741                  | Slack Thread Regulator Holder Crank<br>Connecting Link, obsolete  |
| 131407         | 20720                  | Thread (under) Take-up with 1258AL  |
| 131407         |                        | Thread (under) Take-up with 1200ml<br>Thread (under) Take-up 011 Guard for  |
| 101400         |                        | 131412 and 131934   |
| 131409         | 20741                  | Thread (under) Take-up Stripper for<br>131412, obsolete, use 131824   |
| 131410         | 20742                  | Thread (under) Take-up Stripper Plate<br>for 131412, obsolete, use 131825.  |
| 131411         | 20728                  | Thread (under) Take-up Stripper Plate<br>Bracket for 131412 and 131934  |
| 131412         |                        | Thread (under) Take-up Stripper Plate<br>Bracket 131411 with 32062, 50438J,<br>54242, 131408 to 131410, 131413<br>to 131415, two each 207J, 7071, |
|                |                        | to 131415, two each 2073, 7071,<br>50470J and four 190J, obsolete,<br>use 131934  |
| 131413         | 20728                  | Thread (under) Take-up Thread Guard<br>(fibre) for 131412 and 131934  |
| 131414         | 20728                  | Thread (under) Take-up Thread Guide<br>(left) for 131412 and 131934   |
| 131415         | 20728                  | Thread (under) Take-up Thread Guide<br>(right) for 131412 and 131934  |
| <b>*1</b> ~~ 3 | <b>-</b>               | Arm, upper and lower (solid) with   |
| 2              |                        | 948J, 15404, 68483, two 131676<br>and four 131022   |
| 131456         | 20695                  | Arm Rock Shaft Flanged Bushing (front)  |
| 131457         |                        | Arm Rotary Shaft Bushing (front)  |
| 131458         |                        | Looper (back) closed eye, for lap   |
| 101400         | . 20,20                | seam felling  |
| 131459         | 20729                  | Looper (front) closed eye, for lap  |
| T              | Iote: When             | seam felling<br>ordering Nos. 131458 and 131459, state  |
| -              | 0000. HIGH<br>081108 0 | f machine for which required.   |
| *131473        |                        | Crank Connecting Rod with two each  |
|                |                        | 896AL and 1057AL, for 68459   |
|                | Joto, When             | No. 131471 is required for repairs the  |
| r              | Connect                | ing Rod and Arm Rock Shaft Crank (back)   |
|                | Pitted                 | together will be furnished. All   |
|                | A GADOW                | orders for this part must state the   |
|                |                        | No. for which it is required, in  |
|                |                        | o obtain correct Needle Bar stroke.   |
| 131474         |                        | Arm Rock Shaft 131293 with 1235F,<br>127838 and 131475  |
| 131475         | 5 20695                | Arm Rock Shaft Crank (front) with   |
|                |                        | 853AL, for 131474   |

| No.               | Plate   | Name  |
|-------------------|---------|---|
| 131476            | 20720   | Arm Rotary Shaft for <del>131477 and</del>                                  |
| Note              | • When  | 131485<br>No. 131476 is required for repairs,                               |
| Note              |         | oper Driving Shaft and Feed Lifting   |
|                   | Eccentr | ic must be returned to the factory to                                       |
|                   | be adju | isted to the new part.  |
| <del>131477</del> |         | Arm Rotory Shoft 131476 with 640E,  |
|                   |         | -68482, 131484 and 131502, for.<br>147-100 Machine,                         |
| 131478            | 20720   | Arm Rotary Shaft Ball Bearing (back)  |
|                   |         | Case for 131479   |
| 131479            |         | Arm Rotary Shaft Ball Bearing (back)  |
|                   |         | Case 131478 with 131369 and three   |
| 171400            | 00700   | 205C, for 131526  |
| 131480            | 20720   | Arm Rotary Shaft Ball Bearing (back)<br>Spacing Collar for 131526           |
| 131481            | 20720   | Arm Rotary Shaft Ball Bearing (inter-                                       |
|                   |         | mediate) Case   |
| 131482            | 20720   | Arm Rotary Shaft Ball Bearing (inter-                                       |
|                   |         | mediate) Collar with two 457AL  |
| 1 <b>3148</b> 3   | 20720   | Balance Wheel, 2 in. pulley, with two                                       |
| 1-31-484          |         | 51283AL, for round belt<br>Grank Connocting Rod_131471 with                 |
| 101101            |         | 1013107 for 131477.   |
| 131485            |         | Arm Rotary Shaft 131476 with 640E,  |
|                   |         | 68459, 131111 and 131502, for   |
|                   |         | 147-101 Machine   |
| 131491            |         | Needle Bar Connecting Link and Thread                                       |
|                   |         | (upper) Controller 68488 with<br>68489 and 131492                           |
| 131492            | 20723   | Needle Bar Connecting Stud with 1492E,                                      |
|                   |         | for 131491  |
| 131495            | 20727   | Thread (upper) Take-up (auxiliary)  |
| 131496            | 20727   | Thread (upper) Take-up (auxiliary)  |
| 131497            | 20723   | Clamp   |
| 131498            | 20125   | Needle Bar (hollow) for 131498<br>Needle Bar complete, for 3/32 in. to      |
| 202100            |         | 1/2 in. gauges, Nos. 131044 and   |
|                   |         | 131497  |
| 131499            | 20723   | Thread (upper) Teke-up with 223J  |
| 131500            | 20720   | Feed Connecting Rod with 1057AL,68497,                                      |
| 131502            |         | 134260 and two 896AL, for 131502.<br>Feed Connecting Rod 131500 with 54025, |
| 101002            |         | for 131477 and 131485   |
| 131526            |         | Arm Rotary Shaft Ball Bearing (back)  |
|                   |         | Case with Ball Bearings complete,   |
|                   |         | Nos. 131479, 131480 and two   |
| 181597            | 20730   | 131366  |
| 131527            | 20730   | Throat Plate for 5/32 in. to 11/32<br>in. gauges, for 131321 and 131938.    |
|                   |         | for lap seam felling, for 147-100   |
|                   |         | Machine   |
|                   |         |   |

|     |        | -       |  |
|-----|--------|---------|--|
|     | No.    | Plate   | Name   |
|     | 131528 | 20730   | Throat Plate for 5/32 in. to 11/32                                       |
|     |        |         | in. gauges, for 131321 and 131938,                                       |
|     |        |         | for plain stitching for 147-100  |
|     | Nete   | 10.     | Machine  |
|     | Note   |         | ordering Throat Plates, state gauge                                      |
|     | 171501 | require |  |
|     | 131591 | 20729   | Presser Foot Plate for 131592  |
|     | 131592 | 20729   | Presser Foot (hinged) complete, for<br>3/32 in. to 13/32 in. gauges, for |
|     |        |         | plain stitching, for 131094,   |
|     |        |         | 131172 and 131528, for 147-100   |
|     |        |         | Machine, and for 131210, 131212  |
|     |        |         | and 131214, for 147-101 Machine,   |
|     |        |         | Nos.26276, 46087 and 131591  |
|     | 131593 | 20736   | Presser Foot Plate for 131594  |
|     | 131594 | 20736   | Presser Foot (hinged) complete, for                                      |
|     |        |         | 3/8 in. to 1/2 in. gauges, for   |
|     |        |         | plain stitching, for 131215, for   |
|     |        |         | 147-101 Machine, Nos. 26276,36030  |
|     |        |         | and 131593   |
|     | 131595 | 20736   | Presser Foot Plate for 131597  |
|     | 131596 | 20736   | Presser Foot Shank for 131597  |
|     | 131597 | 20736   | Presser Foot (hinged) complete, for                                      |
|     |        |         | 3/8 in. to 1/2 in. gauges, for   |
|     |        |         | lap seam felling, for 131124, for  |
|     |        |         | 147-101 Machine, Nos. 26276,   |
|     | 10007  |         | 131595 and 131596  |
| Ser | 170821 | 20722   | Cloth Plate Thread Guard   |
|     | 131676 |         | Trade Mark Rivet for 131446 (2)  |
|     | 131696 | 20727   | Tension (under thread) Thread Guide                                      |
|     | 131696 | 20727   | (2)<br>Tension (upper thread) Thread Guide                               |
|     | 131030 | 20121   | (2)  |
|     | 131710 |         | Balance Wheel, "V" belt groove, out-                                     |
|     | 101110 |         | side diam. of belt groove 2.9 in.,                                       |
|     |        |         | with two 51283AL   |
|     | 131729 | 20724   | Feed Bar for 131731  |
|     | 131730 | 20724   | Feed Bar Feed Dog Seat (adjustable)                                      |
|     |        |         | with 460AL, for 131731   |
|     | 131731 |         | Feed Bar with Feed Dog Leveling De-                                      |
|     |        |         | vice complete, for 131732, Nos.  |
|     |        |         | 190J, 22436, 68467, 131729,131730  |
|     |        |         | and two 207E   |
|     | 131732 |         | Feed Rocking Frame 131240 with 59343,                                    |
|     |        | 1.2.2   | 131197 and 131731  |
|     | 131740 | 20727   | Tension (under thread) Spring (2)  |
|     | 131741 | 20727   | Tension (upper thread) Spring (2)  |
|     | 131749 | 20688   | Presser Bar Spring for 131830 and  |
|     | 131750 | 20688   | 131851   |
|     | 131750 | 20000   | Presser Bar Spring (auxiliary) for<br>131830                             |
|     | 131751 | 20688   | Presser Bar Spring Screw Stud for  |
|     | TOTIOT | 20000   | 131830 and 131851  |
|     | 131752 | 20688   | Pressure Regulating Thumb Nut Washer                                     |
|     |        |         | for 131830   |
|     |        |         |  |

|        | -       |   |
|--------|---------|---|
| No.    | Plate   | Name  |
| 131824 | 20728   | Thread (under) Take-up Stripper for   |
| 131825 | 20728   | 131934<br>Thread (under) Take-up Stripper Plate<br>for 131934   |
| 131830 | 20688   | Presser Bar Spring complete, Nos.<br>1637J,51697W and 131749 to 131752  |
| 131851 | 20688   | Presser Bar Spring (less auxiliary<br>spring) complete, Nos. 1637J,<br>42290K,51697W,131749 and 131751  |
| 131864 | 20720   | Arm 011 Cup for 131866  |
| 131865 | 20720   | Arm 011 Cup 011 Gauge for 131866  |
| 131866 | 20720   | Arm Oil Cup with Oil Gauge complete,<br>for filling oil reservoir, Nos.<br>131864 and 131865  |
| 131909 | 20688   | Arm Side Cover Cap for 131911   |
| 131910 | 20688   | " " " Spring for 131911.  |
| 131911 | 20688   | Arm Side Cover (oil vent) complete,<br>Nos. 1289X, 131276, 131280,<br>131909 and 131910   |
| 131912 | 20723   | Presser Bar (hollow)  |
| 131916 | 20729   | Presser Foot Plate for 131917   |
| 131917 | 20729   | Presser Foot (hinged) complete for  |
|        |         | 3/32 in. to 13/32 in., for lap<br>seam felling, Nos. 26276, 46087<br>and 131916   |
| Note   | : Press | er Foot No. 131917 is regularly fur-  |
|        | nished  | with these machines, unless another   |
|        | Presser | Foot is specified on order.   |
| 131918 | 20718   | Machine Base for 131919   |
| 131919 | 20718   | Machine Base complete for 131920, Nos.<br>131918 and four each 69353,131205<br>and 131279   |
| 131920 | 20718   | Machine Base and Oil Drain Jar<br>(swinging type) complete for use<br>when machine is mounted semi-sub-<br>merged for use with Bench Stand<br>No. 135115, Nos.131268 and 131919 |
| 131934 | 20728   | Thread (under) Take-up Stripper Plate<br>Bracket 131411 with 32062,50438J,<br>54242,131408,131413 to 131415,<br>131824, 131825, two each 207J,<br>7071, 50470J and four 190J    |
| 131938 | 20733   | Feed Dog, 14 teeth (14 teeth to the<br>inch) with row of teeth between<br>the needles, for 5/32 in. to<br>11/32 in. gauges, for 131527 and<br>131528, for 147-100 Machine       |
| 134258 | 20724   | Feed Bar Slide Block for 134259   |
| 134259 | 20724   | Feed Bar Slide Block 134258 with 68495 and 134260   |
| 134260 | 20724   | Feed Bar Slide Block Oil Pad Retainer<br>for 134259   |
| 134260 | 20720   | Feed Connecting Rod Oil Pad Retainer<br>for 131500  |
|        |         |   |

2


| No.      | Plate  | Name  |
|----------|--------|---|
| 135115   | 1 1900 | Bench Stand with 29998, 60220 and                                       |
| 200220   |        | four each 126849 with wood screws                                       |
|          |        | 5/8 in. No. 7 F.H. (in place of   |
|          |        | wood screws 3/4 in. No. 7 F.H.)   |
|          |        | and wood screws 1 1/2 in. No. 10  |
|          |        | F.H. for use with Machine Base  |
|          |        | No. 131919 when machine is mount-                                       |
| 170700   |        | ed semi-submerged   |
| 138306   |        | Feed Eccentric Lubricating Pad (wood)                                   |
| 139017   | 20688  | for 54024<br>Arm Hole Plug Screw Washer                                 |
| 1402190  | 20633  | Rock Shaft Stop Dog Set Screw for                                       |
|          |        | 2770  |
| 140275J  | 20732  | Feed Dog Screw, when movable Needle                                     |
|          |        | Guard is used   |
| 150058   | 21043  | Thread Unwinder Thread Separator for                                    |
|          |        | 150061  |
| 150060   | 21043  | Thread Unwinder Thread Separator  |
|          |        | Bracket Arm with 164J and 9525,   |
| 150061   |        | for 150061<br>Thread Unwinder Thread Separator com-                     |
| 100001   |        | plete, for 150062, Nos. 164J,9525,                                      |
|          |        | 150058 and 150060   |
| 150062   | 21043  | Thread Unwinder complete (for four                                      |
|          |        | spools) Nos.150061,201696J,202490,                                      |
|          |        | 225324,225326,225388, two 225257,                                       |
|          |        | three wood screws 7/8 in. No. 12  |
| 1 500.07 | 21043  | and four each 150203 and 225391,.<br>Thread Unwinder Spool Rest Cushion |
| 150203   | 21043  | (felt) for 150062 (4)   |
| 150451   | 20633  | Treadle Stand for 150452  |
| 150452   | 20633  | Treadle complete, Nos. 4879,4882,                                       |
|          |        | 126249, 126250, 150451 and two  |
|          |        | wood screws 1 in. No. 16 F.H<br>Thread Unwinder Spool Rest Rod Set      |
| 2003830  | 21043  | Thread Unwinder Spool Rest Rod Set                                      |
| 201018C  | 21043  | Screw for 202490<br>Thread Unwinder Spool Rest Set Screw                |
| 2010180  | 21045  | for 225257 (2)  |
| 201696J  | 21043  | Thread Unwinder Thread Guide Lock Nut                                   |
|          |        | for 150062  |
| 202490   | 21043  | Thread Unwinder Spool Stand with  |
|          |        | 200383C, for 150062   |
| 225257   | 21043  | Thread Unwinder Spool Rest (for two                                     |
|          |        | spools) with 201018C, for 150062  |
| 225322   | 21043  | (2)<br>Thread Unwinder Thread Guide Rod                                 |
| 225522   | 21042  | Washer for 225324   |
| 225324   | 21043  | Thread Unwinder Thread Guide Rod with                                   |
|          |        | 208AL and 225322, for 150062  |
| 225326   | 21043  | Thread Unwinder Thread Guide Position                                   |
|          |        | Cup for 150062  |
| 225388   | 21043  | Thread Unwinder Spool Rest Rod for                                      |
| 225390   | 21043  | 150062<br>Thread Unwinder Thread Cone Holder,                           |
| 220090   | 61040  | for inverted cones, for use with  |
|          |        | 150062  |
|          |        |   |


| No.    | Plate | Name                             |
|--------|-------|----------------------------------|
| 225391 | 21043 | Thread Unwinder Thread Guide for |
|        |       | 150062 (4)                       |


Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1


> Needles in Containers marked <u>"For Singer Machines"</u> are <u>not</u> Singer made needles. 2


# ILLUSTRATIONS OF PARTS



























20723 - 1/2




20724 - 1/2














20728 - 2/3















































Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

> Needles in Containers marked "For Singer Machines"

are not Singer made needles.

2

