Form 20244 (149) Printed in U.S.A.

ļ

FUND-SOLUMN

ş

See 1

LIST of PARTS



MACHINE No. 147-132

THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, "TYPE B" or "TYPE D" OIL, sold only by Singer Sewing Machine Company, should be applied at least twice each day to all oil holes marked "OIL", as instructed in Form 18742.

> Copyright, U. S. A., 1940, 1941, 1948 and 1949 by The Singer Manufacturing Co. All Rights Reserved for all Countries

> > \$14.1

From the library of: Superior Sewing Machine & Supply LLC

•, *• · · · · ·

.

INDEX

											1	AGE
ACCE	SSORIE	S	-	_	-	-	-	-	_	-	_	18
BELT	GUAR) -		-	-	-	-	-	-	_	_	18
BENCI	H STAN	1DS	-	_	-	-	_	-	_		18 ८	- 19
FOOT	LIFTE	r par	RTS	_	-	-	-	-	-		_	19
KNEE	LIFTER	₹ PAR	TS	-	-		-	-	-	_	-	19
LAP S	SEAM F	ELLER	ł		_	-	-	-	-	_		20
масн	IINE NO	D. 147	7-132	2	_	-	-	-	-	_	-	7
масн	INE BA	SES	-	_	_	-		_	_	2	20 ය	- 21
масн	INE BA	SE O		RAIN	A JA	R	-	_	-	-	_	21
NUME	RICAL	LIST	OF	PAR	rs	-	_	-	-	_	-	23
THREA	D UNW	VINDE	R	_	-	-	-		-	-	_	22
THREA		VINDE	r si	POOI	LRE	STS		-	_	_	-	22

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST Column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed.

A.A-Buffed and Chromium Plated.

A.B-Hardened, Polished, Buffed and Chromium Plated.

A.C-Brown Baking Enamel Finish.

A.D-Gray Baking Enamel Finish.

A.E-Hardened, Bright Rumbled and Nickel Plated.

A.F-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated.

A.G-Alumilite, Plain.

A.H-Alumilite Dyed.

A.J-Polished, Nickel Plated and Chromium Plated.

A.K-Hardened, Polished, Nickel Plated and Chromium Plated.

A.L-Heat Treated for Toughness.

B-Polished, Nickel Plated and Buffed.

C-Hardened only.

C.R-Hardened and Merlized.

D-Polished Only.

E-Soft, Not Polished.

F-Hardened and Polished.

F.J-Hardened, Polished and Nickel Plated.

G-Bright Rumbled and Nickel Plated.

H-Blued.

J-Nickel Plated Only.

K-Hardened and Nickel Plated.

L-Brass Plated.

M-Oxidized.

N-Japanned, Dull.

P-Japanned, Bright. P.P-Wrinkle Finish. R-Merlized. S-Cadmium Plated. T-Copper Plated. T.A-Hardened, Polished, Copper and Nickel Plated and Buffed. T.B-Copper and Nickel Plated and Polished. T.J-Copper and Nickel Plated Only. T.K-Hardened, Copper and Nickel Plated. T.L-Copper and Brass Plated. T.M-Copper Plated and Oxidized. U-Zinc Plated. V-Silver Plated. W-Polished and Nickel Plated. X-Black Oxide, for Iron and Steel. X.C-Hardened and Black Oxide, for Iron and Steel. Y-Black Nickel Plated Only. Z-Chromium Plated. Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated. Z.B-Polished, Nickel Plated, Buffed and Chromium Plated. Z.C-Hardened and Chromium Plated. Z.D-Polished and Chromium Plated. Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated. Z.J-Nickel and Chromium Plated. Z.T-Copper and Chromium Plated. These letters MUST BE USED when they appear in the list; and AFTER the number as in the list. In this series: I to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers. 1501 to 1800 and 51501 to 51800 are Nut Numbers. 1801 to 2000 and 51801 to 52000 are Roller Numbers. 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts. The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.


From the library oderigupets or the difference of the distance LC between seams) the Gauge, as well as the Number must be given on order.

SINGER Needles should be used in SINGER Machines. These Needles and their Containers are marked with the Company's Trade-Mark "SIMANCO.**"

Needles in Containers marked "FOR SINGER MACHINES" are NOT **SINGER** made needles. 2

;

LIST OF PARTS COMPLETE



MACHINE No. 147-132

FOR LAP SEAM FELLING HEAVY WEIGHT FABRICS. THREE NEEDLES. THREE LOOPERS. GAUGES $\%_{64}$ INCH TO $\%_{16}$ INCH BETWEEN EACH NEEDLE, IN STEPS OF $1\%_{64}$ INCH. THE STANDARD GAUGES ARE $\%_{64}$ INCH AND $5\%_{32}$ INCH. NEEDLE BAR STROKE I $\%_8$ INCHES.

SPEED 3600 ACCORDING TO MATERIAL BEING STITCHED.

No.	Plate	Name
*131446		Arm, upper and lower (solid) with
		948J, 15404, 68483, two 131676
		and four 131022
68428	20688	Arm Bottom Cover
68429	20688	" " Gasket (cork)
1057AL	20688	" " " Screw (4)
50608R	20688	" Hole Plug Screw, for access to
		Crank Connecting Rod (upper bear-
		ing)
139017	20688	Arm Hole Plug Screw Washer
68350	20695	" Oil Cup, for oiling Arm Rock
		Shaft Front Bearing
131864	24435	Arm 011 Cup, for 131866
131865	24435	" " " 0il Gauge
131866	24435	Arm Oil Cup with Oil Gauge complete
		for filling oil reservoir, Nos.
		131864 and 131865

No.	Plate		Name
131319	20695	Arm	Oil Cup Oil Pad (braided cotton)
101010	20000		for 68350
131293	20695	Arm	Rock Shaft
131474		51	" 131293 with 1235F, 127838 and 131475
12000	20005	A	Rock Shaft Adjusting Screw
13090	20695	ALU 1	" " Washer
131056	20695		Wastier
68433	20695		Dasuruk (Dack)
68435	20695		"""Cap
131095	20695		Washer (fibre)
446AL	20695	Arm	Rock Shaft Bushing (back) Set Screw
68436	20695	Arm	Rock Shaft Bushing (intermediate)
423AL	20695	."	
4COAL	20035		Set Screw
131072	24435	Arm	Rock Shaft Crank, back (ball
			bearing solid) with two 50083AL
50083AL	24435	Arm	Rock Shaft Crank (back) Set Screw
			(2)
131475	20695	Arm	Rock Shaft Crank (front) with
			853AL
127838	20695	Arm	Rock Shaft Crank (front) Pin
131456	20695	*1	" " Flanged Bushing
			(front)
453AL	20695	Arm	Rock Shaft Flanged Bushing
			(front) Set Screw
42365	20695	Arm	Rock Shaft Oil Pad (braided cot-
			ton) for oiling Back Bearing
54969	20695	Arm	Rock Shaft Oil Pad (braided cot-
			ton) for oiling Intermediate
			Bearing
1235F	20695		Rock Shaft Oil Plug Screw
131487	24435	11	Rotary Shaft
131510		Ħ	" " 131487 with 640E,
			131502, 131870 and 131930
131366	24435	Arm	Rotary Shaft Ball Bearing (back)
			(2)
131478	24435	Arm	Rotary Shaft Ball Bearing (back)
			Case
131479		Arm	Rotary Shaft Ball Bearing (back)
			Case 131478 with 131369 and three
			2050
131526		Arm	Rotary Shaft Ball Bearing (back)
			Case with Ball Bearings complete,
			Nos. 131479, 131480 and two
			131366
131369	24435	Arm	Rotary Shaft Ball Bearing (back)
3050	04475	A	Case Cap
2050	24435	Arm	Rotary Shaft Ball Bearing (back) Case Cap Screw (3)
121220	94475		
131370	24435	Arm	Rotary Shaft Ball Bearing (back) Case Position Stud (3)
429C	24435	۵ nm	Rotary Shaft Ball Bearing (back)
7230	11133	чт.щ	Case Set Screw
131480	24435	Arm	Rotary Shaft Ball Bearing (back)
			Spacing Collar

.....

N -	D D 4	_
No.	Plate	Name
131366	24435	Arm Rotary Shaft Ball Bearing (inter- mediate)
131481	24435	Arm Rotary Shaft Ball Bearing (inter-
1304C	24435	mediate) Case Arm Rotary Shaft Ball Bearing (inter-
		mediate) Case Set Screw
131482	24435	Arm Rotary Shaft Ball Bearing (inter- mediate) Collar with two 457AL
457AL	24435	Arm Rotary Shaft Ball Bearing (inter-
	-	mediate) Collar Set Screw (2)
131457	24435	Arm Rotary Shaft Bushing (front)
761 E	24435	n n n n Set Screw
42367	24435	Arm Rotary Shaft Front Bearing 011
		Pad, lower (braided cotton)
54218	24435	Arm Rotary Shaft Front Bearing 011 Pad, upper (braided cotton)
144D	24435	Arm Rotary Shaft Screw
131276	20688	" Side Cover (oil vent)
131909	20688	
131280		
	20688	Position Pin
1289X	20688	Screw
131910	20688	spring
131911	20688	Arm Side Cover (oil vent) complete.
		Nos. 1289X, 131276, 131280, 131909 and 131910
68448	20688	Arm Side Cover Gasket
1057AL	20688	
		DCL.GM (4)
131913	24435	Balance Wheel, 2 in. pulley, with two 51283AL, for round belt
131914		Balance Wheel (outside diam. of belt
		groove 2.9 in.) with two 51283AL, for "V" belt
51283AL	24435	Balance Wheel Set Screw (2)
131466	24433	Cloth Plate
68368	24433	
		" " Slide (left)
131050	24433	
725J	24433	(2)
131051	24433	Cloth Plate Slide (left) complete,
		Nos. 68368, 131050 and two 725J
131379	24433	Cloth Plate Slide (right) (9/64 in.
		Throat Plate clearance cut) for
		131386
131381	24433	Cloth Plate Slide (right) Spring
725J		Citch Fiate Slide (Fight) Spring
1201	24433	
		Screw (2)
131386	24433	Cloth Plate Slide (right) complete
		(9/64 in. Throat Plate clearance
		cut) for 131467, Nos. 131379,
		131381 and two 725J
131467		Cloth Plate complete, for Throat
		Plate with 9/64 in. offset Nos.
		131051, 131386 and 131466
פריהו	24473	
1011F	24433	Cloth Plate Screw (left) (2)

Ne		Name
No.	Plate 24433	Cloth Plate Screw (right)
50396F	24433	" " Thread Guard
131610 389F	24433	" " " Screw (low-
203F	24433	er)
50473F	24433	Cloth Plate Thread Guard Screw (up-
504751	24455	per}
*131926	24435	Crank Connecting Rod with two each
.131320	24400	1057AL, 51715AL, 131927 and
		131928
	Note:	When No. 131926 is required for re-
		pairs, Connecting Rod and Arm Rock
		Shaft Crank (back) fitted together will
		be furnished. All Agency orders for
		this part must state the Machine number
		for which it is required, in order to
		obtain correct Needle Bar stroke.
131930		Crank Connecting Rod 131926 with
		131072
131927	24435	Crank Connecting Rod Cap (lower)
		Screw Stud (2)
51715AL	24435	Crank Connecting Rod Cap (lower)
	~	Screw Stud Nut (2)
131928	24435	Crank Connecting Rod Cap (lower)
	04475	Screw Stud Nut Lock Washer (2)
1057AL	24435	Crank Connecting Rod Cap (upper) Screw (2)
121120	04490	Face Plate (lower half)
131139 68461	24420 24420	" " " " Gasket (cork)
330W	24420	" " " Screw (2)
131395	24420	" " (upper half)
29234	24420	" " " Position
20201	61160	Plate
1053E	24420	Face Plate (upper half) Position
		Plate Screw
51224W	24420	Face Plate (upper half) Thumb Screw
54487	24420	" " Thread Guard
236F	24420	" " Screw
131941	24421	Feed Bar
131730	24421	" " Feed Dog Seat (adjustable)
		with 460AL
190E	24421	Feed Bar Feed Dog Seat Screw
22436	24421	Habilot
131942		Feed Bar with Feed Dog Leveling De-
		vice complete, Nos. 190E, 22436, 68467, 131730, 131941 and two 🖕
		207E
131197	24421	Feed Bar Hinge Pin (eccentric)
59343	24421	" " " Collar with 735AL.
	24421	" " " " Set Screw
131943	24421	" " Slide Block
131944	24421	" " " 131943 with
		68495 and 134260
68495	24421	Feed Bar Slide Block Oil Pad (wick)
134260	24421	" " " " " Retainer
68467	24421	" " Wearing Plate

No.	Plate	Name
207E	24421	Feed Bar Wearing Plate Screw (2)
131500	24435	" Connecting Rod with 1057AL,
101000	01100	68497, 134260 and two 896AL
131502		Feed Connecting Rod 131500 with 54025
896AL	24435	" " Cap Screw (2)
1057AL	24435	Cap Screw (2)
68497	24435	Clamping Screw
134260	24435	UII Pad (WICK)
134260	24435 24437	Retainer.
121002	24431	Dog, 19 teeth (10 teeth to the
		inch) for 9/64 in. to 3/16 in.
	Noto	gauge, for use with 131844
	Note:	When ordering No. 131662, state gauge
50073J		required.
300730		Feed Dog Screw, when stationary Nee-
1409757	04477	dle Guard is used
140275J	24437	Feed Dog Screw, when movable Needle
10017	o	Guard is used
460AL	24421	Feed Dog Stop Screw
*54024		" Eccentric with 138306
*23729		Bouy
51061AL	24435	Set Screw (5)
7071	24435	Clamping washer (2)
217J	24435	Screw
		(2)
138306		Feed Eccentric Lubricating Pad (wood)
54025	24435	Feed Eccentric (adjustable) complete,
		Nos. 1103C, 23729, 54024, two
		each 217J, 7071 and three 51061AL
11030	24435	Feed Regulating Screw
131240	24421	" Rocking Frame with two 453AL
131945		" " 131240 with 59343,
		131197 and 131942
57234	24421	Feed Rocking Frame Hinge Pin
57235	24421	" " " " Bushing
		(2)
453AL	24421	Feed Rocking Frame Hinge Pin Bushing
		Set Screw (2)
453AL	24421	Feed Rocking Frame Hinge Pin Set
		Screw (2)
131323	24437	Looper (back) closed eye
	Note:	When ordering No. 131323, state gauge
		required.
4520	24436	Looper (back) Set Screw
131324	24437	Looper (front) closed eye
	Note:	When ordering No. 131324, state gauge
		required.
51011J	24437	Looper (front) Screw (left)
1302J	24437	" " (right)
131325	24437	" (intermediate) closed eye
	Note:	When ordering No. 131325, state gauge
	04475	required.
131326	24437	Looper (intermediate) 131325 with
	.	1302J, 51011J and 131324
1120AL		Looper (intermediate) Set Screw
54027	24436	" Carrier with two 175E

.

No.	Plate	Name
175E	24436	Looper Carrier Adjusting Screw (2)
54227	24436	" Connection
54228	24436	"" "Shaft
128419	24436	" " " 011
120413	24400	Pad (braided cotton)
68478	24436	Looper Carrier Connection Shaft
00410	24400	Sleeve (eccentric)
51263D	24436	Looper Carrier Connection Shaft
512050	24400	Sleeve Cap Screw
68479	24436	Looper Carrier Driver with four 175E.
175E	24436	" " Cap Screw (4)
131960	24436	" Driving Shaft and Feed Lifting
131960	24430	Eccentric
131870		Looper Driving Shaft and Feed Lifting
1910/0		Eccentric 131960 with 54027,
		54227, 54228 and 68479
*68483		Looper Driving Shaft and Feed Lifting
*00403		
04.0.7	04475	Eccentric Bracket with 761E
948J	24435	Looper Driving Shaft and Feed Lifting
121050	04470	Eccentric Bracket Screw
131959	24436	Looper Driving Shaft and Feed Lifting
171000		Eccentric Bushing
131028	24436	Looper Driving Shaft and Feed Lifting
		Eccentric Bushing Oil Plug
761E	24435	Looper Driving Shaft and Feed Lifting
		Eccentric Bushing Position Screw.
68497		Looper Driving Shaft and Feed Lifting
		Eccentric Front Bearing Oil Pad
		(wick)
640E	24435	Looper Driving Shaft and Feed Lifting
		Eccentric Screw
131052	24436	Looper Holder with 452C and 1120AL
51119J	24436	" " Screw
68485	24436	" Throw-out Handle with two
		443AL
68486	24436	Looper Throw-out Handle Plunger
43503	24436	' n n n n
		Spring
443AL	24436	Looper Throw-out Handle Set Screw (2)
64319	24420	Needle Bar (hollow)
54493		Needle Bar complete, Nos. 64319 and
		128215
	Note:	When ordering No. 54493, state gauge
		required.
131291	24420	Needle Bar Bushing (lower)
1133E	24420	" " " Set Screw.
64320	24420	" " (upper)
1133E	24420	" " " Set Screw.
68488	24420	" " Connecting Link and Thread
		(upper) Controller
131399		Needle Bar Connecting Link and Thread
		(upper) Controller 68488 with
		68489 and 131400
68489	24420	Needle Bar Connecting Link Hinge Stud
		(hollow)
		·

No.	Plate	Name
1520J	24420	Needle Bar Connecting Link Hinge Stud
		Nut
131270	24420	Needle Bar Connecting Link Hinge Stud Oil Pad (wick)
861F	24420	Needle Bar Connecting Link Hinge Stud Oil Plug Screw
853AL	20695	Needle Bar Connecting Link Hinge Stud Set Screw
131400		Needle Bar Connecting Stud with 211F and 1492E
1492E	24420	Needle Bar Connecting Stud Clamping Screw
128215	24420	Needle Clamp with three 1498AL
	Note:	When ordering No. 128215, state gauge
131144	24437	required. Needle Guard (movable) for 9/64 in.
121144	24431	gauge
131145	24437	Needle Guard (movable) for 5/32 in. to 3/16 in. gauges
	Note:	When ordering Nos. 131144 or 131145,
		state gauge required.
68123	24437	Needle Guard (movable) Clamp
1498AL	24420	" Set Screw (3)
68492	20703	Oil Pipe (back of arm) with 68497, for oiling Feed Rocking Frame Hinge Pin Front Bearing
68493	20703	Oil Pipe (back of arm) Clamp
176E	20703	" " " " " Screw
68494	20703	" " " " Connection
		with 68495 and two 198E, for oil-
		ing Feed Rocking Frame Hinge Pin
		Back Bearing
198 E	20703	011 Pipe (back of arm) Connection Cap Screw (2)
68495	20703	Oil Pipe (back of arm) Connection Oil
00100	20100	Pad (wick)
68496	20703	Oil Pipe (back of arm) Coupling
1733	20703	" " " " Nut
		(brass) 011 Pipe (back of arm) 011 Pad (wick)
68497	20703 20703	" " (front of arm) with 131089
68498	20703	and two 1733, for oiling Looper
		Driving Shaft and Feed Lifting
		Eccentric Front Bearing
131112	20703	011 Pipe (front of arm) with 68497
		and 131003, for oiling Feed Bar
	00707	Slide Block
68500	20703	011 Pipe (front of arm) with 1733, 131084 and 131089, for oiling Arm
	0000-	Rotary Shaft Front Bearing
131113	20703	Oll Pipe (front of arm) with 68497 and 131003, for oiling Feed Con-
		necting Rod
131258		Oil Pipe (front of arm) complete,
		Nos. 68498, 68500, 131112 and
		131113

No. 131002	Plate 20703	Name Oil Pipe (front of arm) Connection
		with two 198E, for oiling Looper Throw-out Device
131003	20703	011 Pipe (front of arm) Connection with two 198E, for 131112 and 131113 (2)
131094	20703	011 Pipe (front of arm) Connection with two 198E, for 68500
198E	20703	Oil Pipe (front of arm) Connection Cap Screw (8)
131004	20703	Oil Pipe (front of arm) Coupling (center)
131004	20703	Oil Pipe (front of arm) Coupling (left)
131087	20703	Oil Pipe (front of arm) Coupling (right) with Oil Lead
1733	20703	Oil Pipe (front of arm) Coupling Nut (brass) (3)
131089	20703	011 Pipe (front of arm) 011 Pad (wick) for 68498 and 68500 (2)
68497	20703	Oil Pipe (front of arm) Oil Pad (wick) for 131112 and 131113 (2).
131912	24420	Presser Bar (hollow)
131292	24420	" " Bushing (lower)
1133E	24420	" " " Set Screw
38456	24420	
1133E	24420	""" (upper)
131401	24420	" " Set Screw
101401	64460	Lifting Bracket with
		453AL
11173	24420	Presser Bar Lifting Bracket Guide
11173 453AL	24420 24420	Presser Bar Lifting Bracket Guide """ Set
453AL	24420	Presser Bar Lifting Bracket Guide """ "Set Screw
453AL 453AL	24420 24420	Presser Bar Lifting Bracket Guide """" Set Screw Presser Bar Lifting Bracket Set Screw
453AL 453AL 131402	24420	Presser Bar Lifting Bracket Guide """" Set Screw Presser Bar Lifting Bracket Set Screw
453AL 453AL	24420 24420	Presser Bar Lifting Bracket Guide """" Set Screw Presser Bar Lifting Bracket Set Screw ""Lever
453AL 453AL 131402	24420 24420 24423	Presser Bar Lifting Bracket Guide """" Set Screw Presser Bar Lifting Bracket Set Screw ""Lever """ Extension
453AL 453AL 131402 68184	24420 24420 24423 24423	Presser Bar Lifting Bracket Guide """""Set Screw Presser Bar Lifting Bracket Set Screw ""Lever """Extension
453AL 453AL 131402 68184	24420 24420 24423 24423	Presser Bar Lifting Bracket Guide """""Set Screw Presser Bar Lifting Bracket Set Screw ""Lever """Extension
453AL 453AL 131402 68184 161J	24420 24420 24423 24423 24423 24423	Presser Bar Lifting Bracket Guide """" Set Screw Presser Bar Lifting Bracket Set Screw """ Lever """ Extension """ Extension "Screw (2) Presser Bar Lifting Lever Hinge Screw
453AL 453AL 131402 68184 161J 802X	24420 24423 24423 24423 24423 24423 24423 20688	Presser Bar Lifting Bracket Guide " " " " " " " " " " " " " " " " "
453AL 453AL 131402 68184 161J 802X 131749	24420 24420 24423 24423 24423 24423 24423 20688 20688	Presser Bar Lifting Bracket Guide """""""""""""""""""""""""""""""""
453AL 453AL 131402 68184 161J 802X 131749 131750	24420 24420 24423 24423 24423 24423 20688 20688 20688	Presser Bar Lifting Bracket Guide """""Set Screw Presser Bar Lifting Bracket Set Screw """Lever """Extension Screw (2) Presser Bar Lifting Lever Hinge Screw """Spring """"Spring
453AL 453AL 131402 68184 161J 802X 131749 131750 131751	24420 24420 24423 24423 24423 24423 24423 20688 20688	Presser Bar Lifting Bracket Guide " " " " " " " " " " " " " " " " "
453AL 453AL 131402 68184 161J 802X 131749 131750 131751 1637J	24420 24420 24423 24423 24423 24423 20688 20688 20688 20688 20688	Presser Bar Lifting Bracket Guide " " " " " " " " " " " " " " " " "
453AL 453AL 131402 68184 161J 802X 131749 131750 131751 1637J 38468	24420 24423 24423 24423 24423 24423 20688 20688 20688 20688 20688	Presser Bar Lifting Bracket Guide " " " " " " " " " " " " " " " " "
453AL 453AL 131402 68184 161J 802X 131749 131750 131751 1637J	24420 24420 24423 24423 24423 24423 20688 20688 20688 20688 20688	Presser Bar Lifting Bracket Guide " " " " " " " " " " " " " " " " "
453AL 453AL 131402 68184 161J 802X 131749 131750 131751 1637J 38468	24420 24423 24423 24423 24423 24423 20688 20688 20688 20688 20688	Presser Bar Lifting Bracket Guide " " " " " " " " " " " " " " " " "
453AL 453AL 131402 68184 161J 802X 131749 131750 131751 1637J 38468 131830 131651	24420 24423 24423 24423 24423 20688 20688 20688 20688 20688 20688	Presser Bar Lifting Bracket Guide """""""""""""""""""""""""""""""""
453AL 453AL 131402 68184 161J 802X 131749 131750 131751 1637J 38468 131830 131851	24420 24423 24423 24423 24423 20688 20688 20688 20688 20688 20688	Presser Bar Lifting Bracket Guide """""""""""""""""""""""""""""""""
453AL 453AL 131402 68184 161J 802X 131749 131750 131751 1637J 38468 131830 131651	24420 24423 24423 24423 24423 20688 20688 20688 20688 20688 20688 20688	Presser Bar Lifting Bracket Guide """""Set Screw Presser Bar Lifting Bracket Set Screw """""Extension """""Extension """"""Extension """"""""""""""""""""""""""""""""""
453AL 453AL 131402 68184 161J 802X 131749 131750 131751 1637J 38468 131830 131851	24420 24423 24423 24423 24423 20688 20688 20688 20688 20688 20688 20688 20688	Presser Bar Lifting Bracket Guide """""Set Screw Presser Bar Lifting Bracket Set Screw """""Extension """"Extension """""Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """""Extension """"Extension """"Extension """"Extension """""Extension """"Extension """""Extension """"Extension """""Extension """""Extension """""""""Extension """"""""""""""""""""""""""""""""""
453AL 453AL 131402 68184 161J 802X 131749 131750 131751 1637J 38468 131850 131851 131697 128390 662J	24420 24423 24423 24423 24423 24423 20688 20688 20688 20688 20688 20688 20688 20688 20688 20688 20688 20688	Presser Bar Lifting Bracket Guide """""""""""""""""""""""""""""""""
453AL 453AL 131402 68184 161J 802X 131749 131750 131751 1637J 38468 131851 131697 128390 662J 131698	24420 24423 24423 24423 20688 20688 20688 20688 20688 20688 20688 20688	Presser Bar Lifting Bracket Guide """""""""""""""""""""""""""""""""
453AL 453AL 131402 68184 161J 802X 131749 131750 131751 1637J 38468 131850 131851 131697 128390 662J	24420 24423 24423 24423 24423 24423 20688 20688 20688 20688 20688 20688 20688 20688 20688 20688 20688 20688	Presser Bar Lifting Bracket Guide """""Set Screw Presser Bar Lifting Bracket Set Screw """""Extension """"Extension """""Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """"Extension """""Extension """"Extension """"Extension """"Extension """""Extension """"Extension """""Extension """"Extension """""Extension """""Extension """""""""Extension """"""""""""""""""""""""""""""""""

14

No.	Plate	Name
131700	24437	Presser Foot Yielding Heel Connection
18055	24437	11 TT 11 EL IT
		Hinge Pin
27114	24437	Presser Foot Yielding Heel Connection
61774	24401	Series
		Spring
18055	24437	Presser Foot Yielding Heel Hinge Pin.
131701	24437	Presser Foot (triple hinged) com-
		plete, for 9/64 in. to 3/16 in. gauges, Nos. 27114, 131697 to
		gauges, Nos. 27114, 131697 to
		131700 and two each 662J, 18055
		and 128390
190J	24437	Presser Foot Screw
51697W	20688	Pressure Regulating Thumb Nut
131752	20688	Mastiol.
		for 131830
42290K	20688	Pressure Regulating Thumb Nut Washer
		for 131851
131025	24423	Slack Thread Controller
54242	24423	" " Clamp
		" " Screw
190J	24423	De10#
131427	24424	Regitator,
131404	24424	" " Holder
131405	24424	" " " Crank
		with 171AL
1423J	24424	Slack Thread Regulator Holder Crank
11000	61161	Cap Screw
		Slack Thread Regulator Holder Crank
171AL	24424	Slack Thread Regulator Holder Clank
		Clamping Screw
131406	24424	Slack Thread Regulator Holder Crank
		Connecting Link
217J	24424	Slack Thread Regulator Screw Tension (under thread) Bracket
131146	24423	Tension (under thread) Bracket
691F		n n n Screw
0.311		(2)
	04407	Tension (under thread) Disc (6)
2102	24423	Tension (under chread) Disc (6)
51570C	24423	" " Regulating
		Thumb Nut (3)
50326C	24423	Tension (under thread) Screw Stud (3)
59539		11 11 11 11 11
		50326C with 51570C (3)
131740	24423	m star (under shread) Smalar (7)
59537	24423	Tension (under thread) Spring (3) """Bushing
59551	24423	
		(large) (3)
59538	24423	Tension (under thread) Spring Bushing
		(small) (3)
131696	24423	Tension (under thread) Thread Guide
		(3)
68002	24423	Tension (upper thread) Bracket
376J	24423	" " Screw.
2102	24423	" " Disc (6)
		2100 (0)11111
515700	24423	Wertsette
		Thumb Nut (3)
32572	24423	Tension (upper thread) Releasing Disc
		(3)
54988	24423	Tension (upper thread) Releasing Pin
-		(3)

e a a ser e sa e

u .

No.	Plate	Name
68003	24423	Tension (upper thread) Releasing
	24420	Shaft
54047	24423	Tension (upper thread) Releasing Shaft Crank with 624AL
54048	24423	Tension (upper thread) Releasing Shaft Crank Link
624AL	24423	Tension (upper thread) Releasing Shaft Crank Set Screw
68261	24423	Tension (upper thread) Releasing
131011	24423	Shaft Spring Tension (upper thread) Releasing Shaft Spring Position Plate
3160	24423	Tension (upper thread) Releasing Shaft Stop Screw
1547J	24423	Tension (upper thread) Releasing Shaft Stop Screw Nut
50326C	24423	Tension (upper thread) Screw Stud (3)
59539		
		50326C with 51570C (3)
131741	24423	Tension (upper thread) Spring (3)
59537	24423	" " " Bushing
		(large) (3)
59538	24423	Tension (upper thread) Spring Bushing (small) (3)
131696	24423	Tension (upper thread) Thread Guide (3)
131581	24423	Thread (under) Eyelet (back)
190J	24423	""" "Screw
131407	24435	
131408	24433	" Take-up with 1258AL
50438J	24424	" V Oil Guard
004000	24424	
1258AL	24435	Screw
131824	24435	Thread (under) Take-up Set Screw
54242	24424	portpher
190J	24424	" " " Clamp
1900	64464	
131825	24424	Screw Thread (under) Take-up Stripper Plate
131411	24424	in a a a a a
	_	Bracket
131936	24424	Thread (under) Take-up Stripper Plate
		Bracket 131411 with 217J, 32062,
		50438J, 54242, 131408, 131413,
		131421, 131422, 131824, 131825
		131421, 131422, 131824, 131825, two each 207J, 7071, 50470J,
		131430 and four 190J
965D	24424	Thread (under) Take-up Stripper Plate
		Bracket Screw
190J	24424	Thread (under) Take-up Stripper Plate
		Screw (3)
32062		Thread (under) Take-up Stripper Wash-
131413	24424	er Thread (under) Take-up Thread Guard
50470J	24424	(fibre) Thread (under) Take-up Thread Guard
302100	67764	Screw (2)

No.	Plate	Name
131421	24424	Thread (under) Take-up Thread Guide
		(intermediate, left)
207J	24424	Thread (under) Take-up Thread Guide
		(intermediate, left) Screw
7071	24424	Thread (under) Take-up Thread Guide
		(intermediate, left) Screw Washer
131422	24424	Thread (under) Take-up Thread Guide
		(intermediate, right)
207J	24424	Thread (under) Take-up Thread Guide
		(intermediate, right) Screw
7071	24424	Thread (under) Take-up Thread Guide
		(intermediate, right) Screw Wash-
121.00		er
131429	24424	Thread (under) Take-up Thread Guide
171470		(left)
131430		Thread (under) Take-up Thread Guide
		(left) 131429 with 236C and
217J	24424	131204 Thread (under) Take-up Thread Guide
2110	64464	(left) Screw
131204	24424	Thread (under) Take-up Thread Guide
1012.04	64464	(left) Thread Retainer
2360	24424	Thread (under) Take-up Thread Guide
2000	01101	(left) Thread Retainer Screw
131429	24424	Thread (under) Take-up Thread Guide
		(right)
131430		Thread (under) Take-up Thread Guide
		(right) 131429 with 236C and
		131204
131204	24424	Thread (under) Take-up Thread Guide
		(right) Thread Retainer
236C	24424	Thread (under) Take-up Thread Guide
		(right) Thread Retainer Screw
68006	24423	Thread (upper) Eyelet
190J		" " Screw
131336	24423	" Take-up
68008	24423	11000111111
68164	24423	"" "Spring
1449J	24423	
131337		Thread (upper) Take-up complete, Nos.
0118		1449J, 68008, 68164, and 131336 Thread (upper) Take-up Set Screw
211F 131844	24437	Thread (upper) Take-up Set Screw Threat Plate for 9/64 in. to 3/16 in.
191044	24431	gauges, for use with 131662
	Note:	When ordering No. 131844, state gauge
		required.
742F	24437	Throat Plate Screw (2)
*15404		Trade Mark
131676		" " Rivet (2)
		•••••••••••••••••••••••••••••••••••••••

ACCESSORIES

No.	Plate	Name
120344	20691	Oiler (copper plated) with 120345
120345	20691	" Spout, 4 1/2 in. long
120440	20691	Screw Driver (large)
121108	20691	" " (small)
120341	20691	Tweezers (curved)
4822	20691	Wrench for 1547
8908	20691	" 1520
17905	20691	" 140123
164197	20691	" " 51715 (not regularly fur-
		nished)

BELT GUARD

No.	Plate	Name
68222	20633	Belt Guard with two wood screws 1 in.
		No. 12

BENCH STANDS

BENCH STAND NO. 79772

FOR MACHINE BASE NO. 131264

WHEN MACHINE IS MOUNTED ON TOP OF TABLE

No.	Plate	Name
79772		Bench Stand with 27998, two each
		41538, 126849, three wood screws
		1 1/4 in. No. 12, four each
		60656, wood screws 1 1/4 in. No.
		10, eight wood screws 5/8 in. No.
		6 and sixteen wood screws 5/8 in.
		No. 7
126849	20691	Flap Hinge with four wood screws 3/4
		in. No. 7 (2)
27998	20691	Flap Hook and Eye (large) with wood
		screw 1/2 in. No. 5
126247	20691	Flush Bolt (2)
126248	20691	" " Plate (2)
41538		Flush Bolt with Plate complete, Nos.
		126247, 126248 and four brass
		wood screws 5/8 in. No. 4 (2)
60656	20691	Hinge (4)

BENCH STANDS

BENCH STAND NO. 135115

FOR MACHINE BASE NO. 131919

WHEN MACHINE IS MOUNTED SEMI-SUBMERGED

No.	Plate	Name
135115		Bench Stand with 27998, 60220 and four each 126849 with wood screws 5/8 in. No. 7 F.H. (in place of wood screws 3/4 in. No. 7 F.H.) and wood screws 1 1/2 in. No. 10
		F.H
126849	20691	Flap Hinge with four wood screws 5/8 in. No. 7 F.H. (4)
27998	20691	Flap Hook and Eye (large) with wood screw 1/2 in. No. 5
60220		Flap Hook and Eye (small) with wood screw 5/8 in. No. 4

FOOT LIFTER PARTS

No.	Plate	Name
6439		Chain, 36 in. to 45 in., with 56864 and 56865
	Note:	When ordering No. 6439, state length required.
4879	20633	Chain Connecting Link
56864	20691	" Hook (large)
56865	20691	" " (small)
126249	20633	Treadle
4882	20633	" Shaft
126250	20633	" Spring
150451	20633	" Stand
150452	20633	Treadle complete, Nos. 4879, 4882, 126249, 126250, 150451 and two wood screws 1 in. No. 16 F.H

KNEE LIFTER PARTS

FOR USE WHEN MACHINE IS MOUNTED ON TOP OF TABLE

No.	Plate	Name
37563		Chain, length 15 in., with 56864 and 56865
56864	20691	Chain Hook (large)
56865	20691	" " (small)
2763	20633	Rock Shaft
12242	20633	" Hanger with two wood screws 1 in. No. 10 (2)

From the library of: Superior Sewing Machine & Supply LLC

19

KNEE LIFTER

No.	Plate	Name
6335	20633	Rock Shaft Knee Arm
6336		Rock Shaft Knee Arm complete, Nos.
		2766, 2767 and 6335
2766	20633	Rock Shaft Knee Arm Hub with 356C
356C	20633	" " " " Set Screw
2767	20633	" " " Plate with 356C
356C	20633	" " " Set Screw
6337	20633	" " Lifting Bracket with two
		356C
7125	20633	Rock Shaft Lifting Bracket Hook
356C	20633	" " " " Set
		Screw
3560	20633	Rock Shaft Lifting Bracket Set Screw.
2770	20633	" " Stop Dog with 140219C
1402190	20633	" " " Set Screw
23767	20633	Rock Shaft complete, Nos. 2763, 2770,
		6336, 6337, 7125 and two 12242

LAP SEAM FELLER

No.	Plate	Name
121440	24438	Lap Seam Feller (adjustable) on
		Shank, for medium heavy and heavy
		weight material
1499J	24438	Lap Seam Feller Screw (2)

MACHINE BASES

MACHINE BASE NO. 131264

WHEN MACHINE IS MOUNTED ON TOP OF TABLE

FOR USE WITH BENCH STAND NO. 79772

No.	Plate	Name
131263	24409	Machine Base
54477	24409	" " Screw Stud, to fasten
		base to table (3)
131205	24409	Machine Base Screw Stud, to position
		machine on base (4)
51576E	24409	Machine Base Screv Stud Nut (3)
9842	24409	" " " " Washer
		(3)
131022	24409	Machine Base Screw Stud Bushing (rub-
		ber) (4)
131279	24409	Machine Cushion (felt) (4)
131264	24409	Machine Base complete, Nos. 131263,
		three each 9842, 51576E, 54477
		and four each 131205 and 131279

From the library of: Superior Sewing Machine & Supply LLC

20

No. Plate Name 131328 24409 Machine Base and Oil Drain Jar (swinging type) complete, Nos. 131264 and 131268.....

MACHINE BASE NO. 131919

WHEN MACHINE IS MOUNTED SEMI-SUBMERGED

FOR USE WITH BENCH STAND NO. 135115

No.	Plate	Name
131918	24410	Machine Base
51428R	24410	" Bolt with 1778R (4)
1778R	24410	" " " Nut (4),
126150	24410	" " " Lock Washer (4)
69353	24410	Machine Base Bolt complete, to fasten base to table, Nos. 51428R and
		126150 (4)
131205	24410	Machine Base Screw Stud, to position machine on base (4)
131022	24409	Machine Base Screw Stud Bushing (rub- ber) (4)
131279	24410	Machine Cushion (felt) (4)
131919	24410	Machine Base complete, Nos. 131918 and four each 69353, 131205 and 131279
131920	24410	Machine Base and Oil Drain Jar (swinging type) complete, 'for semi-submerged mounting, Nos. 131268 and 131919

MACHINE BASE OIL DRAIN JAR

(SWINGING TYPE)

No.	Plate	Name
131961	24409	Jar (glass)
131962	24409	" Cap
131188	24409	" Clamp
131217		" " 131188 with 131189
131189	24409	" Lever
1247AL	24409	" " " Hinge Screw (2)
131265	24409	Nipple (long) (2)
131266	24409	" (short)
131267	24409	" Elbow (2)
131268	24409	Machine Base Oil Drain Jar (swinging
		type) complete, Nos. 131217,
		131266, 131961, 131962 and two
		each 1247AL, 131265 and 131267

21

THREAD UNWINDER

FOR SIX CONES

No.	Plate	Name
150364	23109	Base with two 437C
150653	23109	Rod
437C	23109	" Set Screw (2)
150366	23109	Thread Cone Holder (6)
164J	23109	" " " Screw (6)
19020	23109	" " " Washer (6)
150654	23109	" " " Support, for two
		cones
150367	23109	Thread Cone Holder Support, for four
		cones
150655	23109	Thread Cone Holder Support Bracket
		for use with 150654
51083R	23109	Thread Cone Holder Support Bracket
		Bolt with 51581R
51581R		Thread Cone Holder Support Bracket
		Bolt Nut
51082R	23109	Thread Cone Holder Support Bolt with
		51581R, for use with 150367
51581R		Thread Cone Holder Support Bolt Nut.,
150368	23109	" " Steady Wire (6)
150656	23109	" Guide for two threads
150369	23109	" " four threads,,,,,,,,
178J	23109	" " Screw (2)
150657	23109	Thread Unwinder complete, for invert-
		ed cones, Nos. 51082R, 51083R,
		150364, 150367, 150369, 150653 to
		150656, two 178J, three wood
		screws 1 1/2 in. No. 16 F.H. and
		six each 164J, 19020, 150366 and
		150368

THREAD UNWINDER SPOOL RESTS

FOR USE WHEN SPOOLS ARE USED IN PLACE

OF CONES OF THREAD

FOR USE WITH THREAD UNWINDER NO. 150657

No.	Plate	Name
150647	23109	Spool Rest with 178J (6)
150203	23109	" " Cushion (felt) (6)
150658	23109	" " Rod for two spool rests
150649	23109	" " " four spool rests.,
178J	23109	" " " Set Screw (2)
178 J	23109	" " Set Screw (6)
150663	23109	Spool Rests complete (for six spools)
		Nos. 150649, 150658, two 178J and
		six each 150203 and 150647

NUMERICAL LIST OF PARTS

NUMERICAL LIST OF PARTS

No.	Plate	Name
144D	24435	Arm Rotary Shaft Screw
161J	24423	Presser Bar Lifting Lever Extension Screw (2)
164J	23109	Thread Unwinder Thread Cone Holder Screw for 150657 (6)
171AL	24424	Slack Thread Regulator Holder Crank Clamping Screw for 131405
175E	24436	Looper Carrier Adjusting Screw for 54027 (2)
175 B	24436	Looper Carrier Driver Cap Screw for 68479 (4)
176E	20703	011 Pipe (back of arm) Clamp Screw
178J	23109	Thread Unwinder Spool Rest Rod Set
1.00		Screw for 150663 (2)
178J	23109	Thread Unwinder Spool Rest Set Screw for 150647 (6)
178J	23109	Thread Unwinder Thread Guide Screw
		for 150657 (2)
190 E	24421	Feed Bar Feed Dog Seat Screw for 131942
190J	24437	Presser Foot Screw
190J	24423	Slack Thread Controller Clamp Screw
190J	24423	Thread (under) Eyelet (back) Screw
190J	24424	" " Take-up Stripper Clamp
1300	61161	Screw for 131936
190J	24424	Thread (under) Take-up Stripper Plate Screw for 131936 (3)
190J		Thread (upper) Eyelet Screw
1905 198E	20703	011 Pipe (back of arm) Connection Cap
1902	20705	Screw for 68494 (2)
198E	20703	011 Pipe (front of arm) Connection Cap Screw for 131002, 131003 and
		131084 (8)
2050	24435	Arm Rotary Shaft Ball Bearing (back) Case Cap Screw for 131479 (3)
207 E	24421	Feed Bar Wearing Plate Screw for 131942 (2)
207J	24424	Thread (under) Take-up Thread Guide (intermediate, left) Screw for
207J	24424	131936 Thread (under) Take-up Thread Guide (intermediate, right) Screw for 131936
211F		Thread (upper) Take-up Set Screw for 131400
217J	24435	Feed Eccentric Clamping Washer Screw for 54025 (2)
	04404	Slack Thread Regulator Screw
217J	24424	Thread (under) Take-up Thread Guide
217J	24424	(left) Screw for 131936

No.	Plate	Name
236F	24420	Face Flate Thread Guard Screw,
2360	24424	Thread (under) Take-up Thread Guide (left) Thread Retainer Screw for
		131430
2360	24424	Thread (under) Take-up Thread Guide (right) Thread Retainer Screw for 131430
316C	24423	Tension (upper thread) Releasing Shaft Stop Screw
330W	24420	Face Plate (lower half) Screw (2)
356C	20633	Knee Lifter Rock Shaft Knee Arm Hub Set Screw for 2766
3560	20633	Knee Lifter Rock Shaft Knee Plate Set Screw for 2767
356C	20633	Knee Lifter Rock Shaft Lifting Brack- et Hook Set Screw for 6337
356C	20633	Knee Liiter Rock Shaft Lifting Brack- et Set Screw for 6337
376J	24423	Tension (upper thread) Bracket Screw.
389F	24433	Cloth Plate Thread Guard Screw (low- er)
423AL	20695	Arm Rock Shaft Bushing (intermediate) Set Screw
429C	24435	Arm Rotary Shait Ball Bearing (back) Case Set Screw
437C	23109	Thread Unwinder Rod Set Screw for 150364 (2)
443AL	24 4 36	Looper Throw-out Handle Set Screw for 68485 (2)
446AL	20695	Arm Rock Shaft Bushing (back) Set Screw
452C	24436	Looper (back) Set Screw for 131052
453AL	20695	Arm Rock Shaft Flanged Bushing (front) Set Screw
453AL	24421	Feed Rocking Frame Hinge Pin Bushing Set Screw (2)
453AL	24421	Feed Rocking Frame Hinge Pin Set Screw for 131240 (2)
453AL	24420	Presser Bar Lifting Bracket Guide Set Screw for 131401
453AL	24420	Presser Bar Lifting Bracket Set Screw
457AL	24435	Arm Rotary Shaft Ball Bearing (inter- mediate) Collar Set Screw for 131482 (2)
460AL	24421	Feed Dog Stop Screw for 131730
624AL	24423	Tension (upper thread) Releasing Shaft Crank Set Screw for 54047
640E	24435	Looper Driving Shaft and Feed Lifting Eccentric Screw for 131510
662J	24437	Presser Foot Plate Hinge Stud Po- sition Screw for 131701 (2)
691F		Tension (under thread) Bracket Screw (2)
725J	24433	Cloth Plate Slide (left) Spring Screw for 131051 (2)

~

No.	Plate	Name
725J	24433	Cloth Plate Slide (right) Spring
		Screw for 131386 (2)
735AL	24421	Feed Bar Hinge Pin Collar Set Screw
		for 59343
742F	24437	Throat Plate Screw (2)
761E	24435	Arm Rotary Shaft Bushing (front) Set
		Screw
761E	24435	Looper Driving Shaft and Feed Lifting
		Eccentric Bushing Position Screw
		for 68483
802X	24423	Presser Bar Lifting Lever Hinge Screw
853AL	20695	Needle Bar Connecting Link Hinge Stud
		Set Screw for 131475
861F	24420	Needle Bar Connecting Link Hinge Stud
		Oil Plug Screw
896AL	24435	Feed Connecting Rod Cap Screw for
		131500 (2)
948J	24435	Looper Driving Shaft and Feed Lifting
		Eccentric Bracket Screw for
		131446
965D	24424	Thread (under) Take-up Stripper Plate
		Bracket Screw
1011F	24433	Cloth Plate Screw (left) (2)
1053E	24420	Face Plate (upper halr) Position
105747	00000	Plate Screw
1057AL 1057AL	20688 20688	Arm Bottom Cover Screw (4)
1057AL		Arm Side Cover Screw (4)
TOPIAL	24435	Crank Connecting Rod Cap (upper)
1057AL	24435	Screw for 131926 (2) Feed Connecting Rod Clamping Screw
TODIAL	24433	for 131500
1103C	24435	Feed Regulating Screw for 54025
1120AL	24436	Looper (intermediate) Set Screw for
IIC OND	21100	131052
1133E	24420	Needle Bar Bushing (lower) Set Screw.
1133E	24420	" " (upper) Set Screw.
1133E	24420	Presser Bar Bushing (lower) Set Screw
1133E	24420	" " (upper) Set Screw
1235F	20695	Arm Rock Shaft Oil Plug Screw for
		131474
1247AL	24409	Machine Base Oil Drain Jar Clamp
		Lever Hinge Screw for 131268 (2).
1258AL	24435	Thread (under) Take-up Set Screw for
		131407
1289X	20688	Arm Side Cover Cap Screw for 131911
1302J	24437	Looper (front) Screw (right) for
		131326
1304C	24435	Arm Rotary Shaft Ball Bearing (inter-
		mediate) Case Set Screw
13090	20695	Arm Rock Shaft Adjusting Screw
1423J	24424	Slack Thread Regulator Holder Crank
14407	94497	Cap Screw
1449J	24423	Thread (upper) Take-up Plate Spring
1492E	24420	Screw for 131337 Needle Bar Connecting Stud Clamping
14368	24420	Screw for 131400
		PCLCM IOL TOT#00

		D D - 4 -	Nama
	No.	Plate	Name
	L498AL	24420	Needle Set Screw for 128215 (3)
_	L499J	24438	Lap Seam Feller Screw (2)
נ	L520J	24420	Needle Bar Connecting Link Hinge Stud Nut
נ	1547J	24423	Tension (upper thread) Releasing Shaft Stop Screw Nut
נ	L637J	20688	Presser Bar Spring Screw Stud Lock Nut for 131830 and 131851
נ	1733	20703	Oil Pipe (back of arm) Coupling Nut (brass)
נ	L733	20703	Oil Pipe (front of arm) Coupling Nut (brass) for 68498 (3)
נ	L778R	24410	Machine Base Bolt Nut for 51428R (4).
2	2102	24423	Tension (under thread) Disc (6)
	2102	24423	" (upper thread) Disc (6)
	2763	20633	Knee Lifter Rock Shaft for 23767
_	2766	20633	" " " Knee Arm Hub
4	. / 66	20633	with 356C, for 6336
2	2767	20633	Knee Lifter Rock Shaft Knee Plate with 356C, for 6336
2	2770	20633	Knee Lifter Rock Shaft Stop Dog with
-			140219C, for 23767
4	822	20691	Wrench for 1547 (Accessories)
	879	20633	Foot Lifter Chain Connecting Link for
-		20000	150452
4	882	20633	Foot Lifter Treadle Shaft for 150452.
e	3335	20633	Knee Lifter Rock Shaft Knee Arm for
			6336
6	6336		Knee Lifter Rock Shaft Knee Arm com- plete, for 23767, Nos. 2766, 2767
e	337	20633	and 6335 Knee Lifter Rock Shaft Lifting Brack- et with two 356C, for 23767
6	5439		Foot Lifter Chain, 36 in. to 45 in. with 56864 and 56865
		Note:	When ordering No. 6439 state length re- guired.
7	7071	24435	Feed Eccentric Clamping Washer for 54025 (2)
7	7071	24424	Thread (under) Take-up Thread Guide (intermediate, left) Screw Washer for 131936
7	1071	24424	Thread (under) Take-up Thread Guide (intermediate, right) Screw Wash- er for 131936
7	125	20633	Knee Lifter Rock Shaft Lifting Brack- et Hook for 23767
E	3908	20691	Wrench for 1520 (Accessories)
	842	24409	Machine Base Screw Stud Nut Washer
11	173	24420	for 131264 (3) Presser Bar Lifting Bracket Guide
	242	20633	Knee Lifter Rock Shaft Hanger with
16		20000	two wood screws 1 in. No. 10, for
*15	5404		23767 (2) Trade Mark for 131446

26

~

.

N	D7 - 4 -	
No.	Plate	Name
17905	20691	Wrench for 140123 (Accessories)
18055	24437	Presser Foot Yielding Heel Connection Hinge Pin for 131701
18055	24437	Presser Foot Yielding Heel Hinge Pin for 131701
19020	23109	Thread Unwinder Thread Cone Holder Screw Washer for 150657 (6)
22436	24421	Feed Bar Feed Dog Seat Screw Washer for 131942
*23729		Feed Eccentric Body for 54025
		Tree Lifter Dark Chaft somelate for
23767	20633	Knee Lifter Rock Shaft complete, for use when machine is mounted on top of table, Nos. 2763, 2770, 6336, 6337, 7125 and two 12242
27114	24437	Presser Foot Yielding Heel Connection Spring for 131701
27998	20691	Bench Stand Flap Hook and Eye (large) with wood screw 1/2 in. No. 5, for 79772 and 135115
29234	24420	Face Plate (upper half) Position Plate
32062		Thread (under) Take-up Stripper Wash- er for 131936
32572	24423	Tension (upper thread) Releasing Disc (3)
37563		Knee Lifter Chain, length 15 in. with 56864 and 56865
38456	24420	Presser Bar Bushing (upper)
38468	20688	" " Spring Stud
41538		Bench Stand Flush Bolt with Plate
41556		complete, for 79772, Nos. 126247, 126248 and four brass wood screws 5/8 in. No. 4 (2)
42290K	20688	Pressure Regulating Thumb Nut Washer for 131851
42365	20695	Arm Rock Shaft Oil Pad (braided cot- ton) for oiling Back Bearing
42367	24435	Arm Rotary Shaft Front Bearing Oil Pad, lower (braided cotton)
43503	24436	Looper Throw-out Handle Plunger Spring
50073J		Feed Dog Screw, when stationary Nee- dle Guard is used
50083AL	24435	Arm Rock Shaft Crank (back) Set Screw for 131072 (2)
503260	24423	Tension (under thread) Screw Stud for 59539 (3)
503260	24423	Tension (upper thread) Screw Stud for 59539 (3)
50396F	24433	Cloth Plate Screw (right)
50438J	24424	Thread (under) Take-up Oil Guard Screw for 131936
50470J	24424	Thread (under) Take-up Thread Guard Screw for 131936 (2)
50473F	24433	Cloth Plate Thread Guard Screw (up- per)

•

No.	Plate	Name
50608R	20688	Arm Hole Plug Screw, for access to Crank Connecting Rod (upper bear- ing)
51011J	24437	Looper (front) Screw (left) for 131326
51061AL	24435	Feed Eccentric Body Set Screw for 54025 (3)
51082R	23109	Thread Unwinder Thread Cone Holder Support Bolt with 51581R, for 150657, for use with 150367
51083R	23109	Thread Unwinder Thread Cone Holder Support Bracket Bolt with 51581R, for 150657
51119J	24436	Looper Holder Screw
51224W	24420	Face Plate (upper half) Thumb Screw
51263D	24436	Looper Carrier Connection Shaft
		Sleeve Cap Screw
51283AL	24435	Balance Wheel Set Screw for 131913 and 131914 (2)
51428R	24410	Machine Base Bolt with 1778R, for 69353 (4)
515700	24423	Tension (under thread) Regulating Thumb Nut for 59539 (3)
515700	24423	Tension (upper thread) Regulating Thumb Nut for 59539 (3)
51576 E	24409	Machine Base Screw Stud Nut for 131264 (3)
51581R		Thread Unwinder Thread Cone Holder Support Bracket Bolt Nut for 51083
51581R		Thread Unwinder Thread Cone Holder Support Bolt Nut for 51082
51697W	20688	Pressure Regulating Thumb Nut for 131830 and 131851
51715AL	24435	Crank Connecting Rod Cap (lower) Screw Stud Nut for 131926 (2)
*54024		Feed Eccentric with 138306, for 54025
54025	24435	Feed Eccentric (adjustable) complete, for 131502, Nos. 1103C, 23729,
		54024 and two each 217J, 7071 and three 51061AL
54027	24436	Looper Carrier with two 175E, for 131870
54047	24423	Tension (upper thread) Releasing Shaft Crank with 624AL
54048	24423	Tension (upper thread) Releasing Shaft Crank Link
54218	24435	Arm Rotary Shaft Front Bearing 011 Pad, upper (braided cotton)
54227	24436	Looper Carrier Connection for 131870.
54228	24436	" " Shaft for
0100	21100	131870
54242	24423	Slack Thread Controller Clamp
54242	24424	Thread (under) Take-up Stripper Clamp for 131936

No	Blata	Namo
No.	Plate	Name
54477	24409	Machine Base Screw Stud, to fasten base to table for 131264 (3)
54487	24420	Face Plate Thread Guard
54493		Needle Bar complete, Nos. 64319 and
	Note:	128215 When ordering No. 54493 state gauge re- quired.
54969	20695	Arm Rock Shaft Oil Pad (braided cot-
		ton) for oiling Intermediate Bearing
54988	24423	Tension (upper thread) Releasing Pin (3)
56864	20691	Chain Hook (large) for 6439 and 37563
56865	20691	" (small) for 6439 and 37563
57234	24421	Feed Rocking Frame Hinge Pin
		reed ROCKING FRAme Hinge Fin
57235	24421	" " " " " Bushing (2)
59343	24421	Feed Bar Hinge Pin Collar with 735AL, for 131945
59537	24423	Tension (under thread) Spring Bushing (large) (3)
59537	24423	Tension (upper thread) Spring Bushing
59538	24423	(large) (3) Tension (under thread) Spring Bushing (small) (3)
59538	24423	Tension (upper thread) Spring Bushing (small) (3)
59539		Tension (under thread) Screw Stud 50326C with 51570C (3)
59539		Tension (upper thread) Screw Stud 50326C with 51570C (3)
60220		Bench Stand Flap Hook and Eye (small) with wood screw 5/8 in. No. 4,
		for 135115
60656	20691	Bench Stand Hinge for 79772 (4)
64319	24420	Needle Bar (hollow) for 54493
64320	24420	" " Bushing (upper)
68002	24423	Tension (upper thread) Bracket
68003	24423	" " " Releasing
		Shaft
68006	24423	Thread (upper) Eyelet
68008	24423	" " Take-up Plate for 131337
68123	24437	Needle Guard (movable) Clamp
68164	24423	Thread (upper) Take-up Plate Spring
		for 131337
68184	24423	Presser Bar Lifting Lever Extension
68222	20633	Belt Guard with two wood screws 1 in. No. 12
68231	24423	Tension (upper thread) Releasing Shaft Spring
68350	20695	Arm 011 Cup, for oiling Arm Rock Shaft Front Bearing
68368	24433	Cloth Plate Slide (left) for 131051
68428	20688	Arm Bottom Cover

-

No.	Plate	Name
68429	20688	Arm Bottom Cover Gasket (cork)
68433	20695	" Rock Shaft Bushing (back)
68435	20695	" " " Cap
68436	20695	" " " " (intermediate)
68448	20688	" Side Cover Gasket
68461	24420	Face Plate (lower half) Gasket (cork)
68467	24421	Feed Bar Wearing Plate for 131942
68478	24436	Looper Carrier Connection Shaft
		Sleeve (eccentric)
68479	24436	Looper Carrier Driver with four 175E, for 131870
*68483		Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E
68485	24436	Looper Throw-out Handle with two 443AL
68486	24436	Looper Throw-out Handle Plunger
68488	24420	Needle Bar Connecting Link and Thread (upper) Controller for 131399
68489	24420	Needle Bar Connecting Link Hinge Stud (hollow) for 131399
68492	20703	Oil Pipe (back of arm) with 68497, for oiling Feed Rocking Frame
		Hinge Pin Front Bearing
68493	20703	Oil Pipe (back of arm) Clamp
68494	20703	" " " " Connection
		with 68495 and two 198E, for oil- ing Feed Rocking Frame Hinge Pin Back Bearing
68495	24421	Feed Bar Slide Block Oil Pad (wick) for 131944
68495	20703	Oil Pipe (back of arm) Connection Oil Pad (wick) for 68494
68496	20703	Oil Pipe (back of arm) Coupling
68497	24435	Feed Connecting Rod Oil Pad (wick)
		for 131500
68497		Looper Driving Shaft and Feed Lifting Eccentric Front Bearing Oil Pad
		(wick)
68497	20703	011 Pipe (back of arm) 011 Pad (wick) for 68492
68497	20703	Oil Pipe (front of arm) Oil Pad (wick) for 131112 and 131113 (2).
68498	20703	Oil Pipe (front of arm) with 131089
		and two 1733, for oiling Looper Driving Shaft and Feed Lifting Eccentric Front Bearing, for 131258
68500	20703	011 Pipe (front of arm) with 1733, 131084 and 131089, for oiling Arm Rotary Shaft Front Bearing, for 131258
69353	24410	Machine Base Bolt complete, to fasten base to table, for 131919, Nos. 51428R and 126150 (4)

30

•

No.	Plate	Name
79772		Bench Stand with 27998, two each
		41538, 126849, three wood screws
		1 1/4 in. No. 12, four each
		60656, wood screws 1 1/4 in. No.
		10, eight wood screws 5/8 in. No.
		6 and sixteen wood screws 5/8 in.
		No. 7, for Machine Base No.
		131264 when Machine is mounted on
100743		top of table
120341	20691	Tweezers (curved) Accessories
120344	20691	Oiler (copper plated) with 120345
		(Accessories)
120345	20691	Oiler Spout, 4 1/2 in. long, for
		120344
120440	20691	Screw Driver (large) Accessories
121108	20691	" " (small) Accessories
121440	24438	Lap Seam Feller (adjustable) on
		Shank, for medium heavy and heavy
		weight material
126150	24410	Machine Base Bolt Nut Lock Washer for
		69353 (4)
126247	20691	Bench Stand Flush Bolt for 41538 (2).
126248	20691	" " " Plate for
		41538 (2)
126249	20633	Foot Lifter Treadle for 150452
126250	20633	" " Spring for 150452
126849	20691	Bench Stand Flap Hinge with four wood
		screws 3/4 in. No. 7 for 79772
		(2)
126849	20691	Bench Stand Flap Hinge with four wood
		screws 5/8 in. No. 7 F.H., for
		135115 (4)
127838	20695	Arm Rock Shaft Crank (front) Pin for
_		131474
128215	24420	Needle Clamp with three 1498AL, for
		54493
128390	24437	Presser Foot Plate Hinge Stud for
	0110.	131701 (2)
128419	24436	Looper Carrier Connection Shaft Oil
100110	21100	Pad (braided cotton)
131002	20703	Oil Pipe (front of arm) Connection
101002	20703	with two 198E, for oiling Looper
		Throw-out Device
131003	20703	Ail Dimo (front of arm) Connection
131003	20103	Oil Pipe (front of arm) Connection
		with two 198E, for 131112 and
131004	20703	131113 #2) Oil Pipe (front of arm) Coupling
131004	20703	
131004	20703	(center)
151004	20703	Oil Pipe (front of arm) Coupling
121011	24497	(left)
131011	24423	Tension (upper thread) Releasing
131022	21100	Shaft Spring Position Plate
191055	24409	Machine Base Screw Stud Bushing (rub-
131025	24423	ber) for 131446 (4) Slack Thread Controller
191053	64463	DIGOT INLOAD CONCLUTIOL

•

No.	Plate	Name
131028	24436	Looper Driving Shaft and Feed Lifting
		Eccentric Bushing Oil Plug
131050	24433	Cloth Plate Slide (left) Spring for 131051
131051	24433	Cloth Plate Slide (left) complete,
		for 131467, Nos. 68368, 131050 and two 725J
131052	24436	Looper Holder with 452C and 1120AL
131056	20695	Arm Rock Shaft Adjusting Screw Washer
131072	24435	" " Crank, back (ball
		bearing solid) with two 50083AL,
131084	20703	for 131930 011 Pipe (front of arm) Connection
101004	20103	with two 198E, for 68500
131087	20703	Oil Pipe (front of arm) Coupling
		(right) with Oil Lead
131089	20703	Oil Pipe (front of arm) Oil Pad
		(wick) for 68498 and 68500 (2)
131095	20695	Arm Rock Shaft Bushing (back) Cap
131112	20703	Washer (fibre)
IVIII	20100	and 131003, for oiling Feed Bar
		Slide Block, for 131258
131113	20703	Oil Pipe (front of arm) with 68497
		and 131003 for oiling Feed Con-
121120	04400	necting Rod, for 131258
131139 131144	24420 24437	Face Plate (lower half) Needle Guard (movable) for 9/64 in.
121144	24437	
131145	24437	Needle Guard (movable) for 5/32 in.
		to 3/16 in. gauges
	Note:	When ordering No. 131144 or 131145
131146	24423	state gauge required.
131146 131188	24423	Tension (under thread) Bracket Machine Base Oil Drain Jar Clamp for
	21100	131217
131189	24409	Machine Base Oil Drain Jar Clamp
		Lever for 131217
131197	24421	Feed Bar Hinge Pin Eccentric for
131204	24424	131945 Thread (under) Take-up Thread Guide
		(left) Thread Retainer for 131430
131204	24424	Thread (under) Take-up Thread Guide
		(right) Thread Retainer for
131205	24409	131430 Machine Base Screw Stud, to position
	61100	machine on base, for 131264 and
		131919 (4)
131217		Machine Base Oil Drain Jar Clamp
171040	04407	131188 with 131189, for 131268
131240	24421	Feed Rocling Frame with two 453AL, for 131945
131258		Oil Pipe (front of arm) complete,
		Nos. 68498, 68500, 131112 and
		131113

• - -

No.	Plate	Name
131263	24409	Machine Base for 131264
131264	24409	Machine Base complete, for 131328,
		Nos. 131263, three each 9842,
		51576E, 54477 and four each 131205 and 131279
131265	24409	Machine Base Oil Drain Jar Nipple
101200	24403	(long) for 131268 (2)
131266	24409	Machine Base Oil Drain Jar Nipple
201000	21100	(short) for 131268
131267	24409	Machine Base Oil Drain Jar Nipple El-
		bow for 131268 (2)
131268	24409	Machine Base Oil Drain Jar (swinging
		type) complete, for 131328 and
· ·		131920, Nos. 131217, 131266,
		131961, 131962 and two each
		1247AL, 131265 and 131267
131270	24420	Needle Bar Connecting Link Hinge Stud
		011 Pad (wick)
131276	20688	Arm Side Cover (oil vent) for 131911.
131279	24409	Machine Cushion (felt) for 131264 and 131919 (4)
131280	20688	Arm Side Cover Cap Position Pin for
101200	20000	131911
131291	24420	Needle Bar Bushing (lower)
131292	24420	Presser Bar Bushing (lower)
131293	20695	Arm Rock Shaft for 131474
131319	20695	" Oil Cup Oil Pad (braided cotton)
		for 68350
131323	24437	Looper (back) closed eye
	Note:	When ordering No. 131323 state gauge
_		required.
131324	24437	Looper (front) closed eye for 131326.
	Note:	When ordering No. 131324 state gauge
131325	24437	required. Looper (intermediate) closed eye for
131363	24401	131326
131326	24437	Looper (intermediate) 131325 with
202000		1302J, 51011J and 131324
131328	24409	Machine Base and Oil Drain Jar
		(swinging type) complete, for use
		when Machine is mounted on top of
		table, for use with Bench Stand
		No. 79772, Nos. 131264 and 131268
131336	24423	Thread (upper) Take-up for 131337 Thread (upper) Take-up complete, Nos.
131337		1449J, 68008, 68164-and 131336
131366	24435	Arm Rotary Shaft Ball Bearing (back)
121200	24400	for 131526 (2)
131366	24435	Arm Rotary Shaft Ball Bearing (inter-
		mediate)
131369	24435	Arm Rotary Shaft Ball Bearing (back)
		Case Cap for 131479
131370	24435	Arm Rotary Shaft Ball Bearing (back)
		Case Position Stud (3)

.

No.	Plate	Name
131379	24433	Cloth Flate Slide (right), 9/64 in.
		Throat Plate clearance cut, for
		131386
131381	24433	Cloth Plate Slide (right) Spring for
2 7 2 7 0 0	04477	131386 Cloth Plate Slide (right) complete,
131386	24433	9/64 in. Throat Plate clearance
		cut for 131467, Nos. 131379,
		131381 and two 725J
131395	24420	Face Plate (upper half)
131399		Needle Bar Connecting Link and Thread
		(upper) Controller 68488 with
		68489 and 131400
131400		Needle Bar Connecting Stud with 211F and 1492E, for 131399
131401	24420	Presser Bar Lifting Bracket with
101401	24420	453AL
131402	24423	Presser Bar Lifting Lever
131404	24424	Slack Thread Regulator Holder
131405	24424	" " " Crank
		with 171AL
131406	24424	Slack Thread Regulator Holder Crank
131407	24435	Connecting Link Thread (under) Take-up with 1258AL
131408	24424	" " " 0il Guard for
		131936
131411	24424	Thread (under) Take-up Stripper Plate
		Bracket for 131936
131413	24424	Thread (under) Take-up Thread Guard
171401	24424	(fibre) for 131936 Thread (under) Take-up Thread Guide
131421	24424	(intermediate, left) for 131936
131422	24424	Thread (under) Take-up Thread Guide
		(intermediate, right) for 131936.
131427	24424	Slack Thread Regulator
131429	24424	Thread (under) Take-up Thread Guide
	. .	(left) for 131430
131429	· 24424	Thread (under) Take-up Thread Guide (right) for 131430
131430		Thread (under) Take-up Thread Guide
101100		(left) 131429 with 236C and
		131204, for 131936
131430		Thread (under) Take-up Thread Guide
		(right) 131429 with 236C and
*131446		131204, for 131936 Arm, upper and lower (solid) with
		948J, 15404, 68483, two 131676
		and four 131022
131456	20695	Arm Rock Shaft Flanged Bushing
		(front)
131457	24435	Arm Rotary Shaft Bushing (front)
131466	24433	Cloth Plate for 131467
131467		Cloth Plate complete, for Throat Plate, with 9/64 in. offset, Nos.
		131051, 131386 and 131466
		,

No.	Plate	Name
131474		Arm Rock Shaft 131293 with 1235F,
		127838 and 131475
131475	20695	Arm Rock Shaft Crank (front) with
		853AL, for 131474
131478	24435	Arm Rotary Shaft Ball Bearing (back)
		Case for 131479
131479		Arm Rotary Shaft Ball Bearing (back)
		Case 131478 with 131369 and three
		205C, for 131526
131480	24435	Arm Rotary Shaft Ball Bearing (back)
		Spacing Collar for 131526
131481	24435	Arm Rotary Shaft Ball Bearing (inter-
		mediate) Case
131482	24435	Arm Rotary Shaft Ball Bearing (inter-
		mediate) Collar with two 457AL
131487	24435	Arm Rotary Shaft for 131510
131500	24435	Feed Connecting Rod with 1057AL,
		68497, 134260 and two 896AL for
		131502
131502		Feed Connecting Rod 131500 with 54025,
		for 131510
131510		Arm Rotary Shaft 131487 with 640E,
		131502, 131870 and 131930
131526		Arm Rotary Shaft Ball Bearing (back)
		Case with Ball Bearings complete,
		Nos. 131479, 131480 and two
		131366
131581	24423	Thread (under) Eyelet (back)
131610	24433	Cloth Plate Thread Guard
131662	24437	Feed Dog, 19 teeth (10 teeth to the
		inch) for 9/64 in. to 3/16 in.
	Noto	gauges, for use with 131844
	Note:	When ordering No. 131662 state gauge required.
131676		Trade Mark Rivet for 131446 (2)
131696	24423	Tension (under thread) Thread Guide
101090	24423	
131696	24423	(3) Tension (upper thread) Thread Guide
101000	64465	(3)
131697	24437	Presser Foot Plate for 131701
131698	24437	" " Shank for 131701
131699		" " Yielding Heel for 131701
131700	24437	" " " " Connection
		for 131701
131701	24437	Presser Foot (triple hinged) com-
		plete, for 9/64 in. to 3/16 in.
		gauges, Nos. 27114, 131697 to
		131700 and two each 662J, 18055
		and 128390
131730	24421	Feed Bar Feed Dog Seat (adjustable)
		with 460AL, for 131942
131740	24423	Tension (under thread) Spring (3)
131741	24423	Tension (upper thread) Spring (3)
131749	20688	Presser Bar Spring for 131830 and
		131851


No.	Plate	Name
131750	20688	Presser Bar Spring (auxiliary) for
		131830
131751	20688	Presser Bar Spring Screw Stud for 131830 and 131851
131752	20688	Pressure Regulating Thumb Nut Washer for 131830
131824	24424	Thread (under) Take-up Stripper for 131936
131825	24424	Thread (under) Take-up Stripper Plate for 131936
131830	20688	Presser Bar Spring complete, Nos. 1637J, 51697W and 131749 to 131752
131844	24437	Throat Plate, for 9/64 in. to 3/16 in. gauges, for use with 131662
	Note:	When ordering No. 131844 state gauge
131851	20688	required. Presser Bar Spring (less auxiliary
131931	20688	<pre>spring) complete, Nos. 1637J, 42290K, 51697W, 131749 and 131751</pre>
131864	24435	Arm Oil Cup for 131866
131865	24435	" " " 0il Gauge for 131866
131866	24435	Arm 0il Cup with 0il Gauge complete, for filling oil reservoir, Nos. 131864 and 131865
*131870		Looper Driving Shaft and Feed Lifting Eccentric 131960 with 54027, 54227, 54228 and 68479, for 131510
131909	20688	Arm Side Cover Cap for 131911
131910	20688	" " " " Spring for 131911.
131911	20688	Arm Side Cover (oil vent) complete, Nos. 1289X, 131276, 131280, 131909 and 131910
131912	24420	Presser Bar (hollow)
131913	24435	Balance Wheel, 2 in. pulley, with two 51283AL, for round belt
131914		Balance Wheel (outside diam. of belt groove 2.9 in.) with two 51283AL, for "V" belt
131918	24410	Machine Base for 131919
131919	24410	Machine Base complete, for 131920,
		Nos. 131918 and four each 69353, 131205 and 131279
131920	24410	Machine Base and Oil Drain Jar (swinging type) complete, for use when Machine is mounted semi-sub- merged, for use with Bench Stand No. 135115, Nos. 131268 and 131919


No.	Plate	Name
*131926	24435	Crank Connecting Rod with two each 1057AL, 51715AL, 131927 and
	Note:	131926, for 131930 When No. 131926 is required for repairs Connecting Rod and Arm Rock Shaft Crank (back) fitted together will be fur- nished. All Agency orders for this
		part must state the Machine number for which it is required, in order to ob-
131927	24435	tain correct Needle Bar stroke. Crank Connecting Rod Cap (lower) Screw Stud for 131926 (2)
131928	24435	Crank Connecting Rod Cap (lower) Screw Stud Nut Lock Washer for
131930		131926 (2) Crank Connecting Rod 131926 with
131936	24424	131072 for 131510 Thread (under) Take-up Stripper Plate Bracket 131411 with 217J, 32062,
		50438J, 54242, 131408, 131413, 131421, 131422, 131824, 131825, two each 207J, 7071, 50470J,
131941	24421	131430 and four 190J Feed Bar for 131942
131942		Feed Bar with Feed Dog Leveling De-
		vice complete, for 131945, Nos. 190E, 22436, 68467, 131730, 131941 and two 207E
131943	24421	Feed Bar Slide Block for 131944
131944	24421	" " " 131943 with 68495 and 134260
131945		Feed Rocking Frame 131240 with 59343, 131197 and 131942
131959	24436	Looper Driving Shaft and Feed Lifting Eccentric Bushing
131960	24436	Looper Driving Shaft and Feed Lifting Eccentric for 131870
131961	24409	Machine Base Oil Drain Jar (glass) for 131268
131962	24409	Machine Base 011 Drain Jar Cap for 131268
134260	24421	Feed Bar Slide Block Oil Pad Retainer for 131944
134260	24435	Feed Connecting Rod Oil Pad Retainer for 131500
135115		Bench Stand with 27998, 60220 and four each 126849 with wood screws 5/8 in. No. 7 F.H. (in place of wood screws 3/4 in. No. 7 F.H.) and wood screws 1 1/2 in. No. 10 F.H., for use with Machine Base No. 131919 when machine is mount- ed semi-submerged
138306		Feed Eccentric Lubricating Pad (wood) for 54024


NUMERICAL LIST OF PARTS


No.	Plate	Name
139017	20688	Arm Hole Plug Screw Washer
1402190	20633	Knee Lifter Rock Shaft Stop Dog Set Screw for 2770
140275J	24437	Feed Dog Screw, when movable needle guard 1s used
150203	23109	Thread Unwinder Spool Rest Cushion (felt) for 150663 (6)
150364	23109	Thread Unwinder Base with two 437C, for 150657
150366	23109	Thread Unwinder Thread Cone Holder for 150657 (6)
150367	23109	Thread Unwinder Thread Cone Holder Support for four cones for 150657
150368	23109	Thread Unwinder Thread Cone Steady Wire for 150657 (6)
150369	23109	Thread Unwinder Thread Guide, for four threads, for 150657
150451	20633	Foot Lifter Treadle Stand for 150452.
150452	20633	Foot Lifter Treadle complete, Nos.
		4879, 4882, 126249, 126250,
		150451 and two wood screws 1 in.
		No. 16 F.H
150647	23109	Thread Unwinder Spool Rest with 178J, for 150663 (6)
150649	23109	Thread Unwinder Spool Rest Rod, for four spool rests, for 150663
150653	23109	Thread Unwinder Rod for 150657
150654	23109	" " Thread Cone Holder
		Support, for two cones, for 150657
150655	23109	Thread Unwinder Thread Cone Holder
		Support Bracket for 150657, for
150050		use with 150654
150656	23109	Thread Unwinder Thread Guide, for two threads, for 150657
150657	23109	Thread Unwinder complete, for invert-
		ed cones, for six cones, Nos.
		51082R, 51083R, 150364, 150367,
		150369, 150653 to 150656, two 178J, three wood screws 1 1/2 in.
		No. 16 F.H. and six each 164J,
		19020, 150366 and 150368
150658	23109	Thread Unwinder Spool Rest Rod, for
150663	23109	two spool rests, for 150663 Thread Unwinder Spool Rest complete
130003	20100	(for six spools) for use when
		spools are used in place of cones
		of thread, for use with Thread
		Unwinder No. 150657, Nos. 150649,
		150658, two 178J and six each
		150203 and 150647
164197	20691	Wrench for 51715 (not regularly fur-
		nished) Accessories


ILLUSTRATIONS OF PARTS
























$24420 - \frac{1}{2}$





24421 - 1/2














24436 - 2/3



24437 - 2/3





SINGER Needles should be used in SINGER Machines. These Needles and their Containers are marked with the Company's Trade-Mark "SIMANCO.**" 1

Needles in Containers marked "FOR SINGER MACHINES" are NOT **SINGER** made needles. 2

