Form 19395 (240) Printed in IJS A

LIST of PARTS



MACHINES Nos. 147-25 and 147-39

THE SINGER MANUFACTURING COMPANY

From the library of: Superior Sewing Machine & Supply LLC

INSTRUCTIONS FOR OILING

Before starting the machine, fill all oil reservoirs and apply oil to the connecting rod and all parts which are in movable contact and all oil holes. When the machine is in continuous use, it should be thoroughly oiled at least twice each day.

Use only Singer "OIL FOR HIGH SPEED SEWING MACHINES (Cloth and Leather)" for general use, or "STAINLESS OIL FOR HIGH SPEED SEWING MACHINES" where a stainless oil is desired.

Copyright, U. S. A., 1930 and 1940 by The Singer Manufacturing Co. All Rights Reserved for all Countries

INDEX

I	Page
Accessories	18
Belt Guard	18
Bench Stand No. 79611	18
Fittings for Straight or Tunnel Belt Loops	19
Folders	20
Foot Lifter Parts	22
Knee Lifter Parts	22
Machine Base	23
Machine Base Oil Drain Jar	23
Machine No. 147-25	5
Machine No. 147-39	16
Numerical List of Parts	25
Stiletto	23

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column. The number stamped on a Sewing Machine Part is in every case the number of the single part only. Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination. Each number always indicates the SAME PART in whatever list it appears, or for whatever machine. The letters after some of the numbers indicate the style of finish only, as follows: A-Kardened, Polished, Nickel Plated and Buffed A.A-Buffed and Chromium Plated A.B-Hardened, Polished, Buffed and Chromium Plated A.C-Brown Baking Enamel Finish A.D-Gray Baking Enamel Finish A.E-Hardened, Bright Rumbled and Nickel Plated A.F-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated B-Polished, Nickel Plated and Buffed C-Hardened Cnly C.R-Hardened and Merlized D_Polished Only E-Soft, Not Polished F-Hardened and Polished F.J-Hardened, Polished and Nickel Plated G-Bright Rumbled and Nickel Plated H-Blued J-Nickel Plated Only K-Hardened and Nickel Plated L-Brass Plated M-Oxidized N-Japannod, Dull P-Japanned, Bright P.P-Wrinkle Finish R-Merlized S-Cadmium Plated T-Copper Plated T.A-Hardened, Polished, Copper and Nickel Plated and Buffed T.B-Copper and Nickel Plated and Polished T.J-Copper and Nickel Plated Only T.K-Hardened, Copper and Nickel Plated T.L-Copper and Brass Plated T.M-Copper Plated and Oxidized U-Zinc Plated V-Silver Plated W-Polished and Nickel Plated X-Black Oxide, for Iron and Steel X.C-Hardened and Black Oxide, for Iron or Steel Y-Black Nickel Plated Only 2-Chromium Plated Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated Z.B-Polished, Nickel Plated, Buffed and Chromium Plated Z.C-Hardened and Chromium Plated Z.D-Polished and Chromium Plated Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated Z.J-Nickel and Chromium Plated Z.T-Copper and Chromium Plated These letters MUST BE USED when they appear in the list; and AFTER the number as in the list. In this series: 1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts. The figures in the second column refer only to the plates,

From the library of: Superior Sewing Machine & Supply LLC


illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when

When ordering parts which differ as to Gauge (the distance between seams) the Gauge, as well as the Number must be given on

repairs are made at factory.

LIST OF PARTS COMPLETE FOR



MACHINE No. 147-25

For Covering Seams, Necking and Ornamenting Knit Underwear. Two needles, one looper. Gauges $\frac{1}{8}$ inch, $\frac{3}{16}$ inch and $\frac{1}{4}$ inch. Speed up to 3200 R. P. M. according to the material being stitched.

No.	Plate	Name
*131128		Arm, upper and lower (solid) with 948J,
		15404 and two 15405
42366	20641	Arm Oil Pad (braided cotton) for oiling
		Arm Rock Shaft Front Bearing
56006	20641	Arm Oil Pad (braided cotton) for oiling
		Arm Rock Shaft Intermediate Bearing.
56003	20641	Arm Oil Tube with 52045, for oiling
		Needle Bar Connecting Link
11119	20641	Arm Oil Tube with 52045, for oiling
		Thread (upper) Nipper
52045	20641	Arm Oil Tube Packing (wick)
68118	20641	" Rock Shaft
68119		" " 68118 with 54004 and 64255
64386	20641	" " Bushing (back)
446C	20641	" " " Set Screw
64388	20641	" " (intermediate)
423C	20641	" " " Set
		Screw

No.	Plate	Name
52045	20641	Arm Rock Shaft Bushing Oil Pad (wick)
54004	20641	" " Collar with two 453C
453C	20641	" " " Set Screw
131072	20642	" " Crank, back (ball bearing
		solid) with two 50083C
50083C	20642	Arm Rock Shaft Crank, back (ball bearing
		solid) Set Screw
64255	20641	Arm Rock Shaft Crank (front) with 453C.
2117	20641	# # # # # # # ***
453C	20641	" " Set Screw.
54105	20641	" " Flanged Bushing (front).
52045	20641	n n n n n n O1
0.0000		Pad (wick)
453C	20641	Arm Rock Shaft Flanged Bushing (front)
1000	20041	Set Screw
54254	20642	Arm Rotary Shaft
54347	20042	
34347		OFFOR MINI OFFIG 94490
OAGT	00040	64351, 64355 and 131346
948J	20642	Arm Rotary Shaft Bracket Screw
54080	20642	Busning (iront)
40326	20642	UII Pa
~~~		(braided cotton)
761E	20642	Arm Rotary Shaft Bushing (front) Set
		Screw
54081	20642	Arm Rotary Shaft Bushing (intermediate,
		left)
52045	20642	Arm Rotary Shaft Bushing (intermediate,
		left) 011 Pad, long (braided cotton
761E	20642	Arm Rotary Shaft Bushing (intermediate,
		left) Set Screw
54007	20642	Arm Rotary Shaft Bushing (intermediate,
		right)
54089		Arm Rotary Shaft Bushing (intermediate,
		right) 54007 with 64508 and 64805
64508	20642	Arm Rotary Shaft Bushing (intermediate,
		right) 011 Pad, long (braided
		cotton)
64805	20642	Arm Rotary Shaft Bushing (intermediate,
		right) 011 Pad, short (braided
		cotton)
422C	20642	Arm Rotary Shaft Bushing (intermediate)
		Set Screw (long)
50084C	20642	Arm Rotary Shaft Bushing (intermediate)
		Set Screw (short)
54450	20642	Arm Rotary Shaft Collar with two 1258C.
1258C	20642	" Set Screw
54009	20642	" " Flanged Bushing
54090		" " " " 5400s
		with 58039 and 64805
58039	20642	Arm Rotary Shaft Flanged Bushing Oil Pad
		long (braided cotton)
		,/···················

No.	Plate	Name
64805	20642	Arm Rotary Shaft Flanged Bushing Oil Pad,
		short (braided cotton)
15 <b>9</b> F	20642	Arm Rotary Shaft Flanged Bushing Screw
49013	20642	" " Front Bearing Oil Pad
		(braided cotton)
144D	20642	Arm Rotary Shaft Screw
54256	20644	" Side Cover (back)
46111	20644	" " Position Pin
51224W	20644	" " Thumb Screw
54010	20644	" " (front)
51224W	20644	" " Thumb Screw
64259	20642	Balance Wheel, 2 in. diam. pulley, with
		two 51283C
51283C	20642	Balance Wheel Set Screw
54257	20643	Cloth Plate
1011F	20643	" Screw (left)
50473F	20643	" " (right)
54012	20643	" Slide (left)
54013	20643	Cloth Plate Slide (left) complete, Nos.
		38419, 54012 and two 725J
38419	20643	Cloth Plate Slide (left) Spring
725J	20643	
54014	20649	(11gnu) 101 0±010
54055	20649	010001111
68166	20651	00107
131057	20650	101020
54015	20649	Cloth Plate Slide (right) complete for
		Throat Plate 46162, for 1/8 in.,9/64
		in. and 3/16 in. gauges, for 54350,
	00040	Nos. 38419, 54014 and two 725J
54056	20649	Cloth Plate Slide (right) complete for
		Throat Plate 46162, for 1/4 in.gauge,
		for 131742, Nos. 38419,54055 and two 725J
607.60	20651	Cloth Plate Slide (right) complete for
68167	20091	Throat Plates 54426 and 131248, for
		1/8 in., 3/16 in. and 1/4 in.gauges,
		for 54258, Nos. 38419,68166 and two
		725J
131058	20650	Cloth Plate Slide (right) complete for
191090	20000	Throat Plate 131588, for 1/4 in.
		gauge, for 131743, Nos. 38419,131057
		and two 725J
38419	20649	Cloth Plate Slide (right) Spring
725J	20649	s s s s Screw
54350		Cloth Plate complete for Throat Plate
0.000		46162, for 1/8 in., 9/64 in. and
		3/16 in. gauges, Nos. 1460H, 54013,
		54015, 54257 and 54261
131742		Cloth Plate complete for Throat Plate
		46162, for 1/4 in. gauge, Nos.1460H,
		54013 54056 54257 and 54261

No.	Plate	Name
54258		Cloth Plate complete for Throat Plates
		54426 and 131248, for 1/8 in., 3/16
		in. and 1/4 in. gauges, Nos. 1460H,
		54013, 54257, 54261 and 68167
131743		
101/40		Cloth Plate complete for Throat Plate
		131588, for 1/4 in. gauge, Nos. 1460H,
<b>54304</b>	00045	54013, 54257, 54261 and 131058
54104	20643	Cloth Plate Thread Guard
1235D	20643	DCTew
54259	20642	Crank Connecting Rod with 6575, 54218,
		68350 and two each 896E and 1057E
131346		Crank Connecting Rod 54259 with 131072
896E	20642	" " Cap (lower) Screw
1057E	20642	" " " (upper) Screw
68350	20642	" " O11 Cup
54218	20642	" " " Pad (braided
		cotton)
6575	20642	Crank Connecting Rod Oil Pad Stop Pin
64269	20644	Face Plate
46111	20644	" Pin
51224W	20644	" " Thumb Screw
54019	20645	Feed Bar with 50429C and two 453C
54020	20642	" Connection
57225	20645	" " Hinge Pin
453C	20645	
54111	20642	Dec octew
OTLL	20012	" Connecting Rod with 1057E and two
54113		896E
		Feed Connecting Rod 54111 with 54025
896E	20642	cap screw
1057E	20642	Cramping Screw
54023	20645	ninge Pin
21506	20645	" Collar With
		457C
457C	20645	Feed Connecting Rod Hinge Pin Collar Set
		Screw
131311	20649	Feed Dog,21 teeth (16 teeth to the inch)
	•	for 1/8 in. to 1/4 in. gauges, for
		46162
131585	20650	Feed Dog, 17 teeth (12 teeth to the inch)
		for 1/4 in. gauge, for 131588, for
		medium heavy and heavy weight ma-
		terial
54422	20651	Feed Dog, 18 teeth(16 teeth to the inch)
		for 1/8 in., 3/16 in. and 1/4 in.
		gauges, for 54426
<b>1</b> 57J	20649	Feed Dog Screw
50429C	20645	" Stop Screw
51061C	20642	* Eccentric Body Set Screw
7071	20642	" Clamping Washer
217.J	20642	" " Screw
-2.3		Screw

```
No.
        Plate
                               Name
54025
        20642
                Feed Eccentric (adjustable) complete,
                   Nos.1103C and two each 217J,7071 and
                   20642
                Feed Lifting Eccentric with two 1259C...
54260
 1259C
        20642
                              .
                                   Set Screw.....
 1103C
        20642
                    Regulating Screw.....
54026
        20645
                    Rocking Frame with two 453C.....
57234
        20645
                                Hinge Pin.....
        20645
                                        Bushing....
57235
  453C
        20645
                   Screw.....
  453C
        20645
               Feed Rocking Frame Hinge Pin Set Screw..
               Folder Holder Seat Cover.....
54261
        20643
        20643
 1460H
                                     Screw......
25618
        20644
               Guide.....
                     Thumb Screw.....
51224W
        20644
        20649
               Looper with 590D and 38393.....
54377
54378
        20649
                      54377 with 229D and 46204.....
54262
        20645
                     Avoiding Eccentric with two 1258C
54263
        20645
                                      Connection...
                         Ħ
 1258C
        20645
                                      Set Screw....
54264
        20645
                     Bell Crank with 1036C.....
54349
                               54264 with 42078.....
                       EE
42074
        20645
                               Ball Stud.....
 10360
       20645
                                       Set Screw...
42075
       20645
                               Connection with four
  8960
       20645
               Looper Bell Crank Connection Cap (lower)
                   Screw......
               Looper Bell Crank Connection Cap (upper)
  896C
       20645
                   Screw.......
68288
       20643
               Looper Bell Crank Connection Cover.....
 190J
       20643
                                              Screw
42077
       20645
                                        Guide.....
  171E
       20645
                                              Screw
42078
       20645
                               Hinge Pin.....
42079
       20645
                                    " Bushing....
       20645
 453C
                   Screw.....
 453C
       20645
               Looper Bell Crank Hinge Pin Set Screw...
54265
       20645
                     Carrier with two 171D......
       20645
 171D
                            Adjusting Screw......
54266
       20645
                            Connection with two 175E.
54343
                                    54266 with 54263
54344
                                    54343 with 54265
                   and 54268.....
 175E
       20645
               Looper Carrier Connection Cap Screw....
54268
       20645
                                      Shaft.....
54269
                                           Bushing
       20645
 446C
       20645
                   Set Screw.....
```

No.	Plate	Name
49013	20645	Looper Carrier Connection Shaft Oil Pad
		(braided cotton)
54270	20645	Looper Carrier Pitman with four 187E
54334		" " 54270 with 6790 and
		50016C
679C	20645	Looper Carrier Pitman Ball Screw Stud
		(left)
1520J	20645	Looper Carrier Pitman Ball Screw Stud
		(left) Nut
50016C	20645	Looper Carrier Pitman Ball Screw Stud
		(right)
1519J	20645	Looper Carrier Pitman Ball Screw Stud
		(right) Nut
187E	20645	Looper Carrier Pitman Cap (left) Screw
187E	20645	" " " (right) Screw.
54273	20645	" Driving Crank with 1036C and 1259C
5 <b>434</b> 8		" " 54273 with 42074 and
		42075
1259C	20645	Looper Driving Crank Position Screw
1036C	20645	set Screw
54035	20645	" Holder with 11200
704J	20645	screw
46204	20649	Needle Guard with 46105
46105	20649	g g Pin
229D	20649	" " Screw
11200	20645	" Set Screw
38393	20649	f Thread Guard
590D	20649	s screw
64319	20646	Needle Bar (hollow)
54274	20646	Needle Bar complete, Nos. 46152 and
		64319
38456	20646	Needle Bar Bushing (lower)
1133E	20646	" Set Screw
64320	20646	" " (upper)
1133E	20646	" " Set Screw
54326	20646	" " Connecting Link
54329		" " 54026 With
		54327 and 54328
54327	20646	Needle Bar Connecting Link Hinge Stud
1520E	20646	Nuc
54328	20646	BUR ATTE UNIA DANG
		two 187E
187E	20646	Needle Bar Connecting Stud Clamping
		Screw
46152	20646	Needle Clamp with two 1498F
131269	20649	" Guard for 1/8 in. to 1/4 in. gauges
54038	20649	UOTOGI
176J	20649	BC10W
217F	20649	pcr.ew
1498F	20646	" Set Screw

```
No.
       Plate
                              Name
54275
       20643
               011 Cup with 49092.....
                      011 Pad (felt).....
49092
       20643
 207D
       20643
                      Screw.....
54108
       20644
                  Tube......
                      Bracket.....
54109
       20644
                      Packing (felt).....
49092
       20644
54110
       20644
               011 Tube complete, for oiling Crank Con-
                  necting Rod (upper bearing) Nos.
                  49092, 54108 and 54109.....
64330
               Presser Bar with 25303.....
       20646
25303
                         Ball, size 1/4 in.....
       20646
                         Bushing (lower).....
64331
       20646
 1133E
       20646
                                      Set Screw...
                       41
38456
       20646
                                (upper).....
                       и
 1133E
                                      Set Screw...
       20646
54039
       20646
                         Guide Bracket with 453C,64QJ
                  and 1963.....
 64QJ
       20646
               Presser Bar Guide Bracket Adjusting
11173
       20646
               Presser Bar Guide Bracket Guide ......
                      e
                          ø
                                      " Set Screw
 447C
       20646
                  Ħ
                      £1
                           11
 1963
       20646
                                    Roller and Stud
                  a
                       Ħ
 453C
       20646
                                    Set Screw.....
                  n
                         Lifter.....
57257
       20646
                  67
                               Hinge Pin.....
57258
       20646
                                    " Set Screw ..
 447C
       20646
 1872
       20646
                               Roller and Stud.....
                               Stop Screw.....
 1250C
       20646
                       " Lifting Bracket with 4600 and
61047
       20646
                  1872.....
               Presser Bar Lifting Lever.....
68208
       20644
                                 " Connecting Stud
61075
       20644
 460C
       20646
                  Set Screw.....
       20644
               Presser Bar Lifting Lever Extension....
68184
       20644
 16IJ
                      M
       20644
                 n
 802D
                                     Hinge Screw ...
                 Ħ
38467
       20644
                         Spring (flat).....
                 *
38468
       20644
                               Stud......
26276
       20649
                      Foot Hinge Pin.....
54353
       20649
                          Plate.....
                          Shank.....
36030
       20649
               Presser Foot (hinged) complete for 1/8
54354
       20649
                  in., 3/16 in. and 1/4 in. gauges,
                  Nos. 26276, 36030 and 54353.....
               Presser Foot Hinge Block.....
54723
       20650
26276
       20650
                                   Hinge Pin.....
                 Ħ
54423
       20650
                          Plate......
54424
                          Shank......
       20650
                 ø
 1080F
       20650
                               Hinge Screw.....
```

No.	Plate	Name
54425	20650	Presser Foot (double hinged) complete
		for 1/8 in., 3/16 in. and 1/4 in.
		gauges, Nos. 26276,54423,54424,54723
		and two 1080F
190J	20649	Presser Foot Screw
574W	20644	Pressure Regulating Thumb Screw
1539W	20644	" " " Lock Nut
64336	20648	Slack Thread Controller
46035	20648	" " Clamp
1900	20648	# # # Screw
54276	20648	g Regulator
54042	20648	" " Holder with 175E
02020	20010	and 50150C
175E	20648	Slack Thread Regulator Holder Clamping
1,08	20010	Screw
54043	20648	Slack Thread Regulator Holder Shaft
24292	20648	g g g g g g g g g g g g g g g g g g g
ಬ್ಲಾಬರಬ	20040	with 1019C
1019C	20648	Slack Thread Regulator Holder Shaft
10100	20010	Collar Set Screw
54044	20648	Slack Thread Regulator Holder Shaft
01011	20010	Crank (forked) with 1253C
1253C	20648	Slack Thread Regulator Holder Shaft
		Crank Set Screw
50150C	20648	Slack Thread Regulator Set Screw
2102	20647	Tension (under thread) Disc
54277	20647	" " Pull-off
54278	20647	" " " Eyelet
		(adjustable)
50473F	20647	Tension (under thread) Pull-off Eyelet
		Screw
203D	20647	Tension (under thread) Pull-off Screw
51570C	20647	" " Regulating Thumb
020.00	20011	Nut
50326C	20647	Tension (under thread) Screw Stud
59539		"
00000		with 51570C
131740	20647	Tension (under thread) Spring
59537	20647	" " Bushing
0000.	20017	(large)
59538	20647	Tension (under thread) Spring Bushing
		(small)
54279	20647	Tension (under thread) Thread Guide
•	· •, • ·	(double)
54070	20648	Tension (upper thread) Bracket
376J	20648	g g Screw
2102	20648	" " Disc
51570C	20648	Regulating Thumb
		Nut
32572	20648	Tension (upper thread) Releasing Disc
		***************************************

No.	Plate			Name		
54988	20648	Tension	(upper	thread)	Releasi	ng Pin
54071	20648					Shaft
54047	20648	•	•	a	r r	•
						• • • • • • • • •
54048	20648					ng Shaft
624C	20648	Tension	(upper	thread)	Releasi	ng Shaft
68261	20648	Tension	(upper	thread)	Releasi	ng Shaft
316F	20648	Tension	(upper	thread)	Releasi	ng Shaft
		Sto	p Screw			
1547J	20648	Tension	(upper	thread)	Releasi	ng Shaft
50326C	20648	Tension	(upper	thread)	Screw S	tud
59539			*	ti ti	ø	# 50326C
00000		w1t	h 51570			••••••
131741	20648	Tension	(upper	thread)	Spring.	
59537	20648	101101011	a	m m	#	Bushing
03007	20040	(12	roe )			
59538	20648	Toneion		thread)	Onning	Ruching
09000	OFOGS					
131696	20648	matan	(117700m	+bpood)	- mbmoad	Guide
53225						
	20647	THITESU	(under)	PAGTER		crew
190J	20647			-		
38284	20647			***		
64351	20642			Nibber		1 465C
465C	20642	-				Screw
38210	20647	**	*	-		(lower)
38211	20647					(upper)
46247	20647		η	-		# Stop
176J	20647	n	•	g	_	Borew
54280	20642	#	•	Take-up		√o 465C
465C	20642	ø	#	Ħ		rew
38478	20647	Ħ	Ħ	#		with two
54049	20647	Thread	(under)	Take-up	Staple	Bracket
						• • • • • • • • • •
965D	20647	Thread	(under)	Take-up	Staple	Bracket
		Sci	ew	• • • • • • •		
46041	20647	Thread	(under)	Take-up	Staple	Spring
190J	20647	•	ø	ø	#	a
		Sci	ew	• • • • • • •		
38481	20647			Take-up		
		Gua	ırd	•••••		
59QJ	20647	Thread	(under)	Take-u	Staple	Thread
						• • • • • • • • • •
54281	20647					er
207J	20647			a	•	Screw
64355	20642	m			Thread	Guard

		ANTS FOR MACHINE 140, 147-23
No.	Plate	Name
64356	20647	Thread (under) Take-up Thread Guard
01000	200±1	Steady Pin
460C	20647	Thread (under) Take-up Thread Guard
2000	20017	Steady Pin Set Screw
54331	20648	Thread (upper) Controller
207J	20648	" " Screw
54282	20648	g g Wire
54242	20648	" " " Clamp
1903	20648	n n n n n cramb
2000	20010	Screw
68129	20648	Thread (upper) Nipper Body
1149C	20648	" " " Set Screw
68130	20648	" " Disc (inside)
68131	20648	" " " " Washer
00202	20010	
68132	20648	(fibre) Thread (upper) Nipper Disc (outside)
1698R	20648	" " " " " " Nut
59456	20648	nut
29400	20040	
68133	20648	Washer
68134	20648	Thread (upper) Nipper Roller
68135	20648	Hinge Pin
68136	20040	S-040
00120		68135 With
13218	00040	68133 and 68134
68137	20648	Thread (upper) Nipper Stud Spring
00121		Thread (upper) Nipper complete, Nos.
		1698R,13218,59456,68129 to 68132 and
68138	20648	68136
207J	20648	Thread (upper) Nipper Thread Guide
131334	20648	Screw
54095	20648	Take-up
68164	20648	" Plate
1449J	20648	Spring
131335	20040	DCION
191999		Thread (upper) Take-up complete, Nos.
211F	20646	1449J, 54095, 68164 and 131334
46162	20649	Thread (upper) Take-up Set Screw
40102	£0049	Throat Plate for 1/8 in. to 1/4 in.
		gauges, for 54015,54056,54350,131311
131246	20651	and 131742 Throat Plate Body for 54426 and 131248
54426	20651	
OTTEO	FOOT	Throat Plate complete for 1/8 in., 3/16
		in. and 1/4 in. gauges, for 54258,
		54422 and 68167, Nos. 54427, 54428,
131586	20650	131246 and two 229D
54427	20650	Throat Plate Body
229D	20651	" Seam Guide (left)
wan	POOOT	Screw for
1100J	20650	54426
11000	20000	Throat Plate Seam Guide (left) Screw for


No.	Plate	Name
54428	20651	Throat Plate Seam Guide (right) for 54426
131587	20650	Throat Plate Seam Guide (right) for 131588
229D	20651	Throat Plate Seam Guide (right) Screw for 54426
1100J	20650	Throat Plate Seam Guide (right) Screw for 131588
131588	20650	Throat Plate complete, for 1/4 in. gauge, for 131058,131585 and 131743, for medium heavy and heavy weight material, Nos. 54427, 131586, 131587 and two 1100J
131247	20651	Throat Plate Filling-in Piece
229D	20651	" " " Screw
131248	20651	Throat Plate complete for 1/8 in., 3/16 in. and 1/4 in. gauges, for 54258, 54422 and 68167, Nos. 131246, 131247 and two 229D
742F	20649	Throat Plate Screw
*15404		Trade Mark
15405		s Rivet

Genuine Singer Needles should be used in Singer Machines.

These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked
"For Singer Machines"
are not Singer made needles.

2



## MACHINE No. 147-39

For Making Narrow or Tunnel Belt Loops for Trousers. Two needles, one looper. Gauges 3/16 inch and 1/4 inch. Speed up to 3200 R. P. M. according to the material being stitched.

NOTE: THIS MACHINE IS THE SAME AS THE 147-25 MACHINE,
WITH THE FOLLOWING EXCEPTIONS:

No.	Plate	Name
131744	20652	Cloth Plate Slide (right) for 131745
131745	20652	Cloth Plate Slide (right) complete for
		Throat Plate 121140, for 3/16 in.
		and 1/4 in. gauges, for 131746, Nos.
		38419, 131744 and two 725J
38419	20652	Cloth Plate Slide (right) Spring
725J	20652	" " " " Screw
131746		Cloth Plate complete for Throat Plate
		121140, for 3/16 in. and 1/4 in.
		gauges, Nos.1460H,54013,54257,120463
		and 131745
120733	20652	Feed Dog, 20 teeth (16 teeth to the
		inch) for 3/16 in. and 1/4 in.gauges,
		for 121140
26276	20652	Presser Foot Hinge Pin
121132	20652	# Plate
121133	20652	" " Shank
121134	20652	Presser Foot (hinged) complete for 3/16
		in. gauge, for narrow belt loops, Nos.
		26276, 121132 and 121133
		•

No.	Plate	Name
26276	20652	Presser Foot Hinge Pin
121135	20652	" Plate
121192	20652	" " Shank
121136	20652	Presser Foot (hinged) complete for 1/4
		in, gauge, for narrow belt loops, Nos.
		26276, 121135 and 121192
120719	20652	Strip Folder on Slide (short)
120463	20652	" " Holder with 8505 and 18116.
1460H	20652	g g Screw
18116	20652	" " " Spring
8505	20652	" " Rivet
121139	20652	Throat Plate Body
121137	20652	" " Belt Loop Guide (left)
233J	20652	n n n n n n Screw
121138	20652	" " (right)
233J	20652	e e o o o o o o o o o o o o o o o o o o
121140	20652	Throat Plate complete for 3/16 in. and
TELLITO	20002	1/4 in. gauges, for 120733, 131745
		and 131746, Nos.121137 to 121139 and
		four 233J

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked
"For Singer Machines"
are not Singer made needles.

# **ACCESSORIES**

No.	Plate	Name
120344	20656	Oiler (copper plated) with 120345
120345	20656	" Spout, 4 1/2 in. long
120440	20656	Screw Driver (large)
121108	20656	" (small)
38487	20656	Threading Wire
120341	20656	Tweezers (curved)
8908	20656	Wrench for 1520
4822	20656	"      1547

# **BELT GUARD**

No.	Plate	Name
68222	20633	Belt Guard with two wood screws 1 in.
		No. 12 F.H

# BENCH STAND No. 79611

FOR NO. 147-25 MACHINE

No.	Plate	Name
79611		Bench Stand with 27998, two each 41538,
		126849, three wood screws 1 1/4 in.
		No. 12, four each 60656, wood screws
		1 1/4 in. No. 10, eight wood screws
		5/8 in. No. 6 and sixteen wood
		screws 5/8 in. No. 7
126849	20656	Flap Hinge with four wood screws 3/4 in. No. 7
27998	20656	Flap Hook and Eye (brass) with wood
		screw 1/2 in. No. 5
126247	20656	Flush Bolt
126248	20656	" " Plate
41538		Flush Bolt with Plate complete, Nos.
		126247, 126248 and four brass wood
		screws 5/8 in. No. 4 F.H
60656	20656	Hinge

# FITTINGS FOR STRAIGHT OR TUNNEL BELT LOOPS

FOR NO. 147-39 MACHINE

No.	Plate	Name
120710	20653	Edge Folder on Bracket
120710 1443J	20653	" " Screw
120714	20653	Folder Plate
120714	20653	" Slide
120711	20653	" # Guide
120712	20653	" " Lock Spring
857D	20653	" " " Screw
50253D	20653	" " Screw
120715	20653	Strip Folder on Bracket
5944	20653	g Position Pin
120716		" " Plate with 5944
120716 1443J	20653 20653	" " Screw
335J	20653	" Screw
120717		" " Shank
120717 1425J	20653 20653	" " Hinge Screw
		" Stop Screw
646D	20653	Attachment (convertible) complete, Nos.
120718	20653	646D,1425J,120710,120711,120713 to
		120717, two each 335J,857D,120712 and
		four each 1443J and 50253D
FACES	20653	Cloth Plate Slide (right)
54055		Cloth Plate Slide (right) complete for
54056	20653	Throat Plate 120734, for 3/16 in.and
		1/4 in. gauges, Nos. 38419,54055 and
		two 725J
100000	00057	Feed Dog, 20 teeth (16 teeth to the inch)
120733	20653	for 3/16 in. and 1/4 in. gauges, for
7.00000	20653	120734 Presser Foot Guide (left) with 120736
120720	20653	" " " Guide Pin for
120736	ಒಂದಾ	120720
120721	20653	Presser Foot Guide (left) Lifting Lever.
11110	20653	Liegger Loof Gride (Telt) Pricing Peael.
1110	೭೮೦೦೦	Hinge Screw
120722	20653	Presser Foot Guide (left) Lifting Lever
TEOTEE	20000	Latch
120723	20653	Presser Foot Guide (left) Lifting Lever
120720	20000	Latch Spring
337J	20653	Presser Foot Guide (left) Lifting Lever
3570	ಒಂತರ	Latch Spring Screw
50424J	20653	Presser Foot Guide (left) Lifting Screw.
120724	20653	" " (right) with 120736
TOO ! COR	20000	(TIRIL) MINI TEOLOG

No.	Plate	Name
120736	20653	Presser Foot Guide (right) Guide Pin for
		120724
1264J	20653	Presser Foot Guide (right) Stop Screw
40268	20653	"
120725	20653	" " " Cap
337J	20653	" " " " Screw
120726	20653	" " Hinge Stud
120727	20653	" " " Collar with 4680
468C	20653	" " " Set Screw
120728	20653	" " Plate
120729	20653	" " Shank
120730	20653	Presser Foot (hinged) with spring yield-
		ing guides and device for locking
		left hand guide complete, for 120718,
		Nos. 111D, 1264J, 50424J, 120720 to
		120729, two 40268 and three 337J
120734	20653	Throat Plate, for 3/16 in. and 1/4 in.
		gauges, for 54056, 120718 and 120733

# FOLDERS FOLDER

FOR BUCKLE STRAPS
FOR NO. 147-39 MACHINE

No.	Plate	Name
54055	20654	Cloth Plate Slide (right) for 54056
54056	20654	Cloth Plate Slide (right) complete for
		Throat Plate 36032, for 3/16 in.
		gauge, Nos.38419,54055 and two 725J.
54057	20654	Cloth Plate Slide (right) for 54058
54058	20654	Cloth Plate Slide (right) complete for
		Throat Plate 36032, for 1/4 in.
		gauge, Nos. 38419,54057 and two 725J
36440	20654	Folder
50004B	20654	" Adjusting Screw
36441	20654	" Block
50004B	20654	g Screw
36443	20654	a.
36442		Slide
	20654	Tougue
36 <del>444</del>	20654	Folder on Slide complete, Nos. 36440 to
		36443 and four 50004B
120463	20654	Folder Holder with 8505 and 18116
1460H	20654	" " Screw
18116	20654	" Spring
8505	20654	" " Rivet
131348	20654	Feed Dog, 27 teeth (16 teeth to the inch)
		for 3/16 in. and 1/4 in. gauges, for

No.	Plate	Name
26276	20654	Presser Foot Hinge Pin
36445	20654	" " Plate
36030	20654	" " Shank
36446	20654	Presser Foot (hinged) complete, Nos. 26276, 36030 and 36445
36032	20654	Throat Plate for 3/16 in. and 1/4 in. gauges, for 54056, 54058 and 131348.

#### **FOLDER**

#### FOR BELT LOOPS

#### FOR NO. 147-39 MACHINE

No.	Plate	Name
54055	20655	Cloth Plate Slide (right) for 54056
54056	20655	Cloth Plate Slide (right) complete for
		Throat Plate 36032, for 3/16 in.
		gauge, Nos. 38419,54055 and two 725J
54057	20655	Cloth Plate Slide (right) for 54058
54058	20655	Cloth Plate Slide (right) complete for
		Throat Plate 36032, for 1/4 in.
		gauge, Nos. 38419,54057 and two 725J
36326	20655	Folder
218B	20655	" Adjusting Screw
36327	20655	# Block
50004B	20655	" Screw
36330	20655	" Slide
36328	20655	" Tongue with 36567
36567	20655	" "Tip
36027	20655	Folder on Slide complete, for belt loops,
		Nos. 36326 to 36328, 36330 and two
		each 218B and 50004B
120463	20655	Folder Holder with 8505 and 18116
1460H	20655	" " Screw
18116	20655	" Spring
8505	20655	" " Rivet
131348	20655	Feed Dog, 27 teeth (16 teeth to the inch)
		for 3/16 in. and 1/4 in. gauges, for
		36032
26276	20655	Presser Foot Hinge Pin
36029	20655	" Plate
36030	20655	" Shank
36031	20655	Presser Foot (hinged) complete, Nos.
		26276, 36029 and 36030
36032	20655	Throat Plate for 3/16 in. and 1/4 in.
		gauges, for 54056, 54058 and 131348.

# **FOOT LIFTER PARTS**

No.	Plate	Name
6439		Chain, 36 in. to 45 in. with 56864 and
		56865
	Note: When	ordering No. 6439, state length required.
4879	20633	Chain Connecting Link
56864	20656	" Hook (large)
56865	20656	" (small)
126249	20633	Treadle
4882	20633	" Shaft
126250	20633	" Spring
150451	20633	" Stand
150452	20633	Treadle complete, Nos. 4879,4882,126249,
		126250,150451 and two wood screws 1
		in. No. 16 F.H

# KNEE LIFTER PARTS

No.	Plate	Name
37563	*****	Chain, length 15 in. with 56864 and 56865
56864	20656	Chain Hook (large)
56865	20656	" (small)
2763	20633	Rock Shaft
12242	20633	" Hanger with two wood screws
		1 in. No. 10
6335	20633	Rock Shaft Knee Arm
6336		Rock Shaft Knee Arm complete, Nos. 2766,
		2767 and 6335
2766	20633	Rock Shaft Knee Arm Hub with 356C
356C	20633	" " Set Screw
2767	20633	" " Plate with 356C
356C	20633	" " " Set Screw
6337	20633	" Lifting Bracket with two 3560
7125	20633	n n n Hook
356C	20633	" " " Set Screw
356C	20633	" " Set Screw
2770	20633	" " Stop Dog with 140219C
140219C	20633	" " Set Screw
23767	20633	Rock Shaft complete, Nos.2763,2770,6336,
		6337 7125 and two 12242

# MACHINE BASE

No.	Plate	Name
131460	20657	Machine Base
131019	20657	" " Oil Pipe
131020	20657	" " " Valve
54477	20657	" " Screw Stud
51576E	20657	* * " " Nut
9842	20657	" " " Washer
131279	20657	" Cushion (felt)
948E	20657	" Screw, to fasten machine to base
131461	20657	Machine Base complete, Nos. 131019,
		131020, 131460, three each 9842,
		51576E, 54477 and four each 948E and
		131279

# MACHINE BASE OIL DRAIN JAR

(SWINGING TYPE)

No.	Plate	Name
131185	20658	Jar (glass)
131191	20658	" Cap
131188	20658	" Clamp
131217		" " 131188 with 131189
131189	20658	" " Lever
1247C	20658	" " Hinge Screw
131265	20658	Nipple (long)
131266	20658	" (short)
131267	20658	" Elbow
131268	20658	Machine Base Oil Drain Jar (swinging
		type) complete, Nos. 131185, 131191,
		131217, 131266 and two each 1247C,
		131265 and 131267
131462	20658	Machine Base with Oil Drain Jar (swing-
		ing type) complete, Nos. 131268,
		131460, three each 9842,51576E,54477
		and four each 948E and 131279

# **STILETTO**

FOR NO. 147-39 MACHINE

No.	Plate	Name
35964	20656	Stiletto (for belt loop work)

## THREAD UNWINDER

#### FOR THREE SPOOLS

No.	Plate	Name
225259	20659	Spool Rest (for one spool) with 201018C.
225257	20659	" (for two spools) with 201018C.
150203	20659	" Cushion (felt)
225388	20659	" " Rod
200383C	20659	" " Set Screw
2010180	20659	" Set Screw
202490	20659	Stand with 200383C
225391	20659	Thread Guide
201696J	20659	" Lock Nut
225326	20659	" Position Cup
225324	20659	" Rod with 208E and 225322
208E	20659	" " Screw
225322	20659	" " Washer
259143	20659	Thread Unwinder complete, Nos. 201696J, 202490,225257,225259,225324,225326,
		225388, three each 150203,225391 and
		wood screws 7/8 in. No. 12
27739	20659	Thread Cone (wood) for large cones
225390	20659	" " Holder, for inverted cones
Not	e: Nos.	27739 and 225390 are used with, but not
		ed in 259143.

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked

"For Singer Machines"

are not Singer made needles.

LIST
OF PARTS

# NUMERICAL LIST OF PARTS

1110   20653   Presser Foot Guide (left) Lifting Lever	No.	Plate	Name
144D   20642   Arm Rotary Shaft Screw	111D	20653	Presser Foot Guide (left) Lifting Lever
157J   20649   Feed Dog Screw			Hinge Screw for 120730
159F   20642	144D	20642	Arm Rotary Shaft Screw
161J   20644   Presser Bar Lifting Lever Extension   Screw			
Screw			
171D   20645   " Carrier Adjusting Screw for 54265   175E   20645   " " Connection Cap Screw for 54266	161J	20644	
175E   20645	171E	20645	Looper Bell Crank Connection Guide Screw
S4266	171D	20645	" Carrier Adjusting Screw for 54265
175E   20648   Slack Thread Regulator Holder Clamping   Screw for 54042	175E	20645	" " Connection Cap Screw for
Screw for 54042			
176J   20647   Thread (under) Nipper Spring Screw	175E	20648	
187E   20645   Looper Carrier Pitman Cap (left) Screw for 54270	176J	20649	Needle Guard Holder Screw
187E   20645   Looper Carrier Pitman Cap (left) Screw for 54270	176J	20647	Thread (under) Nipper Spring Screw
187E   20645   Looper Carrier Pitman Cap (right) Screw for 54270	187E	20645	Looper Carrier Pitman Cap (left) Screw
187E   20646   Needle Bar Connecting Stud Clamping   Screw for 54328			for 54270
187E   20646   Needle Bar Connecting Stud Clamping   Screw for 54328	187E	20645	Looper Carrier Pitman Cap (right) Screw
Screw for 54328			for 54270
190J   20643   Looper Bell Crank Connection Cover Screw   190J   20649   Presser Foot Screw	187E	20646	• • • • • • • • • • • • • • • • • • • •
190J 20649 Presser Foot Screw			Screw for 54328
190J 20648 Slack Thread Controller Clamp Screw  190J 20647 Thread (under) Eyelet (back) Screw  190J 20648 " Take-up Staple Spring Screw  190J 20648 " (upper) Controller Wire Clamp Screw  203D 20647 Tension (under thread) Pull-off Screw  207D 20643 Oil Cup Screw  207J 20648 " (upper) Controller Screw  207J 20648 " (upper) Controller Screw  207J 20648 " Nipper Thread Guide Screw  208E 20659 " Unwinder Thread Guide Rod Screw for 225324  211F 20646 Thread (upper) Take-up Set Screw for  54328  217J 20642 Feed Eccentric Clamping Washer Screw for  54025  217F 20649 Needle Guard Screw  229D 20651 Throat Plate Filling-in Piece Screw for  131248		20643	
190J 20647 Thread (under) Eyelet (back) Screw			
Take-up Staple Spring Screw   190J 20648	-		
190J   20648			
Screw    203D   20647   Tension (under thread) Pull-off Screw    207D   20643   Oil Cup Screw    207J   20647   Thread (under) Take-up Stripper Screw    207J   20648   " (upper) Controller Screw    207J   20648   " Nipper Thread Guide Screw for 225324.   208E   20659   " Unwinder Thread Guide Rod Screw for 225324.   211F   20646   Thread (upper) Take-up Set Screw for 54328    217J   20642   Feed Eccentric Clamping Washer Screw for 54025    217F   20649   Needle Guard Screw    218B   20655   Folder Adjusting Screw for 36027    229D   20649   Looper Needle Guard Screw for 54378    229D   20651   Throat Plate Filling-in Piece Screw for 131248			iano-ap boapio spiing boion
203D   20647   Tension (under thread) Pull-off Screw     207D   20643   Oil Cup Screw     207J   20647   Thread (under) Take-up Stripper Screw     207J   20648   " (upper) Controller Screw     207J   20648   " Nipper Thread Guide Screw     208E   20659   " Unwinder Thread Guide Rod Screw     for 225324.     211F   20646   Thread (upper) Take-up Set Screw for     54328.       217J   20642   Feed Eccentric Clamping Washer Screw for     54025.       218B   20655   Folder Adjusting Screw for 36027.     229D   20649   Looper Needle Guard Screw for 54378.     229D   20651   Throat Plate Filling-in Piece Screw for     131248.	190	20648	
207D   20643   Oil Cup Screw			
207J   20647   Thread (under) Take-up Stripper Screw   207J   20648   " (upper) Controller Screw   207J   20648   " Nipper Thread Guide Screw			
207J   20648			
207J   20648   "   Nipper Thread Guide Screw			
208E   20659   " Unwinder Thread Guide Rod Screw for 225324			(upper) contaction below
for 225324.  211F 20646 Thread (upper) Take-up Set Screw for 54328			Nipper intead duide Screw
217J   20642   Feed Eccentric Clamping Washer Screw for 54025		20659	for 225324
S4025	211F	20646	
217F       20649       Needle Guard Screw	217 <b>J</b>	20642	
218B 20655 Folder Adjusting Screw for 36027  229D 20649 Looper Needle Guard Screw for 54378  229D 20651 Throat Plate Filling-in Piece Screw for 131248	217F	20649	
229D 20649 Looper Needle Guard Screw for 54378 229D 20651 Throat Plate Filling-in Piece Screw for 131248	218B	20655	Folder Adjusting Screw for 36027
229D 20651 Throat Plate Filling-in Piece Screw for 131248	229D	20649	
131248	229D	20651	
229D 20651 Throat Plate Seam Guide (left) Screw for			
54426 and 131248	229D	20651	

No.	Plate	Name
229D	20651	Throat Plate Seam Guide (right) Screw
مدعه	20031	for 54426 and 131248
<i>2</i> 33J	20652	Throat Plate Belt Loop Guide (left) Screw for 121140
2331	20652	Throat Plate Belt Loop Guide (right) Screw for 121140
316F	20648	Tension (upper thread) Releasing Shaft Stop Screw
335J	20653	Strip Folder Screw for 120718
337J	20653	Presser Foot Guide (left) Lifting Lever Latch Spring Screw for 120730
337J	20653	Presser Foot Guide Spring Cap Screw for 120730
356C	20633	Rock Shaft Knee Arm Hub Set Screw for 2766
356C	20633	Rock Shaft Knee Plate Set Screw for 2767
356C	20633	Rock Shaft Lifting Bracket Hook Set Screw for 6337
356C	20633	Rock Shaft Lifting Bracket Set Screw for 6337
376J	20648	Tension (upper thread) Bracket Screw
422C	20642	Arm Rotary Shaft Bushing (intermediate) Set Screw (long)
423C	20641	Arm Rock Shaft Bushing (intermediate) Set Screw
446C	20641	Arm Rock Shaft Bushing (back) Set Screw.
446C	20645	Looper Carrier Connection Shaft Bushing Set Screw
447C	20646	Presser Bar Guide Bracket Guide Set Screw
447C	20646	Presser Bar Lifter Hinge Pin Set Screw
453C	20641	Arm Rock Shaft Collar Set Screw for 54004
453C	20641	Arm Rock Shaft Crank (front) Set Screw for 64255
453C	20641	Arm Rock Shaft Flanged Bushing (front) Set Screw
453C	20645	Feed Bar Hinge Pin Set Screw for 54019
453C	20645	Feed Rocking Frame Hinge Pin Bushing Set Screw for 54026
453C	20645	Feed Rocking Frame Hinge Pin Set Screw for 54026
453C	20645	Looper Bell Crank Hinge Pin Bushing Set Screw
453C	20645	Looper Bell Crank Hinge Pin Set Screw
453C	20646	Presser Bar Guide Bracket Set Screw for
457C	20645	54039 Feed Connecting Rod Hinge Pin Collar Set Screw for 21506

No.	Plate	Name
460C	20646	Presser Bar Lifting Lever Connecting
		Stud Set Screw for 61047
460C	20647	Thread (under) Take-up Thread Guard
		Steady Pin Set Screw for 54049
465C	20642	Thread (under) Nipper Cam Set Screw for
4050	00040	64351
465C	20642	Thread (under) Take-up Set Screw for 54280.
468C	20653	Presser Foot Hinge Stud Collar Set Screw
		for 120727
574W	20644	Pressure Regulating Thumb Screw
590D	20649	Looper Thread Guard Screw for 54377
590J	20647	Thread (under) Take-up Staple Thread Guard Screw for 38478
624C	20648	Tension (upper thread) Releasing Shaft
		Crank Set Screw for 54047
640J	20646	Presser Bar Guide Bracket Adjusting
		Screw for 54039
646D	20653	Strip Folder Stop Screw for 120718
679C	20645	Looper Carrier Pitman Ball Screw Stud
		(left) for 54334
704J	20645	Looper Holder Screw
725J	20643	Cloth Plate Slide (left) Spring Screw
		for 54013
725J	20649	Cloth Plate Slide (right) Spring Screw
		for 54015,54056,54058,68167,131058
		and 131745
742F	20649	Throat Plate Screw
761E	20642	Arm Rotary Shaft Bushing (front) Set
		Screw
761E	20642	Arm Rotary Shaft Bushing (intermediate, left) Set Screw
acon	00644	Presser Bar Lifting Lever Hinge Screw
802D	20644	Folder Slide Guide Lock Spring Screw for
857D	20653	120718
896E	20642	Crank Connecting Rod Cap (lower) Screw
0002	20012	for 54259
896E	20642	Feed Connecting Rod Cap Screw for 54111.
896C	20645	Looper Bell Crank Connection Cap (lower)
		Screw for 42075
896C	20645	Looper Bell Crank Connection Cap (upper)
		Screw for 42075
948J	20642	Arm Rotary Shaft Bracket Screw for
		131128
948E	20657	Machine Screw to fasten machine to base
		for 131461 and 131462
965D	20647	Thread (under) Take-up Staple Bracket
		Screw
1011F	20643	Cloth Plate Screw (left)
1019C	20648	Slack Thread Regulator Holder Shaft
		Collar Set Screw for 24292

N.	D1 - 4-	Nome
No.	Plate	Name
1036C	20645	Looper Bell Crank Ball Stud Set Screw
7.07.00	00045	for 54264
10360	20645	Looper Driving Crank Set Screw for 54273
1057E	20642	Crank Connecting Rod Cap (upper) Screw for 54259
1057E	20642	Feed Connecting Rod Clamping Screw for
		54111
1080F	20650	Presser Foot Shank Hinge Screw for 54425
1100J	20650	Throat Plate Seam Guide (left) Screw for 131588
1100J	20650	Throat Plate Seam Guide (right) Screw
		for 131588
1103C	20642	Feed Regulating Screw for 54025
1120C	20645	Looper Set Screw for 54035
1133E	20646	Needle Bar Bushing (lower) Set Screw
1133E	20646	" " (upper) Set Screw
1133E	20646	Presser Bar Bushing (lower) Set Screw
1133E	20646	" " (upper) Set Screw
1149C	20648	Thread (upper) Nipper Body Set Screw
1235D	20643	Cloth Plate Thread Guard Screw
1247C	20658	Machine Base Oil Drain Jar Clamp Lever Hinge Screw for 131268
1250C	20646	Presser Bar Lifter Stop Screw
1253C	20648	Slack Thread Regulator Holder Shaft
		Crank Set Screw for 54044
1258C	20642	Arm Rotary Shaft Collar Set Screw for
		5 <del>44</del> 50
1258C	20645	Looper Avoiding Eccentric Set Screw
		for 54262
1259C	20642	Feed Lifting Eccentric Set Screw for 54260
1259C	20645	Looper Driving Crank Position Screw for
		54273
1264J	20653	Presser Foot Guide (right) Stop Screw for 120730
1425J	20653	Strip Folder Shank Hinge Screw for
		120718
1443J	20653	Edge Folder Screw for 120718
1443J	20653	Strip Folder Position Plate Screw for
		120718
1449J	20648	Thread (upper) Take-up Plate Spring
		Screw for 131335
1460H	20643	Folder Holder Seat Cover Screw for 54258, 54350, 131742 and 131743
1460H	20652	Strip Folder Holder Screw for 131746
1498F	20646	Needle Set Screw for 46152
1519J	20645	Looper Carrier Pitman Ball Screw Stud
		(right) Nut
1520J	20645	Looper Carrier Pitman Ball Screw Stud
		(left) Nut

Ma	Diete	Vome
No.	Plate	Name
1520E	20646	Needle Bar Connecting Link Hinge Stud
1539W	20644	Pressure Regulating Thumb Screw Lock Nut
1547J	20648	Tension (upper thread) Releasing Shaft
10170	20010	Stop Screw Nut
1698R	20648	Thread (upper) Nipper Disc (outside) Nut
		for 68137
1872	20646	Presser Bar Lifter Roller and Stud for 61047
1963	20646	Presser Bar Guide Bracket Roller and Stud for 54039
2102	20647	Tension (under thread) Disc
2102	20648	" (upper thread) Disc
2117	20641	Arm Rock Shaft Crank (front) Pin
2763	20633	Rock Shaft for 23767
2766	20633	" Knee Arm Hub with 356C, for
		6336
2767	20633	Rock Shaft Knee Plate with 356C, for 6336
2770	20633	Rock Shaft Stop Dog with 140219C, for 23767
4822	20656	Wrench for 1547 (Accessories)
4879	20633	Foot Lifter Chain Connecting Link for
		150452
4882	20633	Foot Lifter Treadle Shaft for 150452
5944	20653	Strip Folder Position Pin for 120716
6335	20633	Rock Shaft Knee Arm for 6336
6336		Rock Shaft Knee Arm complete for 23767, Nos. 2766, 2767 and 6335
6337	20633	Rock Shaft Lifting Bracket with two 356C,
6439		for 23767 Foot Lifter Chain, 36 in. to 45 in. with
	00040	56864 and 56865
6575	20642	Crank Connecting Rod Oil Pad Stop Pin for 54259
7071	20642	Feed Eccentric Clamping Washer for 54025
7125	20633	Rock Shaft Lifting Bracket Hook for 23767
8505	20652	Strip Folder Holder Spring Rivet for 120463
8908	20656	Wrench for 1520 (Accessories)
9842	20657	Machine Base Screw Stud Nut Washer for
		131461 and 131462
11119	20641	Arm Oil Tube with 52045, for oiling
11173	20646	Thread (upper) Nipper  Presser Bar Guide Bracket Guide
12242	20633	Rock Shaft Hanger with two wood screws 1
TURE	ಒಂತಿತ	in. No. 10, for 23767
13218	20648	Thread (upper) Nipper Stud Spring for
•	-	68137

No.	Plate	Name
*15404		Trade Mark for 131128
15405		WIAGO IOI TOTTEO
18116	20652	Strip Folder Holder Spring for 120463
21506	20645	Feed Connecting Rod Hinge Pin Collar with 457C
23767	20633	Rock Shaft complete, Nos.2763,2770,6336, 6337, 7125 and two 12242
24292	20648	Slack Thread Regulator Holder Shaft Collar with 1019C
25303	20646	Presser Bar Ball, size 1/4 in. for 64330
25618	20644	Guide
26276	20649	Presser Foot Hinge Pin for 36031, 36446, 54354, 121134 and 121136
26276	20650	Presser Foot Hinge Block Hinge Pin for 54425
27739	20659	Thread Unwinder Thread Cone (wood) for large cones for 259143
27998	20656	Bench Stand Flap Hook and Eye (brass) with wood screw 1/2 in. No. 5, for 79611
32572	20648	Tension (upper thread) Releasing Disc
35964	20656	Stiletto (for belt loop work) for 147-39 Machine
36027	20655	Folder on Slide complete, for belt loops, for 147-39 Machine, Nos. 36326 to 36328, 36330 and two each 218B and 50004B.
36029	20655	Presser Foot Plate for 36031
36030	20649	" " Shank for 36031, 36446 and 54354
36031	20655	Presser Foot (hinged) complete for 36027, for 147-39 Machine, Nos. 26276,36029 and 36030
36032	20654	Throat Plate for 3/16 in. and 1/4 in. gauges, for 54056, 54058 and 131348, for buckle straps, for 147-39 Machine
36326	20655	Folder for 36027
36327	20655	* Block for 36027
36328	20655	" Tongue with 36567, for 36027
36330	20655	" Slide for 36027
36440	20654	Folder for 36444
36441	20654	Block for 36444
36442	20654	* Tongue for 36444
36443	20654	slide for 36444
36444	20654	Folder on Slide complete for buckle
		straps for 147-39 Machine, Nos. 36440
36445	20654	to 36443 and four 50004B
36446	20654	Presser Foot Plate for 36446
	E000#	Presser Foot (hinged) complete for buckle straps, for 147-39 Machine,

No.	Plate	Name
36567	20655	Folder Tongue Tip for 36328
37563		Knee Lifter Chain, length 15 in., with
0.000		56864 and 56865
38210	20647	Thread (under) Nipper Spring (lower)
38211	20647	" (upper)
38284	20647	Thread (under) Eyelet (front)
38393	20649	Looper Thread Guard for 54377
38419	20643	Cloth Plate Slide (left) Spring for 54013
38419	20649	Cloth Plate Slide (right) Spring for 54015,54056,54058,68167,131058 and
38456	20646	131745 Needle Bar Bushing (lower)
38456	20646	Presser Bar Bushing (upper)
38467	20644	" " Spring (flat)
38468	20644	" " Stud
38478	20647	Thread (under) Take-up Staple with two
_		each 590J and 38481
38481	20647	Thread (under) Take-up Staple Thread Guard for 38478
38487	20656	Threading Wire (Accessories)
40268	20653	Presser Foot Guide Spring for 120730
40326	20642	Arm Rotary Shaft Bushing (front) 0il Pad (braided cotton)
41538		Bench Stand Flush Bolt with Plate com- plete for 79611, Nos. 124247, 124248 and four brass wood screws 5/8 in.
		No. 4 F.H
42074	20645	Looper Bell Crank Ball Stud for 54348
42075	20645	" " Connection with four
		896C, for 54348
42077	20645	Looper Bell Crank Connection Guide
42078	20645	" " Hinge Pin for 54349
42079	20645	" " Bushing
42366	20641	Arm 0il Pad (braided cotton) for oiling Arm Rock Shaft Front Bearing
46035	20648	Slack Thread Controller Clamp
46041	20647	Thread (under) Take-up Staple Spring
46105	20649	Looper Needle Guard Pin for 46204
46111	20644	Arm Side Cover (back) Position Pin
46111	20644	Face Plate Pin
46152	20646	Needle Clamp with two 1498F, for 54274
46162	20649	Throat Plate for 1/8 in. to 1/4 in. gauges, for 54015, 54056, 131311 and 131742, for 147-25 Machine
46204	20649	Looper Needle Guard with 46105, for 54378.
46247	20647	Thread (under) Nipper Spring (upper) Stop
49013	20642	Arm Rotary Shaft Front Bearing 011 Pad (braided cotton)

No.	Plate	Name
49013	20645	Looper Carrier Connection Shaft Oil Pad
		(braided cotton)
49092	20643	Oil Cup Oil Pad (felt) for 54275
49092	20644	Oil Tube Packing (felt) for 54110
50004B	20654	Folder Adjusting Screw for 36444
50004B	20654	" Screw for 36027 and 36444
50016C	20645	Looper Carrier Pitman Ball Screw Stud
		(right) for 54334
50083C	20642	Arm Rock Shaft Crank, back (ball bear-
		ing, solid) Set Screw for 131072
50084C	20642	Arm Rotary Shaft Bushing (intermediate)
		Set Screw (short)
50150C	20648	Slack Thread Regulator Set Screw for
		54042
50253D	20653	Folder Slide Guide Screw for 120718
50326C	20647	Tension (under thread) Screw Stud for
		59539
50326C	20648	Tension (upper thread) Screw Stud for
		59539
50424J	20653	Presser Foot Guide (left) Lifting Screw
		for 120730
50429C	20645	Feed Dog Stop Screw for 54019
50473F	20643	Cloth Plate Screw (right)
50473F	20647	Tension (under thread) Pull-off Eyelet
		Screw
51061C	20642	Feed Eccentric Body Set Screw for 54025.
51224W	20644	Arm Side Cover (back) Thumb Screw
51224W	20644	" " (front) Thumb Screw
51224W	20644	Face Plate Thumb Screw
51224W	20644	Guide Thumb Screw
51283C	20642	Balance Wheel Set Screw for 64259
51570C	20647	Tension (under thread) Regulating Thumb
		Nut for 59539
51570C	20648	Tension (upper thread) Regulating Thumb
		Nut for 59539
51576E	20657	Machine Base Screw Stud Nut for 131461
		and 131462
52045	20641	Arm Oil Tube Packing (wick) for 11119
E004E	00043	and 56003.
52045	20641	Arm Rock Shaft Bushing Oil Pad (wick)
52045	20641	LTanken prenius (110mm)
52045	20642	Oil Pad (wick)
52045	20042	left) 011 Pad, long (braided cotton)
53225	20647	Thread (under) Eyelet (back)
54004	20641	Arm Rock Shaft Collar with two 453C, for
0.500.4	₩.OO.#T	68119
54007	20642	Arm Rotary Shaft Bushing (intermediate,
02007	NOOTE	right) for 54089
54009	20642	Arm Rotary Shaft Flanged Bushing for
52000	~~~	

No.	Plate	Name
54010	20644	Arm Side Cover (front)
•		
54012	20643	Cloth Plate Slide (left) for 54013
54013	20643	Cloth Plate Slide (left) complete for
		54258, 54350, 131742, 131743 and
		131746, Nos. 38419, 54012 and two
C4034	00040	725J
54014	20649	Cloth Plate Slide (right) for 54015 Cloth Plate Slide (right) complete for
<b>5401</b> 5	20649	Throat Plate 46162, for 1/8 in.,9/64
		in. and 3/16 in. gauges, for 54350,
54030	00045	Nos. 38419, 54014 and two 725J Feed Bar with 50429C and two 453C
54019	20645	" " Connection
54020	20642	Connecting Rod Hinge Pin
54023	20645	Feed Eccentric (adjustable) complete for
54025	20642	54113, Nos. 1103C and two each 217J,
		7071 and 51061C
E4000	00045	
54026	20645	Feed Rocking Frame with two 453C  Looper Holder with 1120C
54035	20645 20649	Needle Guard Holder
54038 54039	20646	Presser Bar Guide Bracket with 453C,640J
24029	20040	and 1963
54042	20648	Slack Thread Regulator Holder with 175E
		and 50150C
54043	20648	Slack Thread Regulator Holder Shaft
54044	20648	" " " " Crank
		(forked) with 1253C
54047	20648	Tension (upper thread) Releasing Shaft
		Crank with 624C
54048	20648	Tension (upper thread) Releasing Shaft Crank Link
54049	20647	Thread (under) Take-up Staple Bracket
24049	20047	with 460C
54055	20649	Cloth Plate Slide (right) for 54056
54056	20649	Cloth Plate Slide (right) complete for
		Throat Plates 36032 and 120734, for
		3/16 in. and 1/4 in. gauges, for
		131742, Nos.38419,54055 and two 725J
54057	20654	Cloth Plate Slide (right) for 54058
54058	20654	Cloth Plate Slide (right) complete for
		Throat Plate 36032, for 1/4 in.
		gauge, for 147-39 Machine, Nos. 38419,
		54057 and two 725J
54070	20648	Tension (upper thread) Bracket
54071	20648	" " Releasing Shaft
54080	20642	Arm Rotary Shaft Bushing (front)
54081	20642	/Ittosimodiace,
E4000		Arm Rotary Shaft Bushing (intermediate,
54089		right) 54007 with 64508 and 64805
		LIRITO, OHOO, MICH OHOO WIN OHOOD

No.	Plate	Name
54090		Arm Rotary Shaft Flanged Bushing 54009
		with 58039 and 64805
54095	20648	Thread (upper) Take-up Plate for 131335.
54104	20643	Cloth Plate Thread Guard
54105	20641	Arm Rock Shaft Flanged Bushing (front)
54108	20644	011 Tube for 54110
54109	20644	" Bracket for 54110
54110	20644	Oil Tube complete for oiling Crank Con- necting Rod (upper bearing) Nos.
		49092, 54108 and 54109
54111	20642	Feed Connecting Rod with 1057E and two 896E, for 54113
54113		Feed Connecting Rod 54111 with 54025, for 54347
54218	20642	Crank Connecting Rod 011 Pad (braided cotton) for 54259
54242	20648	Thread (upper) Controller Wire Clamp
54254	20642	Arm Rotary Shaft for 54347
54256	20644	" Side Cover (back)
54257	20643	Cloth Plate for 54258 and 54350, 131742,
		131743 and 131746
54258		Cloth Plate complete for Throat Plates
		54426 and 131248, for 1/8 in., 3/16
		in. and 1/4 in. gauges, for 147-25
		Machine, Nos.1460H,54013,54257,54261
		and 68167
54259	20642	Crank Connecting Rod with 6575, 54218,
		68350 and two each 896E and 1057E,
		for 131346
54260	20642	Feed Lifting Eccentric with two 1259C
54261	20643	Folder Holder Seat Cover for 54258,54350,
		131742 and 131743
54262	20645	Looper Avoiding Eccentric with two 12580
54263	20645	" " Connection for
		54343
54264	20645	Looper Bell Crank with 1036C, for 54349.
54265	20645	" Carrier with two 171D, for 54344.
54266	20645	" Connection with two 175E,
E4000	00045	for 54343
54268	20645	Looper Carrier Connection Shaft for 54344
54269	20645	Looper Carrier Connection Shaft Bushing.
54270	20645	r Pitman with four 187E, for
01270	NOOTO	54334
54273	20645	Looper Driving Crank with 1036C and
		1259C, for 54348
54274	20646	Needle Bar complete, Nos. 46152 and
		64319
54275	20643	011 Cup with 49092
54276	20648	Slack Thread Regulator
	•	

No.	Plate	Name
54277	20647	Tension (under thread) Pull-off
54278	20647	" " " Evelet
		" " " Eyelet (adjustable)
54279	20647	Tension (under thread) Thread Guide
		(double)
54280	20642	Thread (under) Take-up with two 465C
54281	20647	" " Stripper
54282	20648	" (upper) Controller Wire
54326	20646	Needle Bar Connecting Link for 54329
54327	20646	" " " Hinge Stud for
		54329
54328	20646	Needle Bar Connecting Stud with 211F and two 187E, for 54329
54329		Needle Bar Connecting Link 54326 with
		54327 and 54328
54331	20648	Thread (upper) Controller
54334		Looper Carrier Pitman 54270 with 679C and 50016C
54343		Looper Carrier Connection 54266 with
		54263, for 54344
54344		Looper Carrier Connection 54343 with
		54265 and 54268
54347		Arm Rotary Shaft 54254 with 54113,54450,
E4740		64351, 64355 and 131346
54348	****	Looper Driving Crank 54273 with 42074 and 42075
54349		Looper Bell Crank 54264 with 42078
54350		Cloth Plate complete for Throat Plate
		46162, for 1/8 in., 9/64 in. and
		3/16 in. gauges, for 147-25 Machine,
		Nos. 1460H, 54013, 54015, 54257 and
		54261
54353	20649	Presser Foot Plate for 54354
54354	20649	Presser Foot (hinged) complete for 1/8
		in. and 1/4 in. gauges, for 147-25
CATTO	00040	Machine, Nos. 26276,36030 and 54353.
54377 54378	20649	Looper with 590D and 38393, for 54378
54422	20649	54377 with 229D and 46204
5 <del>44</del> &&	20651	Feed Dog,18 teeth (16 teeth to the inch) for 54426 and 131248, for 1/8 in.,
		3/16 in. and 1/4 in. gauges, for
		147-25 Machine
54423	20650	Presser Foot Plate for 54425
54424	20650	" " Shank for 54425
54425	20650	Presser Foot (double hinged) complete
J-1-0	~~~~	for 1/8 in., 3/16 in. and 1/4 in.
		gauges, for 147-25 Machine, Nos.
		26276, 54423, 54424, 54723 and two
		1080F

00		HOMERICAL LIST OF PARTS
No.	Plate	Name
54426	20651	Throat Plate complete for 54258, 54422
UTTEU	20001	and 68167, for 1/8 in., 3/16 in. and
		1/4 in. gauges, for 147-25 Machine,
		Nos. 54427,54428,131246 and two 229D
54427	20650	Throat Plate Seam Guide (left) for 54426
D <del>II</del>	20000	and 131588
54428	20651	Throat Plate Seam Guide (right) for
34460	20031	54426
54450	20642	Arm Rotary Shaft Collar with two 1258C,
02200	ಒಂದಿಕ್ಕ	for 54347
54477	20657	Machine Base Screw Stud for 131461 and
04411	20007	131462
54723	20650	Presser Foot Hinge Block for 54425
54988	20648	Tension (upper thread) Releasing Pin
56003	20641	Arm Oil Tube with 52045, for oiling
30003	20041	Needle Bar Connecting Link
Eenne	20641	Arm Oil Pad (braided cotton) for oiling
56006	20041	Arm Rock Shaft Intermediate Bearing.
56864	20656	Chain Hook (large) for 6439 and 37563
56865	20656	" (small) for 6439 and 37563
57225	20645	Feed Bar Hinge Pin
57234	20645	" Rocking Frame Hinge Pin
57235	20645	" " " " Bushing
57257	20646	Presser Bar Lifter
57258	20646	flesser bar britter
58039	20642	" " Hinge Pin
30003	20042	long (braided cotton) for 54090
59456	20648	Thread (upper) Nipper Disc (outside) Nut
33430	20040	Washer for 68137
59537	20647	Tension (under thread) Spring Bushing
09007	20047	(large)
59537	20648	Tension (upper thread) Spring Bushing
39307	20040	(large)
59538	20647	Tension (under thread) Spring Bushing
00000	20047	(small)
59538	20648	Tension (upper thread) Spring Bushing
00000	20010	(small)
59539		Tension (under thread) Screw Stud 503260
00000		with 51570C
59539		Tension (upper thread) Screw Stud 503260
00000		with 51570C
60656	20656	Bench Stand Hinge for 79611
61047	20646	Presser Bar Lifting Bracket with 4600
		and 1872
61075	20644	Presser Bar Lifting Lever Connecting
		Stud
64255	20641	Arm Rock Shaft Crank (front) with 453C,
		for 68119
64259	20642	Balance Wheel, 2 in. diam. pulley with
		two 51283C

No.	Plate	Name
64269	20644	Face Plate
64319	20646	Needle Bar (hollow) for 54274
64320	20646	" Bushing (upper)
64330	20646	Presser Bar with 25303
64331	20646	" Bushing (lower)
64336	20648	Slack Thread Controller
64351	20642	Thread (under) Nipper Cam with 465C, for
0.002		54347
64355	20642	Thread (under) Take-up Thread Guard for
		54347
64356	20647	Thread (under) Take-up Thread Guard
		Steady Pin
64386	20641	Arm Rock Shaft Bushing (back)
64388	20641	" " (intermediate)
64508	20642	" " (intermediate,
		right) 011 Pad, long (braided
		cotton) for 54089
64805	20642	Arm Rotary Shaft Bushing (intermediate,
		right) Oil Pad, short (braided
		cotton) for 54089
64805	20642	Arm Rotary Shaft Flanged Bushing Oil Pad,
		short (braided cotton) for 54090
68118	20641	Arm Rock Shaft for 68119
68119		OOTIO MINI DAGGE WING GARGO
68129	20648	Thread (upper) Nipper Body for 68137
68130	20648	" " Disc (inside) for
		68137
68131	20648	Thread (upper) Nipper Disc (inside)
	00040	Washer (fibre) for 68137 Thread (upper) Nipper Disc (outside) for
68132	20648	68137
60177	20648	Thread (upper) Nipper Roller for 68136
68133 68134	20648	" " " Hinge Pin
00794	20040	for 68136
68135	20648	Thread (upper) Nipper Stud for 68136
68136	20040	" " " 68135 with
00100		68133 and 68134, for 68137
68137		Thread (upper) Nipper complete, Nos.
00107		1698R,13218,59456,68129 to 68132 and
		68136
68138	20648	Thread (upper) Nipper Thread Guide
68164	20648	" Take-up Plate Spring for
		131335
68166	20651	Cloth Plate Slide (right) for 68167
68167	20651	Cloth Plate Slide (right) complete for
		Throat Plates 54426 and 131248, for
		1/8 in., 3/16 in. and 1/4 in.gauges,
		for 54258, Nos. 38419, 68166 and two
		725J
68184	20644	Presser Bar Lifting Lever Extension
68208	20644	" " Lever
68222	20633	Belt Guard with two wood screws 1 in.No.
		12 F.H

No.	Plate	Name
68261	20648	Tension (upper thread) Releasing Shaft
		Spring
68288	20643	Looper Bell Crank Connection Cover
68350	20642	Crank Connecting Rod Oll Cup for 54259
79611		Bench Stand with 27998, two each 41538,
		126849, three wood screws 1 1/4 in.
		No. 12, four each 60656, wood screws
		1 1/4 in. No. 10, eight wood screws
		5/8 in. No. 6 and sixteen wood
		screws 5/8 in. No. 7, for 147-25 Ma-
100743	00050	chine
120341	20656	Tweezers (curved) Accessories
120344	20656	Oiler (copper plated) with 120345 (Accessories)
120345	20656	Oiler Spout, 4 1/2 in. long for 120344
120440	20656	Screw Driver (large) Accessories
120463	20652	Strip Folder Holder with 8505 and 18116,
		for 131746
120710	20653	Edge Folder on Bracket for 120718
120711	20653	Folder Slide for 120718
120712	20653	" " Guide for 120718
120713	20653	" " Lock Spring for
		120718
120714	20653	Folder Plate for 120718
120715	20653	Strip Folder on Bracket for 120718
120716	20653	" " Position Plate with 5944, for
120717	20653	120718
120718	20653	Strip Folder Shank for 120718 Attachment (convertible) complete for
100,10	20000	making straight or tunnel belt loops,
		for 147-39 Machine, Nos. 646D,1425J,
		120710,120711,120713 to 120717, two
		each 335J, 857D, 120712 and four
		each 1443J and 50253D
120719	20652	Strip Folder on Slide (short) for 147-39
		Machine
120720	20653	Presser Foot Guide (left) with 120736.
		for 120730
120721	20653	Presser Foot Guide (left) Lifting Lever
3.00000		for 120730
120722	20653	Presser Foot Guide (left) Lifting Lever
120723	20653	Latch for 120730
100720	20000	Presser Foot Guide (left) Lifting Lever
120724	20653	Latch Spring for 120730 Presser Foot Guide (right) with 120736,
		for 120730
120725	20653	Presser Foot Guide Spring Cap for 120730
120726	20653	" " Hinge Stud for 120730
120727	20653	" " Collar with 468C.
		for 120730

No.	Plate	Name
120728	20653	Presser Foot Plate for 120730
120729	20653	" " Shank for 120730
120730	20653	Presser Foot (hinged) with spring yield-
		ing guides and device, for locking
		left hand guide, complete for straight
		or tunnel belt loops, for 120718,
		for 147-39 Machine, Nos. 111D,1264J,
		50424J, 120720 to 120729, two 40268
* 00000	00050	and three 337J  Feed Dog, 20 teeth (16 teeth to the inch)
120733	20652	for 3/16 in. and 1/4 in. gauges, for
		120734 and 121140, for 147-39 Ma-
		chine
120734	20653	Throat Plate for 3/16 in. and 1/4 in.
120704	20000	gauges, for 54056, 120718, 120719,
		120733, for 147-39 Machine
120736	20653	Presser Foot Guide (left) Guide Pin for
120700	50000	120720
120736	20653	Presser Foot Guide (right) Guide Pin for
		120724
121108	20656	Screw Driver (small) Accessories  Presser Foot Plate for 121134
121132	20652	" Shank for 121134
121133	20652	Presser Foot (hinged) complete for 3/16
121134	20652	in. gauge, for narrow belt loops, for
		147-39 Machine, Nos.26276,121132 and
		121133
121135	20652	Presser Foot Plate for 121136
121136	20652	Presser Foot (hinged) complete for 1/4
		in. gauge, for narrow belt loops, for
		147-39 Machine, Nos.26276,121135 and
		121192
121137	20652	Throat Plate Belt Loop Guide (left) for
		121140
121138	20652	Throat Plate Belt Loop Guide (right) for
		121140
121139	20652	Throat Plate Body for 121140
121140	20652	Throat Plate complete, for 3/16 in. and
		1/4 in. gauges, for 120733, 131745
		and 131746, for 147-39 Machine, Nos. 121137 to 121139 and four 233J
202200	00050	Presser Foot Shank for 121136
121192 126247	20652 20656	Bench Stand Flush Bolt for 41538
126247	20656	" " Plate for 41538
126249	20633	Foot Lifter Treadle for 150452
126250	20633	" " Spring for 150452
126849	20656	Bench Stand Flap Hinge with four wood
		screws 3/4 in. No.7, for 79611
131019	20657	Machine Base 011 Pipe for 131461
131020	20657	" " " Valve for 131461

		NOMERICAL LIST OF PARTS
No.	Plate	Name
131057	20650	Cloth Plate Slide (right) for 131058
131058	20650	Cloth Plate Slide (right) complete for Throat Plate 131588, for 1/4 in. gauge, for 131743, Nos. 38419,131057 and two 725J
131072	20642	Arm Rock Shaft Crank, back (ball bearing, solid) with two 50083C, for 131346
*131128		Arm, upper and lower (solid) with 948J, 15404 and two 15405
131185	20658	Machine Base Oil Drain Jar (glass) for 131268
131188	20658	Machine Base Oil Drain Jar Clamp for 131217
131189	20658	Machine Base Oil Drain Jar Clamp Lever for 131217
131191	20658	Machine Base Oil Drain Jar Cap for 131268
131217		Machine Base Oil Drain Jar Clamp 131188 with 131189, for 131268
131246	20651	Throat Plate Body for 54426 and 131248
131247	20651	" Filling-in Piece for 131248
131248	20651	Throat Plate complete for 1/8 in., 3/16
		in. and 1/4 in. gauges, for 54258, 54422 and 68167, for 147-25 Machine, Nos. 131246, 131247 and two 229D
131265	20658	Machine Base Oil Drain Jar Nipple (long) for 131268
131266	20658	Machine Base Oil Drain Jar Nipple(short) for 131268
131267	20658	Machine Base Oil Drain Jar Nipple Elbow for 131268
131268	20658	Machine Base Oil Drain Jar (swinging type) complete for 131462, Nos.
		131185,131191,131217,131266 and two each 1247C, 131265 and 131267
131269	20649	Needle Guard for 1/8 in. to 1/4 in. gauges
131279	20657	Machine Cushion (felt) for 131461 and 131462
131311	20649	Feed Dog,21 teeth (16 teeth to the inch) for 1/8 in. to 1/4 in. gauge, for 46162, for 147-25 Machine
131334	20648	Thread (upper) Take-up for 131335
131335		Thread (upper) Take-up complete, Nos. 1449J, 54095, 68164 and 131334
131346		Crank Connecting Rod 54259 with 131072, for 54347
131348	20654	Feed Dog,27 teeth (16 teeth to the inch) for 3/16 in. and 1/4 in. gauges, for 36032, for 147-39 Machine

No.	Plate	Name
131460	20657	Machine Base for 131461 and 131462
131461	20657	Machine Base complete, Nos.131019,131020,
		131460, three each 9842,51576E,54477
		and four each 948E and 131279
131462	20658	Machine Base with Oil Drain Jar (swing-
		ing type) complete, Nos. 131268,
		131460, three each 9842,51576E,54477
		and four each 948E and 131279
131585	20650	Feed Dog, 17 teeth (12 teeth to the inch)
		for 1/4 in. gauge, for 131588, for medium heavy and heavy weight ma-
		terial, for 147-25 Machine
131586	20650	Throat Plate Body for 131588
131587	20650	" " Seam Guide (right) for
202007	20000	131588
131588	20650	Throat Plate complete for 1/4 in. gauge,
		for 131058, 131585 and 131743, for
		medium heavy and heavy weight ma-
		terial, for 147-25 Machine, Nos.
		54427,131586,131587 and two 1100J
131696	20648	Tension (upper thread) Thread Guide
131740	20647	" (under thread) Spring
131741	20648	(ubbet outerd) phrug
131742		Cloth Plate complete for Throat Plate
		46162, for 1/4 in. gauge, for 147-25 Machine, Nos.1460H,54013,54056,54257
		and 54261
131743		Cloth Plate complete for Throat Plate
		131588, for 1/4 in. gauge, for
		147-25 Machine, Nos. 1460H, 54013,
		54257, 54261 and 131058
131744	20652	Cloth Plate Slide (right) for 131745
131745	20652	Cloth Plate Slide (right) complete for
		Throat Plate 121140, for 3/16 in.and
		1/4 in. gauges, for 131746, for
		147-39 Machine, Nos. 38419, 131744 and two 725J
131746		Cloth Plate complete for Throat Plate
101/40		121140, for 3/16 in. and 1/4 in.
		gauges, for 147-39 Machine, Nos.
		1460H,54013,54257,120463 and 131745.
1402190	20633	Rock Shaft Stop Dog Set Screw for 2770
150203	20659	Thread Unwinder Spool Rest Cushion
		(felt) for 259143
150451	20633	Foot Lifter Treadle Stand for 150452
150452	20633	Foot Lifter Treadle complete, Nos. 4879,
		4882, 126249, 126250, 150451 and two
200383C	20659	wood screws 1 in. No. 16 F.H Thread Unwinder Spool Rest Rod Set Screw
2000000	ಒಂಂತ	for 202490


No.	Plate	Name
2010180	20659	Thread Unwinder Spool Rest Set Screw for
		225257 and 225259
201696J	20659	Thread Unwinder Thread Guide Lock Nut
		for 259143
202490	20659	Thread Unwinder Spool Stand with 200383C,
		for 259143
225257	20659	Thread Unwinder Spool Rest (for two
		spools) with 201018C, for 259143
225259	20659	Thread Unwinder Spool Rest (for one
		spool) with 2010180, for 259143
225322	20659	Thread Unwinder Thread Guide Rod Washer
		for 225324
225324	20659	Thread Unwinder Thread Guide Rod with
		208E and 225322, for 259143
225326	20659	Thread Unwinder Thread Guide Position
		Cup for 259143
225388	20659	Thread Unwinder Spool Rest Rod for
		259143
225390	20659	Thread Unwinder Thread Cone Holder, for
		inverted cones, for 259143
225391	20659	Thread Unwinder Thread Guide for 259143.
259143	20659	Thread Unwinder complete (for three
		spools) Nos. 201696J,202490,225257,
		225259,225324,225326,225388, three
		each 150203, 225391 and wood screws
		7/8 in. No. 12
		,


Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked
"For Singer Machines"
are not Singer made needles.


2

OF PARTS







From the library of: Superior Sewing Machine & Supply LUC





From the library of: Superior Sewing Machine & Supply LLC






From the library of: Superior Sewing Machine & Supply LLC






From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC

20648 - 2/3




From the library of: Superior Sewing Machine & Supply LLC

20650 - 2/3




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC

20652 - 1/2



From the library of: Superior Sewing Machine & Supply LLC


20653 - 1/2



From the library of: Superior Sewing Machine & Supply LLC


 $20654 - \frac{1}{2}$ 36444 147-39 131348 157J 36442 742F 36032 36443 36446 190J 36440 36030 5000LB 18116 26276 120463 1460H 8505 36445 50004B 54056 54055 725J 38419 36441 3/16 54058 54057 725J 38419 1/4  $\frac{3}{16}$ ,  $\frac{1}{4}$ 

From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC


20656 - 1/2




From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC





From the library of: Superior Sewing Machine & Supply LLC

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked
"For Singer Machines"
are not Singer made needles. 2

From the library of: Superior Sewing Machine & Supply LLC

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked
"For Singer Machines"
are not Singer made needles.



