Form 19465 (740) Printed in U. S. A.

LIST of PARTS



MACHINE No. 147-27

THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

Before starting the machine, fill all oil reservoirs and apply oil to the connecting rod and all parts which are in movable contact and all oil holes. When the machine is in continuous use, it should be thoroughly oiled at least twice each day.

Use only Singer "OIL FOR HIGH SPEED SEWING MACHINES (Cloth and Leather)" for general use, or "STAINLESS OIL FOR HIGH SPEED SEWING MACHINES" where a stainless oil is desired.

Copyright, U. S. A., 1926 and 1940 by The Singer Manufacturing Co. All Rights Reserved for all Countries

INDEX

	Page
Accessories	. 14
Belt Guard	. 14
Bench Stand No. 79611	. 14
Foot Lifter Parts	. 15
Knee Lifter Parts	, 15
Machine Base	. 16
Machine Base Oil Drain Jar	. 16
Machine No. 147-27	, 5
Numerical List of Ponts	30

From the library of: Superior Sewing Machine & Supply LLC

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column. The number stamped on a Sewing Machine Part is in every case the number of the single part only. Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination. Each murber always indicates the SAME PART in whatever list it appears, or for whatever machine. The letters after some of the numbers indicate the style of finish only, as follows: A-Hardened, Polished, Nickel Plated and Buffed A.A-Buffed and Chromium Plated A.B-Hardened, Polished, Buffed and Chromium Plated A.C-Brown Baking Enamel Finish A.D-Gray Baking Enamel Finish A.E-Hardened, Bright Rumbled and Nickel Plated A.F-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chronium Plated B-Polished, Nickel Plated and Buffed C-Hardened Only - C.R-Hardened and Merlized D-Polished Only E-Soft, Not Polished F-Hardened and Polished F.J-Hardened, Polished and Nickel Plated G-Bright Rumbled and Nickel Plated H-Blued J-Nickel Plated Only K-Hardened and Nickel Plated L-Brass Plated M-Oxidized N-Japanned, Dull P-Japanned, Bright P.P-Wrinkle Finish R-Morlized S-Cadmium Plated T-Copper Plated T.A-Hardened, Polished, Copper and Nickel Plated and Buffed T.B-Copper and Nickel Plated and Polished T.J-Copper and Nickel Plated Only T.K-Hardened, Copper and Nickel Plated T.L-Copper and Brass Plated T.M-Copper Plated and Oxidized U-Zinc Plated V-Silver Plated W-Polished and Nickel Plated X-Black Oxide, for Iron and Steel X.C-Hardened and Black Oxide, for Iron or Steel Y-Black Nickel Plated Only Z-Chromium Plated Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated Z.B-Polished, Nickel Plated, Buffed and Chromium Plated Z.C-Hardened and Chromium Plated Z.D-Polished and Chromium Plated Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated Z.J-Nickel and Chromium Plated Z.T-Copper and Chromium Plated These letters MUST BE USED when they appear in the list; and AFTER the number as in the list. In this series: 1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts. The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering. Parts marked with an asterisk (*) are furnished only when


From the library of: Superior Sewing Machine & Supply LLC

When ordering parts which differ as to Gauge (the distance between seams) the Gauge, as well as the Rumber must be given on

repairs are made at factory..

order.

LIST OF PARTS COMPLETE FOR



MACHINE No. 147-27

For Cording, Imitation or Air Cording and Tucking. Two needles, one looper. Gauges from $\frac{3}{64}$ inch to $\frac{1}{8}$ inch, in steps of $\frac{1}{64}$ inch. Maximum stitch 8 to the inch. Speed up to 3500, according to the material being stitched.

No.	Plate	Name	
*54283		Arm, upper and lower (solid) 15404, 54034 and two 1540	Commence of the commence of th
42366	20622	Arm Oil Pad (braided cotton) Arm Rock Shaft Front Bear	and the second second
56006	20622	Arm Oil Pad (braided cotton) Arm Rock Shaft Intermedia	
56003	20622	Arm Oil Tube with 52045, for Needle Bar Connecting Lin	
52045	20622	Arm Oil Tube Packing (wick).	
54002	20622	" Rock Shaft	
54079		" " 54002 with 5400	04 and 64255
64386	20622	" Bushing (back)	
446C	20622	N H H H	Set Screw
64388	20622	w w w (inter	mediate)
423C	20622	и и и и	" Set
		Serou	Ann be a second and

No.	Plate				Name		
52045	20622	Arm				Oil Pad (wick)	
54004	20622	e	a		collar w	1th two 4530	
453C	20622	P		#	" 8	et Screw	
131343	20660	ø	#	" Cı	rank, ba	ck (ball bearing,	
			solid)	with	two 500	83C	
50083C	20660	Arm	Rock S	haft (crank (b	ack) Set Screw	
64255	20622	ø	#	#	* (f	ront) with 453C	
2117	20622		#	#		" Pin	
453C	20622			#	#	" Set Screw	
54105	20622		•	* 1	Planged :	Bushing (front)	
52045	20622		•		#	" " 011	
			Pad (w	ick).		••••••	
453C	20622	Arm	Rock S	haft i	langed	Bushing (front)	
*54006	20660	Δrm				• • • • • • • • • • • • • • • • •	
						r repairs, the	
						ifting Eccentric	
						to be adjusted	
	to the			o mie	140 0013	oo be adjubled	
131347				Sho fi	- 54006 1	with 640E, 54113,	
TOTOTI		27.10				,64355 and 131345	
54367	20660	A sem	Dotomr	Oho fi	- Buchin	g (front)	
761E	20660	MI III	un resta	OTIGET (, DARTIT	g (110fft) Bet Screw	
54007	20660						
54089	20000					(intermediate).	
24009		-	-	-		-	
			EACOR .	.4 4h C	4E00	A C400E	
64500	20660	A	54007 t	with 6	34508 an	d 64805	
64508	20660	Arm	Rotary	Shaft	: Bushin	g (intermediate)	
			Rotary Oil Pac	Shaft i, lor	: Bushing ig (brai	g (intermediate) ded cotton)	
64508 64805	20660 20660		Rotary Oil Pac Rotary	Shaft i, lor Shaft	: Bushing g (braid : Bushin	g (intermediate) ded cotton) g (intermediate)	
64805	20660	Arm	Rotary Oil Pac Rotary Oil Pac	Shaft i, lor Shaft i, sho	: Bushing g (braid : Bushing ort (bra	g (intermediate) ded cotton) g (intermediate) ided cotton)	
		Arm	Rotary 011 Pac Rotary 011 Pac Rotary	Shaft i, lor Shaft i, sho Shaft	: Bushing (braid) : Bushing ort (braid) : Bushing	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate)	
64805 4220	20660 20660	Arm Arm	Rotary Oil Pac Rotary Oil Pac Rotary Set Sc:	Shaft i, lor Shaft i, sho Shaft rew (]	Bushing (braid Bushing) ort (braid Bushing)	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate)	
64805	20660	Arm Arm	Rotary Oil Pac Rotary Oil Pac Rotary Set Sc: Rotary	Shaft i, lor Shaft i, sho Shaft rew (] Shaft	Bushing (braid Bushing) ort (braid Bushing) Bushing Bushing Bushing	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate)	
64805 4220 500840	20660 20660 20660	Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc:	Shaft i, lor Shaft i, sho Shaft rew (I Shaft rew (s	Bushing (braid Bushing (braid Bushing) Bushing Bushing Bushing) Bushing Bushin	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate)	
64805 4220 500840 54450	20660 20660 20660 20660	Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc:	Shaft i, lor Shaft i, sho Shaft rew (I Shaft rew (s	Bushing (braid Bushing (braid Bushing) Bushing Bushing Bushing) Bushing Bushin	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C	
64805 4220 500840 54450 12580	20660 20660 20660 20660 20660	Arm Arm Arm	Rotary Oil Pac Rotary Oil Pac Rotary Set Sc: Rotary Set Sc: Rotary	Shaft i, lor Shaft i, sho Shaft rew (I Shaft rew (S	: Bushing (braid) : Bushing ort (braid) : Bushing (braid) : Bushing (braid) : Collar	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C Set Screw	
64805 422C 50084C 54450 1258C 54009	20660 20660 20660 20660 20660 20660	Arm Arm Arm	Rotary Oil Pac Rotary Oil Pac Rotary Set Sc: Rotary Set Sc: Rotary	Shaft i, lor Shaft i, sho Shaft rew (I Shaft rew (S	: Bushing (braid) : Bushing ort (braid) : Bushing (braid) : Bushing (braid) : Collar	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C Set Screw d Bushing	
64805 4220 500840 54450 12580	20660 20660 20660 20660 20660	Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary	Shaft i, lor Shaft i, sho Shaft rew (1 Shaft rew (s Shaft rew (s	Bushing (braid; Bushing ort (braid; Bushing); Bushing (boot); Collar	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C Set Screw d Bushing 54009	
64805 422C 50084C 54450 1258C 54009 54090	20660 20660 20660 20660 20660 20660	Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary with 56	Shaft i, lor Shaft i, sho Shaft rew (I Shaft rew (Shaft rew (Shaft Shaft	Bushing (braid Bushing ort (braid Bushing Bush	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C Set Screw d Bushing 54009	
64805 422C 50084C 54450 1258C 54009	20660 20660 20660 20660 20660 20660	Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary with 56 Rotary	Shaft i, lor Shaft i, sho Shaft rew (1 Shaft rew (s Shaft rew (s Shaft s Shaft s Shaft	Bushing (braid) Gollar Flanged Ind 64800 Flanged	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C Set Screw d Bushing 54009 5 d Bushing 011	
64805 422C 50084C 54450 1258C 54009 54090 58039	20660 20660 20660 20660 20660 20660 	Arm Arm Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary with 56 Rotary Pad, 16	Shaft i, lor Shaft i, shaft rew (I Shaft rew (s Shaft rew (s Shaft g Shaft g Shaft g Shaft g G S S S S S S S S S S S S S S S S S S	Bushing (braider Bushing) ort (braider Bushing) Bushing (book)	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C Set Screw d Bushing 54009 5 d Bushing 011 cotton)	
64805 422C 50084C 54450 1258C 54009 54090	20660 20660 20660 20660 20660 20660	Arm Arm Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary with 56 Rotary Pad, 10 Rotary	Shaft i, lor Shaft i, sho Shaft rew (I Shaft rew (s Shaft shaft g Shaft g Shaft shaft shaft shaft shaft	Bushing (braider Bushing) ort (braider Bushi	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C Set Screw d Bushing 54009 5 d Bushing 011 cotton) d Bushing 011	
64805 422C 50084C 54450 1258C 54009 54090 58039 64805	20660 20660 20660 20660 20660 20660 20660 20660	Arm Arm Arm Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary with 56 Rotary Pad, 16 Rotary Pad, si	Shaft i, lor shaft i, sho shaft rew (I Shaft rew (s Shaft rew (s Shaft s Shaft i Shaft	Bushing (braid; Bushing) ort (braid; Bushing) ort (braid; Bushing) ort (braid; Bushing) ort (braided) oraided (braided)	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C Set Screw d Bushing 54009 5 d Bushing 011 cotton)	
64805 422C 50084C 54450 1258C 54009 54090 58039 64805 159F	20660 20660 20660 20660 20660 20660 20660 20660	Arm Arm Arm Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary with 56 Rotary Pad, 16 Rotary Pad, si	Shaft i, lor Shaft i, sho Shaft rew (I Shaft rew (Shaft rew (Shaft gray (Shaft	Bushing (braider (braider) (braider) (braider) (braider) (braider) (braider) (braided (braide	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C. Set Screw d Bushing 54009 5 d Bushing 011 cotton) d Bushing 011 cotton) d Bushing Screw	
64805 422C 50084C 54450 1258C 54009 54090 58039 64805	20660 20660 20660 20660 20660 20660 20660 20660	Arm Arm Arm Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary with 56 Rotary Pad, 10 Rotary Pad, si Rotary	Shaft i, lor Shaft i, sho Shaft rew (I Shaft rew (s Shaft g Shaft i Shaft	Bushing (braider (braider) (braider) (braider) (braider) (braider) (braider) (braided (braide	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) with two 1258C Set Screw d Bushing f 54009 d Bushing 011 cotton) d Bushing 011 cotton) d Bushing Screw d Bushing 011 cotton) d Bushing Screw	
64805 422C 50084C 54450 1258C 54009 54090 58039 64805 159F 49013	20660 20660 20660 20660 20660 20660 20660 20660 20660	Arm Arm Arm Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary With 56 Rotary Pad, 16 Rotary Pad, si Rotary Coralle Rotary Pad, si Rotary Coralle Rotary Rotary	Shaft i, lor shaft i, sho shaft rew (I Shaft rew (s Shaft g Shaft i Sh	Bushing (braid; Bushing); Bushing (braid); Bushing (braid); Collar Flanged (Flanged) Fraided (Flanged) Front Inton)	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C Set Screw d Bushing 54009 bushing 011 cotton) d Bushing 011 cotton) d Bushing Screw d Bushing Screw	
64805 422C 50084C 54450 1258C 54009 54090 58039 64805 159F 49013	20660 20660 20660 20660 20660 20660 20660 20660 20660 20660	Arm Arm Arm Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary Author Pad, 10 Rotary Pad, si Rotary Pad, si Rotary Chraide Rotary	Shaft i, lor shaft i, sho shaft rew (I Shaft rew (s Shaft g Shaft i, sho shaft g Shaft i Shaft	Bushing (braid; Bushing); Bushing (braiden); Bushing (braiden); Collar Flanger (braided (Flanger) braided (Flanger) Front Inton); Screw.	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C Set Screw d Bushing 54009 bushing 011 cotton) d Bushing 011 cotton) d Bushing Screw d Bushing O11 cotton) d Bushing O11 cotton) d Bushing O11	
64805 422C 50084C 54450 1258C 54009 54090 58039 64805 159F 49013 144D 15196	20660 20660 20660 20660 20660 20660 20660 20660 20660 20660 20660 20660	Arm Arm Arm Arm Arm Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary with 55 Rotary Pad, 16 Rotary Pad, sci (braide Rotary Side Co	Shaft i, lor shaft i, sho shaft rew (1) Shaft rew (s Shaft " " " 3039 a Shaft ong (t Shaft ort (Shaft	Bushing (braid: Bushing) ort (braided of Flanged: Braided of F	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) with two 1258C Set Screw d Bushing d Bushing 011 cotton) d Bushing 011	
64805 422C 50084C 54450 1258C 54009 54090 58039 64805 159F 49013 144D 15196 51224W	20660 20660 20660 20660 20660 20660 20660 20660 20660 20660 20660 20660 20625 20625	Arm Arm Arm Arm Arm Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary with 50 Rotary Pad, 10 Rotary Pad, si Rotary (braide Rotary Side Co	Shaft i, lor shaft i, sho shaft rew (I Shaft rew (S Shaft " " " Shaft " " Shaft " " Shaft " " Shaft ong (t Shaft ong (t Shaft ort (Shaft ort (Shaft ort (Shaft ort (Shaft	Bushing (braid: Bushing) ort (bra: Bushing) ort (bra: Bushing); Bushing (braided of Flanger braided of Fl	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) g (intermediate) with two 1258C Set Screw d Bushing f 54009 5 d Bushing 011 cotton) d Bushing 011 cotton) d Bushing O11 cotton) d Bushing Screw	
64805 422C 50084C 54450 1258C 54009 54090 58039 64805 159F 49013 144D 15196	20660 20660 20660 20660 20660 20660 20660 20660 20660 20660 20660 20660	Arm Arm Arm Arm Arm Arm Arm Arm	Rotary 011 Pac Rotary 011 Pac Rotary 011 Pac Rotary Set Sc: Rotary Set Sc: Rotary with 55 Rotary Pad, 16 Rotary Pad, sci (braide Rotary Side Co	Shaft i, lor shaft i, sho shaft rew (I Shaft rew (S Shaft " " " Shaft " " Shaft " " Shaft " " Shaft ong (t Shaft ong (t Shaft ort (Shaft ort (Shaft ort (Shaft ort (Shaft	Bushing (braid: Bushing) ort (bra: Bushing) ort (bra: Bushing); Bushing (braided of Flanger braided of Fl	g (intermediate) ded cotton) g (intermediate) ided cotton) g (intermediate) with two 1258C Set Screw d Bushing d Bushing 011 cotton) d Bushing 011	

No.	Plate	Name
NO. 51224W	20625	Arm Side Cover (front) Thumb Screw
54210	20660	Balance Wheel, 2 5/8 in.pulley, with two
34210	20000	51283C
51283C	20660	Balance Wheel Set Screw
54284	20664	Cloth Plate
54012	20664	" " Slide (left)
38419	20664	" " Spring
725J	20664	" " " Screw
54013	20664	Cloth Plate Slide (left) complete, Nos.
		38419, 54012 and two 725J
54285	20664	Cloth Plate Slide (right) with 1602E
1602E	20664	" " Bushing
38416	20664	" " Spring
725J	20664	" " " Screw
54286	20664	Cloth Plate Slide (right) complete, Nos.
		54285, two 38416 and four 725J
54287		Cloth Plate complete, Nos. 54013, 54284
		and 54286
1011F	20664	Cloth Plate Screw (left)
50473F	20664	" " (right)
54104	20664	" Thread Guard
1235F	20664	" " Screw
54288	20664	Cord Guide
1480R	20664	" " Screw
54017	20660	Crank Connecting Rod with 6575, 54218,
		68350 and two each 896E and 1057E
131345		Crank Connecting Rod 54017 with 131343
896E	20660	" " Cap (lower) Screw
1057E	20660	" (upper) Screw
68350	20660	" " " 011 Cup
54218	20660	" " " Pad (braided
		cotton)
6575	20660	Crank Connecting Rod Oil Pad Stop Pin
64269	20625	Face Plate
46111	20625	" " Pin
51224W	20625	" " Thumb Screw
54019	20661	Feed Bar with 50429C and two 453C
54020	20661	" " Connection
57225	20661	" " Hinge Pin
453C	20661	" " " Set Screw
54111	20660	" Connecting Rod with 1057E and two
		896E
54113		Feed Connecting Rod 54111 with 54025
896E	20660	" Cap Screw
1057E	20660	" Clamping Screw
54023	20661	" Hinge Pin
21506	20661	" " " Collar with
		457C
457C	20661	Feed Connecting Rod Hinge Pin Collar Set

No.	Plate	Name	
54352	20665	Feed Dog, 18 teeth (16 teeth to the	
01000	2000	inch) for 3/64 in. to 1/8 in.gauges,	
		for 54293 to 54295	
157J	20665	Feed Dog Screw	
50429C	20661	" Stop Screw	
51061C	20660	* Eccentric Body Set Screw	
7071	20660	" Clamping Washer	
217J	20660	" " Screw	
54025	20660	Feed Eccentric (adjustable) complete,	
		Nos.1103C and two each 217J,7071 and	
	`	51061C	
1103C	20660	Feed Regulating Screw	
54026	20661	Rocking Frame with two 453C	
54077		" " 54026 with 21506,54019,	
		54020, 54023 and 57225	
57234	20661	Feed Rocking Frame Hinge Pin	
57235	20661	busining	
453C	20661		
4555		Screw	
4530	20661	Feed Rocking Frame Hinge Pin Set Screw	
54289	20668	Looper with 590J and 38393	
54290	20668	* 54289 with 229D and 52661	
54027	20661	Caller with two lives	
175E	20661	Adjusting screw	
54227	20661	Counece profit	
54228	20661	ana	
54229	20661	Bushing.	
446C	20661	Set Screw	
49013	20661	Looper Carrier Connection Shaft Oil Pad	
49010	20001	(braided cotton)	
54230	20661	Looper Carrier Driver with four 175E	
175E	20661	" " Cap Screw	
*5444 0	20661	Driving Shaft and Feed Lifting	
-01110	20001	Eccentric with 227E and two 64315	
Not	te: When	No. 54440 is required for repairs, the	
		tary Shaft must be returned to the factory	
		adjusted to the new part	
*5444 7		Looper Driving Shaft and Feed Lifting	
		Eccentric 54440 with 54027, 54227,	
		54228 and 54230	
*54034		Looper Driving Shaft and Feed Lifting	
		Eccentric Bracket with 761E	
54080	20661	Looper Driving Shaft and Feed Lifting	
		Eccentric Bracket Bushing	
761E	20661	Looper Driving Shaft and Feed Lifting	
		Eccentric Bracket Bushing Set Screw.	
948 J	20661	Looper Driving Shaft and Feed Lifting	
		Eccentric Bracket Screw	
64315		Looper Driving Shaft and Feed Lifting	
		Eccentric Oil Hole Plug	

No.	Plate	Name
227E	20661	Looper Driving Shaft and Feed Lifting
		Eccentric Oil Hole Screw
40326	20661	Looper Driving Shaft and Feed Lifting
		Eccentric Oil Pad (braided cotton)
640E	20660	Looper Driving Shaft and Feed Lifting
		Eccentric Screw
54035	20661	Looper Holder with 11200
704J	20661	" Screw
52661	20668	" Needle Guard with 46105
46105	20668	" " Pin
22.9D	20668	" " Screw
11200	20661	" Set Screw
38393	20668	* Thread Guard
590J	20668	g g Screw
54186	20662	Needle Bar (hollow) for 54187
64319	20662	" " for 54345
54187	20662	Needle Bar complete for 3/64 in. to 5/64
24101	20002	in. gauges, Nos. 2273, 46070, 46166
		and 54186
54345	00000	Needle Bar complete for 3/32 in. to 1/8
54545	20662	
37_4	h	in. gauges, Nos. 46269 and 64319
		ordering No. 54345, state gauge required.
38456	20662	Needle Bar Bushing (lower)
1133E	20662	Dec Dolew
64320	20662	(upper)
1133E	20662	Dec Botem
54326	20662	" Connecting Link
54329	20662	" " " 54326 with
		54327 and 54328
54327	20662	Needle Bar Connecting Link Hinge Stud
1520J	20662	" " MUC
54328	20662	stud with 211F and
		two 187E
187E	20662	Needle Bar Connecting Stud Clamping
		Screw
46166	20662	Needle Clamp with 462F, for 3/64 in. to
		5/64 in. gauges, for 54187
46269	20662	Needle Clamp with two 735F, for 3/32 in.
		to 1/8 in. gauges, for 54345
Not	te: When	ordering No. 46269, state gauge required.
46070	20662	Needle Clamp Gib
2273	20662	Pin
462F	20662	* Screw
54037	20668	" Guard
54038	20668	" Holder
176J	20668	" " Screw
217F	20668	" Screw
735F	20662	* Set Screw for 46269
785F 54108	20625	Oil Tube
OFTO0	ಒಂದರ	~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~

	- • •	
No.	Plate	Name
49092	20625	Oil Tube Packing (felt)
54110	20625	Oil Tube complete, for oiling Crank Con-
		necting Rod (upper bearing) Nos.
		49092, 54108 and 54109
64330	20662	Presser Bar with 25303
25303	20662	Ball, size 1/4 in
64331	20662	" Bushing (lower)
1133E	20662	" " Set Screw
38456	20662	" " (upper)
1133E	20662	" " Set Screw
54039	20662	" Guide Bracket with 4530,640J
		and 1963
6 4 0J	20662	Presser Bar Guide Bracket Adjusting
		Screw
11173	20662	Presser Bar Guide Bracket Guide
447C	20662	" " " " Set Screw
1963	20662	" " " Roller and Stud
453C	20662	* * Set Screw
57257	20662	" Lifter
57258	20662	" " Hinge Stud
447C	20662	" " Set Screw.
1872	20662	Roller and Stud
1250C	20662	" Stop Screw
61047	20662	" Lifting Bracket with 4600
		and 1872
68208	20625	Presser Bar Lifting Lever
61075	20625	" " Connecting Pin
460C	20662	
003.04	00000	Set Screw
68184 161D	20625	Presser Bar Lifting Lever Extension
802D	20625 20625	aciew
38467	20625	utifie actem
38468	20625	" " Spring (flat)
18055	20665	Foot Hinge Pin
23859	20665	* Plate
46270	20665	Shank
46271	20665	Presser Foot (hinged) complete for 3/64
20012	20000	in. to 1/8 in. gauges, for general
		work, Nos. 18055, 23859 and 46270
18055	20665	Presser Foot Hinge Pin
23777	20665	" Plate
46270	20665	" Shank
46272	20665	Presser Foot (hinged) complete for
		imitation cording and tucking, Nos.
		18055, 23777 and 46270
18055	20666	Presser Foot Hinge Pin
23778	20666	" Plate
46270	20666	" Shank
46273	20666	Presser Foot (hinged) complete for cord-
		ing, Nos. 18055, 23778 and 46270
		<u> </u>

From the library of: Superior Sewing Machine & Supply LLC

	·	
No.	Plate	Name
18055	20666	Presser Foot Hinge Pin
38014	20666	" Plate
46270	20666	" "Shank
46309	20666	Presser Foot (hinged) complete for gang
		cording and pin tucking, Nos. 18055,
		38014 and 46270
18055	20667	Presser Foot Hinge Pin
52637	20667	" Plate
46270	20667	" " Shank
52638	20667	Presser Foot (hinged) complete for 3/64
		in. gauge, for air cording and tuck-
		ing 1/32 in. high, Nos. 18055, 46270
		and 52637
18055	20667	Presser Foot Hinge Pin
52640	20667	" Plate
46270	20667	" Shank
52641	20667	Presser Foot (hinged) complete for 3/64
		in. and 1/16 in. gauges, for air
		cording and tucking 3/64 in. high
		for cotton, Nos. 18055, 46270 and
		52640
18055	20668	Presser Foot Hinge Pin
52643	20668	FLAUG
46270	20668	Sildin
52 644	20668	Presser Foot (hinged) complete for 3/64
		in. and 1/16 in. gauges, for air
		cording and tucking 1/16 in. high, Nos. 18055, 46270 and 52643
40303	00000	Presser Foot Guide (left)
46191	20668 20668	" " " Set Screw
223F 46192	20668	s s s screw
1076F	20668	s " " Set Screw
46193	20668	" " Holder with 223F and
40190	20000	1076F
190J	20665	Presser Foot Screw
574W	20625	Pressure Regulating Thumb Screw
1539W	20625	" " Lock Nut
54381	20663	Slack Thread Controller
54242	20663	" " Clamp
190J	20663	" Screw
54291	20663	Regulator Holder Shaft Hole
		Plug
2102	20629	Tension (under thread) Disc
51570C	20629	g g Regulating Thumb
7,115		Nut
50326C	20629	Tension (under thread) Screw Stud
59539		# # # # 50326C
		with 51570C
131740	20629	Tension (under thread) Spring
59537	20629	" " " Bushing
		(large)

10		1013 FOR MACHINE 140, 147-27
No.	Plate	Name
59538	20629	Tension (under thread) Spring Bushing
		(small)
131696	20629	Tension (under thread) Thread Guide
54070	20663	" (upper thread) Bracket
376J	20663	" Screw
2102	20663	" Disc
51570C	20663	" Regulating Thumb
		Nut
32572	20663	Tension (upper thread) Releasing Disc
54988	20663	n n n Pin
54071	20663	g shaft
54047	20663	n n c p
		Crank with 624C
54048	20663	Tension (upper thread) Releasing Shaft
		Crank Link
624C	20663	Tension (upper thread) Releasing Shaft
		Crank Set Screw
68261	20663	Tension (upper thread) Releasing Shaft
		Spring
316F	20663	Tension (upper thread) Releasing Shaft
		Stop Screw
1547J	20663	Tension (upper thread) Releasing Shaft
		Stop Screw Nut
50326C	20663	Tension (upper thread) Screw Stud
59539		" " " 50326C
		with 51570C
131741	20663	Tension (upper thread) Spring
59537	20629	" " Bushing
		(large)
59538	20663	Tension (upper thread) Spring Bushing
		(small)
131696	20663	Tension (upper thread) Thread Guide
		(double)
53225	20629	Thread (under) Eyelet (back)
190J	20629	" Screw
38284	20629	# # (front)
64351	20660	" Nipper Cam with 465C
465C	20660	" " Bet Screw
38210	20629	s spring (lower)
38211	20629	" " " (upper)
46247	20629	" " Stop
176J	20629	# # # Screw
38475	20660	Take-up with 4650
465C	20660	" Set Screw
38478	20629	" " Staple with two
		each 590J and 38481
54049	20629	Thread (under) Take-up Staple Bracket
		with 460C
965D	20629	Thread (under) Take-up Staple Bracket
		Screw

No.	Plate	Na.me	
46041	20629	Thread (under) Take-up Staple Spring	
190J	20629	" " " " Scre	
38481	20629	# # # Thread	
00101	20020	Guard	
59QJ	20629	Thread (under) Take-up Staple Thread	•
0000	20000	Guard Screw	
38482	20629	Thread (under) Take-up Stripper	
207.J	20629	g g Screw	
64355	20660	" " Thread Guard	
		(brass)	
64356	20629	Thread (under) Take-up Thread Guard	
		Steady Pin	
46CC	20629	Thread (under) Take-up Thread Guard	
		Steady Pin Set Screw	
54330	20663	Thread (upper) Controller	
207J	20663	g g Screw	•
46009	20663	" Eyelet	
190J	20663	" Screw	•
131334	20663	" Take-up	
54095	20663	" Plate	
68164	20663	a a a a a a a a a a a a a a a a a a a	
1449J	20663	BOLE	W
131335	20663	Thread (upper) Take-up complete, Nos.	
		1449J, 54095, 68164 and 131334	
211F	20662	Thread (upper) Take-up Set Screw	
52664	20665	Throat Plate Body	
52665	20665	" 1 STICE	
23788	20665	21106	
23787	20666	" Slide	
52639		[#] Slide	
52642		" Slide	
52645 54292	20665	g Stop	
54293	20665	Throat Plate complete for 54352, for	•
ರಿಕೆಬಿಕೆದ	20000	3/64 in. to 1/8 in. gauges, for	
		general work, Nos. 665J,46075,5266	ŀ,
		52665 and 54292	••
54294	20666	Throat Plate complete for 54352, for	
		3/64 in. to 1/8 in. gauges, for	
		imitation cording and tucking, Nos.	
		665J, 23788, 46075, 52664 and 54292	3.
54295	20666	Throat Plate complete for 54352, for	
		3/64 in. to 1/8 in. gauges, for	
		cording, Nos. 665J,23787,46075,5266	34
		and 54292	
742F	20665	Throat Plate Screw	
46075	20665	Thread Retainer	
665J	20665	BOTEM	• •
*15404		Trade Mark	• •
15405		" Rivet	• •

ACCESSORIES

140.	LTGOS	Marie
120344	20656	Oiler (copper plated) with 120345
120345	20656	" Spout, 4 1/2 in. long
120440	20656	Screw Driver (large)
121108	20656	" (small)
38487	20656	Threading Wire
120341	20656	Tweezers (curved)
8908	20656	Wrench for 1520
4822	20656	# # 1547

BELT GUARD

No.	Plate	Name
68222	20633	Belt Guard with two wood screws 1 in.
		No. 12

BENCH STAND No. 79611

Name

Plate

No.

79611		Bench Stand with 27998, two each 41538, 126849, three wood screws 1 1/4 in. No. 12, four each 60656, wood screws 1 1/4 in. No. 10, eight wood screws 5/8 in. No. 6 and sixteen wood screws 5/8 in. No. 7
126849	20656	Flap Hinge with four wood screws 3/4 in. No. 7
27998	20656	Flap Hook and Eye (brass) with wood screw 1/2 in. No. 5
126247	20656	Flush Bolt
126248	20656	" " Plate
41538		Flush Bolt with Plate complete, Nos. 126247, 126248 and four brass wood screws 5/8 in. No. 4 F.H
60656	20656	Hingo

FOOT LIFTER PARTS

No.	Plate	Name
6439		Chain, 36 in. to 45 in. with 56864 and
		56865
	Note: When	ordering No. 6439, state length required.
4879	20633	Chain Connecting Link
56864	20656	" Hook (large)
56865	20656	" " (small)
126249	20633	Treadle
4882	20633	" Shaft
126250	20633	" Spring
150451	20633	" Stand
150452	20633	Treadle complete, Nos. 4879,4882,126249.
		126250, 150451 and two wood screws 1
		in. No. 16 F.H

KNEE LIFTER PARTS

No.	Plate	Name
37563		Chain, length 15 in. with 56864 and 56865
56864	20656	Chain Hook (large)
56865	20656	s s (small)
2763	20633	Rock Shaft
12242	20633	" Hanger with two wood screws 1
		in. No. 10
6335	20633	Rock Shaft Knee Arm
6336		Rock Shaft Knee Arm complete, Nos. 2766,
		2767 and 6335
2766	20633	Rock Shaft Knee Arm Hub with 356C
356C	20633	" " Set Screw
2767	20633	" " Plate with 356C
356C	20633	" " Set Screw
6337	20633	" Lifting Bracket with two 3560
7125	20633	" " " Hook
35 6 C	20633	" " Set Screw
356C	20633	" " Set Screw
2770	20633	" " Stop Dog with 140219C
140219C	20633	" " " Set Screw
23767	20633	Rock Shaft complete, Nos.2763,2770,6336,
		6337, 7125 and two 12242

MACHINE BASE

No.	Plate	Name
131340	20638	Machine Base
131019	20638	" 0il Pipe
131020	20638	" " " Valve
54477	20638	" Screw Stud
51576E	20638	" " " Nut
9842	20638	" " " Washer
131279	20638	Cushion (felt)
948E	20638	Screw, to fasten machine to base
131320	20638	Machine Base complete, Nos. 131019,
		131020, 131340, three each 9842,
		51576E, 54477 and four each 948E and

MACHINE BASE OIL DRAIN JAR

(SWINGING TYPE)

		·
No.	Plate	Name
131185	20639	Jar (glass)
131191	20639	# Cap
131188	20639	" Clamp
131217		"
131189	20639	" Lever
1247C	20639	" " Hinge Screw
131265	20639	Nipple (long)
131266	20639	<pre># (short)</pre>
131267	20639	# Elbow
131268	20639	Machine Base Oil Drain Jar (swinging
		type) complete, Nos. 131185, 131191,
		131217, 131266 and two each 1247C,
		131265 and 131267
131327	20639	Machine Base with Oil Drain Jar (swing-
		ing type) complete, Nos. 131268,
		131340, three each 9842,51576E,54477
		and four each 948E and 131279

THREAD UNWINDER

FOR THREE SPOOLS

No.	Plate	Name
225259	20659	Spool Rest (for one spool) with 201018C.
225257	20659	" (for two spools) with 2010180
150203	20659	" Cushion (felt)
225388	20659	# Rod
2003830	20659	" Set Screw
2010180	20659	" Set Screw
202490	20659	* Stand with 200383C
225391	20659	Thread Guide
201696J	20659	" Lock Nut
225326	20659	" Position Cup
225324	20659	" Rod with 208E and 225322
208E	20659	" " Screw
225322	20659	" " Washer
259143	20659	Thread Unwinder complete, Nos. 201696J,
		202490,225257,225259,225324,225326,
		225388, three each 150203, 225391
		and wood screws 7/8 in. No. 12
27739	20659	Thread Cone (wood) for large cones
225390	20659	" Holder, for inverted cones
No	te: Nos.	27739 and 225390 are used with, but not
	includ	ed in 259143.

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

"For Singer Machines" are not Singer made needles.

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked
"For Singer Machines"
are not Singer made needles. 2

NUMERICAL LIST OF PARTS

NUMERICAL LIST OF PARTS

No.	Plate	Name
144D	20660	'Arm Rotary Shaft Screw
157J	20665	Feed Dog Screw
159F	20660	Arm Rotary Shaft Flanged Bushing Screw
161D	20625	Presser Bar Lifting Lever Extension Screw
175E	20661	Looper Carrier Adjusting Screw for 54027
175E	20661	Driver Cap Screw for 54230
176J	20668	Needle Guard Holder Screw
176J	20629	Thread (under) Nipper Spring Screw
187E	20662	Needle Bar Connecting Stud Clamping
		Screw for 54328
190J	20665	Presser Foot Screw
190J	20663	Slack Thread Controller Clamp Screw
190J	20629	Thread (under) Eyelet (back) Screw
190J	20629	" Take-up Staple Spring Screw
190J	20663	" (upper) Eyelet Screw
207J	20629	" (under) Take-up Stripper Screw
207J	20663	(upper) Controller Screw
208E	20659	Unwinder Thread Guide Rod Screw
		for 225324
211F	20662	Thread (upper) Take-up Set Screw for 54328
217J	20660	Feed Eccentric Clamping Washer Screw for 54025
217F	20668	Needle Guard Screw
223F	20668	Presser Foot Guide (left) Set Screw for
		46193
227E	20661	Looper Driving Shaft and Feed Lifting Eccentric Oil Hole Screw for 54440
229D	20668	Looper Needle Guard Screw for 54290
316F	20663	Tension (upper thread) Releasing Shaft Stop Screw
356C	20633	Rock Shaft Knee Arm Hub Set Screw for
		2766
356C	20633	Rock Shaft Knee Plate Set Screw for 2767
356C	20633	" Lifting Bracket Hook Set Screw
		for 6337
356C	20633	Rock Shaft Lifting Bracket Set Screw for
		6337
376J	20663	Thread (upper thread) Bracket Screw
422C	20660	Arm Rotary Shaft Bushing (intermediate)
	-	Set Screw (long)
423C	20622	Arm Rock Shaft Bushing (intermediate)
4400	00000	Set Screw
446C	20622	Arm Rock Shaft Bushing (back) Set Screw.
446C	20661	Looper Carrier Connection Shaft Bushing
		Set Screw

No.	Plate	Name
447C	20662	Presser Bar Guide Bracket Guide Set
		Screw
447C	20662	Presser Bar Lifter Hinge Stud Set Screw.
453C	20622	Arm Rock Shaft Collar Set Screw for
		54004
453C	20622	Arm Rock Shaft Crank (front) Set Screw for 64255
453C	20622	Arm Rock Shaft Flanged Bushing (front) Set Screw
453C	20661	Feed Bar Hinge Pin Set Screw for 54019
453C	20661	Rocking Frame Hinge Pin Bushing Set
		Screw for 54026
453C	20661	Feed Rocking Frame Hinge Pin Set Screw
		for 54026
453C	20662	Presser Bar Guide Bracket Set Screw for
		54039
457C	20661	Feed Connecting Rod Hinge Pin Collar Set
		Screw for 21506
46CC	20662	Presser Bar Lifting Lever Connecting Pin
		Set Screw for 61047
46CC	20629	Thread (under) Take-up Thread Guard
		Steady Pin Set Screw for 54049
462F	20662	Needle Clamp Screw for 46166
465C	20660	Thread (under) Nipper Cam Set Screw for 64351
465C	20660	Thread (under) Take-up Set Screw for
3000	2000	38475
574W	20625	Pressure Regulating Thumb Screw
590J	20668	Looper Thread Guard Screw for 54289
59QJ	20629	Thread (under) Take-up Staple Thread Guard Screw for 38478
624C	20663	Tension (upper thread) Releasing Shaft
0020	20000	Crank Set Screw for 54047
640E	20660	Looper Driving Shaft and Feed Lifting
		Eccentric Screw for 131347
64QJ	20662	Presser Bar Guide Bracket Adjusting
		Screw for 54039
665J	20665	Throat Plate Thread Retainer Screw for 54293 to 54295
704J	20661	Looper Holder Screw
725J	20664	Cloth Plate Slide (left) Spring Screw for 54013
725J	20664	Cloth Plate Slide (right) Spring Screw
		for 54286
735F	20662	Needle Set Screw for 46269
742F	20665	Throat Plate Screw
761E	20660	Arm Rotary Shaft Bushing (front) Set
761E	20661	ScrewLooper Driving Shaft and Feed Lifting
, OTE	POOL	Eccentric Bracket Bushing Set Screw
		for 54034

		Mama
No.	Plate	Name .
802D	20625	Presser Bar Lifting Lever Hinge Screw
896E	20660	Crank Connecting Rod Cap (lower) Screw for 54017
896E	20660	Feed Connecting Rod Cap Screw for 54111.
948J	20661	Looper Driving Shaft and Feed Lifting
		Eccentric Bracket Screw for 54283
948E	20638	Machine Screw, to fasten machine to base, for 131320 and 131327
965D	20629	Thread (under) Take-up Staple Bracket Screw
1011F	20664	Cloth Plate Screw (left)
_		Crank Connecting Rod Cap (upper) Screw
1057E	20660	for 54017
1057E	20660	Feed Connecting Rod Clamping Screw for 54111
1076F	20668	Presser Foot Guide (right) Set Screw for 46193.
11070	20660	Feed Regulating Screw for 54025
1103C 1120C	20661	Looper Set Screw for 54035
1123E	20662	Needle Bar Bushing (lower) Set Screw
1133E	20662	" " (upper) Set Screw
1133E	20662	Presser Bar Bushing (lower) Set Screw
1133E	20662	" " (upper) Set Screw
1235E	20664	Cloth Plate Thread Guard Screw
1247C	20639	Machine Base Oil Drain Jar Clamp Lever
		Hinge Screw for 131268
1250C	20662	Presser Bar Lifter Stop Screw
12580	20660	Arm Rotary Shaft Collar Set Screw for 54450
1449J	20663	Thread (upper) Take-up Plate Spring Screw for 131335
1480R	20664	Cord Guide Screw
1520J	20662	Needle Bar Connecting Link Hinge Stud
		Nut
1539W	20625	Pressure Regulating Thumb Screw Lock Nut
1547J	20663	Tension (upper thread) Releasing Shaft Stop Screw Nut
1602E	20664	Cloth Plate Slide (right) Bushing for 54285
1872	20662	Presser Bar Lifter Roller and Stud for 61047
1963	20662	Presser Bar Guide Bracket Roller and Stud for 54039
2102	20629	Tension (under thread) Disc
2102	20663	" (upper thread) Disc
2102	20622	Arm Rock Shaft Crank (front) Pin
2117	20662	Needle Clamp Pin for 54187
2273 2763	20633	Rock Shaft for 23767
2766 2766	20633	" Knee Arm Hub with 356C, for
£100	20000	6336

No.	Plate	Name
2767	20633	Rock Shaft Knee Plate with 356C, for
		6336
2770	20633	Rock Shaft Stop Dog with 140219C, for
4000	22254	23767
4822	20656	Wrench for 1547 (Accessories)
4879	20633	Foot Lifter Chain Connecting Link for
4882	00000	150452
4002 6335	20633	Foot Lifter Treadle Shaft for 150452
6336	20633	Rock Shaft Knee Arm for 6336
0000		Rock Shaft Knee Arm complete for 23767,
6337	20633	Nos. 2766, 2767 and 6335 Rock Shaft Lifting Bracket with two
5007	20000	356C, for 23767
6439		Foot Lifter Chain, 36 in. to 45 in. with
0400		56864 and 56865
6575	20660	Crank Connecting Rod Oil Pad Stop Pin
00,0	20000	for 54017
7071	20660	Feed Eccentric Clamping Washer for 54025
7125	20633	Rock Shaft Lifting Bracket Hook for
, 2	20000	23767
8908	20656	Wrench for 1520 (Accessories)
9842	20638	Machine Base Screw Stud Nut Washer for
		131320 and 131327
11173	20662	Presser Bar Guide Bracket Guide
12242	20633	Rock Shaft Hanger with two wood screws 1
		in. No. 10, for 23767
15196	20625	Arm Side Cover (back)
*15404		Trade Mark for 54283
15405		<pre>" Rivet for 54283</pre>
18055	20665	Presser Foot Hinge Pin for 46271 to
		46273, 46309, 52638, 52641 and 52644
21506	20661	Feed Connecting Rod Hinge Pin Collar
		with 457C, for 54077
23767	20633	Rock Shaft complete, Nos.2763,2770,6336,
		6337, 7125 and two 12242
23777	20665	Presser Foot Plate for 46272
23778	20666	" " for 46273
23787	20666	Throat Plate Slide for 54295
23788	20665	" " for 54294
23859	20665	Presser Foot Plate for 46271
25303	20662	Bar Ball, size 1/4 in. for 64330
27739	20659	Thread Unwinder Thread Cone (wood) for
077000	00050	large cones, for 259143
27998	20656	Bench Stand Flap Hook and Eye (brass)
	į	with wood screw 1/2 in. No. 5, for
32572	00003	79611
37563	20663	Tension (upper thread) Releasing Disc
37303		Knee Lifter Chain, length 15 in. with
38014	20666	56864 and 56865
COOTA	20000	1100001 LOOF LTWO TOT. 40000

No.	Plate	Name
38210	20629	Thread (under) Nipper Spring (lower)
38211	20629	(4)
38284	20629	EAGTOR (ILOUR)
38393	20668	Looper Thread Guard for 54289
38416	20664	Cloth Plate Slide (right) Spring for
		54286
38419	20664	Cloth Plate Slide (left) Spring for
50450	00000	54013
38456	20662	Needle Bar Bushing (lower)
38456	20662	Presser Bar Bushing (upper)
38467	20625	" Spring (flat)
38468	20625	D 00.00
38475	20660	Thread (under) Take-up with 465C
38478	20629	" Staple with two
		each 590J and 38481
38481	20629	Thread (under) Take-up Staple Thread
		Guard for 38478
38482	20629	Thread (under) Take-up Stripper
38487	20656	Threading Wire (Accessories)
40326	20661	Looper Driving Shaft and Feed Lifting
		Eccentric Oil Pad (braided cotton)
41538		Bench Stand Flush Bolt with Plate com-
		plete for 79611, Nos. 126247, 126248
		and four brass wood screws 5/8 in.
		No. 4 F.H
42366	20622	Arm Oil Pad (braided cotton) for oiling
		Arm Rock Shaft Front Bearing
46009	20663	Thread (upper) Eyelet
46041	20629	Thread (under) Take-up Staple Spring
46070	20662	Needle Clamp Gib for 54187
46075	20665	Throat Plate Thread Retainer for 54293
		to 54295
46105	20668	Looper Needle Guard Pin for 52661
46111	20625	Face Plate Pin
46166	20662	Needle Clamp with 462F, for 3/64 in. to
		5/64 in. gauges, for 54187
46191	20668	Presser Foot Guide (left)
46192	20668	" " (right)
46193	20668	" " Holder with 223F and
		1076F
46247	20629	Thread (under) Nipper Spring (upper)
		Stop
46269	20662	Needle Clamp with two 735F, for 3/32 in.
		to 1/8 in. gauges, for 54345
46270	20665	Presser Foot Shank for 46271 to 46273,
	~~~~	46309, 52638, 52641 and 52644
46271	20665	Presser Foot (hinged) complete for 3/64
		in. to 1/8 in. gauges, for general
		work, Nos. 18055, 23859 and 46270
		,,,

No.	Plate	Nama
46272	20665	Name Tracker (himsel) complete to
3130#	20003	Presser Foot (hinged) complete for
		imitation cording and tucking, Nos.
46273	20000	18055, 23777 and 46270
40270	20666	Presser Foot (hinged) complete for
46309	20666	cording, Nos. 18055, 23778 and 46270
<del>2</del> 0009	80000	Presser Foot (hinged) complete for gang cording and pin tucking, Nos. 18055,
		38014 and 46270
49013	20660	Arm Rotary Shaft Front Bearing Oil Pad
49010	20000	(braided cotton)
49013	20661	Looper Carrier Connection Shaft Oil Pad
40010	20001	
49092	20625	(braided cotton)
50083C	20660 :	Oil Tube Packing (felt) for 54110
00000	20000	Arm Rock Shaft Crank (back) Set Screw for 131343
50084C	20660	Arm Rotary Shaft Bushing (intermediate)
000020	20000	Set Screw (short)
503260	20629	Tension (under thread) Screw Stud for
000000	20000	59539
503260	20663	Tension (upper thread) Screw Stud for
	2000	59539
50429C	20661	Feed Dog Stop Screw for 54019
50473F	20664	Cloth Plate Screw (right)
51061C	20660	Feed Eccentric Body Set Screw for 54025.
51224W	20625	Arm Side Cover (back) Thumb Screw
51224W	20625	" " (front) Thumb Screw
51224W	20625	Face Plate Thumb Screw
51283C	20660	Balance Wheel Set Screw for 54210
51570C	20629	Tension (under thread) Regulating Thumb
		Nut for 59539
5157 <b>0</b> C	20663	Tension (upper thread) Regulating Thumb
		Nut for 59539
51576E	20638	Machine Base Screw Stud Nut for 131320
		and 131327
52045	20622	Arm Oil Tube Packing (wick) for 56003
52045	20622	Rock Shaft Bushing Oil Pad (wick)
52045	20622	" " Flanged Bushing (front)
	-	Oil Pad (wick)
52637	20667	Presser Foot Plate for 52638
52638	20667	Presser Foot (hinged) complete for 3/64
		in. gauge, for air cording and tuck-
		ing 1/32 in. high, Nos. 18055, 46270
50.55		and 52637
52639		Throat Plate Slide
52640	20667	Presser Foot Plate for 52641
52641	20667	Presser Foot (hinged) complete for 3/64
		in. and 1/16 in. gauges, for air
		cording and tucking 3/64 in. high,
E0040		Nos. 18055, 46270 and 52640
52642		Throat Plate Slide

No.	Plate	Nате
52643	20668	Presser Foot Plate for 52644
52644	20668	Presser Foot (hinged) complete for 3/64
		in. and 1/16 in. gauges, for air
		cording and tucking 1/16 in. high,
	**	Nos. 18055, 46270 and 52643
52645		Throat Plate Slide
52661		Looper Needle Guard with 46105, for
02001	. 20000	54290
52664	20665	Throat Plate Body for 54293 to 54295
52665		" " Slide for 54293
53225		Thread (under) Eyelet (back)
54002		Arm Rock Shaft for 54079
54004		" " Collar with two 453C, for
24004	. 2002	5407954079
<b>*54006</b>	20660	Arm Rotary Shaft for 131347
54007		Bushing (intermediate)
04001	20000	for 54089
54009	20660	Arm Rotary Shaft Flanged Bushing for
0.2000	2000	54090
54010	20625	Arm Side Cover (front)
54012		Cloth Plate Slide (left) for 54013
54013		Cloth Plate Slide (left) complete for
01010	20001	54287, Nos. 38419,54012 and two 725J
54017	20660	Crank Connecting Rod with 6575, 54218,
01011	2000	68350 and two each 896E and 1057E,
		for 131345
54019	20661	Feed Bar with 50429C and two 453C, for
0.020	2000	54077
54020	20661	Feed Bar Connection for 54077
54023		" Connecting Rod Hinge Pin for 54077.
54025		Feed Eccentric (adjustable) complete for
0-1000	20000	54113, Nos. 1103C and two each 217J,
		7071 and 51061C
54026	20661	Feed Rocking Frame with two 4530, for
04020	20001	54077
54027	20661	Looper Carrier with two 175E, for 54447.
*54034	· · · · · · ·	Driving Shaft and Feed Lifting
*01001		Eccentric Bracket with 761E, for
		54283
54035	20661	Looper Holder with 11200
54037		Needle Guard
54038		# Holder
54039		Presser Bar Guide Bracket with 4530,640J
04003	20002	and 1963
54047	20663	Tension (upper thread) Releasing Shaft
		Crank with 624C
54048	20663	Tension (upper thread) Releasing Shaft
		Crank Link
54049	20629	Thread (under) Take-up Staple Bracket
		with 4600

No.	Plate	Name
54070	20663	Tension (upper thread) Bracket
54071	20663	(upper thread) Releasing Shaft
54077		Feed Rocking Frame 54026 with 21506,
010//		54019, 54020, 54023 and 57225
54079		Arm Rock Shaft 54002 with 54004 and
04079		64255
54080	20661	Looper Driving Shaft and Feed Lifting
94060	20001	Eccentric Bracket Bushing
F4000		
54089		Arm Rotary Shaft Bushing (intermediate)
54000		54007 with 64508 and 64805
54090		Arm Rotary Shaft Flanged Bushing 54009
	- i	with 58039 and 64805
54095	20663	Thread (upper) Take-up Plate for 131335.
54104	20664	Cloth Plate Thread Guard
54105	20622	Arm Rock Shaft Flanged Bushing (front)
54108	20625	011 Tube for 54110
54109	20625	" Bracket for 54110
54110	20625	Oil Tube complete for oiling Crank Con-
		necting Rod (upper bearing) Nos.
		49092, 54108 and 54109
54111	20660	Feed Connecting Rod with 1057E and two
		896E, for 54113
54113		Feed Connecting Rod 54111 with 54025, for
		131347
54186	20662	Needle Bar (hollow) for 54187
54187	20662	Needle Bar complete for 3/64 in. to 5/64
		in. gauges, Nos. 2273, 46070, 46166
		and 54186
54210	20660	Balance Wheel, 2 5/8 in. pulley with two
		51283C
54218	20660	Crank Connecting Rod Oil Pad (braided
		cotton) for 54017
54227	20661	Looper Carrier Connection for 54447
54228	20661	" " Shaft for
		54447
54229	20661	Looper Carrier Connection Shaft Bushing.
54230	20661	Driver with four 175E, for
		54447
54242	20663	Slack Thread Controller Clamp
*54283		Arm, upper and lower (solid) with 948J,
		15404, 54034 and two 15405
54284	20664	Cloth Plate for 54287
54285	20664	" Slide (right) with 1602E, for
CHOOL	2000±	5428654286
54286	20664	Cloth Plate Slide (right) complete for
OZNOU	2000	54287, Nos. 54285, two 38416 and
54900		four 725J
54287		• • • • • • • • • • • • • • • • • • • •
E4000	20664	and 54286
54288	20664	Cord Guide

No.	Plate	Name
54289	20668	Looper with 590J and 38393, for 54290
54290	20668	" 54289 with 229D and 52661
54291	20663	Slack Thread Regulator Holder Shaft Hole
		Plug
54292	20665	Throat Plate Stop for 54293 to 54295
54293	20665	Throat Plate complete for 54352, for
		3/64 in. to 1/8 in. gauges, for
		general work, Nos. 665J,46075,52664,
		52665 and 54292
54294	20666	Throat Plate complete for 54352, for
		3/64 in. to 1/8 in. gauges, for
		imitation cording and tucking, Nos.
		665J, 23788, 46075, 52664 and 54292.
54295	20666	Throat Plate complete for 54352, for
		3/64 in. to 1/8 in. gauges, for
		cording, Nos. 665J,23787,46075,52664
		and 54292
54326	20662	Needle Bar Connecting Link for 54329
54327	20662	" " " Hinge Stud for
		54329
54328	20662	Needle Bar Connecting Stud with 211F and
		two 187E, for 54329
54329	20662	Needle Bar Connecting Link 54326 with
		54327 and 54328
54330	20663	Thread (upper) Controller
54345	20662	Needle Bar complete for 3/32 in. to 1/8
		in. gauges, Nos. 46269 and 64319
54352	20665	Feed Dog, 18 teeth (16 teeth to the
		inch) for 3/64 in. to 1/8 in.gauges,
E4808	00000	for 54293 to 54295
54367	20660	Arm Rotary Shaft Bushing (front)
54381	20663	Slack Thread Controller
<b>*</b> 54440	20661	Looper Driving Shaft and Feed Lifting
		Eccentric with 227E and two 64315,
*54447		for 54447Looper Driving Shaft and Feed Lifting
		Eccentric 54440 with 54027, 54227,
		54228 and 54230, for 131347
54450	20660	Arm Rotary Shaft Collar with two 1258C,
01100	~~~~	for 131347
54477	20638	Machine Base Screw Stud for 131320 and
		131327
54988	20663	Tension (upper thread) Releasing Pin
56003	20622	Arm Oil Tube with 52045, for oiling
		Needle Bar Connecting Link
56006	20622	Arm Oil Pad (braided cotton) for oiling
		Arm Rock Shaft Intermediate Bearing.
56864	20656	Chain Hook (large) for 6439 and 37563
56865	20656	" (small) for 6439 and 37563
57225	20661	Feed Bar Hinge Pin for 54077

28		NUMERICAL LIST OF PARTS
No.	Plate	Name
57234	20661	Feed Rocking Frame Hinge Pin
57235	20661	Bushing
57257	20662	Presser Bar Lifter
57258	20662	" " Hinge Stud
58039	20660	Arm Rotary Shaft Flanged Bushing 011 Pad, long (braided cotton) for 54090
59537	20629	Tension (under thread) Spring Bushing (large)
59537	20663	Tension (upper thread) Spring Bushing (large)
59538	20629	Tension (under thread) Spring Bushing (small)
59538	20663	Tension (upper thread) Spring Bushing (small)
59539		Tension (under thread) Screw Stud 50326C with 51570C
59539		Tension (upper thread) Screw Stud 503260 with 515700
60656	20656	Bench Stand Hinge for 79611
61047	20662	Presser Bar Lifting Bracket with 4600
		and 1872
61075	20625	Presser Bar Lifting Lever Connecting Pin
64255	20622	Arm Rock Shaft Crank (front) with 453C,
,		for 54079
64269	20625	Face Plate
<b>6431</b> 5		Looper Driving Shaft and Feed Lifting Eccentric Oil Hole Plug for 54440
64319	20662	Needle Bar (hollow) for 54345
64320	20662	" Bushing (upper)
64330	20662	Presser Bar with 25303
64331	20662	" Bushing (lower)
64351	20660	Thread (under) Nipper Cam with 465C, for
04555	20000	131347
<b>643</b> 55	20660	Thread (under) Take-up Thread Guard (brass) for 131347
64356	20629	Thread (under) Take-up Thread Guard Steady Pin
64386	20622	Arm Rock Shaft Bushing (back)
64388	20622	" " (intermediate)
64508	20660	Rotary Shaft Bushing (intermediate)
		011 Pad, long (braided cotton) for 54089
64805	20660	Arm Rotary Shaft Bushing (intermediate) 011 Pad, short (braided cotton) for 54089
64805	20660	Arm Rotary Shaft Flanged Bushing 011 Pad, short (braided cotton) for 54090
68164	20663	Thread (upper) Take-up Plate Spring for 131335

No.	Plate	Name
68184	20625	Presser Bar Lifting Lever Extension
68208	20625	# # Lever
68222	20633	Belt Guard with two wood screws 1 in. No. 12
68261	20663	Tension (upper thread) Releasing Shaft Spring
68350	20660	Crank Connecting Rod Oil Cup for 54017
79611		Bench Stand with 27998, two each 41538, 126849, three wood screws 1 1/4 in. No. 12, four each 60656, wood screws 1 1/4 in. No. 10, eight wood screws 5/8 in. No. 6 and sixteen wood screws 5/8 in. No. 7
120341	20656	Tweezers (curved) Accessories
120344	20656	Oiler (copper plated) with 120345 (Accessories
120345	20656	Oiler Spout, 4 1/2 in. long, for 120344.
120440	20656	Screw Driver (large) Accessories
121108	20656	" (small) Accessories
126247	20656	Bench Stand Flush Bolt for 41538
126248	20656	" " Plate for 41538
126249	20633	Foot Lifter Treadle for 150452
126250	20633	" " Spring for 150452
126849	20656	Bench Stand Flap Hinge with four wood
10010	2000	screws 3/4 in. No. 7, for 79611
131019	20638	Machine Base Oil Pipe for 131320
131020	20638	" " " Valve for 131320
131185	20639	" " Drain Jar (glass) for
404100		131268
131188	20639	Machine Base Oil Drain Jar Clamp for 131217
131189	20639	Machine Base 011 Drain Jar Clamp Lever for 131217
131191	20639	Machine Base 011 Drain Jar Cap for 131268
131217		Machine Base 011 Drain Jar Clamp 131188 with 131189, for 131268
131265	20639	Machine Base 011 Drain Jar Nipple (long) for 131268
131266	20639	Machine Base Oil Drain Jar Nipple (short) for 131268
131267	20639	Machine Base Oil Drain Jar Nipple Elbow for 131268
131268	20639	Machine Base 011 Drain Jar (swinging type) complete for 131327, Nos. 131165,131191,131217,131266 and two each 1247C, 131265 and 131267
131279	20638	Machine Cushion (felt) for 131320 and 131327

No.	Plate	Name
131320	20638	Machine Base complete, Nos. 131019, 131020, 131340, three each 9842, 51576E, 54477 and four each 948E and
131327	20639	Machine Base with Oil Drain Jar (swing- ing type) complete, Nos. 131268, 131340, three each 9842,51576E,54477 and four each 948E and 131279
131334	20663	Thread (upper) Take-up for 131335
131335	20663	Thread (upper) Take-up complete, Nos. 1449J,54095,68164 and 131334
131340	20638	Machine Base for 131320 and 131327
131343	20660	Arm Rock Shaft Crank, back (ball bearing, solid) with two 50083C, for 131345
131345		Crank Connecting Rod 54017 with 131343, for 131347
131347		Arm Rotary Shaft 54006 with 640E, 54113, 54447,54450,64351,64355 and 131345
131696	20629	Tension (under thread) Thread Guide
131696	20663	<pre>" (upper thread) Thread Guide (double)</pre>
131740	20629	Tension (under thread) Spring
131741	20663	" (upper thread) Spring
1402190	20633	Rock Shaft Stop Dog Set Screw for 2770
150203	20659	Thread Unwinder Spool Rest Cushion (felt) for 259143
150451	20633	Foot Lifter Treadle Stand for 150452
150452	20633	Foot Lifter Treadle complete, Nos. 4879, 4882, 126249, 126250, 150451 and two wood screws 1 in. No. 16 F.H
200383C	20659	Thread Unwinder Spool Rest Rod Set Screw for 202490
2010180	20659	Thread Unwinder Spool Rest Set Screw for 225257 and 225259
201696J	20659	Thread Unwinder Thread Guide Lock Nut for 259143
202490	20659	Thread Unwinder Spool Stand with 2003830, for 259143
225257	20659	Thread Unwinder Spool Rest (for two spools) with 201018C, for 259143
225259	20659	Thread Unwinder Spool Rest (for one spool) with 201018C, for 259143
225322	20659	Thread Unwinder Thread Guide Rod Washer for 225324
225324	20659	Thread Unwinder Thread Guide Rod with 208E and 225322, for 259143
225326	20659	Thread Unwinder Thread Guide Position Cup for 259143
225388	20659	Thread Unwinder Spool Rest Rod for 259143.


No.	Plate	Name
225390	20659	Thread Unwinder Thread Cone Holder for inverted cones, for 259143
225391	20659	Thread Unwinder Thread Guide for 259143.
259143	20659	Thread Unwinder complete (for three spools) Nos. 201696J,202490,225257, 225259,225324,225326,225388, three each 150203, 225391 and wood screws 7/8 in. No. 12.


Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1


Needles in Containers marked
"For Singer Machines"
are not Singer made needles. 2

From the library of: Superior Sewing Machine & Supply LLC


OF PARTS









20633 - 1/4



From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC


20656 - 1/2




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC






From the library of: Superior Sewing Machine & Supply LLC


20662 - 2/3




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC





From the library of: Superior Sewing Machine & Supply LLC

20668 - 1/2



From the library of: Superior Sewing Machine & Supply LLC

