Sy 240) Printed in U.S.A.

Form 19416

# LIST of PARTS



MACHINE No. 147-4

THE SINGER MANUFACTURING COMPANY

om the library of: Superior Sewing Machine & Supply LLC

#### INSTRUCTIONS FOR OILING

Before starting the machine, fill all oil reservoirs and apply oil to the connecting rod and all oil holes. When the machine is in continuous use, it should be thoroughly oiled at least twice a day.

Use either Singer "OIL FOR HIGH SPEED SEWING MACHINES (Cloth and Leather)" for general use, or "STAINLESS OIL FOR HIGH SPEED SEWING MACHINES" where a stainless oil is desired.

Copyright, U. S. A., 1939 and 1940 by The Singer Manufacturing Co. All Rights Reserved for all Countries

### **INDEX**

Accessories	зе 14
Belt Guard	14
Binders (Transverse)	<u>14</u>
Foot Lifter Parts	15
Knee Lifter Parts	L6
Machine Base	16
Machine Base Oil Drain Jar	L7
Machine No. 147-4	5
Numerical List of Parts	ГЭ
Tape Holder	17

#### INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column. The number stamped on a Sowing Machine Part is in every case the number of the single part only. Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination. Each number always indicates the SAME PART in whatever list it appears, or for whatever machine. The letters after some of the numbers indicate the style of finish only, as follows: A-Hardened, Polished, Nickel Plated and Buffed A.A-Buffed and Chromium Plated A.B-Hardened, Polished, Buffed and Chromium Plated A.C-Brown Baking Enamel Finish A.D-Gray Baking Enamel Finish A.E.-Hardened, Bright Rumbled and Nickel Plated
A.F.-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated B-Polished, Nickel Plated and Buffed C-Hardened Only C.R-Hardened and Merlized D-Polished Only E-Soft, Not Polished F-Hardened and Polished F.J-Hardened, Polished and Nickel Plated G-Bright Rumbled and Nickel Plated H-Blued J-Nickel Plated Only K-Hardened and Nickel Plated L-Brass Plated M-0x1d1zed N-Japanned, Dull P-Japanned, Bright P.P-Wrinkle Finish R-Merlized S-Cadmium Plated T-Copper Plated T.A-Hardened, Polished, Copper and Nickel Plated and Buffed T.B-Copper and Nickel Plated and Polished T.J-Copper and Nickel Plated Only T.K-Hardened, Copper and Nickel Plated T.L-Copper and Brass Plated T.M-Copper Plated and Oxidized U-Zinc Plated V-Silver Plated W-Polished and Nickel Plated X-Black Oxide, for Iron and Steel X.C-Hardened and Black Oxide, for Iron or Steel Y-Black Nickel Plated Only Z-Chromium Plated Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated Z.B-Polished, Nickel Plated, Buffed and Chronium Plated Z.C-Hardened and Chromium Plated Z.D-Polished and Chromium Plated Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated Z.J-Nickel and Chromium Plated Z.T-Copper and Chromium Plated These letters MUST BE USED when they appear in the list; and AFTER the number as in the list. In this series: 1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts. The figures in the second column refer only to the plates,


From the library of: Superior Sewing Machine & Supply LLC

illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (\*) are furnished only when

repairs are made at factory.

# LIST OF PARTS COMPLETE FOR



#### MACHINE No. 147-4

For Stitching Button Stays on Knit Underwear. One needle, one looper. Transverse Binder. Gathering feed. Speed up to 3500 R. P. M., according to the material being stitched.

No.	Plate	Name
*54304		Arm, upper and lower (solid) with 948J,
		15404, 54034 and two 15405
42366	20622	Arm Oil Pad (braided cotton) for oiling
		Arm Rock Shaft Front Bearing
56006	20622	Arm Oil Pad (braided cotton) for oiling
		Arm Rock Shaft Intermediate Bearing.
56003	20622	Arm Oil Tube with 52045, for oiling
		Needle Bar Connecting Link
52045	20622	Arm Oil Tube Packing (wick)
54002	20622	" Rock Shaft
54079		" " 54002 with 54004 and 64255
64386	20622	" " Bushing (back)
446C	20622	" " Set Screw
64388	20622	" " (intermediate)
423C	20622	" " " Set
4200	20000	Screw

No.	Plate		Name
52045	20622	Arm	Rock Shaft Bushing Oil Pad (wick)
54004	20622	#	" " Collar with two 453C
453C	20622	n	" Set Screw
131072	20623	Ħ	" Crank (back) (ball bear-
			ing, solid) with two 50083C
50083C	20623	Arm	Rock Shaft Crank (back) Set Screw
64255	20622		" " (front) with 453C
2117	20622		" " Pin
453C	20622	a	" " Set Screw
54105	20622	en	" " Flanged Bushing (front)
52045	20622		w m m m oil
******			Pad (wick)
453C	20622	Arm	Rock Shaft Flanged Bushing (front)
			Set Screw
54359	20623	Arm	Rotary Shaft
Not			54359 is required for repairs, the
			ing Shaft and Feed Lifting Eccentric
			urned to the factory to be adjusted
	to the		
54385		-	Rotary Shaft 54359 with 640E, 54113,
			54317,54383,54450,64351,64355 and
			131344
54367	20623	Arm	Rotary Shaft Bushing (front)
761E	20623	#	" " Set Screw
54007	20623	#	
54089		#	a h w h
			54007 with 64508 and 64805
64508	20623	Arm	Rotary Shaft Bushing (intermediate)
			Oil Pad, long (braided cotton)
64805	20623	Arm	Rotary Shaft Bushing (intermediate)
			Oil Pad, short (braided cotton)
422C	20623	Arm	Rotary Shaft Bushing (intermediate)
			Set Screw (long)
50084C	20623	Arm	Rotary Shaft Bushing (intermediate)
00000			Set Screw (short)
54450	20623	Arm	Rotary Shaft Collar with two 1258C
1258C	20623	R	" " Set Screw
54009	20623	Ħ	" " Flanged Bushing
54090			# # # 54009
			with 58039 and 64805
58039	20623	Arm	Rotary Shaft Flanged Bushing Oil
			Pad, long (braided cotton)
64805	20623	Arm	Rotary Shaft Flanged Bushing Oil
			Pad, short (braided cotton)
159 <b>F</b>	20623	Arm	Rotary Shaft Flanged Bushing Screw
49013	20623	7	Front Bearing Oil Pad
			(braided cotton)
144D	20623	Arm	Rotary Shaft Screw
15196	20625		
51224W	20625	tı	" " Thumb Screw

```
Plate
                               Name
 No.
                Arm Side Cover (front)......
54010
        20625
51.224W
        20625
                                    Thumb Screw.....
64259
        20623
                Balance Wheel, 2 in. diam. pulley with
                   two 512830.....
                Balance Wheel Set Screw.....
51283C
        20623
                Cloth Plate.....
54305
        20624
                          Bracket.....
46432
        20624
                  er
                       ø
  742F
        20624
                                 Screw......
                          011 Tube with 49092.....
54309
        20624
                               " Packing (felt).....
49092
        20624
                          Slide (large).....
54306
        20624
        20624
                                      Spring (left).
46434
  725J
        20624
                   Screw....
        20624
                Cloth Plate Slide (large) Spring (right)
38416
  725J
        20624
                   Screw......
                Cloth Plate Slide (large) Steady Plate ..
53216
        20624
 1443B
        20624
                Cloth Plate Slide (large) complete. Nos.
54307
                   38416, 46434, 54306 and four 725J...
                Cloth Plate Slide (small)......
54012
        20624
        20624
                                      Spring.....
38419
        20624
                                            Screw..
  725J
                Cloth Plate Slide (small) complete, Nos.
54013
        ----
                   38419, 54012 and two 725J.....
54308
        20624
                Cloth Plate complete, Nos. 53216, 54013,
                    54305, 54307, 54309 and two 1443B...
                Cloth Plate Screw (left).....
 1011F
        20624
50473F
        20624
                                (right).....
                Crank Connecting Rod with 6575, 54218,
54017
        20623
                    68350 and two each 896E and 1057E...
                Crank Connecting Rod 54017 with 131072...
131344
                                  Cap (lower) Screw ...
  896E
        20623
                                      (upper) Screw ...
        20623
 1057E
                  £
                                  011 Cup.....
 68350
        20623
                                e
                                   " Pad (braided
 54218
        20623
                    cotton)......
                Crank Connecting Rod Oil Pad Stop Pin...
 6575
        20623
                Face Plate.....
 64269
        20625
 46111
        20625
                          Pin.....
                          Thumb Screw.....
 51224W
        20625
                Feed (back) Bar with 50429C and two 453C
        20626
 54019
                              Connection.....
 54020
        20627
                  Ħ
                              Hinge Pin (eccentric)...
        20626
 54310
        20626
 24292
                    with 1019C.....
                Feed (back) Bar Hinge Pin (eccentric)
 1019C
        20626
                    Collar Set Screw.....
```

No.	Plate	Name
453C	20626	Feed (back) Bar Hinge Pin Set Screw
54111	20623	" Connecting Rod with 1057E and two 896E
54113		Feed (back) Connecting Rod 54111 with
		54025
896E	20623	Feed (back) Connecting Rod Cap Screw
1057E	20623	" " " Clamping
		Screw
54023	20626	Feed (back) Connecting Rod Hinge Pin
21506	20626	Collar with 457C
457C	20626	Feed (back) Connecting Rod Hinge Pin
		Collar Set Screw
54363	20631	Feed (back) Dog, 8 teeth (16 teeth to
		the inch) for 54364
157J	20631	Feed (back) Dog Screw
50429C	20626	" " Stop Screw
54311	20626	" (front) Bar
21F	20626	" " Hinge Screw
1520E	20626	" " " Nut
54312	20626	" " Connecting Rod
26F	20626	" " " Hinge Screw.
1680C	20626	91 61 61 64 <b>6</b> 4
		Nut
42290	20626	Feed (front) Connecting Rod Hinge Screw
		Nut Washer
46443	20631	Feed (front) Dog, 12 teeth (16 teeth to
		the inch) for 54364
190J	20631	Feed (front) Dog Screw
54313	20623	" " Lifting Rock Shaft
54314	20623	" " " " Crank
		(back) forked, with 50083C, 50200C
		and 50571D
50571D	20623	Feed (front) Lifting Rock Shaft Crank
		(back) Adjusting Screw
50200C	20623	Feed (front) Lifting Rock Shaft Crank
		(back) Position Screw
50083C	20623	Feed (front) Lifting Rock Shaft Crank
		(back) Set Screw
54315	20623	Feed (front) Lifting Rock Shaft Crank
		(back) Slide Block (two pieces)
54316	20623	Feed (front) Lifting Rock Shaft Crank
3.0000	00000	(front) with two 1057D
1057D	20623	Feed (front) Lifting Rock Shaft Crank
F455 ==	0000	(front) Clamping Screw
54317	20623	Feed (front) Lifting Rock Shaft Eccen-
4400	0000	tric with two 448C
448C	20623	Feed (front) Lifting Rock Shaft Eccen-
E10610	20627	tric Set Screw
51061C	20623	Feed Eccentric Body Set Screw

••-	D1 - 4 -	Nomo
No.	Plate	Name
7071	20623	Feed Eccentric Clamping Washer
217J	20623	" DOTEM.".
54025	20623	Feed Eccentric (adjustable) complete,
		Nos.1103C and two each 217J,7071 and
		51061C
1103C	20623	Feed Regulating Screw
54026	20626	" Rocking Frame With two 453C
57234	20626	umge tim
57235	20626	Dubiting
453C	20626	500
		Screw
453C	20626	Feed Rocking Frame Hinge Pin Set Screw
53202	20631	Looper
53203	20631	" 53202 with 229D and 52661
54027	20627	" Carrier with two 175E
175E	20627	" Adjusting Screw
54227	20627	" Connection
54228	20627	" Shaft
54229	20627	" " Bushing.
446C	20627	
		Set Screw
49013	20627	Looper Carrier Connection Shaft 011 Pad
		(braided cotton)
54230	20627	Looper Carrier Driver with four 175E
175E	20627	" Cap Screw
<b>*54368</b>	20627	" Driving Shaft and Feed Lifting
		Eccentric with 227E and two 64315
No	te: When	No. 54368 is required for repairs, the
		tary Shaft must be returned to the factory
	to be	adjusted to the new part.
<b>*</b> 54383		Looper Driving Shaft and Feed Lifting
		Eccentric 54368 with 54027, 54227,
		54228 and 54230
<b>*</b> 54034		Looper Driving Shaft and Feed Lifting
		Eccentric Bracket with 761E
54080	20627	Looper Driving Shaft and Feed Lifting
		Eccentric Bracket Bushing
761E	20627	Looper Driving Shaft and Feed Lifting
		Eccentric Bracket Bushing Set Screw.
9 <b>4</b> 8J	20627	Looper Driving Shaft and Feed Lifting
		Eccentric Bracket Screw
64315		Looper Driving Shaft and Feed Lifting
		Eccentric Oil Hole Plug
227E	20627	Looper Driving Shaft and Feed Lifting
		Eccentric Oil Hole Screw
40326	20627	Looper Driving Shaft and Feed Lifting
		Eccentric Oil Pad (braided cotton)
640E	20623	Looper Driving Shaft and Feed Lifting
640E 54035	20623 20627	

```
No.
       Plate
                             Name
  704J
       20627
               Looper Holder Screw.....
52661
       20631
                    Needle Guard with 46105.....
46105
       20631
                 cr
                               Pin.....
                               Screw.....
  229 D
       20631
 1120C
       20627
                    Set Screw.....
54036
              Needle Bar (hollow) with 857C.....
       20628
38456
       20628
                       Bushing (lower).....
                ×
 1133E
       20628
                                    Set Screw....
64320
       20628
                              (upper).....
 1133E
       20628
                                    Set Screw....
54326
       20628
                       Connecting Link.....
54329
                                 " 54326 with
                  54327 and 54328.....
54327
       20628
              Needle Bar Connecting Link Hinge Stud ...
 1520J
       20628
54328
       20628
                                Stud with 211F and
                  two 187E.....
 187E
       20628
              Needle Bar Connecting Stud Clamping
                  Screw.....
54318
       20631
              Needle Guard.....
54038
                         Holder.....
       20631
 176J
       20631
                              Screw.....
 217F
       20631
                         Screw.....
 857C
                    Set Screw.....
       20628
54108
       20625
              011 Tube .....
54109
                     Bracket.....
       20625
49092
       20625
                     Packing (felt).....
54110
       20625
              Oil Tube complete, for oiling Crank Con-
                 necting Rod (upper bearing) Nos.
                 49092, 54108 and 54109.....
64330
              Presser Bar with 25303.....
       20628
25303
       20628
                        Ball, size 1/4 in.....
64331
       20628
                        Bushing (lower).....
1133E
       20628
                                     Set Screw...
38456
       20628
                              (upper).....
1133E
       20628
                                     Set Screw...
54039
       20628
                        Guide Bracket with 453C.64OJ
                 and 1963.....
 640J
              Presser Bar Guide Bracket Adjusting
       20628
                 Screw.....
              Presser Bar Guide Bracket Guide.....
11173
       20628
 447C
                         17
                                     " Set Screw
       20628
1963
       20628
                                   Roller and
                 Stud.....
 453C
       20628
              Presser Bar Guide Bracket Set Screw.....
57257
       20628
                        Lifter.....
57258
                a
       20628
                             Hinge Stud.....
 447C
       20628
                     Ħ
                                      Set Screw.
                8
1872
       20628
                             Roller and Stud.....
1250C
       20628
                             Stop Screw.....
```

#### From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
61047	20628	Presser Bar Lifting Bracket with 4600
		and 1872
68208	20625	Presser Bar Lifting Lever
61075	20625	" " " Connecting Pin
460C	20628	, , , , , , , , , , , , , , , , , , , ,
		Set Screw
68184	20625	Presser Bar Lifting Lever Extension
161D	20625	DOLEM
802D	20625	" utilge octew
38467	20625	Spring (itac)
38468	20625	5 buu
26276	20631	Foot Hinge Pin
46455	20631	" Plate
46456	20631	" " Shank
46457	20631	Presser Foot (hinged) complete, Nos.
		26276, 46455 and 46456
<b>190</b> J	20631	Presser Foot Screw
574W	20625	Pressure Regulating Thumb Screw
1539W	20625	" LOCK NUC
54381	20630	Slack Thread Controller
54242	20630	" Clamp
190J	20630	" " " Screw
54041	20630	" Regulator
54042	20630	" " Holder with 175E
		and two 50150C
175E	20630	Slack Thread Regulator Holder Clamping
		Screw
54043	20630	Slack Thread Regulator Holder Shaft
24292	20630	" " " " Collar
		with 1019C
1019C	20630	Slack Thread Regulator Holder Shaft
		Collar Set Screw
54044	20630	Slack Thread Regulator Holder Shaft
		Crank (forked) with 1253C
1253C	20630	Slack Thread Regulator Holder Shaft
		Crank Set Screw
50150C	20630	Slack Thread Regulator Set Screw
2102	20629	Tension (under thread) Disc
51570C	20629	" " Regulating Thumb
		Nut
50326C	20629	Tension (under thread) Screw Stud
59539		" " " " 50326C
		with 51570C
131740	20629	Tension (under thread) Spring
59537	20629	" " " Bushing
		(large)
59538	20629	Tension (under thread) Spring Bushing
		(small)
131696	20629	Tension (under thread) Thread Guide
		(double)

```
No.
        Plate.
                               Name
54045
        20630
                Tension (upper thread) Bracket.....
                                          Screw....
  376D
        20630
                  a
 2102
        20630
                                   Disc.....
51570C
        20630
                                   Regulating Thumb
                   Nut.....
32572
        20630
                Tension (upper thread) Releasing Disc ...
54988
                                            Pin....
        20630
                  11
54046
        20630
                                            Shaft ...
54047
        20630
                   Crank with 624C.....
                Tension (upper thread) Releasing Shaft
54048
        20630
                   Crank Link.....
                Tension (upper thread) Releasing Shaft
  624C
        20630
                   Crank Set Screw.....
                Tension (upper thread) Releasing Shaft
54990
        20630
                   Spring.....
                Tension (upper thread) Releasing Shaft
  316F
        20630
                   Stop Screw.....
                Tension (upper thread) Releasing Shaft
 1547J
        20630
                   Stop Screw Nut.....
50326C
                Tension (upper thread) Screw Stud.....
        20630
59539
                   with 51570C.....
                Tension (upper thread) Spring......
131741
        20630
                                         Bushing
59537
        20630
                    (large)......
                Tension (upper thread) Spring Bushing
59538
        20630
                   (small).....
                Tension (upper thread) Thread Guide
131696
        20630
                    (double).....
        20629
                Thread (under) Eyelet (back).....
53225
  190J
        20629
                                       Screw.....
38284
        20629
                                   (front).....
64351
        20623
                             Nipper Cam with 465C....
                                   " Set Screw....
  465C
        20623
38210
        20629
                                   Spring (lower)....
38211
                                         (upper) ....
        20629
46247
        20629
                                              Stop
  176J
        20629
                                        Screw.....
                             Take-up with 465C.....
38475
        20623
                                   Set Screw.....
        20623
  465C
38478
        20629
                                   Staple with two
                   each 590J and 38481.....
54049
                Thread (under) Take-up Staple Bracket
        20629
                   with 4600.....
  965D
        20629
                Thread (under) Take-up Staple Bracket
                   Screw......
46041
        20629
                Thread (under) Take-up Staple Spring....
  190J
        20629
                                             Screw
38481
        20629
                                      " Thread Guard
```

No.	Plate	Name
590J	20629	Thread (under) Take-up Staple Thread
		Guard Screw
38482	20629	Thread (under) Take-up Stripper
207J	20629	" " " Screw
64355	20623	" " Thread Guard
		(brass)
64356	20629	Thread (under) Take-up Thread Guard
		Steady Pin
460C	20629	Thread (under) Take-up Thread Guard
		Steady Pin Set Screw
54330	20630	Thread (upper) Controller
207J	20630	" " Screw
38484	20630	" " Eyelet
1907	20630	s screw
54051	20630	" Take-up
211F	20628	" " Set Screw
54364	20631	Throat Plate for 46443 and 54363
742F	20631	" Screw
*15404		Trade Mark
15405		Rivet

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."

Needles in Containers marked "For Singer Machines" are not Singer made needles.

### **ACCESSORIES**

No.	Plate	Name
120344	20632	Oiler (copper plated) with 120345
120345	20632	" Spout, 4 1/2 in. long
120440	20632	Screw Driver (large)
121108	20632	" (small)
38487	20632	Threading Wire
120341	20632	Tweezers (curved)
8908	20632	Wrench for 1520
4822	20632	"

#### BELT GUARD

NO.	Plate	Name
68222	20633	Belt Guard with two wood screws 1 in.
		No. 12

## BINDERS (Transverse)

No.	Plate	Name
120326	20634	Binder (transverse) for 36305
36305		" 120326 with 36306 and
		two 1443F
121756	20635	Binder (transverse) for 36498
36498		" 121756 with 36306 and
		two 1443F, for neck binding, for
		selvage edge material
120355	20636	Binder (transverse) for binding with
	20000	coarse dressing with 120356, 120357
		and four 665J, for 120358
120358		Binder (transverse) 120355 with 36306
120000		and two 1443F
120849	20637	Binder (transverse) for knit material.
100010	2000	for necking underwear for 120850
120850		Binder (transverse) 120849 with 36306
120000		and two 1443F
36306	20634	Binder Bracket with two 194D
36307	20634	Lock Spring
1425B	20634	" " Guide Screw
1443F	20634	screw
51224W	20634	" " Thumb Screw
36308	20634	"
1423B	20634	" " Screw

No.	Plate	Name
194D	20634	Binder Bracket Screw Stud
120356	20636	# Hook (lower) for 120355
665J	20636	" " Screw for 120355
120357	20636	" (upper) for 120355
665J	20636	" " Screw for 120355
35724	20640	" Ribbon Tension Block
35726	20640	" " Bracket with two 185R
185R	20640	" " " Clamping Screw
162D	20640	" " " Screw
35725		" " Pin
35727		" " Stud
35728	20640	" " " 35727 With 35724
		and two 35725
1443F	20634	Binder Screw
36596	20634	Edge Guide
50004B	20634	s Screw
120279	20634	Feed (back) Dog, 13 teeth (16 teeth to
		the inch) for 120280
26276	20634	Presser Foot Hinge Pin
46455	20634	" Plate
46456	20634	" " Shank
46457	20634	Presser Foot (hinged) complete, Nos.
		26276, 46455 and 46456
120280	20634	Throat Plate for 120279

#### **FOOT LIFTER PARTS**

No.	Plate	Name
6439	9	Chain, 36 in. to 45 in. with 56864 and
		56865
	Note: When	ordering No. 6439, state length required.
4879	9 20633	Chain Connecting Link
56864	20632	" Hook (large)
56868	5 20632	" (small)
126249	20633	Treadle
4882	20633	" Shaft
126250	20633	" Spring
15045	L 20633	" Stand
150452	20633	Treadle complete, Nos. 4879,4882,126249,
		126250, 150451 and two wood screws 1
		in. No. 16 F H

### KNEE LIFTER PARTS

No.	Plate	Name
37563		Chain, length 15 in. with 56864 and 56865
56864	20632	Chain Hook (large)
56865	20632	" " (small)
2763	20633	Rock Shaft
12242	20633	ususer, with two wood sciews I
		in. No. 10
6335	20633	Rock Shaft Knee Arm
6336		Rock Shaft Knee Arm complete, Nos. 2766,
		2767 and 6335
2766	20633	Rock Shaft Knee Arm Hub with 356C
356C	20633	" " " Set Screw
2767	20633	" " Plate with 356C
356C	20633	" " Set Screw
6337	20633	" Lifting Bracket with two 3560
7125	20633	M M M Hook
356C	20633	" " " " Set Screw
356C	20633	" Set Screw
2770	20633	" Stop Dog with 140219C
140219C	20633	" " Set Screw
23767	20633	Rock Shaft complete, Nos.2763,2770,6336,
		6337, 7125 and two 12242

### MACHINE BASE

No.	Plate			Nam	e	
131340	20638	Machine Ba	ase			
131019	20638	a ·	" 011	Pipe		
131020	20638	tr I	tt t1	ø	Valve	
54477	20638	ti i	" Scr	w St	ud	
51576E	20638	tt .	11 11		" Nut	
9842	20638	<b>11</b>	# #		" " Wasi	her
131279	20638	# Ci	ushion	(felt	)	
948E	20638	* S	crew, to	fas	ten machine	e to base
131320	20638	Machine B	ase com	plete	, Nos.1310	19,131020,
		13134	0, three	e eac	n 9842,515'	76E,54477
		and e		- 040	E 204 1210	70

### MACHINE BASE OIL DRAIN JAR

(SWINGING TYPE)

No.	Plate	Name
131185	20639	Jar (glass)
131191	20639	" Cap
131188	20639	" Clamp
131217		" " 131188 with 131189
131189	20639	" Lever
1247C	20639	" " Hinge Screw
131265	20639	Nipple (long)
131266	20639	g (short)
131267	20639	" Elbow
131268	20639	Machine Base Oil Drain Jar (swinging
		type) complete, Nos. 131185, 131191,
		131217, 131266 and two each 1247C,
		131265 and 131267
131327	20639	Machine Base with Oil Drain Jar (swing-
		ing type) complete, Nos. 131268,
		131340, three each 9842,51576E,54477
		and four each 948E and 131279

#### TAPE HOLDER

No.	Plate	Name
35908		Disc
35909	20640	35908 with 35910
35910	20640	" Hub
35911	20640	Shaft
35912	20640	" Bushing with 35913
35913	20640	" Guide
793D	20640	" " Thumb Screw
35914	20640	Spindle
35915	20640	Stand
35916	20640	Tension Spring
288D	20640	" Thumb Screw
35917	20640	Tape Holder (10 in. disc) complete, Nos. 288D,793D,35909,35911,35912,35914 to 35916 and three wood screws 1 in.
		One of the control and the control of the

#### THREAD UNWINDER

#### FOR TWO SPOOLS OR TWO LARGE CONES OF THREAD

No.	Plate	Name
225257	22248	
	22240	Spool Rest with 201018C
150203	22248	" Cushion (felt)
225388	22248	" Rod
200383C	22248	" " Set Screw
201018C	22248	" Set Screw
202490	22248	" Stand with 200383C
225391	22248	Thread Guide
201696J	22248	" Lock Nut
225326	22248	" Position Cup
225324	22248	" Rod with 208E and 225322
208E	22248	" " " Screw
225322	22248	" " " Washer
225258	22248	Thread Unwinder complete, Nos. 201696J,
		202490,225257,225324,225326,225388,
		two each 150203, 225391 and three
		wood screws 7/8 in. No. 12
27739	22248	Thread Cone (wood) for large cones
225390	22248	" " Holder, for inverted cones
Not	e: Nos.	27739 and 225390 are used with, but not
••••		d in 225258.

NUMERICAL LIST OF PARTS

#### NUMERICAL LIST OF PARTS

No.	Plate	Name
21F	20626	Feed (front) Bar Hinge Screw
26F	20626	" " Connecting Rod Hinge Screw.
144D	20623	Arm Rotary Shaft Screw
157J	20631	Feed (back) Dog Screw
159F	20623	Arm Rotary Shaft Flanged Bushing Screw
161D	20625	Presser Bar Lifting Lever Extension
1011	20020	Screw
162D	20640	Binder Ribbon Tension Bracket Screw
175E	20627	Looper Carrier Adjusting Screw for 54027
175E	20627	" Driver Cap Screw for 54230
		Dilver cap acrew tor O-2000
175E	20630	Slack Thread Regulator Holder Clamping
	00077	Screw for 54042
176J	20631	Needle Guard Holder Screw
176J	20629	Thread (under) Nipper Spring Screw
185R	20640	Binder Ribbon Tension Bracket Clamping
		Screw for 35726
187E	20628	Needle Bar Connecting Stud Clamping
		Screw for 54328
190J	20631	Feed (front) Dog Screw
190J	20631	Presser Foot Screw
190J	20630	Slack Thread Controller Clamp Screw
1903	20629	Thread (under) Eyelet (back) Screw
190J	20629	Take-up Staple Spring Screw
190J	20630	<pre>" (upper) Eyelet Screw</pre>
194D	20634	Binder Bracket Screw Stud for 36306
207J	20629	Thread (under) Take-up Stripper Screw
207J	20630	" (upper) Controller Screw
208E	22248	" Unwinder Thread Guide Rod Screw
	<b></b>	for 225324
211F	20628	Thread (upper) Take-up Set Screw for
		54328
217J	20623	Feed Eccentric Clamping Washer Screw for
		54025
217F	20631	Needle Guard Screw
227E	20627	Looper Driving Shaft and Feed Lifting
		Eccentric Oil Hole Screw for 54368
229D	20631	Looper Needle Guard Screw for 53203
288D	20640	Tape Holder Tension Spring Thumb Screw
		for 35917
316F	20630	Tension (upper thread) Releasing Shaft
		Stop Screw
356C	20633	Rock Shaft Knee Arm Hub Set Screw for
		2766
356C	20633	Rock Shaft Knee Plate Set Screw for 2767
356C	20633	" Lifting Bracket Hook Set Screw
		for 6337

N.	D3 - + -	Nama
No.	Plate	Name
356C	20633	Rock Shaft Lifting Bracket Set Screw for 6337
376D	20630	Tension (upper thread) Bracket Screw
422C	20623	Arm Rotary Shaft Bushing (intermediate)
TOOL	مان	Set Screw (long)
423C	20622	Arm Rock Shaft Bushing (intermediate)
		Set Screw
446C	20622	Arm Rock Shaft Bushing (back) Set Screw.
446C	20627	Looper Carrier Connection Shaft Bushing
		Set Screw
447C	20628	Presser Bar Guide Bracket Guide Set Screw
447C	20628	Presser Bar Lifter Hinge Stud Set Screw.
448C	20623	Feed (front) Lifting Rock Shaft Eccen-
		tric Set Screw for 54317
453C	20622	Arm Rock Shaft Collar Set Screw for
		54004
453C	20622	Arm Rock Shaft Crank (front) Set Screw
		for 64255
453C	20622	Arm Rock Shaft Flanged Bushing (front)
		Set Screw
453C	20626	Feed (back) Bar Hinge Pin Set Screw for
		54019
453C	20626	Feed Rocking Frame Hinge Pin Bushing Set
		Screw for 54026
453C	20626	Feed Rocking Frame Hinge Pin Set Screw
		for 54026
453C	20628	Presser Bar Guide Bracket Set Screw for
		54039
457C	20626	Feed (back) Connecting Rod Hinge Pin
		Collar Set Screw for 21506
460C	20628	Presser Bar Lifting Lever Connecting Pin
		Set Screw for 61047
460C	20629	Thread (under) Take-up Thread Guard
4050	00007	Steady Pin Set Screw for 54049
465C	20623	Thread (under) Nipper Cam Set Screw for
465C	20623	64351 Thread (under) Take-up Set Screw for
4000	20020	
574W	20625	38475 Pressure Regulating Thumb Screw
59QJ	20629	Thread (under) Take-up Staple Thread
3300	20023	Guard Screw for 38478
624C	20630	Tension (upper thread) Releasing Shaft
0.020	2000	Crank Set Screw for 54047
640E	20623	Looper Driving Shaft and Feed Lifting
		Eccentric Screw for 54385
640J	20628	Presser Bar Guide Bracket Adjusting
	· · · · · · ·	Screw for 54039
665J	20636	Binder Hook (lower) Screw for 120355
665 <b>J</b>	20636	" (upper) Screw for 120355

No.	Plate	Name
704J	20627	Looper Holder Screw
725J	20624	Cloth Plate Slide (large) Spring (left) Screw for 54307
725J	20624	Cloth Plate Slide (large) Spring (right) Screw for 54307
725J	20624	Cloth Plate Slide (small) Spring Screw
742F	20624	for 54013  Cloth Plate Bracket Screw
742F	20631	Throat Plate Screw
761E	20623	Arm Rotary Shaft Bushing (front) Set
		Screw
761E	20627	Looper Driving Shaft and Feed Lifting Eccentric Bracket Bushing Set Screw for 54034
793D	20640	Tape Holder Shaft Bushing Thumb Screw for 35917
802D	20625	Presser Bar Lifting Lever Hinge Screw
857C	20628	Needle Set Screw for 54036
896E	20623	Crank Connecting Rod Cap (lower) Screw for 54017
896E	20623	Feed (back) Connecting Rod Cap Screw for 54111
948J	20627	Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw for 54304
948E	20638	Machine Screw, to fasten machine to base, for 131320 and 131327
965 <b>D</b>	20629	Thread (under) Take-up Staple Bracket Screw
1011F	20624	Cloth Plate Screw (left)
1019C	20626	Feed (back) Bar Hinge Pin (eccentric)
		Collar Set Screw for 24292 Slack Thread Regulator Holder Shaft
1019C	20630	Collar Set Screw for 24292
1057E	20623	Crank Connecting Rod Cap (upper) Screw for 54017
1057E	20623	Feed (back) Connecting Rod Clamping Screw for 54111
1057D	20623	Feed (front) Lifting Rock Shaft Crank (front) Clamping Screw for 54316
1103C	20623	Feed Regulating Screw for 54025
11200	20627	Looper Set Screw for 54035
1133E	20628	Needle Bar Bushing (lower) Set Screw
1133E	20628	" " (upper) Set Screw
1133E	20628	Presser Bar Bushing (lower) Set Screw
1133E	20628	" " (upper) Set Screw
1247C	20639	Machine Base Oil Drain Jar Clamp Lever
-		Hinge Screw for 131268
1250C	20628	Presser Bar Lifter Stop Screw
125 <b>3</b> C	20630	Slack Thread Regulator Holder Shaft Crank Set Screw for 54044

No.	Plate	Name
12580	20623	Arm Rotary Shaft Collar Set Screw for
		54450
1423B	20634	Binder Bracket Plate Screw
1425B	20634	" Lock Spring Guide Screw
1443B	20624	Cloth Plate Slide (large) Steady Plate
		Screw for 54308
1443F	20634	Binder Bracket Lock Spring Screw for 36305, 36498, 120358 and 120850
1443F	20634	Binder Screw for 36305, 36498, 120358 and 120850
1520E	20626	Feed (front) Bar Hinge Screw Nut
1520J	20628	Needle Bar Connecting Link Hinge Stud
		Nut
1:39W	20625	Pressure Regulating Thumb Screw Lock Nut
?547J	20630	Tension (upper thread) Releasing Shaft Stop Screw Nut
1680C	20626	Feed (front) Connecting Rod Hinge Screw
1872	20628	Presser Bar Lifter Roller and Stud for
1007	00000	61047
1963	20628	Presser Bar Guide Bracket Roller and Stud for 54039
2102	20629	Tension (under thread) Disc
2102	20630	" (upper thread) Disc
2117	20622	Arm Rock Shaft Crank (front) Pin
2763	20633	Rock Shaft for 23767
2766	20633	" " Knee Arm Hub with 356C, for 6336
2767	20633	Rock Shaft Knee Plate with 356C, for
		6336
2770	20633	Rock Shaft Stop Dog with 140219C, for 23767
4822	20632	Wrench for 1547 (Accessories)
4879	20633	Foot Lifter Chain Connecting Link for
		150452
4882	20633	Foot Lifter Treadle Shaft for 150452
<b>633</b> 5	20633	Rock Shaft Knee Arm for 6336
6336		Rock Shaft Knee Arm complete for 23767, Nos. 2766, 2767 and 6335
6337	20633	Rock Shaft Lifting Bracket with two 356C, for 23767.
6439	·	Foot Lifter Chain, 36 in. to 45 in. with
6575	20623	56864 and 56865
		for 54017
7071	20623	Feed Eccentric Clamping Washer for 54025
7125	20633	Rock Shaft Lifting Bracket Hook for 23767
8908	20632	Wrench for 1520 (Accessories)
9842	20638	Machine Base Screw Stud Nut Washer for
		131320 and 131327

No.	Plate	Name
11173	20628	Presser Bar Guide Bracket Guide
12242	20633	Rock Shaft Hanger with two wood screws 1
20010	20000	in. No. 10, for 23767
15196	20625	Arm Side Cover (back)
*15404		Trade Mark for 54304
15405		" " Rivet for 54304
21506	20626	Feed (back) Connecting Rod Hinge Pin
		Collar with 457C
23767	20633	Rock Shaft complete, Nos.2763,2770,6336,
		6337, 7125 and two 12242
24292	20626	Feed (back) Bar Hinge Pin (eccentric)
		Collar with 1019C
24292	20630	Slack Thread Regulator Holder Shaft
		Collar with 1019C
25303	20628	Presser Bar Ball, size 1/4 in. for 64330
26276	20631	" Foot Hinge Pin for 46457
27739	22248	Thread Unwinder Thread Cone (wood) for
		large cones for 225258
32572	20630	Tension (upper thread) Releasing Disc
35724	20640	Binder Ribbon Tension Block for 35728
35725		" Pin for 35728
35726	20640	" " Bracket with two
		185R
35727		Binder Ribbon Tension Stud for 35728
35728	20640	" " " " 39/6/ WIGH
		35724 and two 35725
35908		Tape Holder Disc for 35909
35909	20640	" " " 35908 with 35910, for
75010	00040	35917 Tape Holder Disc Hub for 35909
35910 35911	20640 20640	" " Shaft for 35917
35911 35912	20640	" " Bushing with 35913, for
22912	20040	35917
35913	20640	Tape Holder Shaft Bushing Guide for
00910	20040	35912
35914	20640	Tape Holder Spindle for 35917
35915	20640	" " Stand for 35917
35916	20640	" Tension Spring for 35917
35917	20640	Tape Holder (10 in. disc) complete, Nos.
		288D,793D,35909,35911,35912,35914 to
	•	35916 and three wood screws 1 in.
		No. 10
36305		Binder (transverse) 120326 with 36306
		and two 1443F
36306	20634	Binder Bracket with two 194D, for 36305,
		36498, 120358 and 120850
36307	20634	Binder Bracket Lock Spring
36308	20634	" Plate
36498		Binder (transverse) 121756 with 36306
		and two 1443F, for neck binding, for
		selvage edge material

No.	Plate	Name
36596	20634	Binder Edge Guide
37563		Knee Lifter Chain, length 15 in. with 56864 and 56865
38210	20629	Thread (under) Nipper Spring (lower)
38211	20629	" " (upper)
38284	20629	" Eyelet (front)
38416	20624	Cloth Plate Slide (large) Spring (right)
		for 54307
38419	20624	Cloth Plate Slide (small) Spring for 54013
38456	20628	Needle Bar Bushing (lower)
38456	20628	Presser Bar Bushing (upper)
38467	20625	" " Spring (flat)
38468	20625	" " Stud
38475	20623	Thread (under) Take-up with 465C
38478	20629	" " " Staple with two
		each 590J and 38481
38481	20629	Thread (under) Take-up Staple Thread
		Guard for 38478
38482	20629	Thread (under) Take-up Stripper
38484	20630	" (upper) Eyelet
38487	20632	Threading Wire (Accessories)
40326	20627	Looper Driving Shaft and Feed Lifting
		Eccentric Oil Pad (braided cotton)
42290	20626	Feed (front) Connecting Rod Hinge Screw Nut Washer
42366	20622	Arm Oil Pad (braided cotton) for oiling Arm Rock Shaft Front Bearing
46041	20629	Thread (under) Take-up Staple Spring
46105	20631	Looper Needle Guard Pin for 52661
46111	20625	Face Plate Pin
46247	20629	Thread (under) Nipper Spring (upper) Stop
46432	20624	Cloth Plate Bracket
46434	20624	" " Slide (large) Spring (left)
	20021	for 54307
46443	20631	Feed (front) Dog, 12 teeth (16 teeth to
		the inch) for 54364
46455	20631	Presser Foot Plate for 46457
46456	20631	" " Shank for 46457
46457	20631	Presser Foot (hinged) complete, Nos.
		26276, 46455 and 46456
49013	20623	Arm Rotary Shaft Front Bearing Oil Pad
		(braided cotton)
49013	20627	Looper Carrier Connection Shaft 011 Pad (braided cotton)
49092	20624	Cloth Plate Oil Tube Packing (felt) for 54309
49092	20625	Oil Tube Packing (felt) for 54110
50004B	20634	Binder Edge Guide Screw

No.	Plate	Name
50083C	20623	Arm Rock Shaft Crank (back) Set Screw
		for 131072
50083C	20623	Feed (front) Lifting Rock Shaft Crank (back) Set Screw for 54314
50084C	20623	Arm Rotary Shaft Bushing (intermediate) Set Screw (short)
50150C	20630	Slack Thread Regulator Set Screw for 54042.
50200C	20623	Feed (front) Lifting Rock Shaft Crank (back) Position Screw for 54314
50326C	20629	Tension (under thread) Screw Stud for 59539
50326C	20630	Tension (upper thread) Screw Stud for 59539
50429C	20626	Feed (back) Dog Stop Screw for 54019
50473F	20624	Cloth Plate Screw (right)
50571D	20623	Feed (front) Lifting Rock Shaft Crank (back) Adjusting Screw for 54314
51061C	20623	Feed Eccentric Body Set Screw for 54025.
51224W	20625	Arm Side Cover (back) Thumb Screw
51224W	20625	" " (front) Thumb Screw
51224W	20634	Binder Bracket Lock Spring Thumb. Screw
51224W	20625	Face Plate Thumb Screw
51283C	20623	Balance Wheel Set Screw for 64259
51570C	20629	Tension (under thread) Regulating Thumb Nut for 59539
51570C	20630	Tension (upper thread) Regulating Thumb Nut for 59539
51576E	20638	Machine Base Screw Stud Nut for 131320 and 131327
52045	20622	Arm Oil Tube Packing (wick) for 56003
52045	20622	Arm Rock Shaft Bushing Oil Pad (wick)
52045	20622	" " Flanged Bushing (front) Oil Pad (wick)
52661	20631	Looper Needle Guard with 46105 for 53203
53202	20631	Looper for 53203
53203	20631	" 53202 with 229J and 52661
53216	20624	Cloth Plate Slide (large) Steady Plate for 54308
53225	20629	Thread (under) Eyelet (back)
54002	20622	Arm Rock Shaft for 54079
54004	20622	" " " Collar with two 453C, for 54079
54007	20623	Arm Rotary Shaft Bushing (intermediate) for 54089
54009	20623	Arm Rotary Shaft Flanged Bushing for 54090
54010	20625	Arm Side Cover (front)
54012	20624	Cloth Plate Slide (small) for 54013

	•	TOMERIONE LIST OF TARRYS
No.	Plate	Name
54013		Cloth Plate Slide (small) complete for
		54308, Nos. 38419,54012 and two 725J
54017	20623	Crank Connecting Rod with 6575, 54218,
		68350 and two each 896E and 1057E,
		for 131344
54019	20626	Feed (back) Bar with 50429C and two 453C
54020	20627	" " Connection
54023	20626	connecerns and usuale tin
54025	20623	" Eccentric (adjustable) complete for
		54113, Nos. 1103C and two each 217J,
54026	20626	7071 and 51061C
54026	20627	Looper Carrier with two 175E, for 54383.
*54034	20027	Looper Driving Shaft and Feed Lifting
-01001		Eccentric Bracket with 761E, for
		54304
54035	20627	Looper Holder with 11200
54036	20628	Needle Bar (hollow) with 857C
54038	20631	" Guard Holder
54039	20628	Presser Bar Guide Bracket with 453C,640J
		and 1963
54041	20630	Slack Thread Regulator
54042	20630	" " Holder with 175E
		and two 501500
54043	20630	Slack Thread Regulator Holder Shaft
54044	20630	Claur
54045	20630	(forked) with 12530 Tension (upper thread) Bracket
54046	20630	" " Releasing Shaft
54047	20630	n h h h
V		Crank with 624C
54048	20630	Tension (upper thread) Releasing Shaft
		Crank Link
54049	20629	Thread (under) Take-up Staple Bracket
		with 460C
54051	20630	Thread (upper) Take-up
54079		Arm Rock Shaft 54002 with 54004 and
E4000	00000	64255Looper Driving Shaft and Feed Lifting
54080	20627	Eccentric Bracket Bushing
54089		Arm Rotary Shaft Bushing (intermediate)
01000		54007 with 64508 and 64805
54090		Arm Rotary Shaft Flanged Bushing 54009
		with 58039 and 64805
54105	20622	Arm Rock Shaft Flanged Bushing (front)
54108	20625	Oil Tube for 54110
54109	20625	" " Bracket for 54110
54110	20625	Oil Tube complete for oiling Crank Con-
		necting Rod (upper bearing) Nos.
E4333	00007	49092, 54108 and 54109
54111	20623	Feed (back) Connecting Rod with 1057E
(1 1.	la a a a a a a a a	and two 896E, for 54113

No.	Plate	Name
54113		Feed (back) Connecting Rod 54111 with
01110		54025, for 54385
54218	20623	Crank Connecting Rod Oil Pad (braided cotton) for 54017
54227	20627	Looper Carrier Connection for 54383
54228	20627	" " " Shaft for 54383
54229	20627	" " " Bushing
54230	20627	" " Driver with four 175E, for 54383
54242	20630	Slack Thread Controller Clamp
<b>*54304</b>		Arm, upper and lower (solid) with 948J,
		15404, 54034 and two 15405
54305	20624	Cloth Plate for 54308
54306	20624	" " Slide (large) for 54307
54307		Cloth Plate Slide (large) complete for 54308, Nos. 38416, 46434, 54306 and
54500	00004	four 725J
54308	20624	Cloth Plate complete, Nos. 53216, 54013, 54305, 54307, 54309 and two 1443B
54309	20624	Cloth Plate Oil Tube with 49092, for
E4210	20626	54308 Feed (back) Bar Hinge Pin (eccentric)
54310		
54311	20626	" (front) Bar
54312	20626	connecerng nod
54313	20623	Director Dilate
54314	20623	(back) forked with 50083C, 50200C
		and 50571D
54315	20623	Feed (front) Lifting Rock Shaft Crank (back) Slide Block (two pieces)
54316	20623	Feed (front) Lifting Rock Shaft Crank (front) with two 1057D
54317	20623	Feed (front) Lifting Rock Shaft Eccen-
		tric with two 448C, for 54385
54318	20631	Needle Guard
54326	20628	Bar Connecting Link for 54329
54327	20628	" " " Hinge Stud for 54329
54328	20628	Needle Bar Connecting Stud with 211F and two 187E, for 54329
54329		Needle Bar Connecting Link 54326 with 54327 and 54328
54330	20630	Thread (upper) Controller
54359	20623	Arm Rotary Shaft for 54385
54363	20631	Feed (back) Dog, 8 teeth (16 teeth to the inch) for 54364
EAZEA	20631	Throat Plate for 46443 and 54363
54364 54367	20623	Arm Rotary Shaft Bushing (front)
*54368	20627	Looper Driving Shaft and Feed Lifting
*0*000	E00E1	Eccentric with 227E and two 64315,
		for 54383

20	i	NUMERICAL LIST OF PARTS
No.	Plate	Name
54381	20630	Slack Thread Controller
*54383		Looper Driving Shaft and Feed Lifting
		Eccentric 54368 with 54027, 54227, 54228 and 54230, for 54385
54385	****	Arm Rotary Shaft 54359 with 640E, 54113, 54317,54383,54450,64351,64355 and 131344
54450	20623	Arm Rotary Shaft Collar with two 1258C, for 54385
54477	20638	Machine Base Screw Stud for 131320 and 131327
54988	20630	Tension (upper thread) Releasing Pin
54990	20630	" " " Shaft
		Spring
56003	20622	Arm Oil Tube with 52045, for oiling Needle Bar Connecting Link
56006	20622	Arm Oil Pad (braided cotton) for oiling Arm Rock Shaft Intermediate Bearing.
56864	20632	Chain Hook (large) for 6439 and 37563
56865	20632	" (small) for 6439 and 37563
57234	20626	Feed Rocking Frame Hinge Pin
57235	20626	" " " Bushing
57257	20628	Presser Bar Lifter
57258	20628	" " Hinge Stud
58039	20623	Arm Rotary Shaft Flanged Bushing 011 Pad, long (braided cotton) for 54090
59537	20629	Tension (under thread) Spring Bushing (large)
59537	20630	Tension (upper thread) Spring Bushing (large)
59538	20629	Tension (under thread) Spring Bushing (small)
59538	20630	Tension (upper thread) Spring Bushing (small)
59539		Tension (under thread) Screw Stud 50326C with 51570C
59539		Tension (upper thread) Screw Stud 50326C with 51570C
61047	20628	Presser Bar Lifting Bracket with 4500 and 1872
61075	20625	Presser Bar Lifting Lever Connecting Pin
64255	20622	Arm Rock Shaft Crank (front) with 453C,
		for 54079
64259	20623	Balance Wheel, 2 in. diam. pulley with two 51283C
64269	20625	Face Plate
64315		Looper Driving Shaft and Feed Lifting Eccentric Oil Hole Plug for 54368
64320	20628	Needle Bar Bushing (upper)
64330	20628	Presser Bar with 25303

No.	Plate	Name
64331	20628	Presser Bar Bushing (lower)
64351	20623	Thread (under) Nipper Cam with 465C, for 54385
64355	20623	Thread (under) Take-up Thread Guard (brass) for 54385
64356	20629	Thread (under) Take-up Thread Guard Steady Pin
64386	20622	Arm Rock Shaft Bushing (back)
64388	20622	" " " (intermediate)
64508	20623	" Rotary Shaft Bushing (intermediate)
04506	20020	Oil Pad, long (braided cotton) for 54089
64805	20623	Arm Rotary Shaft Bushing (intermediate) Oil Pad, short (braided cotton) for 54089
64805	20623	Arm Rotary Shaft Flanged Bushing Oil Pad, short (braided cotton) for 54090
68184	20625	Presser Bar Lifting Lever Extension
68208	20625	" Lever
68222	20633	Belt Guard with two wood screws 1 in.
		No. 12
68350	20623	Crank Connecting Rod Oil Cup for 54017
120279	20634	Feed (back) Dog, 13 teeth (16 teeth to
		the inch) for 36305, 36498, 120358 and 120850, for 120280
120280	20634	Throat Plate for 120279
120326	20634	Binder (transverse) for 36305
120341	20632	Tweezers (curved) Accessories
120344	20632	Oiler (copper plated) with 120345 (Accessories)
120345	20632	Oiler Spout, 4 1/2 in. long for 120344
120355	20636	Binder (transverse) for binding with
		coarse dressing with 120356, 120357 and four 665J, for 120358
120356	20636	Binder Hook (lower) for 120355
120357	20636	" (upper) for 120355
120358		" (transverse) 120355 with 36306 and two 1443F
120440	20632	Screw Driver (large) Accessories
120849	20637	Binder (transverse) for knit material for necking underwear for 120850
120850		Binder (transverse) 120849 with 36306 and two 1443F
121108	20632	Screw Driver (small) Accessories
121756	20635	Binder (transverse) for 36498
126249	20633	Foot Lifter Treadle for 150452
126250	20633	" " Spring for 150452
131019	20638	Machine Base Oil Pipe for 131320
131020	20638	" " " Valve for 131320
131072	20623	Arm Rock Shaft Crank (back) (ball bearing, solid) with two 50083C, for

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
131185	20639	Machine Base Oil Drain Jar (glass) for 131268
131188	20639	Machine Base Oil Drain Jar Clamp for 131217
131189	20639	Machine Base Oil Drain Jar Clamp Lever
131191	20639	for 131217  Machine Base Oil Drain Jar Cap for
131217		131268 Machine Base Oil Drain Jar Clamp 131188
131265	20639	with 131189, for 131268 Machine Base Oil Drain Jar Nipple (long)
		for 131268
131266	20639	Machine Base Oil Drain Jar Nipple (short) for 131268
131267	20639	Machine Base Oil Drain Jar Nipple Elbow for 131268
131268	20639	Machine Base Oil Drain Jar (swinging type) complete for 131327, Nos. 131185,131191,131217,131266 and two
		each 1247C, 131265 and 131267
131279	20638	Machine Cushion (felt) for 131320 and 131327
131320	20638	Machine Base complete, Nos. 131019, 131020, 131340, three each 9842,
		51576E, 54477 and four each 948E and 131279
131327	20639	Machine Base with Oil Drain Jar (swing- ing type) complete, Nos. 131268, 131340, three each 9842,51576E,54477 and four each 948E and 131279
131340	20638	Machine Base for 131320 and 131327
131344		Crank Connecting Rod 54017 with 131072,
131696	20629	for 54385 Tension (under thread) Thread Guide
131696	20630	(double) Tension (upper thread) Thread Guide
		(double)
131740	20629	Tension (under thread) Spring
131741	20630	" (upper thread) Spring
140219C	20633	Rock Shaft Stop Dog Set Screw for 2770
150203	22248	Thread Unwinder Spool Rest Cushion (felt) for 225258
150451	20633	Foot Lifter Treadle Stand for 150452
150452	20633	Foot Lifter Treadle complete, Nos. 4879, 4882, 126249, 126250, 150451 and two wood screws 1 in. No. 16 F.H
200383C	22248	Thread Unwinder Spool Rest Rod Set Screw for 202490
201018C	22248	Thread Unwinder Spool Rest Set Screw for 225257.

#### NUMERICAL LIST OF PARTS

No.	Plate	Name
201696J	22248	Thread Unwinder Thread Guide Lock Nut for 225258.
202490	22248	Thread Unwinder Spool Stand with 200383C, for 225258
225257	22248	Thread Unwinder Spool Rest with 201018C, for 225258.
225258	22248	Thread Unwinder complete for two spools or two large cones of thread, Nos. 201696J,202490,225257,225324,225326, 225388, two each 150203, 225391 and three wood screws 7/8 in. No. 12
225322	22248	Thread Unwinder Thread Guide Rod Screw Washer for 225324
225324	22248	Thread Unwinder Thread Guide Rod with 208E and 225322, for 225258
225326	22248	Thread Unwinder Thread Guide Position Cup for 225258
225388	22248	Thread Unwinder Spool Rest Rod for 225258.
225390	22248	Thread Unwinder Thread Cone Holder for
225391	22248	inverted cones, for 225258 Thread Unwinder Thread Guide for 225258.

Genuine Singer Needles should be used in Singer Machines.


These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1


Needles in Containers marked
"For Singer Machines"
are not Singer made needles.

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1


Needles in Containers marked
"For Singer Machines"
are not Singer made needles. 2

OF PARTS






From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC


20626 2/3




20628 - 2/3




From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC




20631 - 2/3





From the library of: Superior Sewing Machine & Supply LLC


20632 - 1/2




From the library of: Superior Sewing Machine & Supply LLC









From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC





From the library of: Superior Sewing Machine & Supply LLC

