Form 18627 September, 1932 PRINTED IN U. S. A.

# LIST of PARTS



# MACHINES Nos. 147-60 and 147-61

THE SINGER MANUFACTURING COMPANY

COPYRIGHT, U. S. A., 1925, 1931 and 1932 BY THE SINGER MANUFACTURING CO. ALL RIGHTS RESERVED FOR ALL COUNTRIES

From the library of: Superior Sewing Machine & Supply LLC

#### INDEX

•	
PAGE	i
Accessories 37	
BELT GUARD37	
Bench Stand 37	
Fittings for 147-60 Machine (Lap Seam Feller No. 120906)	
FITTINGS FOR 147-61 MACHINE (LAP SEAM FELLER NO. 120848)	
FOOT LIFTER PARTS	
KNEE LIFTER PARTS	
JAP SEAM FELLERS	
Machine No. 147-60 7	
" " 147-61 21	
" Base 39	
Numerical List of Parts	
THREAD UNWINDER	ı

#### INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A—Hardened, Polished, Nickel Plated and Buffed B—Polished, Nickel Plated and Buffed C—Hardened Only

D-Polished Only

—Soft, Not Polished —Hardened and Polished

H--Blued

-Nickel Plated Only

K-—Hardened and Nickel Plated

-Brass Plated

M. -Oxidized

N

-Japanned, Dull -Japanned, Bright P-

R---Merlized

T. -Copper Plated

T. A.--Hardened, Polished, Copper and Nickel Plated and Buffed

T. B.—Copper and Nickel Plated and Polished T. J.—Copper and Nickel Plated Only T. K.—Hardened, Copper and Nickel Plated T. M.—Copper Plated and Oxidized T. L.—Copper and Brass Plated

U -Zinc Plated

v. –Silver Plated

W-Polished and Nickel Plated

Z-Chromium Plated

Z. B.—Polished, Nickel Plated, Buffed and Chromium Plated Z. J.—Nickel and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500 and 50001 to 51500 are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 and upward are numbers of Machine Parts


The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (\*) are furnished only when repairs are made at factory.

When ordering parts which differ as to Gauge (the distance between seams) the Gauge, as well as the Number must be given on order.

#### LIST OF PARTS COMPLETE

FOR



## **MACHINE No. 147-60**

FOR LAP SEAMING SHIRT SLEEVES OF LIGHT WEIGHT MATERIALS AND WORK OF A SIMILAR NATURE. TWO NEEDLES, TWO LOOPERS. GAUGES  $\frac{3}{32}$  In. To  $\frac{1}{2}$  In. Short needle bar and looper stroke.

THE LOOPERS ARE ARRANGED SO THAT THEY MAY BE THROWN OUT OF POSITION FOR CONVENIENCE IN THREADING. AN IMPROVED OILING SYSTEM AUTOMATICALLY OILS ALL OF THE PRINCIPAL BEARINGS OF THE MACHINE. BALANCE WHEEL NO. 64259. DIAMETER OF BELT GROOVE 2

INCHES. SPEED 4300.

NO.	PLATE	NAME
*68427		Arm, upper and lower (solid) with 948J,
		68483 and four 131022
68428	9917	Arm Bottom Cover
68429	9917	" " Gasket (cork)
1057E	20503	" " Screw
68350	9922	" Oil Cup for oiling Arm Rock
		Shaft Front Bearing
68430	9922	Arm Oil Cup for filling oil reservoir
54648	9922	" " Oil Pad (braided cotton)
		for 68350
68431	9916	Arm Rock Shaft
68432		" " 68431 with 1235F and
		68430

FOR REVERSE NEEDLE POSITION

NO. PLATE NAME
1309c 20504 Arm Rock Shaft Adjusting Screw
131056 20504 " " " " " Washer
68433 9916 " " Bushing (back)
08434 —— " " " " 68433 with 52045
68435 9916 Arm Rock Shaft Bushing (back) Cap
131095 9916 " " " " " " "
Washer (fibre)
52045 9922 Arm Rock Shaft Bushing (back) Oil Pad (wick)
446c 20503 Arm Rock Shaft Bushing (back) Set Screw
68436 9916 Arm Rock Shaft Bushing (intermediate)
68437 - " " " " " "
68436 with 52045
52045 9922 Arm Rock Shaft Bushing (intermediate)
Oil Pad (wick)
423c 20503 Arm Rock Shaft Bushing (intermediate)
Set Screw
1310/2 9916 Arm Rock Shaft Crank back (ball bear-
ing, solid) with two 50083c
50083c 20503 Arm Rock Shaft Crank (back) Set
Screw
68439 9916 Arm Rock Shaft Crank (front) with 443c and 853c
2117 20504 Arm Rock Shaft Crank (front) Pin
443c 20503 " " " " Set Screw
54105 9916 " " Flanged Bushing
(front)
(front)
52045 9922 Arm Rock Shaft Flanged Bushing (front) Oil Pad (wick)
453c 20503 Arm Rock Shaft Flanged Bushing
Italie Italie Planed Disning
(front) Set Screw
Shard Off I tag Dolew
i au (praiden ent-
ton) for oiling Back Bearing
- 11 It took bhait on I au (braided col-
ton) for oiling Intermediate Bearing. 68440 20508 Arm Rotary Shaft
Note: When No. 68440 is required for repairs, the
Looper Driving Shaft and Feed Lifting Eccentric
must be returned to the factory to be
adjusted to the new part.
11111 Itotaly Bliatt 00440 With 040E.
54450, 68459, 68470, 68482 and 131016
101010

		V. V.
NO.	PLATE	NAME
68442	20501	Arm Rotary Shaft Bushing (front) " " Set
761E	20503	Screw
68443	9917	ArmRotaryShaftBushing(intermediate)
68444		u u u u u
		68443 with 41128
41128	9922	ArmRotaryShaftBushing(intermediate)
400	00500	Oil Pad (braided cotton)
422C	20503	Arm Rotary Shaft Bushing (intermediate) Set Screw (long)
50084c	20503	ArmRotaryShaftBushing(intermediate)
000010		Set Screw (short)
54450	20501	Arm Rotary Shaft Collar with two
,		1258c
1258c	9925	Arm Rotary Shaft Collar Set Screw
68445	9917	" " Flanged Bushing
68446		" " " " " "
00110		68445 with 42367
40007	0000	Arm Rotary Shaft Flanged Bushing Oil
42367	9922	
	20 200	Pad (braided cotton)
159E	20503	Arm Rotary Shaft Flanged Bushing
		Screw
42367	9922	Arm Rotary Shaft Front Bearing Oil
		Pad lower (braided cotton)
54218	9922	Arm Rotary Shaft Front Bearing Oil
		Pad upper (braided cotton)
57974	9922	Arm Rotary Shaft Oil Pad (braided
		cotton) for oiling Back Bearing
56006	9922	Arm Rotary Shaft Oil Pad (braided
		cotton) for oiling Intermediate Bear-
		ing
144 d	20503	Arm Rotary Shaft Screw
68447	9917	" Side Cover
68448	9917	" " Gasket (cork)
1057յ	20503	" " Screw
64259	20508	Balance Wheel, 2 in. pulley, with two
		51283c
51283c	20503	Balance Wheel Set Screw
68449	20508	Cloth Plate
68368	9918	" " Slide (left)
131050	9918	" " " Spring
725J	20503	" " " Screw
131051		Cloth Plate Slide (left) complete, Nos.
101001	· •	68368, 131050 and two 725j
54055	20507	Cloth Plate Slide (right) for 54056
54057	20507	" " " " 54058
68166	20507	" " " " 68167
00400		002011111

NO.	PLATE	NAME
131206	20507	Cloth Plate Slide (right) for 131207
38419	20504	" " " Spring
725 <sub>J</sub>	20503	" " " " Screw
54056		Cloth Plate Slide (right) complete for
		68450, Nos. 38419, 54055 and two
		725j
54058		Cloth Plate Slide (right) complete for
01000		131114, Nos. 38419, 54057 and two
		725j
68167		Cloth Plate Slide (right) complete for
		131031, Nos. 38419, 68166 and two
		725j
131207		Cloth Plate Slide (right) complete for
		131208, Nos. 38419, 131206 and two
		725j
68450		Cloth Plate complete, to be used with
00200		Throat Plates Nos. 131033 and
		131172 when $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges
		are required, and Throat Plates Nos.
		131017 and 131173 for $\frac{3}{16}$ in. to $\frac{1}{4}$ in.
		gauges, Nos. 54056, 68449 and 131051
131031		Cloth Plate complete, to be used with
		Throat Plates Nos. 131017 and
		131173 when $\frac{9}{32}$ in. and $\frac{5}{16}$ in. gauges
		are required, Nos. 68167, 68449 and
		131051
131114		Cloth Plate complete, to be used with
		Throat Plates Nos. 131094 and
		131149 when 11/2 in. and 3/8 in. gauges
		are required, Nos. 54058, 68449 and
		131051
101000		
131208		Cloth Plate complete, to be used with
		Throat Plates Nos. 131163 and 131166
		when $\frac{12}{3}$ in. to $\frac{1}{2}$ in. gauges are re-
		quired, Nos. 68449, 131051 and
		131207.
	20503	Cloth Plate Screw (left)
50396г		" " (right)
131130		" " Thread Guard
	20503	Screw (lower)
50473ғ		(upper)
68452	9916	Crank Connecting Rod (rod only)
*68453		" " Cap (lower)
	20503	" " " " Screw
0.0.0		" " " (upper)
1057E	20503	" " " " Screw

		27.120
NO.	PLATE	NAME
*68454		Crank Connecting Rod End Bearing
+00455		(lower)
*68455		Crank Connecting Rod End Bearing
	0010	(upper)
68456	9916	Crank Connecting Rod Head (lower),
		Nos. 68453, 68454 and two 896E
68457	9916	Crank Connecting Rod Head (upper),
		Nos. 54018, 68455 and two 1057E
1722E	20503	Crank Connecting Rod Nut (lower)
1723E	20503	" " " (upper)
68458	9916	" " complete, Nos.
		1722E, 1723E, 68452, 68456 and 68457
68459		Crank Connecting Rod 68458 with
00100		131072
00.100	0010	
68460	9918	Face Plate (lower half)
68461	9918	Gasket (cork)
	20503	DCIEW
68462	9918	(upper nan/
29234	20504	" " Position Plate
1053E	20504	
		Screw
286p	20503	Face Plate (upper half) Thumb Screw
68463	9918	Feed Bar
68464	9918	Feed Bar complete, Nos. 50429c, 54648,
••		68463, 68467 and two 207E
131197	9918	Feed Bar Hinge Pin (eccentric)
59343	9925	" " " Collar with 735c
735c	9925	" " " Set Screw
54648	9922	" " Oil Pad (braided cotton)
134258	9918	" " Slide Block
	9918	" " " 134258 with 68495
134259	9919	
		and 134260
68495	9922	Feed Bar Slide Block Oil Pad (wick)
134260	9922	" " " Retainer
68467	9918	" " Wearing Plate
207E	20503	" " " Screw
68468	9918	" Connecting Rod with 1057E, 68469
		131090, 134260 and two 896E
68470		Feed Connecting Rod 68468 with 68474
*68469		" " Cap
896E	20503	" " " Screw
	20503	" " Clamping Screw
68471	9918	" " Cover
	20503	" " " Screw
131090	9922	" " Oil Pad (wick)
134260	9922	" " " Retainer
-91-00		,

NO.	PLATE	
131032	20510	
		inch) for $\frac{3}{32}$ in to $\frac{5}{32}$ in. gauges, for 131033 and 131172
68472	20511	Feed Dog, 16 teeth (16 teeth to the
		inch) for $\frac{3}{16}$ in. to $\frac{5}{16}$ in. gauges, with
		row of teeth between the needles, for
		131017 and 131173
131093	20512	Feed Dog, 16 teeth (16 teeth to the
		inch) for $\frac{11}{32}$ in. and $\frac{3}{8}$ in. gauges, for
404400		131094 and 131149
131160	20513	Feed Dog, 16 teeth (16 teeth to the
		inch) for $\frac{3}{8}$ in. to $\frac{1}{2}$ in. gauges, for 131163 and 131166
157.	20502	
1971	20503	Feed Dog Screw, when stationary Needle Guard is used
50073J	າດະດາ	
900191	20000	Feed Dog Screw, when movable Needle Guard is used
50429c	20503	Feed Dog Stop Screw
*68473		" Eccentric
*54455		" " Body
51961c	20503	" " Set Screw
7071	9925	" " Clamping Washer
	20503	" " " Screw.
68474	9918	Feed Eccentric (adjustable) complete,
		Nos. 217 <i>J</i> , 1103c, 7071, 54455, 68473
11020	20503	and two 51061c
131195	20503	Feed Regulating Screw
131196		" " 131195 with 59343,
		68464 and 131197
57234	20502	Feed Rocking Frame Hinge Pin
57235	20501	" " " Bushing
453c	20503	
		Set Screw
453c	20503	Feed Rocking Frame Hinge Pin Set Screw
68476	9919	Looper (back) closed eye, for lap seam felling
131131	9919	Looper (back) closed eye, for general
		work
Note	: Wher	ordering Nos. 68476 or 131131, state
	gauge	of machine for which required.
452c	9919	Looper (back) Set Screw
68477	9919	" (front) closed eye, for lap seam
		felling

NO.	PLATE	
131132	9919	Looper (front) closed eye, for general work
Noт	E: Whe	n ordering Nos. 68477 or 131132, state
2102	gauge (	of machine for which required.
1120c	9919	Looper (front) Set Screw
54027	9919	" Carrier with two 175E
175E	9919	" " Adjusting Screw
54227	9919	" Connection
54228	9919	" " " Shaft
128419	9922	" " " Oil Pad
		(braided cotton)
68478	9919	Looper Carrier Connection Shaft Sleeve (eccentric)
#1000-	0010	
51263 n	9919	Looper Carrier Connection Shaft Sleeve Cap Screw
68479	9919	Looper Carrier Driver with 68480 and four 175E
*68480		Looper Carrier Driver Cap
175E	9919	" " " Screw
68481	20502	" Driving Shaft and Feed Lifting
00101	20302	Eccentric with two 64315
Note: W	hen No	o. 68481 is required for repairs, the Arm
Rota	rv Shai	ft must be returned to the factory
200,000		e adjusted to the new part.
68482		Looper Driving Shaft and Feed Lifting
00102		Eccentric 68481 with 54027, 54227,
		54228 and 68479
*68483		Looper Driving Shaft and Feed Lifting
040-	00500	Eccentric Bracket with 761E
9 <del>1</del> 8J	20503	Looper Driving Shaft and Feed Lifting
68484	20502	Eccentric Bracket Screw
00404	20002	Looper Driving Shaft and Feed Lifting
131028	9925	Eccentric Bushing.
101020	3320	Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug
761 m	20503	Looper Driving Shaft and Feed Lifting
IULE	20000	Eccentric Bushing Position Screw
68497	9922	Looper Driving Shaft and Feed Lifting
00101	0022	Eccentric Front Bearing Oil Pad
		(wick)
64315	9925	Looper Driving Shaft and Feed Lifting
640=	20503	Eccentric Oil Hole Plug  Looper Driving Shaft and Feed Lifting
OZOE	20000	Eccentric Screw
131052	9919	Looper Holder with 452c and 1120c
51119л		" " Screw

370	DT 4.000	NAME
NO. 68485	PLATE 20502	Looper Throw-out Handle with two
00400	20002	443c
00400	20502	Looper Throw-out Handle Plunger
68486	20504	" " Spring
43503	20504	" " Set Screw
64319	9923	Needle Bar (hollow)
131045	9920	Needle Bar complete, for $\frac{3}{32}$ in. to $\frac{1}{2}$
191040		in. gauges, Nos. 64319 and 131044
68487	9923	Needle Bar Bushing (lower)
1133E		" " Set Screw.
64320	9923	
1133E	9923	" " (upper)
68488	9923	" Connecting Link and Thread
00100	0020	(upper) Controller
131047		Needle Bar Connecting Link and Thread
101011		(upper) Controller 68488 with 68490
		and 68491
68489	9923	Needle Bar Connecting Link Hinge
00409	3320	Stud (hollow)
68490		Needle Bar Connecting Link Hinge
00130		Stud 68489 with 861c and 130007
1520л	9923	Needle Bar Connecting Link Hinge
10200	0020	Stud Nut
130007	9923	Needle Bar Connecting Link Hinge
		Stud Oil Pad (wick)
861c	9923	Needle Bar Connecting Link Hinge
		Stud Oil Plug Screw
853c	9923	Needle Bar Connecting Link Hinge
		Stud Set Screw
68491	9923	Needle Bar Connecting Stud with 211F
		and two 187E
187E	9923	Needle Bar Connecting Stud Clamping
		Screw
131044	9923	Needle Clamp with two 1498r, for 32
		in. to ½ in. gauges
131174	9920	Needle Guard (movable) for $\frac{3}{8}$ in.
		gauge
131121	9920	Needle Guard (movable) for 13 in. to
		½ in. gauges
68123	9920	Needle Guard (movable) Clamp
54067	9920	" (stationary) for $\frac{3}{32}$ in. to
		5 in. gauges
54068	9920	Needle Guard (stationary) for $\frac{3}{16}$ in. to
		n. gauges
54069	9920	Needle Guard (stationary) for 5 in. to
		3/8 in. gauges

NO. PLATE NAME	
131175 9920 Needle Guard (stationary) for 3/8	in. to
½ in. gauges	
54038 9920 Needle Guard (stationary) Holder	r
176.i 20503 " " " " "	Screw
217c 20503 " " " Screw.	
1498r 9923 " Set Screw	
68492 9921 Oil Pipe (back of arm) with 4919	and and
68497, for oiling Feed Rocking	
Hinge Pin Front Bearing	
68493 9921 Oil Pipe (back of arm) Clamp 176E 20503 " " " " " " Scr	·····
68494 9921 " " " " Connection	
49189, 68495 and two 198E, for	
Feed Rocking Frame Hinge Pir	Back
Bearing	
*49189 —— Oil Pipe (back of arm) Connection	n Cap
198E 9925 " " " " " "	"
Screw	
68495 9922 Oil Pipe (back of arm) Connecti	
Pad (wick)	
68496 9921 Oil Pipe (back of arm) Couplin 1733 9925 " " " " " "	g
1733 9925 " " " " " " "	
68497 9922 Oil Pipe (back of arm) Oil Pad (v	
*49191 — " " " " " Sleeve	
68498 9921 " " (front of arm) with two	o each
1733, 49191 and 131089, for	
Looper Driving Shaft and	Feed
Lifting Eccentric Front Bearing	-
131112 9921 Oil Pipe (front of arm) with 6849	97 and
131003, for oiling Feed Bar	Slide
Block	49191.
131084 and 131089, for oiling	
Rotary Shaft Front Bearing	
131001 9921 Oil Pipe (front of arm) with 6849	97 and
131003, for oiling Feed Conr	
Rod	
131002 9921 Oil Pipe (front of arm) Connectio 131049 and two 198E, for oiling I	
Throw-out Device	Poober
131003 9921 Oil Pipe (front of arm) Connectio	
49189 and two 198e, for 13100	
131112	
131112	n with
131112	n with

NO. PLATE	NAME
*49189	Oil Pipe (front of arm) Connection Cap
*131049	for 131003
*131085	Oil Pipe (front of arm) Connection Cap for 131084
198E 9925	Oil Pipe (front of arm) Connection Cap Screw
131004 9921	Oil Pipe (front of arm) Coupling
131004 9921 *131086	(center) Oil Pipe (front of arm) Coupling (left)
131087 9921	u u u u u u
	131086 with 131088
*131088	Oil Pipe (front of arm) Coupling (right) Oil Lead
1733 9925	Oil Pipe (front of arm) Coupling Nut (brass)
131089 9922	Oil Pipe (front of arm) Oil Pad (wick) for 68498 and 68500
68497 9922	Oil Pipe (front of arm) Oil Pad (wick) for 131001 and 131112
*49191	Oil Pipe (front of arm) Sleeve
64330 20502	Presser Bar with 25303
25303 9923	" " Ball, size ¼ in
131006 9923	" " Bushing (lower)
1133E 9923	" " Set Screw.
38456 9923	" " (upper)
1133E 9923	" " Set Screw.
54039 9920	" Guide Bracket with 453c,
0020	640s and 1963
640л 20503	Presser Bar Guide Bracket Adjusting Screw
11173 9920	Presser Bar Guide Bracket Guide
447c 9920	" " " " Set
1963 9920	Screw  Presser Bar Guide Bracket Roller and Stud
453c 20503	Presser Bar Guide Bracket Set Screw
57257 20504	" " Lifter
50592c 20504	" " Hinge Screw
1250c 20504	" " Stop Screw
131007 9920	" " Lifting Bracket with 462c
131008 9920	" " Connection
61075 9920	" " " " "
<b></b>	Connecting Pin

NO.	PLATE	NAME
462c		Presser Bar Lifting Bracket Connection
7020	, 5520	Connecting Pin Set Screw
131009	20502	Presser Bar Lifting Lever
68184	20502	" " Extension
00101	20002	(back)
161.1	20504	Presser Bar Lifting Lever Extension
1010	_0001	(back) Screw
131010	20502	Presser Bar Lifting Lever Extension
202010	20002	(front)
1761	20503	Presser Bar Lifting Lever Extension
2100	20000	(front) Screw
802r	20504	Presser Bar Lifting Lever Hinge Screw.
38467	20502	" " Spring (flat)
38468	9925	" " Stud
26276	20511	" Foot Hinge Pin
120352		" "Plate
46087		" "Shank
120353	20510	Presser Foot (hinged) complete, for
120000	20010	$\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges, for lap seam
		felling, Nos. 26276, 46087 and 120352
26276	20511	Presser Foot Hinge Pin
131158		" " Plate
54120		" " Shank
131159	20511	Presser Foot (hinged) complete, for
	-0011	$\frac{5}{32}$ in. to $\frac{3}{8}$ in. gauges, for lap seam
		felling, Nos. 26276, 54120 and 131158
Nome	Droccor	Foot No. 131159 is regularly furnished
		machine unless another Presser
***		oot is specified on order.
26276	20511	
131161	20311	" "Plate
54120		rate
131162	20513	" "Shank
101102	20313	3/ in to 1/ in manual for lar seem
		$\frac{3}{6}$ in. to $\frac{1}{2}$ in. gauges, for lap seam felling, Nos. 26276, 54120 and 131161
26276	20511	Presser Foot Hinge Pin
131164	20311	" " Plate
46087		" " Shank
131165	20510	Presser Foot (hinged) complete, for
101100	20010	32 in. to ½ in. gauges, for plain stitch-
		ing, Nos. 26276, 46087 and 131164
190л	9925	Presser Foot Screw
574w		Pressure Regulating Thumb Screw
1539w		" " Lock
2000 W	0020	Nut
131025	9925	Slack Thread Controller
54242	9925	" " Clamp

NO.	PLATE	NAME
190л	9925	Slack Thread Controller Clamp Screw
64337	9925	" Regulator
54042	9925	Holder with
		175E and two 50150c
175E	9919	Slack Thread Regulator Holder Clamp-
		ing Screw
131042	9925	Slack Thread Regulator Holder Shaft
24292	9925	
		Collar with 1019c
1019c	9925	Slack Thread Regulator Holder Shaft
		Collar Set Screw
54044	9920	Slack Thread Regulator Holder Shaft
		Crank (forked) with 1253c
1253c	9920	Slack Thread Regulator Holder Shaft
		Crank Set Screw
50150c	9925	Slack Thread Regulator Set Screw
131012	20502	Tension (under thread) Bracket
691r	9924	" " " " Screw
2102	9924	" " " Disc
<b>51570c</b>	9924	" " Regulating
		Thumb Nut
50326c	9924	Tension (under thread) Screw Stud
59539		" " " " 50326c
		with 51570c
59534	9924	Tension (under thread) Spring
59537	9924	" " " Bushing
		(large)
59538	9924	Tension (under thread) Spring Bushing
		(small)
17547	9924	Tension (under thread) Thread Guide
54070	20506	" (upper thread) Bracket
376j	9924	" " " Screw
2102	9924	" " Disc
51570c	9924	" " Regulating
		Thumb Nut
32572	9924	Tension (upper thread) Releasing Disc
54988	9924	" " " Pin
54071	20506	" " " Shaft
54047	9924	u u u u
		Crank with 624c
54048	9924	Tension (upper thread) Releasing Shaft Crank Link
624c	9924	Tension (upper thread) Releasing Shaft
		Crank Set Screw
68261	9924	Tension (upper thread) Releasing Shaft Spring

Spring Position Plate	NO.	PLATE	NAME
1547j   9924   Tension (upper thread) Releasing Shaft Stop Screw	131011	9924	Tension (upper thread) Releasing Shaft
Tension (upper thread) Releasing Shaft Stop Screw Nut	316c	9924	Tension (upper thread) Releasing Shaft
50326c       9924       Tension (upper thread) Screw Stud	1547ј	9924	Tension (upper thread) Releasing Shaft
59535         9924         " " " Bushing (large)		9924	Tension (upper thread) Screw Stud
59537       9924       " " " Bushing (large)	••••		with 51570c
(large)	59535	9924	Tension (upper thread) Spring
Tension (upper thread) Spring Bushing (small)	59537	9924	" " " Bushing
(small)  57076 9924 Tension (upper thread) Thread Guide (double)  190J 9925 " " " Screw  131013 9925 " " Take-up with two 465c 465c 9925 " " Set Screw  54435 9925 " " Staple with 590£ and 38481  131157 20506 Thread (under) Take-up Staple Bracket with 460c  965D 20504 Thread (under) Take-up Staple Bracket Screw  46041 20501 Thread (under) Take-up Staple Spring " " " " " Screw  38481 9925 Thread (under) Take-up Staple Thread Guard  590£ 9925 Thread (under) Take-up Staple Thread Guard Screw  131096 20501 Thread (under) Take-up Staple Thread Guard Screw  131096 20501 Thread (under) Take-up Staple Thread Guard Screw  131096 20501 Thread (under) Take-up Staple Thread Guard Screw  1460c 20501 Thread (under) Take-up Thread Guard Steady Pin  460c 20501 Thread (under) Take-up Thread Guard Steady Pin Set Screw  17 Thread (under) Take-up Thread Guard Steady Pin Set Screw  18009 20501 Thread (under) Take-up Thread Guard Steady Pin Set Screw  190J 9925 " " Screw  11006 20501 Thread (under) Take-up Thread Guard Steady Pin Set Screw  11007 Yake-up Thread Guard Steady Pin Set Screw  11008 20501 Thread (under) Take-up Thread Guard Steady Pin Set Screw  11009 9025 " " Screw			
57076       9924       Tension (upper thread) Thread Guide (double)	59538	9924	
(double)			
53225       9924       Thread (under) Eyelet (back)         190J       9925       " " " (front)         131014       9925       " " Take-up with two 465c         465c       9925       " " Set Screw         54435       9925       " " Staple with         590E and 38481       590E and 38481         131157       20506       Thread (under) Take-up Staple Bracket with 460c         46041       20501       Thread (under) Take-up Staple Bracket Screw         38481       9925       " " " "         38481       9925       Thread (under) Take-up Staple Spring         131096       20501       Thread (under) Take-up Staple Thread Guard         131096       20501       Thread (under) Take-up Staple Thread Guard (brass)         131016       20501       Thread (under) Take-up Stripper         1460c       20501       Thread (under) Take-up Thread Guard (brass)         460c       20501       Thread (under) Take-up Thread Guard Steady Pin         54094       20501       Thread (upper) Eyelet         190J       9925       " " Screw         46009       20501       Thread (upper) Eyelet         46009       20501       Thread (upper) Eyelet         46009       20501       " "	57076	9924	
190J 9925 " " " (front)			(double)
131013 9925 " " (front)			
131014 9925 " " Take-up with two 465c 465c 9925 " " " Set Screw 51435 9925 " " " Staple with 590E and 38481  131157 20506 Thread (under) Take-up Staple Bracket with 460c  46041 20501 Thread (under) Take-up Staple Bracket Screw  38481 9925 " " " " " " Screw  38481 9925 Thread (under) Take-up Staple Thread Guard  Thread (under) Take-up Staple Thread Guard  Thread (under) Take-up Staple Thread Guard Screw  131096 20501 Thread (under) Take-up Staple Thread Guard Screw  131016 20501 Thread (under) Take-up Staple Thread Guard Screw  131016 20501 Thread (under) Take-up Thread Guard (brass)			DCIEW
465c 9925 " " Set Screw  5405 9925 " " Staple with 590s and 38481  131157 20506 Thread (under) Take-up Staple Bracket with 460c  46041 20501 Thread (under) Take-up Staple Bracket Screw  38481 9925 " " " " " Screw			(110110/
54435 9925 " " Staple with 590£ and 38481  131157 20506 Thread (under) Take-up Staple Bracket with 460c  965D 20504 Thread (under) Take-up Staple Bracket Screw  46041 20501 Thread (under) Take-up Staple Spring 190J 9925 " " " " Screw  38481 9925 Thread (under) Take-up Staple Thread Guard  590£ 9925 Thread (under) Take-up Staple Thread Guard Screw  131096 20501 Thread (under) Take-up Stripper 190J 9925  131016 20501 Thread (under) Take-up Thread Guard (brass)	131014	9925	Take-up with two 4000
590s and 38481  131157 20506 Thread (under) Take-up Staple Bracket with 460c  965p 20504 Thread (under) Take-up Staple Bracket Screw  46041 20501 Thread (under) Take-up Staple Spring " " " " " " " " Screw  38481 9925 Thread (under) Take-up Staple Thread Guard  590s 9925 Thread (under) Take-up Staple Thread Guard Screw  131096 20501 Thread (under) Take-up Staple Thread Guard Screw  131016 20501 Thread (under) Take-up Stripper  64356 20501 Thread (under) Take-up Thread Guard (brass)	465c	9925	Bet Screw
131157       20506       Thread (under) Take-up Staple Bracket with 460c.         965D       20504       Thread (under) Take-up Staple Bracket Screw.         46041       20501       Thread (under) Take-up Staple Spring " " " " " " " " " " " " " " " " " " "	54435	9925	" " Staple with
with 460c.  965			
965 D 20504 Thread (under) Take-up Staple Bracket Screw	131157	20506	
46041       20501       Thread (under) Take-up Staple Spring         190J       9925       " " " " "         Screw	965p	20504	Thread (under) Take-up Staple Bracket
190J   9925   " " " " " "   "   Screw	40041	00501	
Screw			Thread (under) Take-up Staple Spring
38481 9925 Thread (under) Take-up Staple Thread Guard	1901	9925	
Guard			
Guard Screw	38481	9925	Guard
190J 9925 " " " " Screw  131016 20501 Thread (under) Take-up Thread Guard (brass)	590e	9925	
190J 9925 " " " " Screw  131016 20501 Thread (under) Take-up Thread Guard (brass)	131096	20501	Thread (under) Take-up Stripper
(brass)	190л	9925	
64356 20501 Thread (under) Take-up Thread Guard Steady Pin	, 131016	20501	
460c 20501 Thread (under) Take-up Thread Guard Steady Pin Set Screw	64356	20501	Thread (under) Take-up Thread Guard
Steady Pin Set Screw	460c	20501	Thread (under) Take-up Thread Guard
46009 20501 Thread (upper) Eyelet			
190j 9925 " " " Screw 54094 20501 " " Take-up	46009	20501	Thread (upper) Eyelet
54094 20501 " " Take-up			
	54095	20501	
68164 20501 " " " Spring			" " " Spring

NO.	PLATE	NAME
1449л	20501	Thread (upper) Take-up Plate Spring
		Screw
<b>54096</b>		Thread (upper) Take-up complete, Nos.
		1449 <sub>J</sub> , 54094, 54095 and 68164
211F	9923	Thread (upper) Take-up Set Screw
131033	20510	Throat Plate, for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges,
		for 131032, for lap seam felling
131017	20511	Throat Plate, for $\frac{3}{16}$ in. to $\frac{5}{16}$ in. gauges,
		for 68472, for lap seam felling
131149	20512	Throat Plate, for 11 in. and 3/8 in.
		gauges, for 131093, for lap seam felling
131163	20513	Throat Plate, for 3/8 in. to 1/2 in. gauges,
		for 131160, for lap seam felling
131172	20510	Throat Plate, for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges,
		for 131032, for plain stitching
131173	20511	Throat Plate, for $\frac{3}{16}$ in. to $\frac{5}{16}$ in. gauges,
		for 68472, for plain stitching
131094	20512	Throat Plate, for 11 in. and 3% in. gauges,
		for 131093, for plain stitching
131166	20513	Throat Plate, for 3/8 in. to 1/2 in. gauges,
		for 131160, for plain stitching
Nore	:: When	ordering Throat Plates, state gauge
31012		required.
742 <sub>F</sub>	20504	Throat Plate Screw

Genuine Singer Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."

Needles in Containers marked
"For Singer Machines"
are not Singer made needles.

2

# LIST OF PARTS COMPLETE FOR

#### **MACHINE No. 147-61**

FOR LAP SEAM FELLING SHIRT SLEEVES OF LIGHT WEIGHT MATERIALS, ALSO FOR TWO LINE STITCHING KNICKERS, PLAY SUITS, UPHOLSTERY, SEAT COVERS, KNIT UNDERWEAR, BATHING SUITS, ETC.

TWO NEEDLES, TWO LOOPERS. GAUGES 32 IN. TO 1/2 IN. NEEDLE BAR STROKE 1 37 INCHES. THE LOOPERS ARE ARRANGED SO THAT THEY MAY BE THROWN OUT OF POSITION FOR CONVENIENCE IN THREADING. AN IMPROVED OILING SYSTEM AUTOMATICALLY OILS ALL OF THE PRINCIPAL BEARINGS OF THE MACHINE. BALANCE WHEEL NO. 64259. DIAMETER OF BELT GROOVE 2 INCHES. SPEED 4000.

		·
NO.	PLATE	NAME
*68427		Arm, upper and lower (solid) with 948J,
		68483 and four 131022
68428	9917	Arm Bottom Cover
68429	9917	" " Gasket (cork)
1057E	20503	" " Screw
68350	9922	" Oil Cup, for oiling Arm Rock Shaft
00000	••	Front Bearing
68430	9922	Arm Oil Cup, for filling oil reservoir
54648	9922	" " Oil Pad (braided cotton)
01010	3022	for 68350
68431	9916	Arm Rock Shaft
68432	3310	" " 68431 with 1235F and
00302		68439
1000	00504	
	20504	Arm Rock Shaft Adjusting Screw
131056	20504	. " " " " " " " " " " " " " " " " " " "
68433	9916	Dusning (back)
68434		""""""68433
		with 52045
68435	9916	Arm Rock Shaft Bushing (back) Cap
131095	9916	
		Washer (fibre)
52045	9922	Arm Rock Shaft Bushing (back) Oil Pad
		(wick)
446c	20503	Arm Rock Shaft Bushing (back) Set
		Screw
68436	9916	Arm Rock Shaft Bushing (intermediate)
68437		
00101		68436 with 52045
		QQ2QQ 111011 0mQ2Q111111111111111111

No.	PLATE	NAME
52045	9922	Arm Rock Shaft Bushing (intermediate)
		Oil Pad (wick)
423c	20503	Arm Rock Shaft Bushing (intermediate)
		Set Screw
131072	9916	Arm Rock Shaft Crank, back (ball
		bearing, solid) with two 50083c
50083c	20503	Arm Rock Shaft Crank (back) Set
		Screw
68439	9916	Arm Rock Shaft Crank (front) with
~~~		443c and 853c
2117	20504	Arm Rock Shaft Crank (front) Pin
	20503	" " Set Screw
54105	9916	rianged Dusning
		(front)
52045	9922	Arm Rock Shaft Flanged Bushing
		(front) Oil Pad (wick)
453c	20503	Arm Rock Shaft Flanged Bushing
		(front) Set Screw
	20503	Arm Rock Shaft Oil Plug Screw
42365	9922	" "Pad (braided cotton)
		for oiling Back Bearing
54969	9922	Arm Rock Shaft Oil Pad (braided cotton)
		for oiling Intermediate Bearing
131104	20508	Arm Rotary Shaft
Note:		No. 131104 is required for repairs, the
Lo		iving Shaft and Feed Lifting Eccen-
		ist be returned to the factory to
	b	e adjusted to the new part.
131105		Arm Rotary Shaft 131104 with 640E,
101100		54450, 68459, 131108, 131111, 131184,
		and 131194
68442	20501	Arm Rotary Shaft Bushing (front)
	20503	" " " Set
		Screw
68443	9917	Arm Rotary Shaft Bushing (inter-
00110	9911	mediate)
68444		Arm Rotary Shaft Bushing (inter-
00111		mediate) 68443 with 41128
41128	9922	Arm Rotary Shaft Bushing (inter-
	00	mediate) Oil Pa I (braided cotton)
422c	20503	Arm Rotary Shaft Bushing (inter-
		mediate) Set Screw (long)
50084c	20503	Arm Rotary Shaft Bushing (inter-
		mediate) Set Screw (short)
54450	20501	Arm Rotary Shaft Collar with two
		19500

NO. PLATE	NAME
1258c 9925	Arm Rotary Shaft Collar Set Screw
68445 9917	" " Flanged Bushing
68446	
	68445 with 42367
42367 9922	Arm Rotary Shaft Flanged Bushing
159E 20503	Oil Pad (braided cotton)
42367 9922	Arm Rotary Shaft Front Bearing Oil Pad, lower (braided cotton)
54218 9922	Arm Rotary Shaft Front Bearing Oil Pad, upper (braided cotton)
57974 9922	Arm Rotary Shaft Oil Pad (braided cotton) for oiling Back Bearing
56006 9922	Arm Rotary Shaft Oil Pad (braided
	cotton) for oiling Intermediate Bearing
144р 20503	Arm Rotary Shaft Screw
68447 9917	" Side Cover
68448 9917	" " Gasket (cork)
1057 <sub>J</sub> 20503	" " Screw
64259 20508	Balance Wheel, 2 in. pulley, with two
01200 20000	51283c
51283c 20503	Balance Wheel Set Screw
68449 20508	Cloth Plate
68368 9918	" "Slide (left)
131050 9918	" " " Spring
725 <sub>J</sub> 20503	" " " Screw
131051	Cloth Plate Slide (left) complete, Nos. 68368, 131050 and two 725j
54055 20507	Cloth Plate Slide (right) for 54056
54057 20507	" " " " 54058
68166 20507	" " " " 68167
68191 20507	" " " " 68192
131206 20507	" " " " 131207
38419 20504	" " " Spring
725」 20503	" " " Screw.,
54056	Cloth Plate Slide (right) complete, for
	68450, Nos. 38419, 54055 and two 7251
54058	Cloth Plate Slide (right) complete, for 131114, Nos. 38419, 54057 and two 725J
68167	Cloth Plate Slide (right) complete, for 131031, Nos. 38419, 68166 and two 725J

No.	PLATE	NAME
68192		Cloth Plate Slide (right) complete, for 131216, Nos. 38419, 68191 and two
131207		725J
68450		Cloth Plate complete, to be used with Throat Plates Nos. 131209 and 131210 when $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges are required, and Throat Plates Nos. 131211 and 131212 for $\frac{7}{15}$ in. to $\frac{1}{4}$ in. gauges, Nos. 54056, 68449 and 131051
131031		Cloth Plate complete, to be used with Throat Plates Nos. 131211 and 131212 when $\frac{9}{32}$ in. and $\frac{5}{16}$ in. gauges are required, Nos. 68167, 68449 and 131051
131114		Cloth Plate complete, to be used with Throat Plates Nos. 131213 and 131214 when $\frac{11}{22}$ in. and $\frac{3}{8}$ in. gauges are required, Nos. 54058, 68449 and 131051
131208	/	Cloth Plate complete, to be used with Throat Plate No. 131115 when $\frac{1}{4}$ in. to $\frac{5}{16}$ in. gauges are required, and Throat Plates Nos. 131124 and 131215 for $\frac{13}{12}$ in. to $\frac{1}{2}$ in. gauges, Nos. 68449, 131051 and 131207
131216		Cloth Plate complete, to be used with Throat Plate No. 131115 when $\frac{11}{2}$ in. and $\frac{3}{4}$ in. gauges are required, Nos. 68192, 68449 and 131051
1011 <sub>F</sub>	20503	Cloth Plate Screw (left)
	20503	" " (right)
131130		" " Thread Guard
	20503	ocrew (lower)
	20503	(upper)
68452	9916	Crank Connecting Rod (rod only)
*68453	20503	" " Cap (lower) " " " Screw
*54018		" " (upper)
	20503	" " " " Screw
*68454		" " End Bearing
		(lower)
*68455		Crank Connecting Rod End Bearing
		(upper)

NO.	PLATE	NAME
68456	9916	Crank Connecting Rod Head (lower), Nos. 68453, 68454 and two 896E
68457	9916	Crank Connecting Rod Head (upper), Nos. 54018, 68455 and two 1057E
1792₽	20503	Crank Connecting Rod Nut (lower)
		The state of the s
	20503	" (upper)
68458	9916	Crank Connecting Rod complete, Nos. 1722E, 1723E, 68452, 68456 and 68457
68459		Crank Connecting Rod 68458 with 131072
68460	9918	Face Plate (lower half)
68461	9918	" " Gasket (cork)
	20503	" " Screw
68462	9918	" (upper half)
29234	20504	" " Position Plate
	20504	" " " " " " " "
		Screw
286p	20503	Face Plate (upper half) Thumb Screw
68463	9918	Feed Bar
68464	9918	Feed Bar complete, Nos. 50429c, 54648, 68463, 68467 and two 207E
131197	9918	Feed Bar Hinge Pin (eccentric)
59343	9925	" " " Collar with 735c
735c	9925	" " " Set Screw
<b>54648</b>	9922	" " Oil Pad (braided cotton)
134258	9918	" " Slide Block
134259	9918	" " " " 134258 with 68495
		and 134260
68495	9922	Feed Bar Slide Block Oil Pad (wick)
134260	9922	" " " Retainer
68467	9918	" " Wearing Plate
207E	20503	" " " Screw
131106	20506	" Connecting Rod with 1057E, 131090,
		131107, 134260 and two 896E
131108		Feed Connecting Rod 131106 with
		54025
131107		Feed Connecting Rod Cap
896E	20503	" " Screw
1057E		" " Clamping Screw
131090	9922	" " Oil Pad (wick)
134260	9922	" " " Retainer
131032	20510	" Dog, 17 teeth (16 teeth to the
		inch) for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges, for
		131209 and 131210

		NAME
	PLATE	Feed Dog, 16 teeth (16 teeth to the
68472	20511	
		inch) for $\frac{3}{16}$ in. to $\frac{5}{16}$ in. gauges, with
		row of teeth between the needles,
		for 131211 and 131212
68381	20518	Feed Dog, 17 teeth (14 teeth to the
		inch) for 1/4 in. to 3/8 in. gauges, for
		making longer stitch than regular, for
		131115
131093	20512	Feed Dog, 16 teeth (16 teeth to the
101000		inch) for $\frac{11}{32}$ in. and $\frac{3}{8}$ in. gauges, for
		131213 and 131214
131118	20517	Feed Dog, 16 teeth (14 teeth to the
191119	20017	inch) for $\frac{13}{2}$ in. to $\frac{1}{2}$ in. gauges, for
		131124 and 131215
157 <sub>J</sub>	20503	Feed Dog Screw, when stationary
		Needle Guard is used
50073յ	20503	Feed Dog Screw, when movable Needle
		Guard is used
50429c	20503	Feed Dog Stop Screw
*54024		" Eccentric
*23729		" " Body
51061c	20503	" " Set Screw
7071	9925	" " Clamping Washer
217 <sub>J</sub>	20503	" " Screw
54025	20506	Feed Eccentric (adjustable) complete,
		Nos. 217 <sub>J</sub> , 1103c, 7071, 23729, 54024
		and two 51061c
1103c	20503	Feed Regulating Screw
131195	20502	" Rocking Frame with two 453c
131196		" " 131195 with 59343,
101190		68464 and 131197
E7024	90509	Feed Rocking Frame Hinge Pin
57234	20502	" " " " Bush-
57235	20501	
		ing
453c	20503	Feed Rocking Frame Hinge Pin Bush-
		ing Set Screw
453c	20503	Feed Rocking Frame Hinge Pin Set
		Screw
68476	9919	Looper (back) closed eye, for lap seam
		felling
131131	9919	Looper (back) closed eye, for general
	'	work
Note:	When	ordering Nos. 68476 or 131131, state
110144		of machine for which required.
450-		
452c		
68477	9919	" (front) closed eye, for lap seam
		folling

NO. PLATE	NAME
131132 9919	
	work
Note: When	ordering Nos. 68477 or 131132, state
gauge	of machine for which required.
1100- 0010	Tanana (format) C. I. C.
1120c 9919	
54027 9919	Carrier with two 175E
175E 9919	Aujusting Screw
54227 9919 54228 9919	Connection
54228 9919 128419 9922	" " " Shaft " " Oil Pad
120419 9922	
68478 9919	(braided cotton)Looper Carrier Connection Shaft Sleeve
00410 9919	
W1000 0010	(eccentric)
51263р 9919	Looper Carrier Connection Shaft Sleeve
22.00	Cap Screw
68479 9919	
*40.400	four 175E
*68480	Looper Carrier Driver Cap
175E 9919	ocrew
131110 20506	Diving bhair and reed bheing
	Eccentric with two 64315
Note: When	No. 131110 is required for repairs, the
	No. 131110 is required for repairs, the y Shaft must be returned to the
Arm Rotar	
Arm Rotai factory	ry Shaft must be returned to the to be adjusted to the new part.
Arm Rotar	ry Shaft must be returned to the to be adjusted to the new part.  Looper Driving Shaft and Feed Lifting
Arm Rotai factory	ry Shaft must be returned to the to be adjusted to the new part.  Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227,
Arm Rotar factory	y Shaft must be returned to the to be adjusted to the new part.  Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479
Arm Rotai factory	y Shaft must be returned to the to be adjusted to the new part.  Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479
Arm Rotar factory 131111	y Shaft must be returned to the to be adjusted to the new part.  Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E
Arm Rotar factory	y Shaft must be returned to the to be adjusted to the new part.  Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting
Arm Rotar factory 131111 *68483 948J 20503	y Shaft must be returned to the to be adjusted to the new part.  Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw
Arm Rotar factory 131111	y Shaft must be returned to the to be adjusted to the new part.  Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw
Arm Rotar factory 131111 *68483 948J 20503 68484 20502	y Shaft must be returned to the to be adjusted to the new part.  Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing
Arm Rotar factory 131111 *68483 948J 20503	Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing  Looper Driving Shaft and Feed Lifting Eccentric Bushing
Arm Rotar factory  131111 ———  *68483 ———  948J 20503  68484 20502  131028 9925	Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing  Looper Driving Shaft and Feed Lifting Eccentric Bushing
Arm Rotar factory 131111 *68483 948J 20503 68484 20502	Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing  Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug  Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug
*68483 948J 20503 68484 20502 131028 9925 761E 20503	Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing  Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug  Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug
Arm Rotar factory  131111 ———  *68483 ———  948J 20503  68484 20502  131028 9925	Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing  Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug  Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw
*68483 948J 20503 68484 20502 131028 9925 761E 20503 68497 9922	Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing  Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug  Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug  Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw
*68483 948J 20503 68484 20502 131028 9925 761E 20503	Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing  Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug  Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug  Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw  Looper Driving Shaft and Feed Lifting Eccentric Front Bearing Oil Pad (wick) Looper Driving Shaft and Feed Lifting
Arm Rotar factory 131111 ——— *68483 ——— 948J 20503 68484 20502 131028 9925 761E 20503 68497 9922 64315 9925	Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing  Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug  Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw  Looper Driving Shaft and Feed Lifting Eccentric Front Bearing Oil Pad (wick)  Looper Driving Shaft and Feed Lifting Eccentric Foot Bearing Oil Pad (wick)  Looper Driving Shaft and Feed Lifting Eccentric Oil Hole Plug
*68483 948J 20503 68484 20502 131028 9925 761E 20503 68497 9922	Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing  Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug  Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw  Looper Driving Shaft and Feed Lifting Eccentric Front Bearing Oil Pad (wick)  Looper Driving Shaft and Feed Lifting Eccentric Front Bearing Oil Pad (wick)  Looper Driving Shaft and Feed Lifting Eccentric Oil Hole Plug
Arm Rotar factory 131111 ——— *68483 ——— 948J 20503 68484 20502 131028 9925 761E 20503 68497 9922 64315 9925	Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479  Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw  Looper Driving Shaft and Feed Lifting Eccentric Bushing  Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Plug  Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw  Looper Driving Shaft and Feed Lifting Eccentric Front Bearing Oil Pad (wick)  Looper Driving Shaft and Feed Lifting Eccentric Oil Hole Plug  Looper Driving Shaft and Feed Lifting Eccentric Screw

***	DI 4000	,
NO.	PLATE	NAME Looper Throw-out Handle with two 443c
68485	20502	
68486	20502	Flunger
43503	20504	Spring
443c	-	Det Bulew
64319	9923	Needle Bar (hollow)
131045		Needle Bar complete, for $\frac{3}{32}$ in. to $\frac{1}{2}$ in. gauges, Nos. 64319 and 131044
00407	0000	
68487	9923	Needle Bar Bushing (lower)
1133E	9923	Det Betew
64320	9923	
1133E	9923	Der Derew.
68488	9923	Connecting Link and Thread
		(upper) Controller
131047	<del></del>	Needle Bar Connecting Link and Thread
		(upper) Controller 68488 with 68490
		and 68491
68489	9923	Needle Bar Connecting Link Hinge
		Stud (hollow)
68490		Needle Bar Connecting Link Hinge
		Stud 68489 with 861c and 130007
1520յ	9923	Needle Bar Connecting Link Hinge
10000=		Stud Nut
130007	9923	Needle Bar Connecting Link Hinge
0.01	0000	Stud Oil Pad (wick)
861c	9923	Needle Bar Connecting Link Hinge
853c	9923	Stud Oil Plug Screw
8000	9923	Needle Bar Connecting Link Hinge Stud Set Screw
68491	9923	Needle Bar Connecting Stud with 211r
00191	3320	and two 187E
187E	9923	Needle Bar Connecting Stud Clamping
2012	0020	Screw
131044	9923	Needle Clamp with two 1498F, for $\frac{3}{32}$ in.
		to ½ in. gauges
131174	9920	Needle Guard (movable) for 3% in.
		gauge
131121	9920	Needle Guard (movable) for 🔢 in. to
		½ in. gauges
68123	9920	Needle Guard (movable) Clamp
54067	9920	" (stationary) for $\frac{3}{32}$ in.
		to 32 in. gauges
54068	9920	Needle Guard (stationary) for $\frac{3}{16}$ in. to
		$\frac{9}{32}$ in. gauges
54069	9920	Needle Guard (stationary) for $\frac{5}{16}$ in. to
		3/8 in. gauges
131175	9920	Needle Guard (stationary) for 3/8 in. to
		½ in. gauges

NO.	PLATE	NAME
54038	9920	Needle Guard (stationary) Holder
176л	20503	" " Screw
217c	20503	" " Screw
1498F		" Set Screw
68492	9921	Oil Ding (hoals of ann) with 40404
00494	9921	Oil Pipe (back of arm) with 49191 and
		68497, for oiling Feed Rocking Frame
		Hinge Pin Front Bearing
68493	9921	Oil Pipe (back of arm) Clamp
176E	20503	" " " " " Screw
68494	9921	" " " Connection with
		49189, 68495 and two 198E, for oiling Feed Rocking Frame Hinge Pin Back Bearing
*49189		Oil Pipe (back of arm) Connection Con-
198E	9925	u u u u u , u
		Screw
68495	9922	Oil Pipe (back of arm) Connection Oil Pad (wick)
68496	9921	Oil Pipe (back of arm) Coupling
1733	9925	" " " " " Nut
		(brass)
68497	9922	Oil Pipe (back of arm) Oil Pad (wick)
*49191		" " " " Sleeve
68498	9921	" " (front of arm) with two each
		1733, 49191 and 131089, for oiling Looper Driving Shaft and Feed Lifting Eccentric Front Bearing
131112	9921	Oil Pipe (front of arm) with 68497 and 131003, for oiling Feed Bar Slide
40500	0001	Block
68500	9921	Oil Pipe (front of arm) with 1733, 49191, 131084 and 131089, for oiling Arm
131113	9921	Rotary Shaft Front Bearing Oil Pipe (front of arm) with 68497 and
101110	<b>9921</b>	131003, for oiling Feed Connecting Rod
131002	9921	Oil Pipe (front of arm) Connection with
		131049 and two 198E, for oiling Looper Throw-out Device
131003	9921	Oil Pipe (front of arm) Connection with 49189 and two 198E, for 131112 and 131113
131084	9921	Oil Pipe (front of arm) Connection with
		131085 and two 198E, for 68500
*49189		Oil Pipe (front of arm) Connection Cap for 131003
		02000

NO.	PLATE	NAME
*131049		Oil Pipe (front of arm) Connection Cap
101010		for 131002
*131085	<del></del>	Oil Pipe (front of arm) Connection Cap for 131084
198E	9925	Oil Pipe (front of arm) Connection Cap Screw
131004	9921	Oil Pipe (front of arm) Coupling (center)
131004	9921	Oil Pipe (front of arm) Coupling (left)
*131086		Oil Pipe (front of arm) Coupling (right)
131087	9921	Oil Pipe (front of arm) Coupling (right) 131086 with 131088
*131088		Oil Pipe (front of arm) Coupling (right) Oil Lead
1733	9925	Oil Pipe (front of arm) Coupling Nut (brass)
131089	9922	Oil Pipe (front of arm) Oil Pad (wick) for 68498 and 68500
68497	9922	Oil Pipe (front of arm) Oil Pad (wick) for 131112 and 131113
*49191		Oil Pipe (front of arm) Sleeve
64330	20502	Presser Bar with 25303
25303	9923	" " Ball, size ¼ in
131006	9923	" "Bushing (lower)
1133E		" " Set Screw.
38456	9923	" " (upper)
1133E		" " Set Screw
54039	9920	" " Guide Bracket with 453c,
04000	9920	640j and 1963
6401	20503	Presser Bar Guide Bracket Adjusting
0100	20000	Screw
11173	9920	Presser Bar Guide Bracket Guide
4470		" " " " Set
	0020	Screw
1963	9920	Presser Bar Guide Bracket Roller and Stud
4530	20503	Presser Bar Guide Bracket Set Screw
57257	20504	" " Lifter
	20504	" " Hinge Screw
	20504	" " Stop Screw
131007	9920	" Lifting Bracket with 462c
131007	9920	" " " Connection
61075	9920	connection
01019	<i>994</i> 0	Connecting Pin
		Commoduling I Illion

NO.	PLATE	NAME
4620	9920	Presser Bar Lifting Bracket Connection
		Connecting Pin Set Screw
131009	20502	Presser Bar Lifting Lever
68184	20502	" " Extension
		(back)
161л	20504	Presser Bar Lifting Lever Extension (back) Screw
131010	20502	Presser Bar Lifting Lever Extension (front)
176ј	20503	Presser Bar Lifting Lever Extension (front) Screw
802 p	20504	Presser Bar Lifting Lever Hinge Screw.
38467	20502	" Spring (flat)
38468	9925	" " Stud
26276	20511	" Foot Hinge Pin
120352		" " Plate
46087		" " Shank
120353	20510	Presser Foot (hinged) complete, to be
		used with Feed Dog No. 131032 when
		$\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges are required.
		and Feed Dog No. 68381 for 1/2 in.
		to 3/8 in. gauges, for lap seam felling.
		Nos. 26276, 46087 and 120352
26276	20511	Presser Foot Hinge Pin
131158		" " Plate
54120		" " Shank
131159	20511	Presser Foot (hinged) complete, for $\frac{5}{37}$ in. to $\frac{5}{8}$ in. gauges, for lap seam felling, Nos. 26276, 54120 and 131158
Note:	Presser 1	Foot No. 131159 is regularly furnished
with	this m	achine unless another Presser Foot
		is specified on order.
26276	20511	Presser Foot Hinge Pin
131161		" " Plate
54120		" " Shank
131162	20513	Presser Foot (hinged) complete, for
		3% in. to ½ in. gauges, for lap seam felling, Nos. 26276, 54120 and 131161
26276	20511	Presser Foot Hinge Pin
131164		" " Plate
46087		" " Shank
131165	20510	Presser Foot (hinged) complete, for
		$\frac{3}{32}$ in. to $\frac{3}{8}$ in. gauges, for plain
		stitching, Nos. 26276, 46087 and
		131164

18627-3

NO.	PLATE			NAM	ſĔ		
26276	20511	Presser	Foot	Hinge	Pin		
131122		"	"	Plate.			
36030		"					• • • • • • •
131123	20517	Presser	Foot	t (hin	ged)	comp	lete, for
101120							for plain
			ing,				030 and
			٠,			-	
100-	0005						
190л	9925						rew
574w		ressur	e rreg	ana om	ginu	uno se	" Lock
1539w	9925						LOCK
131025	9925			l Cont	roller		· · · · · · •
54242	9925	"	44	(		Clam	p
190ј	9925	"	"				Screw
64337	9925	"	"	Regu			
54042	9925	"	"	•			er with
		175E	and t	:wo 50	150c.		
175E	9919	Slack 7	hreac	l Regu	ılator	Holde	r Clamp-
		ing S	crew.		. <b></b> .		
131042	9925	Slack '	<b>Thre</b> a	d Reg	ulato	r Holo	der Shaft
24292	9925	"	"		"	"	"
		Colla	r wit	h 1019	c	<i></i>	
10190	9925	Slack '	Thres	d Rec	nilato	r Hole	der Shaft
10130	0020						
54044	9920						der Shaft
01011	0020	Crar	k (for	rked) v	vith 1	253c	
12530	9920						der Shaft
12000	, 3320			_	•		
501500	9925						rew.,
131012	20502						et
691		"	(		"	"	Screw
2102	9924	"			"	Disc	
51570		"	6	•	"	Regi	ulating
010100	, 0021	Thu					
<b>#000</b>	- 0004						Stud
50326	9924	1 ensio		uer uni	eau) i	ocrew a	" 50326c
59539							
59534	9924		n (un	der th	read)	Spring	<u></u>
<b>59537</b>	9924	"	. '	•	"	"	Bushing
			ge)	• • • • •	• • • • •	• • • • •	• • • • • • • •
59538	9924						g Bushing
		(sma	all)				
17547	9924						d Guide
54070	20506	"				Brack	et
376	ј 9924	"			"		Screw
2102	9924	"	•		"	Disc.	

NO.	PLATE			NAME		
51570		Tensio	n (un			Damilatin.
01010		The	mh Nut	er off	eau)	Regulating
32572	9924	Topoic	n (unno	n thuan	 مار کا	asing Disc.
54988	9924	1611810	m (uppe	r mres		_
54071	20506	"	"	"		гш.,
54047	9924	"	"	"		"Shaft
34047	9924					
F4040	0004	Cra	nk with	024C		
54048	9924	Tensio	n (uppe	r threac	d) Rele	asing Shaft
004	0004	Cra	nk Link.	•••••		
6240	9924	Tensio	n (uppe	r threac	d) Rele	asing Shaft
00001	2224	Cra	nk Set S	crew		
68261	9924	Tensio	n (uppe	r threac	i) Rele	asing Shaft
		Spri	ng	•••••		
131011	9924	Tensio	n (uppe	r threac	i) Rele	asing Shaft
		Spri	ng Posit	ion Pla	te	
3160	9924	Tensio	n (uppe	r threac	l) Rele	asing Shaft
		Stop	Screw			
1547ј	9924	Tensio	n (uppe	r threac	l) Rele	asing Shaft
		Stop	Screw 1	Nut		
50326c	9924	Tensio	n (upper	thread	) Screw	Stud
59539		"	"	"	"	
		with	51570c.			
59535	9924					ıg
59537	9924	"	(appoi	"	o opin	Bushing
		(larg	e)			Dusning
59538	9924					
98999	9924	1 ensio	n (uppei	tnreac	l) Sprii	ng Bushing
57070	0004	(sma	ш)	• • • • • •		
57076	9924	Tension	n (uppe	r threa	d) Thr	ead Guide
F000F	0004	(dou	ble)		• • • • • •	• • • • • • • • •
53225	9924	Thread	(under)			)
190л	9925	"	••	"	"	Screw
54072	20501		"	"		)
131184	20501	"	"			with 465c.
465c	9925	"	"	"		Set Screw
38210	20501	"	"	"		g (lower)
38211	20501	"	"	"	"	(upper)
46247	20501	"	"	"	"	"
176ј	20503	Thread	(under)			g Screw
131014	9925	"	"			1 two 465c
465c	9925	"	"	"	Set	Screw
<b>544</b> 35	9925	"	"	"	Sta	ple with
		590E	and 384	81		
131157	20506	Thread	(under)	Take-u	ip Stap	le Bracket
		with	460c			
965D	20504	Thread	(under)	Take-u	p Stap	le Bracket
		Screw	,			• • • • • • • • • •

NO.	PLATE	1	. 1	NAME	Ctanla	Comina
46041	20501	Thread	(under)	Take-up	Staple	opring "
190л	9925		••			
		Screw	<b>'</b>			n
38481	9925			Take-up		
		Guar	d		~	
590E	9925	Thread	(under)	Take-up	Staple	Inread
		Guar	d Screw.		~	• • • • •
131096	20501	Thread	(under)	Take-up	Stripper	
190л	9925	"	"	"	I	Screw
131194	20501		. "	7	Thread	Guara
		(bras	s)			
64356	20501			Take-up		
		Stead	ly Pin			
<b>460</b> c	20501	Thread	(under)	Take-up	Thread	Guara
		Stead	dy Pin S	et Screw.		• • • • • •
46009	20501	Thread	l (upper)	Eyelet		• • • • • •
190л				. 8	crew	• • • • • •
54094				Take-up		• • • • •
54095	20501		"	Take-up	Plate	• • • • • •
68164	20501	"	"			
	20501			"		" Screw
54096		Threac	i (upper)	Take-up	comple	te, Nos.
				, 54095 ai		
	9923	Thread	i (upper	Take-up	Set Scr	ew
131209	20514	Throat	t Plate, i	or $\frac{3}{32}$ in.	to 📆 in.	gauges,
				or lap sea		
131211	20515			or $\frac{3}{16}$ in.		
				r lap sear		
131115	20518			or ¼ in.		
				or lap se		
				er stitch		
131213	20516			for \frac{11}{32}		
				131093,		
******	00515	Telli	ng		4- 1/:	
131124	20517			for 📆 in.		
101010	00514	ior .	131118, I	for lap sea	ım renin	g
131210	20514	1 nroa	t Plate,	for 3/2 in. for plain s	to 33 III.	gauges,
101010	00515			for plain : for <del>3</del> in.		
131212	20515			or plain st		
131214	20516			, for $\frac{11}{32}$		
131214	20010	111108	gog for	, 101 32 131093, fo	r nlain	titching
131215	20517	gau Thron	ges, iui'. it Plata	for 🔢 in.	to 1/2 in	QUINOS .
191216	, 2001 <i>1</i>	for Till 08	131112	for plain:	stitchine	, <sub>B</sub>
749	F 20504			Screw		
(42	F 20004	111108	to I lave i	5016W	• • • • • •	• • • • • • •

## FITTINGS FOR 147-60 MACHINE FOR LAP SEAM FELLING—Lap Seam Feller No. 120906

	3 3 2	1/8	32	3 16	32	1/4	32	16	312	3/8	332	16	32	1/2
Feed Dog	131032	131032	131032	68472	68472	68472	68472	68472	131093	131093 *131160	131160	131160	131160	131160
Looper (back)	68476								68476	68476	68476			
Looper (front) Needle Bar	68477 131045	68477 131045	68477 131045	68477 131045			131045	131045	131045		131045	131045	131045	
Needle Guard (stationary) Needle Guard (movable)	54067	54067	54067	54068	54068	54068	54068	54069	54069	*131174		131121	131121	131121
Presser Foot	120353	120353	120353 *131159		131159	131159	131159	131159	131159	131159 *131162	131162			
Throat Plate	131033	131033	131033	131017	131017	131017	131017	131017	131149	131149 *131163	131163	131163	131163	131163

#### FOR PLAIN STITCHING

Feed Dog	131032	131032	131032	68472	68472	68472	68472	68472	131093	131093	131160	131160	131160	131160
" " Looper (back)	131131	iäiiäi	131131						131131		131131	131131	131131	131131
Looper (front)	131132 131045			131132	131132	131132	131132 131045	131132 131045	131132 131045		$ 131132 \\ 131045$	$ 131132 \\  131045$	$ 131132 \\  131045$	131132 131045
Needle Bar Needle Guard (stationary)		54067	54067	54068	54068	54068	54068	54069	l 54069		131175	131175	131175	131175
Needle Guard (movable) Presser Foot	131165	131165	131165	131165	131165	131165	131165	131165	131165	131165	131165	131165	131165	131165
Throat Plate	131172	131172	131172	ı	131173	. 1				*191166				131166

Note: Where gauges overlap, regular fittings are designated by an asterisk (\*)
Note: When movable Needle Guard is used, Needle Guard Clamp 68123 and Feed Dog Screw No. 500731 are also required.

#### FITTINGS FOR 147-61 MACHINE

### FOR LAP SEAM FELLING—Lap Seam Feller No. 120848

	$\int \frac{3}{32}$	· ½	33	3 16	32	1/4	32	1 <del>5</del>	1 11	3/8	33	16	35/32	1/2
Feed Dog						*68472	*68472	*68472	*131093	*131093				
	131032	131032	131032	68472	68472		68381	68381			131118	131119	131110	liżiii
Looper (back)	68476	68476	68476											
Looper (front)	68477	68477	68477	68477	68477		68477						68477	
Veedle Bar		131045		131045	131045	131045					131045			
Needle Guard (stationary)	54067	54067	54067	54068	54068	54068					131175			
leedle Guard (movable)									l	*131174	131121			
resser Foot			*131159		<b>.</b> .	*131159	*131159	*131159	*131159	*131159				
" "					<i>.</i>	l <i>.</i>			l	131162				
	120353	120353	120353	131159	131159	120353	120353	120353	120353	120353	131162	131162	131162	13116
Chroat Plate	::::::					*131211	*131211	*131211	*131213	*131213	1			
	131209	131209	131209	131211	131211	131115	131115	131115	131115	131115	131124	131124	131124	liäiii

#### FOR PLAIN STITCHING

Feed Dog	[131032]131032[	131032 68472 68472	684721	684721	684721	1310031	131093 131118 131118 131118 131118
Looper (back)	131131 131131	131131 131131 131131	131131	131131	131131	131131	131131 131131 131131 131131
Looper (iront)	131132 131132	131132 131132 131132	131132	131132	131132	131132	131132 131132 131132 131132 131132
Needle Guard (stationary)	54067 54067	131045 131045 131045 54067 54068 54068		131045	131045	131045	131045 131045 131045 131045 131045
Needle Guard (movable)	04001 04001	31007 31000 31000	54068	54068	54069	54069	54069 131175 131175 131175 131175 *131174 131121 131121 131121
Presser Foot	131165 131165	131165 131165 131165	131165	131165	131165	131165	131165 131123 131123 131123 131123
Throat Plate	131210 131210	131210 131212 131212	131212	131212	131212	131214	131214 131215 131215 131215 131215

Note: Where gauges overlap, regular fittings are designated by an asterisk (\*).

Note: When movable Needle Guard is used, Needle Guard Clamp 68123 and Feed Dog Screw No. 500731 are also required.

From the library of: Superior Sewing Machine & Supply LLC

#### **ACCESSORIES**

NO.	PLATE	NAME
120344	8941	Oiler (copper plated) with 120345
120345	8941	" Spout, 5 in. long
26026	8941	Screw Driver (large)
26485	8941	" " (small)
38487	8941	Threading Wire
120341	8941	Tweezers (curved)
4822	8941	Wrench for 1547
8908	8941	" 1520

### **BELT GUARD**

NO.	PLATE	NAME
68222	20509	Belt Guard with two wood screws 1 in.
		No. 12

# **BENCH STAND**

NO.	PLATE	NAME .
79772		Bench Stand with 27998, two each
		41538, 124500, three wood screws $1\frac{1}{4}$
		in. No. 14 and four each 60656 and
		wood screws 5% in. No. 7
124500	20505	Flap Hinge
27998	20505	" Hook and Eye (brass) with wood
		screw ½ in. No. 5
126247	20505	Flush Bolt
126248	20505	" " Plate
41538		Flush Bolt with Plate complete, Nos.
		126247, 126248 and four brass wood
		screws 5% in. No. 4
60656	20505	Hinge

# LAP SEAM FELLERS

NO.	PLATE	NAME
120906	20519	Lap Seam Feller on Shank, for sleeving,
		for light or medium weight material,
		for 147-60 Machine
120848	20519	Lap Seam Feller on Shank, for medium
		heavy and heavy weight material, for
		147-61 Machine
1174F	20519	Lap Seam Feller Screw

## **FOOT LIFTER PARTS**

No.	PLATE	NAME
6439		Chain, 36 in. to 45 in., with 56864 and 56865
Nor	E: When	ordering No. 6439, state length required.
4879	8941	Chain Connecting Link
56864	8941	" Hook (large)
56865	20505	" " (small)
126249	20509	Treadle
4882	8941	" Shaft
126250	8941	" Spring
126251	20509	" Stand
126252	20509	Treadle complete, Nos. 4882, 126249 to
		126251 and two wood screws 1 in.
		No. 16

#### **KNEE LIFTER PARTS**

NO.	PLATE	NAME
37563		Chain, length 15 in., with 56864 and
		56865
56864	8941	Chain Hook (large)
56865	20505	" " (small)
2763	20508	Rock Shaft
12242		" " Hanger with two wood
10070	20000	screws 1 in. No. 10
6995	20508	
6335	20008	Rock Shaft Knee Arm
6336		Rock Shaft Knee Arm complete, Nos.
		2766, 2767 and 6335
2766	20508	Rock Shaft Knee Arm Hub with 356c
356c	20504	" " " Set Screw
2767	20508	" " Plate with 356c
356c	20504	" " " Set Screw
6337	20508	" Lifting Bracket with two
••••		356c
710	00500	
7125	20508	Rock Shaft Lifting Bracket Hook
356c	20504	" " " Set
		Screw
356c	20504	Rock Shaft Lifting Bracket Set Screw
2770	20508	" " Stop Dog with 356c
356c	20504	" " Set Screw
23767	20508	Rock Shaft complete, Nos. 2763, 2770,
		6336, 6337, 7125 and two 12242
		ooo, ooo, illo and the table

### **MACHINE BASE**

NO.	PLATE			NAME	3			
131018	20509	Machine	Base					
131019	20505	"	"	Oil Pi	ое			
131020	20505	"	"	u a	V٤	alve.		
54477	20504	"	"	Screw	Stu	ıd,	to	fasten
		base to	tabl	le				
131205	20504	Machine machir		Screw		•	-	
51576E	20504	Machine						
9842	20504	"	"	"	"	"	W	/asher
131022	20504	"	"	"	"	Βι	18	hing
		(rubbe	r)					
57285	20506	Machine	Cush	ion (fe	t)			
131024		Machine	Base	comple	ete, N	Vos.	131	018 to
			•	ree eac our eacl		•		-

### THREAD UNWINDER

#### FOR FOUR SPOOLS

NO.	PLATE	NAME
225395	9505	Spool Rest (for two spools) with 201018c
150203	20509	" " Cushion
225388	9505	" " Rod
200383c	9925	" " Set Screw
201018c	20504	" " Set Screw
202490	9505	" Stand with 200383c
225391	9505	Thread Guide
201696л	20504	" " Lock Nut
225326	20504	" Position Cup
225324	9505	" Rod with 208 Eand 225322
208E	9925	" " Screw
225322	20504	" " Washer
*150057		" Separator
150058	9505	" " 150057 with 150059
*150059		" " Bracket
150060	9505	" " Arm with 1641
		and 9525
164ј	20504	Thread Separator Bracket Arm Clamping Screw
9525	9925	Thread Separator Bracket Arm Clamping Screw Washer

no. 164j 9525	PLATE 20504 9925	NAME Thread Separator Bracket Arm Screw " " " "
0020	0020	Washer
150061		Thread Separator complete, Nos. 164J, 9525, 150058 and 150060
150062	9505	Thread Unwinder complete, for four spools, Nos. 150061, 2016961, 202490, 225324, 225326, 225388, two 225395, three wood screws 1/8 in. No. 12 and four each 150203 and 225391
27739 225390	20506 20506	Thread Cone (wood) for large cones " " Holder, for inverted cones

Note: Nos. 27739 and 225390 are used with, but not included in 150062.

Genuine Singer Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."

Needles in Containers marked

"For Singer Machines"

are not Singer made needles.

2

# NUMERICAL LIST OF PARTS

## **NUMERICAL LIST OF PARTS**

NO. PLATE	NAME
144р 20503	Arm Rotary Shaft Screw
157ј 20503	Feed Dog Screw when stationary Needle Guard is used
159E 20503	Arm Rotary Shaft Flanged Bushing
161ј 20504	Screw
	(back) Screw
164ј 20504	Thread Unwinder Thread Separator Bracket Arm Clamping Screw for 150060
164ј 20504	Thread Unwinder Thread Separator Bracket Arm Screw for 150061
175E 9919	Looper Carrier Adjusting Screw for 54027
175E 9919	Looper Carrier Driver Cap Screw for 68479
175E 9919	Slack Thread Regulator Holder Clamp-
	ing Screw for 54042
176E 20503	Oil Pipe (back of arm) Clamp Screw
176ј 20503	Feed Connecting Rod Cover Screw for 147-60 Machine
176ј 20503	Needle Guard (stationary) Holder Screw
176」 20503	Presser Bar Lifting Lever Extension (front) Screw
176」 20503	Thread (under) Nipper Spring Screw for 147-61 Machine
187E 9923	Needle Bar Connecting Stud Clamping Screw for 68491
190л 9925	Presser Foot Screw
190л 9925	Slack Thread Controller Clamp Screw
190л 9925	Thread (under) Eyelet (back) Screw
190л 9925	" Take-up Staple Spring
	Screw
190л 9925	Thread (under) Take-up Stripper Screw
190л 9925	" (upper) Eyelet Screw
198E 9925	Oil Pipe (back of arm) Connection Cap Screw for 68494
198E 9925	Oil Pipe (front of arm) Connection Cap Screw for 131002, 131003 and 131084
207E 20503	Feed Bar Wearing Plate Screw for 68464
208E 9925	Thread Unwinder Thread Guide Rod Screw for 225324
211r 9923	Thread (upper) Take-up Set Screw for 68491

NO. PLATE	NAME
217c 20503	Needle Guard (stationary) Screw
217л 20503	Feed Eccentric Clamping Washer Screw for 54025 and 68474
286р 20503	Face Plate (upper half) Thumb Screw
316c 9924	Tension (upper thread) Releasing Shaft
	Stop Screw
330р 20503	Face Plate (lower half) Screw
356c 20504	Rock Shaft Knee Arm Hub Set Screw
	for 2766
356c 20504	Rock Shaft Knee Plate Set Screw for
	2767
356c 20504	Rock Shaft Lifting Bracket Hook Set
050 00504	Screw for 6337  Rock Shaft Lifting Bracket Set Screw
356c 20504	for 6337
356c 20504	Rock Shaft Stop Dog Set Screw for 2770
376j 9924	Tension (upper thread) Bracket Screw
389r 20503	Cloth Plate Thread Guard Screw (lower)
422c 20503	Arm Rotary Shaft Bushing (inter-
4220 20000	mediate) Set Screw (long)
423c 20503	Arm Rock Shaft Bushing (intermediate)
	Set Screw
443c 20503	Arm Rock Shaft Crank (front) Set
	Screw for 68439
443c 20503	Looper Throw-out Handle Set Screw for
	68485
446c 20503	Arm Rock Shaft Bushing (back) Set
	Screw
447c 9920	Presser Bar Guide Bracket Guide Set
	Screw
452c 9919	Looper (back) Set Screw for 131052
453c 20503	Arm Rock Shaft Flanged Bushing
	(front) Set Screw
453c 20503	Feed Rocking Frame Hinge Pin Bushing
450- 00500	Set Screw
453c 20503	Feed Rocking Frame Hinge Pin Set Screw for 131195
453c 20503	Presser Bar Guide Bracket Set Screw
4000 20000	for 54039
460c 20501	Thread (under) Take-up Thread Guard
1000 20001	Steady Pin Set Screw for 131157
462c 9920	Presser Bar Lifting Bracket Connection
	Connecting Pin Set Screw for 131007
465c 9925	Thread (under) Take-up Set Screw for
	131014
465c 9925	Thread (under) Nipper Cam Set Screw
	for 131184

NO. PLATE	NAME
574w 9925	Pressure Regulating Thumb Screw
590E 9925	Thread (under) Take-up Staple Thread
	Guard Screw for 54435
624c 9924	Tension (upper thread) Releasing Shaft
	Crank Set Screw for 54047
640E 20503	Looper Driving Shaft and Feed Lifting
0102 20000	Eccentric Screw for 68441 and 131105
640л 20503	
0403 20000	Screw for 54039
691r 9924	Tension (under thread) Bracket Screw.
725j 20503	
720J 20000	for 131051
<b>505. 0050</b> 3	
725 <sub>J</sub> 20503	for 54056, 54058, 68167, 68192 and
	131207
735c 9925	
	for 59343
742 <sub>F</sub> 20504	Throat Plate Screw
761E 20503	
	Screw
761E 20503	Looper Driving Shaft and Feed Lifting
	Eccentric Bushing Position Screw for
	68483
802 <sub>D</sub> 20504	Presser Bar Lifting Lever Hinge Screw
853c 9923	
0000 0020	Set Screw for 68439
861c 992	Needle Bar Connecting Link Hinge Stud
0010 0020	Oil Plug Screw for 68490
896E 2050	
OFUE 2000	Screw for 68456
896E 2050	
Q90E 2000	68468 and 131106
948ј 2050	
9481 2000	Eccentric Bracket Screw for 68427
005- 0050	
965р 2050	Screw
1011- 0050	
1011F 2050	
1019c 992	Collar Set Screw for 24292
1050- 0050	
1053E 2050	Screw
1077- 0070	~ ~
1057E 2050	
1057E 2050	Screw for 68457
1055 0050	
1057E 2050	for codes and 12110c
	for 68468 and 131106
1057 <sub>J</sub> 2050	3 Arm Side Cover Screw

NO.	PLATE	NAME
11030	20503	Feed Regulating Screw for 54025 and
		68474
1120c	9919	Looper (front) Set Screw for 131052
1133E	9923	Needle Bar Bushing (lower) Set Screw
1133 г		" " (upper) Set Screw
1133E	9923	Presser Bar Bushing (lower) Set Screw.
1133 <sub>E</sub>		" " (upper) Set Screw
	20519	Lap Seam Feller Screw
1235F	20503	Arm Rock Shaft Oil Plug Screw for 68432
1250c	20504	Presser Bar Lifter Stop Screw
<b>125</b> 3c	9920	Slack Thread Regulator Holder Shaft Crank Set Screw for 54044
12580	9925	Arm Rotary Shaft Collar Set Screw for 54450
13000	20504	Arm Rock Shaft Adjusting Screw
	20501	Thread (upper) Take-up Plate Spring
	20001	Screw for 54096
1498F	9923	Needle Set Screw for 131044
1520J	9923	" Bar Connecting Link Hinge Stud
		Nut
1539v	• 9925	Pressure Regulating Thumb Screw Lock Nut
1547л	9924	Tension (upper thread) Releasing Shaft
202.0	0021	Stop Screw Nut
1722E	20503	Crank Connecting Rod Nut (lower) for 68458
1723 к	20503	Crank Connecting Rod Nut (upper) for
		68458
1733	9925	Oil Pipe (back of arm) Coupling Nut (brass)
1733	9925	Oil Pipe (front of arm) Coupling Nut
	0020	(brass) for 68498 and 68500
1963	9920	Presser Bar Guide Bracket Roller and
	**	Stud for 54039
2102	9924	Tension (under thread) Disc
2102	9924	" (upper thread) Disc
2117	20504	Arm Rock Shaft Crank (front) Pin
2763	20508	Rock Shaft for 23767
2766	20508	" " Knee Arm Hub with 356c,
		for 6336
2767	20508	Rock Shaft Knee Plate with 356c, for 6336
2770	20508	Rock Shaft Stop Dog with 356c, for
_,,,		23767
4822	8941	Wrench for 1547 (Accessories)
4879	8941	Chain Connecting Link

370	70.7 A.MYO	NAME
NO. 4882	PLATE 8941	Treadle Shaft for 126252
6335	20508	Rock Shaft Knee Arm for 6336
6336	20000	Rock Shaft Knee Arm complete for
0000		23767, Nos. 2766, 2767 and 6335
6997	90500	Rock Shaft Lifting Bracket with two
6337	20508	356c, for 23767
0.420		Chain, 36 in. to 45 in., with 56864 and
6439		56865
7071	0005	Feed Eccentric Clamping Washer for
7071	9925	54025 and 68474
#10F	00500	Rock Shaft Lifting Bracket Hook for
7125	20508	
0000	0041	23767
8908	8941	Thread Unwinder Thread Separator
9525	9925	Bracket Arm Clamping Screw Washer
0505	0005	for 150060
9525	9925	Bracket Arm Screw Washer for
	222	150061
9842	20504	Machine Base Screw Stud Nut Washer
		for 131024
11173	9920	Presser Bar Guide Bracket Guide
12242	20508	Rock Shaft Hanger with two wood
	2024	screws 1 in. No. 10, for 23767
17547	9924	Tension (under thread) Thread Guide
*23729		Feed Eccentric Body for 54025
23767	20508	Rock Shaft complete, Nos. 2763, 2770,
0.4000	0005	6336, 6337, 7125 and two 12242
24292	9925	Slack Thread Regulator Holder Shaft
05000	0000	Collar with 1019c  Presser Bar Ball, size ¼ in., for 64330
25303	9923	Screw Driver (large) Accessories
26026	8941	Presser Foot Hinge Pin for 120353,
26276	20511	131123, 131159, 131162 and 131165.
26485	8941	Screw Driver (small) Accessories
27739	20506	Thread Unwinder Thread Cone (wood)
21109	20000	for large cones, for 150062
27998	20505	Bench Stand Flap Hook and Eye (brass)
21990	20000	with wood screw ½ in. No. 5, for
		79772
00004	20504	Face Plate (upper half) Position Plate
29234	9924	Tension (upper thread) Releasing Disc.
32572 36030	3344	Presser Foot Shank for 131123
37563		Chain, length 15 in., with 56864 and
91903		56865
38210	20501	Thread (under) Nipper Spring (lower)
00210	20001	for 147-61 Machine
		and all or historial visit in the state of

NO.	PLATE	NAME
38211	20501	Thread (under) Nipper Spring (upper) for 147-61 Machine
38419	20504	Cloth Plate Slide (right) Spring for 54056, 54058, 68167, 68192 and 131207
38456	9923	Presser Bar Bushing (upper)
38467	20502	" " Spring (flat)
38468	9925	" " " Stud
38481	9925	Thread (under) Take-up Staple Thread Guard for 54435
38487	8941	Threading Wire (Accessories)
41128	9922	Arm Rotary Shaft Bushing (intermediate) Oil Pad (braided cotton) for 68444
41538		Bench Stand Flush Bolt with Plate complete for 79772, Nos. 126247, 126248 and four brass wood screws % in. No. 4
42365	9922	Arm Rock Shaft Oil Pad (braided cotton) for oiling Back Bearing
42367	9922	Arm Rotary Shaft Flanged Bushing Oil Pad (braided cotton) for 68446
42367	9922	Arm Rotary Shaft Front Bearing Oil Pad. lower (braided cotton)
43503	20504	Looper Throw-out Handle Plunger Spring
46009	20501	Thread (upper) Eyelet
46041	20501	" (under) Take-up Staple Spring
46087		Presser Foot Shank for 120353 and 131165
46247	20501	Thread (under) Nipper Spring (upper) Stop for 147-61 Machine
*49189	<del></del>	Oil Pipe (back of arm) Connection Cap for 68494
*49189	<del></del>	Oil Pipe (front of arm) Connection Cap for 131003
*49191 *49191		Oil Pipe (back of arm) Sleeve for 68492 " " (front of arm) Sleeve for 68498 and 68500
50073л	20503	Feed Dog Screw, when movable Needle Guard is used
50083c	20503	Arm Rock Shaft Crank (back) Set Screw for 131072
50084c	20503	Arm Rotary Shaft Bushing (intermediate) Set Screw (short)
50150c	9925	Slack Thread Regulator Set Screw for 54042

NO.	PLATE	NAME
50326c	9924	Tension (under thread) Screw Stud for
50326c	9924	59539 Tension (upper thread) Screw Stud for 59539
50396г	20503	Cloth Plate Screw (right)
50429c	20503	Feed Dog Stop Screw for 68464
50473f	20503	Cloth Plate Thread Guard Screw (upper)
50592c	20504	Presser Bar Lifter Hinge Screw
51061c	20503	Feed Eccentric Body Set Screw for 54025 and 68474
51119л	20503	Looper Holder Screw
51263 р	9919	" Carrier Connection Shaft Sleeve
		Cap Screw
51283c	20503	Balance Wheel Set Screw for 64259
51570c	9924	Tension (under thread) Regulating Thumb Nut for 59539
51570c	9924	Tension (upper thread) Regulating Thumb Nut for 59539
51576E	20504	Machine Base Screw Stud Nut for 131024
52045	9922	Arm Rock Shaft Bushing (back) Oil Pad (wick) for 68434
52045	9922	Arm Rock Shaft Bushing (intermediate) Oil Pad (wick) for 68437
52045	9922	Arm Rock Shaft Flanged Bushing (front) Oil Pad (wick)
53225	9924	Thread (under) Eyelet (back)
*54018		Crank Connecting Rod Cap (upper)
01010		for 68457
*54024		Feed Eccentric for 54025
54025	20506	Feed Eccentric (adjustable) complete, for 131108, Nos. 217, 1103c, 7071, 23729, 54024 and two 51061c
54027	9919	Looper Carrier with two 175E, for 68482 and 131111
54038	9920	Needle Guard (stationary) Holder
54039	9920	Presser Bar Guide Bracket with 453c, 640s and 1963
54042	9925	Slack Thread Regulator Holder with 175g and two 50150c
54044	9920	Slack Thread Regulator Holder Shaft Crank (forked) with 1253c
54047	9924	Tension (upper thread) Releasing Shaft Crank with 624c
54048	9924	Tension (upper thread) Releasing Shaft Crank Link

18627-4

NO.	PLATE	NAME
54055	20507	Cloth Plate Slide (right) for 54056
54056	20007	Cloth Plate Slide (right) complete, for
01000		68450, Nos. 38419, 54055 and two 725j
54057	20507	Cloth Plate Slide (right) for 54058
54058		Cloth Plate Slide (right) complete, for 131114, Nos. 38419, 54057 and two 725j
54067	9920	Needle Guard (stationary) for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges
54068	9920	$\frac{5}{52}$ in. gauges
54069	9920	Needle Guard (stationary) for $\frac{8}{18}$ in. to $\frac{3}{8}$ in. gauges
54070	20506	Tension (upper thread) Bracket
54071	20506	" " Releasing Shaft
54072	20501	Thread (under) Eyelet (front) for 147-61
		Machine
54094	20501	Thread (upper) Take-up for 54096
54095	20501	Flate for 04090
54096		Thread (upper) Take-up complete, Nos. 1449, 54094, 54095 and 68164
54105	9916	Arm Rock Shaft Flanged Bushing (front)
54120		Presser Foot Shank for 131159 and 131162
54218	9922	Arm Rotary Shaft Front Bearing Oil Pad, upper (braided cotton)
54227	9919	Looper Carrier Connection for 68482 and 131111.
54228	9919	Looper Carrier Connection Shaft for 68482 and 131111
54242	9925	Slack Thread Controller Clamp
54435	9925	Thread (under) Take-up Staple with 590E and 38481
54450	20501	Arm Rotary Shaft Collar with two 1258c, for 68441 and 131105
*54455		Feed Eccentric Body for 68474
54477	20504	Machine Base Screw Stud, to fasten base to table, for 131024
<b>5464</b> 8	9922	Arm Oil Cup Oil Pad (braided cotton) for 68350
<b>54648</b>	9922	Feed Bar Oil Pad (braided cotton) for 68464.
54969	9922	Arm Rock Shaft Oil Pad (braided cotton) for oiling Intermediate Bear-
		ing

NO.	PLATE	NAME
54988	9924	Tension (upper thread) Releasing Pin
56006	9922	Arm Rotary Shaft Oil Pad (braided
30000	3322	cotton) for oiling Intermediate Bear-
		ing
56864	8941	Chain Hook (large) for 6439 and 37563.
56865	20505	" (small) for 6439 and 37563
57076	9924	Tension (upper thread) Thread Guide
		(double)
57234	20502	Feed Rocking Frame Hinge Pin
57235	20501	" " " Bushing
57257	20504	Presser Bar Lifter
57285	20506	Machine Cushion (felt) for 131024
57974	9922	Arm Rotary Shaft Oil Pad (braided
		cotton) for oiling Back Bearing
59343	9925	Feed Bar Hinge Pin Collar with 735c,
•		for 131196
59534	9924	Tension (under thread) Spring
59535	9924	" (upper thread) Spring
59537	9924	" (under thread) Spring Bushing
		(large)
59537	9924	Tension (upper thread) Spring Bushing
		(large)
59538	9924	Tension (under thread) Spring Bushing
		(small)
59538	9924	Tension (upper thread) Spring Bushing
		(small)
59539		Tension (under thread) Screw Stud
		50326c with 51570c
59539		Tension (upper thread) Screw Stud
		50326c with 51570c
60656	20505	Bench Stand Hinge for 79772
61075	9920	Presser Bar Lifting Bracket Connection
		Connecting Pin
64259	20508	Balance Wheel, 2 in. pulley, with two
		51283c
64315	9925	Looper Driving Shaft and Feed Lifting
		Eccentric Oil Hole Plug for 68481 and
04010	0000	131110
64319	9923	Needle Bar (hollow) for 131045
64320	9923	Dusting (upper)
64330 64337	20502 9925	Presser Bar with 25303
		Thread (under) Take up Thread Cound
64356	20501	Thread (under) Take-up Thread Guard Steady Pin
68123	9920	Needle Guard (movable) Clamp
68164	20501	Thread (upper) Take-up Plate Spring
		for 54096
68166	20507	Cloth Plate Slide (right) for 68167

NO.	PLATE	NAME
68167		Cloth Plate Slide (right) complete, for
00201		131031, Nos. 38419, 68166 and two
		725j
68184	20502	Presser Bar Lifting Lever Extension
		(back)
68191	20507	Cloth Plate Slide (right) for 68192
68192		Cloth Plate Slide (right) complete for
		131216, Nos. 38419, 68191 and two 7251
68222	20509	Belt Guard with two wood screws 1 in.
08224	20009	No. 12
68261	9924	Tension (upper thread) Releasing Shaft
		Spring
68350	9922	Arm Oil Cup for oiling Arm Rock Shaft
		Front Bearing
68368	9918	Cloth Plate Slide (left) for 131051
68381	20518	Feed Dog, 17 teeth (14 teeth to the
		inch) for ¼ in. to ¾ in. gauges, for
		making longer stitch than regular, for 131115, for 147-61 Machine
*CD497		Arm, upper and lower (solid) with 948J,
*68427		68483 and four 131022
68428	9917	Arm Bottom Cover
68429	9917	" " Gasket (cork)
68430	9922	" Oil Cup for filling oil reservoir
68431	9916	" Rock Shaft for 68432
68432		" " 68431 with 1235F and
		68439
68433	9916	Arm Rock Shaft Bushing (back) for
		68434
68434		Arm Rock Shaft Bushing (back) 68433
		with 52045
68435	9916	Arm Rock Shaft Bushing (back) Cap
68436	9916	(mormediate)
		for 68437
68437		Arm Rock Shaft Bushing (intermediate) 68436 with 52045
68439	9916	Arm Rock Shaft Crank (front) with
		443c and 853c, for 68432
68440	20508	Arm Rotary Shaft for 68441
68441		" " 68440 with 640E,
		54450, 68459, 68470, 68482 and
		131016, for 147-60 Machine
68442		Arm Rotary Shaft Bushing (front)
68443	9917	" " (interme-
		diate) for 68444

		6
NO.	PLATE	NAME
68444		Arm Rotary Shaft Bushing (intermediate) 68443 with 41128
68445	9917	Arm Rotary Shaft Flanged Bushing for 68446
68446		Arm Rotary Shaft Flanged Bushing 68445 with 42367
68447	9917	Arm Side Cover
68448	9917	" " Gasket (cork)
68449	20508	Cloth Plate for 68450, 131031, 131114,
00449	20000	131208 and 131216
68450		Cloth Plate complete, to be used with Throat Plates Nos. 131033 and 131172 when $\frac{3}{32}$ in. to $\frac{5}{37}$ in. gauges are required, and Throat Plates Nos.
		131017 and 131173 for $\frac{3}{15}$ in. to $\frac{1}{4}$ in. gauges, for 147-60 Machine, Nos. 54056, 68449 and 131051
68450	<del></del>	Cloth Plate complete, to be used with Throat Plates Nos. 131209 and 131210 when $\frac{3}{32}$ in. to $\frac{6}{32}$ in. gauges are required, and Throat Plates Nos. 131211 and 131212 for $\frac{3}{16}$ in. to $\frac{1}{4}$ in. gauges, for 147-61 Machine, Nos. 54056, 68449 and 131051
68452	9916	Crank Connecting Rod (rod only) for 68458
*68453		Crank Connecting Rod Cap (lower) for 68456
*68454		Crank Connecting Rod End Bearing (lower) for 68456
*68455		Crank Connecting Rod End Bearing (upper) for 68457
68456	9916	Crank Connecting Rod Head (lower), Nos. 68453, 68454 and two 896E, for 68458
68457	9916	Crank Connecting Rod Head (upper) Nos. 54018, 68455 and two 1057E, for 68458
68458	9916	Crank Connecting Rod complete, for 68459, Nos. 1722E, 1723E, 68452, 68456 and 68457
68459		Crank Connecting Rod 68458 with 131072, for 68441 and 131105
68460	9918	Face Plate (lower half)
68461	9918	" " Gasket (cork)
68462	9918	" (upper half)
68463	9918	Feed Bar for 68464

		•
NO.	PLATE	NAME
68464	9918	Feed Bar complete for 131196, Nos. 50429c, 54648, 68463, 68467 and two
00.40	0010	207E Feed Bar Wearing Plate for 68464
68467	9918	"Connecting Rod with 1057E, 68469,
68468	9918	131090, 134260 and two 896E, for 68470
*68469		Feed Connecting Rod Cap for 68468
68470		" " 68468 with 68474,
		for 68441
68471	9918	Feed Connecting Rod Cover for 147-60 Machine
68472	20511	Feed Dog, 16 teeth (16 teeth to the
		inch) for $\frac{3}{16}$ in. to $\frac{5}{16}$ in. gauges, with
		row of teeth between the needles, for
		131017 and 131173, for 147-60 Machine
68472	20511	Feed Dog, 16 teeth (16 teeth to the
		inch) for $\frac{3}{16}$ in. to $\frac{5}{16}$ in. gauges, with
		row of teeth between the needles, for
		131211 and 131212, for 147-61 Ma-
		chine
*68473		Feed Eccentric for 68474
68474	9918	Feed Eccentric (adjustable) complete,
		for 68470, Nos. 217, 1103c, 7071, 54455, 68473 and two 51061c
68476	9919	Looper (back) closed eye, for lap seam
002.0	***	felling
68477	9919	Looper (front) closed eye, for lap seam
		felling
68478	9919	Looper Carrier Connection Shaft Sleeve
		(eccentric)
68479	9919	Looper Carrier Driver with 68480 and
		four 175E, for 68482 and 131111
*68480		Looper Carrier Driver Cap for 68479
68481	20502	" Driving Shaft and Feed Lifting
		Eccentric with two 64315, for 68482
68482		Looper Driving Shaft and Feed Lifting
		Eccentric 68481 with 54027, 54227,
		54228 and 68479, for 68441
*68483		Looper Driving Shaft and Feed Lifting
		Eccentric Bracket with 761E, for 68427
68484	20502	Looper Driving Shaft and Feed Lifting
CO AOF	20502	Eccentric Bushing  Looper Throw-out Handle with two
68485		443c
68486	20502	Looper Throw-out Handle Plunger

NO.	PLATE	NAME
68487	9923	Needle Bar Bushing (lower)
68488	9923	" Connecting Link and Thread (upper) Controller for 131047
68489	9923	Needle Bar Connecting Link Hinge Stud (hollow) for 68490
68490		Needle Bar Connecting Link Hinge Stud 68489 with 861c and 130007, for 131047
68491	9923	Needle Bar Connecting Stud with 211r and two 187E, for 131047
68492	9921	Oil Pipe (back of arm) with 49191 and 68497, for oiling Feed Rocking Frame Hinge Pin Front Bearing
68493	9921	Oil Pipe (back of arm) Clamp
68494	9921	" " " Connection with 49189, 68495 and two 198E, for oiling Feed Rocking Frame Hinge Pin Back Bearing
68495	9922	Feed Bar Slide Block Oil Pad (wick) for 134259
68495	9922	Oil Pipe (back of arm) Connection Oil Pad (wick) for 68494
68496	9921	Oil Pipe (back of arm) Coupling
68497	9922	Looper Driving Shaft and Feed Lifting Eccentric Front Bearing Oil Pad (wick)
68497	9922	Oil Pipe (back of arm) Oil Pad (wick) for 68492, 131001 and 131112
68497	9922	Oil Pipe (front of arm) Oil Pad (wick) for 131001, 131112 and 131113
68498	9921	Oil Pipe (front of arm) with 131089 and two each 1733 and 49191, for oiling Looper Driving Shaft and Feed Lifting Eccentric Front Bearing
68500	9921	Oil Pipe (front of arm) with 1733, 49191, 131084 and 131089 for oiling Arm Rotary Shaft Front Bearing
79772		Bench Stand with 27998, two each 41538, 124500, three wood screws 1¼ in. No. 14 and four each 60656 and wood screws 5% in. No. 7
120341	8941	Tweezers (curved) Accessories
120344	8941	Oiler (copper plated) with 120345 (Accessories)
120345 120352	8941	Oiler Spout, 5 in. long, for 120344 Presser Foot Plate for 120353
120002		riesser foot finte for 120555

NO.	PLATE	NAME
120353	20510	Presser Foot (hinged) complete, for
		$\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges, for lap seam
		felling, for 147-60 Machine, Nos.
1000 00	00210	26276, 46087 and 120352
120353	20510	Presser Foot (hinged) complete, to be used with Feed Dog No. 131032 when
		used with Feed Dog No. 131032 when $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges are required,
		and Feed Dog No. 68381 for 1/4 in. to
		3/8 in. gauges, for lap seam felling, for
		147-61 Machine, Nos. 26276, 46087
		and 120352
120848	20519	Lap Seam Feller on Shank, for medium
		heavy and heavy weight material, for
		147-61 Machine
120906	20519	Lap Seam Feller on Shank, for sleeving,
		for light or medium weight material,
		for 147-60 Machine
124500	20505	Bench Stand Flap Hinge for 79772
126247	20505	riusii Doit for 41008
126248	20505	Flate 10r 41998
126249 126250	20509 8941	Treadle for 126252
126251	20509	" Stand for 126252
126252	20509	Treadle complete, Nos. 4882, 126249 to
		126251 and two wood screws 1 in. No. 16
128419	9922	Looper Carrier Connection Shaft Oil
		Pad (braided cotton)
130007	9923	Needle Bar Connecting Link Hinge
		Stud Oil Pad (wick) for 68490
131001	9921	Oil Pipe (front of arm) with 68497 and
		131003, for oiling Feed Connecting
131002	9921	Rod, for 147-60 Machine Oil Pipe (front of arm) Connection with
151002	9921	131049 and two 198E, for oiling
		Looper Throw-out Device
131003	9921	Oil Pipe (front of arm) Connection with
		49189 and two 198E, for 131001,
		131112 and 131113
131004	9921	Oil Pipe (front of arm) Coupling
		(center)
131004	9921	Oil Pipe (front of arm) Coupling (left)
131006	9923	Presser Bar Bushing (lower)
131007 131008	9920 9920	. Litting Dracket with 402C
131008	9920 20502	" " " Connection " Lever
131010	20502	" " Extension
		(front)

NO.	PLATE	NAME
131011	9924	Tension (upper thread) Releasing Shaft
101011	0021	Spring Position Plate
131012	20502	Tension (under thread) Bracket
131013	9925	Thread (under) Eyelet (front) for 147-60
-01010	00-0	Machine
131014	9925	Thread (under) Take-up with two 465c
131016	20501	" " Thread Guard
101010		(brass) for 68441
131017	20511	Throat Plate, for $\frac{3}{16}$ in. to $\frac{5}{16}$ in. gauges,
		for 68472, for lap seam felling, for
		147-60 Machine
131018	20509	Machine Base for 131024
131019	20505	" " Oil Pipe for 131024
131020	20505	" " " Valve for 131024
131022	20504	" " Screw Stud Bushing
		(rubber) for 68427
131024		Machine Base complete, Nos. 131018
		to 131020, three each 9842, 51576E,
		54477 and four each 57285 and 131205
131025	9925	Slack Thread Controller
131028	9925	Looper Driving Shaft and Feed Lifting
		Eccentric Bushing Oil Plug
131031		Cloth Plate complete, to be used with
		Throat Plates Nos. 131017 and 131173
		when $\frac{9}{32}$ in. and $\frac{5}{16}$ in. gauges are
		required, for 147-60 Machine, Nos.
		68167, 68449 and 131051
131031		Cloth Plate complete, to be used with
		Throat Plates Nos. 131211 and 131212
		when $\frac{9}{32}$ in. and $\frac{5}{16}$ in. gauges are
		required, for 147-61 Machine, Nos.
101000	00510	68167, 68449 and 131051
131032	20510	Feed Dog, 17 teeth (16 teeth to the inch)
		for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges, for 131033 and 131172, for 147-60 Machine
131032	20510	Feed Dog, 17 teeth (16 teeth to the
101002	20010	inch) for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges, for
		131209 and 131210, for 147-61 Ma-
		chine
131033	20510	Throat Plate, for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges,
,		for 131032, for lap seam felling, for
		147-60 Machine
131042	9925	Slack Thread Regulator Holder Shaft
131044	9923	Needle Clamp with two 1498F, for $\frac{3}{32}$ in.
		to ½ in. gauges, for 131045
131045		Needle Bar complete, for $\frac{3}{32}$ in. to $\frac{1}{2}$ in.
		gauges, Nos. 64319 and 131044

***		NAME
NO. 131047	PLATE	Needle Bar Connecting Link and Thread
		(upper) Controller 68488 with 68490 and 68491
*131049		Oil Pipe (front of arm) Connection Cap for 131002
131050	9918	Cloth Plate Slide (left) Spring for 131051
131051		Cloth Plate Slide (left) complete for 68450, 131031, 131114, 131208 and 131216, Nos. 68368, 131050 and two 725J
131052	9919	Looper Holder with 452c and 1120c
131056	20504	Arm Rock Shaft Adjusting Screw Washer
131072	9916	Arm Rock Shaft Crank, back (ball bearing, solid) with two 50083c, for 68459.
131084	9921	Oil Pipe (front of arm) Connection with 131085 and two 198E, for 68500
*131085		Oil Pipe (front of arm) Connection Cap for 131084
*131086	<del></del>	Oil Pipe (front of arm) Coupling (right) for 131087
131087	9921	Oil Pipe (front of arm) Coupling (right) 131086 with 131088
*131088		Oil Pipe (front of arm) Coupling (right) Oil Lead for 131087
131089	9922	Oil Pipe (front of arm) Oil Pad (wick) for 68498 and 68500
131090	9922	Feed Connecting Rod Oil Pad (wick) for 68468 and 131106
131093	20512	Feed Dog, 16 teeth (16 teeth to the inch) for ½ in. and ¾ in. gauges, for 131094 and 131149, for 147-60 Machine
131093	20512	Feed Dog, 16 teeth (16 teeth to the inch) for ½ in. and ¾ in. gauges, for 131213 and 131214, for 147-61 Machine
131094	20512	Throat Plate, for \(\frac{11}{2}\)in. and \(\frac{3}{8}\) in. gauges, for 131093, for plain stitching, for 147-60 Machine
131095	9916	Arm Rock Shaft Bushing (back) Cap Washer (fibre)
131096	20501	Thread (under) Take-up Stripper
131104	20508	Arm Rotary Shaft for 131105

NO.	PLATE	NAME
131105		Arm Rotary Shaft 131104 with 640E, 54450, 68459, 131108, 131111, 131184 and 131194, for 147-61 Machine
131106	20506	Feed Connecting Rod with 1057E, 131090, 131107, 134260 and two 896E, for 131108
*131107		Feed Connecting Rod Cap for 131106
131108		" " 131106with54025 for 131105
131110	20506	Looper Driving Shaft and Feed Lifting Eccentric with two 64315 for 131111
131111		Looper Driving Shaft and Feed Lifting Eccentric 131110 with 54027, 54227, 54228 and 68479, for 131105
131112	9921	Oil Pipe (front of arm) with 68497 and 131003, for oiling Feed Bar Slide Block
131113	9921	Oil Pipe (front of arm) with 68497 and 131003, for oiling Feed Connecting Rod, for 147-61 Machine
131114		Cloth Plate complete, to be used with Throat Plates Nos. 131094 and 131149 when ½ in. and ¾ in. gauges are required, for 147-60 Machine, Nos. 54058, 68449 and 131051
131114		Cloth Plate complete, to be used with Throat Plates Nos. 131213 and 131214 when ½ in. and ½ in. gauges, are required, for 147-61 Machine, Nos. 54058, 68449 and 131051
131115	20518	Throat Plate, for ¼ in. to ¾ in. gauges, for 68381, for lap seam felling, for making longer stitch than regular, for 147-61 Machine
131118	20517	Feed Dog, 16 teeth (14 teeth to the inch) for $\frac{13}{12}$ in. to $\frac{1}{2}$ in. gauges, for 131124 and 131215, for 147-61 Machine
131121	9920	Needle Guard (movable) for $\frac{13}{32}$ in. to $\frac{1}{2}$ in. gauges
131122		Presser Foot Plate for 131123
131123	20517	Presser Foot (hinged) complete, for \$\frac{12}{2}\$ in. to ½ in. gauges, for plain stitching, for 147-61 Machine, Nos. 26276,
		36030 and 131122

NO.	PLATE	NAME
131,124	20517	Throat Plate, for 13 in. to ½ in. gauges, for 131118, for lap seam felling, for 147-61 Machine
131130	20508	Cloth Plate Thread Guard
131131	9919	Looper (back) closed eye, for general work
131132	9919	Looper (front) closed eye, for general work
131149	20512	Throat Plate, for 11/2 in. and 3/8 in. gauges, for 131093, for lap seam felling, for 147-60 Machine
131157	20506	Thread (under) Take-up Staple Bracket with 460c
131158		Presser Foot Plate for 131159
131159	20511	Presser Foot (hinged) complete, for $\frac{5}{27}$ in. to $\frac{3}{8}$ in. gauges, for lap seam felling, Nos. 26276, 54120 and 131158
131160	20513	Feed Dog, 16 teeth (16 teeth to the inch) for $\frac{3}{8}$ in. to $\frac{1}{2}$ in. gauges, for 131163 and 131166, for 147-60 Machine
131161		Presser Foot Plate for 131162
131162	20513	Presser Foot (hinged) complete, for \( \frac{3}{8} \) in. to \( \frac{1}{2} \) in. gauges, for lap seam felling, Nos. 26276, 54120 and 131161
131163	20513	Throat Plate, for $\frac{3}{8}$ in. to $\frac{1}{2}$ in. gauges, for 131160, for lap seam felling, for 147-60 Machine
131164		Presser Foot Plate for 131165
131165	20510	Presser Foot (hinged) complete, for $\frac{3}{21}$ in. to $\frac{1}{2}$ in. gauges, for plain stitching, for 147-60 Machine, Nos. 26276, 46087 and 131164
131165	20510	Presser Foot (hinged) complete for $\frac{3}{32}$ in. to $\frac{3}{8}$ in. gauges, for plain stitching, for 147-61 Machine, Nos. 26276, 46087 and 131164
131166	20513	Throat Plate, for $\frac{3}{8}$ in. to $\frac{1}{2}$ in. gauges, for 131160, for plain stitching, for 147-60 Machine
131172	20510	Throat Plate, for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges, for 131032, for plain stitching, for 147-60 Machine
131173	20511	Throat Plate, for $\frac{3}{16}$ in. to $\frac{5}{16}$ in. gauges, for 68472, for plain stitching, for 147-60 Machine

NO. 131174	PLATE 9920	NAME Needle Guard (movable) for ¾ in. gauge
131175	9920	" " (stationary) for 3% in. to 1/2 in. gauges
131184	20501	Thread (under) Nipper Cam with 465c, for 131105
131194	20501	Thread (under) Take-up Thread Guard (brass) for 131105
131195	20502	Feed Rocking Frame with two 453c, for 131196
131196		Feed Rocking Frame 131195 with 59343, 68464 and 131197
131197	9918	Feed Bar Hinge Pin (eccentric) for 131196
131205	20504	Machine Base Screw Stud, to position machine on base, for 131024
131206	20507	Cloth Plate Slide (right) for 131207
131207	<del></del>	Cloth Plate Slide (right) complete for 131208, Nos. 38419, 131206 and two 725J
131208		Cloth Plate complete, to be used with Throat Plates Nos. 131163 and 131166 when $\frac{13}{2}$ in. to $\frac{1}{2}$ in. gauges are required, for 147-60 Machine, Nos. 68449, 131051 and 131207
131208		Cloth Plate complete, to be used with Throat Plate No. 131115 when ½ in. to $\frac{5}{16}$ in. gauges are required, and Throat Plates Nos. 131124 and 131215 for $\frac{13}{2}$ in. to ½ in. gauges, for 147-61 Machine, Nos. 68449, 131051 and 131207
131209	20514	Throat Plate, for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges, for 131032, for lap seam felling, for 147-61 Machine
131210	20514	Throat Plate, for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauges, for 131032, for plain stitching, for 147-61 Machine
131211	20515	Throat Plate, for $\frac{3}{16}$ in. to $\frac{5}{16}$ in. gauges, for 68472, for lap seam felling, for 147-61 Machine
131212	20515	Throat Plate, for $\frac{3}{16}$ in. to $\frac{5}{16}$ in. gauges, for 68472, for plain stitching, for 147-61 Machine
131213	20516	Throat Plate, for \$\frac{11}{2}\$ in. and \$\frac{3}{8}\$ in. gauges, for 131093, for lap seam felling, for 147-61 Machine


NO.	PLATE	NAME
131214	20516	Throat Plate, for 11/2 in. and 3% in. gauges, for 131093, for plain stitching, for 147-61 Machine
131215	20517	Throat Plate, for \$\frac{1}{2}\$ in. to \$\frac{1}{2}\$ in. gauges, for 131118, for plain stitching, for 147-61 Machine.
131216		Cloth Plate complete, to be used with Throat Plate No. 131115 when ½ in. and ¾ in. gauges, are required, for 147-61 Machine, Nos. 68192, 68449 and 131051
134258	9918	Feed Bar Slide Block for 134259
134259	9918	" " " 134258 with 68495 and 134260
134260	9922	Feed Bar Slide Block Oil Pad Retainer for 134259
134260	9922	Feed Connecting Rod Oil Pad Retainer for 68468 and 131106
*150057		Thread Unwinder Thread Separator for 150058
150058	9505	Thread Unwinder Thread Separator 150057 with 150059, for 150061
*150059		Thread Unwinder Thread Separator Bracket for 150058
150060	9505	Thread Unwinder Thread Separator Bracket Arm with 1641 and 9525, for 150061
150061		Thread Unwinder Thread Separator complete for 150062, Nos. 164J, 9525, 150058 and 150060
150062	9505	Thread Unwinder complete, for four spools, Nos. 150061, 2016961, 202490, 225324, 225326, 225388, two 225395, three wood screws ½ in. No. 12 and four each 150203 and 225391
150203	20509	Thread Unwinder Spool Rest Cushion for 150062
<b>200383</b> c	9925	Thread Unwinder Spool Rest Rod Set Screw for 202490
201018c	20504	Thread Unwinder Spool Rest Set Screw, for 225395
201696ј	20504	Thread Unwinder Thread Guide Lock Nut for 150062
202490	9505	
225322	20504	Thread Unwinder Thread Guide Rod Washer for 225324

NO.	PLATE	NAME
225324	9505	Thread Unwinder Thread Guide Rod with 208E and 225322, for 150062
225326	20504	Thread Unwinder Thread Guide Position Cup for 150062
225388	9505	Thread Unwinder Spool Rest Rod for 150062
225390	20506	Thread Unwinder Thread Cone Holder, for inverted cones, for 150062
225391	9505	Thread Unwinder Thread Guide for 150062
225395	9505	Thread Unwinder Spool Rest (for two spools) with 201018c, for 150062


Genuine Singer Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."


Needles in Containers marked
"For Singer Machines"
are not Singer made needles.

OF PARTS




From the library of: Superior Sewing Machine & Supply LLC






From the library of: Superior Sewing Machine & Supply LLC

#### PLATE 9917-ONE-HALF SIZE




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC

#### PLATE 9919-FULL SIZE




From the library of: Superior Sewing Machine & Supply LLC


#### PLATE 9920-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

### PLATE 9921-ONE-HALF SIZE






From the library of: Superior Sewing Machine & Supply LLC

## PLATE 9923-FULL SIZE H 驅

From the library of: Superior Sewing Machine & Supply LLC


## PLATE 9924-FULL SIZE 54988 316

From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC

#### PLATE 20501-FULL SIZE




From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC


### PLATE 20503-FULL SIZE P



From the library of: Superior Sewing Machine & Supply LLC


### PLATE 20505-FULL SIZE

From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC


#### PLATE 20507-ONE-HALF SIZE




From the library of: Superior Sewing Machine & Supply LLC

### PLATE 20508-ONE-FOURTH SIZE






From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC


### PLATE 20510-FULL SIZE



### PLATE 20511-FULL SIZE



#### PLATE 20512-FULL SIZE



# PLATE 20513-FULL SIZE

From the library of: Superior Sewing Machine & Supply LLC

# PLATE 20514-FULL SIZE

From the library of: Superior Sewing Machine & Supply LLC

# PLATE 20515-FULL SIZE

From the library of: Superior Sewing Machine & Supply LLC


# PLATE 20516-FULL SIZE

From the library of: Superior Sewing Machine & Supply LLC


# PLATE 20517-FULL SIZE

From the library of: Superior Sewing Machine & Supply LLC

#### PLATE 20518-FULL SIZE



#### PLATE 20519-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

