Form 19059, Revised (241) Printed in U. S. A.

LIST of PARTS



MACHINES Nos. 147-80 and 147-81

THE SINGER MANUFACTURING COMPANY

From the library of: Superior Sewing Machine & Supply LLC

INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, "TYPE B" or "TYPE D" OIL, sold only by Singer Sewing Machine Company, should be applied at least twice each day to all oil holes marked "OIL", as instructed in Form 18987.

Copyright, U. S. A., 1936, 1938, 1940 and 1941 by The Singer Manufacturing Co.

All Rights Reserved for all Countries

INDEX

	Page
Accessories	16
Belt Guard	16
Bench Stand	16
Foot Lifter Parts	16
Knee Lifter Parts	17
Machine Base	17
Machine Base 011 Drain Jar	18
Machine No. 147-80	5
Machine No. 147-81	15
Numerical List of Parts	21
Strip Folder For Facing Sleeves on Shirts for 147-81 Machine	18

INSTRUCTIONS FOR ORDERING

In ordering from this list, use CNLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed

A.A-Buffed and Chromium Plated

A.B-Hardened, Polished, Buffed and Chromium Plated

A.C-Brown Baking Enamel Finish

A.D-Gray Baking Enamel Finish

A.E.-Hardened, Bright Rumbled and Nickel Plated A.F.-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

B-Polished, Nickel Plated and Buffed

C-Hardened Only

C.R-Hardened and Merlized

D-Polished Only

E-Soft, Not Polished

F-Hardened and Polished

F.J-Hardened, Polished and Nickel Plated

G-Bright Rumbled and Nickel Plated

H-Blued

J-Nickel Plated Only

K-Hardened and Nickel Plated

L-Brass Plated

M-Ox1dized

N-Japanned, Dull

P-Japanned, Bright

P.P-Wrinkle Finish

R-Merlized

S-Cadmium Plated T-Copper Plated

T.A-Hardened, Polished, Copper and Nickel Plated and Buffed

T.B-Copper and Nickel Plated and Polished

T.J-Copper and Nickel Plated Only

T.K-Hardened, Copper and Nickel Plated

T.L-Copper and Brass Plated

T.M-Copper Plated and Oxidized

U-Zinc Plated

V-Silver Plated

W-Polished and Nickel Plated

X-Black Oxide, for Iron and Steel

X.C-Hardened and Black Oxide, for Iron or Steel

Y-Black Nickel Plated Only

Z-Chromium Plated

Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated

Z.C-Hardened and Chromium Plated

Z.D-Polished and Chromium Plated

Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

Z.J-Nickel and Chromium Plated

Z.T-Copper and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:


1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers

1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward

are numbers of Electrical Parts. The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (.) are furnished only when repairs are made at factory.

LIST OF PARTS COMPLETE FOR



MACHINE No. 147-80

FOR LIGHT WEIGHT FABRICS. ONE NEEDLE, ONE LOOPER. LENGTH OF STITCH 10 TO 25 TO THE INCH. NEEDLE BAR STROKE I $\frac{1}{8}$ INCHES. BALL BEARING. SPEED 4300 R. P. M.

No.	Plate	Name
*131446		Arm, upper and lower (solid) with 948J, 15404, two 15405 and four 131022
68428	20688	Arm Bottom Cover
68429	20688	" " Gasket (cork)
1057AL	20688	" " Screw (4)
50608R	20688	" Hole Plug Screw, for access to Crank Connecting Rod (upper bearing)
139017	20688	Arm Hole Plug Screw Washer
68350	20695	" Oil Cup, for oiling Arm Rock Shaft
		Front Bearing
131309	20696	Arm Oil Cup with 131310, for filling oil
. 1		reservoir
131305	20696	Arm Oil Cup Drip Pan with two 563AL
563AL	20696	" " " Position Screw (2).
131319	20695	" " " 011 Pad (braided cotton) for
		68350

No.	Plate	Name
131310		Arm Oil Cup Oil Tube
131293	20695	Rock Shaft
131474		" " 131293 with 1235F, 127838
		and 131475
1309C	20695	Arm Rock Shaft Adjusting Screw
131056	20695	" " " Washer
68433	20695	" " Bushing (back)
68435	20695	" " " Cap
131095	20695	" " Washer
		(fibre)
446AL	20695	Arm Rock Shaft Bushing (back) Set Screw
68436	20695	" " (intermediate)
423AL	20695	" " " Set
		Screw
131343	20696	Arm Rock Shaft Crank, back (ball bearing,
		solid) with two 50083AL
50083AL	20696	Arm Rock Shaft Crank (back) Set Screw
		(2)
131475	20695	Arm Rock Shaft Crank (front) with 853AL
127838	20695	и и и и и Pin
131456	20695	" " Flanged Bushing (front)
453AL	20695	" " " Set
		Screw
42365	20695	Arm Rock Shaft Oil Pad (braided cotton)
-		for oiling Back Bearing
54969	20695	Arm Rock Shaft Oil Pad (braided cotton)
		for oiling Intermediate Bearing
1235F	20695	Arm Rock Shaft Oil Plug Screw
131476	20696	" Rotary Shaft
Not	e: When	No. 131476 is required for repairs, the
	Looper	Driving Shaft and Feed Lifting Eccentric
	must b	e returned to the factory to be adjusted
	to the	new part.
131477		Arm Rotary Shaft 131476 with 640E,68482,
		131484 and 131502
131366	20696	Arm Rotary Shaft Ball Bearing (back) (2)
131478	20696	" " " Case
131479		а 'я и и и и
		131478 with 131369 and three 205C
131526		Arm Rotary Shaft Ball Bearing (back)
		Case with Ball Bearings complete,
		Nos. 131479, 131480 and two 131366
131369	20696	Arm Rotary Shaft Ball Bearing (back)
•		Case Cap
205C	20696	Arm Rotary Shaft Ball Bearing (back)
		Case Cap Screw (3)
131370	20696	Arm Rotary Shaft Ball Bearing (back)
		Case Position Stud (3)
429C	20696	Arm Rotary Shaft Ball Bearing (back)

Case Set Screw.....

No.	Plate	Name
131480	20696	Arm Rotary Shaft Ball Bearing (back)
		Spacing Collar
131366	20696	Arm Rotary Shaft Ball Bearing (inter-
		mediate)
131481	20696	Arm Rotary Shaft Ball Bearing (inter-
		mediate) Case
1304C	20696	Arm Rotary Shaft Ball Bearing (inter-
		mediate) Case Set Screw
131482	20696	Arm Rotary Shaft Ball Bearing (inter-
		mediate) Collar with two 457AL
457AL	20696	Arm Rotary Shaft Ball Bearing (inter-
10.112		mediate) Collar Set Screw (2)
131457	20696	Arm Rotary Shaft Bushing (front)
761E	20696	" " " Set Screw
42367	20696	" " Front Bearing Oil Pad,
4EOO7	20000	lower (braided cotton)
54218	20696	Arm Rotary Shaft Front Bearing Oil Pad,
94210	20030	upper (braided cotton)
144D	20696	Arm Rotary Shaft Screw
	20688	* Side Cover (oil vent)
131276		" " Cap
131277	20688	" Position Pin
131280	20688	" " Thumb Screw
51224W	20688	Arm Side Cover (oil vent) complete, Nos.
131278	20688	51224W, 131276, 131277 and 131280
		Arm Side Cover Gasket (victorite)
68448	20688	n " Screw (4)
1057AL	20688	Balance Wheel, 2 in. pulley, with two
131483	20696	51283AL, for round belt
		51283AL, for round belt
131710		Balance Wheel "V" belt groove, with two
		51283AL
128510	20696	Balance Wheel Cover(0)
51283AL		" Set Screw (2)
131374	20704	Cloth Plate
68368	20704	" Slide (left)
131050	20704	Op. 116
725J	20704	2010" (2)
131051	20704	Cloth Plate Slide (left) complete, Nos.
		68368, 131050 and two 725J
131375	20704	Cloth Plate Slide (right)
131381	20704	s " " Spring
725J	20704	" Octon (S)
131382	20704	Cloth Plate Slide (right) complete, Nos. 131375, 131381 and two 725J
131388	20704	Cloth Plate complete, for Throat Plate
		No. 38486, Nos. 131051, 131374 and
		131382
1011F	20704	Cloth Plate Screw (left) (2)

J		
No.	Plate	Name
50396F	20704	Cloth Plate Screw (right)
131394	20704	" Thread Guard
389F	20704	" " " Screw (lower)
50473F	20704	" " (upper)
131471	20696	Crank Connecting Rod with two each 896AL
	20000	and 1057AL
131484		Crank Connecting Rod 131471 with 131343.
896AL	20696	" " Cap (lower) Screw
		(2)
1057AL	20696	Crank Connecting Rod Cap (upper) Screw
		(2)
68460	20706	D D3-4- /3 1- 3-1
68461	20706	" " Gasket (cork)
330D	20706	" " Gasket (cork) " " Screw (2)
131395	20706	" (unner helf)
29234	20706	" " Position Plate
1053E	20706	n a a a a a
		Screw
51224W	20706	Face Plate (upper half) Thumb Screw
131729	20702	Feed Bar
131730	20702	" Feed Dog Seat (adjustable) with
		460AL
190J	20702	Feed Bar Feed Dog Seat Screw
22436	20702	" " Washer
131731		Feed Bar with Feed Dog Leveling Device
		complete, Nos. 190J, 22436, 68467,
		131729, 131730 and two 207E
131197	20702	Feed Bar Hinge Pin (eccentric)
59343	20702	" " " Collar with 775AI
735AL	20702	" " " Collar with 735AL " " Set Screw
134258	20702	" " Slide Block
134259	20702	" " " 134258 with 68495 and
		134260
68495	20702	Feed Bar Slide Block Oil Pad (wick)
134260	20702	" Retainer
68467	20702	" " Wearing Plate
207E	20702	" " " Screw (2)
131500	20696	Feed Connecting Rod with 1057AL, 68497,
		134260 and two 896AL
131502		Feed Connecting Rod 131500 with 54025
896AL	20696	" " Cap Screw (2)
1057AL	20696	" " Clamping Screw
68497	20696	" " " 011 Pad (wick)
134260	20696	" Retainer
54177	20707	Dog, 16 teeth (16 teeth to the
		inch) for 38486
131544	20708	Feed Dog, 13 teeth (12 teeth to the inch)
•		for 46059
131545	20708	Feed Dog, 17 teeth (16 teeth to the inch)

No.	Plate	Name
50073J	20707	Feed Dog Screw, when stationary Needle
		Guard is used
140275J	20707	Feed Dog Screw, when movable Needle Guard is used
460AL	20702	Feed Dog Stop Screw
51061AL		" Eccentric Body Set Screw (3)
7071	20696	" " Clamping Washer (2)
217J	20696	" " Screw (2)
54025	20696	Feed Eccentric (adjustable) with 1103C,
		two each 217J,7071 and three 51061AL
1103C	20696	Feed Regulating Screw
131240	20702	Rocking Frame with two 453AL
131732		" " 131240 with 59343,
		131197 and 131731
57234	20702	Feed Rocking Frame Hinge Pin
57235	20702	Busning (2)
453AL	20702	Set " Set
453AL	20702	Screw (2)
TOURL	20102	Feed Rocking Frame Hinge Pin Set Screw
25618	20704	(2) Guide
51224W	20704	. " Thumb Screw
131133	20707	Looper
131134	20707	" 131133 with 229J and 131135
54027	20698	Carrier with two 175E
175E	20698	" Adjusting Screw (2)
54227	20698	" Connection
54228	20698	" Shaft
128419	20698	" " Oil Pad
		(braided cotton)
68478	20698	Looper Carrier Connection Shaft Sleeve
		(eccentric)
51263D	20698	Looper Carrier Connection Shaft Sleeve
		Cap Screw
68479	20698	Looper Carrier Driver with four 175E
175E	20698	" " Cap Screw (4)
*68481	20698	" Driving Shaft and Feed Lifting Ec-
		centric
Note	e: When	No. 68481 is required for repairs, the
	Arm Ro	tary Shaft must be returned to the factory
**CO400	to be	adjusted to the new part.
*68482		Looper Driving Shaft and Feed Lifting
		Eccentric 68481 with 54027, 54227, 54228 and 68479
948J	20696	Looper Driving Shaft and Feed Lifting
	20000	Eccentric Bracket Screw
68484	20698	Looper Driving Shaft and Feed Lifting
		Eccentric Bushing
131028	20698	Looper Driving Shaft and Feed Lifting
		Eccentric Bushing Oil Plug

	• •	
No.	Plate	Name
761E	20696	Looper Driving Shaft and Feed Lifting
7016	20000	Eccentric Bushing Position Screw
. 68497		Looper Driving Shaft and Feed Lifting
, 00497		Eccentric Front Bearing Oil Pad
		(wick)
640E	20696	Looper Driving Shaft and Feed Lifting
04UE	20030	Eccentric Screw
54035	20698	Looper Holder with 1120C
54005 51119J	20698	" Screw
131135	20707	Needle Guard with 46105
46105	20707	" " Pin
229J	20707	" " Screw
1120C	20698	* Set Screw
	20698	Throw-out Handle with two 443AL
68485	20698	" " Plunger
68486		" Spring
43503	20698	" Set Screw (2)
443AL	20698	Needle Bar (hollow) with 857AL
131490	20700	" Bushing (lower)
131291	20700	" " Set Screw
1133AL	20700	" " (upper)
64320	20700	" " " Set Screw
1133AL	20700	
68488	20700	COURSCOINS THE SHO IN SEC
		(upper) Controller
131491		Needle Bar Connecting Link and Thread
		(upper) Controller 68488 with 68489
		and 131492
68489	20700	Needle Bar Connecting Link Hinge Stud
		(hollow) Needle Bar Connecting Link Hinge Stud
1520J	20700	
		Nut.
131270	20700	Needle Bar Connecting Link Hinge Stud
		Oil Pad (wick)
861C	20700	Needle Bar Connecting Link Hinge Stud
		011 Plug Screw
853AL	20695	Needle Bar Connecting Link Hinge Stud
	00000	Set Screw
131492	20700	Needle Bar Connecting Stud With 1492E
1492E	20700	CTGHIPTES DOTON
131316	20702	GURLA (MOARDTA)
68123	20702	Clamp
131315	20707	" (stationary)
54038	20707	" " Holder
176J	20707	- Screw
2170	20707	Screw
857AL	20700	Set Screw
68492	20703	011 Pipe (back of arm) with 68497, for
		oiling Feed Rocking Frame Hinge Pin
00405	00000	Front Bearing
68493	20703	Oll Pipe (back of arm) Clamp

No.	Plate	Name
176E	20703	011 Pipe (back of arm) Clamp Screw
68494	20703	" " " Connection with
		68495 and two 198E, for oiling Feed
		Rocking Frame Hinge Pin Back Bearing
198E	20703	011 Pipe (back of arm) Connection Cap
		Screw (2)
68495	20703	Oil Pipe (back of arm) Connection Oil
00100	20.00	Pad (wick)
68496	20703	Oil Pipe (back of arm) Coupling
1733	20703	MUC (DIABS)
68497	20703	OII FAU (WICK)
68498	20703	" (Iront of arm) with 131089 and
		two 1733, for oiling Looper Driving
		Shaft and Feed Lifting Eccentric
		Front Bearing
131112	20703	011 Pipe (front of arm) with 68497 and
		131003, for oiling Feed Bar Slide
		Block
68500	20703	011 Pipe (front of arm) with 1733,131084
		and 131089, for oiling Arm Rotary
		Shaft Front Bearing
131113	20703	011 Pipe (front of arm) with 68497 and
millo	20705	
		131003, for oiling Feed Connecting
		Rod
131258		Oil Pipe (front of arm) complete, Nos.
		68498, 68500, 131112 and 131113
131002	20703	Oil Pipe (front of arm) Connection with
		two 198E, for oiling Looper Throw-
		out Device
131003	20703	Oil Pipe (front of arm) Connection with
		two 198E, for 131112 and 131113 (2)
131084	20703	011 Pipe (front of arm) Connection with
		two 198E, for 68500
198E	20703	Oil Pipe (front of arm) Connection Cap
		Screw (2)
131004	20703	Oil Pipe (front of arm) Coupling (cen-
	201,00	ter)
131004	20703	Oil Pipe (front of arm) Coupling (left).
131087	20703	
	20703	(LIRIC)
1733	20703	NUC
101000	00000	(brass) (3)
131089	20703	Oil Pipe (front of arm) Oil Pad (wick)
		for 68498 and 68500 (2)
68497	20703	Oil Pipe (front of arm) Oil Pad (wick)
		for 131112 and 131113 (2)
64330	20700	Presser Bar
131006	20700	Bushing (lower)
1133AL	20700	" Set Screw
38456	20700	" " (upper)
1133AL	20700	" Set Screw

131696

20705

12		
No. P	late	Name
		Presser Bar Lifting Bracket with 453AL
	0700	" " Guide
	0700	" " " " Set
TOORD D	0,00	Screw
453AL 2	0700	Presser Bar Lifting Bracket Set Screw
	0705	" " Lever
	0705	" " Extension
	0705	" " " " Screw
1010 2	0,00	(2)
802D 2	0705	Presser Bar Lifting Lever Hinge Screw
		Presser Bar Spring
	0688	" " (auxiliary)
	0688	" " Screw Stud
	0688	" " " Lock Nut
	0688	" " Stud
· -		Presser Bar Spring complete, Nos. 1637J,
		51697W and 131749 to 131752
26276 2	0707	Presser Foot Hinge Pin
	0707	" " Plate
46057 2	0707	" " Shank
46058 2	0707	Presser Foot (hinged) complete, Nos.
		26276, 46056 and 46057
190J 2	0707	Presser Foot Screw
51697W 2	0688	Pressure Regulating Thumb Nut
131752 2	0688	" " Washer
131419 2	0706	Slack Thread Regulator
131404 2	0706	" " Holder
131405 2	0706	" " " Crank with
		171AL
· 1423J 2	0706	Slack Thread Regulator Holder Crank Cap
		Screw
171AL 2	0706	Slack Thread Regulator Holder Crank
		Clamping Screw
131406 2	0706	Slack Thread Regulator Holder Crank Con-
		necting Link
		Slack Thread Regulator Screw
		Tension (under thread) Bracket
	0705	" " " Screw (2)
	0705	DISC (2)
51570C 2	0705	" Regulating Thumb
		Nut
		Tension (under thread) Screw Stud
59539 -		
121040 - 0	0205 '	with 51570C
	0705	Tension (under thread) Spring Bushing
59557 Z	0700	
59538 2	0705 !	(large)
ام ويونون		(small)

Tension (under thread) Thread Guide

No. Plate 54045 20705 Tension (upper thread) Bracket	••	D3 - 4 -	Nome
376J 20705 " " " " " " " Screw			
102 20705 " " Regulating Thumb Nut			
S1570C 20705			****
Nut. State State			DISC (2)
September Sept	51570C	20705	
S4988 20705	20570	20705	
Crank with 624AL 54048 20705 Tension (upper thread) Releasing Shaft			
Crank with 624AL			Siaic
Tension (upper thread) Releasing Shaft Crank Link.	54047	20705	Charle 114th COAAT
Crank Link. Crank Set Screw. 68261 20705 Tension (upper thread) Releasing Shaft Spring. 131011 20705 Tension (upper thread) Releasing Shaft Spring Position Plate. 316C 20705 Tension (upper thread) Releasing Shaft Spring Position Plate. 1547J 20705 Tension (upper thread) Releasing Shaft Stop Screw. 1547J 20705 Tension (upper thread) Releasing Shaft Stop Screw Nut. 50326C 20705 Tension (upper thread) Screw Stud. 50326C 20705 Tension (upper thread) Screw Stud. 50326C 20705 Tension (upper thread) Spring. 131741 20705 Tension (upper thread) Spring. 131741 20705 Tension (upper thread) Spring. 131696 20705 Tension (upper thread) Spring Bushing (small). 131696 20705 Tension (upper thread) Thread Guide 131407 20696 " " " Screw 131407 20696 " " Take-up with 1258AL 131408 20696 " " " Take-up with 1258AL 131409 20696 " " " Stripper Plate 131410 20696 " " " Stripper Plate 131420 20696 " " " " Stripper Plate 131420 20696 Thread (under) Take-up Stripper Plate Bracket 131421 31422, two each 207J, 7071, 50470J and four 190J 965D 20696 Thread (under) Take-up Stripper Plate	54040	00005	
624AL 20705 Tension (upper thread) Releasing Shaft Crank Set Screw. 68261 20705 Tension (upper thread) Releasing Shaft Spring. 131011 20705 Tension (upper thread) Releasing Shaft Spring Position Plate. 316C 20705 Tension (upper thread) Releasing Shaft Stop Screw. 1547J 20705 Tension (upper thread) Releasing Shaft Stop Screw Nut. 50326C 20705 Tension (upper thread) Releasing Shaft Stop Screw Nut. 50326C 20705 Tension (upper thread) Releasing Shaft Stop Screw Nut. 50326C 20705 Tension (upper thread) Releasing Shaft Stop Screw Nut. 50326C 20705 Tension (upper thread) Releasing Shaft Stop Screw Nut. 50326C 20705 Tension (upper thread) Releasing Shaft Stop Screw Nut. 50326C 20705 Tension (upper thread) Releasing Shaft Screw Nut. 50326C 20705 Tension (upper thread) Screw Stud. 13141 20705 Tension (upper thread) Screw Stud. 13169 20705 Tension (upper thread) Spring Sushing (small). 131407 20696 " " " Screw. 131408 20696 " " " Screw.	54048	20705	· • • • • • • • • • • • • • • • • • • •
Crank Set Screw	20447	00000	
Tension (upper thread) Releasing Shaft	624AL	20705	
Spring	40041	00005	
Tension (upper thread) Releasing Shaft	68561	20705	
Spring Position Plate			
Stop Screw	131011	20705	
Stop Screw Sto			•
Tension (upper thread) Releasing Shaft Stop Screw Nut	316C	20705.	
Stop Screw Nut			Stop Screw
50326C 20705 59539 With 51570C	15 4 7J	20705	
### ### ### ### ### ### ### ### ### ##			Stop Screw Nut
### ### ### ### ######################		20705	Tension (upper thread) Screw Stud
131741 20705 Tension (upper thread) Spring	59539		
Sect		0.0705	With 51570C
(large)			
59538 20705 Tension (upper thread) Spring Bushing (small)	59537	20705	24011113
(small)		00005	
131696 20705 Tension (upper thread) Thread Guide 190J 20705 Thread (under) Eyelet (back) 131407 20696 " " Take-up with 1258AL 131408 20696 " " " " " " " " Screw 50438J 20696 " " " " " " " Screw 1258AL 20696 " " " " " " Screw 131409 20696 " " " " Set Screw 131410 20696 " " " " Stripper 131410 20696 " " " " " " Clamp Screw	59558	20705	Tension (upper unread) spring Busning
53225 20705 Thread (under) Eyelet (back)	353.000	00000	Manadam (unner throad) Mhanad Guide
190J 20705 " " Take-up with 1258AL 131407 20696 " " Take-up with 1258AL 50438J 20696 " " " " Screw 1258AL 20696 " " " Set Screw 131409 20696 " " " Stripper 54242 20696 " " " " Clamp 190J 20696 " " " " " Clamp Screw 131410 20696 Thread (under) Take-up Stripper Plate 131411 20696 Bracket 131420 20696 Thread (under) Take-up Stripper Plate Bracket 131411 with 32062, 50438J, 54242, 131408 to 131410, 131413, 131421, 131422, two each 207J, 7071, 50470J and four 190J			
131407 20696 " " Take-up with 1258AL 131408 20696 " " " Oil Guard 50438J 20696 " " " Screw 1258AL 20696 " " " Set Screw 131409 20696 " " " Stripper 54242 20696 " " " " Clamp 190J 20696 " " " " " " " " " " " " " " " " " "			
131408 20696 " " " " " Screw 1258AL 20696 " " " " Set Screw 131409 20696 " " " " Stripper 54242 20696 " " " " Clamp 190J 20696 " " " " " Clamp 131410 20696 Thread (under) Take-up Stripper Plate 131411 20696 Thread (under) Take-up Stripper Plate 131420 20696 Thread (under) Take-up Stripper Plate Bracket			301 ew
131406 20696 " " " " " Screw 1258AL 20696 " " " " Set Screw 131409 20696 " " " " Stripper 14242 20696 " " " " " Clamp 190J 20696 " " " " " " " " " " " Screw 131410 20696 Thread (under) Take-up Stripper Plate 131411 20696 Thread (under) Take-up Stripper Plate Bracket 131420 20696 Thread (under) Take-up Stripper Plate Bracket 131411 with 32062 50438J 54242 131408 to 131410 131413 131421 131422 two each 207J 7071 50470J and four 190J 965D 20696 Thread (under) Take-up Stripper Plate			
1258AL 20696 " " " Set Screw 131409 20696 " " " Stripper 190J 20696 " " " " Clamp 190J 20696 " " " " " " " " " " " " " " " " " "			OII Guard
131409 20696 " " " Stripper			octow
54242 20696 " " " " " " Clamp 190J 20696 " " " " " " " " " " " " " " " " " "			260 2016M
190J 20696 " " " " " " " " " " " " " " " " " "			
Screw			
131410 20696 Thread (under) Take-up Stripper Plate 131411 20696 " " " " " " " " " " " " " " " " " "	1900	20090	Samou
131411 20696 " " " " " " " " " 131420 20696 Thread (under) Take-up Stripper Plate Bracket 131411 with 32062, 50438J, 54242, 131408 to 131410, 131413, 131421, 131422, two each 207J, 7071, 50470J and four 190J	121410	20606	Throad (under) Toke-un Stripper Dista
Bracket			in a a a a a a a a a a a a a a a a a a a
131420 20696 Thread (under) Take-up Stripper Plate Bracket 131411 with 32062, 50438J, 54242, 131408 to 131410, 131413, 131421, 131422, two each 207J, 7071, 50470J and four 190J	131411	20090	Procket
Bracket 131411 with 32062, 50438J, 54242, 131408 to 131410, 131413, 131421, 131422, two each 207J, 7071, 50470J and four 190J	171400	onene	
54242, 131408 to 131410, 131413, 131421, 131422, two each 207J, 7071, 50470J and four 190J 965D 20696 Thread (under) Take-up Stripper Plate	131420	20030	
131421, 131422, two each 207J, 7071, 50470J and four 190J			
50470J and four 190J 965D 20696 Thread (under) Take-up Stripper Plate			
965D 20696 Thread (under) Take-up Stripper Plate			504701 and four 1901
	9650	20606	Thread (under) Take-un Strinner Plate
	COOD	20000	Bracket Screw

17-	D7-4-	Nome
No.	Plate	Name
190J	20696	Thread (under) Take-up Stripper Plate Screw (3)
70000	00000	
32062	20696	Thread (under) Take-up Stripper Washer
131413	20696	" Thread Guard
	-	(fibre)
50470J	20696	Thread (under) Take-up Thread Guard
		Screw (2)
131421	20696	Thread (under) Take-up Thread Guide
		(left)
207J	20696	Thread (under) Take-up Thread Guide
		(left) Screw
7071	20696	Thread (under) Take-up Thread Guide
–		(left) Screw Washer
131422	20696	Thread (under) Take-up Thread Guide
101111	20000	(right)
207J	20696	Thread (under) Take-up Thread Guide
2010	20000	(right) Screw
7071	20696	
7071	20090	Thread (under) Take-up Thread Guide
303 400		(right) Screw Washer
131493	20706	Thread (upper) Eyelet
190J	20706	ociew
131494	20706	Take-up with 223J
223J	20706	" Clamping Screw
131495	20706	" (auxiliary)
131496	20706	" " Clamp
997J	20706	
		Screw
38486	20707	Throat Plate for 54177
46059	20708	" " 131544 and 131545
742F	20707	" Screw (2)
*15404		Trade Mark

MACHINE No. 147-81

FOR MEDIUM WEIGHT FABRICS. ONE NEEDLE, ONE LOOPER. LENGTH OF STITCH 7 TO 25 TO THE INCH. NEEDLE BAR STROKE I 7/32 INCHES. BALL BEARING. SPEED 4000 R. P. M.

NOTE: THIS MACHINE IS THE SAME AS THE 147-80 MACHINE, WITH THE FOLLOWING EXCEPTIONS:

No.	Plate	Name
131072	20697	Arm Rock Shaft Crank, back (ball bearing,
		solid) with two 50083AL, in place of
		131343
131485		Arm Rotary Shaft 131476 with 640E,68459,
		131111 and 131502, in place of
		131477
68459		Crank Connecting Rod 131471 with 131072,
00100		in place of 131484
*131110	20699	Looper Driving Shaft and Feed Lifting
		Eccentric, in place of 68481
Not	te: When	No. 131110 is required for repairs, the
•••		tary Shaft must be returned to the factory
		adjusted to the new part.
*131111		Looper Driving Shaft and Feed Lifting
-201141		Eccentric 131110 with 54027, 54227,
		54228 and 68479. in place of 68482
54036	20701	Needle Bar (hollow) with 857AL, in place
0.5000	20.01	of 131490
131399		Needle Bar Connecting Link and Thread
202000		(upper) Controller 68488 with 68489
		and 131400, in place of 131491
131400	20701	Needle Bar Connecting Stud with 211F and
		1492E, in place of 131492
131025	20709	Slack Thread Controller
54242	20709	" " Clamp
190J	20709	" " " ScreW
38484	20709	Thread (upper) Eyelet, in place of
******		131493
131332	20709	Thread (upper) Take-up
54194	20709	" " Plate
68164	20709	" " Spring
1449J	20709	" " " Screw
131333	20709	Thread (upper) Take-up complete, Nos.
		1449J, 54194, 68164 and 131332, in
	•	place of 131494
211F	20701	Thread (upper) Take-up Set Screw

ACCESSORIES

No.	Plate	Name
120344	20691	Oiler (copper plated) with 120345
120345	20691	" Spout, 4 1/2 in. long
120440	20691	Screw Driver (large)
121108	20691	" (small)
120341	20691	Tweezers (curved)
4822	20691	Wrench for 1547
8908	20691	" " 1520

BELT GUARD

No.	Plate	Name
68222	20633	Belt Guard with two wood screws 1 in.
		No. 12

BENCH STAND

No.	Plate	Name
79772		Bench Stand with 27998, two each 41538,
		126849, three wood screws 1 1/4 in.
		No. 12, four each 60656, wood screws
		1 1/4 in. No. 10 and sixteen wood
		screws 5/8 in. No. 7
126849	20691	Flap Hinge with four wood screws 3/4 in.
		No. 7
27998	20691	Flap Hook and Eye (brass) with wood
		screw 1/2 in. No. 5
126247	20691	Flush Bolt
126248	20691	" " Plate
41538		Flush Bolt with Plate complete, Nos.
		126247, 126248 and four brass wood
		screws 5/8 in. No. 4
60656	20691	Hinge (4)

FOOT LIFTER PARTS

No.	Plate		Name						
6439			Chain,						
			56	565,				 	
No	ote:	When	ordering						

No.	Plate	Name
4879	20633	Chain Connecting Link
56864	20691	" Hook (large)
56865	20691	" (small)
126249	20633	Treadle
4882	20633	" Shaft
126250	20633	" Spring
150451	20633	" Stand
150452	20633	Treadle complete, Nos. 4879,4882,126249,
		126250, 150451 and two wood screws 1
		in. No. 16 F.H

KNEE LIFTER PARTS

No.	Plate	Name
37563		Chain, length 15 in., with 56864 and
		56865
56864	20691	Chain Hook (large)
56865	20691	" (small)
2763	20633	Rock Shaft
12242	20633	" " Hanger with two wood screws 1
		in. No. 10 (2)
6335	20633	Rock Shaft Knee Arm
6336		Rock Shaft Knee Arm complete, Nos. 2766,
		2767 and 6335
2766	20633	Rock Shaft Knee Arm Hub with 356C
356C	20633	" " " Set Screw
2767	20633	" " Plate with 356C
356C	20633	" " " Set Screw
6337	20633	" " Lifting Bracket with two 356C
7125	20633	" " " Hook
356C	20633	" " " " Set Screw
356C	20633	" " " Set Screw
2770	20633	" " Stop Dog with 356C
356C	20633	" " Set Screw
23767	20633	Rock Shaft complete, Nos. 2763, 2770,
		6336 6337 7125 and two 12242

MACHINE BASE

No.	Plate	Name
131263	21038	Machine Base
54477	21038	" " Screw Stud, to fasten base
		to table (3)
131205	21038	Machine Base Screw Stud, to position Ma-
		chine on base (4)

No.	Plate	Name
51576E	21038	Machine Base Screw Stud Nut (3)
9842	21038	" " " " Washer (3)
131022	21038	" " Bushing (rubber)
		(4)
131279	21038	Machine Cushion (felt) (4)
131264	21038	Machine Base complete, Nos. 131263, three
		each 9842,51576E,54477 and four each
		131205 and 131279
131328	21038	Machine Base and Oil Drain Jar (swinging
		type) complete, Nos. 131264 and
		131968

MACHINE BASE OIL DRAIN JAR

(SWINGING TYPE)

No.	Plate	Name
131185	21038	Jar (glass)
131191	21038	" Cap
131188	21038	" Clamp
131217		" " 131188 with 131189
131189	21038	" " Lever
1247C	21038	" " " Hinge Screw (2)
131265	21038	Nipple (long) (2)
131266	21038	" (short)
131267	21038	" Elbow (2)
131268	21038	Machine Base Oil Drain Jar (swinging
		type) complete, Nos. 131185, 131191,
		131217, 131266 and two each 1247C,
		131265 and 131267

STRIP FOLDER FOR FACING SLEEVES ON SHIRTS

FOR 147-81 MACHINE

No.	Plate	Name
121657	20710	Strip Folder
121682	20710	" Edge Guide
227J	20710	" " " Screw
121681	20710	" Holder
1174J	20710	" " Screw (2)
121683	20710	Strip Folder complete, Nos. 227J,121657,
		121681 and 121682

THREAD UNWINDER


FOR TWO SPOOLS

No.	Flate	Name	
225257	20692	Spool Rest (for two spools) with 201018C	
150203	20692	" Cushion (felt) (2)	
225388	20692	" Rod	
200383C	20692	" " Set Screw	
201018C	20692	" Set Screw	
202490	20692	" Stand with 200383C	
225391	20692	Thread Guide (2)	
201696J	20692	" Lock Nut	
225326	20692	" " Position Cup	
225324	20692	" Rod with 208AL and 225322	
208AL	20692	" " Screw	
225322	20692	" " Washer	
150086	20692	" Separator	
150060	20692	" Bracket Arm with 164J and	
		9525	
164J	20692	Thread Separator Bracket Arm Clamping	
		Screw	
9525	20692	Thread Separator Bracket Arm Clamping	
		Screw Washer	
164J	20692	Thread Separator Bracket Arm Screw	
9525	20692	" " " " Washer	
150087		Thread Separator complete, Nos. 164J,	
		9525, 150060 and 150086	
150088	20692	Thread Unwinder complete, Nos. 150087,	
		201696J,202490,225257,225324,225326,	
		225388, two each 150203, 225391 and	
		three wood screws 7/8 in. No. 12	
27739	20692	Thread Cone (wood) for large cones	
225390	20692	" Holder, for inverted cones	
Note: Nos. 27739 and 225390 are used with, but not			
included in 150088.			

SINGER Needles should be used in SINGER Machines.
These Needles and their Containers are marked with the
Company's Trade-Mark "SIMANCO.**" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

LIST
OF PARTS



NUMERICAL LIST OF PARTS

No.	Plate	Name
144D	20696	Arm Rotary Shaft Screw
16 1 J	20705	Presser Bar Lifting Lever Extension Screw (2)
164J	20692	Thread Unwinder Thread Separator Bracket Arm Clamping Screw for 150060
164J	° 20692	Thread Unwinder Thread Separator Bracket Arm Screw for 150087
171AL	20706	Slack Thread Regulator Holder Crank Clamping Screw for 131405
175E	20698	Looper Carrier Adjusting Screw for 54027
175E	20698	Looper Carrier Driving Cap Screw for 68479 (4)
176J	20707	Needle Guard (stationary) Holder Screw
176E	20703	Oil Pipe (back of arm) Clamp Screw
190J	20702	Feed Bar Feed Dog Seat Screw for 131731.
1900	20707	Presser Foot Screw
1905	20705	Thread (under) Eyelet (back) Screw
190J	20696	" Take-up Stripper Clamp Screw
1300	20030	for 131420
190J	20696	Thread (under) Take-up Stripper Plate Screw for 131420 (3)
190J	20706	Thread (upper) Eyelet Screw
190J	20709	Slack Thread Controller Clamp Screw for 147-81 Machine
198E	20703	Oil Pipe (back of arm) Connection Cap Screw for 68494 (2)
198E	20703	Oil Pipe (front of arm) Connection Cap Screw for 131002, 131003 and 131084
205C	20696	(2)Arm Rotary Shaft Ball Bearing (back) Case Cap Screw for 131479 (3)
207E	20702	Feed Bar Wearing Plate Screw for 131731 (2)
207J	20696	Thread (under) Take-up Thread Guide (left) Screw for 131420
207J	20696	Thread (under) Take-up Thread Guide (right) Screw for 131420
208AL	20692	Thread Unwinder Thread Guide Rod Screw for 225324
211F	20701	Thread (upper) Take-up Set Screw for 131400, for 147-81 Machine
217J	20696	Feed Eccentric Clamping Washer Screw for 54025 (2)
217C	20707	Needle Guard Screw
217J	20706	Slack Thread Regulator Screw
		-

N.	D3-+-	Name
No.	Plate	= · = · · ·
223J	20706	Thread (upper) Take-up Clamping Screw
0000	0000	for 131494, for 147-80
227J	20710	Strip Folder Edge Guide Screw for 121683
229J	20707	Looper Needle Guard Screw for 131134
316C	20705	Tension (upper thread) Releasing Shaft Stop Screw
330D	20706	Face Plate (lower half) Screw (2)
356C	20633	Rock Shaft Knee Arm Hub Set Screw for 2766
356C	20633	Rock Shaft Knee Plate Set Screw for 2767
356C	20633	Rock Shaft Lifting Bracket Hook Set
75.00	00677	Screw for 6337
356C	20633	Rock Shaft Lifting Bracket Set Screw for 6337
356C	20633	Rock Shaft Stop Dog Set Screw for 2770
376J	20705	Tension (upper thread) Bracket Screw
389F	20704	Cloth Plate Thread Guard Screw (lower)
423AL	20695	Arm Rock Shaft Bushing (intermediate) Set Screw
429C	20696	Arm Rotary Shaft Ball Bearing (back)
		Case Set Screw
443AL	20698	Looper Throw-out Handle Set Screw for 68485 (2)
446AL	20695	Arm Rock Shaft Bushing (back) Set Screw.
453AL	20695	" " Flanged Bushing (front) Set Screw
453AL	20702	Feed Rocking Frame Hinge Pin Bushing Set
453AL	20702	Screw (2) Feed Rocking Frame Hinge Pin Set Screw
45741	00000	for 131240 (2)
453AL	20700	Presser Bar Lifting Bracket Guide Set
453AL	20700	Presser Bar Lifting Bracket Set Screw for 131401
457AL	20696	Arm Rotary Shaft Ball Bearing (inter- mediate) Collar Set Screw for 131482
460AL	20702	(2)
		Feed Dog Stop Screw for 131730
563AL	20696	Arm 011 Drip Pan Position Screw for 131305 (2)
624AL	20705	Tension (upper thread) Releasing Shaft Crank Set Screw for 54047
640E	20696	Looper Driving Shaft and Feed Lifting Eccentric Screw for 131477 and 131485
691F	20705	Tension (under thread) Bracket Screw (2)
725J	20704	Cloth Plate Slide (left) Spring Screw for 131051 (2)
725J	20704	Cloth Plate Slide (right) Spring Screw

for 131382 (2).....

No.	Plate	Name
735AL	20702	Feed Bar Hinge Pin Collar Set Screw for
D400	0.000	59343
742F	20707	Throat Plate Screw (2)
761E	20696	Arm Rotary Shaft Bushing (front) Set Screw
761E	20696	Looper Driving Shaft and Feed Lifting
		Eccentric Bushing Position Screw
802D	20705	Presser Bar Lifting Lever Hinge Screw
853AL	20695	Needle Bar Connecting Link Hinge Stud Set Screw for 131475
857AL	20700	Needle Set Screw for 54036 and 131490
861C	20700	Bar Connecting Link Hinge Stud
		Oil Plug Screw
896AL	20696	Crank Connecting Rod Cap (lower) Screw
896AL	20696	for 131471 (2) Feed Connecting Rod Cap Screw for 131500
COORL	20000	(2)
948J	20696	Looper Driving Shaft and Feed Lifting
		Eccentric Bracket Screw for 131446
965D	20696	Thread (under) Take-up Stripper Plate
		Bracket Screw
997J	20706	Thread (upper) Take-up (auxiliary) Clamp
		Screw for 147-80 Machine
1011F	20704	Cloth Plate Screw (left) (2)
1053E	20706	Face Plate (upper half) Position Plate
		Screw
1057AL	20688	Arm Bottom Cover Screw (4)
1057AL	20696	Crank Connecting Rod Cap (upper) Screw for 131471
1057AL	20696	Feed Connecting Rod Cap Clamping Screw for 131500
1057AL	20688	Arm Side Cover Screw (4)
1103C	20696	Feed Regulating Screw for 54025
1120C	20698	Looper Set Screw for 54035
1133AL	20700	Needle Bar Bushing (lower) Set Screw
1133AL	20700	" " (upper) Set Screw
1133AL	20700	Presser Bar Bushing (lower) Set Screw
1133AL	20700	" " (upper) Set Screw
1174J	20710	Strip Folder Holder Screw (2)
1235F	20695	Arm Rock Shaft 011 Plug Screw for 131474
1247C	21038	Machine Base Oil Drain Jar Clamp Lever Hinge Screw for 131268 (2)
1258AL	20696	Thread (under) Take-up Set Screw for 131407
1304C	20696	Arm Rotary Shaft Ball Bearing (inter-
		mediate) Case Set Screw
1309C	20695	Arm Rock Shaft Adjusting Screw
1423J	20706	Slack Thread Regulator Holder Crank Cap Screw
1449J	20709	Thread (upper) Take-up Plate Spring Screw for 131333, for 147-81 Machine

24		N	IUMERICAL LIST OF PARTS
M	0.	Plate	Name
	492E	20700	Needle Bar Connecting Stud Clamping
1	4926	20700	Screw for 131400 and 131492
1	520J	20700	Needle Bar Connecting Link Hinge Stud Nut
1	5 47J	20705	Tension (upper thread) Releasing Shaft Stop Screw Nut
` 1	637J	20688	Presser Bar Spring Screw Stud Lock Nut for 131830
1	733	20703	Oil Pipe (back of arm) Coupling Nut (brass)
1	733	20703	Oil Pipe (front of arm) Coupling Nut (brass) for 68498 and 68500 (3)
2	102	20705	Tension (under thread) Disc (2)
2	102	20705	" (upper thread) Disc (2)
2	763	20633	Rock Shaft for 23767
2	766	20633	" Knee Arm Hub with 356C, for 6336
2	767	20633	Rock Shaft Knee Plate with 356C, for
2	770	20633	6336
4	822	20691	Wrench for 1547 (Accessories)
4	879	20633	Chain Connecting Link for 150452
4	882	20633	Treadle Shaft for 150452
6	335	20633	Rock Shaft Knee Arm for 6336
6	336		Rock Shaft Knee Arm complete for 23767, Nos. 2766, 2767 and 6335
6	337	20633	Rock Shaft Lifting Bracket with two 356C, for 23767
6	439		Chain, 36 in. to 45 in., with 56864 and 56865
	Mot	e: When	ordering No. 6439, state length required.
7	071	20696	Feed Eccentric Clamping Washer for 54025
			(2)
7	071	20696	Thread (under) Take-up Thread Guide (left) Screw Washer for 131420
7	7071	20696	Thread (under) Take-up Thread Guide (right) Screw Washer for 131420
7	125	20633	Rock Shaft Lifting Bracket Hook for 23767
ε	3908	20691	Wrench for 1520 (Accessories)
g	525	20692	Thread Unwinder Thread Separator Bracket
			Arm Clamping Screw Washer for 150060
g	525	20692	Thread Unwinder Thread Separator Bracket Arm Screw Washer for 150087
g	842	21038	Machine Base Screw Stud Nut Washer for
			131264 (3)
	173	20700	Presser Bar Lifting Bracket Guide
12	242	20633	Rock Shaft Hanger with two wood screws 1 in. No. 10, for 23767 (2)

		NUMERICAL LIST OF PARTS 25
No.	Plate	Name
*15404		Trade Mark for 131446
15405		" Rivet for 131446 (2)
22436	2070Ż	Feed Bar Feed Dog Seat Screw Washer for 131731
23767	20633	Rock Shaft complete, Nos. 2763, 2770, 6336, 6337, 7125 and two 12242
25618	20704	Guide
26276	20707	Presser Foot Hinge Pin for 46058
27739	20692	Thread Unwinder Thread Cone (wood) for large cones
27998	20691	Bench Stand Flap Hook and Eye (brass) with wood screw 1/2 in. No. 5, for 79772
29234	20706	Face Plate (upper half) Position Plate
32062	20696	Thread (under) Take-up Stripper Washer for 131420
32572	20705	Tension (upper thread) Releasing Disc
37563		Chain, length 15 in., with 56864 and 56865
38456	20700	Presser Bar Bushing (upper)
38468	20688	" Spring Stud
38484	20709	Thread (upper) Eyelet for 147-81 Machine
38486	20707	Throat Plate for 54177
41538		Bench Stand Flush Bolt with Plate com- plete for 79772, Nos. 126247, 126248 and four brass wood screws 5/8 in.
42365	20695	No. 4 (2) Arm Rock Shaft Oil Pad (braided cotton) for oiling Back Bearing
42367	20696	Arm Rotary Shaft Front Bearing Oil Pad, lower (braided cotton)
43503	20698	Looper Throw-out Handle Plunger Spring.
46056	20707	Presser Foot Plate for 46058
46057	20707	" Shank for 46058
46058	20707	Presser Foot (hinged) complete, Nos. 26276, 46056 and 46057
46059	20708	Throat Plate for 131544 and 131545
46105	20707	Looper Needle Guard Pin for 131135
50073J	20707	Feed Dog Screw, when stationary Needle Guard is used
50083AL	20696	Arm Rock Shaft Crank (back) Set Screw for 131072 and 131343 (2)
50326C	20705	Tension (under thread) Screw Stud for 59539
50326C	20705	Tension (upper thread) Screw Stud for 59539
50396F	20704	Cloth Plate Screw (right)
50438J	20696	Thread (under) Take-up 011 Guard Screw for 131420
50 4 70J	20696	Thread (under) Take-up Thread Guard Screw for 131420 (2)

			TOMERICAE CIST OF FARTS
	No.	Plate	Name
	50473F	20704	Cloth Plate Thread Guard Screw (upper)
	50608R	20688	Arm Hole Plug Screw for access to Crank
	,000001	20000	Connecting Rod (upper bearing)
	51061AL	20696	Feed Eccentric Body Set Screw for 54025
	OLOGIAD	20000	(3)
	51119J	20698	Looper Holder Screw
	511190 51224W		
	SIZZAW	20688	Arm Side Cover Cap Thumb Screw for
	E100411	00000	131278
	51224W	20706	Face Plate (upper half) Thumb Screw
	51224W	20704	Guide Thumb Screw
	51263D	20698	Looper Carrier Connection Shaft Sleeve
			Cap Screw
	51283AL	20696	Balance Wheel Set Screw for 131483 and
			131710 (2)
_	515700	20705	Tension (under thread) Regulating Thumb
		•	Nut for 59539
	51570C	20705	Tension (upper thread) Regulating Thumb
			Nut for 59539
	51576E	21038	Machine Base Screw Stud Nut for 131264
			(3)
	51697W	20688	Pressure Regulating Thumb Screw Nut for
			131830
	53225	20705	Thread (under) Eyelet (back)
	54025	20696	Feed Eccentric (adjustable) with 1103C,
			two each 217J, 7071 and three
			51061AL, for 131502
	54027	20698	Looper Carrier with two 175E, for 68482
			and 131111
	54035	20698	Looper Holder with 1120C
	54036	20701	Needle Bar (hollow) with 857AL, for
	01000	20,01	147-81 Machine
	54038	20707	Needle Guard (stationary) Holder
	54045	20705	Tension (upper thread) Bracket
	54046	20705	
	54047	20705	Releasing Shaft
	34047	20700	Commitment of the COAAT
	54048	20705	Crank with 624AL
	04040	20705	Tension (upper thread) Releasing Shaft
	E4300	00000	Crank Link
	54177	20707 -	
	54304		inch) for 38486
	54194	20709	Thread (upper) Take-up Plate for 131333,
			for 147-81 Machine
	54218	20696	Arm Rotary Shaft Front Bearing Oil Pad,
			upper (braided cotton)
	54227	20698	Looper Carrier Connection for 68482 and
			131111
	54228	20698	Looper Carrier Connection Shaft for
			68482 and 131111
	54242	20696	Thread (under) Take-up Stripper Clamp

		NUMERICAL LIST OF PARTS 27
No.	Plate	Name
54242	20709	Slack Thread Controller Clamp for 147-81
EAADD	01070	Machine
54477	21038	Machine Base Screw Stud, to fasten base to table for 131264 (3)
54969	20695	Arm Rock Shaft 011 Pad (braided cotton) for oiling Intermediate Bearing
54988	20705	Tension (upper thread) Releasing Pin
56864.	20691	Chain Hook (large) for 6439 and 37563
56865	20691	" (small) for 6439 and 37563
57234	20702	Feed Rocking Frame Hinge Pin
57235	20702	" " Bushing (2)
59343	20702	" Bar Hinge Pin Collar with 735AL, for
59537	20705	131732 Tension (under thread) Spring Bushing
	-	(large)
59537	20705	Tension (upper thread) Spring Bushing (large)
59538	20705	Tension (under thread) Spring Bushing
		(small)
59538	20705	Tension (upper thread) Spring Bushing
59539		(small) Tension (under thread) Screw Stud 50326C
09009		with 51570C
59539		Tension (upper thread) Screw Stud 503260
		with 51570C
60656	20691	Bench Stand Hinge for 79772
64320	20700	Needle Bar Bushing (upper)
64330	20700	Presser Bar
68123	20702	Needle Guard (movable) Clamp
68164	20709	Thread (upper) Take-up Plate Spring for 131333, for 147-81 Machine
68184	20705	Presser Bar Lifting Lever Extension
68222	20633	Belt Guard with two wood screws 1 in.No.
68261	20705	Tension (upper thread) Releasing Shaft
		Spring
68350	20695	Arm Oil Cup for oiling Arm Rock Shaft
		Front Bearing
68368	20704	Cloth Plate Slide (left) for 131051
68428	20688	Arm Bottom Cover
68429	20688	" " Gasket (cork)
68433	20695	Rock Shaft Bushing (back)
68435	20695	n n n m Cap
68436	20695	(intermediate)
68448	20688	" Side Cover Gasket (victorite)
68459		Crank Connecting Rod 131471 with 131072, for 131485, for 147-81 Machine
68460	20706	Face Plate (lower half)
68461	20706	" " Gasket (cork)
68467	20702	Feed Bar Wearing Plate for 131731

~~		NOMERICAL LIST OF PARTS
No.	Plate	Name
68478	20698	Looper Carrier Connection Shaft Sleeve
		(eccentric)
68479	20698	Looper Carrier Driver with four 175E, for 68482 and 131111
*68481	20698	Looper Driving Shaft and Feed Lifting Eccentric for 68482, for 147-80 Ma-
		chine
No		No. 68481 is required for repairs, the tary Shaft must be returned to the factory
		adjusted to the new part.
68482		Looper Driving Shaft and Feed Lifting Eccentric 68481 with 54027, 54227, 54228 and 68479, for 131477, for 147-80 Machine
68484	20698	Looper Driving Shaft and Feed Lifting Eccentric Bushing
68485	20698	Looper Throw-out Handle with two 443AL.
68486	20698	" " Plunger
68488	20700	Needle Bar Connecting Link and Thread
		(upper) Controller for 131399 and 131491
68489	20700	Needle Bar Connecting Link Hinge Stud (hollow) for 131399 and 131491
68492	20703	Oil Pipe (back of arm) with 68497, for oiling Feed Rocking Frame Hinge Pin Front Bearing
68493	20703	Oil Pipe (back of arm) Clamp
68494	20703	Oil Pipe (back of arm) Connection with 68495 and two 198E, for oiling Feed Rocking Frame Hinge Pin Back Bearing
68495	20702	Feed Bar Slide Block Oil Pad (wick) for 134259
68495	20703	Oil Pipe (back of arm) Connection Oil Pad (wick) for 68494
68496	20703	Oil Pipe (back of arm) Coupling
68497	20696	Feed Connecting Rod Oil Pad (wick) for
68497		Looper Driving Shaft and Feed Lifting Eccentric Front Bearing Oil Pad
68497	20703	(wick) Oil Pipe (back of arm) Oil Pad (wick)
68497	20703	for 68492
68498	20703	Oil Pipe (front of arm) with 131089 and two 1733, for oiling Looper Driving Shaft and Feed Lifting Eccentric
68500	20703	Front Bearing for 131258

	•	TOMERICAE EIST OF TARRE
No.	Plate	Name
79772		Bench Stand with 27998, two each 41538,
		126849, three wood screws 1 1/4 in.
		No. 12, four each 60656, wood screws
		1 1/4 in. No. 10 and sixteen wood
		screws 5/8 in. No. 7
120341	20691	Tweezers (curved)
120344	20691	Oiler (copper plated) with 120345 (Ac-
		cessories)
120345	20691	Oiler Spout, 4 1/2 in. long, for 120344
		(Accessories)
120440	20691	Screw Driver (large) Accessories
121108	20691	" (small) Accessories
121657	20710	Strip Folder for 121683
121681	20710	" " Slide Holder for 121683
121682	20710	" " Edge Guide for 121683
121683	20710	Strip Folder complete, for facing sleeves
		on shirts, for 147-81 Machine, Nos.
		227J, 121657, 121681 and 121682
126247	20691	Bench Stand Flush Bolt for 41538
126248	20691	" " " Plate for 41538
126249	20633	Treadle for 150452
126250	20633	" Spring for 150452
126849	20691	Bench Stand Flap Hinge with four wood
		screws 3/4 in. No. 7, for 79772
127838	20695	Arm Rock Shaft Crank (front) Pin for
		131474
128419	20698	Looper Carrier Connection Shaft Oil Pad
	•	(braided cotton)
128510	20696	Balance Wheel Cover
131002	20703	Oil Pipe (front of arm) Connection with
		two 198E, for oiling Looper Throw-
		out Device
131003	20703	Oil Pipe (front of arm) Connection with
		two 198E, for 131112 and 131113 (2)
131004	20703	Oil Pipe (front of arm) Coupling (cen-
		ter)
131004	20703	Oil Pipe (front of arm) Coupling (left)
131006	20700	Presser Bar Bushing (lower)
131011	20705	Tension (upper thread) Releasing Shaft
		Spring Position Plate
131012	20705	Tension (under thread) Bracket
131022	21038	Machine Base Screw Stud Bushing (rubber)
373.005	00000	for 131446 (4)
131025	20709	Slack Thread Controller for 147-81 Ma-
131028	20698	chineLooper Driving Shaft and Feed Lifting
101000	£0030	Eccentric Bushing Oil Plug
131050	20704	Cloth Plate Slide (left) Spring for
202000	20101	131051
131051	207.04	Cloth Plate Slide (left) complete for
		131388, Nos. 68368, 131050 and two

No.	Plate	Name
131056	20695	Arm Rock Shaft Adjusting Screw Washer
131072	20697	" " Crank, back (ball bearing,
101072	20097	solid) with two 50083AL, for 68459,
363004	0.000	for 147-81 Machine
131084	20703	Oil Pipe (front of arm) Connection with
		two 198E, for 68500
131087	20703	Oil Pipe (front of arm) Coupling (right)
131089	20703	" " " Oll Pad (Wick)
		for 68498 and 68500
131095	20695	Arm Rock Shaft Bushing (back) Cap Washer
		(fibre)
*131110	20699	Looper Driving Shaft and Feed Lifting
		Eccentric for 131111, for 147-81 Ma-
		chine
No		No. 131110 is required for repairs, the
		tary Shaft must be returned to the factory
	to be	adjusted to the new part.
131111		Looper Driving Shaft and Feed Lifting
•		Eccentric 131110 with 54027, 54227,
		54228 and 68479, for 131485, for
		147-81 Machine
131112	20703	Oil Pipe (front of arm) with 68497 and
		131003, for oiling Feed Bar Slide
		Block for 131258
131113	20703	Oil Pipe (front of arm) with 68497 and
		131003, for oiling Feed Connecting
		Rod for 131258
131133	20707	Looper for 131134
131134	20707	" 131133 with 229J and 131135
131135	20707 ·	" Needle Guard with 46105, for
		131134
131185	21038	Machine Base Oil Drain Jar (glass) for
		131268
131188	21038	Machine Base Oil Drain Jar Clamp for
		131217
131189	21038	Machine Base Oil Drain Jar Clamp Lever
		for 131217
131191	21038	Machine Base Oil Drain Jar Cap for
		131268
131197	20702	Feed Bar Hinge Pin (eccentric) for
		131732
131205	21038	Machine Base Screw Stud, to position
		Machine on base, for 131264 (4)
131217		Machine Base Oil Drain Jar Clamp 131188
		with 131189, for 131268
131240	20702	Feed Rocking Frame with two 453AL, for
		131732
131258		Oil Pipe (front of arm) complete, Nos.
		68498, 68500, 131112 and 131113
		,,

21038 Machine Base for 131264.....

No.	Plate	Name
131264	21038	Machine Base complete for 131328, Nos.
_		131263, three each 9842,51576E,54477
		and four each 131205 and 131279
131265	21038	Machine Base Oil Drain Jar Nipple (long)
		for 131268 (2)
131266	21038	Machine Base Oil Drain Jar Nipple
		(short) for 131268
131267	21038	Machine Base Oil Drain Jar Nipple Elbow
		for 131268 (2)
131268	21038	Machine Base Oil Drain Jar (swinging
		type) complete for 131328, Nos.
		131185,131191,131217,131266 and two
		each 1247C, 131265 and 131267
131270	20700	Needle Bar Connecting Link Hinge Stud
		011 Pad (wick)
131276	20688	Arm Side Cover (oil vent) for 131278
131277	20688	" " Cap for 131278
131278	20688	Arm Side Cover (oil vent) complete, Nos.
		51224W, 131276, 131277 and 131280
131279	21038	Machine Cushion (felt) for 131264 (4)
131280	20688	Arm Side Cover Cap Position Pin for
		131278
131291	20700	Needle Bar Bushing (lower)
131293	20695	Arm Rock Shaft for 131474
131305	20696	" Oil Cup Drip Pan with two 563AL
131309	20696	" Hole Cup with 131310, for filling
		oil reservoir
131310		Arm 011 Cup 011 Tube for 131309
131315	20707	Needle Guard (stationary)
131316	20702	Arm Oil Cup Oil Pad (braided cotton) for
131319	20695	Vill Oil orb oil lad (plaided corroll) for
121200	21070	68350 Machine Base and Oil Drain Jar (swinging
131328	21038	type) complete, Nos. 131264 and
		131268
131332	20709	Thread (upper) Take-up for 131333, for
101002	20703	147-81 Machine
131333	20709	Thread (upper) Take-up complete, Nos.
101000	20,00	1449J, 54194, 68164 and 131332, for
		147-81 Machine
131343	20696	Arm Rock Shaft Crank, back (ball bearing,
		solid) with two 50083AL, for 131484,
		for 147-80 Machine
131366	20696	Arm Rotary Shaft Ball Bearing (back) for
		131526 (2)
131366	20696	Arm Rotary Shaft Ball Bearing (inter-
		mediate)
131369	20696	Arm Rotary Shaft Ball Bearing (back)
	1 1	Case Cap for 131479
131370	20696	Arm Rotary Shaft Ball Bearing (back)
		Case Position Stud (3)
		· · · · · · · · · · · · · · · · · · ·

No.	Plate	Name
131374	20704	Cloth Plate for 131388
131375	20704	" " Slide (right) for 131382
131381	20704	" " Spring for
101001	20101	
131382	20704	131362
101002	20104	Cloth Plate Slide (right) complete for
		131388, Nos. 131375, 131381 and two
131388	00004	725J
191900	20704	Cloth Plate complete for Throat Plate
		No. 38486, Nos. 131051, 131374 and
		131382
131394	20704	Cloth Plate Thread Guard
131395	20706	Face Plate (upper half)
131399		Needle Bar Connecting Link and Thread
		(upper) Controller 68488 with 68489
		and 131400, for 147-81 Machine
131400	20701	Needle Bar Connecting Stud with 211F and
	•	1492E, for 131399, for 147-81 Ma-
		chine
131401	20700	Presser Bar Lifting Bracket with 453AL.
131402	20705	" " Lever
131404	20706	Slack Thread Regulator Holder
131405	20706	" " " " Crank with
		171AL
131406	20706	Slack Thread Regulator Holder Crank Con-
		necting Link
131407	20696	Thread (under) Take-up with 1258AL
131408	20696	" " Oil Guard for
		131420
131409	20696	Thread (under) Take-up Stripper for
		131420
131410	20696	Thread (under) Take-up Stripper Plate
		for 131420
131411	20696	Thread (under) Take-up Stripper Plate
	20000	Bracket for 131420
131413	20696	Thread (under) Take-up Thread Guard
	2000	(fibre) for 131420
131419	20706	Slack Thread Regulator
131420	20696	Thread (under) Take-up Stripper Plate
101100	20030	Bracket 131411 with 32062, 50438J,
		EACAC 101411 WILL 02002, 504060,
		54242, 131408 to 131410, 131413,
		131421, 131422, two each 207J, 7071,
121401	20000	50470J and four 190J
131421	20696	Thread (under) Take-up Thread Guide
171400	00000	(left) for 131420
131422	20696	Thread (under) Take-up Thread Guide
7.07.44.0		(right) for 131420
*131446		Arm, upper and lower (solid) with 948J,
377400	00000	15404, two 15405 and four 131022
131456	20695	Arm Rock Shaft Flanged Bushing (front)
131457	20696	Rotary Shaft Bushing (front)

		•
No.	Plate	Name
131471	20696	Crank Connecting Rod with two each 896AL
-		and 1057AL, for 68459 and 131484
131474		Arm Rock Shaft 131293 with 1235F, 127838
		and 131475
131475	20695	Arm Rock Shaft Crank (front) with 853AL,
		for 131474
131476	20696	Arm Rotary Shaft for 131477 and 131485
131477		" " 131476 with 640E,68482, 131484 and 131502, for 147-80 Machine.
131478	20696	Arm Rotary Shaft Ball Bearing (back)
		Case for 131479
131479		Arm Rotary Shaft Ball Bearing (back)
		Case 131478 with 131369 and three
777400	00000	205C, for 131526
131480	20696	Arm Rotary Shaft Ball Bearing (back)
131481	20696	Spacing Collar for 131526 Arm Rotary Shaft Ball Bearing (inter-
101401	20030	mediate) Case
131482	20696	Arm Rotary Shaft Ball Bearing (inter-
		mediate) Collar with two 457AL
131483	20696	Balance Wheel, 2 in. pulley, with two
		51283AL, for round belt
131484		Crank Connecting Rod 131471 with 131343,
•		for 131477, for 147-80 Machine
1 31485		Arm Rotary Shaft 131476 with 640E,68459,
		131111 and 131502, for 147-81 Ma-
131490	20700	chine
121490	20700	Needle Bar (hollow) with 857AL, for 147-80 Machine
131491		Needle Bar Connecting Link and Thread
101101		(upper) Controller 68488 with 68489
		and 131492, for 147-80 Machine
131492	20700	Needle Bar Connecting Stud with 1492E.
		for 131491, for 147-80 Machine
131493	20706	Thread (upper) Eyelet for 147-80 Ma-
		chine
131494	20706	Thread (upper) Take-up with 223J, for
		147-80 Machine
131495	20706	Thread (upper) Take-up (auxiliary) for
131496	20706	147-80 Machine Thread (upper) Take-up (auxiliary)
191490	20706	Clamp for 147-80 Machine
131500	20696	Feed Connecting Rod with 1057AL, 68497,
		134260 and two 896AL, for 131502
131502		Feed Connecting Rod 131500 with 54025,
		for 131477 and 131485
131526		Arm Rotary Shaft Ball Bearing (back)
		Case with Ball Bearings complete,
		Nos. 131479, 131480 and two 131366

150451

01		·
No.	Plate	Name
131544	20708	Feed Dog, 13 teeth (12 teeth to the inch)
		for 46059
131545	20708	Feed Dog,17 teeth (16 teeth to the inch) for 46059
131696	20705	Tension (under thread) Thread Guide
131696	20705	(upper thread) Thread Guide
131710		Balance Wheel, "V" belt groove, with two 51283AL
131729	20702	Feed Bar for 131731
131730	20702	" Feed Dog Seat (adjustable) with
		460AL, for 131731
131731		Feed Bar with Feed Dog Leveling Device complete for 131732, Nos.190J,22436,
		68467, 131729, 131730 and two 207E
131732		Feed Rocking Frame 131240 with 59343, 131197 and 131731
131740	20705	Tension (under thread) Spring
131741	20705	" (upper thread) Spring
131749	20688	Presser Bar Spring for 131830
131750	20688	" " (auxiliary) for
		131830
131751	20688	Presser Bar Spring Screw Stud for 131830
131752	20688	Pressure Regulating Thumb Nut Washer for
		131830
131830	20688	Presser Bar Spring complete, Nos. 1637J, 51697W and 131749 to 131752
134258	20702	Feed Bar Slide Block for 134259
134259	20702	" " 134258 with 68495 and
	20.00	134260
134260	20702	Feed Bar Slide Block Oil Pad Retainer for 134259
134260	20696	Feed Connecting Rod Oil Pad Retainer for 131500.
139017	20688	Arm Hole Plug Screw Washer
140275J	20707	Feed Dog Screw when movable Needle Guard
1100700	20707	is used
150060	20692	Thread Unwinder Thread Separator Bracket Arm with 164J and 9525, for 150087.
150086	20692	Thread Unwinder Thread Separator for 150087
150087		Thread Unwinder Thread Separator com-
		plete for 150088, Nos. 164J, 9525,
		150060 and 150086
150088	20692	Thread Unwinder complete, Nos. 150087,
		201696J,202490,225257,225324,225326, 225388, two each 150203, 225391 and
		three wood screws 7/8 in. No. 12
150203	20692	Thread Unwinder Spool Rest Cushion
		(felt) for 150088 (2)
160461	20023	Mmondle Shand dam 150450

Treadle Stand for 150452.....

No.	Plate	Name
150452	20633	Treadle complete, Nos. 4879,4882,126249, 126250, 150451 and two wood screws 1
		in. No. 16 F.H
200383C	20692	Thread Unwinder Spool Rest Rod Set Screw for 202490
S01018C	20692	Thread Unwinder Spool Rest Set Screw for 225257
201696J	20692	Thread Unwinder Thread Guide Lock Nut
		for 150088
202490	20692	Thread Unwinder Spool Stand with 200383C,
		for 150088
225257	20692	Thread Unwinder Spool Rest (for two
		spools) with 201018C, for 150088
225322	20692	Thread Unwinder Thread Guide Rod Washer for 225324
225324	20692	Thread Unwinder Thread Guide Rod with
		208AL and 225322, for 150088
225326	20692	Thread Unwinder Thread Guide Position
		Cup for 150088
225388	20692	Thread Unwinder Spool Rest Rod for 150088
225390	20692	Thread Unwinder Thread Cone Holder for
		inverted cones
225391	20692	Thread Unwinder Thread Guide for 150088

SINGER Needles should be used in SINGER Machines.
These Needles and their Containers are marked with the Company's Trade-Mark "SIMANCO.**" 1


Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2




OF PARTS




20633 - 1/4




From the library of: Superior Sewing Machine & Supply LLC








From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC









From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC





From the library of: Superior Sewing Machine & Supply LLC


20702 - 1/2




From the library of: Superior Sewing Machine & Supply LLC








From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC

From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC

