FORM 19189 (Rev. 859) PRINTED IN U S. A.





# SINGER<sup>\*\*</sup> MACHINE No. 152-11

THE SINGER MANUFACTURING COMPANY

From the library of: Superior Sewing Machine & Supply LLC

\*\* A Trade Mark of THE SINGER MANUFACTURING COMPANY

## INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, "TYPE D" OIL, sold by Singer Sewing Machine Company should be applied at least twice each day to all oil holes marked "OIL", as instructed in Form 19117.

"TYPE D" OIL is stainless.

From the librarighor Barpertors Bewing Washing & Supply LLC

## INDEX

## Page

Accessories	18
Belt Guards	18
Bench Stands	19
Edge Folder on Shank	25
Fittings	20
Foot Lifter Parts	
Knee Lifter Parts	21
Machine Bases	22
Machine No. 152-11	7
Machine Base Oil Drain Jar	24
Numerical list of Parts	27
Strip Folders	24
Strip Folder on Shank	24
Thread Unwinder	

## INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A—Hardened, Polished, Nickel Plated and Buffed

B-Polished, Nickel Plated and Buffed

C-Hardened Only

D-Polished Only

E-Soft, Not Polished

F-Hardened and Polished

G—Bright Rumbled and Nickel Plated

H-Blued

J-Nickel Plated Only

K—Hardened and Nickel Plated

L-Brass Plated

- M-Oxidized
- R—Phosphate Coating Formed on Surface of Iron or Steel
- S-Cadmium Plated
- T-Copper Plated
- U—Zinc Plated
- V—Silver Plated

W—Polished and Nickel Plated

X-Black Oxide for Iron and Steel

Y—Black Nickel Plated Only

Z-Chromium Plated

A.A—Buffed and Chromium Plated

A.B-Hardened, Polished, Buffed and Chromium Plated

A.E—Hardened, Bright Rumbled and Nickel Plated

A.F—Hardened, Bright.Rumbled, Nickel Plated,

Bright Rumbled and Chromium Plated

- A.G-Alumilite (Plain)
- A.H—Alumilite (Dyed) Color Must be Stated

A.J\_Polished, Nickel Plated and Chromium Plated

A.K—Hardened, Polished, Nickel Plated and Chromium Plated

A.L—Heat Treated for Toughness

A.L.D—Heat Treated for Toughness and Polished

A.L.X—Heat Treated for Toughness and Black Oxide

## INSTRUCTIONS FOR ORDERING

- A.S-Black Moulded Phenolic
- A.T-Beige Moulded Phenolic
- A.U-Brown Moulded Phenolic
- A.W—Hardened then Flame Coated with Tungsten Carbide
- B.A-Chrome Nickel Satin Finish
- B.B—Hardened and Chrome Nickel, Satin Finished
- C.R–Hardened and Phosphate Coating Formed on Surface of Steel
- F.J—Hardened, Polished and Nickel Plated
- T.A—Hardened, Polished, Copper and Nickel Plated and Buffed
- T.B—Copper and Nickel Plated and Polished
- T.J-Copper and Nickel Plated Only
- T.K—Hardened, Copper and Nickel Plated
- T.L–Copper and Brass Plated
- T.M—Copper Plated and Oxidized
- X.C—Hardened and Black Oxide for Iron and Steel
- Z.A—Hardened, Polished Nickel Plated, Buffed and Chromium Plated
- Z.B–Polished, Nickel Plated, Buffed and Chromium Plated
- Z.C—Hardened and Chromium Plated
- Z.D–Polished and Chromium Plated
- Z.G—Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated
- Z.J-Nickel and Chromium Plated
- Z.T–Copper and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500, 50001 to 51500 and 140001 to 142,000 are screw numbers

1501 to 1800 and 51500 to 51800 are nut numbers 1801 to 2000 and 51801 to 52000 are roller numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts.


The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (\*) are furnished only when repairs are made at the factory.

When ordering parts which differ as to gauge (the distance between seams), the gauge as well as the number must be given on the order.

## LIST OF PARTS COMPLETE

FOR



## MACHINE No. 152-11

For Stitching Facings and Button Stays on Men's Shirts and Work of Similar Nature on Light and MediumWeight Materials. Two needles, two loopers. Gauges 9/16 to 1 1/2 inches. Ball bearing. Length of Stitch 10 to 25 to the inch.

No.	Plate	Name
*134356		Arm, upper and lower (solid) with 51422J, 68483 and four 131022
68428	21065	Arm Bottom Cover
68429	21065	Arm Bottom Cover Gasket (cork)
1057AL	21065	Arm Bottom Cover Screw (4)
50608R	21065	Arm Hole Plug Screw, for access to Crank Connecting Rod (upper bearing)
139017	21065	Arm Hole Plug Screw Washer
68350	21068	Arm Oil Cup, for oiling Arm Rock Shaft Front Bearing
131864	21068	Arm Oil Cup
131865	21068	Arm Oil Cup Oil Gauge
131866	21068	Arm Oil Cup, with Oil Gauge complete, for filling oil reservoir, Nos. 131864 and 131865
131319	21068	Arm Oil Cup Oil Pad (braided cotton) for 68350
131293	21062	Arm Rock Shaft
131474		Arm Rock Shaft 131293 with 1235F, 127838 and 131475
1309C	21062	Arm Rock Shaft Adjusting Screw

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
12105/	21062	Arm Rock Shaft Adjusting Screw Washer
131056 68433	21062	Arm Rock Shaft Bushing (back)
	21062	Arm Rock Shaft Bushing (back) Cap
68435		
131095	21062	Arm Rock Shaft Bushing (back) Cap Washer (fiber)
446AL	21062	Arm Rock Shaft Bushing (back) Set Screw
68436	21062	Arm Rock Shaft Bushing (intermediate)
423AL	21062	Arm Rock Shaft Bushing (intermediate) Set Screw
131343	21063	Arm Rock Shaft Crank, back (ball bearing,
		solid) with two 51407AL
51407AL	21063	Arm Rock Shaft Crank (back) Set Screw
*131475		Arm Rock Shaft Crank (front) with 853AL
127838	21062	Arm Rock Shaft Crank (front) Pin
131456	21062	Arm Rock Shaft Flanged Bushing (front)
453AL	21062	Arm Rock Shaft Flanged Bushing (front) Set Screw
42365	21062	Arm Rock Shaft Oil Pad for oiling Back
		Bearing
54969	21062	Arm Rock Shaft Oil Pad for oiling Inter-
		mediate Bearing
1235F	21062	Arm Rock Shaft Oil Plug Screw
*131476	21063	Arm Rotary Shaft
134357		Arm Rotary Shaft 131476 with 640E, 131502, 131929 and 134312
131366	21063	Arm Rotary Shaft Ball Bearing (back) (2)
131478	21063	Arm Rotary Shaft Ball Bearing (back) Case.
131479		Arm Rotary Shaft Ball Bearing (back) Case 131478 with 131369 and three 205C
131526		Arm Rotary Shaft Ball Bearing (back) Case
		with Ball Bearings complete, Nos.
1010/0	210/2	131479, 131480 and two 131366
131369	21063	Arm Rotary Shaft Ball Bearing (back) Case Cap
205C	21063	Arm Rotary Shaft Ball Bearing (back) Case Cap Screw (3)
131370	21063	Arm Rotary Shaft Ball Bearing (back) Case Position Stud (3)
429C	21063	Arm Rotary Shaft Ball Bearing (back) Case Set Screw (3)
131480	21063	Arm Rotary Shaft Ball Bearing (back)
1010//	21.0/2	Spacing Collar
131366	21063	Arm Rotary Shaft Ball Bearing (intermediate)
131481	21063	Arm Rotary Shaft Ball Bearing
131401	21005	(intermediate) Case
1304C	21063	Arm Rotary Shaft Ball Bearing
101 100		(intermediate) Case Set Screw
131482	21063	Arm Rotary Shaft Ball Bearing (intermediate) Collar with two 457AL
457AL	21063	Arm Rotary Shaft Ball Bearing (intermediate) Collar Set Screw (2)
131457	21063	Arm Rotary Shaft Bushing (front)

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
761E	21063	Arm Rotary Shaft Bushing (front) Set Screw
42367	21068	Arm Rotary Shaft Front Bearing Oil Pad,
		lower (braided cotton)
54218	21068	Arm Rotary Shaft Front Bearing Oil Pad,
		upper (braided cotton)
144D	21063	Arm Rotary Shaft Screw
131276	21065	Arm Side Cover (oil vent)
131909	21065	Arm Side Cover Cap
131910 131280	21065 21065	Arm Side Cover Cap Spring
1289X	21065	Arm Side Cover Cap Position Pin
131911		Arm Side Cover Cap Thumb Screw Arm Side Cover (oil vent) complete, Nos.
131/11		1289X, 131276, 131280, 131909 and
		131910
68448	21065	Arm Side Cover Gasket (cork)
1057AL	21065	Arm Side Cover Screw (4)
134358	21064	Cloth Plate with two 1198C
134329	21064	Cloth Plate Slide
134330	21064	Cloth Plate Slide Spring (back)
134305	21064	Cloth Plate Slide Spring (side) (2)
665J	21064	Cloth Plate Slide Spring Screw (6)
134331	21064	Cloth Plate Slide complete, Nos. 134329,
		134330, two 134305 and six 665J
134359	21064	Cloth Plate complete, Nos. 134331 and
		134358
1011F	21064	Cloth Plate Screw (left) (3)
50396F	21064	Cloth Plate Screw (right)
134254	21064	Cloth Plate Supporting Post
1620R 134255	21064	Cloth Plate Supporting Post Lock Nut
134255	21064 21064	Cloth Plate Supporting Post Spacing Collar .
389F	21064	Cloth Plate Thread Guard Cloth Plate Thread Guard Screw (lower)
50473F	21064	Cloth Plate Thread Guard Screw (16wer)
131926	21063	Crank Connecting Rod with two each 1057AL,
		51715AL, 131927 and 131928
	NOTE:	When No. 131926 is required for repairs,
		Connecting Rod and Arm Rock Shaft Crank
		(back) fitted together, will be furnished, in
		order to obtain correct Needle Bar Stroke.
131929		Crank Connecting Rod 131926 with 131343
51715AL	21063	Crank Connecting Rod Cap (lower) Nut
131927	21063	Crank Connecting Rod Cap (lower) Nut Stud.
131928		Crank Connecting Rod Cap (lower) Nut Stud
105741	210/2	Nut Lock Washer
1057AL 134256	21063	Crank Connecting Rod Cap (upper) Screw (2)
134256	21065 21065	Face Plate (lower half)
330D	21065	Face Plate (lower Half) Gasket (cork)Face Plate (lower Half) Screw (2)
131395	21065	Face Plate (upper half)
29234	21065	Face Plate (upper half) Position Plate
1053E	21065	Face Plate (upper half) Position Plate Screw
51224W	21065	Face Plate (upper half Thumb Screw
134389	21066	Feed Bar

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
134390		Feed Bar complete, Nos. 50429AL, 54648, 68467, 134315, 134389, two each 207E and 211E
134315	21066	
211E	21066	Feed Bar Guide
		Feed Bar Guide Screw (2)
131197	21066	Feed Bar Hinge Pin (eccentric)
59343	21066	Feed Bar Hinge Pin Collar with 735AL
735AL	21066	Feed Bar Hinge Pin Collar Set Screw
54648	21066	Feed Bar Oil Pad
134316	21066	Feed Bar Position Plate
181E	21066	Feed Bar Position Plate Screw
131943	21066	Feed Bar Slide Block
131944	21066	Feed Bar Slide Block 131943 with 68495 and 134260
68495	21066	Feed Bar Slide Block Oil Pad (wick)
134260	21066	Feed Bar Slide Block Oil Pad Retainer
68467	21066	Feed Bar Wearing Plate
207E	21066	Feed Bar Wearing Plate Screw (2)
131500	21063	Feed Connecting Rod with 1057AL, 68497,
		134260 and two 896AL
131502		Feed Connecting Rod 131500 with 54025
896AL	21063	Feed Connecting Rod Cap Screw (2)
1057AL	21063	Feed Connecting Rod Clamping Screw
68497	21063	Feed Connecting Rod Oil Pad (wick)
134260	21063	Feed Connecting Rod Oil Pad Retainer
134333	21033	Feed Dog, 21 teeth (16 teeth to the inch) for 11/16 and 3/4 in. gauges, for 134343, for shirt centering on broadcloth and similar materials.
134334	21033	Feed Dog, 21 teeth (16 teeth to the inch) for 7/8 in. and 1 in. gauges, for 134344, for shirt centering on broadcloth and similar materials
	NOTE:	Feed Dog No. 134333 or 134334 is regularly
		furnished with this machine unless otherwise
		stated on order.
1 57 J	21033	Feed Dog Screw
50429AL	21066	Feed Dog Stop Screw
51061AL	21063	Feed Eccentric Body Set Screw (2)
7071	21063	Feed Eccentric Clamping Washer (2)
217J	21063	Feed Eccentric Clamping Washer Screw (2)
138306		Feed Eccentric Lubricating Pad (wood)
54025	21063	Feed Eccentric (adjustable) complete, Nos. 1103C, 138306 and two each 217J, 7071 and 51061C
1103C	21063	Feed Regualting Screw
131240	21066	Feed Rocking Frame with two 453AL
134391		Feed Rocking Frame 131240 with 59343, 131197 and 134390
57234	21066	Feed Rocking Frame Hinge Pin
57235	21066	Feed Rocking Frame Hinge Pin Bushing (2).
453AL	21066	Feed Rocking Frame Hinge Pin Bushing Set
		Screw (2)

From the library of: Superior Sewing Machine & Supply LLC

10

~

.

No.	Plate	Name
453AL	21066	Feed Rocking Frame Hinge Pin Set Screw (2)
134347	21035	Looper (left) for 9/16 in. gauge
134346	21035	Looper (right) for 9/16 in. gauge
134349	21035	Looper (left) for 5/8 in. gauge
134348	21035	Looper (right) for 5/8 in. gauge
134351	21035	Looper (left) for 11/16 in. gauge
134350	21035	Looper (right) for 11/16 in. gauge
134360	21033	Looper (left or right) for 3/4 in. to 1 1/2 in. gauges (2)
175AL	21027	Looper Clamping Screw (2)
68479	21066	Looper Driver with four 175AL
175AL	21066	Looper Driver Cap Screw (4)
134266	21027	Looper Driver Connection with 134267
134392		Looper Driver Connection 134266 with 134272
*134267		Looper Driver Connection Oil Plug
131957	21066	Looper Driving Shaft and Feed Lifting Eccentric
	NOTE:	When No. 131957 is required for repairs, the
		Arm Rotary Shaft must be returned to the
		factory to be adjusted to the new part.
134312		Looper Driving Shaft and Feed Lifting
		Eccentric 131957 with 68479
68483		Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E
51422J	21066	Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw
131959	21066	Looper Driving Shaft and Feed Lifting Eccentric Bushing
131028	21066	Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Screw Plug
761E	21066	Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw
68497	21066	Looper Driving Shaft and Feed Lifting Eccentric Front Bearing Oil Pad (wick)
640E	21066	Looper Driving Shaft and Feed Lifting Eccentric Screw
134268	21027	Looper Holder (left) with 175AL
134269	21027	Looper Holder (right) with 175AL
134270	21027	Looper Holder Connection for 3/4 in. and 13/16 in. gauges
	NOTE:	When No. 134270 is required for 9/16 in., 5/8 in. or 11/16 in. gauge, the part will be furnished in 3/4 in. gauge and the desired gauge can be obtained by using the Loopers listed for gauge required.
134271	21027	Looper Holder Connection for 7/8 in. to 1 1/2 in. gauges
	NOTE:	When ordering No. 134270 or No. 134271, state gauge required.
134272	21027	Looper Holder Connection Hinge Stud with 175AL

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
1454C	21027	Looper Holder Connection Hinge Stud Cap
134310	21027	Screw. Looper Holder Connection Hinge Stud Cap
175AL	21027	Screw Washer Looper Holder Connection Hinge Stud Clamping Screw
50464C	21027	Looper Holder Hinge Screw (2)
1651E	21027	Looper Holder Hinge Screw Nut (2)
134273	21027	Looper Throw-out Crank
134274	21027	Looper Throw-out Grank Compression Plate
134275		Looper Throw-out Grank Compression Plate 134274 with 26276 and 134276
26276	21027	Looper Throw-out Crank Compression Plate Hinge Pin
134276	21027	Looper Throw-out Crank Compression Plate Hinge Stud
435AL	21027	Looper Throw-out Crank Compression Plate Hinge Stud Set Screw
18413	21027	Looper Throw-out Crank Compression Plate Spring (2)
134277	21027	Looper Throw-out Crank Handle with two 462AL
462AL	21027	Looper Throw-out Crank Handle Set Screw (2)
134278	21027	Looper Throw-out Slide Block
	NOTE:	When ordering No. 134278, state gauge of
		Machine for which required.
134307		Looper Throw-out Slide Block 134278 with 134273, 134277, 134279, 134280, 134281, 134282, 134283, two 134284 and four
		219J
134308		Looper Throw-out Slide Block 134307 with 1454C, 134268, 134269, 134270, 134310, 134392 and two each 1651E and 50464C
		for 3/4 in. and 13/16 in. gauges
	NOTE:	When No. 134308 is required for 9/16 in., 5/8 in. or 11/16 in. gauge, the <b>p</b> art will be furnished in 3/4 in. gauge and the desired
		gauge can be obtained by using the Loopers
		listed for gauge required.
134309		Looper Throw-out Slide Block 134307 with 1454C, 134268, 134269, 134271, 134310, 134392 and two each 1651E and 50464C,
	NOTE:	for 7/8 in. to 1 1/2 in. gauges When ordering No. 134308 or No. 134309, state gauge required.
134279	21027	Looper Throw-out Slide Block Bracket (left)
1396D	21027	Looper Throw-out Slide Block Bracket (left) Screw
134280	21027	Looper Throw-out Slide Block Bracket (right)
1396D	21027	Looper Throw-out Slide Block Bracket (right) Screw

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
134281	21027	Looper Throw-out Slide Block Bracket Gib
219J	21027	(left). Looper Throw-out Slide Block Bracket Gib
134282	21027	(left) Screw (2). Looper Throw-out Slide Block Bracket Gib
219J	21027	(right) Looper Throw-out Slide Block Bracket Gib (right) Screw (2)
134283	21027	Looper Throw-out Slide Block Oil Pad
134284	21027	Looper Throw-out Slide Block Oil Pad
134204	21021	Retaining Pin
131914	21063	Machine Pulley with two 51283AL
51283AL	21063	Machine Pulley Set Screw (2)
131497	21067	Needle Bar (hollow)
134361		Needle Bar complete, Nos. 131497 and
134501		134286
	NOTE:	When ordering No. 134361, state gauge
		required.
131291	21067	Needle Bar Bushing (lower)
1133AL	21067	Needle Bar Bushing (lower) Set Screw
64320	21067	Needle Bar Bushing (upper)
1133AL	21067	Needle Bar Bushing (upper) Set Screw
68488	21067	Needle Bar Connecting Link and Thread
		(upper) Controller
131491		Needle Bar Connecting Link and Thread
		(upper) Controller 68488 with 68489 and
(0400	210/7	131492 Needle Bar Connecting Link Hinge Stud
68489	21067	0
1520J	21067	(hollow) Needle Bar Connecting Link Hinge Stud Nut
131270	21067	Needle Bar Connecting Link Hinge Stud Oil
IJILIO	LIVUI	Pad (wick)
861C	21067	Needle Bar Connecting Link Hinge Stud Oil
0010	11001	Plug Screw
853AL	21062	Needle Bar Connecting Link Hinge Stud Set
		Screw
131492	21067	Needle Bar Connecting Stud with 1492E
1492E	21067	Needle Bar Connecting Stud Clamping Screw.
134286	21067	Needle Clamp with two 50379F
101000	NOTE:	When ordering No. 134286, state gauge
		required.
134352	21035	Needle Guard for 9/16 in. to 11/16 in.
		gauges
134287	21033	Needle Guard for 3/4 in. to 1 1/16 in.
		gauges
134288	21036	Needle Guard for 1 1/8 in. to 1 1/2 in.
		gauges
	NOTE:	When ordering Needle Guards, state gauge
		required.
134289	21033	Needle Guard Holder
176J	21033	Needle Guard Holder Screw
217J	21033	Needle Guard Screw
50379F	21067	Needle Set Screw (2)

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
68492	21068	Oil Pipe (back of arm) with 68497, for oiling Feed Rocking Frame Hinge Pin Front Bearing
68493	21068	Oil Pipe (back of arm) Clamp
176E	21068	Oil Pipe (back of arm) Clamp Screw
68494	21068	Oil Pipe (back of arm) Connection with
		68495 and two 198E, for oiling Feed
		Rocking Frame Hinge Pin Back Bearing
198E	21068	Oil Pipe (back of arm) Connection Cap Screw (2)
68495	21068	Oil Pipe (back of arm) Connection Oil Pad (wick)
68496	21068	Oil Pipe (back of arm) Coupling (brass)
1733	21068	Oil Pipe (back of arm) Coupling Nut (brass)
68497	21068	Oil Pipe (back of arm) Oil Pad (wick)
134290	21068	Oil Pipe (front of arm) with 131089, 134294
•		and two 1733, for oiling Looper Driving Shaft and Feed Lifting Eccentric Front
124201	21068	Bearing Oil Pipe (front of arm) with 68497 and
134291	21000	131003, for oiling Feed Bar
134292	21068	Oil Pipe (front of arm) with 1733, 68497
1342/2	21000	and 131003, for oiling Arm Rotary Shaft
		Front Bearing
134362	21068	Oil Pipe (front of arm) with 68497 and
		134295, for oiling Feed Connecting Rod
*134294		Oil Pipe (front of arm) with 68497, for
		oiling Looper Throw-out Device, for
		134290
131003	21068	Oil Pipe (front of arm) Connection with two
		198E, for 134291 and 134292 (2)
134295	21068	Oil Pipe (front of arm) Connection with two
1007	210/0	198E for 134362
198E	21068	Oil Pipe (front of arm) Connection Cap Screw (6)
131004	21068	Oil Pipe (front of arm) Coupling (center)
131004	21068	Oil Pipe (front of arm) Coupling (left)
131087	21068	Oil Pipe (front of arm) Coupling (right)
1733	21068	Oil Pipe (front of arm) Coupling Nut (brass)
1155		(3)
68497	21068	Oil Pipe (front of arm) Oil Pad (wick) for 134291, 134292, 134294 and 134362 (4)
131089	21068	Oil Pipe (front of arm) Oil Pad (wick) for 134290
134363		Oil Pipe (front of arm) complete, Nos.
		134290, 134291, 134292 and 134362
131912	21067	Presser Bar (hollow)
131006	21067	Presser Bar Bushing (lower)
1133AL	21067	Presser Bar Bushing (lower) Set Screw
38456	21067	Presser Bar Bushing (upper)
1133AL	21067	Presser Bar Bushing (upper) Set Screw
131401	21067	Presser Bar Lifting Bracket with 453AL
11173	21067	Presser Bar Lifting Bracket Guide

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
453AL	21067	Presser Bar Lifting Bracket Guide Set
	EL 1, EL	Screw
453AL	21067	Presser Bar Lifting Bracket Set Screw
131402	21065	Presser Bar Lifting Lever
68184	21065	Presser Bar Lifting Lever Extension
161J	21065	Presser Bar Lifting Lever Extension Screw (2)
802D	21065	Presser Bar Lifting Lever Hinge Screw
131749	21065	Presser Bar Spring
131750	21065	Presser Bar Spring (auxiliary)
131751	21065	Presser Bar Spring Screw Stud
1637J	21065	Presser Bar Spring Screw Stud Lock Nut
38468	21065	Presser Bar Spring Stud
131830	21065	Presser Bar Spring complete, Nos. 1637J,
		51697W, 131749, 131750, 131751 and
134337	21022	131752
128734	21033 21033	Presser Foot Extension with two 62527
		Presser Foot Extension Connection (left)
1145J	21033	Presser Foot Extension Connection (left)
128864	21033	Hinge Screw
1145J	21033	Presser Foot Extension Connection (right)
11455	21033	Presser Foot Extension Connection (right) Hinge Screw
62527	21033	Presser Foot Extension Hinge Pin (2)
18055	21033	Presser Foot Hinge Pin
134338		Presser Foot Plate
190J	21067	Presser Foot Screw
134339		Presser Foot Shank with 316F and 1700J
316F	21033	Presser Foot Shank Adjusting Screw
1700J	21033	Presser Foot Shank Adjusting Screw Nut
39443	21033	Presser Foot Spring (2)
134340	21033	Presser Foot (hinged extension and hinged
		plate) complete, for 9/16 in. to 1 in.
		gauges, for obtaining a smooth finish on
		broadcloth and similar materials, for
		134343 and 134344, Nos. 18055, 128734,
		128864, 134337, 134338, 134339 and two
	NOTE	each 1145J and 39443
	NOTE:	When ordering No. 134340, state gauge required.
51697W	21064	
131752	21064	Pressure Regulating Thumb Nut
131403	21067	Pressure Regulating Thumb Nut Washer Slack Thread Regulator
131404	21067	Slack Thread Regulator Holder
131405	21067	Slack Thread Regulator Holder Crank with
	21001	171AL
1423J	21067	Slack Thread Regulator Holder Crank Cap
		Screw
171AL	21067	Slack Thread Regulator Holder Crank
		Clamping Screw
131406	21067	Slack Thread Regulator Holder Crank
		Connecting Link
217J	21067	Slack Thread Regulator Screw

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
131012	21069	Tension (under thread) Bracket
691F	21069	Tension (under thread) Bracket Screw
2102	21069	Tension (under thread) Disc (4)
51570C	21069	Tension (under thread) Regulating Thumb Nut (2)
50326C	21069	Tension (under thread) Screw Stud (2)
59539		Tension (under thread) Screw Stud 50326C with 51570C (2)
131740	21069	Tension (under thread) Spring (2)
59537	21069	Tension (under thread) Spring Bushing
59538	21069	(large) (2) Tension (under thread) Spring Bushing (small) (2)
131696	21069	Tension (under thread) Thread Guide (double) (2)
54070	21069	Tension (upper thread) Bracket
376J	21069	Tension (upper thread) Bracket Screw
2102	21069	Tension (upper thread) Disc (4)
51570C	21069	Tension (upper thread) Regulating Thumb
22572	21060	Nut (2) Tension (upper thread) Releasing Disc (2)
32572	21069	Tension (upper thread) Releasing Disc (2)
54988	21069 21069	Tension (upper thread) Releasing Fin (2)
54071 54047	21069	Tension (upper thread) Releasing Shaft
54047	21009	Crank with 624AL
54048	21069	Tension (upper thread) Releasing Shaft Crank Link
624AL	21069	Tension (upper thread) Releasing Shaft Crank Set Screw
68261	21069	Tension (upper thread) Releasing Shaft Spring
131011	21069	Tension (upper thread) Releasing Shaft Spring Position Plate
316C	21069	Tension (upper thread) Releasing Shaft Stop Screw
1547C	21069	Tension (upper thread) Releasing Shaft Stop Screw Nut.
50326C	21069	Tension (upper thread) Screw Stud (2)
59539		Tension (upper thread) Screw Stud 50326C
		with 51570C (2)
131741	21069	Tension (upper thread) Spring (2)
59537	21069	Tension (upper thread) Spring Bushing (large) (2)
59538	21069	Tension (upper thread) Spring Bushing (small) (2)
131696	21069	Tension (upper thread) Thread Guide (double) (2)
53225	21069	Thread (under) Eyelet (back)
190J	21069	Thread (under) Eyelet (back) Screw
131407	21063	Thread (under) Take-up with 1258AL
131408	21063	Thread (under) Take-up Oil Guard
50438J	21063	Thread (under) Take-up Oil Guard Screw
1258AL	21063	Thread (under) Take-up Set Screw
131824	21063	Thread (under) Take-up Stripper

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
54242	21063	Thread (under) Take-up Stripper Clamp
190J	21063	Thread (under) Take-up Stripper Clamp Screw (2)
131825	21063	Thread (under) Take-up Stripper Plate
131411	21063	Thread (under) Take-up Stripper Plate Bracket
1319 <b>3</b> 4		Thread (under) Take-up Stripper Plate Bracket 131411 with 32062, 50438J, 54242, 131408, 131413, 131414, 131415, 131824, 131825, two each 207J, 7071, 50470J and four 190J
965D	21063	Thread (under) Take-up Stripper Plate Bracket Screw
190J	21063	Thread (under) Take-up Stripper Plate Screw (2)
32062	21063	Thread (under) Take-up Stripper Washer
131413	21063	Thread (under) Take-up Thread Guard (fiber)
50470J	21063	Thread (under) Take-up Thread Guard Screw (2)
131414	21063	Thread (under) Take-up Thread Guide (left)
207J	21063	Thread (under) Take-up Thread Guide (left) Screw
7071	21063	Thread (under) Take-up Thread Guide (left) Screw Washer
131415	21063	Thread (under) Take-up Thread Guide (right)
207J	21063	Thread (under) Take-up Thread Guide (right) Screw
7071	21063	Thread (under) Take-up Thread Guide (right) Screw Washer
128721	21069	Thread (upper) Eyelet
190J	21069	Thread (upper) Eyelet Screw
131499	21067	Thread (upper) Take-up with 223J
223J	21067	Thread (upper) Take-up Clamping Screw
131495	21069	Thread (upper) Take-up (auxiliary)
131496	21069	Thread (upper) Take-up (auxiliary) Clamp
997J	21069	Thread (upper) Take-up (auxiliary) Clamp Screw
134343	21033	Throat Plate (raised in front of needle holes to reduce feeding before material is stitched) for 11/16 and 3/4 in. gauges, for broadcloth and similar materials, for
134344	21033	134333 Throat Plate (raised in front of needle holes to reduce feeding before material is stitched) for 7/8 in. and 1 in. gauges, for broadcloth and similar materials,
	NOTE:	for 134334 When ordering Throat Plates, state gauge required.
134304	21066	Throat Plate Holder with two 1036AL

No.	Plate	Name
134318		Throat Plate Holder 134304 with 181E and 134316
1396D	21066	Throat Plate Holder Screw
1036AL	21066	Throat Plate Leveling Screw (2)
1011F	21033	Throat Plate Screw (2)
1198C	21064	Throat Plate Supporting Screw (2)

### ACCESSORIES

No.	Plate	Name
120344	21031	Oiler (copper plated) with 120345
120345	21031	Oiler Spout, 5 in. long
120440	21031	Screw Driver (large)
121108	21031	Screw Driver (small)
38487	21031	Threading Wire
120341	21031	Tweezers (curved)
4822	21031	Wrench for 1547
8908	21031	Wrench for 1520

### BELT GUARDS

BELT GUARD 68222 FOR USE WITH MACHINE BASE 131264

No.	Plate	Name
68222	21032	Belt Guard with two wood screws 1 in. No. 12 F.H

#### BELT GUARD 131239 FOR USE WITH MACHINE BASES 131674 and 131919

No.	Plate	Name
131239	21032	Belt Guard with two wood screws 1 in. No. 12 F.H

From the library of: Superior Sewing Machine & Supply LLC

#### BENCH STANDS

#### BENCH STAND 79772 FOR USE WITH MACHINE BASE 131264

No.	Plate	Name
79772		Bench Stand with 27998, two each 41538, 126849, three wood screws 1 1/4 in. No. 12 F.H., four each 60656, wood screws 1 1/4 in. No. 10 F.H., eight wood screws 5/8 in. No. 6 F.H. and sixteen wood screws 5/8 in. No. 7 F.H
126849	21031	Flap Hinge with four wood screws 5/8 in. No. 7 F.H
27998	21031	Flap Hook and Eye (large) brass with wood screw 1/2 in. No. 5 F.H
126247	21031	Flush Bolt
126248	21031	Flush Bolt Plate
41538		Flush Bolt with Plate complete, Nos. 126247, 126248 and four brass wood screws 5/8 in. No. 4 F.H
60656	21031	Hinge

#### BENCH STAND 135115 FOR USE WITH MACHINE BASE 131671

No.	Plate	Name
135115		Bench Stand with 27998, 60220 and four each 126849 and wood screws 1 1/2 in.
126849	21031	No. 10 F.H Flap Hinge with four wood screws 5/8 in. No. 7 F.H
27998	21031	Flap Hook and Eye (large) brass with wood screw 1/2 in. No. 5 F.H
60220	21031	Flap Hook and Eye (small) brass with wood screw 5/8 in. No. 4 F.H

#### **FITTINGS**

For Shirt Centering and for Button Staying when both operation are to be made on same machine by changing attachment.

No.	Plate	Name
134333	21034	Feed Dog, 21 teeth (16 teeth to the inch) for 11/16 in. and 3/4 in. gauges
134334	21034	Feed Dog, 21 teeth (16 teeth to the inch) for 7/8 in. and 1 in. gauges
18055	21034	Presser Foot Hinge Pin
134335		Presser Foot Plate
134298		Presser Foot Shank with 440J and 1700J
440J	21034	Presser Foot Shank Adjusting Screw
1700J	21034	Presser Foot Shank Adjusting Screw Nut
134336	21034	Presser Foot (hinged) complete, for 3/4 in. to 1 in. gauges, Nos. 18055, 134298 and 134335
134341	21034	Throat Plate (flat) for 11/16 in. and 3/4 in. gauges, for 134333
134342	21034	Throat Plate (flat) for 7/8 in. and 1 in. gauges, for 134334

## FOR BUTTON STAYING AND PLAIN STITCHING

No.	Plate	Name
134345	21035	Feed Dog, 21 teeth (16 teeth to the inch) for 9/16 in. to 11/16 in. gauges, for 134355
134261	21035	Feed Dog, 16 teeth (16 teeth to the inch) for 3/4 in. and 13/16 in gauges
134262	21036	Feed Dog, 16 teeth (16 teeth to the inch) for 7/8 in. to 1 1/16 in gauges, for 134301
134263	21036	Feed Dog, 16 teeth (16 teeth to the inch) for 1 1/8 in. to 1 1/4 in. gauges, for 134302
134264	21037	Feed Dog, 16 teeth (16 teeth to the inch) for 1 5/16 in. to 1 1/2 in. gauges, for 134303
18055	21035	Presser Foot Hinge Pin
134353		Presser Foot Plate
134298		Presser Foot Shank with 440J and 1700J
440J	21035	Presser Foot Shank Adjusting Screw
1700J	21035	Presser Foot Shank Adjusting Screw Nut
134354	21035	Presser Foot (hinged) complete, for 9/16 in. to 11/16 in. gauges, for 134345, Nos. 18055, 134298 and 134353
18055	21035	Presser Foot Hinge Pin

FITTINGS

No.	Plate	Name
134322		Presser Foot Plate
134298		Presser Foot Shank with 440J and 1700J
440J	21035	Presser Foot Shank Adjusting Screw
1700J	21035	Presser Foot Shank Adjusting Screw Nut
134323	21035	Presser Foot (hinged) complete, for 11/16 in. to 1 1/2 in. gauges, for 134261 to 134264, Nos. 18055, 134298 and 134322
134355	21035	Throat Plate, for 9/16 in. to 11/16 in. gauges, for 134345
134300	21035	Throat Plate, for 3/4 in. and 13/16 in. gauges for 134261
134301	21036	Throat Plate, for 7/8 in. to 1 1/16 in. gauges, for 134262
134302	21036	Throat Plate, for 1 1/8 in. to 1 1/4 in. gauges for 134263
134303	21037	Throat Plate, for 1 5/16 in. to 1 1/2 in. gauges, for 134264

## FOOT LIFTER PARTS

No.	Plate	Name
6439		Chain, 36 in. to 45 in., with 56864 and 56865
	NOTE:	When ordering No. 6439, state length required.
4879	21032	Chain Connecting Link
56864	21031	Chain Hook (large)
56865	21031	Chain Hook (small)
126249	21032	Treadle
4882	21032	Treadle Shaft
126250	21032	Treadle Spring
150451	21032	Treadle Stand
150452	21032	Treadle complete, Nos. 4879, 4882, 126249, 126250, 150451 and two wood screws 1 in. No. 16 F.H

## KNEE LIFTER PARTS

No.	Plate	Name
37563		Chain, length 15 in., with 56864 and 56865 .
56864 i	21031	Chain Hook (large)
56865	21031	Chain Hook (small)
2763	21032	Rock Shaft

From the library of: Superior Sewing Machine & Supply LLC

#### KNEE LIFTER PARTS

No.	Plate	Name
12242	21032	Rock Shaft Hanger with two wood screws 1 in. No. 10 F.H. (2)
6335	21032	Rock Shaft Knee Arm with 1509E
6336		Rock Shaft Knee Arm complete, Nos. 2766, 2767 and 6335
2766	21032	Rock Shaft Knee Arm Hub with 356C
356C	21032	Rock Shaft Knee Arm Hub Set Screw
1509E		Rock Shaft Knee Arm Lock Nut
2767	21032	Rock Shaft Knee Plate with 356C
356C	21032	Rock Shaft Knee Plate Set Screw
6337	21032	Rock Shaft Lifting Bracket with two 356C
7125	21032	Rock Shaft Lifting Bracket Hook
356C	21032	Rock Shaft Lifting Bracket Hook Set Screw.
356C	21032	Rock Shaft Lifting Bracket Set Screw
2770	21032	Rock Shaft Stop Dog with 140219C
140219C	21032	Rock Shaft Stop Dog Set Screw
23767	21032	Rock Shaft complete, Nos. 2763, 2770,
		6336, 6337, 7125 and two 12242

#### MACHINE BASES

#### MACHINE BASE 131264 WHEN MACHINE IS MOUNTED ON TOP OF TABLE FOR USE WITH BENCH STAND 79772

No.	Plate	Name
131263	21038	Machine Base
54477	21038	Machine Base Screw Stud, to fasten base to table (3)
131205	21038	Machine Base Screw Stud, to position Machine on base (4)
131022	21038	Machine Base Screw Stud Bushing (rubber) (4)
51576E	21038	Machine Base Screw Stud Nut (3)
9842	21038	Machine Base Screw Stud Nut Washer (3)
131279	21038	Machine Cushion (felt) (4)
131264	21038	Machine Base complete, for 131328, Nos. 131263, three each 9842, 51576E, 54477 and four each 131205 and 131279
131328	21038	Machine Base and Oil Drain Jar (Swinging type) complete, for mounting on top of table, Nos. 131264 and 131268

## MACHINE BASE 131919 FOR SEMI-SUBMERGED INSTALLATION FOR USE WITH BENCH STAND 135115

No.	Plate	Name
131918	21070	Machine Base
51428R	21070	Machine Base Bolt with 1778R
1778R	21070	Machine Base Bolt Nut
126150	21070	Machine Base Bolt Nut Lock Washer
69353		Machine Base Bolt complete, Nos. 51428R, and 126150
131205	21070	Machine Base Screw Stud to position Machine on Base (4)
131022	21070	Machine Base Screw Stud Bushing (rubber) (4)
131279	21070	Machine Cushion (felt) (4)
131919	21070	Machine Base complete for 131920, Nos. 131918 and four each 131205, 131279 and 151141
131920	21070	Machine Base and Oil Drain Jar (swinging type) complete for semi-submerged installation, Nos. 131268 and 131919

#### MACHINE BASE 131674

#### FOR FULLY-SUBMERGED INSTALLATION

No.	Plate	Name
131673	21040	Machine Base
51428R	21040	Machine Base Bolt with 1778R
1778R	21040	Machine Base Bolt Nut
126150	21040	Machine Base Bolt Nut Lock Washer
69353		Machine Base Bolt complete, Nos. 51428R and 126150 (4)
131205	21040	Machine Base Screw Stud to position Machine on Base (4)
131022	21040	Machine Base Screw Stud Bushing (rubber) (4)
131279	21040	Machine Cushion (felt) (4)
131674	21040	Machine Base complete for 131675, Nos. 131673 and four each 69353, 131205 and 131279
131675	21040	Machine Base and Oil Drain Jar (swinging type) complete for fully submerged installation, Nos. 131268 and 131674

## MACHINE BASE OIL DRAIN JAR (SWINGING TYPE)

No.	Plate	Name
131961	21038	Jar (glass)
131962	21038	Jar Cap
131188	21038	Jar Clamp
131217		Jar Clamp 131188 with 131189
131189	21038	Jar Clamp Lever
1247AL	21038	Jar Clamp Lever Hinge Screw (2)
131265	21038	Nipple (long) (2)
131266	21038	Nipple (short)
131267	21038	Nipple Elbow (2)
131268	21038	Machine Base Oil Drain Jar (swinging type) complete, Nos. 131217, 131266, 131961, 131962 and two each 1247AL, 131265 and 131267

#### STRIP FOLDERS

#### STRIP FOLDER ON BRACKET

٠

No.	Plate	Name
121100	21071	Strip Folder
121101	21071	Strip Folder Bracket
957F	21071	Strip Folder Bracket Hinge Screw
173F	21071	Strip Folder Bracket Screw
19047	21071	Strip Folder Bracket Screw Washer
121102	21071	Strip Folder with Bracket complete, for
		shirt centers, Nos. 121100, 121101 and
		two each 22436 and 50473F
50473F	21071	Strip Folder Screw
22436	21071	Strip Folder Screw Washer
121103	21071	Strip Folder Throw-out Arm with 1148F and 1698F
121104	21071	Strip Folder Throw-out Arm Bracket
1343E	21071	Strip Folder Throw-out Arm Bracket Screw
9842	21071	Strip Folder Throw-out Arm Bracket Screw Washer
50581F	21071	Strip Folder Throw-out Arm Clamping Screw
14017	21071	Strip Folder Throw-out Arm Clamping Screw Washer
80F	21071	Strip Folder Throw-out Arm Hinge Screw
36006	21071	Strip Folder Throw-out Arm Hinge Screw Friction Washer
11 <b>4</b> 8F	21071	Strip Folder Throw-out Arm Stop Screw
1698F	21071	Strip Folder Throw-out Arm Stop Screw Lock Nut
121256	21071	Strip Folder Throw-out Arm with Bracket
		complete, for 121102, Nos. 80F, 173F,
		957F, 14017, 19047, 36006, 50581F,
		121103 and 121104

#### FOR BLUFF CENTERS

No.	Plate	Name
121693	21042	Bluff Center Attachment on Shank with 43525
121694	21042	Bluff Center Attachment Hinge Bracket
56318	21042	Bluff Center Attachment Hinge Bracket Hinge Pin
121695	21042	Bluff Center Attachment Hinge Bracket Locking Lever
1425B	21042	Bluff Center Attachment Hinge Bracket Locking Lever Screw
2749	21042	Bluff Center Attachment Hinge Bracket Locking Lever Screw Washer
43525	21042	Bluff Center Attachment Hinge Bracket Locking Lever Stop Pin
964B	21042	Bluff Center Attachment Screw
120957	21042	Bluff Center Attachment on Shank (hinged) with Locking Device complete, Nos. 1425B, 2749, 56318 and 121693 to 121695.

EDGE FOLDERS ON SHANK

No.	Plate	Name
134329	21064	Cloth Plate Slide
134330	21064	Cloth Plate Slide Spring (back)
134305	21064	Cloth Plate Slide Spring (side)
665J	21064	Cloth Plate Slide Spring Screw
134331	21064	Cloth Plate Slide complete, Nos. 134329, 134330, two 134305 and six 665J
120549	21042	Edge Folder on Shank, for turning the right hand edge under, for button or button hole facings
120640	21071	Edge Folder on Shank (left) for starting from bottom of garment when attaching center
120641	21071	Edge Folder on Shank (right) for starting from neck of garment when attaching center
1423J	21071	Edge Folder Screw (2)

## STRIP FOLDER ON SHANK

No.	Plate	Name
120701	21042	Strip Folder on Shank for under facings strips, for button or button hole facings
134329	21064	Cloth Plate Slide
134330	21064	Cloth Plate Slide Spring (back)
134305	21064	Cloth Plate Slide Spring (side)
665J	21064	Cloth Plate Slide Spring Screw
134331	21064	Cloth Plate Slide complete, Nos. 134329, 134330, two 134305 and six 6655
1423J	21042	Strip Folder Screw

## THREAD UNWINDER

#### FOR FOUR SPOOLS

No.	Plate	Name
228764	24513	Spool Pin (4)
228766	24513	Spool Rest (for two spools) with 201254C (2)
150203	24513	Spool Rest Cushion (felt) (4)
228767	24513	Spool Rest Rod
201254C	24513	Spool Rest Set Screw
228768	24513	Spool Stand
228769	24513	Thread Guide (4)
228772	24513	Thread Guide Holder
228774	24513	Thread Guide Rod
150058	24513	Thread Separator
150060	24513	Thread Separator Bracket Arm with 164J and 9525
164J	24513	Thread Separator Bracket Arm Clamping Screw
9525	24513	Thread Separator Bracket Arm Clamping Screw Washer
164J	24513	Thread Separator Bracket Arm Screw
9525	24513	Thread Separator Bracket Arm Screw Washer
150061		Thread Separator complete, Nos. 164J, 9525, 150058 and 150060
150062	24513	Thread Unwinder complete, for four spools, Nos. 150061, 228767, 228768, 228772,
		228774, two 228766, three wood screws 7/8 in, No. 12 F.H. and four each
		150203, 228764 and 228769
277 39	24513	Thread Cone (wood) for large cones
225390	24513	Thread Cone Holder, for inverted cones
- · •	NOTE:	Nos. 27739 and 225390 are used with, but
		not included in 150062

26

No.	Plate	Name
80F	21071	Strip Folder Throw-out Arm Hinge Screw
		for 121256
144D	21063	Arm Rotary Shaft Screw
157J	21033	Feed Dog Screw
161J	21065	Presser Bar Lifting Lever Extension Screw.
164J	24513	Thread Unwinder Thread Separator Bracket Arm Clamping Screw for 150060
164J	24513	Thread Unwinder Thread Separator Bracket Arm Screw for 150061
171AL	21067	Slack Thread Regulator Holder Crank Clamp- ing Screw for 131405
173F	21071	Strip Folder Bracket Screw for 121256
175AL	21027	Looper Clamping Screw for 134268 and
TIJAL	21021	134269
175AL	21066	Looper Driver Cap Screw for 68479
175AL	21027	Looper Holder Connection Hinge Stud Clamp- ing Screw for 134272
176J	21033	Needle Guard Holder Screw
176E	21068	Oil Pipe (back of arm) Clamp Screw
181E	21066	Feed Bar Position Plate Screw for 134318
190J	21060	Presser Foot Screw
190J	21069	Thread (under) Eyelet (back) Screw
190J	21063	Thread (under) Take-up Stripper Clamp Screw for 131934
190J	21063	Thread (under) Take-up Stripper Plate Screw for 131934
190J	21069	Thread (upper) Eyelet Screw
198E	21068	Oil Pipe (back of arm) Connection Cap
10077	210/0	Screw for 68494
198E	21068	Oil Pipe (front of arm) Connection Cap Screw for 131003 and 134295
205C	21063	Arm Rotary Shaft Ball Bearing (back) Case Cap Screw for 131479
207E	21066	Feed Bar Wearing Plate Screw for 134390
207J	21063	Thread (under) Take-up Thread Guide (left) Screw for 131934
207J	21063	Thread (under) Take-up Thread Guide
		(right) Screw for 131934
211E	21066	Feed Bar Guide Screw for 134390
217J	21063	Feed Eccentric Clamping Washer Screw for 54025
217J	21033	Needle Guard Screw
217J	21067	Slack Thread Regulator Screw
219J	21027	Looper Throw-out Slide Block Bracket Gib (left) Screw, for 134307
219J	21027	Looper Throw-out Slide Block Bracket Gib
223J	21067	(right) Screw, for 134307 Thread (upper) Take-up Clamping Screw
		for 131499
316C	21069	Tension (upper thread) Releasing Shaft Stop Screw

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
316F	21033	Presser Foot Shank Adjusting Screw for 134339
330D	21065	Face Plate (lower half) Screw
356C	21032	Rock Shaft Knee Arm Hub Set Screw for 2766
356C	21032	Rock Shaft Knee Plate Set Screw for 2767
356C	21032	Rock Shaft Lifting Bracket Hook Set Screw for 6337
356C	21032	Rock Shaft Lifting Bracket Hook Set Screw for 6337
376J	21069	Tension (upper thread) Bracket Screw
389 F	21064	Cloth Plate Thread Guard Screw (lower)
423AL	21062	Arm Rock Shaft Bushing (intermediate) Set Screw
429C	21063	Arm Rotary Shaft Ball Bearing (back) Case Set Screw
435AL	21027	Looper Throw-out Crank Compression Plate Hinge Stud Set Screw
440J	21034	Presser Foot Shank Adjusting Screw for 134298
446AL	21062	Arm Rock Shaft Bushing (back) Set Screw
453AL	21062	Arm Rock Shaft Flanged Bushing Set Screw.
453AL	21066	Feed Rocking Frame Hinge Pin Bushing Set Screw for 131240
453AL	21066	Feed Rocking Frame Hinge Pin Set Screw
453AL	21067	Presser Bar Lifting Bracket Guide Set Screw
453AL	21067	Presser Bar Lifting Bracket Set Screw for 131401
457AL	21063	Arm Rotary Shaft Ball Bearing (intermediate)Collar Set Screw for 131482
462AL	2107	Looper Throw-out Crank Handle Set Screw for 134277
624AL	21069	Tension (upper thread) Releasing Shaft Crank Set Screw for 54047
640E	21066	Looper Driving Shaft and Feed Lifting Eccentric Screw for 134357
665J	21064	Cloth Plate Slide Spring Screw for 134331
691F	21069	Tension (under thread) Bracket Screw
735AL	21066	Feed Bar Hinge Pin Collar Set Screw for 59343
761E	21063	Arm Rotary Shaft Bushing (front) Set Screw
761E	21066	Looper Driving Shaft and Feed Lifting Eccentric Bushing Position Screw for 68483
802D	21065	Presser Bar Lifting Lever Hinge Screw
853AL	21062	Needle Bar Connecting Link Hinge Stud Set Screw for 131475
861C	21067	Needle Bar Connecting Link Hinge Stud Oil Plug Screw
896AL	21063	Feed Connecting Rod Cap Screw for 131500.
957F	21071	Strip Folder Bracket Hinge Screw for 121256
964B	21042	Bluff Center Attachment Screw

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
965D	21063	Thread (under) Take-up Stripper Plate Bracket Screw
997J	21069	Thread (upper) Take-up (auxiliary) Clamp Screw
1011F	21064	Cloth Plate Screw (left)
1011F	21033	Throat Plate Screw
1036AL	21066	Throat Plate Leveling Screw for 134304
1053E	21065	Face Plate (upper half) Position Plate Screw
1057AL	21065	Arm Bottom Cover Screw
1057AL	21065	Arm Side Cover Screw
1057AL	21063	Crank Connecting Rod Cap (upper) Screw for 131926
1057AL	21063	Feed Connecting Rod Clamping Screw for 131500
1103C	21063	Feed Regulating Screw for 54025
1133AL	21067	Needle Bar Bushing (lower) Set Screw
1133AL	21067	Needle Bar Bushing (upper) Set Screw
1133AL	21067	Presser Bar Bushing (lower) Set Screw
1133AL	21067	Presser Bar Bushing (upper) Set Screw
1145J	21033	Presser Foot Extension Connection (left) Hinge Screw for 134340
1145J	21033	Presser Foot Extension Connection (right) Hinge Screw for 134340
1148F	21071	Strip Folder Throw-out Arm Stop Screw for 121103
1198C	21064	Throat Plate Supporting Screw for 134359
1235F	21062	Arm Rock Shaft Oil Plug Screw for 131474 .
1247AL	21038	Machine Base Oil Jar Clamp Lever Hinge Screw for 131268
1258AL	21063	Thread (under) Take-up Set Screw for 131407
1289X	21065	Arm Side Cover Cap Thumb Screw for 131911
1304C	21063	Arm Rotary Shaft Ball Bearing (intermediate) Case Set Screw
1309C	21062	Arm Rock Shaft Adjusting Screw
1343E	21071	Strip Folder Throw-out Arm Bracket Screw.
1396D	21027	Looper Throw-out Slide Block Bracket (left) Screw
1396D	21027	Looper Throw-out Slide Block Bracket (right) Screw
1396D	21066	Throat Plate Holder Screw
1423J	21067	Slack Thread Regulator Holder Crank Cap Screw
1423J	21071	Edge Folder Screw
1423J	21042	Strip Folder Screw
1425B	21042	Bluff Genter Attachment Hinge Bracket Locking Lever Screw for 120957
1454C	21027	Looper Holder Connection Hinge Stud Cap Screw for 134308 and 134309
1492E	21067	Needle Bar Connecting Stud Clamping Screw for 131492
1509E		Rock Shaft Knee Arm Lock Nut
1520J	21067	Needle Bar Connecting Link Hinge Stud Nut.

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
1547J	21069	Tension (upper thread) Releasing Shaft Stop Screw Nut
1620R	21064	Cloth Plate Supporting Post Lock Nut
1637J	21065	Presser Bar Spring Screw Stud Lock Nut for 131830
1651E	21027	Looper Holder Hinge Screw Nut for 134308 and 134309
1698F	21071	Strip Folder Throw-out Arm Stop Screw Lock Nut for 121103
1700J	21033	Presser Foot Shank Adjusting Screw Nut for 134298 and 134339
1733	21068	Oil Pipe (back of arm) Coupling Nut (brass)
1733	21068	Oil Pipe (front of arm) Coupling Nut (brass)
1778R	21070	Machine Base Bolt Nut for 51428R
2102	21069	Tension (under thread) Disc
2102	21069	Tension (upper thread) Disc
2749	21042	Bluff Center Attachment Hinge Bracket Locking Lever Screw Washer for 120957.
2763	21032	Rock Shaft for 23767
2766	21032	Rock Shaft Knee Arm Hub with 356C for 6336
2767	21032	Rock Shaft Knee Plate with 356C for 6336
2770	21032	Rock Shaft Stop Dog with 140219C, for 23767
4822	21031	Wrench for 1547 (Accessories)
4879	21032	Chain Connecting Link for 150452
4882	21032	Treadle Shaft for 150452
6335	21032	Rock Shaft Knee Arm with 1509E, for 6336.
6336		Rock Shaft Knee Arm complete, Nos. 2766, 2767 and 6335
6337	21032	Rock Shaft Lifting Bracket with two 356C, for 23767
6439		Chain, 36 in. to 45 in., with 56864 and 56865
7071	21063	Feed Eccentric Clamping Washer for 54025
7071	21063	Thread (under) Take-up Thread Guide (left) Screw Washer for 131934
7071	21063	Thread (under) Take-up Thread Guide (right) Screw Washer for 131934
7125	21032	Rock Shaft Lifting Bracket Hook for 23767.
8908	21031	Wrench for 1520 (Accessories)
9525	24513	Thread Unwinder Thread Separator Bracket Arm Clamping Screw Washer for 150060.
9525	24513	Thread Unwinder Thread Separator Bracket Arm Screw Washer for 150061
9842	21038	Machine Base Screw Stud Nut Washer for 131264
9842	21071	Strip Folder Throw-out Arm Bracket Screw Washer
11173	21067	Presser Bar Lifting Bracket Guide
12242	21032	Rock Shaft Hanger with two wood screws 1 in. No. 10 F. H. for 23767
14017	21071	Strip Folder Throw-out Arm Clamping Screw Washer for 121256

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
18055	21033	Presser Foot Hinge Pin for 134323, 134336, 134340 and 134354
18413	21027	Looper Throw-out Crank Compression
19047	21071	Plate Spring Strip Folder Bracket Screw Washer for
22436	21071	121256 Strip Folder Screw Washer for 121102
23767	21032	Rock Shaft complete, Nos. 2763, 2770, 6336, 6337, 7125 and two 12242
26276	21027	Looper Throw-out Crank Compression Plate Hinge Pin for 134275
27739	24513	Thread Unwinder Thread Cone (wood) for large cones for 150062
27998	21031	Bench Stand Flap Hook and Eye (large)
		brass with wood screw 1/2 in. No. 5 F.H. for 79772 and 135115
29234	21065	Face Plate (upper half) Position Plate
32062	21063	Thread (under) Take-up Stripper Washer for 131934
32572	21069	Tension (upper thread) Releasing Disc
36006	21071	Strip Folder Throw-out Arm Hinge Screw
		Friction Washer for 121256
37563		Chain, length 15 in., with 56864 and 56865
38456	21067	Presser Bar Bushing (upper).
38468	21065	Presser Bar Spring Stud
38487	21031	Threading Wire (Accessories)
39443	21033	Presser Foot Spring for 134340
41538		Bench Stand Flush Bolt with Plate complete.
		Nos. 126247, 126248 and four brass wood screws 5/8 in. No. 4 F.H., for 79772
42365	21062	Arm Rock Shaft Oil Pad for oiling Back Bearing
42367	21068	Arm Rotary Shaft Front Bearing Oil Pad.
		lower (braided cotton)
43525	21042	Bluff Center Attachment Hinge Bracket Locking Lever Stop Pin for 121693
50326C	21069	Tension (under thread) Screw Stud for 59539
50326C	21069	Tension (upper thread) Screw Stud for 59539
50379F	21067	Needle Set Screw for 134286
50396F	21064	Cloth Plate Screw (right)
50429AL		Feed Eccentric Body Set Screw for 54025
50438J	21063	Thread (under) Take-up Oil Guard Screw for 131934
50464C	21027	Looper Holder Hinge Screw for 134308 and 134309
50470J	21063	Thread (under) Take-up Thread Guard Screw for 131934
50473F	21064	Cloth Plate Thread Guard Screw (upper)
50473F	21071	Strip Folder Screw for 121102
50581F	21071	Strip Folder Throw-out Arm Clamping Screw for 121256

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
50608R	21065	Arm Hole Plug Screw, for access to Crank Connecting Rod (upper bearing)
51061AL	21063	Feed Eccentric Body Set Screw for 54025
51224W	21065	Face Plate (upper half) Thumb Screw
51283AL	21063	Machine Pulley Set Screw, for 131914
51407AL	21063	Arm Rod Shaft Crank (back) Set Screw for 131343
51422J	21066	Looper Driving Shaft and Feed Lifting Eccentric Bracket Screw for 134356
51428R	21070	Machine Base Bolt with 1778R, for 69353
51570C	21069	Tension (under thread) Regulating Thumb Nut for 59539
51570C	21069	Tension (upper thread) Regulating Thumb Nut for 59539
51576E	21038	Machine Base Screw Stud Nut for 131264
51697W	21064	Pressure Regulating Thumb Nut for 131830.
51715AL	21063	Crank Connecting Rod Cap (lower) Nut for 131926
53225	21069	Thread (under) Eyelet (back)
54025	21063	Feed Eccentric (adjustable) complete for 131502
54047	21069	Tension (upper thread) Releasing Shaft Crank with 624AL
54048	21069	Tension (upper thread) Releasing Shaft Crank Link
54070	21069	Tension (upper thread) Bracket
54071	21069	Tension (upper thread) Releasing Shaft
54218	21068	Arm Rotary Shaft Front Bearing Oil Pad, upper (braided cotton)
54242	21063	Thread (under) Take-up Stripper Clamp for 131934
54477	21038	Machine Base Screw Stud, to fasten base to table, for 131264
54648	21066	Feed Bar Oil Pad for 134390
54969	21062	Arm Rock Shaft Oil Pad for oiling inter- mediate Bearing
54988	21069	Tension (upper thread) Releasing Pin
56318	21042	Bluff Center Attachment Hinge Bracket Hinge Pin for 120957
56864	21031	Chain Hook (large) for 6439 and 37563
56865	21031	Chain Hook (small) for 6439 and 37563
57234	21066	Feed Rocking Frame Hinge Pin
57235	21066	Feed Rocking Frame Hinge Pin Bushing
59343	21066	Feed Bar Hinge Pin Collar with 735AL, for 134391
59537	21069	Tension (under thread) Spring Bushing (large)
59537	21069	Tension (upper thread) Spring Bushing (large)
59538	21069	Tension (under thread) Spring Bushing (small)
59538	21069	Tension (upper thread) Spring Bushing (small)

No.	Plate	Name
59539		Tension (under thread) Screw Stud 50326C with 51570C
59539		Tension (upper thread) Screw Stud 50326C with 51570C
60220	21031	Bench Stand Flap Hook and Eye (small) brass with wood screw 5/8 in. No. 4 F.H.
		for 135115
60656	21031	Bench Stand Hinge for 79772
62527	21033	Presser Foot Extension Hinge Pin for 134337
64320	21067	Needle Bar Bushing (upper)
68184	21065	Presser Bar Lifting Lever Extension
68222	21032	Belt Guard with two screws 1 in. No. 12 F. H. for use with Machine Base 131264
68261	21069	Tension (upper thread) Releasing Shaft Spring
68350	21068	Arm Oil Cup, for oiling Arm Rock Shaft Front Bearing
68428	21065	Arm Bottom Cover
68429	21065	Arm Bottom Cover Gasket (cork)
68433	21062	Arm Rock Shaft Bushing (back)
68435	21062	Arm Rock Shaft Bushing (back) Cap
68436	21062	Arm Rock Shaft Bushing (intermediate)
68448	21065	Arm Side Cover Gasket (cork)
68467	21066	Feed Bar Wearing Plate for 134390
68479	21066	Looper Driver with four 175AL, for 134312.
68483		Looper Driving Shaft and Feed Lifting Eccentric Bracket with 761E, for 134356.
68488	21067	Needle Bar Connecting Link and Thread (upper) Controller for 131491
68489	21067	Needle Bar Connecting Link Hinge Stud (hollow) for 131491
68492	21068	Oil Pipe (back of arm) with 68497, for oiling Feed Rocking Frame Hinge Pin Front Bearing
68493	21068	Oil Pipe (back of arm) Clamp
68494	21068	Oil Pipe (back of arm) Connection with 68495 and two 198E, for oiling Feed
68495	21066	Rocking Frame Hinge Pin Back Bearing Feed Bar Slide Block Oil Pad (wick) for 131944
68495	21068	Oil Pipe (back of arm) Connection Oil Pad (wick) for 68494
68496	21068	Oil Pipe (back of arm) Coupling (brass)
68497	21063	Feed Connecting Rod Oil Pad (wick) for 131500
68497	21066	Looper Driving Shaft and Feed Lifting Eccentric Front Bearing Oil Pad (wick).
68497	21068	Oil Pipe (back of arm) Oil Pad (wick) for 134291
68497	21068	Oil Pipe (front of arm) Oil Pad (wick) for 134291, 134292, 134294 and 134362
69353		Machine Base Bolt complete for 131919 and 131674, Nos. 51428R and 126150

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
79772		Bench Stand with 27998, two each 41538, 126849, three wood screws 1 1/4 in. No. 12 F.H., four each 60656, wood screws 1 1/4 in. No. 10 F.H., eight wood screws 5/8 in. No. 6 F.H. and sixteen wood screws 5/8 in. No. 7 F.H., for use with Machine Base 131264
120341	21031	Tweezers (curved) Accessories
120344	21031	Oiler (copper plated) with 120345 (Accessories)
120345	21031	Oiler Spout, 5 in. long for 120344
120440	21031	Screw Driver (large) Accessories
120549	21042	Edge Folder on Shank, for turning the right hand edge under, for button or button hole facings
120640	21071	Edge Folder on Shank (left) for starting from bottom of garment when attaching center
120641	21071	Edge Folder on Shank (right) for starting from neck of garment when attaching center
120701	21042	Strip Folder on Shank for under facing strips, for button or button hole facings
120957	21042	Bluff Center Attachment on Shank (hinged) with Locking Device complete, Nos. 1425B, 2749, 56318 and 121693 to 121695
121100	21071	Strip Folder for 121102
121101	21071	Strip Folder Bracket for 121102
121102	21071	Strip Folder with Bracket complete, for shirt centers, Nos. 121100, 121101 and two each 22436 and 50473F
121103	21071	Strip Folder Throw-out Arm with 1148F and 1698F, for 121256
121104	21071	Strip Folder Throw-out Arm Bracket for 121256
121108	21031	Screw Driver (small) Accessories
121256	21071	Strip Folder Throw-out Arm with Bracket complete, for 121102, Nos. 80F, 173F, 957F, 14017, 19047, 36006, 50581F, 121103 and 121104
121693	21042	Bluff Center Attachment on Shank with 43525 for 120957
121694	21042	Bluff Center Attachment Hinge Bracket for 120957
121695	21042	Bluff Center Attachment Hinge Bracket Locking Lever for 120957
126150	21070	Machine Base Bolt Nut Lock Washer for 69353
126247	21031	Bench Stand Flush Bolt for 41538
126248	21031	Bench Stand Flush Plate for 41538
126249	21032	Treadle for 150452
126250	21032	Treadle Spring for 150452
126849	21031	Bench Stand Flap Hinge with four wood screws 5/8 in. No. 7 F.H. for 79772 and 135115

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
127838	21062	Arm Rock Shaft Crank (front) Pin for 131474.
128721	21069	Thread (upper) Eyelet
128734	21033	Presser Foot Extension Connection (left) for 134340
128864	21033	Presser Foot Extension Connection (right) for 134340
131003	21068	Oil Pipe (front of arm) Connection with two 198E, for 134291 and 134292
131004	21068	Oil Pipe (front of arm) Coupling (center)
131004	21068	Oil Pipe (front of arm) Coupling (left)
131006	21067	Presser Bar Bushing (lower)
131011	21069	Tension (upper thread) Releasing Shaft Spring Position Plate
131012	21069	Tension (under thread) Bracket
131022	21038	Machine Base Screw Stud Bushing (rubber) for 131264, 131919 and 131674
131028	21066	Looper Driving Shaft and Feed Lifting Eccentric Bushing Oil Screw Plug
131056	21062	Arm Rock Shaft Adjusting Screw Washer
131087	21068	Oil Pipe (front of arm) Coupling (right)
131089	21068	Oil Pipe (front of arm) Oil Pad (wick) for 134290
131095	21062	Arm Rock Shaft Bushing (back) Cap Washer (fiber)
131188	21038	Machine Base Oil Drain Jar Clamp for 131217
131189	21038	Machine Base Oil Drain Jar Clamp Lever for 131217
131197	21066	Feed Bar Hinge Pin (eccentric) for 134391.
131205	21038	Machine Base Screw Stud, to position Machine on base, for 131264 and 131919 and 131674
131217		Machine Base Oil Drain Jar Clamp 131188 with 131189
131239	21032	Belt Guard with two wood screws 1 in. No. 12 F.H., for use with Machine Bases 131674 and 131919
131240	21066	Feed Rocking Frame with two 453AL, for 134391
131263	21038	Machine Base for 131264
131264	21038	Machine Base complete, for 131328, Nos. 131263, three each 9842, 51576E, 54477 and four each 131205 and 131279
131265	21038	Machine Base Oil Drain Jar Nipple (long) for 131268
131266	21038	Machine Base Oil Drain Jar Nipple (short) for 131268
131267	21038	Machine Base Oil Drain Jar Nipple Elbow for 131268
131268	21038	Machine Base Oil Drain Jar (swinging type) complete, Nos. 131217, 131266, 131961, 131962 and two each 1247AL, 131265 and
		131267

No.	Plate	Name
131270	21067	Needle Bar Connecting Link Hinge Stud Oil
131276	21045	Pad (wick).
131278	21065	Arm Side Cover (oil vent) for 131911
	21038	Machine Cushion (felt) for 131264, 131919 and 131674
131280	21065	Arm Side Cover Cap Position Pin for 131911
131291	21067	Needle Bar Bushing (lower)
131293	21062	Arm Rock Shaft for 131474
131319	21068	Arm Oil Cup Oil Fad (braided cotton) for 68350
131328	21038	Machine Base and Oil Drain Jar (swinging type) complete, for mounting on top of
		table, Nos. 131264 and 131268
131343	21063	Arm Rock Shaft Crank, back (ball bearing, solid) with two 51407AL, for 131929
131366	21063	Arm Rotary Shaft Ball Bearing (back) for
		131526
131366	21063	Arm Rotary Shaft Ball Bearing (intermediate)
131369	21063	Arm Rotary Shaft Ball Bearing (httermediate)
131370	21063	Cap for 131479
		Arm Rotary Shaft Ball Bearing (back) Case Position Stud
131395	21065	Face Plate (upper half)
131401	21067	Presser Bar Lifting Bracket with 453AL
131402	21065	Presser Bar Lifting Lever
131403	21067	Slack Thread Regulator
131404	21067	Slack Thread Regulator Holder
131405	21067	Slack Thread Regulator Holder Crank with 171AL
131406	21067	Slack Thread Regulator Holder Crank Connecting Link
131407	21063	Thread (under) Take-up with 1258AL
131408	21063	Thread (under) Take-up Oil Guard for 131934
131411	21063	Thread (under) Take-up Stripper Plate
131413	21063	Bracket for 131934 Thread (under) Take-up Thread Guard
		(fiber) for 131934
131414	21063	Thread (under) Take-up Thread Guide (left) for 131934
131415	21063	Thread (under) Take-up Thread Guide (right) for 131934
131456	21062	Arm Rock Shaft Flanged Bushing (front)
131457	21063	Arm Rotary Shaft Bushing (front)
131474		Arm Rock Shaft 131293 with 1235F, 127838
*131475		and 131475 Arm Rock Shaft Crank (front) with 853AL, for 131474
*131476	21063	for 131474 Arm Rotary Shaft for 134357
131478	21063	Arm Rotary Shaft Ball Bearing (back) Case
	~~~~	for 131479
131479		Arm Rotary Shaft Ball Bearing (back) Case 131478 with 131369 and three 205C

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
131480	21063	Arm Rotary Shaft Ball Bearing (back) Spacing Collar for 131526
131481	21063	Arm Rotary Shaft Ball Bearing (intermediate)
131482	21063	Case Arm Rotary Shaft Ball Bearing (intermediate) Collar with two 457AL
131491		Needle Bar Connecting Link and Thread (upper) Controller 68488 with 68489 and 131492
131492	21067	Needle Bar Connecting Stud with 1492E for 131491
131495	21069	Thread (upper) Take-up (auxiliary)
131496	21069	Thread (upper) Take-up (auxiliary) Clamp.
131497	21067	Needle Bar (hollow), for 134361
131499	21067	Thread (upper) Take-up with 223J
131500	21063	Feed Connecting Rod with 1057AL, 68497, 134260 and two 896AL, for 131502
131502		Feed Connecting Rod 131500 with 54025
131526		Arm Rotary Shaft Ball Bearing (back) Case
		with Ball Bearings complete, Nos. 131479, 131480 and two 131366
131610	21064	Cloth Plate Thread Guard
131673	21040	Machine Base for 131674
131674	21040	Machine Base complete for 131675, Nos.
1510/4	21040	131673 and four each 69353, 131205 and 131279
131675	21040	Machine Base and Oil Drain Jar (swinging type) complete for fully submerged installation, Nos. 131268 and 131674
131696	21069	Tension (under thread) Thread Guide (double)
131696	21069	Tension (upper thread) Thread Guide (double)
131740	21069	Tension (under thread) Spring
131741	21069	Tension (upper thread) Spring
131749	21065	Presser Bar Spring for 131830
131750	21065	Presser Bar Spring (auxiliary) for 131830
131751	21065	Presser Bar Spring Screw Stud 131830
131752	21064	Pressure Regulating Thumb Nut Washer for 131830
131824	21063	Thread (under) Take-up Stripper for 131934
131825	21063	Thread (under) Take-up Stripper Plate for 131934
131830	21065	Presser Bar Spring complete, Nos. 1637J, 51697W, 131749, 131750, 131751 and 131752
131864	21068	Arm Oil Cup for 131866
131865	21068	Arm Oil Cup Oil Gauge for 131866
131866	21068	Arm Oil Cup, with Oil Guage complete, for filling oil reservoir, Nos. 131864 and 131865
131909	21065	Arm Side Cover Cap for 131911
131910	21065	Arm Side Cover Cap Spring for 131911

From the library of: Superior Sewing Machine & Supply LLC

37

/

No.	Plate	Name
131911		Arm Side Cover (oil vent) complete, Nos. 1289X, 131276, 131280, 131909 and 131910
131912	21067	Presser Bar (hollow)
131914	21063	Machine Pulley with two 51283AL
131918	21070	Machine Base for 131919
131919	21070	Machine Base complete for 131920, Nos. 131918 and four each 131205, 131279 and
131920	21070	151141 Machine Base and Oil Drain Jar (swinging type) complete for semi-submerged installation, Nos. 131268 and 131919
131926	21063	Crank Connecting Rod with each 1057AL, 51715AL, 131927 and 131928, for 131929.
	NOTE:	When No. 131926 is required for repairs Connecting Rod and Arm Rock Shaft Crank (back) fitted together, will be furnished in order to obtain correct Needle Bar Stroke
131927	21063	Crank Connecting Rod Cap (lower) Nut Stud for 131926
131928		Crank Connecting Rod Cap (lower) Nut Stud Nut Lock Washer, for 131926
131929		Crank Connecting Rod 131926 with 131343, for 134357
131934		Thread (under) Take-up Stripper Plate Bracket 131411 with 32062, 50438J, 54242, 131408, 131413, 131414, 131415, 131824, 131825, two each 207J, 7071,
		50470J and four 190J
131943	21066	Feed Bar Slide Block for 131944
131944	21066	Feed Bar Slide Block 131943 with 68495 and
131957	21066	134260 Feed Driving Shaft and Feed Lifting Eccentric for 134312
	NOTE:	When No. 131957 is required for repairs, the Arm Rotary Shaft must be returned to
		the factory to be adjusted to the new part.
131959	21066	Looper Driving Shaft and Feed Lifting Eccentric Bushing
131961	21 0 3 8	Machine Base Oil Drain Jar (glass)
131962	21038	Machine Base Oil Drain Jar Cap
134254	21064	Cloth Plate Supporting Post
134255	21064	Cloth Plate Supporting Post Spacing Collar.
134256	21065	Face Plate (lower half)
134257	21065	Face Plate (lower half) Gasket (cork)
134260	21066	Feed Bar Slide Block Oil Pad Retainer for 131944
134260	21063	Feed Connecting Rod Oil Pad Retainer for 131500
134261	21035	Feed Dog, 16 teeth (16 teeth to the inch) for 3/4 in. and 13/16 in. gauges
134262	21036	Feed Dog, 16 teeth (16 teeth to the inch) for 7/8 in. to 1 1/16 in. gauges, for 134301

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
134263	21036	Feed Dog, 16 teeth (16 teeth to the inch) for 1 1/8 in. to 1 1/4 in. gauges, for 134302
134264	21037	Feed Dog, 16 teeth (16 teeth to the inch) for 1 5/16 in. to 1 1/2 in. gauges, for 134303.
134266	21027	Looper Driver Connection with 134267, for 134392
*134267		Feed Driver Connection Oil Plug for 134266
134268	21027	Looper Holder (left) with 175AL, for 134308 and 134309
134269	21027	Looper Holder (right) with 175AL, for 134308 and 134309
134270	21027	Looper Holder Connection for 3/4 in. and 13/16 in. gauges
	NOTE:	When No. 134270 is required for $9/16$ in,, 5/8 in. or $11/16$ in. gauge, the part will be
		furnished in 3/4 in. gauge and the desired
		gauge can be obtained by using the loopers
		listed for gauge required.
134271	21027	Looper Holder Connection for 7/8 in. to 1 1/2 in. gauges
	NOTE:	When ordering No. 134270 or 134271, state gauge required.
134272	21027	Looper Holder Connection Hinge Stud with 175AL
134273	21027	Looper Throw-out Crank for 134307
134274	21027	Looper Throw-out Crank Compression Plate for 134275
134275		Looper Throw-out Crank Compression Plate 134274 with 26276 and 134276
134276	21027	Looper Throw-out Crank Compression Plate Hinge Stud for 134275
134277	21027	Looper Throw-out Crank Handle with two 462AL for 134307
134278	21027	Looper Throw-out Slide Block for 134307
134279	21027	Looper Throw-out Slide Block Bracket (left) for 134307
134280	21027	Looper Throw-out Slide Block Bracket (right) for 134307
1 3 4 2 8 1	21027	Looper Throw-out Slide Block Bracket Gib (left) for 134307
134282	21027	Looper Throw-out Slide Block Bracket Gib (right), for 134307
134283	21027	Looper Throw-out Slide Block Oil Pad for 134307
134284	21027	Looper Throw-out Slide Block Oil Pad Retaining Pin for 134307
134286	21067	Needle Clamp with two 50379F, for 134361.
134287	21033	Needle Guard for 3/4 in. to 1 1/16 in. gauges
134288	21036	Needle Guard for 1 1/8 in. to 1 1/2 in. gauges
134289	21033	Needle Guard Holder

From the library of: Superior Sewing Machine & Supply LLC

40

No.	Plate	Name
134290	21068	Oil Pipe (front of arm) with 131089, 134294 and two 1733, for oiling Looper Driving Shaft and Feed Lifting Eccentric Front
134291	21068	Bearing for 134363 Oil Pipe (front of arm) with 68497 and 131003, for oiling Feed Bar for 134363
134292	21068	Oil Pipe (front of arm) with 1733, 68497 and 131003, for oiling Arm Rotary Shaft Front Bearing for 134363
*134294		Oil Pipe (front of arm) with 68497, for oiling Looper Throw-out Device, for 134290
134295	21068	Oil Pipe (front of arm) Connection with two 198E, for 134362
134298		Presser Foot Shank with 440J and 1700J for 134323, 134336 and 134354
134300	21035	Throat Plate for 3/4 in. and 13/16 in. gauges for 134261
134301	21036	Throat Plate, for 7/8 in. to 1 1/16 in. gauges, for 134262
134302	21036	Throat Plate, for 1 1/8 in. to 1 1/4 in. gauges, for 134263
134303	21037	Throat Plate, for 1 5/16 in. to 1 1/2 in. gauges, for 134264
134304	21066	Throat Plate Holder with two 1036AL for 134318
134305	21064	Cloth Plate Slide Spring (side) for 134331
134307		Looper Throw-out Slide Block 134278 with 134273, 134277, 134279, 134280, 134281, 134282, 134283, two 134284 and four 219J, for 134308 and 134309
134308		Looper Throw-out Slide Block 134307 with 1454C, 134268, 134269, 134270, 134310, 134392 and two each 1651E and 50464C, for 3/4 in. and 13/16 in, gauges
134309		Looper Throw-out Slide Block 134307, with 1454C, 134268, 134269, 134271, 134310, 134392 and two each 1651E and 50464C, for 7/8 in. to 1 1/2 in. gauges
134310	21027	Looper Holder Connection Hinge Stud Cap Screw Washer for 134308 and 134309
134312		Looper Driving Shaft and Feed Lifting Eccentric 131957 with 68479 for 134357
134315	21066	Feed Bar Guide for 134390
134316	21066	Feed Bar Position Plate for 134318
134318		Throat Plate Holder 134304 with 181E and 134316
134322		Presser Foot Plate for 134323
134323	21035	Presser Foot (hinged) complete, for 11/16 in. to 1 1/2 in. gauges, for 134261 to 134264, Nos. 18055, 134298 and 134322
134329	21064	Cloth Plate Slide for 134331
134330	21064	Cloth Plate Slide Spring (back) for 134331

No.	Plate	Name
134331	21064	Cloth Plate Slide complete, for 134359, Nos. 134329, 134330, two 134305 and six 665J
134333	21033	Feed Dog, 21 teeth (16 teeth to the inch) for 11/16 and 3/4 in. gauges, for 134343, for shirt centering on broadcloth and similar materials
	NOTE:	Feed Dog No. 134333 is regularly furnished with this machine unless otherwise stated on order.
134334	21033	Feed Dog, 21 teeth (16 teeth to the inch) for 7/8 in. and 1 in. gauges, for 134344, for shirt centering on broadcloth and similar materials
	NOTE:	Feed Dog No. 134334 is regularly furnished with this machine unless otherwise stated on order.
134335		Presser Foot Plate for 134336
134336	21034	Presser Foot (hinged) complete, for 3/4 in.
101000		to 1 in. gauges, Nos. 18055, 134298 and 134335
134337	21033	Presser Foot Extension with two 62527 for 134340
134338		Presser Foot Plate for 134340
134339		Presser Foot Shank with 316F and 1700J for 134340
134340	21033	Presser Foot (hinged extension and hinged plate) complete, for 9/16 in. to 1 in. gauges, for obtaining a smooth finish on broadcloth and similar materials, for 134343 and 134344, Nos. 18055, 128734, 128864, 134337, 134338, 134339 and two each 1145J and 39443
134341	21034	Throat Plate (flat) for 11/16 in.and 3/4 in. gauges, for 134333
134342	21034	Throat Plate (flat) for 7/8 in. and 1 in. gauges, for 134334
134343	21033	Throat Plate (raised in front of needle holes to reduce feeding before material is stitched) for 11/16 and 3/4 in. gauges, for broadcloth and similar materials, for 134333
134344	21033	Throat Plate (raised in front of needle holes to reduce feeding before material is stitched) for 7/8 in. and 1 in. gauges, for broadcloth and similar materials, for
134345	21035	134334 Feed Dog, 21 teeth (16 teeth to the inch) for 9/16 in. to 11/16 in. gauges, for 134355
134346	21035	Looper (right) for 9/16 in. gauge
134347	21035	Looper (left) for 9/16 in. gauge
134348	21035	Looper (right) for 5/8 in. gauge
134349	21035	Looper (left) for 5/8 in. gauge


From the library of: Superior Sewing Machine & Supply LLC


No.	Plate	Name
134350	21035	Looper (right) for 11/16 in. gauge
134351	21035	Looper (left) for 11/16 in. gauge
134352	21035	Needle Guard for 9/16 in. to 11/16 in. gauges
134353		Presser Foot Plate for 134354
134354	21035	Presser Foot (hinged) complete, for 9/16 in. to 11/16 in. gauges, for 134345, Nos. 18055, 134298 and 134353
134355	21035	Throat Plate, for 9/16 in. to 11/16 in. gauges, for 134345
*134356		Arm, upper and lower (solid) with 51422J, 68483 and four 131022
134357		Arm Rotary Shaft 131476 with 640E, 131502, 131929 and 134312
134358	21064	Cloth Plate with two 1198C, for 134359
134359	21064	Cloth Plate complete, Nos. 134331 and 134358
134360	21033	Looper (left or right) for 3/4 in. to 1 1/2 in. gauges
134361		Needle Bar complete, Nos. 131497 and 134286
134362	21068	Oil Pipe (front of arm) with 68497 and 134295, for oiling Feed Connecting Rod for 134363
134363		Oil Pipe (front of arm) complete, Nos. 134290, 134291, 134292 and 134362
134389	21066	Feed Bar for 134390
134390		Feed Bar complete, for 134391
134391		Feed Rocking Frame 131240 with 59343, 131197 and 134390
134392		Looper Driver Connection 134266 with 134272, for 134308
135115		Bench Stand with 27998, 60220 and four each 126849 and wood screws 1 1/2 in. No. 10 F.H., for use with Machine Base 131671
138306		Feed Eccentric Lubricating Pad (wood) for 54025
139017	21065	Arm Hole Plug Screw Washer
140219C	21032	Rock Shaft Stop Dog Set Screw for 2770
150058	24513	Thread Unwinder Thread Separator for 150061
150060	24513	Thread Unwinder Thread Separator Bracket Arm with 164J and 9525 for 150061
150061		Thread Unwinder Thread Separator complete, Nos. 164J, 9525, 150058 and 150060
150062	24513	Thread Unwinder complete, for four spools, Nos. 150061, 228767, 228768, 228772,
		228774, two 228766, three wood screws 7/8 in. No. 12 F.H. and four each 150203, 228764 and 228769
150203	24513	Thread Unwinder Spool Rest Cushion (felt) for 150062
150451	21032	Treadle Stand for 150452


From the library of: Superior Sewing Machine & Supply LLC


No.	Plate	Name
150452	21032	Treadle complete, Nos. 4879, 4882, 126249, 126250, 150451 and two wood screws 1 in. No. 16 F.H
201254C	24513	Thread Unwinder Spool Rest Set Screw for 228766
225390	24513	Thread Unwinder Thread Cone Holder, for inverted cones, for 150062
228764	24513	Thread Unwinder Spool Pin for 150062
228766	24513	Thread Unwinder Spool Rest (for two spools) with 201254C for 150062
228767	24513	Thread Unwinder Spool Rest Rod for 150062.
228768	24513	Thread Unwinder Spool Stand for 150062
228769	24513	Thread Unwinder Thread Guide for 228769
228772	24513	Thread Unwinder Thread Guide Holder for 150062
228774	24513	Thread Unwinder Thread Guide Rod for 150062


43
























































21069-2/3

