Form 19495 ( 940 ) Printed in U. S. A.

# LIST of PARTS



MACHINES Nos. 176-21 and 176-22

THE SINGER MANUFACTURING COMPANY

From the library of: Superior Sewing Machine & Supply LLC

#### INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machines require oiling each day.

Apply Singer "Stainless Oil for High Speed Sewing Machines" to all oil holes accessible from the outside. Remove the top cover and the front cover and lubricate all oiling points thus uncovered.

Copyright, U. S. A., 1939 and 1940 by The Singer Manufacturing Co. All Rights Reserved for all Countries

# **INDEX**

Accessories	<b>age</b> 16
Feeding Disc Opening and Starting Parts	16
Machine Bases	16
Machine No. 176-21	5
Machine No. 176-22	11
Numerical List of Parts	19
Spool Holders	18
Table Belt Hole Guard (For Table No. 29738)	18

#### INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed

A.A-Buffed and Chromium Plated

A.B-Hardened, Polished, Buffed and Chromium Plated

A.C-Brown Baking Enamel Finish

A.D-Gray Baking Enamel Finish

A.E-Hardened, Bright Rumbled and Nickel Plated

A.F-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

B-Polished, Nickel Plated and Buffed

C-Hardened Only

C.R-Hardened and Merlized

D-Polished Only

E-Soft, Not Polished

F-Hardened and Polished

F.J-Hardened, Polished and Nickel Plated

G-Bright Rumbled and Nickel Plated

H-Blued

J-Nickel Plated Only

K-Hardened and Nickel Plated

L-Brass Plated

M-Oxidized

N-Japanned, Dull

P-Japanned, Bright

P.P-Wrinkle Finish

R-Merlized

S-Cadmium Plated

T-Copper Plated

T.A-Hardened, Polished, Copper and Nickel Plated and Buffed

T.B-Copper and Nickel Plated and Polished

T.J-Copper and Nickel Plated Only

T.K-Hardened, Copper and Nickel Plated

T.L-Copper and Brass Plated

T.M-Copper Plated and Oxidized

U-Zinc Plated

V-Silver Plated

W-Polished and Nickel Plated

X-Black Oxide, for Iron and Steel

X.C-Hardened and Black Oxide, for Iron or Steel

Y-Black Nickel Plated Only

Z-Chromium Plated

Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated

Z.C-Hardened and Chromium Plated

Z.D-Polished and Chromium Plated

2.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

Z.J-Nickel and Chromium Plated

Z.T-Copper and Chromium Plated'

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers

1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO EE USED in ordering.

Parts marked with an asterisk (\*) are furnished only when

are numbers of Electrical Parts.

repairs are made at factory.

From the library of: Superior Sewing Machine & Supply LLC

# LIST OF PARTS COMPLETE FOR



### MACHINE No. 176-21

For Light and Medium Fur Work. Length of stitch 8 to 36 to the inch. Discs have  $\frac{1}{8}$  inch toothed feed surface for regular work and  $\frac{1}{32}$  inch for ermine and mink. Horizontal needle bar, stroke I inch. Speed 2400 R. P. M.

No.	Plate	Name
176237	22651	Balance Wheel, 2 1/8 in. diam., pulley, with 4350
435C	22651	Balance Wheel Set Screw
176238	22651	" " Shaft
176239	22651	" Bushing (left)
176240	22651	" " " " Oil
		Pad (felt)
140225C	22651	Balance Wheel Shaft Bushing (left) Set
		Screw
176241	22651	Balance Wheel Shaft Bushing (right)
176242	22651	" " " " O11
		Pad (felt)
140225C	22651	Balance Wheel Shaft Bushing (right) Set
		Screw

No.	Dlata	Name
No.	Plate	Balance Wheel Shaft Counterbalance
176005	22651	Balance wheel Shall Counterbalance
160E	22651	DOTOM
176006	22651	wasner (leit)
176007	22651	Feed Connection
176243		" 176007 with 176244
140079C	22651	ninge screw
176244	22651	FOCEUCIAC MICH CMO TOGOC
1036C	22651	" Set Screw
176245	22653	rever
176246		" 176245 with 51663J, 176077
	00455	and 176290
176011	22653	Feeding Disc (back) with two 889C (7/64
		in. wide feeding surface) for regu-
380000		lar work
176383		Feeding Disc (back) with two 889C (.025
		in. wide feeding surface) for Ermine
		and Mink and extra fine Ermine and
37 - 4		Mink
NO		176011 is regularly furnished with this
0000	Machin	· ·
8890	22653	Feeding Disc (back) Set Screw
176012	22653	Didto
176249	22653	Shacing corrar.
E03E03	00057	with two 50150C
50 <b>1</b> 5℃	22653	Feeding Disc (back) Shaft Spacing Collar
300034	00057	Set ScrewFeeding Disc (back) Worm Gear with two
176014	22653	
000	00057	889CFeeding Disc (back) Worm Gear Set Screw.
889C	22653 22653	" " Wheel Driver
176016	22653	a a a a a a a a a a a a a a a a a a a
176017	22000	Collar with 4600
4600	22653	Feeding Disc (back) Worm Wheel Driver
460C	ಒದರಿತಿತ	Collar Set Screw
377603.0	00657	Feeding Disc (back) Worm Wheel Driver
176018	22653	Pressure Spring
100010	22653	Feeding Disc (back) Worm Wheel Driver
176019	22000	Pressure Spring Stud
140181C	22653	Feeding Disc (back) Worm Wheel Driver
1401010	22000	Screw Stud
176021	22653	Feeding Disc (back) Worm Wheel Driver
170021	محومم	Wearing Screw Stud
1650C	22653	Feeding Disc (back) Worm Wheel Driver
10000	محموم	Wearing Screw Stud Nut
176099	22653	Feeding Disc (back) Worm Wheel Shaft
110099	22000	with Worm Wheel and Pin
176226	22653	Feeding Disc (back) Worm Wheel Shaft
1,0000	22000	176099 with 1650C, 176016, 176017 to
		176019 and 176021
577C	22653	Feeding Disc (back) Worm Wheel Shaft
		family many among among

Screw Center.....

No.	Plate	Name
176024		Feeding Disc (back) Worm Wheel Shaft
		Screw Center 577C with 51661K
51661K	22653	Feeding Disc (back) Worm Wheel Shaft
		Screw Center Nut
176025	22653	Feeding Disc (back) Worm Wheel Stop Dog.
176026	22653	
170000	20000	Hinge Stud
440C	22653	Feeding Disc (back) Worm Wheel Stop Dog
*****	DDCCC	Hinge Stud Set Screw
176027	22653	Feeding Disc (back) Worm Wheel Stop Dog
176027	2000ء	Spring
3,00000	00057	Feeding Disc (front) (7/64 in. wide
176028	22653	feeding surface) for regular work
3 70704		Feeding Disc (front) (.025 in. wide
176384		feeding surface) for Ermine and Mink
		and extra fine Ermine and Mink
176221	22653	Feeding Disc (front) 176028 with 50128F,
		176037,176287 and twelve 176038, for
		regular work
176385		Feeding Disc (front) 176384 with 50128F,
		175037,176288 and twelve 176038, for
		Ermine and Mink and extra fine
		Ermine and Mink
Not	te: No.	176221 is regularly furnished with this
	Machine	
176030	22655	Feeding Disc (front) Arm with 1396C
		(lower and upper) Shaft and Pins
176031	22653	Feeding Disc (front) Arm Bell Crank
176257	22653	" " " " Shaft
1149C	22653	
		Set Screw
176033	22653	Feeding Disc (front) Arm Pressure Spring
140087E	22653	
		Screw
1714E	22653	Feeding Disc (front) Arm Pressure Spring
		Screw Nut
176037	22653	Feeding Disc (front) Bearing Screw Stud.
1396C	22655	
		Clamping Screw
176038	22653	Feeding Disc (front) Roller
*176258		Head of Machine with 15404, 176261 and
-1,0000		two each 15405 and 176009
176259	22655	Head of Machine Front Cover
176260	22655	" " Lock Stud
176261	22651	" " Oil Wick for oiling
170201	22001	Looper Driving Shaft Frame Front
		=
10000	00055	Bearing Head of Machine Top Cover with 58549 and
176338	22655	
F05.0	00055	two 176045
58549	22655	Head of Machine Top Cover 011 Tube with
		52045 (for oiling Needle Bar Eccen-
<ul> <li>101 - 100 - 100 - 100</li> </ul>	- f. O	and a steeless the and the address of the control of the

No.	Plate	Name
52045	22655	Head of Machine Top Cover Oil Tube Pack-
176009	22655	ing (cotton)
176045	22655	" " " Thread Eyelet.
176388	22653	Looper
176368	22651	" Clamping Nut
176262	22651	" Driving Eccentric
176263	22651	" " Position Pin
898E	22651	" " " Screw
176264	22651	" " Sleeve
176336		" " " 176264
170000		with 176262
176265	22651	Looper Driving Eccentric Sleeve Position
		Plate
1329E	22651	Looper Driving Eccentric Sleeve Position
176360	00651	Plate Screw
176266	22651	Looper Driving Shaft
1/0200	22651	LIGHE ATOU 1/0202
300000		and two each 1329E and 176306
176362		Looper Driving Shaft Frame 176266 with
30000		176336, 176360, 176361 and 176368
176363		Looper Driving Shaft Frame 176362 with
176269	22652	176271
110203	22002	Looper Driving Shaft Frame Crank with 42639
176270		Looper Driving Shaft Frame Crank 176269
		with 602J and 176274
176271		Looper Driving Shaft Frame Crank 176270
3.000.000		with 38635, 51669J and 176273
176273	22651	Looper Driving Shaft Frame Crank Hinge
		Bracket Holder complete, Nos. 127848
140227J	22651	and 140227J
14000.70	22001	Looper Driving Shaft Frame Crank Hinge Bracket Holder Screw
127848	22651	Looper Driving Shaft Frame Crank Hinge
		Bracket Oil Cup
140227J	22651	Looper Driving Shaft Frame Crank Hinge
		Bracket Screw
51669J	22651	Looper Driving Shaft Frame Crank Nut
<b>3863</b> 5	22651	" " " " Wash-
		er
176274	22651	Looper Driving Shaft Frame Crank Wearing
		Sleeve (.3125 in. diam.)
176275	22651	Looper Driving Shaft Frame Crank Wearing
		Sleeve (.313 in. diam.)
176276	22651	Looper Driving Shaft Frame Crank Wearing
		Sleeve (.3135 in. diam.)
176277	22651	Looper Driving Shaft Frame Crank Wearing
		Sleeve (.314 in. diam.)
176278	22651	Looper Driving Shaft Frame Crank Wearing
		Sleeve (.3145 in. diam.)

No.	Plate	Name
176279	22651	Looper Driving Shaft Frame Crank Wearing
		Sleeve (.315 in. diam.)
Not	e: Nos.	176275 to 176279 are to be furnished for
	repairs	only.
602J	22651	Looper Driving Shaft Frame Crank Wearing
00.20		Sleeve Cap Screw
42639	22651	Looper Driving Shaft Frame Crank Wearing
12000		Sleeve Position Pin
176057	22651	Looper Driving Shaft Frame Hinge Screw
1,000,	22001	Stud
51669J	22651	Looper Driving Shaft Frame Hinge Screw
210030	LOUL	Stud Nut
100700		Looper Driving Shaft Frame Oil Wick for
176306		oiling Looper Driving Eccentric
777000	00057	
176280	22651	Looper Oscillating Cam with 176263 and
		two 140183C
176282		Looper Oscillating Cam 176280 with
	00053	176005 and two 160E
140183C	22651	Looper Oscillating Cam Set Screw
176361	22651	" Crank with 175E and
		two 50379C
176062	22651	Looper Oscillating Crank Ball
176234		" " 176062 with
		176340
176340	22651	Looper Oscillating Crank Ball Stud
175E	22651	CIRIID-
		ing Screw
50379C	22651	Looper Oscillating Crank Set Screw
176065	22651	Needle Bar with 176075
176066		Needle Bar complete, Nos. 140082F,
		140083F, 140084F, 176065, 176070,
		176071, 176073 and 176074
176067	22651	Needle Bar Bushing with 176101
51662C	22651	" " Lock Nut
176101	22651	" " Steady Pin
176284	22651	" Connection with two 185E
185E	22651	" " Clamping Screw
176285	22651	" " Guide Rod
624C	22651	" " " Set
		Screw
176286	22651	Needle Bar Eccentric with two 1036C
1036C	22651	" " Set Screw
176070	22651	Thread Guide
140082F	22651	" " " Screw
140083F	22651	" " Nipper Screw
176071	22651	" " Bushing
176072	22651	" " " Slide Rod
50421C	22651	" " " " Set
		Screw
176073	22651	Needle Bar Thread Nipper Spring
7,00,0	~~~~	

No.	Plate	Name
176074	22651	Needle Clamp
140084F	22651	" Screw
176075	22651	" Steady Pin
176287	22653	" Guide with 51229E, for regular
		work
176288		Needle Guide with 51229E, for Ermine and
		Mink
51229E	22653	Needle Guide Oil Hole Plug Screw
50128F	22653	" Screw
176077	22653	Stitch Indicator
176289	22653	* Regulating Screw Stud
176290		" " 176289 with
		51669J, 176291 and 176292
51669J	22653	Stitch Regulating Screw Stud Nut
176291	22653	" " Slide Block
51663J	22653	
176292	22653	Thumb Nut
2102	22655	Washer
1560C	22655	Tension Disc
633C	22655	Regulating Thumb Nut
58592		Screw Stud
		633C With 156CC
176084	22655	Shring
176085		Tension complete, Nos. 58592, 176084 and
		two 2102
176086	22653	Work Guide
44CC	22653	g Set Screw
<b>*15404</b>		Trade Mark
15405		" " Rivet

# LIST OF PARTS COMPLETE FOR

#### **MACHINE No. 176-22**

For Medium Heavy Fur Work. Also used for closing and sleeve operations. Length of stitch 8 to 36 to the inch. Discs have ½ inch toothed feed surface. Horizontal needle bar, stroke 1 ½ inches. Speed 2000 R. P. M.

No.	Plate	Name
176237	22652	Balance Wheel, 2 1/8 in. diam., pulley,
		with 435C
435C	22652	Balance Wheel Set Screw
176238	22652	" " Shaft
176239	22652	" " Bushing (left) " " " " 011 Pad
176240	22652	" " " " 011 Pad
		(felt)
140225C	22652	Balance Wheel Shaft Bushing (left) Set
		Screw
176241	22652	Balance Wheel Shaft Bushing (right)
176242	22652	" " " " O11
		Pad (felt)
140225C	22652	Balance Wheel Shaft Bushing (right) Set
		Screw
176005	22652	Balance Wheel Shaft Counterbalance
160E	22652	" " Screw
176006	22652	" Washer (felt)
176007	22652	Feed Connection
176243		" 176007 with 176244
140079C	22652	# Hinge Screw
176244	22652	" Eccentric with two 1036C
1036C	22652	Set Screw
176245	22654	Lever
176246		" 176245 with 51663J, 176077
		and 176290
176011	22654	Feeding Disc (back) with two 8890 (7/64
		in. wide feeding surface)
889C	22654	Feeding Disc (back) Set Screw
176012	22654	" " Shaft Collar
176249	22654	Specing contact
		with two 501500
5015CC	22654	Feeding Disc (back) Shaft Spacing Collar
		Set Screw
176014	22654	Feeding Disc (back) Worm Gear with two
		889C

No.	Plate	Name
889C	22654	Feeding Disc (back) Worm Gear Set Screw.
176016		
	22654	Wheel Driver
176017	22654	•
		Collar with 4600
46CC	22654	Feeding Disc (back) Worm Wheel Driver
		Collar Set Screw
176018	22654	Feeding Disc (back) Worm Wheel Driver
		Pressure Spring
176019	22654	Feeding Disc (back) Worm Wheel Driver
		Pressure Spring Stud
140181C	22654	Feeding Disc (back) Worm Wheel Driver
		Screw Stud
176021	22654	Feeding Disc (back) Worm Wheel Driver
		Wearing Screw Stud
165℃	22654	Feeding Disc (back) Worm Wheel Driver
		Wearing Screw Stud Nut
176099	22654	Feeding Disc (back) Worm Wheel Shaft
		with Worm Wheel and Pin
176226	22654	Feeding Disc (back) Worm Wheel Shaft
		with 16500, 176016, 176017 to 176019
		and 176021
577C	22654	Feeding Disc (back) Worm Wheel Shaft
		Screw Center
176024		Feeding Disc (back) Worm Wheel Shaft
		Screw Center 577C with 51661K
51661K	22654	Feeding Disc (back) Worm Wheel Shaft
		Screw Center Nut
176025	22654	Feeding Disc (back) Worm Wheel Stop Dog.
176026	22654	
		Hinge Stud
440C	22654	Feeding Disc (back) Worm Wheel Stop Dog
		Hinge Stud Set Screw
176027	22654	Feeding Disc (back) Worm Wheel Stop Dog
1.002,	55001	Spring
176028	22654	Feeding Disc (front) 7/64 in. wide feed-
2.0020	DDOOT	ing surface
176223	22654	Feeding Disc (front) 176028 with 50128F,
170000	DECOUT	176037, 176304 and twelve 176038
176030	22655	Feeding Disc (front) Arm with 1396C
170000	٥٥٥٥٥	(lower and upper) Shaft and Pins
176031	22654	
176257	22654	Feeding Disc (front) Arm Bell Crank
1149C	22654	n n n n n n Shaft
11490	PE004	
176033	22654	Set Screw
140087E	22654 22654	Feeding Disc (front) Arm Pressure Spring
T4000 \F	£0004	
7 07 40	00654	Screw
1714E	22654	Feeding Disc (front) Arm Pressure Spring
100000	00071	Screw Nut
176037	22654	Feeding Disc (front) Bearing Screw Stud.

No.	Plate	Name
13960	22655	Feeding Disc (front) Bearing Screw Stud
		Clamping Screw
176038	22654	Feeding Disc (front) Roller
*176294		Head of Machine with 15404, 176261 and
		two each 15405 and 176009
176259	22655	Head of Machine Front Cover
176260	22655	LOCK Stud
176261	22652	
100000	OOGEE	er Driving Shaft Frame Front Bearing
176338 58549	22655 22655	Head of Machine Top Cover
20249	ಎಎಂಎಎ	OII 1450 WION
		52045 (for oiling Needle Bar Eccentric)
52045	22655	Head of Machine Top Cover Oil Tube Pack-
02040	محمم	ing (cotton)
176009	22655	Head of Machine Top Cover Steady Pin
176045	22655	Thread Eyelet.
176209	22654	Looper
176368	22652	Clamping Nut
176262	22652	" Driving Eccentric
176263	22652	" Position Pin
898E	22652	" " Screw
176264	22652	" " Sleeve
176336		" " 17626 <u>4</u>
		with 176262
176265	22652	Looper Driving Eccentric Sleeve Position
		Plate
1329E	22652	Looper Driving Eccentric Sleeve Position
		Plate Screw
176360	22652	Looper Driving Shaft
176295	22652	" Frame with 176265
		and two each 1329E and 176306
176364		Looper Driving Shaft Frame 176295 with
		176336, 176360, 176361 and 176368
176365		Looper Driving Shaft Frame 176364 with
3,50000	00050	176271 and 176298  Looper Driving Shaft Frame Crank (back)
176269	22652	with 42639
176270		Looper Driving Shaft Frame Crank (back)
170270		176269 with 602J and 176274
176298		Looper Driving Shaft Frame Crank (back)
170230		176270 with 38635, 51669J and 176299
176299	22652	Looper Driving Shaft Frame Crank (back)
1,000		Hinge Bracket Holder complete, Nos.
		127848 and 140227J
140227J	22652	Looper Driving Shaft Frame Crank (back)
		Hinge Bracket Holder Screw
127848	22652	Looper Driving Shaft Frame Crank (back)
		Hinge Bracket Oil Cup
140227J	22652	Looper Driving Shaft Frame Crank (back)
		Hinge Bracket Screw

No.	Plate	Name
176269	22652	Looper Driving Shaft Frame Crank (front)
		with 42639
176270		Looper Driving Shaft Frame Crank (front)
		176269 with 602J and 176274
176271		Looper Driving Shaft Frame Crank (front)
		176270 with 38635, 51669J and 176273
176273	22652	Looper Driving Shaft Frame Crank (front)
		Hinge Bracket Holder complete, Nos.
		127848 and 140227J
140227J	22652	Looper Driving Shaft Frame Crank (front)
		Hinge Bracket Holder Screw
127848	22652	Looper Driving Shaft Frame Crank (front)
		Hinge Bracket Oil Cup
140227J	22652	Looper Driving Shaft Frame Crank (front)
		Hinge Bracket Screw
51669J	22652	Looper Driving Shaft Frame Crank Nut
38635	22652	
		Washer
176274	22652	Looper Driving Shaft Frame Crank Wearing
		Sleeve (.3125 in. diam.)
176275	22652	Looper Driving Shaft Frame Crank Wearing
4.5		Sleeve (.313 in. diam.)
176276	22652	Looper Driving Shaft Frame Crank Wearing
2,02,0		Sleeve (.3135 in. diam.)
176277	22652	Looper Driving Shaft Frame Crank Wearing
2.02		Sleeve (.314 in. diam.)
176278	22652	Looper Driving Shaft Frame Crank Wearing
2.02.0		Sleeve (.3145 in. diam.)
176279	22652	Looper Driving Shaft Frame Crank Wearing
2.00.0		Sleeve (.315 in. diam.)
No	te: Nos.	176275 to 176279 are to be furnished for
		s only.
602J	22652	Looper Driving Shaft Frame Crank Wearing
00.00	22002	Sleeve Cap Screw
42639	22652	Looper Driving Shaft Frame Crank Wearing
12000	22002	Sleeve Position Pin
176306		Looper Driving Shaft Frame Oil Wick for
170000		oiling Looper Driving Eccentric
176300	22652	Looper Oscillating Cam with 176263 and
170000	22000	two 140163C
176302		Looper Oscillating Cam 176300 with
170002		176005 and two 160E
140183C	22652	Looper Oscillating Cam Set Screw
176361	22652	" Crank with 175E and
1,0001	ಒಬರಬ	two 50379C
176062	22652	Looper Oscillating Crank Ball
176062	22002	" " 176062 with
110894		176340
176340	22652	Looper Oscillating Crank Ball Stud
176340 175E	22652	" " " Clamp-
T/0E	んんりひん	Ciamp-

No.	Plate	Name
50379C	22652	Looper Oscillating Crank Set Screw
176216	22652	Needle Bar with 176075
176217		Needle Bar complete, Nos. 140082F,
		140083F, 140084F, 176070, 176071,
		176073, 176074 and 176216
176067	22652	Needle Bar Bushing with 176101
51662C	22652	Lock Nut
176101	22652	" " Steady Pin
176284	22652	" Connection with two 185E
185E	22652	" " Clamping Screw
176285	22652	" " Guide Rod
624C	22652	" " " Set
		Screw
176303	22652	Needle Bar Eccentric with two 1036C
10360	22652	" Set Screw
176070	22652	" Thread Guide
140082F	22652	" " " Screw
140083F	22652	" " Nipper Screw
176071	22652	" " " Bushing
176213	22652	" " " Slide Rod
50421C	22652	" " " " Set
		Screw
176073	22652	Needle Bar Thread Nipper Spring
176074	22652	* Clamp
140084F	22652	" " Screw
176075	22652	" Steady Pin
176304	22654	" Guide with 51229E
51229E	22654	" Oil Hole Plug Screw
50128F	22654	"
176077	22654	Stitch Indicator
176289	22654	" Regulating Screw Stud
176290		" " 176289 with
		51669J, 176291 and 176292
51669J	22654	Stitch Regulating Screw Stud Nut
176291	22654	" " " Slide Block
5 <b>1663</b> J	22654	Thumb Nut.
176292	22654	" " Washer
2102	22655	Tension Disc
156CC	22655	Regulating Thumb Nut
633C	22655	Screw Stud
58592		" " 633C with 1560C
176084	22655	Spring
176085		Tension complete, Nos. 58592, 176084 and
		two 2102
176086	22654	Work Guide
44C	22654	" Set Screw
*15404		Trade Mark
15405		" Rivet

## **ACCESSORIES**

1
• • • •
• • • •
• • • •

#### MACHINE BASES

No.	Plate		Name
176358	22656	Machine	Base with four wood screws 1 in.
		No.	10 F.H. (no provision for 011
		Draf	in Cock)
176090	22656	Machine	Base with four wood screws 1 in.
		No.	10 F.H. (with provision for 011
		Dra	in Cock)
	Note: No.	176358 is	regularly furnished with these
	Machi	nes unless	otherwise specified on order.
49123	3 22656	Machine	Base Oil Pipe
49124	22656	tt	" " " Drain Cock
149	E 22656	u	Screw
4718	3 22656	a	" Washer (felt)

#### FEEDING DISC OPENING AND STARTING PARTS

No.	Plate			Nar	ne	
175216	22657	Feeding	Disc	Opening	Treadle.	• • • • • • • • • • • • • • • • • • • •
175217	22657	er	H	£1	u	Hinge Pin
175218	22657	tı	u	a	u	Stand
175219	22657	_				complete,

No.	Plate	Name
46848	22657	Feeding Disc Opening Treadle Pitman Rod
		(lower)
46848	22657	Feeding Disc Opening Treadle Pitman Rod
		(upper)
46849	22657	Feeding Disc Opening Treadle Pitman Rod
		(upper) Connecting Lever
46850	22657	Feeding Disc Opening Treadle Pitman Rod
		(upper) Connecting Lever Bracket
24665	22657	Feeding Disc Opening Treadle Pitman Rod
		(upper) Connecting Lever Hinge Pin
46851	22657	Feeding Disc Opening Treadle Pitman Rod
		(upper) Connecting Lever complete,
		Nos. 24665,46849,46850 and two wood
		screws 3/4 in. No. 10 R.H.M.F
176318	22657	Feeding Disc Opening Treadle Pitman Rod
		(upper) Connecting Lever Chain
		(seven links) with two 39576
39576	22657	Feeding Disc Opening Treadle Pitman Rod
		(upper) Connecting Lever Chain Hook
		for 176318
80223	22657	Feeding Disc Opening Treadle Pitman Rod
		Clamp with 361C
361C	22657	Feeding Disc Opening Treadle Pitman Rod
		Clamp Set Screw
123183	22657	Feeding Disc Opening Treadle Pitman Rod
		Cotter Pin
176091	22657	Feeding Disc Opening Treadle Pitman Rod
		complete, Nos. 80223 and two each
305030	00058	46848 and 123183
175216	22657	Starting Treadle
175217 175218	22657 22657	Hinge Pin
175216	22657 22657	" Stand
173219	22001	Starting Lever Treadle complete, Nos. 175216 to 175218 and two wood screws
		1 in. No. 14 F.H
46848	22657	Starting Treadle Pitman Rod (lower)
46848	22657	" " (upper)
80223	22657	" " " Clamp with
		361C
361C	22657	Starting Treadle Pitman Rod Clamp Set
		Screw
123183	22657	Starting Treadle Pitman Rod Cotter Pin
176091	22657	Starting Treadle Pitman Rod complete,
		Nos. 80223 and two each 46848 and
		123183

## SPOOL HOLDERS

#### SPOOL HOLDER

(FOR 12000 YARD SPOOLS)

No.	Plate				Name	e
176305	22657	Spool	Holder	with	two	919R
919R	22657	Ħ	H	Screv	١	

#### SPOOL HOLDER

(FOR SPOOLS CONTAINING 300 YARDS OR LESS OF THREAD)

No.	Plate			1	Name			
176386	22658	Spool	Holder	Bracke	et			
919R	22658		u	Ħ	8	crew.		
34460	22658	u	#	Spool	Pin			
34402						Disc		
34403	22658	#	• .			Ħ	34402	with
		55	7A					
557A	22658	Spool	Holder	Spool	Pin	Disc	Thumb	Screw.
1550J	22658			H	#	Nut.	• • • • • •	
176387	22658	-	Holder 1460.17	-	•			-

#### TABLE BELT HOLE GUARD

FOR TABLE No. 29738

No.	Plate	Name
152051	22657	Table Belt Hole Guard with two wood
		screws 7/8 in. No. 10 F.H

LIST
OF PARTS

### NUMERICAL LIST OF PARTS

?

人名英勒勒 化超过滤器 化复数的

No.	Plate	Name
145E	22656	Machine Screw
160E	22651	Balance Wheel Shaft Counterbalance Screw for 176282 and 176302
175E	22651	Looper Oscillating Crank Ball Stud Clamping Screw for 176361
185E	22651	Needle Bar Connection Clamping Screw for 176284
361C	22657	Feeding Disc Opening Treadle Pitman Rod Clamp Set Screw for 80223
361C	22657	Starting Treadle Pitman Rod Clamp Set Screw for 80223
435C	22651	Balance Wheel Set Screw for 176237
4400	22653	Feeding Disc (back) Worm Wheel Stop Dog Hinge Stud Set Screw
44CC	22653	Work Guide Set Screw
46CC	22653	Feeding Disc (back) Worm Wheel Driver Collar Set Screw for 176017
557A	22658	Spool Holder Spool Pin Disc Thumb Screw for 34403
577C	22653	Feeding Disc (back) Worm Wheel Shaft Screw Center for 176024
602J	22651	Looper Driving Shaft Frame Crank Wearing Sleeve Cap Screw for 176270
624C	22651	Needle Bar Connection Guide Rod Set
633C	22655	Tension Screw Stud for 58592
889C	22653	Feeding Disc (back) Set Screw for 176383
889C	22653	" " " Worm Gear Set Screw for 176014
898 <b>E</b>	22651	Looper Driving Eccentric Screw
919R	22657	Spool Holder Screw for 176305
919R	22658	Bracket Screw for 176387
1036C	22651	Feed Eccentric Set Screw for 176244
1036C	22651	Needle Bar Eccentric Set Screw for 176286 and 176303
1149C	22653	Feeding Disc (front) Arm Bell Crank Shaft Set Screw
1329E	22651	Looper Driving Eccentric Sleeve Position Plate Screw for 176266 and 176295
1396C	22655	Feeding Disc (front) Bearing Screw Stud Clamping Screw for 176030
155 <b>0</b> J	22658	Spool Holder Spool Pin Nut for 176387
156CC	22655	Tension Regulating Thumb Nut for 58592
165CC	22653	Feeding Disc (back) Worm Wheel Driver
		Wearing Screw Stud Nut for 176226
1714E	22653	Feeding Disc (front) Arm Pressure Spring Screw Nut

2102   22655   Tension Disc for 176085	No.	Plate	Name
#15404 Trade Mark for 176258 and 176294 1746 Mark for 176258 and 176294 1746 Mark for 176258 and 176294 174655 22657 Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Hinge Pin for 46851 Spool Holder Spool Pin Disc for 34403 Spool Holder Spool Pin Disc for 34403 Spool Holder Spool Pin Disc for 34403 Spool Holder Spool Pin for 176387 Spool Holder Spool Pin for 176389 Spool Holder Spool Pin for 176389 Spool Holder Spool Pin for 176389 Spool Holder Spool Pin for 176269 Spool Holder Spool Pin for 176269 Spool Holder Spool Pin for 176269 Spool Feeding Disc Opening Treadle Pitman Rod (upper) for 176091 Starting Treadle Pitman Rod (upper) Connecting Lever for 46851 Spool Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever for 46851 Spool Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever for 46851 Spool Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever for 46851 Spool Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever for 46851	-		
#15404 Trade Mark for 176258 and 176294  24665 22657 Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Hinge Pin for 46851  26026 22657 Screw Driver (Accessories)  34402 Spool Holder Spool Pin Disc for 34403  34403 22658 " " " 34402 with 557A, for 176387  34460 22658 Spool Holder Spool Pin For 176387  3460 22651 Looper Driving Shaft Frame Crank Nut Washer for 176271 and 176298  39576 22657 Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Chain Hook for 176318  42639 22651 Looper Driving Shaft Frame Crank Wearing Sleeve Position Pin for 176269  46648 22657 Feeding Disc Opening Treadle Pitman Rod (upper) for 176091  46848 22657 Feeding Disc Opening Treadle Pitman Rod (upper) Freeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever for 46851  46849 22657 Starting Treadle Pitman Rod (upper) Connecting Lever for 46851  46850 22657 Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever For 46851  46851 22657 Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever complete, Nos. 24665,46849,46650 and two wood screws 3/4 in. No. 10 R.H.M.F  489124 22656 Machine Base 011 Pipe  49123 22656 Nachine Base 011 Pipe  50150C 22653 Feeding Disc (back) Shaft Spacing Collar Set Screw for 176221,176223 and 176365  50150C 22651 Looper Oscillating Crank Set Screw for 176361  50421C 22651 Needle Guide Oil Hole Plug Screw for 176287, 176288 and 176304  51661K 22653 Feeding Disc (back) Worm Wheel Shaft Screw Center Nut for 176024	4718		Machine Screw Washer (felt)
Rivet for 176258 and 176294.	*15404		
24665   22657   Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Hinge Pin for 46851	15405		
(upper) Connecting Lever Hinge Pin for 46851.  26026 22657 Screw Driver (Accessories)	24665	22657	
Screw Driver (Accessories)   34402   34403   22658   Screw Driver (Accessories)   34402   34403   22658   " " " 34402   with   557A, for 176387   34402   with   557A, for 176387   34603   22651   Looper Driving Shaft Frame Crank Nut   Washer for 176271 and 176298   39576   22657   Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Chain Hook   for 176318   61648   22657   Feeding Disc Opening Treadle Pitman Rod (lower) for 176091   61648   22657   Feeding Disc Opening Treadle Pitman Rod (upper) for 176091   61648   22657   Feeding Disc Opening Treadle Pitman Rod (upper) for 176091   61648   22657   Starting Treadle Pitman Rod (upper) for 176091   61648   22657   Starting Treadle Pitman Rod (upper) Connecting Lever for 46851.   61650   22657   Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Bracket for 46851   22657   Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Bracket for 46851   22657   Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Bracket for 46851   22657   Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Complete, Nos. 24665,46849,46850 and two wood screws 3/4 in. No. 10 R.H.M.F.   Machine Base 011 Pipe.   main Cock.   Machine Base 011 Pipe.   main Cock.   60379C   22651   Looper Oscillating Crank Set Screw for 176249.   60379C   22651   Looper Oscillating Crank Set Screw for 176361.   60421C   22653   Needle Guide Oil Hole Plug Screw for 176287   176288 and 176304.   60416   60			
Screw Driver (Accessories)			
Spool Holder Spool Pin Disc for 34403   Spool Holder Spool Pin Disc for 34403   Spool Holder Spool Pin Disc for 34403   Spool Holder Spool Pin For 176387	26026	22657	Screw Driver (Accessories)
S57A, for 176387	34402		Spool Holder Spool Pin Disc for 34403
Special Section   Special Form   S	34403	22658	34402 With
Second   S			
Washer for 176271 and 176298			Spool Holder Spool Pin for 176387
Seeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Chain Hook for 176318.   Looper Driving Shaft Frame Crank Wearing Sleeve Position Pin for 176269.   Looper Driving Shaft Frame Crank Wearing Sleeve Position Pin for 176269.   Looper Driving Shaft Frame Crank Wearing Sleeve Position Pin for 176269.   Looper for 176091.   Lower) for 176091.   Lower) for 176091.   Lower) for 176091.   Looper for 176091.   Looper Starting Treadle Pitman Rod (lower) for 176091.   Looper) Connecting Lever for 46651.   Looper Connecting Lever for 46651.   Looper Connecting Lever Bracket for 46851   Looper Connecting Lever complete, Nos. 24665,46849,46850 and two wood screws 3/4 in. No. 10 R.H.M.F.   Machine Base 0il Pipe   Drain Cock   Looper Oscillating Crank Set Screw for 176361.   Looper Oscillating Crank Set Screw for 176361   Looper Oscillating Crank Set Screw for 176362   Looper Oscillating Crank Set Screw for 176249   Looper Oscillating Crank Set Screw for 176267, 176288 and 176304   Looper Ceding Disc (back) Worm Wheel Shaft Screw Center Nut for 176024   Looper Cetter	38635	22651	
Seeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever for 46851.	39576	22657	
Seeve Position Pin for 176269			
Sleeve Position Pin for 176269   46848   22657   Feeding Disc Opening Treadle Pitman Rod (lower) for 176091	42639	22651	
## 46848   22657   Feeding Disc Opening Treadle Pitman Rod (lower) for 176091			
(10wer) for 176091	46848	22657	
## ## ## ## ## ## ## ## ## ## ## ## ##			
46848       22657       Starting Treadle Pitman Rod (lower) for 176091	46848	22657	
176091			(upper) for 176091
46848 22657 Starting Treadle Pitman Rod (upper) for 176091	<b>4684</b> 8	22657	
176091  46849 22657 Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever for 46851  46850 22657 Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Bracket for 46851  46851 22657 Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever complete, Nos. 24665,46849,46850 and two wood screws 3/4 in. No. 10 R.H.M.F  49123 22656 Machine Base Oil Pipe.  49124 22656 " " " " Drain Cock  50128F 22653 Needle Guide Screw for 176221,176223 and 176385  50150C 22653 Feeding Disc (back) Shaft Spacing Collar Set Screw for 176249  50379C 22651 Looper Oscillating Crank Set Screw for 176361  50421C 22651 Needle Bar Thread Nipper Slide Rod Set Screw  51229E 22653 Needle Guide Oil Hole Plug Screw for 176287, 176288 and 176304  51661K 22653 Feeding Disc (back) Worm Wheel Shaft Screw Center Nut for 176024			176091
## 1849   22657   Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever for 46851  ### 1850   22657   Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Bracket for 46851	46848	22657	
### Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Bracket for 46851	46849	22657	Feeding Disc Opening Treadle Pitman Rod
(upper) Connecting Lever Bracket for 46851			(upper) Connecting Lever for 46851
46851	46850	22657	Feeding Disc Opening Treadle Pitman Rod
## Teeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever complete,			
(upper) Connecting Lever complete, Nos. 24665,46849,46850 and two wood screws 3/4 in. No. 10 R.H.M.F  49123 22656 Machine Base 011 Pipe	40053		
Nos. 24665,46849,46850 and two wood screws 3/4 in. No. 10 R.H.M.F	46851	22657	
Screws 3/4 in. No. 10 R.H.M.F.			
49123 22656 Machine Base Oil Pipe.  49124 22656 " " " " Drain Cock  50128F 22653 Needle Guide Screw for 176221,176223 and 176385  50150C 22653 Feeding Disc (back) Shaft Spacing Collar Set Screw for 176249  50379C 22651 Looper Oscillating Crank Set Screw for 176361  50421C 22651 Needle Bar Thread Nipper Slide Rod Set Screw  51229E 22653 Needle Guide Oil Hole Plug Screw for 176287, 176288 and 176304  51661K 22653 Feeding Disc (back) Worm Wheel Shaft Screw Center Nut for 176024			
49124 22656 " " " " " Drain Cock  50128F 22653 Needle Guide Screw for 176221,176223 and 176385  50150C 22653 Feeding Disc (back) Shaft Spacing Collar Set Screw for 176249  50379C 22651 Looper Oscillating Crank Set Screw for 176361  50421C 22651 Needle Bar Thread Nipper Slide Rod Set Screw  51229E 22653 Needle Guide Oil Hole Plug Screw for 176287, 176288 and 176304  51661K 22653 Feeding Disc (back) Worm Wheel Shaft Screw Center Nut for 176024	49123	22656	
Sol28F   22653   Needle Guide Screw for 176221,176223 and 176385			
176385  50150C 22653 Feeding Disc (back) Shaft Spacing Collar Set Screw for 176249  50379C 22651 Looper Oscillating Crank Set Screw for 176361  50421C 22651 Needle Bar Thread Nipper Slide Rod Set Screw  51229E 22653 Needle Guide Oil Hole Plug Screw for 176287, 176288 and 176304  51661K 22653 Feeding Disc (back) Worm Wheel Shaft Screw Center Nut for 176024	50128F	22653	
50150C 22653 Feeding Disc (back) Shaft Spacing Collar Set Screw for 176249			176385
Set Screw for 176249	5015CC	22653	Feeding Disc (back) Shaft Spacing Collar
176361			
Sizew	50379C	22651	
Sizew			176361
51229E 22653 Needle Guide Oil Hole Plug Screw for 176287, 176288 and 176304	50421C	22651	Needle Bar Thread Nipper Slide Rod Set
176287, 176288 and 176304 51661K 22653 Feeding Disc (back) Worm Wheel Shaft Screw Center Nut for 176024	51229E	22653	Needle Guide Oil Hole Plus Screw for
51661K 22653 Feeding Disc (back) Worm Wheel Shaft Screw Center Nut for 176024			
Screw Center Nut for 176024	51661K	22653	
			Screw Center Nut for 176024
	51662C	22651	Needle Bar Bushing Lock Nut

From the library of: Superior Sewing Machine & Supply LLC

Ma	Diete	Name
No. 51663J	Plate 22653	Stitch Regulating Screw Stud Thumb Nut
010000	22000	for 176246
51669J	22651	Looper Driving Shaft Frame Crank Nut for 176271 and 176298
51669J	22651	Looper Driving Shaft Frame Hinge Screw Stud Nut
5 <b>1669J</b>	22653	Stitch Regulating Screw Stud Nut for 176290
52045	22655	Head of Machine Top Cover 011 Tube Pack- ing (cotton) for 58549
58549	22655	Head of Machine Top Cover Oil Tube with 52045 (for oiling Needle Bar Eccentric) for 176338
58592		Tension Screw Stud 633C with 156CC, for 176085
80223	22657	Feeding Disc Opening Treadle Pitman Rod Clamp with 361C, for 176091
80223	22657	Starting Treadle Pitman Rod Clamp with 361C, for 176091
120342	22657	Oiler (copper plated) with 120343 (Accessories)
120343	22657	Oiler Spout, 3 1/2 in. long, for 120342 (Accessories)
123183	22657	Feeding Disc Opening Treadle Pitman Rod Cotter Pin for 176091
123183	22657	Starting Treadle Pitman Rod Cotter Pin for 176091
127848	22651	Looper Driving Shaft Frame Crank Hinge Bracket 0il Cup for 176273
127848	22652	Looper Driving Shaft Frame Crank (back) Hinge Bracket Oil Cup for 176299
127848	22652	Looper Driving Shaft Frame Crank (front) Hinge Bracket 011 Cup for 176273
140079C	22651	Feed Connection Hinge Screw
140082F	22651	Needle Bar Thread Guide Screw for 176066 and 176217
140083F	22651	Needle Bar Thread Nipper Screw for 176066 and 176217
140084F	22651	Needle Clamp Screw for 176066 and 176217
140087E	22653	Feeding Disc (front) Arm Pressure Spring Screw
1401810	22653	Feeding Disc (back) Worm Wheel Driver Screw Stud
140183C	22651	Looper Oscillating Cam Set Screw for 176280 and 176300
1402250	22651	Balance Wheel Shaft Bushing (left) Set Screw
140225C	22651	Balance Wheel Shaft Bushing (right) Set Screw
140227J	22651	Looper Driving Shaft Frame Crank Hinge Bracket Holder Screw

No.	Plate	Name
140227J	22651	Looper Driving Shaft Frame Crank Hinge
		Bracket Screw for 176273
140227J	22652	Looper Driving Shaft Frame Crank (back)
		Hinge Bracket Holder Screw for
	00050	176299
140227J	22652	Looper Driving Shaft Frame Crank (back)
		Hinge Bracket Screw for 176-22 Ma-
7.4000077	00050	chine
140227J	22652	Looper Driving Shaft Frame Crank (front)
1400007	00650	Hinge Bracket Screw
140227J	22652	Looper Driving Shaft Frame Crank (front) Hinge Bracket Holder Screw for
		176273
152051	22657	Table Belt Hole Guard with two wood
10201	22007	screws 7/8 in. No. 10 F.H
175216	22657	Feeding Disc Opening Treadle for 175219.
175216	22657	Starting Treadle for 175219
175217	22657	Feeding Disc Opening Treadle Hinge Pin
1,021,	22001	for 175219
175217	22657	Starting Treadle Hinge Pin for 175219
175218	22657	Feeding Disc Opening Treadle Stand for
		175219
175218	22657	Starting Treadle Stand for 175219
175219	22657	Feeding Disc Opening Treadle complete,
		Nos. 176216 to 175218 and two wood
		screws 1 in. No. 14 F.H
175219	22657	Starting Lever Treadle complete, Nos.
		175216 to 175218 and two wood screws
		1 in. No. 14 F,H
176005	22651	Balance Wheel Shaft Counterbalance for
		176282 and 176302
176006	22651	Balance Wheel Washer (felt)
176007	22651	Feed Connection for 176243
176009	22655	Head of Machine Top Cover Steady Pin for
		176258 and 176294
176011	22653	Feeding Disc (back) with two 889C (7/64
		in. wide feeding surface) for regu-
	00055	lar work
176012	22653	Feeding Disc (back) Shaft
176014	22653	wollii Geal, with two
10001e	22653	889C Feeding Disc (back) Worm Wheel Driver
176016	ಒದ್ದರಾರ	for 176226
176017	22653	
176017	ರಾಣ್ಯ	Feeding Disc (back) Worm Wheel Driver Collar with 46°C, for 176226
176018	22653	Feeding Disc (back) Worm Wheel Driver
1,0010	22000	Pressure Spring for 176226
176019	22653	Feeding Disc (back) Worm Wheel Driver
		Pressure Spring Stud for 176226
176021	22653	Feeding Disc (back) Worm Wheel Driver
		Wearing Screw Stud for 176226

N.	Diete	Nama
No.	Plate	Name
176024		Feeding Disc (back) Worm Wheel Shaft Screw Center 577C with 51661K
176025	22653	Feeding Disc (back) Worm Wheel Stop Dog.
176026	22653	
		Hinge Stud
176027	22653	Feeding Disc (back) Worm Wheel Stop Dog
		Spring
176028	22653	Feeding Disc (front) (7/64 in. wide
		feeding surface) for regular work,
		for 176221 and 176223
176030	22655	Feeding Disc (front) Arm with 13960
		(lower and upper) Shaft and Pins
176031	22653	Feeding Disc (front) Arm Bell Crank
176033	22653	Trosburo Spring
176037	22653	
3 = 2 0 = 2	00055	for 176221, 176223 and 176385
176038	22653	Feeding Disc (front) Roller for 176221, 176223 and 176385
15004E	00055	Head of Machine Top Cover Thread Eyelet
176045	22655	for 176338
176057	22651	Looper Driving Shaft Frame Hinge Screw
170007	22001	Stud
176062	22651	Looper Oscillating Crank Ball for 176234
176065	22651	Needle Bar with 176075, for 176066
176066		Needle Bar complete for 176-21 Machine,
		Nos. 140082F,140083F,140084F,176065,
		176070,176071,176073 and 176074
176067	22651	Needle Bar Bushing with 176101
176070	22651	" " Thread Guide for 176066 and
		176217
176071	22651	Needle Bar Thread Nipper Screw Bushing
		for 176066 and 176217
176072	22651	Needle Bar Thread Nipper Slide Rod for
		176-21 Machine
176073	22651	Needle Bar Thread Nipper Spring for
200001	00053	176066 and 176217
176074	22651	Needle Clamp for 176066 and 176217  " Steady Pin for 176065 and
176075	22651	176216
176077	22653	Stitch Indicator for 176246
176077	22655	Tension Spring for 176085
176085		Tension complete, Nos. 58592, 176084 and
170000		two 2102
176086	22653	Work Guide
176088	22657	Belt Hook for 176203 (Accessories)
176089	22657	Tweezers (Accessories)
176090	22656	Machine Base with four wood screws 1 in.
		No. 10 F.H. (with provision for Oil
		Drain Cock)

No.	Plate	Name
176091	22657	Feeding Disc Opening Treadle Pitman Rod complete, Nos. 80223 and two each 46848 and 123183
176091	22657	Starting Treadle Pitman Rod complete, Nos. 80223 and two each 46848 and 123183.
176099	22653	Feeding Disc (back) Worm Wheel Shaft with Worm Wheel and Pin for 176226
176101	22651	Needle Bar Bushing Steady Pin for 176067
176203		Belt, 1/4 in. round, 3.6 in. long, with 176088 (Accessories)
176209	22654	Looper for 176-22 Machine
176213	22652	Needle Bar Thread Nipper Slide Rod for 176-22 Machine
176216	22652	Needle Bar with 176075, for 176217
176217		Needle Bar complete for 176-22 Machine, Nos. 140082F,140083F,140084F,176070, 176071, 176073, 176074 and 176216
176221	22653	Feeding Disc (front) 176028 with 50128F, 176037, 176287 and twelve 176038, for regular work, for 176-21 Machine
176223	22654	Feeding Disc (front) 176028 with 50128F, 176037,176304 and twelve 176038, for 176-22 Machine
176226	22653	Feeding Disc (back) Worm Wheel Shaft 176099 with 1650C, 176016, 176017 to 176019 and 176021
176234		Looper Oscillating Crank Ball 176062 with 176340
176237	22651	Balance Wheel, 2 1/8 in. diam. pulley, with 435C
176238	22651	Balance Wheel Shaft
176239	22651	" Bushing (left)
176240	22651	(felt)
176241	22651	Balance Wheel Shaft Bushing (right)
176242	22651	" " " " " 011 Pad
176243		Feed Connection 176007 with 176244
176244	22651	Eccentric with two 1036C, for 176243
176245	22653	Feed Lever for 176246
176246		" 176245 with 51663J,176077 and 176290
176249	22653	Feeding Disc (back) Shaft Spacing Collar with two 50150c
176257	22653	Feeding Disc (front) Arm Bell Crank Shaft
*176258		Head of Machine with 15404, 176261 and two each 15405 and 176009, for 176-21 Machine

No.	Plate	Nama
176259	22655	Name Head of Machine Front Cover
176260	22655	" " Lock Stud
176261	22651	" " Oil Wick for oiling Loop-
170001	22001	er Driving Shaft Frame Front Bearing
		for 176258 and 176294
176262	22651	Looper Driving Eccentric for 176336
176263	22651	" " Position Pin for
2.0200	22002	176280 and 176300
176264	22651	Looper Driving Eccentric Sleeve for
		176336
176265	22651	Looper Driving Eccentric Sleeve Position
		Plate for 176266 and 176295
176266	22651	Looper Driving Shaft Frame with 176265
		and two each 1329E and 176306, for
		176362, for 176-21 Machine
176269	22651	Looper Driving Shaft Frame Crank with
		42639, for 176270
176269	22652	Looper Driving Shaft Frame Crank (back)
		with 42639, for 176270
176269	22652	Looper Driving Shaft Frame Crank (front)
		with 42639, for 176270
176270		Looper Driving Shaft Frame Crank 176269
		with 602J and 176274, for 176271
176270		Looper Driving Shaft Frame Crank (back)
		176269 with 602J and 176274, for
		176298
176270		Looper Driving Shaft Frame Crank (front)
		176269 with 602J and 176274, for
		176271
176271		Looper Driving Shaft Frame Crank 176270
		with 38635, 51669J and 176273, for
		176363
176271		Looper Driving Shaft Frame Crank (front)
		176270 with 38635,51669J and 176273,
176273	22651	for 176365
170273	ZZOJI	Bracket Holder complete for 176271.
		Nos. 127848 and 140227J
176273	22652	Looper Driving Shaft Frame Crank (front)
170270	22002	Hinge Bracket Holder complete for
		176271, Nos. 127848 and 140227J
176274	22651	Looper Driving Shaft Frame Crank Wearing
110074	55001	Sleeve (.3125 in. diam.) for 176270.
176275	22651	Looper Driving Shaft Frame Crank Wearing
110070	22001	Sleeve (.313 in. diam.)
176276	22651	Looper Driving Shaft Frame Crank Wearing
		Sleeve (.3135 in. diam.)
176277	22651	Looper Driving Shaft Frame Crank Wearing
		Sleeve (.314 in. diam.)
176278	22651	Looper Driving Shaft Frame Crank Wearing
		Sleeve (.3145 in. diam.)

••		-
No.	Plate	Name
176279	22651	Looper Driving Shaft Frame Crank Wearing Sleeve (.315 in. diam.)
176280	22651	Looper Oscillating Cam with 176263 and two 140183C, for 176282
176282		Looper Oscillating Cam 176280 with 176005 and two 160E, for 176-21 Ma-
176284	22651	chine  Needle Bar Connection with two 185E
176285	22651	" " Guide Rod
176286	22651	" Eccentric with two 1036C, for
170200	22001	176-21 Machine
176287	22653	Needle Guide with 51229E, for regular work, for 176221
176288		Needle Guide with 51229E, for Ermine and Mink, for 176385
176289	22653	Stitch Regulating Screw Stud for 176290.
176290		" " " " 176289 with
		51669J,176291 and 176292, for 176246
176291	22653	Stitch Regulating Screw Stud Slide Block for 176290
176292	22653	Stitch Regulating Screw Stud Washer for 176290
*176294		Head of Machine with 15404, 176261 and two each 15405 and 176009, for 176-22 Machine
176295	22652	Looper Driving Shaft Frame with 176265 and two each 1329E and 176306, for 176364
176298		Looper Driving Shaft Frame Crank (back) 176270 with 38635,51669J and 176299, for 176365.
176299	22652	Looper Driving Shaft Frame Crank (back) Hinge Bracket Holder complete for 176298, Nos. 127848 and 140227J
176300	22652	Looper Oscillating Cam with 176263 and two 140183C, for 176302
176302		Looper Oscillating Cam 176300 with 176005 and two 160E, for 176-22 Ma- chine
176303	22652	Needle Bar Eccentric with two 1036C, for 176-22 Machine
176304	22654	Needle Guide with 51229E, for 176223
176305	22657	Spool Holder with two 919R
176306		Looper Driving Shaft Frame Oil Wick for
		oiling Looper Driving Eccentric for 176266 and 176295
176318	22657	Feeding Disc Opening Treadle Pitman Rod (upper) Connecting Lever Chain
176336		(seven links) with two 39576 Looper Driving Eccentric Sleeve 176264 with 176262, for 176362 and 176364


No.	Plate	Name
176338	22655	Head of Machine Top Cover with 58549 and two 176045
176340	22651	Looper Oscillating Crank Ball Stud for 176234
<b>1763</b> 58	22656	Machine Base with four wood screws 1 in. No. 10 F.H. (no provision for 011 Drain Cock)
176360	22651	Looper Driving Shaft for 176362 and 176364
176361	22651	Looper Oscillating Crank with 175E and two 50379C, for 176362 and 176364
176362		Looper Driving Shaft Frame 176266 with 176336,176360,176361 and 176368, for 176363
176363		Looper Driving Shaft Frame 176362 with 176271, for 176-21 Machine
176364		Looper Driving Shaft Frame 176295 with 176336,176360,176361 and 176368, for 176365
176365		Looper Driving Shaft Frame 176364 with 176271 and 176298, for 176-22 Machine
176368	22651	Looper Clamping Nut for 176362 and 176364
176369	22657	Wrench for 176368 (Accessories)
176383	****	Feeding Disc (back) with two 889C (.025 in. wide feeding surface) for Ermine and Mink and extra fine Ermine and Mink, for 176-21 Machine
176384		Feeding Disc (front) .025 in. wide feed- ing surface, 176385, for Ermine and Mink and extra fine Ermine and Mink, for 176-21 Machine
<b>17638</b> 5		Feeding Disc (front) 176384 with 50128F, 176037,176288 and twelve 176038, for Ermine and Mink and extra fine Ermine and Mink, for 176-21 Machine.
176386	22658	Spool Holder Bracket for 176387
176387	22658	Spool Holder complete, Nos. 1550J,34403, 34460, 176386 and two 919R
176388	22653	Looper for 176-21 Machine


Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked
"For Singer Machines"
are not Singer made needles.


2

OF PARTS






 $22653 - \frac{1}{2}$ 




From the library of: Superior Sewing Machine & Supply LLC

22654 - 1/2




From the library of: Superior Sewing Machine & Supply LLC

 $22655 - \frac{1}{3}$ 




From the library of: Superior Sewing Machine & Supply LLC

22656 - 1/3




From the library of: Superior Sewing Machine & Supply LLC

 $22657 - \frac{1}{3}$ 



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC

