Form 8427, Revised (437) Printed in U. S. A.

LIST OF PARTS



MACHINE No. 24-56

THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, it should be oiled at least twice each day with Singer Manufacturing Sewing Machine Oil (Cloth and Leather).

"Do not oil the automatic tension".

Copyright, U. S. A., 1915, 1917, 1935 and 1937, by The Singer Manufacturing Co. All Rights Reserved for all Countries

INDEX

Accessories	Page 10
Foot Lifter Parts	10
Knee Lifter Parts	11
Machine Base	10
Machine No. 24-56	. 5
Numerical List of Parts	13
Obsolete Parts	12
Thread Unwinder	11

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed

B-Polished, Nickel Plated and Buffed

C-Hardened Only

D-Polished Only

E-Soft, Not Polished

F-Hardened and Polished

F.J-Hardened, Polished and Nickel Plated

G-Bright Rumbled and Nickel Plated

H-Blued

J-Nickel Plated Only

K-Hardened and Nickel Plated

L-Brass Plated

M-Oxidized

N-Japanned, Dull

P-Japanned, Bright

R-Merlized

S-Cadmium Plating

T-Copper Plated

T. A-Hardened, Polished, Copper and Nickel Plated and Buffed

T.B-Copper and Nickel Plated and Polished

T. J-Copper and Nickel Plated Only

T.K-Hardened, Copper and Nickel Plated

T.M-Copper Plated and Oxidized

T.L-Copper and Brass Plated

U-Zinc Plated

V-Silver Plated

W-Polished and Nickel Plated

Y-Black Nickel Plated Only

Z-Chromium Plated

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated

Z.J-Nickel and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers

1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when Fromrthe rlibra թվանեն երթարան Sewing Machine & Supply LLC





MACHINE No. 24-56

For Caps and Similar Articles. Makes 4 to 12 stitches to the inch. Has plain tension; disc spool holder. The cloth plate is arranged so that the left hand end can be removed, giving a 2 1/2 inch bearing at the front of the machine, so that it can be used as a cylinder machine. Speed 3200 R. P. M.

No.	Plate	Name
•34359		Arm, upper and lower (solid) with 15404,
		34381 and two each 130E and 15405
34461	7173	Arm End Cover and Belt Guard
219F	7169	" " " " Screw
34360	7172	" Rock Shaft
34361	4298	" " Bushing (back)
457C	4298	" " " Set Screw
34362	4298	" " " (front)
447C	4298	" " " Set Screw
32034	4298	" " Crank (back) with 12590
		and 1439C
1439C	4298	Arm Rock Shaft Crank (back) Position
		Screw
12590	4298	Arm Rock Shaft Crank (back) Set Screw

Plate	Name
4298	Arm Rock Shaft Crank (front) with two
	1259C
4298	Arm Rock Shaft Crank (front) Position
	Screw
4298	Arm Rock Shaft Crank (front) Set Screw.
7172	" Rotary Shaft with 1019C
4298	" " Bushing (back) bronze.
4298	" " " Set Screw
4298	" " (front) bronze.
4298	" " " (front) bronze. " Set Screw
7171	Balance Wheel and Connecting Rod Eccen-
	tric, 2 3/8 in. diam. with 1354C
	Balance Wheel and Connecting Rod Eccen-
	tric 34462 with 34573
7171	Balance Wheel and Connecting Rod Eccen-
, _ , _	tric Oil Pad (felt)
4298	Balance Wheel and Connecting Rod Eccen-
******	tric Oil Pad Oil Hole Packing
	(braided cotton)
7167	Balance Wheel and Connecting Rod Eccen-
7107	tric Set Screw
7177	Clath Plate with the 1200P
	Cloth Plate with two 1602E
	" 34366 with 34370 and two 228D
	Cloth Plate complete, Nos.111D, 1423D,
	34368,34369,34371,34394,34448 and
4000	two each 228D and 934D
	Cloth Plate Bushing
10.000	" " Extension
	Position Plate
4.00	Screw
4298	Sup-
	port
4298	Cloth Plate Extension Position Plate
	Support Screw
10000	Cloth Plate Extension Screw
	" " Oil Hole Cover
	Hinge Screw
	Screw (left)
	(right)
	Connecting Rod with two 1057E
	" 34463 with 1139C and 1520E
10.000	Cap Screw
	Hinge Screw
	Nut
	Face Plate with two 2827
	" " Screw
7167	" Thread Guard with 8505
7167	" " Rivet
7171	Feed Bar
7168	" " Hinge Pin
	4298 4298 4298 4298 4298 4298 4298 4298

No.	Plate	Name
4570	4298	Feed Bar Hinge Pin Set Screw
34375	7166	" Dog for 34394 and 34414
190D	7166	" " Screw
34188	7167	" Eccentric with two 1259C
34572		" " 34188 with 34157
34090	7167	" Collar with 452C
452C	7167	" " Set Screw
1259C	4298	" Position Screw
12590	4298	" Set Screw
34157	7167	" " Sleeve
34158	7167	" Forked Connection
378C	7167	" " Hinge Screw
1520E	4298	" " " Nut
1832	7167	" " Roller with 1085E.
1085E	7167	" " " Screw Stud.
34189	7151	" Lifting Eccentric with two 1259C
34093	7151	" " Connection
34348		" " 34093
0.000		with 34189
1259C	4298	Feed Lifting Eccentric Position Screw
12590	4298	" " Set Screw
34206	7151	" Regulator
34095	7151	" Crank with 230F and 34096
34096	7151	" " Pin
230F	7151	" " Set Screw
1215E	7151	" Hinge Screw
34097	7151	" Indicator
34211	7151	" " Hinge Pin
34377	7151	" " Plate
34378	7151	" " Extension
810D	7151	11 11 11 11
		Screw
335D	7151	Feed Regulator Indicator Plate Screw
1083C	7151	" Locking Screw
34099	7151	" " " Washer
34379	7168	" Rock Shaft with two 4570
34380		Feed Rock Shaft complete, Nos.635C,34379
		34382,34384 and two 1513J
34381	7172	Feed Rock Shaft Bracket
130E	7168	" " " Screw
34382	7168	" " Crank with two 1057E
1057E	7168	Cap Screw
34384	7168	Hinge Pin
1513J	7168	Nut
635C	7168	Screw Bearing.
1513J	7168	Nut
36747	7173	Guide
50190B	7169	" Thumb Screw
34436	7168	Looper with 34418
34530	7169	" Gate

```
No.
       Plate
                          Name
 1105D
              Looper Gate Hinge Screw.....
        7168
 22350
        7168
                       Spring.....
 1019C
        7168
                   Set Screw.....
34418
        7168
                   Washer....
34386
        7153
                   Bar with 9611 and 50138F.....
              Needle
34387
        7153
                      Bushing (lower).....
  465C
        7153
                                  Set Screw....
 9830
        7153
                             (upper).....
  465C
        7153
                                  Set Screw....
34170
        7153
                      Connecting Link with two 1313E
 1313E
       7153
                                 Adjusting Screw
                    11
 9570
        7153
                              Stud with 207E....
  207E
       7153
                                  Clamping Screw
 9611
       7153
                     Thread Tube.....
50138F
       7153
                   Set Screw.....
34103
       7153
              Presser Bar....
34104
       7153
                       Guide Bracket with 223E....
  223E
       7153
                                 Adjusting Screw
34388
       7153
                                 Guide.....
  457C
       4298
                                      Set Screw
  999F
       7153
                                 Set Screw....
34389
       7153
                       Lifter.....
50293E
       7153
                            Hinge Screw.....
                    11
 1521E
       7153
                                      Nut....
38617
       7153
                       Spring.....
22405
       7153
                            Washer....
26276
       4298
                    Foot Hinge Pin.....
34390
       ----
                        Plate.....
34391
                        Shank.....
34392
             Presser Foot (hinged) complete, Nos. 26276
       7166
                 34390 and 34391.....
34440
       7166
             Presser Foot.....
34441
       7166
                    Foot.....
  185H
       7166
                       Screw.....
 1121D
       7153
             Pressure Regulating Thumb Screw.....
19064
       7171
             Spool Bracket with 1009C.....
29627
                        Dowel Pin.....
       7168
 1008D
       7168
                        Screw.....
19066
       7168
                   Spindle.....
 1009C
       7168
                         Set Screw.....
19067
       7169
                  Thread Guiding Disc.....
 691A
       7169
                                  Screw.....
32012
       7169
             Tension Disc.....
1560C
       7169
                   Regulating Thumb Nut.....
13710
       7169
                   Spring.....
               **
1084C
       7169
                   Stud.....
34540
                       1084C with 1560C.....
 219F
       7169
                       Set Screw.....
34393
       7169
                   Thread Guard (left).....
32065
       7169
                             (right).....
```

No.	Plate	Name
219F	7169	Tension Thread Guard Set Screw
22375	7169	Thread Eyelet (side of arm)
701D	7169	" " " " Screw
19074	7169	" (top of arm)
330D	7169	" " " " Screw
9543	7169	" Nipper Disc
9544	7169	" " Cover
228D	4298	" " " Screw
9545	7169	" " Spring (light)
34394	7166	Throat Plate, large needle hole, for
		34375
34414	7166	Throat Plate, small needle hole, for
		34375
934D	7166	Throat Plate Screw
•15404		Trade Mark
15405		" " Rivet

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."

Needles in Containers marked
"For Singer Machines"
are not Singer made needles.

MACHINE BASE

No.	Plate	Name
34207	7173	Machine Base with three wood screws
		1 1/4 in. No. 12
544J	7171	Machine Thumb Screw
9842	7170	" " Washer

ACCESSORIES

No.	Plate	Name
34420	7173	Machine Cushion (felt)
474J	7171	" Thumb Screw
2015	7170	" " Cushion (rubber)
9842	7170	" " Washer
36569	7171	Oiler with 36571
36570		" 36569 filled with oil
36571	7171	" Spout, 1 3/4 in. long with 36807
36807	7170	" Washer (leather)
26026	7172	Screw Driver (machine)
26485	7172	" (shuttle tension)
25539	7172	Stiletto
8908	7172	Wrench for 1520
8909	7172	" " 1513
19079	7172	" " 1083 and 1521

FOOT LIFTER PARTS

No.	Plate	Name
6439		Chain, 36 in. to 45 in. long, with 56864
		and 56865
No	te: Whe	en ordering No. 6439, give length required.
4879	7170	Chain Connecting Link
56864	7170	" Hook (large)
56865	7170	" " (small)
34449	7172	Lifting Lever
21D	7170	" " Hinge Screw
34450	7170	" " Link
766D	7170	" " Hinge Screw
19081	7170	" " Spring
184D	7170	" Stop Screw
59082	7173	Treadle
17881	7172	" Shaft
14369	7173	" Stand

No.	Plate	Name
59083	7173	Treadle complete, Nos. 4879,14369,17881,
		59082 and two wood screws 1 1/4 in.
		No. 12
34451		Foot Lifter complete, Nos. 21D, 184D, 766D
		6439,19081,34449,34450 and 59083

KNEE LIFTER PARTS

No.	Plate	Name
14224		Chain, length 10 1/4 in. with 56864
56864	7170	" Hook (large)
34449	7172	Lifting Lever
21D	7170	" Hinge Screw
34450	7170	" " Link
766D	7170	" " Hinge Screw
19081	7170	" " Spring
184D	7170	" Stop Screw
7124	7174	Rock Shaft
2764	7174	" " Hanger with two wood screws 1
		in. No. 10
16646	7174	Rock Shaft Knee Arm
16647	7174	Rock Shaft Knee Arm complete, Nos. 2766,
		2767 and 16646
2766	7174	Rock Shaft Knee Arm Hub with 356C
356C	7170	" " " Set Screw
2767	7174	Plate with 356C
356C	7170	" " " Set Screw
6337	7174	" Lifting Bracket with two 3560
7125	7174	" " Hook
3560	7170	Set Screw
356C	7170	" " Set Screw
2770	7174	" Stop Dog with 356C
356C	7170	" " Set Screw
34569	7174	Rock Shaft complete, Nos. 2770,6337,7124
		7125,16647 and two 2764
34452		Knee Lifter complete (power table) Nos.
		21D, 184D, 766D, 14224, 19081, 34449,
		34450 and 34569

THREAD UNWINDER

FOR ONE LARGE SPOOL OR ONE LARGE CONE OF THREAD

No.	Plate			Name
225259	8405	Spool	Rest	with 201018C
150203	8405	"	#	Cushion (felt)
225388	8405	11	n	Rod

No.	Plate	Name
200383C	7170	Spool Rest Rod Set Screw
2010180	7170	" Set Screw
202490	8405	" Stand with 200383C
225391	8405	Thread Guide
201696J	7170	" Lock Nut
225326	7170	" Position Cup
225324	8405	" Rod with 208E and 225322
208E	7170	" " Screw
225322	7170	" " Washer
225260	8405	Thread Unwinder complete, Nos. 150203,
		201696J,202490,225259,225324,225326
		225388,225391 and three wood screws
		7/8 in. No. 12
27739	8405	Thread Cone (wood) for large cones
225390	8405	" Holder, for inverted cones
No	te: No	s. 27739 and 225390 are used with, but not
	inclu	ded in 225260.

OBSOLETE PARTS

No.	Plate	Name
32091	7173	Arm End Cover
32092	7172	" Rotary Shaft with 1019C, use 32149
34365	7171	Balance Wheel and Connecting Rod Eccen-
		tric with 1354C, use 34462
34372	7172	Connecting Rod with 32096 and two 1057E.
34385	7170	Looper Gate, use 34530
50280J	7171	Machine Thumb Screw, use 474J
6335	7174	Rock Shaft Knee Arm
6336	7174	Rock Shaft Knee Arm complete, Nos. 2766,
		2767 and 6335
7126	7174	Rock Shaft complete, Nos. 2770,6336,6337
		7124,7125 and two 2764
59051	7173	Treadle, obsolete, superseded by 59082,
		not interchangeable
7585	7172	Treadle Shaft
14210	7173	" Stand
59052	7173	Treadle complete, Nos. 4879,7585,14210,
		59051 and four wood screws 1 1/4
		in. No. 12, use 59083

NUMERICAL LIST OF PARTS

NUMERICAL LIST OF PARTS

No.	Plate	Name
210	7170	Lifting Lever Hinge Screw, for 34451 and
		34452
111D	4298	Cloth Plate Oil Hole Cover Hinge Screw,
		for 34367
130E	7168	Feed Rock Shaft Bracket Screw, for 34359
184D	7170	Lifting Lever Stop Screw, for 34451 and
		34452
185H	7166	Presser Foot Screw
190D	7166	Feed Dog Screw
207E	7153	Needle Bar Connecting Stud Clamping
		Screw, for 9570
208E	7170	Thread Unwinder Thread Guide Rod Screw,
		for 225324
219F	7169	Arm End Cover and Belt Guard Screw
219F	7169	Cloth Plate Screw (right)
219F	7169	Tension Stud Set Screw
219F	7169	" Thread Guard Set Screw
223E	7153	Presser Bar Guide Bracket Adjusting
		Screw, for 34104
228D	4298	Cloth Plate Extension Position Plate
		Screw, for 34367 and 34448
228D	4298	Cloth Plate Extension Position Plate
		Support Screw, for 34367 and 34448.
228D	4298	Thread Nipper Disc Cover Screw
230F	7151	Feed Regulator Crank Set Screw, for 34095
330D	7169	Thread Eyelet (top of arm) Screw
3 35D	7151	Feed Regulator Indicator Plate Screw
337D	7167	Face Plate Screw
356C	7170	Rock Shaft Knee Arm Hub Set Screw, for
		2766
356C	7170	Rock Shaft Knee Plate Set Screw, for 2767
356C	7170	" " Lifting Bracket Hook Set
		Screw, for 6337
356C	7170	Rock Shaft Lifting Bracket Set Screw, for
	Semmen	6337
356C	7170	Rock Shaft Stop Dog Set Screw, for 2770
378C	7167	Feed Forked Connection Hinge Screw
440C	4298	Arm Rotary Shaft Bushing (back) Set
		Screw
447C	4298	Arm Rock Shaft Bushing (front) Set Screw
452C	7167	Feed Eccentric Collar Set Screw, for
		34090
457C	4298	Arm Rock Shaft Bushing (back) Set Screw.
457C	4298	Feed Bar Hinge Pin Set Screw, for 34379.
457C	4298	Presser Bar Guide Bracket Guide Set
4050	77.57	Needle Bar Bushing (lower) Set Screw
465C 465C	7153	" " (upper) Set Screw
4050	/153	(upper) bec borew

No.	Plate	Name
474J	7171	Machine Thumb Screw (Accessories)
544J	7171	" " Screw
624C	4298	Arm Rotary Shaft Bushing (front) Set Screw
635C	7168	Feed Rock Shaft Hinge Pin Screw Bearing,
		for 34380
691F	7169	Cloth Plate Screw (left)
691A	7169	Spool Thread Guiding Disc Screw
701D	7169	Thread Eyelet (side of arm) Screw
766D	7170	Lifting Lever Link Hinge Screw, for 34451 and 34452
810D	7151	Feed Regulator Indicator Plate Extension Screw
934D	7166	Throat Plate Screw, for 34367
999F	7153	Presser Bar Guide Bracket Set Screw
1008D	7168	Spool Bracket Screw
1000D	7168	" Spindle Set Screw, for 19064
10190	7168	Looper Set Screw, for 32149
1057E	7168	Connecting Rod Cap Screw, for 34463
1057E	7168	Feed Rock Shaft Crank Cap Screw, for
10375	/108	34382
1083C	7151	Feed Regulating Locking Screw
1084C	7169	Tension Stud, for 34540
1085E	7167	Feed Forked Connection Roller Screw Stud
		for 1832
1105D	7168	Looper Gate Hinge Screw
11210	7153	Pressure Regulating Thumb Screw
1139C	4298	Connecting Rod Hinge Screw, for 34573
1215E	7151	Feed Regulator Hinge Screw
1259C	4298	Arm Rock Shaft Crank (back) Set Screw,
		for 32034
1259C	4298	Arm Rock Shaft Crank (front) Position
		Screw, for 34363
12590	4298	Arm Rock Shaft Crank (front) Set Screw,
		for 34363
1259C	4298	Feed Eccentric Position Screw, for 34188.
1259C	4298	" Set Screw, for 34188
1259C	4298	" Lifting Eccentric Position Screw,
		for 34189
1259C	4298	Feed Lifting Eccentric Set Screw, for
		34189
1313F	7153	Needle Bar Connecting Link Adjusting
17540	77.07	Screw, for 34170
13540	7167	Balance Wheel and Connecting Rod Eccentric Set Screw, for 34462
1423D	7167	Cloth Plate Extension Screw, for 34367
1439C	4298	Arm Rock Shaft Crank (back) Position
		Screw, for 32034
1513J	7168	Feed Rock Shaft Hinge Pin Nut, for 34380.

No.	Plate	Name
1513J	7168	Feed Rock Shaft Hinge Pin Screw Bearing
		Nut, for 34380
1520E	4298	Connecting Rod Hinge Screw Nut, for 34573
1520F	4298	Feed Forked Connection Hinge Screw Nut
1521E	7153	Presser Bar Lifter Hinge Screw Nut
1560C	7169	Tension Regulating Thumb Nut, for 34540.
1602E	4298	Cloth Plate Bushing, for 34366
1832	7167	Feed Forked Connection Roller with 1085E
2015	7170	Machine Thumb Screw Cushion (rubber) Ac-
		cessories
2764	7174	Rock Shaft Hanger with two wood screws 1
		in. No. 10, for 34569
2766	7174	Rock Shaft Knee Arm Hub with 356C, for
2.00		16647
2767	7174	Rock Shaft Knee Plate with 356C, for
2101	1212	16647
2770	7174	Rock Shaft Stop Dog with 3560, for 34569
2827	7167	Face Plate Thread Guard with 8505, for
2021	7107	34311
4879	7170	Chain Connecting Link, for 59083
6335	7174	Rock Shaft Knee Arm, obsolete
		Rock Shaft Knee Arm complete, Nos. 2766,
6336	7174	
0000	77.74	2767 and 6335, obsolete
6337	7174	Rock Shaft Lifting Bracket with two 356C
		for 34569
6439		Chain, 36 in. to 45 in. long with 56864
		and 56865, for 34451
7124	7174	Rock Shaft, for 34569
7125	7174	" " Lifting Bracket Hook, for
	7000000000	34569
7126	7174	Rock Shaft complete, Nos. 2770,6336,6337
		7124,7125 and two 2764, obsolete
7585	7172	Treadle Shaft, obsolete
8505	7167	Face Plate Thread Guard Rivet, for 2827.
8908	7172	Wrench for 1520 (Accessories)
8909	7172	" " 1513 (Accessories)
9543	7169	Thread Nipper Disc
9544	7169	" " Cover
9545	7169	" " Spring (light)
9570	7153	Needle Bar Connecting Stud with 207E
9311	7153	" Thread Tube, for 34386
9830	7153	" Bushing (upper)
9842	7170	Machine Thumb Screw Washer
9842	7170	" " (Accessories).
13710	7169	Tension Spring
14210	7173	Treadle Stand, obsolete
14224		Chain, length 10 1/4 in. with 56864, for
		34452
14369	7173	Treadle Stand, for 59083
	WALLEY TO SERVICE THE PROPERTY OF THE PROPERTY	

No.	Plate	Name
•15404		Trade Mark, for 34359
15405		" Rivet, for 34359
16646	7174	Rock Shaft Knee Arm, for 16647
16647	7174	Rock Shaft Knee Arm complete for 34569,
		Nos. 2766,2767 and 16646
17881	7172	Treadle Shaft, for 59083
19064	7171	Spool Bracket with 1009C
19066	7168	" Spindle
19067	7169	" Thread Guiding Disc
19074	7169	Thread Eyelet (top of arm)
19079	7172	Wrench for 1083 and 1521 (Accessories)
19081	7170	Lifting Lever Spring, for 34451 and
		34452
22350	7168	Looper Gate Spring
22375	7169	Thread Eyelet (side of arm)
22405	7153	Presser Bar Spring Washer
25539	7172	Stiletto (Accessories)
26026	7172	Screw Driver (machine) Accessories
26276	4298	Presser Foot Hinge Pin, for 34392
26485	7172	Screw Driver (shuttle tension) Accesso-
		ries
27739	8405	Thread Unwinder Thread Cone (wood) for
		large cones
29627	7168	Spool Bracket Dowel Pin
32012	7169	Tension Disc
32034	4298	Arm Rock Shaft Crank (back) with 12590
		and 1439C
32065	7169	Tension Thread Guard (right)
32091	7173	Arm End Cover, obsolete
32092	7172	" Rotary Shaft with 1019C, obsolete,
		use 32149
32149	7172	Arm Rotary Shaft with 1019C
32225	7171	Balance Wheel and Connecting Rod Eccen-
0220		tric Oil Pad (felt)
32226	4298	Balance Wheel and Connecting Rod Eccen-
02220	1200	tric Oil Pad Oil Hole Packing
		(braided cotton)
34090	7167	Feed Eccentric Collar with 452C
34093	7151	" Lifting Eccentric Connection, for
		34348
34095	7151	Feed Regulator Crank with 230F and 34096
34096	7151	" " Pin, for 34095
34097	7151	" Indicator
34099	7151	" Locking Screw Washer
34103	7153	Presser Bar
34104	7153	" " Guide Bracket with 223E
34157	7167	Feed Eccentric Sleeve, for 34572
34158	7167	" Forked Connection
34170	7153	Needle Bar Connecting Link with two
	- 1	1313E

37-	77 - 4	
No.	Plate	Name
34188	7167	Feed Eccentric with two 1259C, for 34572.
34189	7151	" Lifting Eccentric with two 1259C, for 34348
34206	7151	Feed Regulator
34207	7173	Machine Base with three wood screws
		1 1/4 in. No. 12
34211	7151	Feed Regulator Indicator Hinge Pin
34311	7167	Face Plate with two 2827
34348		Feed Lifting Eccentric Connection 34093
		with 34189
•34359		Arm, upper and lower (solid) with 15404,
		34381 and two each 130E and 15405
34360	7172	Arm Rock Shaft
34361	4298	" " Bushing (back)
34362	4298	" " " (front)
34363	4298	" " Crank (front) with two
		12590
34364	4298	Arm Rotary Shaft Bushing (back) bronze
34365	7171	Balance Wheel and Connecting Rod Eccen-
		tric with 1354C, obsolete, use 34462
34366	7173	Cloth Plate with two 1602E, for 34448
34367		Cloth Plate complete, Nos. 111D, 1423D,
		34368,34369,34371,34394,34448 and
		two each 228D and 934D
34368	7171	Cloth Plate Extension, for 34367
34369	4298	" Position Plate, for
		34367
34370	4298	Cloth Plate Extension Position Plate
		Support, for 34448
34371	4298	Cloth Plate Oil Hole Cover, for 34367
34372	7172	Connecting Rod with 32096 and two 1057E,
		obsolete
34373	7171	Feed Bar
34374	7168	" " Hinge Pin
34375	7166	Dog for 34394 and 34414
34377	7151	" Regulator Indicator Plate
34378	7151	Extension.
34379	7168	" Rock Shaft with two 4570, for 34380.
34380		Feed Rock Shaft complete, Nos. 635C,
34381	7172	34379,34382,34384 and two 1513J
34382	7172	Feed Rock Shaft Bracket, for 34359 " " Crank with two 1057E,for
04002	7108	3438034380
34384	7168	Feed Rock Shaft Hinge Pin, for 34380
34385	7170	Looper Gate, obsolete, use 34530
34386	7153	Needle Bar with 9611 and 50138F
34387	7153	" Bushing (lower)
34388	7153	Presser Bar Guide Bracket Guide
34389	7153	" Lifter


No.	Plate	Name
34390		Presser Foot Plate, for 34392
34391		" " Shank, for 34392
34392	7166	Presser Foot (hinged) complete, Nos.
		26276,34390 and 34391
34393	7169	Tension Thread Guard (left)
34394	7166	Throat Plate, large needle hole, for
		34375
34414	7166	Throat Plate, small needle hole, for
		34375
34418	7168	Looper Washer, for 34436
34420	7173	Machine Cushion (felt) Accessories
34427	4298	Arm Rotary Shaft Bushing (front) bronze.
34436	7168	Looper with 34418
34440	7166	Presser Foot
34441	7166	
•34448	7100	" Foot
04440		Cloth Plate 34366 with 34370 and two
34449	7172	228D, for 34367
34450	7170	Lifting Lever, for 34451 and 34452
34451	7170	" Link, for 34451 and 34452.
04401		Foot Lifter complete, Nos. 21D, 184D, 766D
34452		6439,19081,34449,34450 and 59083
20440		Knee Lifter complete (power table) Nos.
		21D,184D,766D,14224,19081,34449,
74401	G1 GG	34450 and 34569
34461	7173	Arm End Cover and Belt Guard
34462	7171	Balance Wheel and Connecting Rod Eccen-
		tric, 2 3/8 in. diam. with 1354C,
74407		for 34574
34463	7172	Connecting Rod with two 1057E, for 34573.
34530	7169	Looper Gate
34540		Tension Stud 1084C with 1560C
34569	7174	Rock Shaft complete for 34452, Nos. 2770,
		6337,7124,7125,16647 and two 2764
34572		Feed Eccentric 34188 with 34157
34573		Connecting Rod 34463 with 1139C and
		1520E, for 34574
34574		Balance Wheel and Connecting Rod Eccen-
		tric 34462 with 34573
36569	7171	Oiler with 36571 (Accessories)
36570		" 36569, filled with oil (Accessories)
36571	7171	" Spout, 1 3/4 in. long with 36807,
		for 36569 (Accessories)
36747	7173	Guide
36807	7170	Oiler Spout Washer (leather) for 36571
		(Accessories)
38617	7153	Presser Bar Spring
50138F	7153	Needle Set Screw, for 34386
50190B	7169	Guide Thumb Screw
50280J	7171	Machine Thumb Screw, obsolete, use 474J.

No.	Plate	Name
50293E	7153	Presser Bar Lifter Hinge Screw
56864	7170	Chain Hook (large) for 6439 and 14224
56865	7170	" (small) for 6439
59051	7173	Treadle, obsolete, superseded by 59082,
59052	7173	not interchangeable
59082	7173	Treadle, for 59083
59083	7173	Treadle complete for 34451, Nos. 4879,
150203	8405	14369,17881,59082 and two wood screws 1 1/4 in. No. 12 Thread Unwinder Spool Rest Cushion
200383C	7170	(felt) for 225260 Thread Unwinder Spool Rest Rod Set Screw
2000000	1110	for 202490
201018C	7170	Thread Unwinder Spool Rest Set Screw, for 225259
2 01696J	7170	Thread Unwinder Thread Guide Lock Nut, for 225260
202490	8405	Thread Unwinder Spool Stand with 200383C for 225260
225259	8405	Thread Unwinder Spool Rest with 201018C, for 225260
225260	8405	Thread Unwinder complete, for one large spool, Nos. 150203,201696J,202490, 225259,225324,225326,225388,225391 and three wood screws 7/8 in.No.12.
225322	7170	Thread Unwinder Thread Guide Rod Washer,
225324	8405	Thread Unwinder Thread Guide Rod with 208E and 225322, for 225260
225326	7170	Thread Unwinder Thread Guide Position Cup, for 225260
225388	8405	Thread Unwinder Spool Rest Rod, for 225260
225390	8405	Thread Unwinder Thread Cone Holder, for inverted cones
225391	8405	Thread Unwinder Thread Guide, for 225260


Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles.

OF PARTS



From the library of: Superior Sewing Machine & Supply LLC






PLATE 7167 - FULL SIZE




PLATE 7168 - FULL SIZE




PLATE 7169 - FULL SIZE




PLATE 7171 - ONE-HALF SIZE






PLATE 7172 - ONE-HALF SIZE



From the library of: Superior Sewing Machine & Supply LLC

From the library of: Superior Sewing Machine & Supply LLC

PLATE 8405-ONE-FOURTH SIZE



From the library of: Superior Sewing Machine & Supply LLC

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked
"For Singer Machines"
are not Singer made needles. 2

