

PARTS LIST

FOR

SINGER*

451K41, 451K45 AND 451K145

INSTRUCTIONS FOR ORDERING

In ordering from this List, the part number **MUST BE** quoted exactly as shown in the first column.
 A number always indicates the same part in whatever List it may appear, or for whatever machine.
 The code numbers (where shown) indicate the style of finish, as follows:—

Code No.	Description
801	Hardened, Polished, Nickel Plated and Buffed.
802	Polished, Nickel Plated and Buffed.
803	Hardened only.
804	Polished only.
805	Soft, not Polished.
806	Hardened and Polished.
807	Bright Rumbled and Nickel Plated.
808	Blued.
809	Nickel Plated only.
810	Hardened and Nickel Plated.
811	Brass Plated.
812	Oxidized.
813	Phosphate Coating Formed on Surface of Iron or Steel.
814	Cadmium Plated.
815	Copper Plated.
816	Zinc Plated.
817	Silver Plated.
818	Polished and Nickel Plated.
819	Black Oxide for Iron and Steel.
820	Black Nickel Plated only.
821	Chromium Plated.
822	Buffed and Chromium Plated.
823	Hardened, Polished, Buffed and Chromium Plated.
824	Hardened, Bright Rumbled and Nickel Plated.
825	Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated.
826	Alumilite (Plain).
827	
828	Polished, Nickel Plated and Chromium Plated.
829	Hardened, Polished, Nickel Plated and Chromium Plated.
830	Heat Treated for Toughness.
831	Heat Treated for Toughness and Polished.
832	Heat Treated for Toughness and Nickel Plated.
833	Heat Treated for Toughness and Black Oxide.
834	Heat Treated for Toughness, Polished, Nickel Plated, Buffed and Chromium Plated.
835	
836	
837	
838	
839	Chrome Nickel, Satin Finish.
840	Hardened and Chrome Nickel, Satin Finish.
841	Hardened and Phosphate Coating Formed on Surface of Steel.
842	Hardened and Zinc Plated.
843	Hardened, Polished and Nickel Plated.
844	Hardened, Polished, Copper and Nickel Plated and Buffed.
845	Copper and Nickel Plated and Polished.
846	Copper and Nickel Plated only.
847	Hardened, Copper and Nickel Plated.
848	Copper and Brass Plated.
849	Copper Plated and Oxidized.
850	Hardened and Black Oxide for Iron and Steel.
851	Hardened, Polished, Nickel Plated, Buffed and Chromium Plated.
852	Polished, Nickel Plated, Buffed and Chromium Plated.
853	Hardened and Chromium Plated.
854	Polished and Chromium Plated.
855	Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated.

[Continued over

INSTRUCTIONS FOR ORDERING—Continued.

New Code	Description
856	Nickel and Chromium Plated.
857	Copper and Chromium Plated.
858	Heat Treated for Toughness, Nickel and Chromium Plated.
859	Heat Treated for Toughness, Copper Plated and Oxidized.
860	Nickel Plated and Buffed only.
861	Alumilite (dyed)—Black.
862	" (")—Light Almond Green.
863	" (")—Dark Brown.
864	" (")—Russet Brown.
865	" (")—Dark Green.
866	" (")—Medium Gold.
867	Nickel-Satin Finish.
868	Hardened and Nickel-Satin Finish.
869	Commercial Finish for Allen Type Screws.
870	Hard Coating on Aluminium.
871	Brass Plated and Clear Lacquered.

Code No.	Paint Colours	Code No.	Paint Colours
701	Gloss Black.	734	Pale Red.
702	Dull Black.	735	Emerald Green.
703	Brown.	736	Green Metallic.
704	Grey Wrinkle.	737	Light Beige Satin Matte.
705	Beige Wrinkle.	738	Copper Tan.
706	Black Wrinkle.	739	Buff.
707	Light Green.	740	White.
708	Dark Green.	741	Dark Fawn.
709	Dark Beige.	742	Plum.
710	Light Beige.	743	Birch Brown.
711	Oyster White.	744	Satin Black.
712		745	Gold-Buff.
713	Bright Cherry Red.	746	Blue-Grey.
714	Light Ivory.	747	Medium Gold.
715	Peacock Blue.	748	Sand.
716	Bright Yellow.	749	Khaki.
717	Slate Grey.	750	Flame Red.
718	Deep Brown.	751	Brite Green.
719		752	Sage Green.
720	Dark Brown.	753	Mist Green.
721	Aluminium.	754	Ice Green Metallic.
722	Dark Grey.	755	Dark Beige Metallic.
723	Light Grey Beige.	756	Shell Pink.
724	Rosewood Brown.	757	Surf Green.
725	Light Bisque.	758	Colonial Rose.
726	Light Fawn.	759	Cream.
727		760	Oak Brown.
728	Grey Metallic.	761	Deep Fawn.
729	Russet Brown.	762	Medium Green.
730	Pale Green.	763	Light Green Metallic.
731	Light Almond Green.	764	Light Gold.
732	Dusty Bisque.	765	Persimmon.
733	Chocolate Brown.	766	Mahogany Brown.

PARTS MARKED THUS (✱) ARE FURNISHED ONLY WHEN THE REPAIRS ARE
MADE AT FACTORY.

Parts Complete for Machine No. 45IK41

SINGLE ROTARY THREAD TAKE-UP

HIGH SPEED. LOCK STITCH.

FOR STITCHING LIGHT OR MEDIUM WEIGHT FABRICS.

Part No.	Plate	Description
*276501	—	Arm (Colour Code 728)
276002	2992	" Cover (back) (Colour Code 728)
200053(819)	2992	" " (") Screw (2)
204235	2992	" Position Pin (2)
200004(805)	2992	" Screw (3)
202005	2992	" " Washer (3)
*276003	2994	" Shaft
272147	2994	" " 276003 with 200333(803), 200378(803), 272143 272145, 276021 and 276023
272142	2994	Arm Shaft Ball Bearing (back)
272143	2994	" " " " (front)
270926	2994	" " Connection Belt (reinforced neoprene)
271127	2994	" " " " Pulley with 200363(830), 350492(803) and two 214206
350492(803)	2994	Arm Shaft Connection Belt Pulley Position Screw
200363(830)	2994	" " " " " Set Screw
214206	2994	" " " " " Spring Flange
*270008	—	Bed (Colour Code 728)
270009	2992	" Slide
276516	2996	Face Plate
276510	2996	" " 276516 with 276503 and two 200583(819)
350503(819)	2996	" " Screw (8)
276503	2996	" " Tension Guard
200583(819)	2996	" " " " Screw
272106	2798	Feed Bar
272107	2798	" " Hinge Pin
272112	2798	" " " " Lubricating Felt
200394(803)	2798	" " " " Set Screw
272108	2798	" " " " Thrust Washer
272109	2798	" " Lifting Crank with 200040(805)
200040(805)	2798	" " " " Pinch Screw
272110	2798	" " " " Link
200169(803)	—	" " " " Cap Screw (2)
272115	2798	" " " " Oiling Wick
272111	2798	" " " " " " Clamp
149031	3000	" Dog, 19 teeth (22 teeth to the inch) for 52033
149057	2997	" " 21 " (22 " " " ") " 147150 (for U.S.A. only)
208(830)	3000	" " Screw (2)
270013	2798	" Driving Connection
270014	2798	" " " 270013 with 270016
272113	2798	" " " Crank with 200040(805)
200040(805)	2798	" " " " Pinch Screw
200545(803)	2798	" " " " Hinge Screw

PARTS FOR MACHINE No. 451K41

Part No.	Plate	Description
201522(805)	2798	Feed Driving Connection Hinge Screw Nut
270016	2798	" " " Needle Bearing
270017	2991	" " Eccentric
272204	2991	" " " Adjusting Disc
270137	2991	" " " " " Spring
272205	2991	" " " " " " Collar with 201220(833)
201220(833)	2991	" " " " " " Collar Set Screw
240231	2991	" " " Friction Gib
350578(850)	—	" " " " " Adjusting Screw
350562(850)	2991	" " " " " " Set Screw
270944	2991	Feed Driving Flange with 200333(803), 200346(803), two each 350562(850) and 350578(850)
200333(803)	2991	Feed Driving Flange Position Screw
200346(803)	2991	" " " " Set Screw
272116	2798	" " Rock Shaft with two each 200394(803) and 270942
270941	2798	" " " " Centre (2)
201254(830)	2798	" " " " " Set Screw (2)
270942	2798	" " " " Insert (nylon)
270013	2798	" Lifting Connection
270014	2798	" " " 270013 with 270016
200545(803)	2798	" " " Hinge Screw
201522(805)	2798	" " " " " Nut
270016	2798	" " " Needle Bearing
272117	2991	" " Eccentric with 200382(833) and 201220(833)
201220(833)	2991	" " " Position Screw
200382(833)	2991	" " " Set Screw
272118	2798	" " Rock Shaft with two 270942
270941	2798	" " " " Centre (2)
201254(830)	2798	" " " " " Set Screw (2)
270942	2798	" " " " Insert (nylon)
270140	2991	" Regulating Stud
240245	2991	" " " Retaining Spring
270026	2991	" " " Spring
276014	2993	Knee Lifter Lifting Link
200293(830)	2993	" " " " Hinge Screw
276015	2992	" " " Rod with 202302
202302	2992	" " " " Cotter Pin
276016	2992	" " " " Spring
227227	2992	" " " " " Collar with 200113(806)
200113(806)	2992	" " " " " Set Screw
276017	2992	" " Rock Frame
200679(806)	2992	" " " " Hinge Screw (back)
200272(803)	2992	" " " " " (front)
*272226	2994	Machine Pulley (aluminium alloy casting) (Colour Code 701) for "V" belt (outside diam. of belt groove 2.9 in.) (rim diam. 4 in.) with 350540(803) and 350541(803)
272227	2994	Machine Pulley 272226(701) with 272142
350540(803)	2994	" " Position Screw
350541(803)	2994	" " Set Screw

PARTS FOR MACHINE No. 451K41

Part No. Catalogue	Plate	Description
1361	—	Needle, size 14 (size 16 for U.S. Territories) (88×9 Y)
270050	2993	Needle Bar with 350445(806)
270124	2993	" " Bushing (lower)
270261	2993	" " " (upper)
350550(830)	2993	" " " (") Set Screw
276018	2993	" " Connecting Link
276019	2993	" " " " 276018 with 270266
270055	2993	" " " " Guide Block
200054(805)	2993	" " " " " " Screw (2)
272206	2993	" " " " Hinge Stud with 270161
276021	2994	" " " " " " Oiling Felt
272145	2994	" " " " " " " " Flange
276053	2994	" " " " " " " " Oil
		Leader Tube
200374(830)	2994	" " " " " " Set Screw
270266	2993	" " " " Needle Bearing
270305	2993	" " " " Thrust Washer
270057	2993	" " " " Stud with 202277 and 350622(833)
202277	2993	" " " " Oil Packing (wick)
350622(833)	2993	" " " " Pinch Screw
*276023	2994	" " Crank with two 200374(830)
200333(803)	2994	" " " " Position Screw
200378(803)	2994	" " " " " " Check Screw
270058	2993	" " Oiling Felt
350445(806)	2993	" Set Screw
276513	—	Presser Bar for 276515
†272121	2993	" " with 176(819)
276025	2993	" " Ball, 7/32 in. diameter
272232	2993	" " Bushing
276027	2993	" " Lifter
350442(803)	2993	" " " " Hinge Screw
276028	2993	" " Lifting Releasing Lever Bracket
276515	—	" " Mechanism (low inertia) Nos. 276513 and 276514
276514	—	" " Position Guide with 51369 and two 141571(803)
272122	2993	" " " " " " 350411(803)
51369	—	" " " " " " Pinch Screw for 276514
350411(803)	2993	" " " " " " "
272123	2992	" " Spring
350435(803)	2992	" " " " Screw (pressure regulating)
350499(850)	2992	" " " " Stud

†NOTE.—Presser Bar No. 272121 is sent with this machine unless otherwise specified on order.

62527	3000	Presser Foot Hinge Pin
161065	3000	" " Plate
62926	3000	" " Shank
161160	3000	" " Spring
161066	3000	Presser Foot (spring hinged) complete, Nos. 62527, 62926, 161065 and 161160
176(819)	2993	Presser Foot Screw

PARTS FOR MACHINE No. 451K41

Part No.	Plate	Description
272207	2995	Pre-Tension Bracket with 200397(819)
272210	2995	" " complete, Nos. 210958, 210993 and 272207 to 272209
350552(819)	2995	" " Screw
210993	2995	" Sleeve
272208	2995	" Spring
272209	2995	" Stud
210958	2995	" " Collar
200397(819)	2995	" " " Set Screw
272211	2996	Rotary Take-up
272212	2996	" " Counterbalance Rivet
276506	2996	" " Guard (Colour Code 728)
276507	2996	" " " Cover (Colour Code 728)
276038	2996	" " " Grill
200161(819)	—	" " " " " Screw
200263(850)	2996	" " " " " Hinge Screw
67425	2996	" " " " " " " Spring Washer
230743(803)	2996	" " " " " " " Thrust Washer
276508	2996	" " " " " Spring Catch
350503(819)	2996	" " " " " " " Screw
201537(805)	2996	" " " " " " " " Nut
141569(819)	2996	" " " " " Screw (long)
141570(819)	2996	" " " " " (short)
272216	2996	" " " " " Thread Shield
272217	2996	" " " " " Mounting Disc with three 272212
270161	2996	" " " " " Position Pin
200577(830)	2996	" " " " " Screw (2)
272136	2990	Rotating Hook with 143301, 270878 and two 1253(830)
272137	2990	" " " " 272136 with 270874(806) and four 1053(805)
272138	2990	" " " " 272137 with 270872, 272132 and three 1367(805)
272139	2990	" " " " 272138 with 52237
272152	2990	" " " " Bobbin
52235	2990	" " " " " Case
52236	2990	" " " " " 52235 with 591(806), 1380(805) and 40394
40393	2990	" " " " " Hinge, Nos. 2974, 40392 and 125320
270872	2990	" " " " " Holder (chromium plated)
272131	2990	" " " " " " Position Bracket
200077(804)	2990	" " " " " " " " Screw
40392	2990	" " " " " Latch
125320	2990	" " " " " " Lever
2974	2990	" " " " " " " Fulcrum Pin
2975	2990	" " " " " " Spring
592(805)	2990	" " " " " " Stop Screw
40394	2990	" " " " " Tension Spring
591(806)	2990	" " " " " " " Regulating Screw
1380(805)	2990	" " " " " " " " Screw
52237	2990	" " " " " " complete, Nos. 592(805), 2975, 40393 and 52236
276234	2990	" " " " " 52237 with 270872 (for agents only)

PARTS FOR MACHINE No. 451K41

Part No.	Plate	Description
276044	2991	Rotating Hook Driving Shaft
272144	2991	" " " " Ball Bearing
276045	2991	" " " " Bushing with 276046
276046	2991	" " " " Oil Packing (wick)
200346(803)	2991	" " " " Set Screw
270169	2991	" " " " Connection Belt Pulley with 214206 and two 200070(803)
200070(803)	2991	" " " " Connection Belt Pulley Set Screw
214206	2991	" " " " " " " " Spring Flange
276047	2991	" " " " Gear (internal teeth) with 200382(833) and 201220(833)
201220(833)	2991	" " " " Gear Position Screw
200382(833)	2991	" " " " Set Screw
270036	2991	" " " " Oil Lead Wire
270879	2990	" " Oil Guard
276246	2992	" " " Reservoir Cover
276247	—	" " " " , complete, Nos. 276244 to 276246
276244	2992	" " " " Drain Plug
276245	2992	" " " " " " Gasket
276491	2992	" " " " " " Gasket
200041(819)	2992	" " " " " " Screw (6)
272154	—	" " " " " " Washer (fibre) (6)
270878	2990	" " " " Retaining Washer (felt)
143301	2990	" " " " Wick (felt)
272132	2990	" " Section
1367(805)	2990	" " " " Screw
1253(830)	2990	" " Set Screw
276059	2991	" " Shaft
272228	2991	" " " " Bushing
270880	2991	" " " " Oil Packing (wick)
200346(803)	2991	" " " " Set Screw
270164	2991	" " " " End Bearing
201215(804)	2991	" " " " " " Screw
202423	2991	" " " " Oil Filter Wick
276061	2991	" " " " " " Holder
276062	2991	" " " " " " complete, Nos. 202423 and 276061
350498(805)	2991	" " " " " " Regulating Screw
270044	2991	" " " " Thrust Washer
272229	2991	" " " " Bushing, complete, Nos. 270044, 270164, 270880, 272228, 276059, 276062, 350498(805) and two 201215(804)
270874(806)	2990	Rotating Hook Thread Guard
1053(805)	2990	" " " " " " Screw
276048	2993	Tension Releaser (adjustable)
200132(805)	2993	" " " " Screw
272218	2995	" " Releasing Disc
270086	2995	" " " " Pin
272219	2995	" " Spring
50304(806)	2995	" " Stud
276225	2995	" " " 50304(806) with 272220

PARTS FOR MACHINE No. 451K41

Part No.	Plate	Description
50305(803)	2995	Tension Stud Set Screw
1560(803)	2995	" Thumb Nut
272220	2995	" Washer
272221	2995	" Wheel (rotary)
202079	2995	" " Washer (felt)
272222	2995	" (rotary) complete, Nos. 1560(803), 52083, 270086, 272218, 272219, 272221, 272225, 276225 and two 202079
272230	2996	Tension (rotary) Threading Guide
350503(819)	2996	" (") " " Screw
272223	2996	Thread Cutter (on Face Plate)
200583(819)	2996	" " (" " ") Screw
272224	2996	" " (on Rotary Take-up Guard)
200904(819)	2996	" " (" " " ") Screw
276051	2996	" Guide
270077	2993	" " (on Needle Bar Bushing)
350503(819)	2996	" " Screw
276057	2993	" Pull-off
200145(803)	2993	" " Screw (2)
141571(803)	—	" " " for 276514
272225	2995	" Take-up Spring
52083	—	" " " Regulator with 50305(803)
453(833)	—	" " " " Set Screw
52033	3000	Throat Plate (small needle hole), for 149031
147150	2997	" " (medium needle hole) for 149057 (for U.S.A. only)
691(850)	3000	" " Screw (2)
228478	18311	Drip Pan with four 3/4" wire nails

Parts Special for Machine No. 451K45

SINGLE ROTARY THREAD TAKE-UP.

HAND OPERATED REVERSE FEED MECHANISM WITH SPRING
RETURN TO FORWARD STITCH.

HIGH SPEED. LOCK STITCH. SINGLE NEEDLE. SHORT ARM.

FOR STITCHING LIGHT AND MEDIUM WEIGHT FABRICS.

This machine is the same as 451K41 with the following exceptions:—

Part No.	Plate	Description
*276526	—	Arm (Colour Code 728)
*276187	—	Bed (Colour Code 728)
276153	2793	Feed Driving Connection
276154	2793	" " " 276153 with 270016 (for agents only)
276230	2793	" " " Crank with 200040(805)
350507(803)	2793	" " " Hinge Screw
201531(805)	2793	" " " " " Nut
200040(805)	2793	" " " Pinch Screw
276169	2793	" " " Link
276170	2793	" " " 276169 with 270653 (for agents only)
276171	2793	" " " Hinge Pin with 244071
244071	2793	" " " " " Oil Packing (wick)
200394(803)	2793	" " " " " Set Screw
270653	2793	" " " Needle Bearing
276527	2998	" " " Eccentric Adjusting Disc
276528	2998	" " " " " Spring Collar with 141565(833)
141565(833)	2998	" " " " " Collar Set Screw
276180	2998	" " " Flange with 200333(803), 200346(803), two each 350562(853) and 350578(853)
276231	2998	" " " Lifting Eccentric with 200382(833) and 201220(833)
276157	2793	" " " Reversing Lever with 350477(803)
276158	2793	" " " Connection
201107(803)	2793	" " " Hinge Screw (lower)
350509(803)	2793	" " " " " (upper)
201520(819)	2793	" " " " " (") Nut
276160	2793	" " " Handle
200575(819)	2793	" " " Screw
201529(819)	2793	" " " Nut
276159	2793	" " " Hinge Pin
350477(803)	2793	" " " Set Screw
350569(803)	2793	" " " Stop Pin
201524(819)	2793	" " " Nut
276181	2793	" " " Mechanism Support Link
276182	2793	" " " Stud
200346(803)	2793	" " " Set Screw
276189	2793	" " " Shaft with 276191

PARTS SPECIAL TO MACHINE No. 451K45

Part No.	Plate	Description
276162	2793	Feed Reversing Shaft Bushing (back)
276179	2793	" " " " (front)
200382(803)	2793	" " " " Set Screw (2)
276163	2793	" " " " Crank with 200040(805) and 200386(803)
276164	2793	" " " " Hinge Stud with 276046 (for agents only)
276046	2793	" " " " " " Oil Packing (wick)
200386(803)	2793	" " " " " " Set Screw
276165	2793	" " " " " " Link with 200394(803)
200040(805)	2793	" " " " " " Pinch Screw
276190	2793	" " " " " " Spring
276191	2793	" " " " " " Stud
*276529	2999	Machine Pulley (aluminium alloy casting) (Colour Code 701) for "V" belt (outside diam. of belt groove 2.9 in.) (rim diam. 4 in.) with 141566(803) and 141567(803)
276530	2999	Machine Pulley 276529(701) with 272142
141566(803)	2999	" " " " Position Screw
141567(803)	2999	" " " " Set Screw
276232	3001	Rotating Hook 272137 with 270872, 270876 and three 1367(805)
276233	3001	" " " " 276232 with 52237
270876	3001	" " " " Section

Parts Complete for Machine No. 45IK145

SINGLE ROTARY THREAD TAKE-UP

HAND OPERATED REVERSE FEED MECHANISM.

HIGH SPEED. LOCK STITCH.

SINGLE NEEDLE. LONG ARM.

FOR STITCHING LIGHT, MEDIUM AND MEDIUM HEAVY WEIGHT FABRICS.

Part No.	Plate	Description
*276531	—	Arm (Colour Code 728)
276002	3003	" Cover (back) (Colour Code 728)
200053(819)	3003	" " (") Screw (2)
204235	3003	" Position Pin (2)
200004(805)	3003	" Screw (3)
202005	3003	" " Washer (3)
*276102	3006	" Shaft
276543	3006	" " 276102 with 200333(803), 200378(803), 272143, 272145, 276113 and 276115
272142	3006	" " Ball Bearing (back)
272143	3006	" " " " (front)
270926	3006	" " Connection Belt (reinforced neoprene)
271127	3006	" " " " Pulley with 200363(830), 350492(803) and two 214206
350492(803)	3006	Arm Shaft Connection Belt Pulley Position Screw
200363(830)	3006	" " " " " " Set Screw
214206	3006	" " " " " " Spring Flange
*276152	—	Bed (Colour Code 728)
270009	3003	" Slide
276532	3004	Face Plate
276533	3004	" " 276532 with 276503 and two 141568(819)
350503(819)	3004	" " Screw (8)
276503	3004	" " Tension Guard
141568(819)	3004	" " " " " " Screw
272106	2777	Feed Bar
272107	2777	" " Hinge Pin
272112	2777	" " " " Lubricating Felt
200394(803)	2777	" " " " Set Screw
272108	2777	" " " " Thrust Washer (2)
272109	2777	" " Lifting Crank with 200040(805)
200040(805)	2777	" " " " Pinch Screw
272110	2777	" " " " Link
200169(803)	—	" " " " Cap Screw (2)
272115	2777	" " " " Oiling Wick
272111	2777	" " " " " " Clamp
149366	—	" Dog, 16 teeth (16 teeth to the inch) for 270326
12481	3007	" " 18 " (16 " " " ") " 12482
NOTE.—No. 149366 is sent with this machine unless otherwise specified on order.		
208(830)	3007	Feed Dog Screw (2)
276153	2777	" Driving Connection

PARTS FOR MACHINE No. 451K145

Part No.	Plate	Description
276154	2777	Feed Driving Connection 276153 with 270016 (for agents only)
276230	2777	" " " Crank with 200040(805)
350507(803)	2777	" " " Hinge Screw
201531(805)	2777	" " " " " Nut
200040(805)	2777	" " " Pinch Screw
276169	2777	" " " Link
276170	2777	" " " 276169 with 270653 (for agents only)
276171	2777	" " " Hinge Pin with 244071
244071	2777	" " " Oil Packing (wick)
200394(803)	2777	" " " Set Screw
270653	2777	" " " Needle Bearing
270016	2777	" " " Needle Bearing
270017	3005	" " " Eccentric
276534	3005	" " " Adjusting Disc
270137	3005	" " " " " Spring
276535	3005	" " " " " Collar with 141565(833)
141565(833)	3005	" " " " " Collar Set Screw
240231	3005	" " " Friction Gib
350578(850)	—	" " " Adjusting Screw
350562(850)	3005	" " " " " Set Screw
276180	3005	" " " Flange with 200333(803), 200346(803), two each 350562(850) and 350578(850)
200333(803)	—	" " " Position Screw
200346(803)	3005	" " " Set Screw
272116	2777	" " " Rock Shaft with two each 200394(803) and 270942
270941	2777	" " " " " Centre (2)
201254(830)	2777	" " " " " Set Screw (2)
270942	2777	" " " " " Insert (nylon)
270013	2777	" " " Lifting Connection
270014	2777	" " " 270013 with 270016
200545(803)	2777	" " " Hinge Screw
201522(805)	2777	" " " " " Nut
270016	2777	" " " Needle Bearing
276231	3005	" " " Eccentric with 200382(833) and 201220(833)
201220(833)	3005	" " " Position Screw
200382(833)	3005	" " " Set Screw
272118	2777	" " " Rock Shaft with two 270942
270941	2777	" " " " " Centre (2)
201254(830)	2777	" " " " " Set Screw (2)
270942	2777	" " " " " Insert (nylon)
270140	3005	" " " Regulating Stud
240245	3005	" " " Retaining Spring
270026	3005	" " " Spring
276157	2777	" " " Reversing Lever with 350477(803)
276158	2777	" " " Connection
201107(803)	2777	" " " " " Hinge Screw (lower)
350509(803)	2777	" " " " " (upper)
201520(819)	2777	" " " " " (") Nut

PARTS FOR MACHINE No. 451K145

Part No.	Plate	Description
276160	2777	Feed Reversing Lever Handle
200575(819)	2777	" " " " Screw
201529(819)	2777	" " " " Nut
276159	2777	" " " Hinge Pin
350477(803)	2777	" " " " Set Screw
350569	2777	" " " Stop Pin
201524(819)	2777	" " " " Nut
276181	2777	" " Mechanism Support Link
276182	2777	" " " Stud
200346(803)	2777	" " " " Set Screw
276161	2777	" " Shaft
276162	2777	" " " Bushing (back)
276179	2777	" " " (front)
200382(830)	2777	" " " Set Screw (2)
276163	2777	" " " Crank with 200040(805) and 200386(803)
276164	2777	" " " Hinge Stud with 276046 (for agents only)
276046	2777	" " " " Oil Packing (wick)
200386(803)	2777	" " " " Set Screw
276165	2777	" " " Link with 200394(803)
200040(805)	2777	" " " Pinch Screw
276166	2777	" " " Spring
276167	2777	" " " Adjusting Collar with 200092(806)
200092(806)	2777	" " " " Set Screw
270256	3002	Knee Lifter Lifting Link
200293(830)	3002	" " " " Hinge Screw
276015	3003	" " " Rod with 202302
202302	3003	" " " Cotter Pin
276016	3003	" " " Spring
227227	3003	" " " " Collar with 200113(806)
200113(806)	3003	" " " " Set Screw
276109	3003	" " Rock Frame
200679(806)	3003	" " " Hinge Screw (back)
200272(803)	3003	" " " " (front)
*276529	3006	Machine Pulley (Colour Code 701) (aluminium alloy casting) for "V" belt (outside diam. of belt groove 2.9 in.) (rim diam. 4 in.) with 141566(803) and 141567(803)
276530	3006	Machine Pulley 276529(701) with 272142
141566(803)	3006	" " " Position Screw
141567(803)	3006	" " " Set Screw
Catalogue 1969	—	Needle, size 16 (135×39 Y)
276110	3002	Needle Bar with 350445(806)
276111	3002	" " Bushing (lower)
270855	3002	" " " (upper)
350550(830)	3002	" " " (") Set Screw
270262	3002	" " Connecting Link
270263	3002	" " " 270262 with 270266
270264	3002	" " " Guide Block
200054(805)	3002	" " " " Screw (2)

PARTS FOR MACHINE No. 451K145

Part No.	Plate	Description
272206	3002	Needle Bar Connecting Link Hinge Stud with 270161
276113	3006	" " " " " " Oiling Felt
272145	3006	" " " " " " " " Flange
276053	3006	" " " " " " " " Oil
		Leader Tube
200374(830)	3006	" " " " " " Set Screw
270266	3002	" " " " " Needle Bearing
276114	3002	" " " " " Thrust Washer
270856	3002	" " " " Stud with 202277 and 350622(833)
202277	3002	" " " " " Oil Packing (wick)
350622(833)	3002	" " " " " Pinch Screw
*276115	3006	" " Crank with two 200374(830)
200333(803)	3006	" " " " " Position Screw
200378(803)	3006	" " " " " " Check Screw
270058	3002	" " " " " Oiling Felt
350445(806)	3002	" " " " " Set Screw
276241	3002	Presser Bar with 176(819)
276025	3002	" " " " " Ball, 7/32 in. diameter
276536	3002	" " " " " Bushing
276117	3002	" " " " " Lifter
350442(803)	3002	" " " " " Hinge Screw
276028	3002	" " " " " Lifting Releasing Lever Bracket
272122	3002	" " " " " Position Guide with 350411(803)
350411(803)	3002	" " " " " " Pinch Screw
276242	3003	" " " " " Spring
350435(803)	3003	" " " " " Screw (pressure regulating)
350499(850)	3003	" " " " " Stud
62527	3007	" " " " " Foot Hinge Pin
161065	3007	" " " " " Plate
62926	3007	" " " " " Shank
161160	3007	" " " " " Spring
161066	3007	Presser Foot (spring, hinged), complete, Nos. 62527, 62926, 161065 and 161160
176(819)	3002	Presser Foot Screw
272207	2995	Pre-Tension Bracket with 200397(819)
272210	2995	" " " " " complete, Nos. 210958, 210993 and 272207 to 272209
350552(819)	2995	" " " " " Screw
210993	2995	" " " " " Sleeve
272208	2995	" " " " " Spring
272209	2995	" " " " " Stud
210958	2995	" " " " " Collar
200397(819)	2995	" " " " " Set Screw
276537	3004	Rotary Take-up
272212	3004	" " " " " Counterbalance Rivet
276506	3004	" " " " " Guard (Colour Code 728)
276507	3004	" " " " " " Cover (Colour Code 728)
276038	3004	" " " " " " Grill
200161(819)	—	" " " " " " " Screw
200263(850)	3004	" " " " " " Hinge Screw
67425	3004	" " " " " " " Spring Washer
230743(803)	3004	" " " " " " " Thrust Washer

PARTS FOR MACHINE No. 451K145

Part No.	Plate	Description
276508	3004	Rotary Take-up Guard Cover Spring Catch
350503(819)	3004	" " " " " " " Screw
201537(805)	3004	" " " " " " " Nut
141569(819)	3004	" " " " " " " Screw (long)
141570(819)	3004	" " " " " " " (short)
272216	3004	" " " " " " " Thread Shield
276538	3004	" " " " " " " Mounting Disc with three 272212
270161	3004	" " " " " " " Position Pin
200577(830)	3004	" " " " " " " Screw (2)
272136	3001	Rotating Hook with 143301, 270878 and two 1253(830)
272137	3001	" " " " " " " 272136 with 270874(806) and four 1053(805)
276232	3001	" " " " " " " 272137 with 270872, 270876 and three 1367(805)
276233	3001	" " " " " " " 276232 with 52237
272152	3001	" " " " " " " Bobbin (aluminium)
52235	3001	" " " " " " " Case
52236	3001	" " " " " " " 52235 with 591(806), 1380(805) and 40394
40393	3001	" " " " " " " Hinge, Nos. 2974, 40392 and 125320
270872	3001	" " " " " " " Holder (chromium plated)
272131	3001	" " " " " " " Position Bracket
200077(804)	3001	" " " " " " " " " " " Screw
40392	3001	" " " " " " " Latch
125320	3001	" " " " " " " Lever
2974	3001	" " " " " " " Fulcrum Pin
2975	3001	" " " " " " " Spring
592(805)	3001	" " " " " " " Stop Screw
40394	3001	" " " " " " " Tension Spring
591(806)	3001	" " " " " " " " " " " Regulating Screw
1380(805)	3001	" " " " " " " " " " " Screw
52237	3001	" " " " " " " complete, Nos. 592(805), 2975, 40393 and 52236
276234	3001	Rotating Hook Bobbin Case 52237 with 270872 (for agents only)
276125	3005	" " " " " " " Driving Shaft
272144	3005	" " " " " " " Ball Bearing
276045	3005	" " " " " " " Bushing with 276046
276046	3005	" " " " " " " Oil Packing (wick)
200346(803)	3005	" " " " " " " Set Screw
270169	3005	" " " " " " " Connection Belt Pulley with 214206 and two 200070(803)
200070(803)	3005	Rotating Hook Driving Shaft Connection Belt Pulley Set Screw
214206	3005	" " " " " " " " " " " Spring Flange
276047	3005	" " " " " " " Gear (internal teeth) with 200382(833) and 201220(833)
201220(833)	3005	Rotating Hook Driving Shaft Gear Position Screw
200382(833)	3005	" " " " " " " Set Screw
270036	3005	" " " " " " " Oil Lead Wire

PARTS FOR MACHINE No. 451K145

Part No.	Plate	Description
270879	3001	Rotating Hook Oil Guard
276246	3003	" " " Reservoir Cover
276247	—	" " " " " complete, Nos. 267244 to 276246
276491	3003	" " " " Cover Gasket
200041(819)	3003	" " " " " Screw (6)
272154	—	" " " " " Washer (fibre) (6)
276244	3003	" " " " Drain Plug
276245	3003	" " " " " " Gasket
270878	3001	" " " Retaining Washer (felt)
143301	3001	" " " Wick (felt)
270876	3001	" " Section
1367(805)	3001	" " " Screw
1253(830)	3001	" " Set Screw
276059	3005	" " Shaft
272228	3005	" " " Bushing
270880	3005	" " " " Oil Packing (wick)
200346(803)	3005	" " " " Set Screw
270164	3005	" " " End Bearing
201215(804)	3005	" " " " " Screw
202423	3005	" " " Oil Filter Wick
276061	3005	" " " " " Holder
276062	3005	" " " " " complete, Nos. 202423 and 276061
350498(805)	3005	" " " " Regulating Screw
270044	3005	" " " Thrust Washer
272229	3005	" " " Bushing, complete, Nos. 270044, 270164, 270880, 272228, 276059, 276062, 350498(805) and two 201215(804)
270874(806)	3001	Rotating Hook Thread Guard
1053(805)	3001	" " " " " Screw
276048	3002	Tension Releaser (adjustable)
200132(805)	3002	" " " Screw
272218	2995	" " Releasing Disc
270086	2995	" " " Pin
272219	2995	" " Spring
50304(806)	2995	" " Stud
276225	2995	" " " 50304(806) with 272220
50305(803)	2995	" " " Set Screw
1560(803)	2995	" " Thumb Nut
272220	2995	" " Washer
272221	2995	" " Wheel (Rotary)
202079	2995	" " " Washer
272222	2995	" " (Rotary) complete, Nos. 1560(803), 52083, 270086, 272218, 272219, 272221, 272225, 276225 and two 202079
276539	3004	Tension (Rotary) Threading Guide
350503(819)	3004	" (") " " Screw
272223	3004	Thread Cutter (on Face Plate)
200583(819)	3004	" " (" " ") Screw
272224	3004	" " (on Rotary Take-up Guard)
200904(819)	3004	" " (" " " ") Screw

PARTS FOR MACHINE No. 451K145

Part No.	Plate	Description
276051	3004	Thread Guide
270077	3002	" " (on Needle Bar Bushing)
350503(819)	3004	" " Screw
276118	3002	" Pull-off
200145(830)	3002	" " Screw (2)
272225	2995	" Take-up Spring
52083	—	" " " Regulator with 50305(803)
453(833)	—	" " " " Set Screw

270326	—	Throat Plate (large needle hole) for 149366
12482	3007	" " (" " ") " 12481

NOTE.—No. 270326 is sent with this machine unless otherwise specified on order.

691(850)	3007	Throat Plate Screw (2)
228479	18333	Drip Pan with four 3/4" wire nails

Accessories

Part No.	Plate	Description
25878	2627	Cloth Guide
50190(819)	2627	" " Thumb Screw
272152	3001	Rotating Hook Bobbin (2)
270155	3005	" " Oil Reservoir Oil Gauge
161295	2627	Screw Driver (Bobbin Case)
Catalogue		
1361	—	Needles, six size 14 (size 16 for U.S. Territories) (88×9 Y)
12361	2627	Machine Hinge Connection (2)
41400	2627	" Rest Pin (wood)
120342	2627	Oiler (copper plated) with 120343
120343	2627	" Spout (3-1/2 in. long)
85318	2627	Screw Driver
86698	—	Tin of Oil (1/2 pint)
240566	—	Wrench

PRESSER FOOT

(for General Work)

(only supplied when specified on order and at an extra charge)

Part No.	Plate	Description
86659	3007	Presser Foot Plate
86660	3007	" " Shank
86661	3007	Presser Foot (hinged), complete, Nos. 86659 and 86660

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)
FOR "V" BELT DRIVE

Part No.	Plate	Description
259428	2624	Brake (leather)
259429	2624	" Clamp
200113(806)	2624	" " Screw
225453	2624	Frame with 244071 and 259660
225454	2624	" Hinge Pin
244071	2624	" Oil Packing (wick)
259660	2624	" " Well Washer
225455	2624	" Spring
225456	2624	" " Plunger
104211	2624	Pulley with 200380(803)
200380(803)	2624	" Set Screw
225381	2624	Spindle
225444	2624	Stop Latch
200056(805)	2624	" " Screw
225458	2624	" " Thumb Lever
225459	2624	" " " " Hinge Stud
225459	2624	" " " " Joint Stud
202478	2624	" " Trip Lever
200299(808)	2624	" " " " Hinge Screw
225461	2624	Tension Bracket with 201499(808)
200082(804)	2624	" " Screw
228026	2624	" " " Washer

BOBBIN WINDER—Continued

Part No.	Plate	Description
2102	2624	Tension Disc
13710	2624	" Spring
201499(808)	2624	" Stud
201572(808)	2624	" " Thumb Nut
225462	2624	Bobbin Winder Tension Bracket, complete, Nos. 13710, 201572(808), 225461 and two 2102
259430	2624	Bobbin Winder and Tension Bracket Base
104212	2624	Bobbin Winder (swinging automatic, right hand), complete, Nos. 104211, 200056(805), 200082(804), 200113(806), 200299(808), 202478, 225381, 225444, 225453 to 225456, 225458, 225462, 228026, 259428 to 259430, two each 225459 and wood screws 3/4" No. 12 R.H.B.

BELT GUARD

(only supplied when specified on order and at an extra charge)

Part No.	Plate	Description
106502	2778	Belt Guard with 109706(819)
106503	2778	" " Bracket with three 109706(819)
109707	2778	" " " Hinge Screw
109706(819)	2778	" " " Screw
109706(819)	2778	" " " Screw
Tool 293	2778	" " " Key
106504	2778	" " " Support
106505	2778	Belt Guard, complete, Nos. 106502 to 106504 and 109707

KNEE LIFTER

Part No.	Plate	Description
228713	18333	Rock Lever with two 350231(803)
228707	18333	" " Bracket with 200347(803) and three wood screws 7/8" No. 12
228709	18333	Rock Lever Bracket 228707 with 228363, 228367, 228386, 228455 and 228713
228370	18333	Rock Lever Extension with 200530(803)
350231(803)	18333	" " " Set Screw
228363	18333	" " Hinge Pin
228364	18333	" " Knee Plate with 350231(803)
228388	18333	" " " " Arm
350231(803)	18333	" " " " Set Screw
350231(803)	18333	" " " " Set Screw
228455	18333	" " Position Spring
228365	18333	" " Rod
200530(803)	18333	" " " Set Screw
228386	18333	" " Spring
228367	18333	" " Stop Stud
200347(803)	18333	" " " " Set Screw
228710	18333	Knee Lifter Rock Lever, complete, Nos. 228364, 228365, 228370, 228388 and 228709

(Other Knee Lifter parts are listed with parts of Machine Head).

THREAD UNWINDER

Part No.	Plate	Description
228692	2895	Spool Pin
201528(808)	2895	" " Nut
82538	2895	" " Washer
225257	2895	" Rest (for two spools) (flat) with 201018(803), two each 82538, 201528(808) and 228692
150203	2895	Spool Rest Cushion (felt)
225388	2895	" " Rod
200383(803)	2895	" " " Set Screw
201018(803)	2895	" " Set Screw
259658	2895	" Stand with 200383(803)
225391	2895	Thread Guide
201696(808)	2895	" " Lock Nut
225326	2895	" " Position Cup
225324	2895	" " Rod with 208(830) and 225322
208(830)	2895	" " " Screw
225322	2895	" " " Washer
225258	2895	Thread Unwinder (for two spools), complete, Nos. 201696(808), 225257, 225324, 225326, 225388, 259658, two each 150203, 225391 and three wood screws 7/8" No. 12
27739	2895	Thread Cone (wood) (supplied only when specified on order and at an extra charge)

STRIP REEL

(Supplied only when specified on order and at an extra charge)

Part No.	Plate	Description
228463	—	Strip Reel Bracket with 200382(803) and 228466
228911	—	" " " Base
228912	—	Strip Reel Bracket Base 228911 with 855(803), 141578(803), 141579(803), 228913 and 228914
855(803)	—	Strip Reel Bracket Base Set Screw
228466	—	" " " Stud
200382(803)	—	" " " Set Screw
226199	—	" " Disc (6" diam.) with 225980
228467	—	" " " Rod
228913	—	" " Expansion Stud (long)
141578(803)	—	" " " (") Screw
228914	—	" " " (short)
141579(803)	—	" " " (") Screw
225980	—	" " Supporting Spindle Hub Base
26073	—	" " Tension Adjusting Collar with 51224(818)
51224(818)	—	" " " " Set Screw
13211	—	" " " Spring
228468	—	" Roll Adaptor (5/16" wide, 31/32" diam.)
228469	—	" " " (7/8" wide, 1-1/4" diam.)
228915	—	Strip Reel (6" diam.) (Adjustable), complete, Nos. 13211, 26073, 228463, 228467 to 228469, 228912 and two 226199

Numerical List of Parts

Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
176	31, 40	62926	31, 40	200040	29, 35, 36, 37, 38, 39
208	29, 37, 46	67425	32, 40	200041	33, 42
Tool 293	45	82538	46	200053	29, 37
453	34, 43	85318	44	200054	31, 39
591	32, 41	86659	44	200056	44
592	32, 41	86660	44	200070	33, 41
691	34, 43	86661	44	200077	32, 41
855	46	86698	44	200082	44
1053	33, 42	104211	44	200092	39
1253	33, 42	104212	45	200113	30, 39, 44
1367	33, 42	106502	45	200132	33, 42
1380	32, 41	106503	45	200145	34, 43
1560	34, 42	106504	45	200161	32, 40
2102	45	106505	45	200169	29, 37
2974	32, 41	109706	45	200263	32, 40
2975	32, 41	109707	45	200272	30, 39
12361	44	120342	44	200293	30, 39
12481	37	120343	44	200299	44
12482	43	125320	32, 41	200333	30, 31, 38, 40
13211	46	141565	35, 38	200346	30, 33, 35, 38, 39, 41, 42
13710	45	141566	35, 36, 39	200347	45
25878	44	141567	36, 39	200363	29, 37
26073	46	141568	37	200374	31, 40
27739	46	141569	32, 41	200378	31, 40
40392	32, 41	141570	32, 41	200380	44
40393	32, 41	141571	34	200382	30, 33, 36, 38, 39, 41, 46
40394	32, 41	141578	46	200383	46
41400	44	141579	46	200386	36, 39
50190	44	143301	33, 42	200394	29, 35, 37, 38
50304	33, 42	147150	34	200397	32, 40
50305	34, 42	149031	29	200530	45
51224	46	149057	29	200545	29, 30, 38
51369	31	149366	37	200575	35, 39
52033	34	150203	46	200577	32, 41
52083	34, 43	161065	31, 40	200583	29, 34, 42
52235	32, 41	161066	31, 40	200679	30, 39
52236	32, 41	161160	31, 40	200904	34, 42
52237	32, 41	161295	44	201018	46
62527	31, 40	200004	29, 37	201107	35, 38

NUMERICAL LIST OF PARTS


Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
201215	33, 42	225462	45	259660	44
201220	30, 33, 38, 41	225980	46	270008	29
201254	30, 38	226199	46	270009	29, 37
201499	45	227227	30, 39	270013	29, 30, 38
201520	35, 38	228026	44	270014	29, 30, 38
201522	30, 38	228363	45	270016	30, 38
201524	35, 39	228364	45	270017	30, 38
201528	46	228365	45	270026	30, 38
201529	35, 39	228367	45	270036	33, 41
201531	35, 38	228370	45	270044	33, 42
201537	32, 41	228386	45	270050	31
201572	45	228388	45	270055	31
201696	46	228455	45	270057	31
202005	29, 37	228463	46	270058	31, 40
202079	34, 42	228466	46	270077	34, 43
202277	31, 40	228467	46	270086	33, 42
202302	30, 39	228468	46	270124	31
202423	33, 42	228469	46	270137	30, 38
202478	44	228478	34	270140	30, 38
204235	29, 37	228479	43	270155	44
210958	32, 40	228692	46	270161	32, 41
210993	32, 40	228707	45	270164	33, 42
214206	29, 33, 37, 41	228709	45	270169	33, 41
225257	46	228710	45	270256	39
225258	46	228713	45	270261	31
225322	46	228911	46	270262	39
225324	46	228912	46	270263	39
225326	46	228913	46	270264	39
225381	44	228914	46	270266	31, 40
225388	46	228915	46	270305	31
225391	46	230743	32, 40	270326	43
225444	44	240231	30, 38	270653	35, 38
225453	44	240245	30, 38	270855	39
225454	44	240566	44	270856	40
225455	44	244071	35, 38, 44	270872	32, 41
225456	44	259428	44	270874	33, 42
225458	44	259429	44	270876	36, 42
225459	44	259430	45	270878	33, 42
225461	44	259658	46	270879	33, 42

NUMERICAL LIST OF PARTS

Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
270880	33, 42	272209	32, 40	276051	34, 43
270926	29, 37	272210	32, 40	276053	31, 40
270941	30, 38	272211	32	276057	34
270942	30, 38	272212	32, 40	276059	33, 42
270944	30	272216	32, 41	276061	33, 42
271127	29, 37	272217	32	276062	33, 42
272106	29, 37	272218	33, 42	276102	37
272107	29, 37	272219	33, 42	276109	39
272108	29, 37	272220	34, 42	276110	39
272109	29, 37	272221	34, 42	276111	39
272110	29, 37	272222	34, 42	276113	40
272111	29, 37	272223	34, 42	276114	40
272112	29, 37	272224	34, 42	276115	40
272113	29	272225	34, 43	276117	40
272115	29, 37	272226	30	276118	43
272116	30, 38	272227	30	276125	41
272117	30	272228	33, 42	276152	37
272118	30, 38	272229	33, 42	276153	35, 37
272121	31	272230	34	276154	35, 38
272122	31, 40	272232	31	276157	35, 38
272123	31	276002	29, 37	276158	35, 38
272131	32, 41	276003	29	276159	35, 39
272132	33	276014	30	276160	35, 39
272136	32, 41	276015	30, 39	276161	39
272137	32, 41	276016	30, 39	276162	36, 39
272138	32	276017	30	276163	36, 39
272139	32	276018	31	276164	36, 39
272142	29, 37	276019	31	276165	36, 39
272143	29, 37	276021	31	276166	39
272144	33, 41	276023	31	276167	39
272145	31, 40	276025	31, 40	276169	35, 38
272147	29	276027	31	276170	35, 38
272152	32, 41, 44	276028	31, 40	276171	35, 38
272154	33, 42	276038	32, 40	276179	36, 39
272204	30	276044	33	276180	35, 38
272205	30	276045	33, 41	276181	35, 39
272206	31, 40	276046	33, 36, 39, 41	276182	35, 39
272207	32, 40	276047	33, 41	276187	35
272208	32, 40	276048	33, 42	276189	35

NUMERICAL LIST OF PARTS


Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
276190	36	276543	37		
276191	36	350231	45		
276225	33, 42	350411	31, 40		
276230	35, 38	350435	31, 40		
276231	35, 38	350442	31, 40		
276232	36, 41	350445	31, 40		
276233	36, 41	350477	35, 39		
276234	32, 41	350492	29, 37		
276241	40	350498	33, 42		
276242	40	350499	31, 40		
276244	33, 42	350503	29, 32, 34, 37, 41, 42, 43		
276245	33, 42	350507	35, 38		
276246	33, 42	350509	35, 38		
276247	33, 42	350540	30		
276491	33, 42	350541	30		
276501	29	350550	31, 39		
276503	29, 37	350552	32, 40		
276506	32, 40	350562	30, 38		
276507	32, 40	350569	35, 39		
276508	32, 41	350578	30, 38		
276510	29	350622	31, 40		
276513	31				
276514	31				
276515	31				
276516	29				
276526	35				
276527	35				
276528	35				
276529	36, 39				
276530	36, 39				
276531	37				
276532	37				
276533	37				
276534	38				
276535	38				
276536	40				
276537	40				
276538	41				
276539	42				




ILLUSTRATIONS

ILLUSTRATIONS

2777 - 1/3




2778 - 3/4




ILLUSTRATIONS

2793 - 1/3




2798 - 1/3




ILLUSTRATIONS


2895 - 1/6




2990 - 3/4



2991 - 3/8




2992 - 3/8




ILLUSTRATIONS

2993 - 1/2




2994 - 3/8




ILLUSTRATIONS

2995





2996 - 1/2




2997

149057




2998 - 3/8




ILLUSTRATIONS

2999 - 3/8




3000




ILLUSTRATIONS

3001 - 3/4




3002 - 1/2




ILLUSTRATIONS

3003 - 3/8




3004 - 1/2




ILLUSTRATIONS

3005 - 3/8



3006 - 3/8




ILLUSTRATIONS

3007



18311 - 1/4



ILLUSTRATIONS

18333 - 1/4

