FORM 8486—REVISED October, 1933 PRINTED IN U. S. A.

LIST of PARTS



MACHINE No. 52-67



THE SINGER MANUFACTURING COMPANY

From the library of: Superior Sewing Machine & Supply LLC

COPYRIGHT, U. S. A., 1916, 1918, 1922 AND 1933, BY THE SINGER MANUFACTURING CO. ALL RIGHTS RESERVED FOR ALL COUNTRIES.

INSTRUCTIONS FOR OILING

To insure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and
when in continuous use, should be oiled at
least twice each day by applying Singer Cloth
and Leather Oil to all oil holes marked "Oil"
and to all other oiling places.

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

> Needles in Containers marked "For Singer Machines" are not Singer made needles.

INDEX

	PAGE
Accessories	12
FEED ROLLS	15
FOOT LIFTER PARTS	13
Knee Lifter Parts	14
Iron Base	12
LAP SEAM GUIDE	12
Machine No. 52-67	7
Numerical List of Parts	19
Obsolete Parts	16
TAPE HOLDER	12
THREAD UNWINDER	15

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A—Hardened, Polished, Nickel Plated and Buffed B—Polished, Nickel Plated and Buffed C—Hardened Only

D-Polished Only

E—Soft, Not Polished F—Hardened and Polished

H-Blued

J-Nickel Plated Only

K—Hardened and Nickel Plated

L—Brass Plated M-Oxidized

N—Japanned, Dull P—Japanned, Bright

R-Merlized

T-Copper Plated

T. A.-Hardened, Polished, Copper and Nickel Plated and Buffed

T. B.—Copper and Nickel Plated and Polished T. J.—Copper and Nickel Plated Only

T. K.—Hardened, Copper and Nickel Plated
T. M.—Copper Plated and Oxidized
T. L.—Copper and Brass Plated
U.—Zinc Plated
V.—Silver Plated

W—Polished and Nickel Plated Y—Black Nickel Plated Only

Z-Chromium Plated

Z. B.—Polished, Nickel Plated, Buffed and Chromium Plated Z. J.—Nickel and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:


1 to 1500 and 50001 to 51500 are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 and upward are numbers of Machine Parts

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

When ordering parts which differ as to Gauge (the distance between seams) the Gauge, as well as the Number must be given on order.

LIST OF PARTS COMPLETE FOR



MACHINE No. 52-67

FOR CLOSING AND TAPING THE HEEL SEAMS OF SHOE LININGS IN ONE OPERATION. THREE NEEDLES, THREE HOOKS. GAUGES 1/8 INCH TO 3/8 INCH. HAS TAPE GUIDING FOOT AND ADJUSTABLE LAP SEAM GUIDE. BALANCE WHEEL NO. 13796. DIAMETER OF BELT GROOVE 23/16 INCHES. SPEED 3000.

NO.	PLATE	NAME
*13945		Arm
13946	-	" 13945 with 453c, 15404, 15486 and
		two 15405
4389	7445	Arm Dowel Pin
54897	7442	" Oil Cup

NO. PLATE	NAME
13862 7442	Arm Oil Tube with 29599, for oiling 13799
	and 13804
13831 7442	Arm Oil Tube (left) with 49092, for oiling
	13811
13832 7442	Arm Oil Tube (right) with 49092, for oiling
10002 1112	13813
13833	Arm Oil Tube Bracket
	" " " 1999 with 1991
13834 7442	19999 MIIII 19991
	and 13832
898 _D 7450	Arm Oil Tube Bracket Screw
29599 7442	" " Packing (felt) for 13862
49092 7442	" " " " " 13831and
	13832
880E 7450	Arm Screw (left)
138E 7450	" " (right)
13928 8754	" Shaft
13794 7440	" "Flanged Bushing (back)
	" " " Oil Pad
56006 7442	
	(braided cotton)
446c 2831	Arm Shaft Flanged Bushing (back) Set
	Screw
13795 7440	Arm Shaft Flanged Bushing (front)
56006 7442	" " " " Oil Pad
	(braided cotton)
443c 7450	Arm Shaft Flanged Bushing (front) Set
1100 1100	Screw
144р 7450	Arm Shaft Screw
15196 7441	
	Dide Cover
286р 7450	Thumb Screw
13796 7441	Balance Wheel, 23/16 in. pulley, with two
	448c
13797 7441	Balance Wheel Oil Cover
210р 7450	" " " Screw
448c 7450	" Set Screw
*13925	Bed
13799 7441	Crank Connecting Rod with 13800 and two
	145E
*13800	Crank Connecting Rod Cap
145E 7450	
375c 7450	" " Hinge Serew
1518E 7450	" " " Screw " " Hinge Screw " " " Nut
13849 7441	Face Plate
190p 7442	" " Screw
13506 7467	
	Feed Bar
315c 8753	Screw Center
1519E 7450	Nut
2039 7444	Connecting Link
378c 7444	" " Hinge Screw (long)

NO. I	PLATE	NAME
	7444	Feed Connecting Link Hinge Screw (short)
1520E	1	" " " Nut
31635	5318	" Dog, 11 teeth (16 teeth to the inch)
01000	0010	for 31691
31636	7482	Feed Dog, 11 teeth (16 teeth to the inch)
01000	. 102	for 31692
30243	7483	Feed Dog, 13 teeth (16 teeth to the inch)
00210	. 100	for 31693
191c	7450	Feed Dog Screw
13803	7444	" and Feed Lifting Eccentric with 448c
448c	7450	" " " Set Screw
13804	7444	" " " " Sleeve
13805	7440	" Forked Connection
378c	7444	" " Hinge Screw
$1520_{\rm E}$	7444	" " " " Nut
13806	7440	" Lifting Rock Shaft
13807		Feed Lifting Rock Shaft complete, Nos.
		2509 and 13806
13808	7440	Feed Lifting Rock Shaft Connecting Rod
		with 43977 and two 145E
*43977		Feed Lifting Rock Shaft Connecting Rod
		Cap
145e	7450	Feed Lifting Rock Shaft Connecting Rod
		Cap Screw
375c	7450	Feed Lifting Rock Shaft Connecting Rod
		Hinge Screw
1518E	7450	Feed Lifting Rock Shaft Connecting Rod
		Hinge Screw Nut
2509	7444	Feed Lifting Rock Shaft Crank with 157 _J
		and 1813
157л	7444	Feed Lifting Rock Shaft Crank Clamping
1813	7444	Screw
1815	7444	Stud
307c	7450	Feed Lifting Rock Shaft Screw Center
1513л	8753	" " " " " Nut
2164	7444.	" Regulator
74E	7444	" " Hinge Screw
747 D	7444	" " Thumb Screw
21350	7444	" " " Stop
2047	7440	" Rock Shaft
2046		Feed Rock Shaft complete, Nos. 2047 and
		2048
2048	7444	Feed Rock Shaft Crank with 465c
2049	7444	" " " Pin
465c	7444	" " " Set Screw
307c	7450	" " Screw Center
1513ј	8753	" " " " Nut

	PLATE	NAME
13617	8753	Looper
13727	7467	" Carrier with two 211r and three
		853c
211 _F	7467	Looper Carrier Set Screw
13516	7445	" " Shaft
13836	7445	" " Bushing
448c	7450	" " Set Screw
217F		" " Set Screw
13811	7441	" Driving Shaft with 217F
13812	7445	" " Crank with two 1253c
1253c	7445	" " Set Screw
13813	7445	" " Link
13814	7445	" " " Hinge Pin
1454c	8753	" " " " Set
14040	0100	Screw
853c	7450	Looper Set Screw
13581	7441	Needle Bar (hollow)
*13582	7444	" " Connecting Link with 794E
	7444	" " 13582 with
13933		
-01		13896
794E	7444	Needle Bar Connecting Link Adjusting
-		Screw
881c		Needle Bar Connecting Link Hinge Screw
13896	7444	Didd with 1904
		and two 175E
175E	7444	Needle Bar Connecting Stud Clamping
		Screw
1904	7444	Needle Bar Connecting Stud Roller (roller
		only)
13816	7440	Needle Bar Crank with 435c and 1293c
· 1293c		" " Position Screw
435c	2831	" " Set Screw
13545	7455	" Clamp with three 620r or 50014r,
		for 1/8 in. to 11/64 in. gauges
13873	7455	Needle Clamp with three 50014r, for 3/16
		in. gauge and above
2273	7445	Needle Clamp Pin
620r	7445	" Set Screw for 13545
$50014_{\rm F}$	7445	" " " %4 in. gauge and above
*13818	7445	Oscillating Rock Shaft with 1454c
13819	7445	" " Hinge Pin
13820	7445	" " " Bushing
448c	7450	" " " SetScrew
2058	7441	Presser Bar
52016	7445	" " Lifter
15486	8753	" " Hinge Stud
453c	2831	" " Set Screw
1550		Det belew

NO. PLATE	NAME
2953 7445	Presser Bar Lifting Bracket with 453c
453c 2831	" " Set Screw
3100 7445	" " Spring
2070 7445	" " Washer
31661 5435	" Foot (strip folding)
31660 5435	" (tube)
	" Screw
	Pressure Regulating Thumb Screw
263E 7450	Tension Bracket with five 13589
13868 7455	
13869	Tension Bracket complete, Nos. 828c,
	13868, two each 637c, 1547p, three each
2021	1560c, 13710 and six 2921
2921 7442	Tension Disc
13589 7442	Steady I III
1560c 7442	Regulating Thumb Nut
637c 7442	" Screw Stud
828c 7442	" " for center tension
1547p 7442	" " Nut
13710 7442	" Spring
13589 7442	" Thread Guide Pin
13929 8753	Thread Controller Post
190л 7442	" " Screw
13845 7442	" " Spring
233ј 7442	" " Screw
13930 8753	" Thread Guide
13931	Thread Controller complete, Nos. 2331,
	13845 and 13929
13850 ——	Thread Guide (back of arm) four holes
13851 7456	" " " 13850 with
-5052 1255	13862
13867 7455	Thread Guide (side of arm) three holes
219л 7450	" " " Screw
13853 —	" (top of arm) four holes
13854 7457	" " " 13853 with
10001 1101	13862
50062л 7450	Thread Guide (top of arm) Screw
13940 8753	" Take-up Plate
883в 7445	" " Screw
31691 5318	Throat Plate for 31635
31692 7482	" " 31636
31693 7483	" " 30243
691F 7450	" " Serew
*15404 ——	Trade Mark
15405 —	" " Rivet
13635 1514	Drip Pan with four 1 in, wire nails
19099 1914	Drip ran with four 1 m. wife halls

IRON BASE

		INON DASE			
NO.	PLATE	NAME			
11118	7446	Bed Frame Cushion (leather)			
7263	7446	" " Hinge Connection (long)			
14098	7446	" " (short)			
14008	7446	" " " Pin			
	7446	" " Thumb Screw			
13697	1511	" with 970p, 2978, 7263, 14098,			
1000.		two 14008 and four each 11118 and wood			
		screws 1¼ in. No. 12			
2978	1514	Drip Pan			
		ACCESSORIES			
NO.	PLATE	NAME			
12361	7446	Machine Hinge Connection			
44139	7446	" " Plate			
44140		Machine Hinge complete, Nos. 12361,			
11110		44139 and wood screw 11/4 in. No. 14			
12405	7446	Machine Rest (felt)			
41400	7447	" " Pin (wood) 3½ in. long			
36569	7447	Oiler with 36571			
36570		" 36569, filled with oil			
36571	7447	" Spout, 13/4 in. long, with 36807			
36807	7446	" Washer (leather)			
26026	7447	Screw Driver (large)			
26485	7447	" " (small)			
120341	8753	Tweezers (curved)			
8909	7447	Wrench for 1513 and 1518			
8908	7447	" " 1519 and 1520			
4822	7447	" " 1521 and 1547			
1022		2022 11111 2021 11111 11111			
	LA	P SEAM GUIDE			
NO.	PLATE	NAME			
35818	1517	Lap Seam Guide (left)			
35819	1517	" " (right)			
35820		Lap Seam Guide complete, Nos. 35818 and			
00020		35819			
14231	7467	Lap Seam Guide Adjusting Screw			
TAPE HOLDER					
		(STRAIGHT) 6 IN.			

NO.	PLATE	NAME
35821	1518	Bracket Wire
35822	1518	Bracket Wire complete, Nos. 26918, 35821
		and 35823

NO. PLATE	NAME
*35823	Disc
*35824 1518	" Hub
35825 1518	Disc complete, Nos. 35823 and 35824
26918 1518	Tape Guide
35826 1517	Tension Adjusting Collar with 286p
286р 7450	" " Thumb Screw
13211 7446	" " Spring
35827 1518	Tape Holder complete, Nos. 13211, 35822,
	35825 and 35826
190л 7442	Tape Holder Set Screw
FOO	OT LIFTER PARTS
NO. PLATE	NAME
5596 7448	Bell Crank
56848 —	5550 With 5555 and 5001
5599 7448 178E 7450	Dracket
178E 7450 5601 7446	" " Screw
5735 7446	" " Spring
5598 7448	Bell Crank complete, Nos. 5735 and 56848
5670 —	Chain, length 26 in. to 35 in., with 56864
3070 —	and 56865
Note: Wi	nen ordering 5670, give length required
4879 7448	Chain Connecting Link
56864 8753	" Hook (large)
56865 8753	" ·" (small)
13587 7448	Lifting Lever
13588 7448	" Connecting Rod
12416 7446	. " " Joint
76p 7446	" " " Hinge
	Screw
1521E 7446	Lifting Lever Connecting Rod Lock Nut
802 _D 7450	" " Hinge Screw
2763 1511	Rock Shaft
12242 1511	" " Hanger with two wood screws
2005 4511	1 in. No. 10
6337 1511	Rock Shaft Lifting Bracket with two 356c
12243 1511	H00K
7125 1516	
356c 7450 356c 7450	Det berew
2770 1511	See Seren
356c 7450	" " Stop Dog with 356c " " Set Screw
5500 7450 4990 1510	Det Screw

4880 1516 Rock Shaft complete, Nos. 2763, 2770,

7125, 12243 and two each 6337 and 12242

NO.	PLATE	NAME
4881	1516	Treadle
4882	7448	" Shaft
4883	7448	" Spring
4884	1516	" Stand
4885	1516	Treadle complete, Nos. 4879, 4881 to 4884
		and two wood screws 1 in. No. 16
13725		Foot Lifter complete, Nos. 76D, 802D,
		1521E, 4880, 4885, 5598, 5670, 12416,
		13587, 13588 and two 178E

KNEE LIFTER PARTS

NO.	PLATE	NAME
5596	7448	Bell Crank
56848		" 5596 with 5599 and 5601
5599	7448	" " Bracket
178E		" " Serew
5601	7446	" " Hinge Pin
5735	7446	" " Spring
5598	7448	Bell Crank complete, Nos. 5735 and 56848
13587	7448	Lifting Lever
13588	7448	" Connecting Rod
12416	7446	" " " Joint
761	7446	" " " Hinge
		Screw
1521E	7446	Lifting Lever Connecting Rod Lock Nut
8021	7450	" " Hinge Screw
2763	1511	Rock Shaft
12242	1511	" Hanger with two wood screws
		1 in. No. 10
2765	1511	Rock Shaft Knee Arm
2766	1511	" " " Hub with 356c
3560	7450	" " " Set Screw
2768		Rock Shaft Knee Arm complete, Nos. 2765
		to 2767
2767	1511	Rock Shaft Knee Plate with 356c
3560	7450	" " " Set Screw
6337	1511	" Lifting Bracket with two 356c
2778	1511	" " " Hook
3560		" " Set Screw
3560		" " Set Screw
2770	1511	" Stop Dog with 356c
3560		" " " Set Screw
2777	1511	Rock Shaft complete, Nos. 2763, 2768,
1 = 00 =		2770, 2778, 6337 and two 12242
17039		Knee Lifter complete, Nos. 76d, 802d,
		1521E, 2777, 5598, 12416, 13587, 13588
		and two 178E

FEED ROLLS

NO.	PLATE				NAM	ſΕ
27971	2830	Feed	Roll	(lower)	wit	h two 446c
446c	2831	"	"	"	Set	Screw
27972	8754	"	"	"		ft
11411	2831	- 11	**	"	**	
453c	2831	"	"	"	"	" Set Screw
27973	2830	u	"	"	"	
27974	2830	"	"	(upper)		
27975	2831	"	**	"	Ba	r
6533	2831	"	"	"	"	Collar with 460c
460c	2831	"	"	"	"	" Set Screw
27976	2831	"	"	"	"	Guide Bracket with
		45	łc			
454c	2831	Feed	Roll	(upper)	Ba	r Guide Bracket Set
		Scr	ew			
9532	2831	Feed	Roll	(upper)	Ba	r Lifter with 9533
810	2831	"	"	"	"	" Hinge Screw
9533	2831	"	"	"	"	" Stop Pin
2065	2831	"		"	"	oping
27977	2830	"	"	"	Bra	acket with 453c and
910c	2831				Bra	acket Set Screw
2932	2830	"		"		aft
453c	2831	"		"		Set Screw
27978	8754	"		Frame.		
27979	8754	"	"			oved) 97/8 in. diam.,
2000	2831				-	oved) Set Screw
27980						Nos. 81p, 2065, 2932,
						27971 to 27979 and
		six	WOOO	screws	11/4	in. No. 12

THREAD UNWINDER

FOR THREE SPOOLS

NO.	PLATE			NAME
225259	8755	Spool	Rest	(for one spool) with 201018c
225257	8755	"	"	(for two spools) with 201018c.
150203	8755	"	"	Cushion (felt)
225388	8755	44	"	Rod
200383c	8753	"	"	" Set Screw
2010180	8753	"	44	Set Screw
202490	8755	"	Stan	d with 200383c
225391	8755	Threa		ide
201696л	8753	"		
225326	8753	46	4	Position Cup

NO.	PLATE	NAME
225324	8755	Thread Guide Rod with 208E and 225322
2081	7450	" " Screw
225322	8753	" " Washer
259143	8755	Thread Unwinder complete, Nos. 201696J,
		202490, 225257, 225259, 225324, 225326,
		225388, three each 150203, 225391 and
		wood screws 7/8 in. No. 12
27739	7234	Thread Cone (wood) for large cones
225390	7234	" Holder, for inverted cones

Note: Nos. 27739 and 225390 are used with, but not included in 259143

OBSOLETE PARTS

NO.	PLATE	NAME
*13789		Arm, use 13946
13793	7440	" Shaft
13809	7445	Looper
1253c	7445	" Driving Shaft Link Hinge Pin Set
		Screw
13815	-	Needle Bar Connecting Stud with 1904
		and two 640c, use 13896
640c	7450	Needle Bar Connecting Stud Clamping
		Screw for 13815
1058c	7445	Presser Bar Lifter Hinge Screw, superseded
		by 15486, not interchangeable
1520E	7444	Presser Bar Lifter Hinge Screw Nut
26070	7446	Tape Holder Disc Hub Rivet
13844	7442	Thread Controller Post for 13847
13846	7442	" Thread Guide for 13847
13847		Thread Controller complete, Nos. 233c,
		13844 and 13845
13594	7445	Thread Take-up Plate, use 13940
27623	5571	" Unwinder Spool Pin for 41435
155c	7450	" " Set Screw for
		41435
41434	5571	Thread Unwinder Spool Rest for 41435
41435	_	" " " 41434 with
		1149c and three each 155c and 27623,
		for 41438
1149c	7450	Thread Unwinder Spool Rest Set Screw
		for 41435
27940	5571	Thread Unwinder Spool Stand with 453c,
		for 41438
41514	5571	Thread Unwinder Spool Weight, 4 in.
		diam., with 41515, for 41438

NO.	PLATE	NAME
41515	7446	Thread Unwinder Spool Weight Center Pin
		for 41514
41632	5571	Thread Unwinder Thread Guard with 208E
		and three 41569, for 41438
41569	7446	Thread Unwinder Thread Guard Eyelet
		for 41632
41637	5571	Thread Unwinder Thread Guard Rod
		(lower) for 41640
41638	5571	Thread Unwinder Thread Guard Rod
		(upper) for 41640
41639	5571	Thread Unwinder Thread Guard Rod
		Coupling with two 456c, for 41640
456c	7450	Thread Unwinder Thread Guard Rod
		Coupling Set Screw for 41639
41640		Thread Unwinder Thread Guard Rod
		complete, 30 in. long, for 41438, Nos.
		41637 to 41639
453c	2831	Thread Unwinder Thread Guard Rod Set
		Screw for 27940
208E	7450	Thread Unwinder Thread Guard Screw
		for 41632
41438	5571	Thread Unwinder complete, Nos. 27940,
		41435, 41632, 41640 and three each
		27739, 41514 and wood screws 1 in.
		No. 12
35143	7447	Tweezers, 4 in., use 120341 (Accessories)

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked

"For Singer Machines"
are not Singer made needles. 2

FOR MACHINE No. 52-67

NUMERICAL LIST OF PARTS

NO. PLATE	NAME
74E 7444	Feed Regulator Hinge Screw
76p 7446	Lifting Lever Connecting Rod Joint Hinge
	Screw for 13725 and 17039
81p 2831	Feed Roll (upper) Bar Lifter Hinge Screw
	for 27980
138E 7450	Arm Screw (right)
144 _D 7450	" Shaft Screw
145E 7450	Crank Connecting Rod Cap Screw for
	13799
145E 7450	Feed Lifting Rock Shaft Connecting Rod
	Cap Screw for 13808
155c 7450	Thread Unwinder Spool Pin Set Screw for
	41435, obsolete
157л 7444	Feed Lifting Rock Shaft Crank Clamping
	Screw for 2509
175E 7444	Needle Bar Connecting Stud Clamping
	Screw for 13896
178E 7450	Bell Crank Bracket Screw for 13725 and
	17039
190р 7442	Face Plate Screw
190л 7442	Presser Foot Screw
190л 7442	Thread Controller Post Screw
190л 7442	Tape Holder Set Screw
191c 7450	Feed Dog Screw
208E 7450	Thread Unwinder Thread Guard Screw for
	41632, obsolete
208E 7450	Thread Unwinder Thread Guide Rod Screw
	for 225324
210р 7450	Balance Wheel Oil Cover Screw
211 _F 7467	Looper Carrier Set Screw for 13727
217F 7450	" Shaft Set Screw for 13811
219л 7450	Thread Guide (side of arm) Screw
233ј 7442	" Controller Spring Screw for 13847
	and 13931
263E 7450	Pressure Regulating Thumb Screw
286р 7450	Arm Side Cover Thumb Screw
286р 7450	Tape Holder Tension Adjusting Collar
	Thumb Screw for 35826
307c 7450	Feed Lifting Rock Shaft Screw Center
307c 7450	" Rock Shaft Screw Center
315c 8753	" Bar Screw Center
356c 7450	Rock Shaft Knee Arm Hub Set Screw for
0.00	2766
356c 7450	Rock Shaft Knee Plate Set Screw for 2767

	NAME
NO. PLATE 356c 7450	Rock Shaft Lifting Bracket Hook Set Screw
550C 7450	for 6337
050 5450	Rock Shaft Lifting Bracket Set Screw for
356c 7450	
	6337
356c 7450	Rock Shaft Stop Dog Set Screw for 2770
375c 7450	Crank Connecting Rod Hinge Screw
375c 7450	Feed Lifting Rock Shaft Connecting Rod
0-0 -111	Hinge Screw
378c 7444	Feed Connecting Link Hinge Screw (long) "Forked Connection Hinge Screw
378c 7444	" Connecting Link Hinge Screw (short)
380c 7444 435c 2831	Needle Bar Crank Set Screw for 13816
435c 2831 435c 2831	Feed Roll Pulley (grooved) Set Screw for
4550 2851	27979
443c 7450	Arm Shaft Flanged Bushing (front) Set
4490 7490	Screw
446c 2831	Arm Shaft Flanged Bushing (back) Set
1100 2001	Screw
446c 2831	Feed Roll (lower) Set Screw for 27971
448c 7450	Balance Wheel Set Screw for 13796
448c 7450	Feed and Feed Lifting Eccentric Set Screw
	for 13803
448c 7450	Looper Carrier Shaft Bushing Set Screw
448c 7450	Oscillating Rock Shaft Hinge Pin Set Screw
453c 2831	Feed Roll (lower) Shaft Collar Set Screw
	for 11411
453c 2831	Feed Roll (upper) Shaft Set Screw for
	27977
453c 2831	Presser Bar Lifter Hinge Stud Set Screw
450 0001	for 13946
453c 2831	Presser Bar Lifting Bracket Set Screw for
159- 0091	2953
453c 2831	Screw for 27940, obsolete
454c 2831	Feed Roll (upper) Bar Guide Bracket Set
4940 2001	Screw for 27976
456c 7450	Thread Unwinder Thread Guard Rod
1000 . 100	Coupling Set Screw for 41639, obsolete
460c 2831	Feed Roll (upper) Bar Collar Set Screw
	for 6533
465c 7444	Feed Rock Shaft Crank Set Screw for 2048
620F 7445	Needle Set Screw for 13545
637c 7442	Tension Screw Stud for 13869
640c 7450	Needle Bar Connecting Stud Clamping
	Screw for 13815, obsolete
691F 7450	Throat Plate Screw
747 _D 7444	Feed Regulator Thumb Screw

NO. PLATE	NAME
794E 7444	Needle Bar Connecting Link Adjusting
	Screw for 13582
802p 7450	Lifting Lever Hinge Screw for 13725 and
	17039
828c 7442	Tension Screw Stud, for center tension, for
	13869
853c 7450	Looper Set Screw for 13727
880E 7450	Arm Screw (left)
881c 7444	Needle Bar Connecting Link Hinge Screw
883в 7445	Thread Take-up Plate Screw
898D 7450	Arm Oil Tube Bracket Screw
910c 2831	Feed Roll (upper) Bracket Set Screw for
000 0110	27977Bed Frame Thumb Screw for 13697
970р 7446	Presser Bar Lifter Hinge Screw, obsolete,
1058c 7445	superseded by 15486, not interchangeable
1149c 7450	Thread Unwinder Spool Rest Set Screw for
11490 7450	41435, obsolete
1253c 7445	Looper Driving Shaft Crank Set Screw for
12000 1410	13812
1253c 7445	Looper Driving Shaft Link Hinge Pin Set
12000 1110	Screw, obsolete
1293c 7450	Needle Bar Crank Position Screw for 13816
1423р 7467	Lap Seam Guide Adjusting Screw
1454c 8753	Looper Driving Shaft Link Hinge Pin Set
	Screw for 13818
1513」 8753	Feed Lifting Rock Shaft Screw Center Nut
1513」 8753	" Rock Shaft Screw Center Nut
1518E 7450	Crank Connecting Rod Hinge Screw Nut
1518E 7450	Feed Lifting Rock Shaft Connecting Rod
	Hinge Screw Nut
1519E 7450	Feed Bar Screw Center Nut
1520E 7444	" Connecting Link Hinge Screw Nut.
1520E 7444	" Forked Connection Hinge Screw Nut
1520E 7444	Presser Bar Lifter Hinge Screw Nut,
4504 5440	obsolete
1521E 7446	Lifting Lever Connecting Rod Lock Nut for 13725 and 17039
1547р 7442	Tension Screw Stud Nut for 13869
1547 b 7442 1560c 7442	" Regulating Thumb Nut for 13869
1813 7444	Feed Lifting Rock Shaft Crank Roller and
1010 /111	Stud for 2509
1904 7444	Needle Bar Connecting Stud Roller (roller
2001 1111	only) for 13815 and 13896
2039 7444	Feed Connecting Link
2046 —	Feed Rock Shaft complete, Nos. 2047 and
	2048

NO.	PLATE	NAME
2047	7440	Feed Rock Shaft for 2046
2048	7444	" " Crank with 465c, for
		2046
2049	7444	Feed Rock Shaft Crank Pin
2058	7441	Presser Bar
2065	2831	Feed Roll (upper) Bar Spring for 27980
2070	7445	Presser Bar Spring Washer
2164	7444	Feed Regulator
2273	7445	Needle Clamp Pin
2509	7444	Feed Lifting Rock Shaft Crank with 157 _J
		and 1813, for 13807
2763	1511	Rock Shaft for 4880 and 2777
2765	1511	" Knee Arm for 2768
2766	1511	" " " Hub with 356c, for
		2768
2767	1511	Rock Shaft Knee Plate with 356c, for 2768
2768		Rock Shaft Knee Arm complete, Nos.
		2765 to 2767, for 2777
2770	1511	Rock Shaft Stop Dog with 356c, for 4880
		and 2777
2777	1511	Rock Shaft complete, Nos. 2763, 2768,
		2770, 2778, 6337 and two 12242, for
		17039
2778	1511	Rock Shaft Lifting Bracket Hook for 2777
2921	7442	Tension Disc for 13869
2932	2830	Feed Roll (upper) Shaft for 27980
2953	7445	Presser Bar Lifting Bracket with 453c
2978	1514	Drip Pan for 13697
3100	7445	Presser Bar Spring
4389	7445	Arm Dowel Pin
4822	7447	Wrench for 1521 and 1547 (Accessories)
4879	7448	Chain Connecting Link for 4885
4880	1516	Rock Shaft complete, for 13725, Nos.
		2763, 2770, 7125, 12243 and two each
		6337 and 12242
4881	1516	Treadle for 4885
4882	7448	" Shaft for 4885
4883	7448	" Spring for 4885
4884	1516	" Stand for 4885
4885	1516	Treadle complete, for 13725, Nos. 4879,
		4881 to 4884 and two wood screws 1 in.
		No. 16
5596	7448	Bell Crank for 56848.
5598	7448	Bell Crank complete, Nos. 5735 and 56848,
		for 13725 and 17039
5599	7448	Bell Crank Bracket for 56848
5601	7446	" " Hinge Pin for 56848
5001	, 110	Time Tim for 500±6

NO.	PLATE	NAME
5670	-	Chain, length 26 in. to 35 in., with 56864
		and 56865, for 13725
5735	7446	Bell Crank Spring, for 5598
6337	1511	Rock Shaft Lifting Bracket with two
		356c, for 4880 and 2777
6533	2831	Feed Roll (upper) Bar Collar with 460c,
		for 27980
7125	1516	Rock Shaft Lifting Bracket Hook for
		4880
7263	7446	Bed Frame Hinge Connection (long) for
8908	7447	Wrench for 1519 and 1520 (Accessories)
8909	7447	" " 1513 and 1518 (Accessories)
9532	2831	Feed Roll (upper) Bar Lifter with 9533,
9002	2001	for 27980
9533	2831	Feed Roll (upper) Bar Lifter Stop Pin for
0000	2001	9532
11118	7446	Bed Frame Cushion (leather) for 13697
11411	2831	Feed Roll (lower) Shaft Collar with 453c,
		for 27980
12242	1511	Rock Shaft Hanger with two wood screws
		1 in. No. 10, for 4880 and 2777
12243	1511	Rock Shaft Lifting Bracket for 4880
12361	7446	Machine Hinge Connection for 44140
12405	7446	" Rest (felt) Accessories
12416	7446	Lifting Lever Connecting Rod Joint for
		13725 and 17039.
13211	7446	Tape Holder Tension Adjusting Spring
		for 35827
13506	7467	Feed Bar
13516	7445	Looper Carrier Shaft
13545	7455	Needle Clamp with three 620r or 50014r,
19501	7111	for ½ in. to ¼ in. gauges
13581 *13582	7441	Needle Bar (hollow)
15582	7444	
13587	7448	for 13933 Lifting Lever for 13725 and 17039
13588	7448	" " Connecting Rod for 13725
10000	1110	and 17039
13589	7442	Tension Disc Steady Pin for 13868
13589	7442	" Thread Guide Pin
13594	7445	Thread Take-up Plate, obsolete, use 13940
13617	8753	Looper
13635	1514	Drip Pan with four 1 in. wire nails
13697	1511	Bed Frame with 970p, 2978, 7263, 14098,
		two 14008 and four each 11118 and wood
		screws 1¼ in. No. 12

NO.	PLATE	NAME
13710	7442	Tension Spring for 13869.
13725	-	Foot Lifter complete, Nos. 76p, 802p,
		1521E, 4880, 4885, 5598, 5670, 12416,
		13587, 13588 and two 178E
13727	7467	Looper Carrier with two 211r and three
		853c
*13789		Arm, obsolete, use 13946
13793	7440	" Shaft, obsolete
13794	7440	" "Flanged Bushing (back)
13795	7440	" " " (front)
13796	7441	Balance Wheel, 23/16 in. pulley, with two
		448c
13797	7441	Balance Wheel Oil Cover
13799	7441	Crank Connecting Rod with 13800 and
		two 145E, for 13862
*13800		Crank Connecting Rod Cap for 13799
13803	7444	Feed and Feed Lifting Eccentric with
		448c
13804	7444	Feed and Feed Lifting Eccentric Sleeve
		for 13862
13805	7440	Feed Forked Connection
13806	7440	" Lifting Rock Shaft for 13807
13807		Feed Lifting Rock Shaft complete, Nos.
		2509 and 13806
13808	7440	Feed Lifting Rock Shaft Connecting Rod
		with 43977 and two 145E
13809	7445	Looper, obsolete
13811	7441	" Driving Shaft with 217r, for
		13831
13812	7445	Looper Driving Shaft Crank with two
		1253c
13813	7445	Looper Driving Shaft Link
13814	7445	" " Hinge Pin
13815		Needle Bar Connecting Stud with 1904 and
		two 640c, obsolete, use 13896
13816	7440	Needle Bar Crank with 435c and 1293c
*13818	7445	Oscillating Rock Shaft with 1454c
13819	7445	" " Hinge Pin
13820	7445	" " " Bushing
13831	7442	Arm Oil Tube (left) with 49092, for oiling
		13811, for 13834
13832	7442	Arm Oil Tube (right) with 49092, for oiling
	FILE.	13813, for 13834
13833		Arm Oil Tube Bracket for 13834
13834	7442	" " " 13833 with 13831
		and 13832
13836	7445	Looper Carrier Shaft Bushing

NO.	PLATE	NAME
13844	7442	Thread Controller Post for 13847, obsolete
13845	7442	" Spring for 13847 and
		13931
13846	7442	Thread Controller Thread Guide for 13847, obsolete
13847		Thread Controller complete, Nos. 2331,
		13844 and 13845, obsolete
13849	7441	Face Plate
13850		Thread Guide (back of arm) four holes, for 13851
13851	7456	Thread Guide (back of arm) 13850 with
		13862
13853		Thread Guide (top of arm) four holes, for 13854
13854	7457	Thread Guide (top of arm) 13853 with 13862
13862	7442	Arm Oil Tube with 29599, for oiling 13799
		and 13804, for 13851 and 13854
13867	7455	Thread Guide (side of arm) three holes
13868	7455	Tension Bracket with five 13589, for 13869
13869	-	Tension Bracket complete, Nos. 828c,
		13868, two each 637c, 1547p, three each
		1560c, 13710 and six 2921
13873	7455	Needle Clamp with three 50014F, for $\frac{3}{16}$ in. gauge and above
13896	7444	Needle Bar Connecting Stud with 1904
10000		and two 175E, for 13933
*13925		Bed
13928	8754	Arm Shaft
13929	8753	Thread Controller Post for 13931
13930	8753	" Thread Guide
13931		Thread Controller complete, Nos. 2331,
		13845 and 13929
13933		Needle Bar Connecting Link 13582 with
		13896
13940	8753	Thread Take-up Plate
*13945		Arm for 13946
13946	-	" 13945 with 453c, 15404, 15486 and two 15405
14008	7446	Bed Frame Hinge Connection Pin for 13697
14000	7440	Bed Frame Hinge Connection (short) for
14098	7446	13697
15196	7441	Arm Side Cover
*15404		Trade Mark for 13946
15405		111/01/101/10940
15486	8753	Presser Bar Lifter Hinge Stud for 13946


NO.	PLATE	NAME
17039	-	Knee Lifter complete, Nos. 76p, 802p,
		1521E, 2777, 5598, 12416, 13587, 13588
		and two 178E
21350	7444	Feed Regulator Thumb Screw Stop
26026	7447	Screw Driver (large) Accessories
26070	7446	Tape Holder Disc Hub Rivet, obsolete
26485	7447	Screw Driver (small) Accessories
26918	1518	Tape Holder Tape Guide for 35822
27623	5571	Thread Unwinder Spool Pin for 41435,
		obsolete
27739	7234	Thread Unwinder Thread Cone (wood) for
		large cones
27940	5571	Thread Unwinder Spool Stand with 453c,
		for 41438, obsolete
27971	2830	Feed Roll (lower) with two 446c, for 27980
27972	8754	" " Shaft for 27980
27973	2830	" " Support for 27980.
27974	2830	" (upper) for 27980
27975	2831	" (upper) Bar for 27980
27976	2831	" " Guide Bracket with
2,0,0	2001	454c, for 27980
27977	2830	Feed Roll (upper) Bracket with 453c and
21011	2000	910c, for 27980
27978	8754	Feed Roll Frame for 27980.
27979	8754	" Pulley (grooved) 97/8 in. diam.,
21010	0.01	with 435c, for 27980
27980		Feed Rolls complete, Nos. 81p, 2065,
21330		2932, 6533, 9532, 11411, 27971 to 27979
		and six wood screws 1¼ in. No. 12
29599	7442	Arm Oil Tube Packing (felt) for 13862
30243	7483	Feed Dog, 13 teeth (16 teeth to the inch)
30243	1400	for 31693
31635	5318	Feed Dog, 11 teeth (16 teeth to the inch)
91099	9919	for 31691
31636	7482	Feed Dog, 11 teeth (16 teeth to the inch)
91090	1482	for 31692
31660	5435	Presser Foot (tube)
31661	5435	" (strip folding)
31691	5318	Throat Plate for 31635
31692	7482	" " 31636
31693	7482	01000
35143	7483	30243
55145	1447	Tweezers, 4 in., obsolete, use 120341 (Ac-
25010	1517	cessories)
35818	1517 1517	" " (right) for 35820
35819	1517	(right) for 55520
35820		Lap Seam Guide complete, Nos. 35818 and
25001	1518	35819
35821	1918	Tape Holder Bracket Wire for 35822

NO.	PLATE	NAME
35822	1518	Tape Holder Bracket Wire complete, Nos.
		26918, 35821 and 35823, for 35827
*35823		Tape Holder Disc for 35822 and 35825
*35824	1518	" " Hub for 35825
35825	1518	Tape Holder Disc complete, Nos. 35823
		and 35824, for 35827
35826	1517	Tape Holder Tension Adjusting Collar
		with 286p, for 35827
35827	1518	Tape Holder (straight) 6 in. disc., com-
		plete, Nos. 13211, 35822, 35825 and
		35826
36569	7447	Oiler with 36571 for 36570
36570		" 36569, filled with oil (Accessories)
36571	7447	" Spout, 1¾ in. long, with 36807, for
		36569
36807	7446	Oiler Spout Washer (leather) for 36571
41400	7447	Machine Rest Pin (wood) 31/8 in. long
1 200 1 2000		(Accessories)
41434	5571	Thread Unwinder Spool Rest for 41435,
		obsolete
41435		Thread Unwinder Spool Rest 41434 with
		1149c and three each 155c and 27623,
11.100		for 41438, obsolete
41438	5571	Thread Unwinder complete, Nos. 27940, 41435, 41632, 41640 and three each
		27739, 41514 and wood screws 1 in.
		No. 12, obsolete
41514	5571	Thread Unwinder Spool Weight, 4 inch
41914	9911	diam., with 41515, for 41438, obsolete
41515	7446	Thread Unwinder Spool Weight Center
11010	1110	Pin for 41514, obsolete
41569	7446	Thread Unwinder Thread Guard Eyelet
		for 41632, obsolete
41632	5571	Thread Unwinder Thread Guard with
		208E and three 41569, for 41438, obsolete
41637	5571	Thread Unwinder Thread Guard Rod
		(lower) for 41640, obsolete
41638	5571	Thread Unwinder Thread Guard Rod
		(upper) for 41640, obsolete
41639	5571	Thread Unwinder Thread Guard Rod
		Coupling with two 456c, for 41640, ob-
		solete
41640	-	Thread Unwinder Thread Guard Rod
		complete, 30 in. long, for 41438, Nos.
*19077		41637 to 41639, obsolete
*43977	-	Feed Lifting Rock Shaft Connecting Rod
		Cap for 13808

NO.	PLATE	NAME
44139	7446	Machine Hinge Plate for 44140
44140		Machine Hinge complete, Nos. 12361, 44139 and wood screws 1¼ in. No. 14
10000	7110	Arm Oil Tube Packing (felt) for 13831
49092	7442	and 13832
50011	7117	Needle Set Screw, for $\frac{9}{64}$ in. gauge and
50014F	7445	above, for 13545 and 13873
50062л	7450	Thread Guide (top of arm) Screw
52016	7445	Presser Bar Lifter
54897	7442	Arm Oil Cup.
56006	7442	" Shaft Flanged Bushing (back) Oil
50000	1112	Pad (braided cotton)
56006	7442	Arm Shaft Flanged Bushing (front) Oil
00000	,112	Pad (braided cotton)
56848		Bell Crank 5596 with 5599 and 5601, for 5598
56864	8753	Chain Hook (large) for 5670
56865	8753	" (small) for 5670
120341	8753	Tweezers (curved) Accessories
150203	8755	Thread Unwinder Spool Rest Cushion
		(felt) for 259143
2003830	8753	Thread Unwinder Spool Rest Rod Sel
		Screw for 202490
2010180	8753	Thread Unwinder Spool Rest Set Screw
		for 225259
201696л	8753	Thread Unwinder Thread Guide Lock Nut
		for 259143
202490	8755	Thread Unwinder Spool Stand with
		200383c, for 259143
225257	8755	Thread Unwinder Spool Rest (for two
005050	0===	spools) with 201018c, for 259143
225259	8755	Thread Unwinder Spool Rest (for one spool) with 201018c, for 259143
005200	0759	Thread Unwinder Thread Guide Rod
225322	8753	Washer for 225324
225324	8755	Thread Unwinder Thread Guide Rod with
220024	0100	208E and 225322, for 259143
225326	8753	Thread Unwinder Thread Guide Position
	0.00	Cup for 259143
225388	8755	Thread Unwinder Spool Rest Rod for
		259143
225390	7234	Thread Unwinder Thread Cone Holder,
		for inverted cones
225391	8755	Thread Unwinder Thread Guide for 259143
259143	8755	Thread Unwinder complete (for three
		spools), Nos. 201696j, 202490, 225257,
		225259, 225324, 225326, 225388, three
		each 150203, 225391 and wood screws
		7/8 No. 12


FOR MACHINE No. 52-67

PLATE 1511-ONE-FOURTH SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 1514-ONE-FOURTH SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 1516-ONE-FOURTH SIZE






PLATE 1517-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 1518-ONE-HALF SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 2830-ONE-HALF SIZE




PLATE 2831-FULL SIZE





PLATE 5318-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 5435-FULL SIZE







PLATE 5571-ONE-FOURTH SIZE




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC

PLATE 7444-FULL SIZE


From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC





From the library of: Superior Sewing Machine & Supply LLC

PLATE 7455-FULL SIZE

PLATE 7456-ONE-HALF SIZE




PLATE 7457-FULL SIZE







PLATE 7482-FULL SIZE






PLATE 8753-FULL SIZE

From the library of: Superior Sewing Machine & Supply LLC

PLATE 8754-ONE-FOURTH SIZE

From the library of: Superior Sewing Machine & Supply LLC

PLATE 8755-ONE-FOURTH SIZE

