SINGER 552B141

FORM IPD 421-71

Temporary Parts List for Machine No. 552B141

Printed in U.S.A.

204235	ARM DOWEL PIN	2
141403 819		ĩ
141403 017	CONNECTING LINK HINGE STUD CLAMPING SCREW AND	_
	NEEDLE BAR CONNECTING LINK HINGE STUD POSITION SET	
	SCREW	
147070	ARM HOLE PLUG SCREW WASHER	1
146552	ARM SCREW	4
157875	ARM SHAFT WITH 1036(830),140542(830) 140552(830)	1
157875	AND 157704	
157877 900	ARM SHAFT 157875 WITH 140359(805),143236,157704 AND	1
	157822	_
158034	ARM SHAFT BUSHING (INTERMEDIATE)	1
157704	ARM SHAFT BUSHING (INTERMEDIATE) THRUST SPACER	1
156194	ARM SHAFT BUSHING (LEFT)	1
157704	ARM SHAFT BUSHING (LEFT) THRUST SPACER	1
156063	ARM SHAFT DRIVING BELT	1
156425	ARM SHAFT DRIVING BELT COVER	1
51384 819		4
156507	ARM SHAFT FLANGED BUSHING (RIGHT)	1
158035	ARM SHAFT OIL SHIELD	1
140359 805		1
143236	ARM SHAFT SCREW PLUG (LEFT) WASHER	1
144 804	ARM SHAFT SCREW (RIGHT) ARM SHAFT SPROCKET WHEEL WITH 143624 AND FOUR	1
157709	141470(869)	-
157709 14362 4	ARM SHAFT SPROCKET WHEEL HUB O RING (INSIDE)	1
143624	ARM SHAFT SPROCKET WHEEL HUB O RING (OUTSIDE)	ī
158045	ARM SHAFT SPROCKET WHEEL HUB THRUST WASHER	ī
158045	(OUTSIDE)	_
141470 869		4
	7/16 IN. LONG. ALLEN FLAT POINT SET SCREW)	
147468	ARM SHAFT THRUST COLLAR WITH TWO 624(830)	1
624 830	ARM SHAFT THRUST COLLAR SET SCREW	2
158113	ARM TOP COVER	1
158205	ARM TOP COVER 158113 WITH 1480(805), 141443(819),	1
	156650, 156651, 157474, 158114 AND TWO 157820	
156200	ARM TOP COVER GASKET	1
156650	ARM TOP COVER DIL SIGHT DOME	1
156651	ARM TOP COVER DIL SIGHT DOME O RING (NATIONAL O	1
156651	RING NO. 622710)	,
141443 819		1
157474	ARM TOP COVER PLUG SCREW GASKET ARM TOP COVER SCREW	8
172 819 157820	ARM TOP COVER SCREW ARM TOP COVER THREAD TUBE (NEEDLE THREAD)	2
158114	ARM TOP COVER THREAD TUBE (NEEDLE THREAD) CLAMPING	ī
Y 70 Y Y 3	PLATE	-
1480 809		1
1400 00.	PLATE LOCKING SCREW	_
156379	BED COVER (BACK AND LEFT)	1
	BED COVER (BACK AND LEFT) SCREW	4

PART NUMBE	R DESCRIPTION	QTY
157883 157885 157038 156382 156383 156384 1300 819 156407 156791 157383 156408 141433 819	BED COVER (TOP) BED COVER (TOP) 156407 WITH 141433(819) AND 157373 BED COVER (TOP) DAMPING PAD BED COVER (TOP) GASKET	1 1 1 1 2 2 1 1 1 1
157373 140807 805 143024 157109 140999 819	BED COVER (TOP) PLUG SCREW GASKET BED COVER (TOP) SCREW BED HOLE PLUG (CENTER) BED HOLE PLUG (LEFT) BED HOLE PLUG SCREW (FOR ADJUSTING FEED DRIVING	1 12 1 1
143435 156245 156246 185 805 805 805 143236 140439 819 157766	BED DIL PLUG SCREW BED DIL PLUG SCREW WASHER	1 3 1 2 2 2 1 1
157767 158182	F-1 FELT) BED OIL SCREW (RIGHT) OIL WICK FOR OILING LOOPER PITMAN ROD END BEARING (RIGHT) BALL STUD OIL WICK (5/32 IN. X7/16 IN. LONG S.A.E. F-1 FELT) FOR USE WITH BED OIL SCREW (RIGHT) NO. 157766 BED SHAFT COUPLING WITH FOUR 141469(869)	1
141469 869 157804 157711 157712	BED SHAFT COUPLING SET SCREW BED SHAFT (LEFT) WITH A SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X 41/2 IN. LONG PIPE CLEANER WICK) BED SHAFT (LEFT) BUSHING (LEFT, INNER) BED SHAFT (LEFT) BUSHING (LEFT, INNER) OIL SLING WITH TWO 141301(869)	1 1
156181 141301 869	BED SHAFT (LIFT) BUSHING (LEFT, INNER) OIL SLING O RING (PARKER O RING NO. 2-14) BED SHAFT (LEFT) BUSHING (LEFT, INNER) OIL SLING	1 2
157713	SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN FLAT POINT SET SCREW) BED SHAFT (LEFT) BUSHING (LEFT, INNER) THRUST SPACER	1
157922 157829	BED SHAFT (LEFT) BUSHING (LEFT, OUTER) BED SHAFT (LEFT) BUSHING (LEFT, OUTER) COVER	1

156230	BED SHAFT (LEFT) BUSHING (LEFT, OUTER) COVER GASKET	1
185 819		4
156280	BED SHAFT (LEFT) BUSHING (LEFT, OUTER) OIL RETAINER	1
157712	BED SHAFT (LEFT) BUSHING (LEFT, OUTER) OIL SLING	1
	WITH TWO 141301(869)	
156181	BED SHAFT (LEFT) BUSHING (LEFT, OUTER) OIL SLING	1
	O RING (PARKER O RING NO. 2-14)	
141301 869		2
	SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN FLAT POINT	
	SET SCREW)	_
157713	BED SHAFT (LEFT) BUSHING (LEFT, OUTER) THRUST	1
167001	SPACER	1
157921	BED SHAFT (LEFT) OIL WICK (1/8 IN. DIAM. X 4 1/2 IN. LONG PIPE CLEANER WICK) FOR USE WITH 157804	
157802	BED SHAFT (RIGHT) WITH 50555(830), 156563, TWO EACH	1
157602	141313(830), 141314(830), 157772 AND FOUR	-
	350726(869)	
156557	BED SHAFT (RIGHT) BEVEL GEAR (LEFT) RIGHT HAND	1
130331	SPIRAL WITH THREE 1259(830) (FOR USE WITH OIL PUMP	
	BEVEL GEAR) NOTED THIS IS GEAR NO. 146864 BUT WITH	
	THREE (3) 1259(830), IN PLACE OF ONE (1)	
	140333(830) AND TWO (2) 1259(830).	
	NOTEO TO ENSURE PROPER FUNCTIONING OF GEARS, NO.	
	156557 WILL NOT BE SUPPLIED TO AGENCIES, BUT WILL	
	BE SUBSTITUTED BY PAIR OF GEARS NO. 156558.	_
1259 830	BED SHAFT (RIGHT) BEVEL GEAR (LEFT) SET SCREW	3
156282	BED SHAFT (RIGHT) BUSHING (RIGHT, INNER)	1
141405 869	BED SHAFT (RIGHT) BUSHING (RIGHT, INNER) SET SCREW	1
1/1/05 9/0	(10 X 24 X 1/4 IN. LONG. ALLEN CUP POINT SCREW) BED SHAFT (RIGHT) BUSHING (RIGHT, INNER) SET SCREW	1
141405 869	LOCK SCREW (10 X 24 X 1/4 IN. LONG. ALLEN CUP POINT	•
	SCREW)	
158163	BED SHAFT (RIGHT) COLLAR WITH TWO 350595(869)	1
350595 869		2
157811		
	BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL	1
15.011	HUB WITH 141470(869), 141471(869), 143624 AND TWO	
13,011	HUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(830)	1
143624	HUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(830) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL	
143624	HUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(830) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (INSIDE)	1
	HUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(830) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (INSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL	1
143624 143624	HUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(830) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (INSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (OUTSIDE)	1 1 1
143624	HUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(830) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (INSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (OUTSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL	1
143624 143624 158045	HUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(830) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (INSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (OUTSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB THRUST WASHER (OUTSIDE)	1 1 1
143624 143624 158045 156296	HUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(830) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (INSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (OUTSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB THRUST WASHER (OUTSIDE) BED SHAFT (RIGHT) FLANGED BUSHING (RIGHT, OUTER)	1 1 1 1 1
143624 143624 158045 156296 50555 830	HUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(830) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (INSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (OUTSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB THRUST WASHER (OUTSIDE) BED SHAFT (RIGHT) FLANGED BUSHING (RIGHT, OUTER) BED SHAFT (RIGHT) DIL PLUG (RIGHT) SCREW	1 1 1 1 1 1
143624 143624 158045 156296	HUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(830) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (INSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (OUTSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB THRUST WASHER (OUTSIDE) BED SHAFT (RIGHT) FLANGED BUSHING (RIGHT, OUTER) BED SHAFT (RIGHT) DIL PLUG (RIGHT) SCREW BED SHAFT (RIGHT) SPROCKET WHEEL POSITION SCREW	1 1 1 1 1
143624 143624 158045 156296 50555 830	HUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(830) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (INSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (OUTSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB THRUST WASHER (OUTSIDE) BED SHAFT (RIGHT) FLANGED BUSHING (RIGHT, OUTER) BED SHAFT (RIGHT) DIL PLUG (RIGHT) SCREW BED SHAFT (RIGHT) SPROCKET WHEEL POSITION SCREW (1/4 x 40 SS x 7/16 IN. LONG. ALLEN CONE POINT SET	1 1 1 1 1 1
143624 143624 158045 156296 50555 830	HUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(830) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (INSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB O RING (OUTSIDE) BED SHAFT (RIGHT) DRIVE PULLEY AND SPROCKET WHEEL HUB THRUST WASHER (OUTSIDE) BED SHAFT (RIGHT) FLANGED BUSHING (RIGHT, OUTER) BED SHAFT (RIGHT) DIL PLUG (RIGHT) SCREW BED SHAFT (RIGHT) SPROCKET WHEEL POSITION SCREW (1/4 X 40 SS X 7/16 IN. LONG. ALLEN CONE POINT SET SCREW)	1 1 1 1 1 1

141469	869	BED SHAFT (RIGHT) SPROCKET WHEEL SET SCREW LOCKING	2
		SCREW	_
156249		BELT GUARD	1
156250		BELT GUARD HINGE STUD	1
141309	869		1
		LONG. ALLEN FLAT POINT SET SCREW)	_
156251		BELT GUARD LATCH SPRING	1
140003	805		2
871	803	BELT GUARD LATCH SPRING STUD SCREW	1
156252		BELT GUARD (HINGED) COMPLETE, NOS. 156249, 156251	1
		AND TWO 140003(805)	
157824		FACE PLATE WITH 141443(819), 157063-900 AND 157474	1
156204		FACE PLATE GASKET	1
		FACE PLATE PLUG SCREW	1
157474		FACE PLATE PLUG SCREW GASKET	1
	819	FACE PLATE SCREW (LOWER)	1 2 2
	819	FACE PLATE SCREW (UPPER)	
157842		FEED BAR WITH 223(803), 141292(869), 141476, 156069	1
		AND 156070	
156:41		FEED BAR COMPLETE, NOS. 1519(819), 127784,	1
		141295(803), 156067, 156068, 156142 AND 157842	
157731		FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF	1
		WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E.	
		F-1 FELT WICK)	
157732		FEED BAR HINGE PIN DIL WICK (7/32 IN. DIAM. X25/8	1
171172		IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN	
		NO. 157731	
141292	869		1
141272	00,	LONG. ALLEN FLAT POINT SET SCREW)	
156187			1
156211		FEED CONNECTING ROD HINGE PIN	1
141292	869	FEED CONNECTING ROD HINGE PIN SET SCREW (8 X 32 X	1
111676		3/16 IN. LONG. ALLEN FLAT POINT SET SCREW)	
141476		THE THE PARTY OF T	1
		FEED DOG HOLDER	1
156069		FEED DOG HOLDER ADJUSTING SCREW	1
		FEED DOG HOLDER NUT	1
156068		FEED DOG HOLDER NUT WASHER	1
7071		FEED DRIVING ECCENTRIC BODY CLAMPING WASHER	2
	805	FEED DRIVING ECCENTRIC BODY CLAMPING WASHER SCREW	2
141471		FEED DRIVING ECCENTRIC BUDY POSITION SCREW	1
141469		FEED DRIVING ECCENTRIC BODY SET SCREW	2
157835		FEED DRIVING ECCENTRIC (ADJUSTABLE) COMPLETE, NOS.	1
エントリコノ		50328(803), 141471(869), AND TWO EACH 217(805),	
		7071 AND 141469(869)	
157896		FEED DRIVING ECCENTRIC SPACER	1
157780		FEED LIFTING ECCENTRIC WITH TWO 141301(869)	ī
156043		FEED LIFTING ECCENTRIC CONNECTION	1
156781		FEED LIFTING ECCENTRIC CONNECTION HINGE PIN WITH A	1
170101		SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X 13/16	_
		SOTTABLE ELMOTH OF PRONTING 11/0 1/10 AME DIAME A 19/14	

		IN. LONG S.A.E. F-1 DIL WICK)	
156782		FEED LIFTING ECCENTRIC CONNECTION HINGE PIN OIL	1
130102		WICK (1/8 IN. DIAMETER X 13/16 IN. LONG, S.A.E. F-1	
		OIL WICK) FOR USE WITH 156781	
223	803	FEED LIFTING ECCENTRIC CONNECTION HINGE PIN SET	1
223	003	SCREW	
141301	869	FEED LIFTING ECCENTRIC SET SCREW (8 X 32 X 1/8 IN.	2
_ , _ ,		LONG. ALLEN FLAT POINT SET SCREW)	
50328	803	FEED REGULATING SCREW	1
156179		FEED ROCKER WITH TWO 141303(869)	1
141303	869	FEED ROCKER CLAMPING SCREW (8 X 32 X 1/2 IN. LONG.	2
		ALLEN CAP SCREW)	
156184		FEED ROCKER SHAFT WITH 453(830)	1
156180			1
156795		FEED ROCKER SHAFT BUSHING (LEFT) 156180 WITH TWO	1
156795		156181	
156181		FEED ROCKER SHAFT BUSHING (LEFT) O RING (PARKER	2
156181		O RING NO. 2-14)	
156182		FEED ROCKER SHAFT BUSHING (INTERMEDIATE)	1
15679 6		FEED ROCKER SHAFT BUSHING (INTERMEDIATE) 156182	1
		WITH 156181	•
156181		FEED ROCKER SHAFT BUSHING (INTERMEDIATE) O RING	1
		(PARKER O RING NO. 2-14)	•
156183		FEED ROCKER SHAFT BUSHING (RIGHT)	1 2
156191	24.0	FEED ROCKER SHAFT COLLAR WITH TWO 141301(869)	4
141301	869	FEED ROCKER SHAFT COLLAR SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN FLAT POINT SET SCREW)	7
154000		FEED ROCKER SHAFT CRANK WITH 141303(869)	1
156223			ī
141303	600	1/2 IN. LONG. ALLEN CAP SCREW)	-
452	830	FEED ROCKER SHAFT DIL PLUG SCREW	1
156064	050	HAND WHEEL WITH TWO 140409(869)	ī
140409	869		2
140407	00,	ALLEN FLAT POINT SET SCREW)	
156414		LOOPER (BACK)	1
157780		LOOPER AVOIDING ECCENTRIC WITH TWO 141301(869)	1
156043		LOOPER AVOIDING ECCENTRIC CONNECTION	1
156781		LOOPER AVOIDING ECCENTRIC CONNECTION HINGE PIN WITH	1
		A SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X 13/16	
156781		IN. LONG S.A.E. F-1 OIL WICK)	
156782		LOOPER AVOIDING ECCENTRIC CONNECTION HINGE PIN OIL	1
		WICK (1/8 IN. DIAM. X 13/16 IN. LONG S.A.E. F-1 OIL	
		WICK) FOR USE WITH 156781	•
223	803	LOOPER AVOIDING ECCENTRIC CONNECTION HINGE PIN SET	1
		SCREW	~
141301		LOOPER AVOIDING ECCENTRIC SET SCREW	2
157769		LOOPER AVOIDING LINK WITH 223(803), 350719(869) AND	Ţ
250712	040	TWO 50420(830)	1
350719	869	LOOPER AVOIDING LINK CLAMPING SCREW (10 X 32 X 1/2	1
		IN. LONG. ALLEN CAP SCREW)	

PART NUMBER

MAIN	SUFF		QTY
50420	830	LOOPER AVOIDING LINK SET SCREW	2
157768	030	LOOPER DRIVING LEVER WITH 350606(869) AND	1
350719	869	350719(869) LOOPER DRIVING LEVER CLAMPING SCREW (10 X 32 X 1/2	1
		IN. LONG. ALLEN CAP SCREW)	_
157772		LOOPER DRIVING LEVER CONNECTION ALIGNMENT PLATE	2
-350726	869	LOOPER DRIVING LEVER CONNECTION ALIGNMENT PLATE SCREW	4
141314	830	LOOPER DRIVING LEVER CONNECTION BEARING (CRANK END) CAP SCREW	2
141313	830	LOOPER DRIVING LEVER CONNECTION BEARING (STUD END) CAP SCREW	2
156563		LOOPER DRIVING LEVER CONNECTION OIL TUBE (PLASTIC)	1
158044		LOOPER DRIVING LEVER DIL GUARD	1
157728		LOOPER DRIVING LEVER ROCK SHAFT	1
156478		LOOPER DRIVING LEVER ROCK SHAFT BUSHING (BACK)	1
157730		LOOPER DRIVING LEVER ROCK SHAFT BUSHING (FRONT)	1
156516		WITH 156516 LOOPER DRIVING LEVER ROCK SHAFT BUSHING (FRONT) O	1
156516		RING (PARKER NO. 2-13)	
156475		LOOPER DRIVING LEVER ROCK SHAFT COLLAR WITH TWO	1
252/00	04.0	350680(869) LOOPER DRIVING LEVER ROCK SHAFT COLLAR SET SCREW	2
350680	869	(8 X 32 X 1/4 IN. LONG. ALLEN CAP SCREW)	2
156229	1	LOOPER DRIVING LEVER ROCK SHAFT COVER	1
156230		LOOPER DRIVING LEVER ROCK SHAFT COVER GASKET	1
	833	LOOPER DRIVING LEVER ROCK SHAFT COVER SCREW	4
51637	809	LOOPER DRIVING LEVER ROCK SHAFT STUD NUT	1
8787	,	LOOPER DRIVING LEVER ROCK SHAFT STUD NUT WASHER	1
157706)	LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.010)	1
157707	•	LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.040)	1
		NOTEO SPACERS NOS. 157706 AND 157707 ARE TO BE USED IN AMOUNTS AS REQUIRED.	
157847	,		1
156739		LOOPER HOLDER WITH TWO 350595(869)	ī
157630		LOOPER HOLDER 156739 WITH 1056(833), 1664(805),	ī
171030		8905, 157735, 157738 AND SUITABLE LENGTH OF WICKING	
		(1/8 IN. DIAM. X 1 3/16 IN. LONG PIPE CLEANER)	
156472	2	LOOPER HOLDER CONE WITH TWO 141301(869)	1
		LOOPER HOLDER CONE LOCK SCREW	1
1664	805	LOOPER HOLDER CONE LOCK SCREW NUT	1
157087	7	LOOPER HOLDER CONE LOCK SCREW O RING (PARKER NO.	1
1/1201	94.0	2-6)	2
141301	. 007	LOOPER HOLDER CONE SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN FLAT POINT SET SCREW)	~
157084	•	LOOPER HOLDER CONE STUD	1
		LOOPER HOLDER CONE STUD LOCK NUT	1
8905		LOOPER HOLDER CONE STUD LOCK NUT WASHER	1
157085		LOOPER HOLDER CONE STUD OIL METERING SCREW	1
158229)	LOOPER PITMAN ROD	1

MAIN	3011	DESCINITION .	• •
158230		LOOPER PITMAN ROD WITH 1649(803) AND 1650(803)	1
157735		LOOPER PITMAN ROD END BEARING (LEFT)	1
1664	805	LOOPER PITMAN ROD END BEARING (LEFT) BALL STUD LOCK NUT	1
8905		LOOPER PITMAN ROD END BEARING (LEFT) BALL STUD LOCK NUT WASHER	1
157737		LOOPER PITMAN ROD END BEARING (LEFT) BALL STUD OIL WICK (1/8 IN. DIAM. X 1 3/16 IN. PIPE CLEANER WICK)	1
		FOR USE WITH LOOPER HOLDER 157630	_
157738	ś	LOOPER PITMAN ROD END BEARING (LEFT) BALL STUD OIL WICK RETAINER	1
1056	8 3 3	LOOPER PITMAN ROD END BEARING (LEFT) BALL STUD OIL WICK RETAINER SCREW	1
141317	830	LOOPER PITMAN ROD END BEARING (LEFT) CAP SCREW	2
156453		LOOPER PITMAN ROD END BEARING (RIGHT) WITH TWO 141317(830)	1
157761		LOOPER PITMAN ROD END BEARING (RIGHT) WITH A	1
191101		SUITABLE LENGTH OF WICKING (1/8 IN. X 11/32 IN.	_
		LONG, S.A.E. F-1 FELT)	
350606	94.0	LOOPER PITMAN ROD END BEARING (RIGHT) BALL STUD	1
330000	00 9	CLAMPING SCREW (10 X 32 X 3/8 IN. LONG. ALLEN CAP SCREW)	•
157764		LOOPER PITMAN ROD END BEARING (RIGHT) BALL STUD OIL	1
131104		WICK (1/8 IN. X 11/32 IN. LONG, S.A.E. F-1 FELT) FOR USE WITH END BEARING (RIGHT) NO. 157761	
157/01		LOOPER PITMAN ROD END BEARING (RIGHT) BALL STUD	1
157481			•
1/1217	020	WASHER LOOPER PITMAN ROD END BEARING (RIGHT) CAP SCREW	2
141317	050	LODPER PITMAN ROD ENTENSION	ī
158184		LOOPER PITMAN ROD EXTENSION COMPLETE, NOS.	ī
158185		1650(803), 1700(803), 158184, 158186, 158187,	•
		158188, 158189, 158191, 158192, 158193, 158194 AND	
		163003	
158186		LOOPER PITMAN ROD EXTENSION SLEEVE	1
158187		LOOPER PITMAN ROD EXTENSION SLEEVE CAP	1
1650		LOOPER PITMAN ROD EXTENSION SLEEVE LOCK NUT	1
158188		LOOPER PITMAN RUD EXTENSION SPRING	1
163003		LOOPER PITMAN ROD EXTENSION SPRING PIN	1
158189		LOOPER PITMAN ROD EXTENSION SPRING RETAINER	1 1 1
	803	LOOPER PITMAN ROD LOCK NUT (LEFT HAND)	Ţ
1650		LOOPER PITMAN ROD LOCK NUT (RIGHT HAND)	1
157774		LOOPER ROCKER FRAME WITH 140333(830) AND	1
		350719(869)	
157775		LOOPER ROCKER FRAME 157774 WITH 8905, 51724(805),	1
	_	157084 AND 157085	•
350719	869	LOOPER ROCKER FRAME CLAMPING SCREW (10 X 32 X 1/2 IN. LONG. ALLEN CAP SCREW)	1
140333	830	LOOPER ROCKER FRAME POSITION SCREW	1
1,000	- 	LODPER ROCKER SHAFT	1
156164		LOOPER ROCKER SHAFT BUSHING (LEFT)	ī

1

NEEDLE BAR THREAD RETAINER

146665

OIL RESERVOIR SCREW (CENTER)

50073 805

1

PRESSER BAR LIFTING LEVER (ADJUSTABLE) STOP SCREW

1521 805

(LOWERING) NUT

141309 869	PRESSER BAR LIFTING LEVER SET SCREW (1/4 X 28 X 1/4	1
111307 007	IN. LONG. ALLEN SOCKET FLAT POINT SET SCREW)	-
156265	PRESSER BAR LIFTING LEVER SPRING	1
156248	PRESSER BAR LIFTING LEVER SPRING PIN	1
157079	PRESSER BAR LIFTING SHAFT	ī
156195	PRESSER BAR LIFTING SHAFT BUSHING (LEFT)	1
156195	PRESSER BAR LIFTING SHAFT BUSHING (RIGHT)	1
156196	PRESSER BAR LIFTING SHAFT BUSHING (RIGHT) O RING	1
130170	(NATIONAL O RING 622703)	_
157999	PRESSER BAR SPRING	1
156286	PRESSER BAR SPRING LOCATING PIN	ī
_	PRESSURE REGULATING THUMB SCREW	ī
51614 819		i
156992	SLACK THREAD CONTROLLER (NEEDLE THREAD)	ī
2102	TENSION DISC	4
156606	TENSION PLATE	i
	TENSION PLATE SCREW	4
156375	TENSION PLATE SPACER	4
1560 803	TENSION REGULATING THUMB NUT	
156609	TENSION RELEASE	ī
32572	TENSION RELEASING DISC	2 1 2 1
157080	TENSION RELEASING LEVER	1
51953	TENSION RELEASING LEVER ROLLER	ì
157081	TENSION RELEASING LEVER ROLLER LINK	ì
	TENSION RELEASING LEVER ROLLER LINK ADJUSTING SCREW	ī
53657 850	TENSION RELEASING LEVER ROLLER LINK ADJUSTING SCREW	ì
25021 020	NUT	•
9525	TENSION RELEASING LEVER ROLLER LINK ADJUSTING	1
7767	SCREW WASHER	-
157082	TENSION RELEASING LEVER ROLLER LINK CONNECTION	1
588 850	TENSION RELEASING LEVER ROLLER LINK CONNECTION	ī
300 030	HINGE SCREW	•
1718 850	TENSION RELEASING LEVER ROLLER LINK CONNECTION	1
1718 850	HINGE SCREW NUT	ō
588 850	TENSION RELEASING LEVER ROLLER SCREW	ì
	TENSION RELEASING LEVER ROLLER SCREW NUT	ĩ
141550 803	TENSION RELEASING LEVER SCREW	ī
156487	TENSION RELEASING LEVER SPRING	ī
156262	TENSION RELEASING PIN	
156376	TENSION SPRING (LOOPER THREAD)	2 2 2 2 2 2
140043 806	TENSION STUD	2
156801	TENSION THREAD CONTROLLER (LOOPER THREAD)	2
156316	TENSION THREAD GUIDE	2
157110	TENSION (LOOPER THREAD) COMPLETE, NOS. 1560(803),	2
	32572, 140043(806), 156376 AND TWO 2102	-
157833	THREAD (LOOPER) TAKE-UP WITH 158196 AND TWO	1
	141301(869)	_
158196	THREAD (LOOPER) TAKE-UP POSITION PIN (ELASTIC STOP	1
	NUT ROLL PIN 59-012-062-0500)	_
141301 869	THREAD (LOOPER) TAKE-UP SET SCREW (8 X 32 X 1/8 IN-	2

		ALLEN FLAT POINT SET SCREW)	
158027	•	THREAD (LOOPER) TAKE-UP STRIPPER	1
		THREAD (LOOPER) TAKE-UP STRIPPER CLAMPING SCREW	1
157351		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER	1
156037		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER BRACKET	1
		WITH 50117(830) AND 156445	
156445		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER BRACKET PIN	1
50117		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER BRACKET	1
		SCREW	
50117	830	THREAD (LOOPER) TAKE-UP STRIPPER HOLDER SCREW	1
158222		THREAD (LOOPER) TAKE-UP STRIPPER PLATE	1
158225		THREAD (LOOPER) TAKE-UP STRIPPER PLATE COMPLETE.	1
		NOS. 50117(830), 51047(803), 156037, 156048,	
		157351, 158027, 158222, TWO 158204 AND THREE	
		229(805)	
51119	805	THREAD (LOOPER) TAKE-UP STRIPPER PLATE SCREW	1
9525		THREAD (LOOPER) TAKE-UP STRIPPER PLATE SCREW WASHER	1
		THREAD (LOOPER) TAKE-UP STRIPPER STAPLE	1
229	805	THREAD (LOOPER) TAKE-UP STRIPPER STAPLE SCREW	1
158204		THREAD (LOOPER) TAKE-UP THREAD GUIDE (LEFT AND	2
		RIGHT)	
229	805	THREAD (LOOPER) TAKE-UP THREAD GUIDE (LEFT AND	2
		RIGHT) SCREW	
158136		THREAD (LOOPER) THREAD GUARD COMPLETE, NOS.	1
		219(805), 156429 AND TWO 1423(805)	
		THREAD (LOOPER) THREAD GUARD EXTENSION	1
1423	805		2
		(LARGE)	
219	805		1
15/17/		(SMALL)	_
156174		THREAD (LOOPER) THREAD GUARD HINGE (LEFT)	1
		THREAD (LOOPER) THREAD GUARD HINGE (LEFT) SCREW	2
156177		THREAD (LOOPER) THREAD GUARD HINGE (RIGHT) THREAD (LOOPER) THREAD GUARD HINGE (RIGHT) SCREW	1
		THREAD (LOOPER) THREAD GUARD LATCH SPRING	2
156420		THREAD (LOOPER) THREAD GOARD LATCH SPRING PIN	1
140003		THREAD (LOOPER) THREAD GUARD LATCH SPRING SCREW	
156326	000	THREAD (LOOPER) THREAD GUIDE (CENTER) (IN BED)	2
140666	RIG	THREAD (LOOPER) THREAD GUIDE (CENTER) SCREW	1
156322	01)	THREAD (LOOPER) THREAD GUIDE (LEFT) (IN BED)	1
1019	830	THREAD (LOOPER) THREAD GUIDE (LEFT) SET SCREW	ì
156318	0,50	THREAD (LOOPER) THREAD GUIDE (RIGHT) (IN BED)	ì
000190	819	THREAD (LOOPER) THREAD GUIDE (RIGHT) SCREW	1
156744		THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	2
158047		THREAD (LOOPER) THREAD TUBE (FRONT OF ARM) BRACKET	1
		WITH 199(819) AND 156695	•
140024	830	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM) BRACKET	1
. .		MOUNTING SCREW	-
156695		THREAD (LOOPER) THREAD TUBE (FRONT OF ARM) BRACKET	1
		POSITION PIN	=

199	819		1
156537		THREAD (NEEDLE) TAKE-UP (RIGHT) WITH TWO	1
7071		350595(869) THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	2
. 1011		BODY CLAMPING WASHER	~
217	805		2
		BODY CLAMPING WASHER SCREW	_
141469	869	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC BODY SET SCREW	3
157836		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
		(ADJUSTABLE) COMPLETE, NOS. 50328(803), THO EACH	
		217(805), 7071 AND THREE 141469(869)	
157715		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
15:011		CONNECTING ROD WITH 141141(869)	
156211		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC CONNECTING ROD HINGE PIN	1
141141	869	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
*4**4*	003	CONNECTING ROD HINGE PIN SET SCREW (10 X 32 X 3/16	•
		IN. LONG. ALLEN CUP POINT SET SCREW)	
156758		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
		CONNECTING ROD SPACER	_
158040		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
		WITH 157265 AND SUITABLE LENGTH OF WICKING (3/16	
156763		IN. DIAM. X 8 1/2 IN. LONG S.A.E. F-1 FELT) THREAD (NEEDLE) TAKE-UP (RIGHT) DSCILLATING SHAFT	1
100100		BUSHING (LEFT)	
156764		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
.,		BUSHING (LEFT) 156763 WITH 156181	-
156181		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
		BUSHING O RING (PARKER O RING NO. 2-14)	
156765		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT BUSHING (RIGHT)	1
156181		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
		BUSHING (RIGHT) D RING	_
156191		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	2
		COLLAR WITH TWO 141301(869)	
141301	869	· · · · · · · · · · · · · · · · · · ·	4
		COLLAR SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN FLAT	
156223		POINT SET SCREW) THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
170223		CRANK WITH 141303(869)	•
141303	869	THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
		CRANK CLAMPING SCREW (8 X 32 X 1/2 IN. LONG ALLEN	
		CAP SCREW)	_
158041		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
		DIL WICK (3/16 IN. DIAM. X 8 1/2 IN. LONG S.A.E.	
157265		F-1 FELT) FOR USE WITH 158040 THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
171203		OIL WICK RETAINING PIN	•
		H-VII INGINGITATIV 1 411	

2

PLATE AND THREAD CONTROL DEVICE BRACKET (BACK)

THREAD (NEEDLE) THREAD CONTROL TENSION THREAD

MOUNTING SCREW

CONTROLLER

156801

32 X 1/2 IN. LONG. ALLEN CAP SCREW)

156406		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
170400		OSCILLATING SHAFT OIL WICK (3/16 IN. X 11 IN. LONG.	1
		S.A.E. F-1 OIL WICK)	
157265		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		OSCILLATING SHAFT DIL WICK POSITION PIN	
350595	869	·	2
		SCREW	
158126		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP	
157753		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
227224		THREAD TAKE-UP ADJUSTING SHAFT	
227224		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP ADJUSTING SHAFT COLLAR WITH	
201052	022	THREAD (NEEDLE) THREAD CONTROL THREAD DELL OFF	
201052	803	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP ADJUSTING SHAFT COLLAR SET SCREW	1
1577/6		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
157765		THREAD TAKE-UP CLAMP	ı
144282		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
144202		THREAD TAKE-UP CLAMP WASHER	•
157755		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP CONNECTING LINK	-
50111	819		1
		THREAD TAKE-UP CONNECTING LINK SCREW (LOWER)	
1247	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP CONNECTING LINK SCREW (UPPER)	
157756		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP CONNECTING LINK SCREW (UPPER) SPACER	
157960		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP POSITION INDICATOR WITH 350595(869)	
51310	819		1
		THREAD TAKE-UP POSITION INDICATOR LOCKING THUMB	
7071		SCREW	•
7071		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP POSITION INDICATOR LOCKING THUMB	1
		SCREW WASHER	
350595	869		1
330373	30,	THREAD TAKE-UP POSITION INDICATOR SET SCREW	-
330	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP SCREW	_
157760		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP SLIDE	
144282		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP SPACER	
217	819		1
		THREAD TAKE-UP STOP SCREW	_
156564		THREAD (NEEDLE) THREAD WEARING GUIDE	1
156388		CLOTH PLATE	1
156389		CLOTH PLATE COVER PLATE	1
156390		CLOTH PLATE COVER PLATE 156389 WITH 156391 AND	1

PART	NUMBE.	K	
MAIN	SUFF	DESCRIPTION	QTY
		TUDES FACU FOOO(1002) AND 175023	
156391		THREE EACH 50009(803) AND 175032 CLOTH PLATE COVER PLATE SPRING	1
50009			3
175032	003	CLOTH PLATE COVER PLATE SPRING SCREW WASHER	3 3 5
	819	· -	5
157135		FEED DOG (16 TEETH PER INCH) FOR 12 GAUGE	1
		NOTEO WHEN ORDERING NO. 157135 GAUGE NEED NOT BE	
		SPECIFIED.	
157137			1
		(157137-900 MACHINED) NOTEO WHEN ORDERING NO. 157137 GAUGE NEED NOT BE SPECIFIED.	
350710	869	FEED DOG SCREW	1
157053		LAP SEAM FELLER SHANK WITH BOTTOM SHELL FOR	ī
10,000	70 2	157056(505) AND 157056(506) FOR 12 AND 16 GAUGES.	_
		1/16 IN. CAPACITY NOTEO WHEN ORDERING NO. 157053.	
		CODE FOR GAUGE AND CAPACITY MUST BE STATED.	
157055	505		1
		157056(505) FOR 12 GAUGE, 1/16 IN. CAPACITY	•
157055	506	LAP SEAM FELLER TOP SHELL WITH BRACKET FOR 157056(506) FOR 16 GAUGE, 1/16 IN. CAPACITY	1
		NOTEO WHEN ORDERING NO. 157055, CODE FOR GAUGE AND	
		CAPACITY MUST BE STATED.	
20 7	819	LAP SEAM FELLER TOP SHELL ADJUSTING SCREW	1
157056		LAP SEAM FELLER ON SHANK (ADJUSTABLE) COMPLETE,	ī
		FOR 12 GAUGE, 1/16 IN. CAPACITY NOS. 207(819),	
		157053(502) AND 157055(505)	_
157056	506	LAP SEAM FELLER ON SHANK (ADJUSTABLE) COMPLETE,	1
		FOR 16 GAUGE, 1/16 IN. CAPACITY NOS. 207(819),	
		157053(502) AND 157055(506) NOTEO WHEN ORDERING NO. 157056, CODE FOR GAUGE AND CAPACITY MUST BE	
		STATED.	
156058		LAP SEAM FELLER FASTENING PLATE	1
		LAP SEAM FELLER FASTENING PLATE SCREW	2
156413		LOOPER (FRONT) FOR 12 GAUGE	1
156999		LOOPER (FRONT) FOR 16 GAUGE	1
		NEEDLE, SIZE NO. 16 CAT. NO. 3650	2
158129		NEEDLE BAR (HOLLOW)	1
158219	012	NEEDLE BAR COMPLETE FOR 12 GAUGE, NOS. 139116(012) AND 158129	
158219	016	NEEDLE BAR COMPLETE FOR 16 GAUGE, NOS. 139116(016)	1
230223		AND 158129 NOTEO WHEN ORDERING NO. 158219 CODE FOR	-
		GAUGE REQUIRED MUST BE STATED.	
139116		NEEDLE CLAMP WITH TWO 1498(830) FOR 12 GAUGE	1
139116	016	NEEDLE CLAMP WITH TWO 1498(830) FOR 16 GAUGE	1
1400	020	NOTEO WHEN ORDERING NO. 139116 STATE GAUGE REQUIRED	
1498 143176		NEEDLE SET SCREW NUMBER PLATE RIVET	2 2
157964		PRESSER FOOT CHAIN CUTTER (AS RECEIVED FROM	1
	, 00	OUTSIDE VENDOR) FOR 157964	ō
157964		PRESSER FOOT CHAIN CUTTER (157964-900 MACHINED)	1

PART	NUMBE	R	
MAIN	SUFF	DESCRIPTION	QTY
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•••		
141305	869	PRESSER FOOT CLAMPING SCREW FOR 157984	1
157984		PRESSER FOOT HULDER WITH 141305(869)	1
156158	012	PRESSER FOOT PLATE FOR 12 GAUGE (CODE NO. 012)	1
156158	015		1
		NOTEO WHEN ORDERING NO. 156158 CODE FOR GAUGE	
		REQUIRED MUST BE STATED.	
141296	830		1
158134		PRESSER FOOT PLATE HOLDER	1
157970		PRESSER FOOT (SPRING) SHANK	1 1 2 1
158183		PRESSER FOOT (SPRING) SHANK CLAMPING BLOCK	1
		PRESSER FOOT (SPRING) SHANK CLAMPING BLOCK SCREW	2
157791		PRESSER FOOT (SPRING) SHANK CLAMPING PLATE	
157792		PRESSER FOOT (SPRING) SHANK PLUNGER	1
157881		PRESSER FOOT (SPRING) SHANK PRESSURE REGULATING	1
		NUT WITH 906(830)	_
906	830	PRESSER FOOT (SPRING) SHANK PRESSURE REGULATING NUT	1
	0.7.0	LOCKING SCREW	
158135	012	PRESSER FOOT (SPRING HINGED, LOW INERTIA) COMPLETE	1
		FOR 12 GAUGE (CODE NO. 012) NOS. 141296(830)	
		156158(012), 157791, 157792, 157964, 157970, 157984, 158134, 158183 AND TWO 223(819)	
150125	016	PRESSER FOOT (SPRING HINGED, LOW INERTIA) COMPLETE	1
128132	010	FOR 16 GAUGE (CODE NO. 016) NOS. 141296(830)	Ţ
		156158(016), 157791, 157792, 157964, 157970, 157984	
		158134, 158183 AND TWO 223(819) NOTEO WHEN	
		ORDERING NO. 158135 CODE FOR GAUGE REQUIRED MUST	
		BE STATED.	
156445		THREAD (LOOPER) TAKE-UP STRIPPER PLATE POSITION PIN	2
		THREAD (NEEDLE) TAKE-UP (LEFT) WITH 51281(830)	ī
		THREAD (NEEDLE) TAKE-UP (LEFT) SET SCREW	ī
		THROAT PLATE FOR 12 GAUGE (CODE NO. 012) NOTEO WHEN	
		ORDERING NO. 157136 CODE FOR GAUGE REQUIRED MUST	
157136	012	BE STATED.	
157138	016	THROAT PLATE FOR 16 GAUGE (CODE NO. 016) NOTEO WHEN	1
		ORDERING NO. 157138 CODE FOR GAUGE REQUIRED MUST	
		BE STATED.	
156042		THROAT PLATE LOCATING PIN	2
1454		THROAT PLATE SCREW	2
156336		THROAT PLATE SUPPORT WITH TWO 156042	1
156042		THROAT PLATE SUPPORT PIN	2 3
50128		THROAT PLATE SUPPORT SCREW	
21455		CAUTION TAG	1
156907		FOOT LIFTER TREADLE CHAIN (42 IN. LONG) WITH 56864	1
		AND 56865 NOTEO FOR OTHER SIZES OF CHAIN SEE NO.	
E (0) (6439.	•
56864		FOOT LIFTER TREADLE CHAIN HOOK (LARGE)	1
56865		FOOT LIFTER TREADLE CHAIN HOOK (SMALL) HEX SOCKET SCREW DRIVER (3/32 IN. HEX.)	1
157450 161276		LINT BRUSH	1
156424		MACHINE CUSHION (LEFT) AND DIL RESERVOIR AND	4
120424		MACUTHE COSULON (FELL) WAD OIL KESEKANIK WAD	4

		MACHINE CUSHION (RIGHT)	
		NEEDLE CAT. NO. 3650 SIZE NO. 16 NOTEO NEEDLES REGULARLY FURNISHED	12
		WITH THIS MACHINE.	
156942		OIL CAN OIL SPOUT	1
32731		ONE QUART CAN FILLED WITH TYPE H OIL	2
21452		OPERATORS GUIDE	1
23308		SCREW DRIVER	1
156937		SCREW DRIVER (FOR NEEDLE SET SCREWS)	1
157002		THREAD (NEEDLE) TAKE-UP (LEFT) THREAD CONTROL	1
13.002		(WIRE)	
54242		THREAD (NEEDLE) TAKE-UP (LEFT) THREAD CONTROL CLAMP	1
176	819	THREAD (NEEDLE) TAKE-UP (LEFT) THREAD CONTROL CLAMP	1
170	017	SCREW	
156589		THREAD UNWINDER COMPLETE (SEE PAGE HEADED THREAD	1
		UNWINDER COMPLETE NO. 156589 FOR BREAKDOWN)	
156851		THREADER	1
16+204		TWEEZERS	1
154372		LOOPER DRIVING LEVER GAUGE NOTEO GAUGE NO. 154372	1
		IS ONLY FURNISHED WHEN ORDERED.	
157027		HEXAGON KEY WRENCH 5/64 IN. (REGULAR, LONG)	1
169071		HEXAGON KEY WRENCH 3/32 IN. (REGULAR, SHORT)	1
157028		HEXAGON KEY WRENCH 1/8 IN. (REGULAR, SHORT)	1
157026		HEXAGON KEY WRENCH 9/64 IN. (REGULAR, SHORT)	1
157029		HEXAGON KEY WRENCH 5/32 IN. (REGULAR, LONG)	1
157862		SET OF HEXAGON KEY WRENCHES NOS. 157026, 157027,	1
*		157028, 157029 AND 169071 NOTEO SET OF HEXAGON	
		KEY WRENCHES NO. 157862 IS TO BE FURNISHED ON ORDER	
		ONLY.	_
625092	502	BASE WITH 148(819)	1
156574		ROD	1
148	819	ROD CLAMPING SCREW	1
156575		SPOOL PIN	4
1722	819		8
156576		SPOOL REST	4
156577			4
156578		SPOOL REST ROD (MEDIUM)	4
156579		SPOOL REST ROD HOLDER WITH TWO 141017(869)	1
156588		SPOOL REST ROD HOLDER 156579 WITH FOUR 156578	1
141017			2 2 1
156580		THREAD GUIDE (2 THREADS)	2
156581		THREAD GUIDE (4 THREADS)	
156583		THREAD GUIDE HOLDER WITH 141146(869)	1
141146		THREAD GUIDE HOLDER SUPPORT SET SCREW	1 3
51285			3
	809	THREAD GUIDE SCREW NUT	3 1
150057		THREAD SEPARATOR (4 THREADS)	1
150058		THREAD SEPARATUR 150057 WITH 150059 (4 THREADS)	
150059		THREAD SEPARATOR BRACKET	1
156585		THREAD SEPARATOR ROD	1

PART MAIN	NUMBE SUFF	R DESCRIPTION	QTY
625081	501	THREAD SEPARATOR ROD SWIVEL CLAMP	2
140977		THREAD SEPARATOR ROD SWIVEL CLAMP BALL JOINT STUD	1
1608		THREAD SEPARATOR ROD SWIVEL CLAMP BALL JOINT STUD	1
		LOCK NUT	_
51234	819	THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW	1
929058	505	THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW	- 1
		NUT	1
14017		THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW	1
		NUT WASHER	1
156586		THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER WITH	•
15/507		140409(869) THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER 156586	1
156587		WITH 1608(819), 14017, 51234(819), 140977(819),	-
		929058-505 AND TWO 625081-501	
140409	869	THE PERSON OF TH	1
	809		1
10,		WOOD SCREWS 1 1/4 IN. NO. 12 R.H.B.	3
156589		THREAD UNWINDER (FOUR SPOOLS) COMPLETE NOS. 164(809)	1
		150058, 156574, 156581, 156583, 156585, 156587,	
		156588, 625092-502, TWD 156580, THREE EACH 1520(809	
		51285(809), WOOD SCREWS 1 1/4 IN. NO. 12 R.H.B.	
		FOUR EACH 156575, 156576, 156577 AND EIGHT	
		1722(819)	2
	819	The second secon	2
	819	THREAD UNWINDER BRACKET CAP SCREW NUT LOCK WASHER	2
67425	830	THREAD UNWINDER BRACKET SET SCREW	2
156665		THREAD UNWINDER BRACKET COMPLETE, NOS. TWO EACH	1
150005	,	443(830), 51070(819) AND 67425 (FOR USE WHEN	
		THREAD UNWINDER IS FASTENED TO CONDUIT PIPE) NOTEO	
		NO. 156665 IS TO BE FURNISHED ON REQUEST ONLY.	