FORM IPD 424-71

Temporary Parts List for Machine No. 552B241

Printed in U.S.A.

PART NU	MBER		
MAIN	SUFF	DESCRIPTION	QTY
17021	301.		
204235		ARM DOWEL PIN	2
141403	819	ARM HOLE PLUG SCREW (FCR ACCESS TO NEEDLE BAR	1
		CONNECTING LINK HINGE STUD CLAMPING SCREW, NEEDLE	
		BAR CONNECTING LINK HINGE STUD POSITION SET SCREW	
147070		ARM HOLE PLUG SCREW WASHER	1
146552		ARM SCREW	4
157702		ARM SHAFT WITH 1036(830), 140542(830) 140552(830)	1
		AND 157704	
157821		ARM SHAFT WITH 140359(805), 143236, 157704 AND	1
		157822	
158034		ARM SHAFT BUSHING (INTERMEDIATE)	1
157704		ARM SHAFT BUSHING (INTERMEDIATE) THRUST SPACER	1
156194		ARM SHAFT BUSHING (LEFT)	1
157704		ARM SHAFT BUSHING (LEFT) THRUST SPACER	1
156063		ARM SHAFT DRIVING BELT	1
156425		ARM SHAFT DRIVING BELT COVER	1
51384	819	ARM SHAFT DRIVING BELT COVER SCREW	4
156507		ARM SHAFT FLANGED BUSHING (RIGHT)	1
158035		ARM SHAFT OIL SHIELD	1
140359	805	ARM SHAFT SCREW PLUG (LEFT)	1
143236		ARM SHAFT SCREW PLUG (LEFT) WASHER	1
144	804	ARM SHAFT SCREW (RIGHT)	1
157709		ARM SHAFT SPROCKET WHEEL WITH 143624, AND FOUR	1
		141470(869)	_
143624		ARM SHAFT SPROCKET WHEEL HUB O RING (OUTSIDE)	1
143624		ARM SHAFT SPROCKET WHEEL HUB O RING (INSIDE)	1
158045		ARM SHAFT SPROCKET WHEEL HUB THRUST WASHER	1
		(OUTSIDE)	,
141470	869	ARM SHAFT SPROCKET WHEEL SET SCREW (1/4 X 40 S.S.	4
		X 7/16 LONG. ALLEN FLAT POINT SET SCREW)	,
147468		ARM SHAFT THRUST COLLAR WITH TWO 624(830)	1
624	830	ARM SHAFT THRUST COLLAR SET SCREW	2
158113		ARM TOP COVER	1
158205		ARM TOP COVER 158113 WITH 1480(805), 141443(819),	1
		156650, 156651, 157474, 158114 AND TWO 157820	1
156200		ARM TOP COVER GASKET	1
156650		ARM TOP COVER DIL SIGHT DOME	1
156651		ARM TOP COVER OIL SIGHT DOME O RING	1
		(NATIONAL O RING NO. 622710)	1
141443	819	ARM TOP COVER PLUG SCREW	1
157474		ARM TOP COVER PLUG SCREW GASKET	8
	819	ARM TOP COVER SCREW	2
157820		ARM TOP COVER THREAD TUBE (NEEDLE THREAD)	1
158114		ARM TOP COVER THREAD TUBE (NEEDLE THREAD)	•
	005	CLAMPING PLATE	1
1480	805	ARM TOP COVER THREAD TUBE (NEEDLE THREAD)	•
15/070		CLAMPING PLATE LOCKING SCREW	1
156379		BED COVER (BACK AND LEFT) SCREW	4
1095	819	BED COVER (BACK AND LEFT) SCREW	1
157883		BED COVER (FRUNT)	•

PART N		DESCRIPTION	QTY
MAIN	20FF	DESCRIPTION	
157885 157038 156382 156383 156384 1300		BED COVER (FRONT) COMPLETE, NOS. 156382, 156383, 157038, 157883 AND TWO 156384 BED COVER (FRONT) CATCH BED COVER (FRONT) HINGE BED COVER (FRONT) HINGE PIN BED COVER (FRONT) HINGE SPRING (LEFT AND RIGHT) BED COVER (FRONT) SCREW BED COVER (TOP)	1 1 1 2 2 2
156407 156791		BED COVER (TOP) 156407 WITH 141433(819)	1
15 7 383 156408		AND 157373 BED COVER (TOP) DAMPING PAD BED COVER (TOP) GASKET BED COVER (TOP) PLUG SCREW (FOR ACCESS TO	1 1 1
157373		LOOPER AVOID MECHANISM) BED COVER (TOP) PLUG SCREW GASKET	1
	805	BED COVER (TOP) SCREW BED HOLE PLUG (CENTER) BED HOLE PLUG (LEFT) BED HOLE PLUG SCREW (FOR ADJUSTING FEED DRIVING	12 1 1 1
143435		ECCENTRIC BED HOLE PLUG SCREW GASKET	1
156245		BED OIL DRAIN SCREEN	3
156246		BED DIL DRAIN SCREEN RETAINING PLATE	1 2
	805	BED GIL DRAIN SCREEN RETAINING PLATE SCREW	2
805 143236	805	BED DIL PLUG SCREW BED DIL PLUG SCREW WASHER	2
140439		RED DIL SCREW (RIGHT)	1
157766		BED OIL SCREW (RIGHT) 140439(819) WITH A SUITABLE LENGTH OF WICKING (5/32 IN. X 7/16 IN.	1
157767		LONG S.A.E. F-1 FELT) BED DIL SCREW (RIGHT) DIL WICK FOR DILING LOOPER PITMAN ROD END BEARING (RIGHT) BALL STUD DIL WICK (5/32 IN. X 7/16 IN. LONG S.A.E. F-1 FELT) FOR	1
158182	,	USE WITH BED GIL SCREW (RIGHT) NO. 157766 BED SHAFT COUPLING WITH FOUR 141469(869)	1
		BED SHAFT COUPLING SET SCREW	4
157804		BED SHAFT (LEFT) WITH A SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X 4 1/2 IN. LONG PIPE CLEANER WICK)	1
157711	_	BED SHAFT (LEFT) BUSHING (LEFT, INNER)	1
157712		BED SHAFT (LEFT) BUSHING (LEFT, INNER) OIL	1
164101		SLING WITH TWO 141301(869) BED SHAFT (LEFT) BUSHING (LEFT, INNER) OIL SLING	1
156181	L	O RING (PARKER O RING NO. 2-14)	
141301	869	BED SHAFT (LEFT) BUSHING (LEFT, INNER) DIL SLING SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN FLAT	2
157713	3	POINT SET SCREW) BED SHAFT (LEFT) BUSHING (LEFT, INNER) THRUST SPACER	1
157922	2	BED SHAFT (LEFT) BUSHING (LEFT, DUTER)	1

		(1/4 X 40 SS X 7/16 IN. LONG. ALLEN CONE POINT	
		SET SCREW)	
141470	8 6 9	RED SHAFT (RIGHT) SPROCKET WHEEL SET SCREW	1
_		(1/4 X 40 SS X 7/16 IN. LONG. ALLEN FLAT PUINT	
1/1/40	940	SET SCREW) BED SHAFT (RIGHT) SPROCKET WHEEL SET SCREW	2
141469	009	LOCKING SCREW	
156249		BELT GUARD	1 1
156250		BELT GUARD HINGE STUD	
141309	869	BELT GUARD HINGE STUD SET SCREW (1/4 X 28 X 1/4 IN. LONG. ALLEN FLAT POINT SET SCREW)	•
156251		BELT GUARD LATCH SPRING	1
140003	805	BELT GUARD LATCH SPRING SCREW	2
871		DELT CHARD LATCH SPRING STUD SCREW	1
156252			1
		AND TWO 140003(805)	1
156388		CLUTH PLATE 156387-900 WITH 156392-900 CLOTH PLATE COVER PLATE	î
156389		CLOTH PLATE COVER PLATE 156389 WITH 156391 AND	1
156390		THREE EACH 50009(803) AND 175032	
156391		CLOTH PLATE COVER PLATE SPRING	1
50009	803	CLOTH PLATE COVER PLATE SPRING SCREW	3 3
175032		CLOTH PLATE COVER PLATE SPRING SCREW WASHER	5
		CLOTH PLATE SCREW FACE PLATE WITH 141443(819), AND 157474	5 1
157824		_	1
156204	819	FACE PLATE BUS SCREW	1
157474		FACE PLATE PLUG SCREW GASKET	1 2
145	819	FACE PLATE SCREW (LOWER)	2 2
		FACE PLATE SCREW (UPPER)	
157842)		1
		FEED BAR WITH 223(803), 141292(869), 1414/6,	ī
157141		FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070	1
156141		FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070	1
		FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF	1
		FEED BAR WITH 223(803), 141292(869), 141476, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E.	1
157731		FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK)	1 1 1
		FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FFED BAR HINGE PIN OIL WICK (7/32 IN. DIAM. X 2 5/8	1
157731		FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FEED BAR HINGE PIN OIL WICK (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN	1 1 1
157731 157732		FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FEED BAR HINGE PIN OIL WICK (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN NO. 157731	1 1 1
157731		FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FEED BAR HINGE PIN OIL WICK (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN NO. 157731 FEED BAR HINGE PIN SET SCREW (8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW)	1 1 1 1
157731 157732	2 2 869	FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FEED BAR HINGE PIN OIL WICK (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN NO. 157731 FEED BAR HINGE PIN SET SCREW (8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW) FEED CONNECTING ROD WITH 141292(869)	1 1 1 1
157731 157732 141292 156187 156211	2 2 2 869	FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FEED BAR HINGE PIN OIL WICK (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN NO. 157731 FEED BAR HINGE PIN SET SCREW (8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW) FEED CONNECTING ROD WITH 141292(869) FFED CONNECTING ROD HINGE PIN	1 1 1 1 1
157731 157732 141292 156183	2 2 2 869	FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FEED BAR HINGE PIN OIL WICK (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN NO. 157731 FEED BAR HINGE PIN SET SCREW (8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW) FEED CONNECTING ROD WITH 141292(869) FEED CONNECTING ROD HINGE PIN SET SCREW (8 X 32 X	1 1 1 1
157731 157732 141292 156181 156211 141292	2 869 1 869	FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FEED BAR HINGE PIN OIL WICK (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN NO. 157731 FEED BAR HINGE PIN SET SCREW (8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW) FEED CONNECTING ROD WITH 141292(869) FEED CONNECTING ROD HINGE PIN SET SCREW (8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW)	1 1 1 1 1
157731 157732 141292 156187 156211	2 869 1 869	FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FEED BAR HINGE PIN OIL WICK (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN NO. 157731 FEED BAR HINGE PIN SET SCREW (8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW) FEED CONNECTING ROD WITH 141292(869) FEED CONNECTING ROD HINGE PIN FEED CONNECTING ROD HINGE PIN FEED CONNECTING ROD HINGE PIN SET SCREW) FEED CONNECTING ROD HINGE PIN SET SCREW) FEED CONNECTING ROD HINGE PIN SET SCREW) FEED DOG (12 TEETH PER INCH) FOR 16 AND 18 GAUGES	1 1 1 1 1 1
157731 157732 141292 156181 156211 141292	2 869 1 869	FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FEED BAR HINGE PIN OIL WICK (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN NO. 157731 FEED BAR HINGE PIN SET SCREW (8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW) FEED CONNECTING ROD WITH 141292(869) FEED CONNECTING ROD HINGE PIN SET SCREW (8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW) FEED DOG (12 TEETH PER INCH) FOR 16 AND 18 GAUGES NOTEO WHEN ORDERING NO. 157477 GAUGE NEED NOT BE SPECIFIED.	1 1 1 1 1 1 1
157731 157732 141292 156181 156211 141292	2 2 869 7 1 2 869	FEED BAR WITH 223(803), 141292(869), 1414/6, 156069 AND 156070 FEED BAR COMPLETE, NOS. 1519(819), 127784, 141295(803), 156067, 156068, 156142 AND 157842 FEED BAR HINGE PIN WITH A SUITABLE LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FEED BAR HINGE PIN OIL WICK (7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN NO. 157731 FEED BAR HINGE PIN SET SCREW (8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW) FEED CONNECTING ROD WITH 141292(869) FEED CONNECTING ROD HINGE PIN FEED CONNECTING ROD HINGE PIN SET SCREW (8 X 32 X 3/16 IN. LONG. ALLEN FLAT POINT SET SCREW) FEED DOG (12 TEETH PER INCH) FOR 16 AND 18 GAUGES NOTEO WHEN ORDERING NO. 157477 GAUGE NEED NOT BE	1 1 1 1 1 1

PART NUMBER

I AILL II	011001		
MAIN	SUFF	DESCRIPTION	QTY
156067		FEED DOG HOLDER	1
156069		FEED DOG HOLDER ADJUSTING SCREW	1
1519	819	FEED DOG HOLDER NUT	1
156068		FEED DOG HOLDER NUT WASHER	1
350719	869	FEED DOG SCREW	1 2
7071		FEED DRIVING ECCENTRIC BODY CLAMPING WASHER	2
217	805	FEED DRIVING ECCENTRIC BODY CLAMPING WASHER SCREW	2
141471			ī
141469			2
157835	00,	FEED DRIVING ECCENTRIC (ADJUSTABLE) COMPLETE, NOS.	ī
131037		50328(803), 141471(869), AND TWO EACH 217(805),	•
		7071 AND 141469(869)	
157896		FEED DRIVING ECCENTRIC SPACER	1
157781		FEED LIFTING ECCENTRIC WITH TWO 141301(869)	î
156043		FEED LIFTING ECCENTRIC CONNECTION	
		FEED LIFTING ECCENTRIC CONNECTION HINGE PIN WITH A	1
156781			1
		SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X 13/16	
15/300		IN. LONG S.A.E. F-1 OIL WICK)	•
156782		FEED LIFTING ECCENTRIC CONNECTION HINGE PIN OIL	1
		WICK (1/8 IN. DIAM. X 13/16 IN. LONG, S.A.E. F-1	
		OIL WICK) FOR USE WITH U56781	_
223	803	FEED LIFTING ECCENTRIC CONNECTION HINGE PIN SET	1
		SCREW	
141301	869	FEED LIFTING ECCENTRIC SET SCREW (8 X 32 X 1/8 IN.	2
		LONG. ALLEN FLAT POINT SET SCREW)	
50328	803	FEED REGULATING SCREW	1
156179		FEED ROCKER WITH TWO 141303(869)	1
141303	869	FEED ROCKER CLAMPING SCREW (8 X 32 X 1/2 IN.	2
		LONG. ALLEN CAP SCREW)	
156184		FEED ROCKER SHAFT WITH 453(830)	1
156180		FEED ROCKER SHAFT BUSHING (LEFT)	1
156795		FEED ROCKER SHAFT BUSHING (LEFT) 156180	1
		WITH TWO 156181	
156181		FEED ROCKER SHAFT BUSHING (LEFT) O RING (PARKER	2
		O RING NO. 2-14)	
156182		FEED ROCKER SHAFT BUSHING (INTERMEDIATE)	1
156796		FEED ROCKER SHAFT BUSHING (INTERMEDIATE)	1
		156182 WITH 156181	
156181		FEED ROCKER SHAFT BUSHING (INTERMEDIATE) O	1
		RING (PARKER O RING NO. 2-14)	
156183		FEED ROCKER SHAFT BUSHING (RIGHT)	1
156191		FEED RUCKER SHAFT COLLAR WITH TWO 141301(869)	2
141301	869		4
		IN. LONG. ALLEN FLAT POINT SET SCREW)	•
156223		FEED ROCKER SHAFT CRANK WITH 141303(869)	1
141303			ī
		1/2 IN. LONG. ALLEN CAP SCREW)	•
453	830		1
156064		HAND WHEEL WITH TWO 140409(869)	î
		HAND WHEEL SET SCREW (1/4 X 28 X 3/8 IN. LONG.	2
2,0,0,	50,	17. 10 11. ELE 32. 35NEW 117. A 20 A 370 THE EGHOS	-

		ALLEN FLAT POINT SET SCREW)	
157053	503		1
13.023	703	AND 18 GAUGES, 3/32 IN. CAPACITY, FOR 157056(509)	•
		AND 157056(510)	
		NOTEO WHEN ORDERING NO. 157053, CODE FOR GAUGE	
		AND CAPACITY MUST BE STATED.	
157055	509		1
		16 GAUGE, 3/32 IN. CAPACITY	_
157055	510	LAP SEAM FELLER TOP SHELL WITH BRACKET FOR	1
		18 GAUGE, 3/32 IN. CAPACITY	
		NOTEO WHEN ORDERING NO. 157055, CODE FOR GAUGE AND	
		CAPACITY MUST BE STATED.	
207	819	LAP SEAM FELLER TOP SHELL ADJUSTING SCREW FOR	1
		157056(509) AND 157056(510)	_
157056	509	LAP SEAM FELLER ON SHANK (ADJUSTABLE) COMPLETE,	1
		FOR 16 GAUGE, 3/32 IN. CAPACITY NOS. 207(819),	_
157056	509	157053(503) AND 157055(509)	
157056		LAP SEAM FELLER ON SHANK (ADJUSTABLE) COMPLETE, FOR	1
		18 GAUGE, 3/32 IN. CAPACITY NOS. 207(819),	
		157053(503) AND 157055(510)	
		NOTEO WHEN ORDERING NO. 157056, CODE FOR GAUGE	
		AND CAPACITY MUST BE STATED.	
156058		LAP SEAM FELLER FASTENING PLATE	1
141455	850	LAP SEAM FELLER FASTENING PLATE SCREW	2
158208		LOOPER (BACK)	1
157694		LOOPER (BACK) SPACER (.040)	1
158209		LOOPER (FRONT) FOR 16 GAUGE	1
158210		LOOPER (FRONT) FOR 18 GAUGE	1 1 1
157694		LOOPER (FRONT) SPACER (.040)	1
157781		LOOPER AVOIDING ECCENTRIC WITH TWO 141301(869)	
156043		LOOPER AVOIDING ECCENTRIC CONNECTION	1
156781		LOOPER AVOIDING ECCENTRIC CONNECTION HINGE PIN	1
		WITH A SUITABLE LENGTH OF WICKING (1/8 IN. DIAM. X	
		13/16 IN. LONG S.A.E. F-1 DIL WICK)	
156782		LOOPER AVOIDING ECCENTRIC CONNECTION HINGE PIN OIL	1
		WICK (1/8 IN. DIAM. X 13/16 IN. LONG S.A.E. F-1	
		OIL WICK) FOR USE WITH 156781	
223	803		1
1/1201	040	SET SCREW	_
141301 157769		LOOPER AVOIDING ECCENTRIC SET SCREW	2
121109		LOOPER AVOIDING LINK WITH 223(803), 350719(869)	1
350719	960	AND TWO 50420(830)	1
370119	009	LOOPER AVOIDING LINK CLAMPING SCREW (10 X 32 X 1/2 IN. LONG. ALLEN CAP SCREW)	1
50420	830	LOOPER AVOIDING LINK SET SCREW	2
157768	030	LOOPER DRIVING LEVER WITH 350606(869) AND	1
101100		350719(869)	1
350719	869		1
220113	J J ,	IN. LONG. ALLEN CAP SCREW)	+
1.57000	900		1
L D / HILL			

		141313(830) AND 141314(830)	
157772		LOOPER DRIVING LEVER CONNECTION ALIGNMENT PLATE	2
350726	869	THE PARTY OF THE P	4
330,120	· ·	SCREW	
141314	830	LOOPER DRIVING LEVER CONNECTION BEARING (CRANK END)	2
141314		CAP SCREW	
141313		LOOPER DRIVING LEVER CONNECTION BEARING (STUD END)	2
141515	030	CAP SCREW	_
156563		LOOPER DRIVING LEVER CONNECTION OIL TUBE (PLASTIC)	1
		LOOPER DRIVING LEVER OIL GUARD	ī
158044		LOOPER DRIVING LEVER ROCK SHAFT	ī
157728		LOOPER ORIVING LEVER ROCK SHAFT BUSHING (BACK)	ì
156478		LUOPER DRIVING LEVER ROCK SHAFT BUSHING (FRONT)	1
157730			1
		WITH 156516	1
156516		LCUPER DRIVING LEVER ROCK SHAFT BUSHING (FRONT)	1
		U RING (PARKER NO. 2-13)	•
156475		LOOPER DRIVING LEVER ROCK SHAFT COLLAR WITH TWO	1
		350680(869)	_
350680	869		2
		(8 X 32 X 1/4 IN. LONG. ALLEN CAP SCREW)	
156229		LOOPER DRIVING LEVER ROCK SHAFT COVER	1
156230		LOOPER DRIVING LEVER ROCK SHAFT COVER GASKET	1
208		LOOPER DRIVING LEVER ROCK SHAFT COVER SCREW	4
51637	809	LOOPER DRIVING LEVER ROCK SHAFT STUD NUT	1
8787		LOOPER DRIVING LEVER ROCK SHAFT STUD NUT WASHER	1
157706		LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.010)	1
157707		LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.040)	1
		NOTEO SPACERS NOS. 157706 AND 157707 ARE TO BE	
		USED IN AMOUNTS AS REQUIRED.	
157847		LOOPER DRIVING LEVER ROCK SHAFT THRUST SPACER	1
156739		LOOPER HOLDER WITH TWO 350595(869)	1
157630		LOOPER HOLDER 156739 WITH 1056(833), 1664(805),	1
		8905, 157735, 157738 AND SUITABLE LENGTH OF WICKING	
		(1/8 IN. DIAM. X 1 3/16 IN. LONG PIPE CLEANER)	
156472		LOOPER HOLDER CONE WITH TWO 141301(869)	1
1423	805	LOOPER HOLDER CONE LOCK SCREW	1
	805		1
157087		LOOPER HOLDER CONE LOCK SCREW O RING	1
		(PARKER NO. 2-6)	
141301	869		2
		LONG. ALLEN FLAT POINT SET SCREW)	
157084		LOOPER HOLDER CONE STUD	1
51724		LOOPER HOLDER CONE STUD LOCK NUT	1
8905		LOOPER HOLDER CONE STUD LOCK NUT WASHER	1
157085		LOOPER HOLDER CONE STUD OIL METERING SCREW	1
158229		LOUPER PITMAN ROD	1
158230		LOOPER PITMAN ROD 158229 WITH 1649(803) AND	1
		1650(803)	
157735		LOOPER PITMAN ROD END BEARING (LEFT) WITH TWO	1
		141317(830)	

RING)

(PARKER NO. 2-13 0

PART	NUMBE	R	
MAIN	SUFF	DESCRIPTION	QTY
156165		LOOPER ROCKER SHAFT BUSHING (RIGHT)	1
156799		LOOPER ROCKER SHAFT BUSHING (RIGHT) 156165 WITH	1
- -		156516	-
156516		LOOPER ROCKER SHAFT BUSHING (RIGHT) O RING	1
151051		(2-13 PARKER) LOOPER ROCKER SHAFT COLLAR (RIGHT) WITH 141289(869)	1
156056 141289			ī
141207	00,	SCREW (10 X 32 X 5/8 IN. LONG. ALLEN SOCKET CAP	
		SCREW)	
156474		LOOPER ROCKER SHAFT SPACER WITH TWO 141301(869)	1 2
141301		LOOPER ROCKER SHAFT SPACER SET SCREW LOOPER ROCKER SHAFT THRUST SPACER (LEFT AND RIGHT)	2
157714 350595			2
300090	007	ALLEN FLAT POINT SET SCREW)	-
158190		LOOPER THROW-CUT COMPLETE, NOS. 157761, 158185	1
.,,,,,		AND 158230	_
158191		LOOPER THROW-OUT LOCKING PLUNGER	1
158192		LOOPER THROW-OUT LOCKING PLUNGER RELEASER	1
158193		LOOPER THROW-OUT LOCKING PLUNGER RELEASER CAP LOOPER THROW-OUT LOCKING PLUNGER RELEASER CAP	1
1700	803	LOCK NUT	•
158194		LOOPER THROW-OUT LOCKING PLUNGER SPRING	1
156167		MACHINE CUSHION STUD (LEFT)	2
156608		MACHINE CUSHION STUD (LEFT) SPACER	2 2 1
		NEEDLE CAT. 3650 SIZE NO. 19	1
158129		NEEDLE BAR (HOLLOW)	1
158219	016	NEEDLE BAR COMPLETE, FOR 16 GAUGE, NOS.	1
150210	ν Λ10	139116(016), 143497 AND 158129 NEEDLE BAR COMPLETE, FOR 18 GAUGE, NOS.	1
158219	010	139116(018), 143497 AND 158129	_
		NOTED WHEN ORDERING NO. 158219 CODE FOR GAUGE	
		REQUIRED MUST BE STATED.	
158048		NEEDLE BAR BUSHING (LOWER)	1
157826)	NEEDLE BAR BUSHING (LOWER AND UPPER) OIL WICK (1/8 IN. DIAM. X 10 IN. S.A.E. F-1 WHITE FELT)	
		FOR USE WITH 157827	
157827	7	NEEDLE BAR BUSHING (LOWER AND UPPER) OIL WICK (1/8	1
15.02.		IN. DIAM. X 10 IN. S.A.E. F-1 WHITE FELT)	
		WITH TWG 13994	_
13994	+	NEEDLE BAR BUSHING (LOWER AND UPPER) OIL	2
 .		WICK CLIP	1
156471 157822		NEEDLE BAR BUSHING (UPPER) NEEDLE BAR CONNECTING WITH 157861	î
140552		NEEDLE BAR CONNECTING LINK HINGE STUD CLAMPING	1
11000	. 030	SCREW	
1036	830	NEEDLE BAR CONNECTING LINK HINGE STUD	1
		POSITION SET SCREW	1
15786		NEEDLE BAR CONNECTING STUD WITH 141305(869)	1 1
141305		NEEDLE BAR CONNECTING STUD CLAMPING SCREW NEEDLE BAR CONNECTING STUD SLIDE BLOCK	1
13911	L	MEENTE DAK COMMECTING STON STINE BEOCK	-

PART NUMBER

PART	NOWRE	ĸ	
MAIN	SUFF	DESCRIPTION	QTY
		THE RESERVE OF THE REACH CHART	,
143496		NEEDLE BAR CONNECTING STUD SLIDE BLOCK GUIDE	1 2
1485	830		2
59456		NEEDLE BAR CONNECTING STUD SLIDE BLOCK GUIDE	2
		SCREW WASHER	1
140542	830	NEEDLE BAR CRANK POSITION SCREW NEEDLE BAR THREAD RETAINER	î
146665		NEEDLE BAR THREAD RETAINER BRACKET	î
157057		NEEDLE BAR THREAD RETAINER BRACKET COMPLETE,	î
157058		NOS. 50163(850), 54865, 146665 AND 157057	•
4.02	900	NEEDLE BAR THREAD RETAINER BRACKET SCREW	1
50163	809	NEEDLE BAR THREAD RETAINER SCREW	ī
54865	650	NEEDLE BAR THREAD RETAINER SCREW WASHER	ī
139116	016		ī
139116			1
139116		NOTEO WHEN ORDERING NO. 139116 STATE GAUGE	
139110	010	REQUIRED.	
143497		NEEDLE CLAMP THREAD GUIDE	1
	830		2
156142		NEEDLE GUARD WITH 157197	1
156070		NEEDLE GUARD ADJUSTING SCREW	1
157197		NEEDLE GUARD PIVOT PIN	1
141295			1
127784		NEEDLE GUARD SCREW WASHER	1
143176		NUMBER PLATE RIVET	2
156663		OIL PUMP (CENTRIFUGAL) BODY	1
157361		OIL PUMP (CENTRIFUGAL) BODY 156663 WITH 50123(803),	1
		66581, 143072, 143073, 143074, 143075, 156479	
		AND FOUR 189(805)	•
143071		OIL PUMP (CENTRIFUGAL) BODY POSITION PIN	2
	805		3
143072		OIL PUMP (CENTRIFUGAL) COVER	1 1
143073		OIL PUMP (CENTRIFUGAL) IMPELLER	1
	803		1
143074		OIL PUMP (CENTRIFUGAL) SCREEN OIL PUMP (CENTRIFUGAL) SCREEN FRAME	ì
143075		OIL PUMP (CENTRIFUGAL) SCREEN FRAME SCREW	4
	805	DIL PUMP (CENTRIFUGAL) SHAFT	i
156479 143015		OIL PUMP (CENTRIFUGAL) SHAFT BEVEL GEAR (LEFT HAND	ī
143013		SPIRAL) WITH TWO 1259(830)	
		NOTEO TO ENSURE PROPER FUNCTIONING OF GEARS NO.	
		143015 WILL NOT BE SUPPLIED SEPARATELY TO AGENCIES.	
		BUT WILL BE SUBSTITUTED BY PAIR OF GEARS NO.	
		156558.	
1259	830	OIL PUMP (CENTRIFUGAL) SHAFT BEVEL GEAR SET SCREW	2
66581		DIL PUMP (CENTRIFUGAL) SHAFT THRUST COLLAR WITH	1
		TWO 50150(830)	_
50150	830	OIL PUMP (CENTRIFUGAL) SHAFT THRUST COLLAR SET	2
		SCREW	•
156772		OIL REMOVING TUBE (HEAD END)	1
146703		OIL REMOVING TUBE (HEAD END) CLAMP	1

PART NUMBER		o -
MAIN SUFF	DESCRIPTION	QTY
158036	OIL REMOVING TUBE (HEAD END) LINT SCREEN (CLOTH)	1
157727	OIL RESERVOIR WITH 141466, 143601, 164133,	1
	164134 AND TWO EACH 1485(833) AND 164132	-
156167	GIL RESERVOIR AND MACHINE CUSHION STUD (RIGHT)	2 1
141466	OIL RESERVOIR DRAIN PLUG SCREW	1
156240	OIL RESERVOIR GASKET OIL RESERVOIR OIL SIGHT GAUGE BACKGROUND DISC	ī
143601	OIL RESERVOIR OIL SIGHT GAUGE BACKGROUND DISC	ī
164132	GASKET	•
164133	OIL RESERVOIR OIL SIGHT GAUGE WINDOW	1
164132	GIL RESERVOIR OIL SIGHT GAUGE WINDOW GASKET	1
164134	GIL RESERVOIR DIL SIGHT GAUGE WINDOW RETAINER	1
1485 833	OIL RESERVOIR OIL SIGHT GAUGE WINDOW RETAINER SCREW	2 2
50073 805	OIL RESERVOIR SCREW (CENTER) OIL RESERVOIR SCREW (LEFT)	2
949 805	OIL TUBE FOR DILING BED SHAFT BUSHING (RIGHT,	ī
156773	INNER)	
156774	OIL TUBE FOR OILING ARM SHAFT BUSHING	1
	(INTERMEDIATE)	,
90100	GIL TUBE RETAINER CLIP	4 1
157812	OIL TUBE COMPLETE WITH A SUITABLE LENGTH OF	1
	WICKING 3/16 IN. X 2 1/2 IN. LONG S.A.E. F-1 FELT AND TWO SUITABLE LENGTHS OF WICKINGS 3/32 IN. X	
	4 1/2 IN. LONG NO. 1229 LIGHTER WICK FOR OILING	
	FEED LIFTING AND LOOPER AVOIDING ECCENTRICS	
157813	OT TUBE OIL WICK (3/16 IN. X 2 1/2 IN. LONG S.A.E.	1
•••	F-1 FELT) FOR DILING WICK NO. 157814, FOR USE WITH	
	OIL TUBE COMPLETE NO. 157812	2
157814	OIL TUBE OIL WICK (3/32 IN. X 4 1/2 IN. LONG NO. 1229 LIGHTER WICK) FOR OILING FEED LIFTING AND	_
	LOOPER ECCENTRICS, FOR USE WITH OIL TUBE COMPLETE.	
	NO. 157812,	
157815	OIL TUBE COMPLETE WITH A SUITABLE LENGTH OF	1
	WICKING, 1/8 IN. X 10 3/4 IN. LONG S.A.E. F-1 FELT,	
	FOR DILING FEED BAR HINGE PIN	1
156848	OIL TUBE OIL WICK (1/8 IN. X 10 3/4 IN. LONG, S.A.E. F-1 FELT, FOR OILING FEED BAR HINGE PIN,	
	FOR USE WITH OIL TUBE COMPLETE NO. 157815	
156055	OIL TUBE ADAPTOR WITH 209(830) FOR USE WITH	2
130033	157812 AND 157815	_
209 830	OIL TUBE SCREW	2
156558	PAIR OF MATED GEARS FOR DRIVING OIL PUMP, NOS.	1
	143015 AND 156557	1
156285	PRESSER BAR	î
156502	PRESSER BAR BUSHING PRESSER BAR LIFTING CLAMP WITH 141303(869)	ī
157839 141303 869		1
156247	PRESSER BAR LIFTING CRANK WITH 350595(869)	1
149760	PRESSER BAR LIFTING CRANK LINK	1
1425 803	PRESSER BAR LIFTING CRANK LINK SCREW	1

1

TENSION RELEASING LEVER ROLLER LINK CONNECTION

588 850

HINGE SCREW

PART N			QTY
MAIN	SUFF	DESCRIPTION	QII
1718	850	TENSION RELEASING LEVER ROLLER LINK CONNECTION	1
E 0 0	850	HINGE SCREW NUT TENSION RELEASING LEVER ROLLER SCREW	1
1718		TENSION RELEASING LEVER ROLLER SCREW NUT	1
141550		TENSION RELEASING LEVER SCREW	1
156487	003	TENSION RELEASING LEVER SPRING	1
156262		TENSION RELEASING PIN	2
156376		TENSION SPRING (LOOPER THREAD)	2
		TENSION STUD	2
156801		TENSION THREAD CONTROLLER (LOOPER THREAD)	2
156316		TENSION THREAD GUIDE	2 2 2 2 2 2
157110		TENSION (LOOPER THREAD) COMPLETE, NOS. 1560(803).	2
		32572, 140043(806), 156376 AND TWO 2102	
157833		THREAD (LOOPER) TAKE-UP WITH 158196 AND TWO	1
		141301(869)	•
158196		THREAD (LOOPER) TAKE-UP POSITION PIN (ELASTIC STOP	1
		NUT ROLL PIN 59-012-062-0187)	. 2
141301	869	THREAD (LOOPER) TAKE-UP SET SCREW (8 X 32 X 1/8 IN.	_
		ALLEN FLAT POINT SET SCREW)	1
157627		THREAD (LOOPER) TAKE-UP STRIPPER THREAD (LOOPER) TAKE-UP STRIPPER CLAMPING SCREW	î
51047		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER	ī
157351		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER	ī
156037		BRACKET WITH 50117(830) AND 156445	_
156445		TO THE REPORT OF THE PROPERTY	1
_	830	· · · · · · · · · · · · · · · · · · ·	1
50117	930	BRACKET SCREW	
50117	830	THE PERSON OF TH	1
158222		THREAD (LOOPER) TAKE-UP STRIPPER PLATE	1
158228		THREAD (LOOPER) TAKE-UP STRIPPER PLATE COMPLETE.	1
		NOS. 50117(830), 51047(803), 156037, 156048,	
		157351, 157627, 158222, TWO 158204 AND THREE	
		229(805)	
156445		THREAD (LOOPER) TAKE-UP STRIPPER PLATE POSITION PIN	1 2
	805	THREAD (LOOPER) TAKE-UP STRIPPER PLATE SCREW	i
9525	•	THREAD (LOOPER) TAKE-UP STRIPPER PLATE SCREW	
	_	WASHER THREAD (LOOPER) TAKE-UP STRIPPER STAPLE	1
156048		THREAD (LOOPER) TAKE-UP STRIPPER STAPLE SCREW	ī
	805	THREAD (LOOPER) TAKE-UP THREAD GUIDE (LEFT AND	2
158204	t	RIGHT)	
220	9 805	THREAD (LOOPER) TAKE-UP THREAD GUIDE (LEFT AND	2
22	, 007	RIGHT) SCREW	
158136	5	THREAD (LOOPER) THREAD GUARD COMPLETE,	1
		NOS. 219(805), 156429 AND TWO 1423(805)	
1423	3 805	THREAD (LOOPER) THREAD GUARD EXTENSION SCREW	2
		(LARGE)	•
219	9 805	THREAD (LOOPER) THREAD GUARD EXTENSION SCREW	1
		(SMALL)	•
156174	4	THREAD (LOOPER) THREAD GUARD HINGE (LEFT)	1

MAIN	SUFF	DESCRIPTION	QTY
51369	819	THREAD (LOOPER) THREAD GUARD HINGE (LEFT) SCREW	2
156177		THREAD (LOOPER) THREAD GUARD HINGE (RIGHT)	1
51369	819	THREAD (LOOPER) THREAD GUARD HINGE (RIGHT) SCREW	2
156386		THREAD (LOOPER) THREAD GUARD LATCH SPRING	1
156429	205	THREAD (LOOPER) THREAD GUARD LATCH SPRING PIN	1
140003	805	THREAD (LOOPER) THREAD GUARD LATCH SPRING SCREW	2
156326 14066 6	010	THREAD (LOOPER) THREAD GUIDE (CENTER) (IN BED)	1
156322	013	THREAD (LOOPER) THREAD GUIDE (CENTER) SCREW THREAD (LOOPER) THREAD GUIDE (LEFT) (IN BED)	1 1 1
1019	930	THREAD (LOOPER) THREAD GUIDE (LEFT) SET SCREW	1
156318	030	THREAD (LOOPER) THREAD GUIDE (RIGHT) (IN BED)	
_	819	THREAD (LOOPER) THREAD GUIDE (RIGHT) SCREW	1 1 2 1
156744	019	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	2
158047		THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	ī
150011		BRACKET WITH 199(819) AND 156695	•
140024	830	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	1
		BRACKET MOUNTING SCREW	
9525		THREAD (LOOPER) THREAD TUBE (FRONT OF ARM) BRACKET	1
		MOUNTING SCREW WASHER	
156695		THREAD (LOOPER) THREAD TUBE (FRONT OF ARM) BRACKET	1
		POSITION PIN	
199	819	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM) CLAMPING	1
		SCREW	
156550		THREAD (NEEDLE) TAKE-UP (LEFT) WITH 51281(830)	1
051281	830	THREAD (NEEDLE) TAKE-UP (LEFT) CLAMPING SCREW	1
156537		THREAD (NEEDLE) TAKE-UP (RIGHT) WITH TWO	1
		350595(869)	
7071		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	2
		BODY CLAMPING WASHER	_
217	805	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	2
		BODY CLAMPING WASHER SCREW	_
141469	869	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	3
157007		BODY SET SCREW	•
157836		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
		(ADJUSTABLE) COMPLETE, NOS. 50328(803), TWO EACH	
157715		217(805), 7071 AND THREE 141469(869) THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
131113		CONNECTING ROD WITH 141141(869)	
156211		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
		CONNECTING ROD HINGE PIN	-
141141	869	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
		CONNECTING ROD HINGE PIN SET SCREW (10 x 32 x 3/16	_
		IN. LONG. ALLEN CUP POINT SET SCREW)	
156758		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING ECCENTRIC	1
		CONNECTING ROD SPACER	
158040		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
		WITH 157265 AND SUITABLE LENGTH OF WICKING	
		(3/16 IN. DIAM. X 8 1/2 IN. LONG S.A.E. F-1 FELT)	
156763		THREAD (NEEDLE) TAKE-UP (RIGHT) DSCILLATING SHAFT	1
		BUSHING (LEFT)	

PART N	UMBER		
MAIN		DESCRIPTION	QTY
MAIN	3011		
			•
156764		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
		BUSHING (LEFT) 156763 WITH 156181	1
156181		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT BUSHING O RING (PARKER O RING NO. 2-14)	•
		THREAD (NEEDLE) TAKE-UP (RIGHT) DSCILLATING SHAFT	1
156765		BUSHING (RIGHT)	
156181		THREAD (NEEDLE) TAKE-UP (RIGHT) DSCILLATING SHAFT	1
170101		RUSHING (RIGHT) O RING	•
156191		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	2
		COLLAR WITH TWO 141301(869)	4
141301	869	THREAD (NEEDLE) TAKE-UP (RIGHT) DSCILLATING SHAFT COLLAR SET SCREW (8 X 32 X 1/8 IN. LONG. ALLEN	•
		FLAT POINT SET SCREW	
10(333		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
156223		CRANK WITH 141303(869)	
141303	869	THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
141,000	00,	CRANK CLAMPING SCREW (8 X 32 X 1/2 IN. LONG	
		ALLEN CAP SCREW)	
158041		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
158041		DIL WICK (3/16 IN. DIAM. X 8 1/2 IN. LONG S.A.E.	
		F-1 FELT) FOR USE WITH 158040 THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING SHAFT	1
157265	•	OIL WICK RETAINING PIN	
50328	803	THE TOTAL TAKE UP ADTOUTS DECIMATING SCREW	1
350595		THREAD (NEEDLE) TAKE-UP (RIGHT) SET SCREW	2
220222		(10 X 32 X 3/16 IN. LONG ALLEN SOCKET FLAT	
		POINT SET SCREW)	1
158115	5	THREAD (NEEDLE) THREAD CONTROL DEVICE COMPLETE,	1
		NOS. 217(819), 330(819), 1247(819), 1443(806), 1771(805), 6465, 50111(819), 50183(806), 51310(819)	
		1771(805), 6465, 50111(819), 50183(800), 52376(825), 157747, 157753, 157755, 157756, 157760, 157765,	
		157960, 158121, 158123, 158126, 227224 AND TWO	
		FACH 7071 AND 144282	
15774	7	THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	1
140295	819	THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	2
		MOUNTING SCREW (FRONT)	1
15819	8	THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	-
1//20	.	SPACER (BACK) THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	1
14428	2	SPACER (FRONT)	
210	2	THREAD (NEEDLE) THREAD CONTROL TENSION DISC	4
	0 803	THREAD (NEEDLE) THREAD CONTROL TENSION REGULATING	2
		THUMB NUT	1
15811		THREAD (NEEDLE) THREAD CONTROL TENSION RELEASER	2
5043	5 850	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASER	2
2057	2	PLATE STOP SCREW THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	2
325 7	۷	DISC	
15812	1	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
, , o , <u>.</u>	_	PLATE	

PART N	UMBER		
	SUFF	DESCRIPTION	QTY
PIAIN	3011		
		TENCTON DELECTION	1
158123		THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING PLATE FINGER	1
1443	806	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
		PLATE FINGER SCREW	,
7071		THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING PLATE FINGER SCREW WASHER	1
50183	806	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
30103		PLATE HINGE SCREW	
1771	805	THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
(1.45		PLATE HINGE SCREW NUT THREAD (NEEDLE) THREAD CONTROL TENSION RELEASING	1
6465		PLATE HINGE SCREW NUT WASHER	_
156376		THREAD (NEEDLE) THREAD CONTROL TENSION SPRING	2
140043		THREAD (NEEDLE) THREAD CONTROL TENSION STUD	2
158124		THREAD (NEEDLE) THREAD CONTROL TENSION SUPPORT	1
158125		PLATE THREAD (NEEDLE) THREAD CONTROL TENSION SUPPORT	1
130123		PLATE WITH TENSIONS COMPLETE, NOS. 158117, 158124,	
		AND TWO EACH 50435(850), 156316, 156801 AND 157110	
350787	819	THREAD (NEEDLE) THREAD CONTROL TENSION SUPPORT	1
		PLATE AND THREAD CONTROL DEVICE BRACKET (BACK)	
		MOUNTING SCREW	2
156801		THREAD (NEEDLE) THREAD CONTROL TENSION THREAD	2 0
15/21/		CONTROLLER THREAD (NEEDLE) THREAD CONTROL TENSION THREAD	2
156316		GUIDE	_
157110		THREAD (NEEDLE) THREAD CONTROL TENSION COMPLETE,	2
		NOS. 1560(803), 32572, 140043(803), 156376 AND	
		TWO 2102	,
157750		THREAD (NEEDLE) THREAD CONTROL THREAD WITH TWO	1
7071		350595(869) THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	2
7071		DRIVING ECCENTRIC BODY CLAMPING WASHER	_
217	805	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	2
6.11		DRIVING ECCENTRIC BODY CLAMPING WASHER SCREW	
141469	869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	3
		DRIVING ECCENTRIC BODY SET SCREW	_
157836		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		DRIVING ECCENTRIC (ADJUSTABLE) COMPLETE, NOS.	
		50328(803), TWO EACH 217(805), 7071 AND THREE	
157715		141469(869) THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
17/112	•	DRIVING ECCENTRIC CONNECTING ROD WITH 141141(869)	
156211		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		DRIVING ECCENTRIC CONNECTING ROD HINGE PIN	_
141141	869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		DRIVING ECCENTRIC CONNECTING ROD HINGE PIN SET	
		SCREW (10 X 32 X 3/16 IN. LONG. ALLEN CUP POINT	
15/754	,	SET SCREW) THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
156758)	INKEAU (NEEDLE) INKEAU CUNIKUL INKEAU POLL-OFF	-

MAIN	SUFF	DESCRIPTION	QTY
		DRIVING ECCENTRIC CONNECTING ROD SPACER	
50328	803	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
156219		DRIVING ECCENTRIC REGULATING SCREW THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
156220		OSCILLATING SHAFT WITH 156406 AND 157265 THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
158039		OSCILLATING SHAFT BUSHING (LEFT) THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		OSCILLATING SHAFT BUSHING (INTERMEDIATE)	_
156181		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT BUSHING (INTERMEDIATE) O RING	1
156221		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT BUSHING (RIGHT)	1
156181		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
156191		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	2
141301	8 6 9	OSCILLATING SHAFT COLLAR WITH TWO 141301(869) THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	4
		OSCILLATING SHAFT COLLAR SET SCREW (8 X 32 X 1/8 IN. LONG ALLEN FLAT POINT SET SCREW)	
156223		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
141303	869	OSCILLATING SHAFT CRANK (RIGHT) WITH 141303(869) THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		OSCILLATING SHAFT CRANK (RIGHT) CLAMPING SCREW (8 X 32 X 1/2 IN. LONG. ALLEN CAP SCREW)	
156406		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT OIL WICK (3/16 IN. X 11 IN. LONG.	1
1572/5		S.A.E. F-1 OIL WICK)	
157265		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT OIL WICK POSITION PIN	1
350595	869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF SET SCREW	2
158126		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP	1
157753		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP ADJUSTING SHAFT	1
227224		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
		THREAD TAKE-UP ADJUSTING SHAFT COLLAR WITH 201052(833)	
201052	833	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP ADJUSTING SHAFT COLLAR SET SCREW	1
157765		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP CLAMP	1
144282		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP CLAMP WASHER	1
157755		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
50111	819	THREAD TAKE-UP CONNECTING LINK THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1
1247	819	THREAD TAKE-UP CONNECTING LINK SCREW (LOWER) THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF	1

MAIN	SUFF	DESCRIPTION	QTY
1247 157756	819	THREAD TAKE-UP CONNECTING LINK SCREW (UPPER) THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP CONNECTING LINK SCREW (UPPER) SPACER	1
157960		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP POSITION INDICATOR WITH 350595(869)	1
51310	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP POSITION INDICATOR LOCKING THUMB SCREW	1
7071		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP POSITION INDICATOR LOCKING THUMB SCREW WASHER	1
350595	869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP POSITION INDICATOR SET SCREW	1
330	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP SCREW	1
157760		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP SLIDE	1
144282		THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP SPACER	1
217	819	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF THREAD TAKE-UP STOP SCREW	1
156564		THREAD (NEEDLE) THREAD WEARING GUIDE	1
157478	016	THROAT PLATE FOR 16 GAUGE	1
157478		THROAT PLATE FOR 18 GAUGE NOTEO WHEN ORDERING NO. 157478 CODE FOR GAUGE REQUIRED MUST BE STATED.	1
156042		THROAT PLATE LOCATING PIN	2
_	806	THROAT PLATE SCREW	2
156336		THROAT PLATE SUPPORT WITH TWO 156042	1
156042		THROAT PLATE SUPPORT PIN	2
50128		THROAT PLATE SUPPORT SCREW	3
		CAUTION TAG NO. 13-21455	1
156907		FOOT LIFTER TREADLE CHAIN (42 IN. LONG) WITH 56864 AND 56865 NOTEO FOR OTHER SIZES OF CHAIN SEE NO. 6439.	1
56864		FOOT LIFTER TREADLE CHAIN HOOK (LARGE)	1
56865		FOOT LIFTER TREADLE CHAIN HOOK (SMALL)	1
157450		HEX SOCKET SCREW DRIVER (3/32 IN. HEX.)	1
161276		LINT BRUSH	1
156424		MACHINE CUSHION (LEFT) AND OIL RESERVOIR AND MACHINE CUSHION.(RIGHT)	4
		NEEDLE CATALOG NO. 3650 SIZE NO. 19	12
		REGULARLY FURNISHED WITH THIS MACHINE.	1
156942		OIL CAN OIL SPOUT	1 2
32731		ONE QUART CAN FILLED WITH TYPE H OIL OPERATORS GUIDE NO. 13-21452	1
23308		SCREW DRIVER SCREW DRIVER (FOR NEEDLE SET SCREWS)	i
156937	1	STREM DRIVER LEGY MEENTE STI SOUTHS!	-

PART	NUMBE		
MAIN	SUFF	DESCRIPTION	QTY
156589		THREAD UNWINDER COMPLETE (SEE PAGE HEADED THREAD	1
1,0,0,0,		UNWINDER COMPLETE NO. 156589 FOR BREAKDOWN)	
156851		THREADER	1
164204		TWEEZERS	1 1
154372		LOOPER DRIVING LEVER GAUGE NOTEO GAUGE NO. 154372 IS ONLY FURNISHED WHEN	•
		ORDERED.	
157027		HEXAGON KEY WRENCH 5/64 IN. (REGULAR, LONG)	1
169071		HEXAGON KEY WRENCH 3/32 IN. (REGULAR, SHORT)	1
157028		HEXAGON KEY WRENCH 1/8 IN. (REGULAR, SHORT)	1
157026		HEXAGON KEY WRENCH 9/64 IN. (REGULAR, SHORT)	1
157029		HEXAGON KEY WRENCH 5/32 IN. (REGULAR, LONG) SET OF HEXAGON KEY WRENCHES NOS. 157026, 157027,	1
157862		157028, 157029 AND 169071	•
		NOTEO SET OF HEXAGON WRENCHES NO. 157862 IS TO BE	
		FURNISHED ON ORDER ONLY.	
625092		BASE WITH 148(819)	1
156574		ROD	1
	819	ROD CLAMPING SCREW	1 4
156575		SPOOL PIN SPOOL PIN NUT	8
1722 156576		SPOOL REST	4
156577		SPOOL REST CUSHION	4
156578		SPOOL REST ROD (MEDIUM)	4
156579		SPOOL REST ROD HOLDER WITH TWO 141017(869)	1
156588		SPOOL REST ROD HOLDER 156579 WITH FOUR 156578	1
141017			2 2
156580 156581		THREAD GUIDE (2 THREADS) THREAD GUIDE (4 THREADS)	1
156583		THREAD GUIDE HOLDER WITH 141146(869)	i
141146	869	THREAD GUIDE HOLDER SUPPORT SET SCREW	1
51285	809	THREAD GUIDE SCREW	3
	809		3
150057		THREAD SEPARATOR (4 THREADS) THREAD SEPARATOR 150057 WITH 150059 (4 THREADS)	1
150058 150059		THREAD SEPARATOR BRACKET	ī
156585		THREAD SEPARATOR ROD	1
625081		THREAD SEPARATOR ROD SWIVEL CLAMP	2
140977		THREAD SEPARATOR ROD SWIVEL CLAMP BALL JOINT STUD	1
1608	819	THREAD SEPARATOR ROD SWIVEL CLAMP BALL JOINT STUD LOCK NUT	1
51234		THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW	1
929058	505	THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW NUT	1
14017	,	THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW	1
. حسیم و		NUT WASHER	1
156586)	THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER WITH	Ţ
156587	,	140409(869) THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER 156586	1
10001		WITH 1608(819), 14017, 51234(819), 140977(819),	-

PART MAIN			QTY
141409 164	869 809	929058-505 AND TWO 625081-501 THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER SET SCREW THREAD SEPARATOR SCREW WOOD SCREW 1 1/4 IN. NO. 12 R.H.B.	1 1 3
156589		THREAD UNWINDER (FOUR SPOOLS) COMPLETE, NOS. 164(809), 150058, 156574, 156581, 156583, 156585, 156587, 156588, 625092-502, TWO 156580, THREE EACH 1520(809), 51285(809), WOOD SCREWS 1 1/4 IN. NO. 12 R.H.B., FOUR EACH 156575, 156576, 156577 AND EIGHT	1
51070 51581 67425 443 156665	819 830	THREAD UNWINDER BRACKET CAP SCREW NUT THREAD UNWINDER BRACKET CAP SCREW NUT LOCK WASHER THREAD UNWINDER BRACKET SET SCREW THREAD UNWINDER BRACKET COMPLETE, NOS. TWO EACH	2 2 2 2 1
		443(830), 51070(819) AND 67425 (FOR USE WHEN THREAD UNWINDER IS FASTENED TO CONDUIT PIPE NOTEO NO. 156665 IS TO BE FURNISHED ON REQUEST ONLY	