FORM IPD 425-71

Temporary Parts List for Machine No. 552B341

Printed in U.S.A.

FARI	1401-111	· ·	
MAIN	SUFF	DESCRIPTION	QTY
			_
		ARM DOWEL PIN	2
141403	819		1
		NEEDLE BAR CONNECTING LINK HINGE STUD	
		CLAMPING SCREW NEEDLE BAR CONNECTING	
		LINK HINGE STUD POSITION SET SCREW)	_
147070		ARM HOLE PLUG SCREW WASHER	1
146552		ARM SCREW	4
157702		ARM SHAFT WITH 1036(830),140542(830)	1
1.57001		140552(830) AND 157704	•
157821		ARM SHAFT 157702 WITH 140359(805),	1
150027		143236, 157704 AND 157822	•
158034		ARM SHAFT BUSHING (INTERMEDIATE)	1
157704		ARM SHAFT BUSHING (INTERMEDIATE) THRUST SPACER	1
156194		ARM SHAFT BUSHING (LEFT)	1 1 1
157704		ARM SHAFT BUSHING (LEFT) THRUST SPACER	Ţ
156063		ARM SHAFT DRIVING BELT	1
156425		ARM SHAFT DRIVING BELT COVER	1 4
51384			4
156507		ARM SHAFT FLANGED BUSHING (RIGHT)	1
158035		ARM SHAFT OIL SHIELD	1
140359		ARM SHAFT SCREW PLUG (LEFT) ARM SHAFT SCREW PLUG (LEFT) WASHER	1
143236	804		1 1 1 1
157709		ARM SHAFT SCREW (KIGHT) ARM SHAFT SPROCKET WHEEL	1
15//09			1
142424		WITH 143624 AND FOUR 141470(869) ARM SHAFT SPROCKET WHEEL HUB *O* RING (INSIDE)	1
143624		ARM SHAFT SPROCKET WHEEL HUB 'O' RING (DUTSIDE)	1
143624 158045		ARM SHAFT SPRUCKET WHEEL HUB THRUST	1
100040		WASHER (OUTSIDE)	1
141470	940	ARM SHAFT SPROCKET WHEEL SET SCREW	4
141410	003	(1/4 X 40 SS X 7/16 IN. LONG. ALLEN	7
		FLAT POINT SET SCREW)	
147468	!	ARM SHAFT THRUST COLLAR WITH TWO 624(830)	1
		ARM SHAFT THRUST COLLAR SET SCREW	2
158113		ARM TOP COVER	1
158205		ARM TOP COVER 158113 WITH 1480(805),	î
10000		141443(819),156650, 156651, 157474,	•
		158114 AND TWO 157820	
156200)	ARM TOP COVER GASKET	1
156650		ARM TOP COVER OIL SIGHT DOME	ī
156651		ARM TOP COVER DIL SIGHT DOME "O" RING	ī
		(NATIONAL '0' RING NO.622710)	
141443	819		1
157474		ARM TOP COVER PLUG SCREW GASKET	1
172	819	ARM TOP COVER SCREW	8
157820)	ARM TOP COVER THREAD TUBE (NEEDLE THREAD)	2
158114		ARM TOP COVER THREAD TUBE (NEEDLE THREAD)	1
		CLAMPING PLATE	
1480	805	ARM TOP COVER THREAD TUBE (NEEDLE THREAD)	1
		CLAMPING PLATE LOCKING SCREW	

MAIN	SUFF	DESCRIPTION	QTY
156379		BED COVER (BACK AND LEFT)	1
	819		4
157883		BED COVER (FRONT)	1
157885		BED COVER (FRONT) COMPLETE, NOS.156382, 156383, 157038, 157883 AND TWO 156384	1
157038		BED COVER (FRONT) CATCH	1
156382		BED COVER (FRONT) HINGE	ī
156383		BED COVER (FRONT) HINGE PIN	1
156384		BED COVER (FRONT) HINGE SPRING (LEFT AND RIGHT)	
1300	819	BED COVER (FRONT) SCREW	
156407		BED COVER (TOP)	1
156791		BED COVER (TOP) 156407 WITH 141433(819)	1
157383		AND 157373 BED COVER (TOP) DAMPING PAD	1
156408		BED COVER (TOP) GASKET	1 1
141433	819		1
141433	017	TO LOOPER AVOID MECHANISM)	•
157373		BED COVER (TOP) PLUG SCREW GASKET	1
140807	805	BED COVER (TOP) SCREW	12
143024		BED HOLE PLUG (CENTER)	1
157109		BED HOLE PLUG (LEFT)	1
140999	819		1
		FEED DRIVING ECCENTRIC)	•
143435 156245		BED HOLE PLUG SCREW GASKET BED OIL DRAIN SCREEN	1
156246		BED OIL DRAIN SCREEN RETAINING PLATE	3 1
	805	BED OIL DRAIN SCREEN RETAINING PLATE SCREW	2
	805	BED DIL PLUG SCREW	2 2
143236		BED OIL PLUG SCREW WASHER	2
140439	819	BED DIL SCREW (RIGHT)	1
157766		BED DIL SCREW (RIGHT) 140439(819) WITH	1
		A SUITABLE LENGTH OF WICKING (5/32 IN. X 7/16	
		IN. LONG S.A.E. F-1 FELT)	•
157767		BED DIL SCREW (RIGHT) DIL WICK FOR DILING LOOPER PITMAN ROD END BEARING (RIGHT)	1
		BALL STUD OIL WICK (5/32 IN. X 7/16 IN.	
		LONG S.A.E. F-1 FELT) FOR USE WITH BED	
		OIL SCREW (RIGHT) NO.157766	
158182		BED SHAFT COUPLING WITH FOUR 141469(869)	1
141469	869	BED SHAFT COUPLING SET SCREW	4
157804		BED SHAFT (LEFT) WITH A SUITABLE LENGTH	1
		OF WICKING (1/8 IN. DIAM. X 4 1/2 IN.	
157711		LONG PIPE CLEANER WICK) BED SHAFT (LEFT) BUSHING (LEFT, INNER)	1
157711 157712		BED SHAFT (LEFT) BUSHING (LEFT, INNER)	1 1
171116		OIL SLING WITH TWO 141301(869)	
156181		BED SHAFT (LEFT) BUSHING (LEFT, INNER)	1
		DIL SLING 'O' RING (PARKER 'O' RING NO. 2-14)	_
141301	869	BED SHAFT (LEFT) BUSHING (LEFT, INNER)	2
		OIL SLING SET SCREW (8X 32 X 1/8 IN.	

MAIN	20FF	DESCRIPTION	Ø17
		LONG. ALLEN FLAT POINT SET SCREW)	
157713		BED SHAFT (LEFT) GUSHING (LEFT, INNER) THRUST SPACER	1
157922		BED SHAFT (LEFT) BUSHING (LEFT, OUTER)	1
157829		BED SHAFT (LEFT) BUSHING (LEFT, OUTER) COVER	1
156230		BED SHAFT (LEFT) BUSHING (LEFT, OUTER) COVER GASKET BED SHAFT (LEFT) BUSHING (LEFT, OUTER)	1 4
165	813	COVER SCREW	
156280		BED SHAFT (LFFT) BUSHING (LEFT, OUTER)	1
1.57710		OIL RETAINER	,
157712		BED SHAFT (LEFT) BUSHING (LEFT, OUTER) OIL SLING WITH TWO 141301(869)	1
156181		BED SHAFT (LEFT) BUSHING (LEFT, OUTER)	1
		DIL SLING '0' RING (PARKER '0' RING NO. 2-14)	
141301	869	·	2
		OIL SLING SET SCREW (8 X 32 X 1/8 IN.	
157711		LONG. ALLEN FLAT POINT SET SCREW) BED SHAFT (LEFT) BUSHING (LEFT, OUTER)	1
157713		THRUST SPACER	1
157921		BED SHAFT (LEFT) DIL WICK	1
		(1/8 IN. DIAM. X 4 1/2 IN. LONG PIPE	
		CLEANER WICK) FUR USE WITH 157804, FOR AGENTS ONLY)	
157742		BED SHAFT (RIGHT) WITH 50555(830), 156563,	1
		TWO EACH 141313(830) 141314(830) 157772 AND	
156557		FOUR 350726(869) BED SHAFT (RIGHT) BEVEL GEAR (LEFT) RIGHT	1
100001		HAND SPIRAL WITH THREE 1259(830)	•
		(FOR USE WITH OIL PUMP BEVEL GEAR)	
		NOTEO THIS IS GEAR NO. 146864 BUT WITH	
		THREE (3) 1259(830), IN PLACE OF ONE (1) 140333(830	
		AND TWO (2) 1259(830).	
		NOTEO TO ENSURE PROPER FUNCTIONING OF GEARS NO.156557 WILL NOT BE SUPPLIED TO AGENCIES, BUT	
		WILL BE SUBSTITUTED BY PAIR OF GEARS NO. 156558	
1259	830	BED SHAFT (RIGHT) BEVEL GEAR (LEFT) SET SCREW	3
156282		BED SHAFT (RIGHT) BUSHING (RIGHT, INNER)	1
141405	869	BED SHAFT (RIGHT) BUSHING (RIGHT, INNER)	1
		SET SCREW (10 X 24 X 1/4 IN. LONG. ALLEN CUP	
141405	949	POINT SCREW) BED SHAFT (RIGHT) BUSHING (RIGHT, INNER)	1
141405	009	SET SCREW LOCK SCREW (10 X 24 X 1/4 IN.	
		LONG. ALLEN CUP POINT SCREW)	
158163		BED SHAFT (RIGHT) COLLAR WITH TWO 350595(869)	1
350595	869	BED SHAFT (RIGHT) COLLAR SET SCREW	2
157811		BED SHAFT (RIGHT) DRIVE PULLEY AND	1
		SPROCKET WHEELHUB WITH 141470(869), 141471(869), 143624 AND TWO 141469(869)	
143624		BED SHAFT (RIGHT) DRIVE PULLEY AND	1
-		SPROCKET WHEEL HUB 'O' RING (INSIDE)	_
143624		BED SHAFT (RIGHT) DRIVE PULLEY AND	1

156252	BELT GUARD (HINGED) COMPLETE, NOS.	1
	156249, 156251 AND TWO 140003(805)	
156388	CLOTH PLATE	1
156389	CLOTH PLATE COVER PLATE	1
156390		1
	156391 AND THREE EACH 50009(803) AND	
	175032	
156391	CLOTH PLATE COVER PLATE SPRING	1
50009 803	CLOTH PLATE COVER PLATE SPRING SCREW	3
175032	CLOTH PLATE COVER PLATE SPRING SCREW	3
	WASHER	
389 819	CLOTH PLATE SCREW	5
156908	EDGE GUIDE (156908-900 MACHINED)	1
141335 819	EDGE GUIDE THUMB SCREW	2 2
2807	EDGE GUIDE THUMB SCREW WASHER	2
157824	FACE PLATE WITH 141443(819) AND 157474	1
156204	FACE PLATE GASKET	1
141443 819	FACE PLATE PLUG SCREW	1
	FACE PLATE PLUG SCREW GASKET	1 2
	FACE PLATE SCREW (LOWER)	2
120 819	FACE PLATE SCREW (UPPER)	2
157842	FEED BAR WITH 223(803), 141292(869),	1
	141476, 156069 AND 156070	
158218	FEED BAR COMPLETE, NOS. 1519(819),	1
	127784, 141295(803), 156067, 156068,	
158218	157382 AND 157842	
157731	FEED BAR HINGE PIN WITH A SUITABLE	1
	LENGTH OF WICKING (7/32 IN. DIAM. X 2 5/8	
	IN. LONG, S.A.E. F-1 FELT WICK)	

PART	NUMBI	ER	
MAIN	SUFF	DESCRIPTION	QTY
157732		FEED BAR HINGE PIN DIL WICK	1
		(7/32 IN. DIAM. X 2 5/8 IN. LONG, S.A.E. F-1 FELT WICK) FOR USE WITH PIN NO.157731	
141292	869		1
156187			1
		FEED CONNECTING ROD HINGE PIN	i
141292			ī
		(8 X 32 X 3/16 IN. LONG ALLEN FLAT	
		POINT SET SCREW)	
158213		FEED DOG (22 TEETH PER INCH)	1
		FEED DOG (10 TEETH PER INCH)	1
141476		FEED DOG HEIGHT ADJUSTING SCREW	1
15/0/3		(WITH NYLOCK)	_
156067		FEED DOG HOLDER	1
		FEED DOG HOLDER ADJUSTING SCREW FEED DOG HOLDER NUT	1
156068		FEED DOG HOLDER NUT WASHER	1
		FEED DOG SCREW	1
7071	00)	FEED DRIVING ECCENTRIC BODY CLAMPING	2
		WASHER	•
217	805		2
		WASHER SCREW	
		FEED DRIVING ECCENTRIC BODY POSITION SCREW	1
	869	FEED DRIVING ECCENTRIC BODY SET SCREW	2
157835		FEED DRIVING ECCENTRIC (ADJUSTABLE)	1
		COMPLETE, NOS.50328(803), 141471(869), AND TWO EACH 217(805), 7071 AND 141469(869)	
157896		FEED DRIVING ECCENTRIC SPACER	1
157780		FEED LIFTING ECCENTRIC WITH TWO 141301(869)	ī
		FEED LIFTING ECCENTRIC CONNECTION	ĩ
156781		FEED LIFTING ECCENTRIC CONNECTION HINGE	ī
		PIN WITH A SUITABLE LENGTH OF WICKING	
156781		(1/8 IN. DIAM. X 13/16 IN. LONG S.A.E.	
		F-1 OIL WICK)	_
156782		FEED LIFTING ECCENTRIC CONNECTION HINGE	1
		PIN OIL WICK (1/8 IN. DIAM. X 13/16 IN.	
223	803	LONG, S.A.E. F-1 OIL WICK) FOR USE WITH 156781 FEED LIFTING ECCENTRIC CONNECTION HINGE	1
223	000	PIN SET SCREW	1
141301	869	FEED LIFTING ECCENTRIC SET SCREW	2
		(8X 32 X 1/8 IN. LONG. ALLEN FLAT POINT SET SCREW)	_
50328	803	FEED REGULATING SCREW	1
156179		FEED ROCKER WITH TWO 141303(869)	1
141303	8 69	FEED ROCKER CLAMPING SCREW (8X 32 X 1/2	2
156104		IN. LONG. ALLEN CAP SCREW)	
156184 156180		FEED ROCKER SHAFT WITH 453(830) FEED ROCKER SHAFT BUSHING (LEFT)	1
156795		FEED ROCKER SHAFT BUSHING (LEFT) 156180	1 1
10173		TEED KOOKEK SHALL DOSHING (EELI) IDOIOO	1

PART	NUMBER	K	
MAIN	SUFF	CESCRIPTION	QTY
		WITH TWO 156181	_
156181		FEED ROCKER SHAFT BUSHING (LEFT) "0"	2
		RING (PARKER '0' RING NO.2-14)	
156182		FEED ROCKER SHAFT BUSHING (INTERMEDIATE)	1
156796		FEED ROCKER SHAFT BUSHING (INTERMEDIATE)	1
		156182 WITH 156181	•
156181		FEED ROCKER SHAFT BUSHING (INTERMEDIATE)	1
		O' RING (PARKER 'O' RING NO. 2-14)	•
156183		FEED ROCKER SHAFT BUSHING (RIGHT)	1 2
156191		FEED ROCKER SHAFT COLLAR WITH TWO 141301(869) FEED ROCKER SHAFT COLLAR SET SCREW	4
141301	869	(8 X 3I X 1/8 IN. LONG. ALLEN FLAT POINT SET SCREW)	**
154223		FEED ROCKER SHAFT CRANK WITH 141303(869)	1
156223 141303		FEED ROCKER SHAFT CRANK CLAMPING SCREW	î
141505	003	(8 X 32 X 1/2 IN. LONG. ALLEN CAP SCREW)	•
452	830	FEED ROCKER SHAFT DIL PLUG SCREW	1
156064		HAND WHEEL WITH TWO 140409(869)	ī
140409		HAND WHEEL SET SCREW (1/4 X 28 X3/8 IN.	1 2
11010	00)	LONG. ALLEN FLAT POINT SET SCREW)	
158211		LOOPER (BACK)	1
158212		LOOPER (FRONT)	1
157781		LOOPER AVOIDING ECCENTRIC WITH TWO 141301(869)	1
156043		LOOPER AVOIDING ECCENTRIC CONNECTION	1
156781		LOOPER AVOIDING ECCENTRIC CONNECTION	1
		HINGE PIN WITH A SUITABLE LENGTH OF	
		WICKING (1/8 IN. DIAM. X 13/16 IN LONG	
		S.A.E. F-1 OIL WICK)	
156782) :	LOOPER AVOIDING ECCENTRIC CONNECTION	1
		HINGE PIN OIL WICK (1/8 IN. DIAM. X 13/16	
		IN. LONG S.A.E. F-1 OIL WICK) FOR USE	
•		WITH 156781	,
223	803	LOOPER AVOIDING ECCENTRIC CONNECTION HINGE PIN SET SCREW	1
141201	940	LOOPER AVOIDING ECCENTRIC SET SCREW	2
141301 157769		LOOPER AVOIDING LINK WITH 223(803),	1
: טווכן	1	350719(869) AND TWO 50420(830)	-
350719	869	LOOPER AVOIDING LINK CLAMPING SCREW	1
330.1.		(10 X32 X 1/2 IN. LONG ALLEN CAP SCREW)	
50420	830	LOOPER AVOIDING LINK SET SCREW	2
157768	3	LOOPER DRIVING LEVER WITH 350606(869)	1
		AND 350719(869)	
350719	869	LOOPER DRIVING LEVER CLAMPING SCREW	1
		(10 X 32 X 1/2 IN. LONG. ALLEN CAP SCREW)	_
157772		LOOPER DRIVING LEVER CONNECTION ALIGNMENT PLATE	2
350726	869	LOOPER DRIVING LEVER CONNECTION	4
, ,	000	ALIGNMENT PLATE SCREW	2
141314	830	LOOPER DRIVING LEVER CONNECTION BEARING	2
141313	2 930	(CRANK END) CAP SCREW LOOPER DRIVING LEVER CONNECTION BEARING	2
141313	. O5U	(STUD END) CAP SCREW	۷
		13100 CHU/ CAT SCILET	

PART N	IUMBEF	R	
MAIN	SUFF	DESCRIPTION	QTY
156563		LOOPER DRIVING LEVER CONNECTION OIL TUBE (PLASTIC)	1
158044		LOOPER DRIVING LEVER DIL GUARD	1
157728		LOOPER DRIVING LEVER ROCK SHAFT	1
156478		LOOPER DRIVING LEVER ROCK SHAFT BUSHING (BACK)	1
157730		LOOPER DRIVING LEVER ROCK SHAFT BUSHING	1
		(FRONT) WITH 156516	_
156516		LOOPER DRIVING LEVER ROCK SHAFT BUSHING	1
.		(FRONT)'O' RING (PARKER NO.2-13)	
156475		LOOPER DRIVING LEVER ROCK SHAFT COLLAR	1
252422	0.4.0	WITH TWO 350680(869)	~
350680	869	LOOPER DRIVING LEVER ROCK SHAFT COLLAR	2
15/320		SET SCREW (8 X32 X 1/4 IN. LONG. ALLEN CAP SCREW) LUOPER DRIVING LEVER ROCK SHAFT COVER	1
156229		LOOPER DRIVING LEVER ROCK SHAFT COVER GASKET	1
156230	833	LOOPER DRIVING LEVER ROCK SHAFT COVER SCREW	4
51637		LOOPER DRIVING LEVER ROCK SHAFT STUD NUT	1
8787	007	LOOPER DRIVING LEVER ROCK SHAFT STUD NUT WASHER	i
157706		LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.010)	1
157707		LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.040)	1
		NOTEO SPACERS NOS. 157706 AND 157707 ARE TO BE	
		USED IN AMOUNTS AS REQUIRED.	
157847		LOOPER DRIVING LEVER ROCK SHAFT THRUST SPACER	1
156739		LOOPER HOLDER WITH TWO 350595(869)	1
157630		LOOPER HOLDER 156739 WITH 1056(833),	1
		1664(805), 8905, 157735, 157738 AND	
		SUITABLE LENGTH OF WICKING	
		(1/8 IN, DIAM, X 1 3/16 IN, LONG PIPE CLEANER)	

156563	LOOPER DRIVING LEVER CONNECTION OIL TUBE	1
	(PLASTIC)	
158044	LOOPER DRIVING LEVER DIL GUARD	1
15 7 728	LOOPER DRIVING LEVER ROCK SHAFT	1
156478	LOOPER DRIVING LEVER ROCK SHAFT BUSHING (BACK)	1
157730	LOOPER DRIVING LEVER ROCK SHAFT BUSHING	1
	(FRONT) WITH 156516	
156516		1
130310	(FRONT)'O' RING (PARKER NO.2-13)	-
156475		1
170477	WITH TWO 350680(869)	•
250400 0		2
350680 8		4
	SET SCREW (8 X32 X 1/4 IN. LONG. ALLEN CAP SCREW)	_
156229		1
156230	-	1
208 8	,	4
51637 8		l
8787	LOOPER DRIVING LEVER ROCK SHAFT STUD NUT WASHER	1
157706	LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.010)	1
157707	LOOPER DRIVING LEVER ROCK SHAFT STUD SPACER (.040)	1
	NOTEO SPACERS NOS. 157706 AND 157707 ARE TO BE	
	USED IN AMOUNTS AS REQUIRED.	
157847		1
156739		ī
157630		1
177030	1664(805), 8905, 157735, 157738 AND	•
	SUITABLE LENGTH OF WICKING	
	(1/8 IN. DIAM. X 1 3/16 IN. LONG PIPE CLEANER)	
156472		1
1423 8		î
1664 8		ì
		ī
157087	——————————————————————————————————————	Ō
1/12/1 0		2
141301 8		_
157007	(8 X 32 X 1/8 IN. LONG. ALLEN FLAT POINT SET SCREW)	1
157084		ì
8905		1
157085		1
158229		1
158230	200 200 1200 000 000 000 000 000 000 000	1
	AND 1650(803)	_
157735		1
	WITH TWO 141317(830)	_
1664 8		1
_	BALL STUD LOCK NUT	_
8905	- · -	1
	BALL STUD LOCK NUT WASHER	
157737		1
	BALL STUD OIL WICK (1/8 IN. DIAM. X 3/16	

PART	NUMBE	R	
MAIN	SHEE	DESCRIPTION	QTY
DMAIN	301 (
		IN. PIPE CLEANER WICK) FOR USE WITH	
		LOOPER HULDER 157630	•
157738		LOOPER PITMAN RUD END BEARING (LEFT)	1
		BALL STUD DIL WICK RETAINER	1
1056	833	LOOPER PITMAN ROD END BEARING (LEFT)	1
		BALL STUD DIL WICK RETAINER SCREW	2
141317		LODPER PITMAN ROD END BEARING (LEFT) CAP SCREW	1
157761		LOOPER PITMAN ROD END BEARING (RIGHT)WITH A SUITABLE LENGTH OF WICKING (1/8 IN. X 11/32	•
		IN LONG, S.A.E. F-1 FELT) AND TWO 141317(830)	
250101	04.0	LOOPER PITMAN ROD END BEARING (RIGHT)	1
350606	869	BALL STUD CLAMPING SCREW (10 X 32 X 3/8	-
		IN. LONG. ALLEN CAP SCREW)	
157764		LOOPER PITMAN ROD END BEARING (RIGHT)	1
151104	•	BALL STUD OIL WICK (1/8 IN. X 11/32 IN.	
		LONG, S.A.E. F-1 FELT) FOR USE WITH END	
		BEARING (RIGHT) NO.157761	
157481		LOCPER PITMAN RUD END BEARING (RIGHT)	1
151101	•	BALL STUD WASHER	
141317	830		2
		CAP SCREW	
158184	+	LOOPER PITMAN ROD EXTENSION	1
158185	5	LOOPER PITMAN ROD EXTENSION COMPLETE,	1
		NCS. 1650(803), 1700(803), 158184, 158186,	
		158187, 158188, 158189, 158191, 158192,	
		158193, 158194 AND 163003	1
158186		LOOPER PITMAN ROD EXTENSION SLEEVE	1
158187			1
	803	LOOPER PITMAN ROD EXTENSION SLEEVE LOCK NUT LOOPER PITMAN ROD EXTENSION SPRING	1
158188		COORS STAND SOO EXTENSION COSING DIN	î
163003	3	LOOPER PITMAN ROD EXTENSION SPRING RETAINER	1
12010	, 603	LOOPER PITMAN ROD LOCK NUT (LEFT HAND)	ī
1650	1 803	LOOPER PITMAN ROD LOCK NUT (RIGHT HAND)	1
157774		LOOPER ROCKER FRAME WITH 140333(830)	1
*2111	•	AND 350719(869)	
157779	5	LOOPER RUCKER FRAME 157774 WITH 8905,	1
• • • • • • • • • • • • • • • • • • • •		51724(805), 157084 AND 157085	
35071	9 869	LOOPER ROCKER FRAME CLAMPING SCREW	1
		(10 X 32 X 1/2 IN. LONG. ALLEN CAP SCREW)	_
140331		LOGPER ROCKER FRAME POSITION SCREW	1
157776		LOOPER ROCKER SHAFT	1
156164		LOOPER ROCKER SHAFT BUSHING (LEFT)	1
15679	В	LOOPER ROCKER SHAFT BUSHING (LEFT)	ı
15/53	r	156164 WITH TWO 156516 LOOPER ROCKER SHAFT BUSHING (LEFT) *0*	2
15651	ь	RING (PARKER NO.2-13 'O' RING)	۷
15/1/	c	LOOPER ROCKER SHAFT BUSHING (RIGHT)	1
15616 15679		LOOPER ROCKER SHAFT BUSHING (RIGHT)	ī
10019	フ	156165 WITH 156516	_
		are the second s	

PART	NUMBI	ER	
MAIN	SUFF	DESCRIPTION	QTY
156516		LOOPER ROCKER SHAFT BUSHING (RIGHT)	1
15/05/		*O* RING (2-13 PARKER)	•
156056		LOOPER ROCKER SHAFT COLLAR (RIGHT)	1
1/1200	040	WITH 141289(869)	1
141289	869	LOOPER ROCKER SHAFT COLLAR (RIGHT) CLAMPING SCREW (10 X 32 X 5/8 IN. LONG.	1
		ALLEN SOCKET CAP SCREW)	
156474		LOOPER ROCKER SHAFT SPACER WITH TWO 141301(869)	1
141301			2
157714	00,	LOOPER ROCKER SHAFT THRUST SPACER	2
23.12.		(LEFT AND RIGHT)	_
350595	869		2
		LONG. ALLEN FLAT POINT SET SCREW)	
158190		LOOPER THROW-OUT COMPLETE, NOS. 157761,	1
		158185 AND 158230	
158191		LOOPER THROW-OUT LOCKING PLUNGER	1
158192		LOOPER THROW-OUT LOCKING PLUNGER RELEASER	1
158193		LOOPER THROW-OUT LOCKING PLUNGER RELEASER CAP	1
1700	803	LOOPER THROW-DUT LOCKING PLUNGER	1
		RELEASER CAP LOCK NUT	
158194		LOOPER THROW-OUT LOCKING PLUNGER SPRING	1
156167		MACHINE CUSHION STUD (LEFT)	1 2 2
156608		MACHINE CUSHION STUD (LEFT) SPACER	Z
150100		NEEDLE CATALOG NO. 3650 SIZE 19	2
158129		NEEDLE BAR (HOLLOW)	1
158220		NEEDLE BAR COMPLETE, FOR 1/4 IN. TANDEM NEEDLE (RIGHT NEEDLE FORWARD) NOS.	ı
		22781 AND 158129	
158048		NEEDLE BAR BUSHING (LOWER)	1
157826		NEEDLE BAR BUSHING (LOWER AND UPPER)	1 1
13,020		OIL WICK (1/8 IN. DIAM. X 10 IN. S.A.E.	•
		F-1 WHITE FELT, FOR USE WITH 157827	
157827		NEEDLE BAR BUSHING (LOWER AND UPPER)	1
		OIL WICK (1/8 IN. DIAM. X 10 IN. S.A.E.	
		F-1 WHITE FELT) WITH TWO 13994	
13994		NEEDLE BAR BUSHING (LOWER AND UPPER)	2
		OIL WICK CLIP	
156471		NEEDLE BAR BUSHING (UPPER)	1
157822		NEEDLE BAR CONNECTING LINK WITH 157861	1
140552	830	NEEDLE BAR CONNECTING LINK HINGE STUD CLAMPING SCREW	1
1036	920	NEEDLE BAR CONNECTING LINK HINGE STUD	1
1036	030	POSITION SET SCREW	1
157861		NEEDLE BAR CONNECTING STUD WITH 141305(869)	1
141305	869	NEEDLE BAR CONNECTING STUD CLAMPING SCREW	i
139111	/	NEEDLE BAR CONNECTING STUD SLIDE BLOCK	ī
143496		NEEDLE BAR CONNECTING STUD SLIDE BLOCK GUIDE	ĩ
1485	830	NEEDLE BAR CONNECTING STUD SLIDE BLOCK GUIDE SCREW	2
59456		NEEDLE BAR CONNECTING STUD SLIDE BLOCK	2
		GUIDE SCREW WASHER	

PART I	NUMBE	R	
MAIN	SUFF	DESCRIPTION	QTY
140542	830		1
146665		NEEDLE BAR THREAD RETAINER NEEDLE BAR THREAD RETAINER BRACKET	1
157057 157058		NEEDLE BAR THREAD RETAINER BRACKET	1
131030		COMPLETE, NOS. 50163(850),54865, 146665 AND 157057	•
402	809		1
50163			1
54865		NEEDLE BAR THREAD RETAINER SCREW WASHER	ĩ
22781		NEEDLE CLAMP WITH TWO 50014(831) FOR	1
		NEEDLES 1/4 IN. APART	
50014	831		2
157382		NEEDLE GUARD	1
156070		NEEDLE GUARD ADJUSTING SCREW	1
141295	803		1
127784		NEEDLE GUARD SCREW WASHER NUMBER PLATE RIVET	1 1 1 2
143176 156663		OIL PUMP (CENTRIFUGAL) BODY	1
157361		OIL PUMP (CENTRIFUGAL) BODY 156663 WITH	1
171301		50123(803), 66581, 143072, 143073,	•
		143074, 143075, 156479 AND FOUR 189(805)	
143071		OIL PUMP (CENTRIFUGAL) BODY POSITION PIN	2
157	805		3
143072		OIL PUMP (CENTRIFUGAL) COVER	1
143073		OIL PUMP (CENTRIFUGAL) IMPELLER	1 1 1
50123	803		1
143074		OIL PUMP (CENTRIFUGAL) SCREEN OIL PUMP (CENTRIFUGAL) SCREEN FRAME	1
143075	805		4
156479	005	OIL PUMP (CENTRIFUGAL) SHAFT	i
143015		OIL PUMP (CENTRIFUGAL) SHAFT BEVEL	1
		GEAR (LEFT HAND SPIRAL) WITH TWO 1259(830)	
		NOTEO TO ENSURE PROPER FUNCTIONING OF GEARS	
		NO.143015 WILL NOT BE SUPPLIED SEPARATELY TO	
		AGENCIES, BUT WILL BE SUBSTITUTED BY PAIR	
1250	020	OF GEARS NO.156558.	2
1259	830	OIL PUMP (CENTRIFUGAL) SHAFT BEVEL GEAR SET SCREW	2
66581	0.50	DIL PUMP (CENTRIFUGAL) SHAFT THRUST	1
00,01		COLLAR WITH TWO 50150(830)	-
50150	830	OIL PUMP (CENTRIFUGAL) SHAFT THRUST	2
		COLLAR SET SCREW	
156772		OIL REMOVING TUBE (HEAD END)	1
146703		OIL REMOVING TUBE (HEAD END) CLAMP	1
158036		OIL REMOVING TUBE (HEAD END) LINT SCREEN (CLOTH)	1
157727		OIL RESERVOIR WITH 141466, 143601, 164134 AND TWO EACH 1485(833) AND 164132	1
156167		OIL RESERVOIR AND MACHINE CUSHION STUD (RIGHT)	2
141466		OIL RESERVOIR DRAIN PLUG SCREW	1
156240		OIL RESERVOIR GASKET	ī
143601		OIL RESERVOIR OIL SIGHT GAUGE	1

PART NUMBER	R DESCRIPTION	QTY
MAIN SOIT		
164132	BACKGROUND DISC OIL RESERVOIR OIL SIGHT GAUGE	1
101132	BACKGROUND DISC GASKET	_
164133	OIL RESERVOIR OIL SIGHT GAUGE WINDOW OIL RESERVOIR OIL SIGHT GAUGE WINDOW GASKET	1
164132 164134	OIL RESERVOIR OIL SIGHT GAUGE WINDOW RETAINER	î
1485 833		2
	RETAINER SCREW	2
50073 805		2 2
949 805 156773	OIL TUBE FOR OILING BED SHAFT BUSHING	ĩ
130713	(RIGHT, INNER)	
156774		1
90100	INTERMEDIATE OIL TUBE RETAINER CLIP	4
157812		1
	DF WICKING 3/16 IN. X 2 1/2 IN. LONG	
	S.A.E. F-1 FELT AND TWO SUITABLE LENGTHS	
	OF WICKINGS 3/32 IN. X 4 1/2 IN. LONG NO.1229 LIGHTER WICK FOR DILING FEED	
	LIFTING AND LOOPER AVOIDING ECCENTRICS	
157813	CIL TUBE DIL WICK (3/16 IN. X 2 1/2 IN.	1
	LONG S.A.E. F-1 FELT) FOR DILING WICK NO. 157814, FOR USE WITH DIL TUBE COMPLETE	
	NO. 157812 (FOR AGENTS ONLY)	
157814	DIL TUBE DIL WICK (3/32 IN. X 4 1/2 IN.	2
	LONG NO.1229 LIGHTER WICK) FOR OILING	
	FEED LIFTING AND LOOPER ECCENTRICS, FOR USE WITH OIL TUBE COMPLETE, NO.157812,	
	FOR AGENTS ONLY	
157815	OIL TUBE COMPLETE WITH A SUITABLE LENGTH	1
	OF WICKING, 1/8 IN. X 10 3/4 IN. LONG, S.A.E. F-1 FELT, FOR DILING FEED BAR	
	HINGE PIN	
156848	OIL TUBE OIL WICK (1/8 IN. X 10 3/4 IN.	1
	LONG, S.A.E. F-1 FELT, FOR OILING FEED	
	BAR HINGE PIN, FOR USE WITH OIL TUBE COMPLETE NO.157815 (FOR AGENTS ONLY)	
156055	OIL TUBE ADAPTOR WITH 209(830) FOR USE	2
	WITH 157812 AND 157815	
209 830	OIL TUBE SCREW PAIR OF MATED GEARS FOR DRIVING OIL	2 1
156558	PUMP NOS. 143015 AND 156557 (FOR AGENTS ONLU)	Ô
156285	PRESSER BAR	1
156502	PRESSER BAR BUSHING	1
157839	PRESSER BAR LIFTING CLAMP WITH 141303(869)	1
141303 869	PRESSER BAR LIFTING CLAMP CLAMPING SCREW	1
156247	PRESSER BAR LIFTING CRANK WITH 350595(869)	1
149760	PRESSER BAR LIFTING CRANK LINK	1

C.	c	c	r	D	1	D	T	Ť	n	٨	Ì
1 1	•	ъ.	Ι.	ĸ	ł	۲	- 1	1	u	11	ı

MAIN	SUFF	DESCRIPTION	QTY
			_
1425		PRESSER BAR LIFTING CRANK LINK SCREW	1
350595	869	PRESSER BAR LIFTING CRANK SET SCREW	1
		(10 X 32 X 3/16 IN. LONG. ALLEN FLAT	
1 5 7 6 7 7		POINT SET SCREW) PRESSER BAR LIFTING LEVER WITH 141309(869)	1
157077		PRESSER BAR LIFTING LEVER WITH 141309(809)	i
157083		181(850), 1521(805), 9525, 51953,	•
		53657(850), 140024(830), 157081, 157082	
		AND TWO EACH 588(850) AND 1718(850)	
141402	850	PRESSER BAR LIFTING LEVER (ADJUSTABLE)	1
141402	0,70	STOP SCREW (LIFTING)	_
1662	850	PRESSER BAR LIFTING LEVER (ADJUSTABLE)	1
1002		STOP SCREW (LIFTING) NUT	
140024	830	PRESSER BAR LIFTING LEVER (ADJUSTABLE)	1
		STOP SCREW (LOWERING)	
1521	805	PRESSER BAR LIFTING LEVER (ADJUSTABLE)	1
		STOP SCREW (LOWERING) NUT	
157078	900	PRESSER BAR LIFTING LEVER HUB	1
141309	869	PRESSER BAR LIFTING LEVER SET SCREW	1
		(1/4 X 28 X 1/4 IN. LONG. ALLEN SOCKET	
		FLAT POINT SET SCREW)	•
156265		PRESSER BAR LIFTING LEVER SPRING	1
156248		PRESSER BAR LIFTING LEVER SPRING PIN	1 1
		PRESSER BAR LIFTING SHAFT	1
156195		PRESSER BAR LIFTING SHAFT BUSHING (LEFT) PRESSER BAR LIFTING SHAFT BUSHING (RIGHT)	1
156195		PRESSER BAR LIFTING SHAFT BUSHING (RIGHT)	i
156196		OF RING (NATIONAL TO RING 622703)	•
156203		PRESSER BAR SPRING	1
156286		PRESSER BAR SPRING LOCATING PIN	1
158216		PRESSER FOOT (LONG CLOSED TOE WITH KNIFE) COMPLETE	1
		PRESSER FOOT (SHORT OPEN TOE) COMPLETE	1
141318	850	PRESSURE REGULATING THUMB SCREW	1
51614	819		1
156992		SLACK THREAD CONTROLLER (NEEDLE THREAD)	1
2102		TENSION DISC	4
156606		TENSION PLATE	1
	819	TENSION PLATE SCREW	4
156375		TENSION PLATE SPACER	4
1560		TENSION REGULATING THUMB NUT	2 1
156609		TENSION RELEASE TENSION RELEASING DISC	2
32572 157080		TENSION RELEASING DISC TENSION RELEASING LEVER	1
51953		TENSION RELEASING LEVER ROLLER	ī
157081		TENSION RELEASING LEVER ROLLER LINK	ī
	850	TENSION RELEASING LEVER ROLLER LINK	1
101	0,00	ADJUSTING SCREW	_
53657	850	TENSION RELEASING LEVER ROLLER LINK	1
·		ADJUSTING SCREW NUT	
9525		TENSION RELEASING LEVER ROLLER LINK	1

FARI	NOMBE	LK	
MAIN	SUFF	DESCRIPTION	QTY
		ADJUSTING SCREW WASHER	_
157082		TENSION RELEASING LEVER ROLLER LINK	1
		CONNECTION	•
588	850		1
		CONNECTION HINGE SCREW	•
1718	850	TENSION RELEASING LEVER ROLLER LINK	1
	050	CONNECTION HINGE SCREW NUT	•
	850	TENSION RELEASING LEVER ROLLER SCREW TENSION RELEASING LEVER ROLLER SCREW NUT	1
	850	TENSION RELEASING LEVER SCREW	
141550	803	TENSION RELEASING LEVER SCREW TENSION RELEASING LEVER SPRING	1
156487		TENSION RELEASING LEVER SPRING	2
156262		TENSION SPRING (LOOPER THREAD)	2
156376 140043	904	TENSION STUD	2
156801	800	TENSION THREAD CONTROLLER (LOOPER THREAD)	2
156316		TENSION THREAD GUIDE	1 1 2 2 2 2 2 2
157110		TENSION (LOOPER THREAD) COMPLETE, NOS.	2
131110		1560(803), 32572, 140043(806), 156376	_
		AND TWO 2102	
157833		THREAD (LOOPER) TAKE-UP WITH 158196 AND TWO	1
13,033		141301(869)	_
158196		THREAD (LOOPER) TAKE-UP POSITION PIN	1
		(ELASTIC STOP NUT ROLL PIN 59-012-062-0500)	
141301	869		2
		(8 X 32 X 1/8 IN. ALLEN FLAT POINT SET SCREW	
157627		THREAD (LOOPER) TAKE-UP STRIPPER	1
51047	803	THREAD (LOOPER) TAKE-UP STRIPPER CLAMPING SCREW	1
157351		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER	1
15603 7		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER	1
		BRACKET WITH 50117(830) AND 156445	
		THREAD (LOOPER) TAKE-UP STRIPPER HOLDER BRACKET PI	
50117	830	THREAD (LOOPER) TAKE-UP STRIPPER HOLDER	1
_		BRACKET SCREW	•
50117		THREAD (LOGPER) TAKE-UP STRIPPER HOLDER SCREW	1
158222		THREAD (LOOPER) TAKE-UP STRIPPER PLATE	1
158228		THREAD (LOOPER) TAKE-UP STRIPPER PLATE	1
		COMPLETE, NOS. 50117(830), 51047(803),	
		156037, 156048, 157351, 157627, 158222 TWO 158204 AND THREE 229(805)	
156445		THREAD (LOOPER) TAKE-UP STRIPPER PLATE	2
150445		POSITION PIN	_
51119	805	THREAD (LOOPER) TAKE-UP STRIPPER PLATE SCREW	1
9525		THREAD (LOOPER) TAKE-UP STRIPPER PLATE SCREW WASHE	
156048		THREAD (LOOPER) TAKE-UP STRIPPER STAPLE	ī
	805	THREAD (LOOPER) TAKE-UP STRIPPER STAPLE SCREW	1
158204		THREAD (LOOPER) TAKE-UP THREAD GUIDE	2
_ ·		(LEFT AND RIGHT)	
229	805	THREAD (LOOPER) TAKE-UP THREAD GUIDE	2
		(LEFT AND RIGHT) SCREW	
158136		THREAD (LOOPER) THREAD GUARD COMPLETE,	1

PART NUMBER		
MAIN SUFF	DESCRIPTION	QTY
	NOS. 219(805), 156429 AND TWO 1423(805)	_
1423 805		2
21.0 005	SCREW (LARGE)	•
219 805	THREAD (LOOPER) THREAD GUARD EXTENSION SCREW (SMALL)	1
156174	THREAD (LOOPER) THREAD GUARD HINGE (LEFT)	1
	THREAD (LOOPER) THREAD GUARD HINGE (LEFT) SCREW	2
156177	THREAD (LOOPER) THREAD GUARD HINGE (RIGHT)	1
51369 819		2
156386	THREAD (LOOPER) THREAD GUARD LATCH SPRING	ī
156429	THREAD (LOOPER) THREAD GUARD LATCH SPRING PIN	ī
140003 805	THREAD (LOOPER) THREAD GUARD LATCH SPRING SCREW	2
156326	THREAD (LOOPER) THREAD GUIDE (CENTER) (IN BED)	1
140666 819		1
156322	THREAD (LOOPER) THREAD GUIDE (LEFT) (IN BED)	1
1019 830	THREAD (LOOPER) THREAD GUIDE (LEFT) SET SCREW	1
156318	THREAD (LOOPER) THREAD GUIDE (RIGHT) (IN BED)	1
190 819		1
156744	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	2
158047	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	1
140024 830	BRACKET WITH 199(819) AND 156695 THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	1
140024 030	BRACKET MOUNTING SCREW	1
9525	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	1
7525	BRACKET MOUNTING SCREW WASHER	•
156695	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	1
	BRACKET POSITION PIN	
199 819	THREAD (LOOPER) THREAD TUBE (FRONT OF ARM)	1
	CLAMPING SCREW	
156550	THREAD (NEEDLE) TAKE-UP (LEFT) WITH 51281(830)	1
51281 830	· · · · · · · · · · · · · · · · · · ·	1
156537	THREAD (NEEDLE) TAKE-UP (RIGHT)	1
7071	WITH TWO 350595(869) THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING	2
7071	ECCENTRIC BODY CLAMPING WASHER	2
217 805		2
	ECCENTRIC BODY CLAMPING WASHER SCREW	_
141469 869	•	3
	ECCENTRIC BODY SET SCREW	
157836	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING	1
	ECCENTRIC (ADJUSTABLE) COMPLETE, NOS.	
	50328(803), TWO EACH 217(805), 7071	
167716	AND THREE 141469(869)	-
157715	THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING	1
156211	ECCENTRIC CONNECTING ROD WITH 141141(869) THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING	1
190211	ECCENTRIC CONNECTING ROD HINGE PIN	1
141141 869		1
3.11.12.007	ECCENTRIC CONNECTING ROD HINGE PIN SET SCREW	•
	(10 X 32 X 3/16 IN. LONG. ALLEN CUP POINT	

PART	NUMBE	R	
MAIN	SUFF	DESCRIPTION	QTY
		SET SCREW)	
156758		THREAD (NEEDLE) TAKE-UP (RIGHT) DRIVING	1
		ECCENTRIC CONNECTING ROD SPACER	_
158040		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING	1
		SHAFT WITH 157265 AND SUITABLE LENGTH OF	
		WICKING (3/16 IN. DIAM. X 8 1/2 IN. LONG	
451310		S.A.E. F-1 FELT)	1
156763		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING	
15/7//		SHAFT BUSHING (LEFT) THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING	1
156764		SHAFT BUSHING (LEFT) 156763 WITH 156181	•
156181		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING	1
130101		SHAFT BUSHING 'O' RING (PARKER 'O' RING	•
156181		NO.2-14)	
156765		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING	1
10000		SHAFT BUSHING (RIGHT)	•
156181		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING	1
170101		SHAFT BUSHING (RIGHT) 'O' RING	
156191		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING	2
		SHAFT COLLAR WITH TWO 141301(869)	
141301	869	THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING	4
		SHAFT COLLAR SET SCREW (8 X 32 X 1/8 IN.	
		LONG. ALLEN FLAT POINT SET SCREW)	
156223		THREAD (NEEDLE) TAKE-UP (RIGHT) OSCILLATING	1
		SHAFT CRANK WITH 141303(869)	_
141303	869	THREAD (NEEDLE) TAKE-UP (RIGHT)	1
		OSCILLATING SHAFT CRANK CLAMPING SCREW	
		(8 X 32 X 1/2 IN. LONG ALLEN CAP SCREW)	•
158041		THREAD (NEEDLE) TAKE-UP (RIGHT)	1
		OSCILLATING SHAFT OIL WICK (3/16 IN. DIAM. X 8 1/2 IN. LONG S.A.E. F-1 FELT) FOR USE	
		WITH 158040, FOR AGENTS ONLY	
157265		THREAD (NEEDLE) TAKE-UP (RIGHT)	1
17120	•	OSCILLATING SHAFT DIL WICK RETAINING PIN	-
50328	803		1
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		REGULATING SCREW	
350595	869	THREAD (NEEDLE) TAKE-UP (RIGHT) SET SCREW	2
		(10 X 32 X 3/16 IN. LONG ALLEN SOCKET	
		FLAT POINT SET SCREW)	
158115	•	THREAD (NEEDLE) THREAD CONTROL DEVICE	1
		COMPLETE, NOS. 217(819), 330(819),	
		1247(819), 1443(806), 1771(805), 6465,	
		50111(819), 50183(806), 51310(819),	
		157747, 157753, 157755, 157756, 157760,	
		157765, 157960, 158121, 158123, 158126, 227224 AND TWO EACH 7071 AND 144282	
157747	,	THREAD (NEEDLE) THREAD CONTROL DEVICE BRACKET	1
140295		THREAD (NEEDLE) THREAD CONTROL DEVICE	2
1.02/		BRACKET MOUNTING SCREW (FRONT)	-
158198	3	THREAD (NEEDLE) THREAD CONTROL DEVICE	1
			_

PÅRT N	UMBER	.	
MAIN		DESCRIPTION	QTY
PATIA	3011	DESCRIPTION	W 1 1
		BRACKET SPACER (BACK)	
144282		THREAD (NEEDLE) THREAD CONTROL DEVICE	1
		BRACKET SPACER (FRONT)	
2102		THREAD (NEEDLE) THREAD CONTROL TENSION DISC	4
1560	803		2
158117		REGULATING THUMB NUT THREAD (NEEDLE) THREAD CONTROL TENSION RELEASER	1
		THREAD (NEEDLE) THREAD CONTROL TENSION	2
20422	0,70	RELEASER PLATE STOP SCREW	
32572		THREAD (NEEDLE) THREAD CONTROL TENSION	2
323.2		RELEASING DISC	_
158121		THREAD (NEEDLE) THREAD CONTROL TENSION	1
		RELEASING PLATE	
158123		THREAD (NEEDLE) THREAD CONTROL TENSION	1
		RELEASING PLATE FINGER	
1443	806		1
7071		RELEASING PLATE FINGER SCREW	
7071		THREAD (NEEDLE) THREAD CONTROL TENSION	1
50183	806	RELEASING PLATE FINGER SCREW WASHER THREAD (NEEDLE) THREAD CONTROL TENSION	1
20103	800	RELEASING PLATE HINGE SCREW	1
1771	805	THREAD (NEEDLE) THREAD CONTROL TENSION	1
		RELEASING PLATE HINGE SCREW NUT	-
6465		THREAD (NEEDLE) THREAD CONTROL TENSION	1
		RELEASING PLATE HINGE SCREW NUT WASHER	
156376		THREAD (NEEDLE) THREAD CONTROL TENSION SPRING	2 2
140043	806	THREAD (NEEDLE) THREAD CONTROL TENSION STUD	
158124		THREAD (NEEDLE) THREAD CONTROL TENSION	1
158125		SUPPORT PLATE THREAD (NEEDLE) THREAD CONTROL TENSION	1
100120		SUPPORT PLATE WITH TENSIONS COMPLETE,	1
		NOS. 158117, 158124, AND TWO EACH	
		50435(850), 156316, 156801 AND 157110	
350787	819		1
		SUPPORT PLATE AND THREAD CONTROL DEVICE	
		BRACKET (BACK) MOUNTING SCREW	
156801		THREAD (NEEDLE) THREAD CONTROL TENSION	2
15/01/		THREAD CONTROLLER	2
156316		THREAD (NEEDLE) THREAD CONTROL TENSION THREAD GUIDE	2
157110		THREAD (NEEDLE) THREAD CONTROL TENSION	2
13.110		COMPLETE, NOS. 1560(803), 32572,	-
		140043(803), 156376 AND TWO 2102	
157750		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF WITH TWO 350595(869)	
7071		THREAD (NEEDLE) THREAD CONTROL THREAD	2
7071		PULL-OFF DRIVING ECCENTRIC BODY CLAMPING WASHER	
	805		2
		PULL-OFF DRIVING ECCENTRIC BODY	4

	NUMBEI SUFF	R DESCRIPTION	QTY
3/3//0	040	CLAMPING WASHER SCREW THREAD (NEEDLE) THREAD CONTROL THREAD	3
141469	869	PULL-OFF DRIVING ECCENTRIC BODY SET SCREW	
157836	,	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF DRIVING ECCENTRIC (ADJUSTABLE)	1
157836	•	COMPLETE, NOS. 50328(803), TWO EACH 217(805),	
	_	7071 AND THREE 141469(869)	1
157715	•	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF DRIVING ECCENTRIC CONNECTING	1
		ROD WITH 141141(869)	
156211	•	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF DRIVING ECCENTRIC CONNECTING	1
		ROD HINGE PIN	
141141	869	THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF DRIVING ECCENTRIC CONNECTING ROD HINGE PIN SET SCREW (10 X 32 X 3/16	
		IN. LONG. ALLEN CUP POINT SET SCREW)	
156758	3	THREAD (NEEDLE) THREAD CONTROL THREAD	1
50328	803	PULL-OFF DRIVING ECCENTRIC CONNECTING ROD SPACER THREAD (NEEDLE) THREAD CONTROL THREAD	1
70720	003	PULL-OFF DRIVING ECCENTRIC REGULATING SCREW	
156219	9	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT WITH 156406 AND 157265	1
156220)	THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF OSCILLATING SHAFT BUSHING (LEFT)	_
158039	€	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT BUSHING (INTERMEDIATE)	1
156181	L	THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF OSCILLATING SHAFT BUSHING	
15622		(INTERMEDIATE) 'O' RING THREAD (NEEDLE) THREAD CONTROL THREAD	1
13022	L	PULL-OFF OSCILLATING SHAFT BUSHING (RIGHT)	
15618	l	THREAD (NEEDLE) THREAD CONTROL THREAD	. 1
15619	1	PULL-OFF OSCILLATING SHAFT BUSHING (RIGHT) *O* RING THREAD (NEEDLE) THREAD CONTROL THREAD	, 2
13017	•	PULL-OFF OSCILLATING SHAFT COLLAR WITH	
14130	040	TWO 141301(869) THREAD (NEEDLE) THREAD CONTROL THREAD	4
14130	1. 009	PULL-OFF OSCILLATING SHAFT COLLAR SET	•
		SCREW (8 X 32 X 1/8 IN. LONG ALLEN FLAT	
15622	a	POINT SET SCREW) THREAD (NEEDLE) THREAD CONTROL THREAD	1
17022	J	PULL-OFF OSCILLATING SHAFT CRANK (RIGHT)	_
1/120	2 040	WITH 141303(869)	1
14130	5 869	THREAD (NEEDLE) THREAD CONTROL THREAD PULL-OFF OSCILLATING SHAFT CRANK (RIGHT)	1
		CLAMPING SCREW (8 X 32 X 1/2 IN. LONG.	
16//0	,	ALLEN CAP SCREW)	1

1

THREAD (NEEDLE) THREAD CONTROL THREAD

PULL-OFF OSCILLATING SHAFT OIL WICK

156406

PART	NOWBE	ZK.	
MAIN	SUFF	DESCRIPTION	QTY
		(3/16 IN. X 11 IN. LONG. S.A.E. F-1 OIL WICK)	
157265		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF OSCILLATING SHAFT OIL WICK	
		POSITION PIN	
350595	869	THREAD (NEEDLE) THREAD CONTROL THREAD	2
		PULL-OFF SET SCREW	
158126		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP	
157753		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP ADJUSTING SHAFT	
227224		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP ADJUSTING SHAFT	
		COLLAR WITH 201052(833)	
201052	833	THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP ADJUSTING SHAFT	
		COLLAR SET SCREW	
157765		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP CLAMP	
144282		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP CLAMP WASHER	_
157755		THREAD (NEEDLE) THREAD CONTROL THREAD	1
		PULL-OFF THREAD TAKE-UP CONNECTING LINK	_
50111	819	THREAD (NEEDLE) THREAD CONTROL THREAD	1
30111	01,	PULL-OFF THREAD TAKE-UP CONNECTING LINK	-
		SCREW (LOWER)	
1247	819		1
1271	013	PULL-OFF THREAD TAKE-UP CONNECTING LINK	•
		SCREW (UPPER)	
157756		THREAD (NEEDLE) THREAD CONTROL THREAD	1
137730		PULL-OFF THREAD TAKE-UP CONNECTING LINK	•
		SCREW (UPPER) SPACER	
157960		THREAD (NEEDLE) THREAD CONTROL THREAD	1
131300		PULL-OFF THREAD TAKE-UP POSITION INDICATOR	•
		WITH 350595(869)	
51310	819	THREAD (NEEDLE) THREAD CONTROL THREAD	1
71310		PULL-OFF THREAD TAKE-UP POSITION INDICATOR	•
		LOCKING THUMB SCREW	
7071		THREAD (NEEDLE) THREAD CONTROL THREAD	1
1011		PULL-OFF THREAD TAKE-UP POSITION INDICATOR	•
		LOCKING THUMB SCREW WASHER	
350595	869	THREAD (NEEDLE) THREAD CONTROL THREAD	1
330373	007	PULL-OFF THREAD TAKE-UP POSITION INDICATOR	•
		SET SCREW	
รรก	819	THREAD (NEEDLE) THREAD CONTROL THREAD	1
330		PULL-OFF THREAD TAKE-UP SCREW	•
157760		THREAD (NEEDLE) THREAD CONTROL THREAD	1
151100		PULL-OFF THREAD TAKE-UP SLIDE	•
144282		THREAD (NEEDLE) THREAD CONTROL THREAD	1
211202		PULL-OFF THREAD TAKE-UP SPACER	•
217	819	THREAD (NEEDLE) THREAD CONTROL THREAD	1
E 1 1		THE THE THE TO CONTINUE TIMERO	•

PART :		DESCRIPTION	QTY
156336 156042	806 819	PULL-OFF THREAD TAKE-UP STOP SCREW THREAD (NEEDLE) THREAD WEARING GUIDE THROAT PLATE THROAT PLATE LOCATING PIN THROAT PLATE SCREW THROAT PLATE SUPPORT WITH TWO 156042 THROAT PLATE SUPPORT PIN THROAT PLATE SUPPORT SCREW CAUTION TAG NO. 13-21455 FOOT LIFTER TREADLE CHAIN (42 IN. LONG) WITH 56864 AND 56865	1 1 2 2 1 2 3 1
56864 56865 157450 161276 156424		NOTEO FOR OTHER SIZES OF CHAIN SEE NO. 6439. FOOT LIFTER TREADLE CHAIN HOOK (LARGE) FOOT LIFTER TREADLE CHAIN HOOK (SMALL) HEX SOCKET SCREW DRIVER (3/32 IN. HEX.) LINT BRUSH MACHINE CUSHION (LEFT) AND DIL RESERVOIR AND MACHINE CUSHION (RIGHT) NEEDLE CATALOG NO. 365C SIZE NO. 19	1 1 1 4
156942 32731 23308 156937 157002	3	REGULARLY FURNISHED WITH THIS MACHINE. OIL CAN OIL SPOUT ONE GUART CAN FILLED WITH TYPE 'H' OIL OPERATORS GUIDE NO. 13-21452 SCREW DRIVER SCREW DRIVER (FOR NEEDLE SET SCREWS) THREAD (NEEDLE) TAKE-UP (LEFT) THREAD CONTROL (WIRE)	1 2 1 1 1
54242		THREAD (NEEDLE) TAKE-UP (LEFT) THREAD CONTROL CLAMP	1
176	819	THREAD (NEEDLE) TAKE-UP (LEFT) THREAD CONTROL CLAMP SCREW	1
156589 156851		THREAD UNWINDER COMPLETE (SEE PAGE HEADED THREAD UNWINDER COMPLETE NO.156589* FOR BREAKDOWN) THREADER	1
164204 154372	•	TWEEZERS, NOS.97-2822 AND TWO 97-2821 LOOPER DRIVING LEVER GAUGE NOTEO GAUGE NO. 154372 IS ONLY FURNISHED WHEN ORDERED.	1
157023 169071 157028 157028 157028	L 3 5 9	HEXAGON KEY WRENCH 5/64 IN. (REGULAR, LONG) HEXAGON KEY WRENCH 3/32 IN. (REGULAR, SHORT) HEXAGON KEY WRENCH 1/8 IN. (REGULAR, SHORT) HEXAGON KEY WRENCH 9/64 IN. (REGULAR, SHORT) HEXAGON KEY WRENCH 5/32 IN. (REGULAR, LONG) SET OF HEXAGON KEY WRENCHES NOS. 157026, 157027, 157028, 157029 AND 169071 NOTEO SET OF HEXAGON KEY WRENCHES NO. 157862 IS TO BE FURNISHED ON ORDER ONLY. BASE WITH 148(819)	1 1 1 1 1
625097	2 502	RAPE MILL 148/81A1	1

PARI	MOLIDI	210	
MAIN	SUFF	DESCRIPTION	CTY
156574		R00	1
_	819		1
156575		SPCOL PIN	4
1722	819	SPOOL PIN NUT	8
156576		SPOOL REST	4
156577		SPOOL REST CUSHION	4
156578		SPOOL REST ROD (MEDIUM)	4
156579		SPOOL REST ROD HOLDER WITH TWO 141017(869) SPOOL REST ROD HOLDER 156579 WITH FOUR 156578	1
156588 141017	0.4.0	SPOOL REST ROD HOLDER SET SCREW	
	809	THREAD GUIDE (2 THREADS)	2 2
156580 156581		THREAD GUIDE (2 THREADS)	1
156583		THREAD GUIDE HOLDER WITH 141146(869)	1
141146	860	THREAD GUIDE HOLDER SUPPORT SET SCREW	1
51285		THREAD GUIDE SCREW	3
1520		THREAD GUIDE SCREW NUT	3
150057	003	THREAD SEPARATOR (4 THREADS)	3
150058		THREAD SEPARATOR 150057 WITH 150059 (4 THREADS)	ī
150059		THREAD SEPARATOR BRACKET	ī
156585		THREAD SEPARATOR ROD	ĩ
625081	501	THREAD SEPARATOR ROD SWIVEL CLAMP	2
140977		THREAD SEPARATOR ROD SWIVEL CLAMP BALL JOINT STUD	1
1608		THREAD SEPARATOR ROD SWIVEL CLAMP BALL	ì
2000	-	JUINT STUD LOCK NUT	
51234	819	THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING SCREW	1
929058	505	THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING	1
		SCREW NUT	
14017		THREAD SEPARATOR ROD SWIVEL CLAMP CLAMPING	1
		SCREW NUT WASHER	
156586		THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER	1
		WITH 140409(869)	
156587		THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER	1
		156586 WITH 1608(819), 14017, 51234(819),	
		140977(819), 929058-505 AND TWO 625081-501	
140409	869	THREAD SEPARATOR ROD SWIVEL CLAMP HOLDER	1
1	000	SET SCREW	1
164	809	THREAD SEPARATOR SCREW WOOD SCREWS 1 1/4 IN. NO. 12 R.H.B.	1
1 5 6589		THREAD UNWINDER (FOUR SPOOLS) COMPLETE NOS.	1
1 20 20 3		164(809), 150058, 156574, 156581, 156583,	
		156585, 156587, 156588, 625092-502, TWO	
		156580, THREE EACH 1520(809), 51285(809),	
		WOOD SCREWS 1 1/4 IN. NO. 12 R.H.B., FOUR	
		EACH 156575, 156576, 156577 AND EIGHT 1722(819)	
51070	819	THREAD UNWINDER BRACKET CAP SCREW WITH 51581(819)	2
51581	819	THREAD UNWINDER BRACKET CAP SCREW NUT	2
67425		THREAD UNWINDER BRACKET CAP SCREW NUT LOCK WASHER	2
	830	THREAD UNWINDER BRACKET SET SCREW	2
156665		THREAD UNWINDER BRACKET COMPLETE, NOS.	1
		TWO EACH 443(830), 51070(819) AND 67425	

PART	NUMBER
MAIN	SUFF

DESCRIPTION

QTY

156665	(FOR USE WHEN THREAD UNWINDER IS FASTENED
	TO CONDUIT PIPE)
156665	NOTEO NO. 156665 IS TO BE FURNISHED ON REQUET ONLY.