

Singer 69-14

LIST OF PARTS COMPLETE



NO. 69-14 MACHINE

The Singer Manufacturing Co.

LIST OF PARTS COMPLETE
FOR
No. 69=14 Machine

Central Bobbin, makes 18 staying and three fastening or
tying stitches in two parallel lines, makes tack from
 $\frac{7}{32}$ in. to $\frac{1}{16}$ in. long. For tacking Blucher
Shoes. (Formerly 69 S.V. 3 Machine)

18460	Arch Clamp Foot (left) with 17959.....
18461	" " " (right) " 17959
17958	" " " Lifter " 17866
190D	" " " " Screw
17959	" " " Lifting Stud
18433	" " " Plate
217	" " " " Screw
39302	" " " Spring
18434	" " " " Connection
1175D	" " " " " Hinge Screw....
217	" " " " " Screw
18435	" " " Frame
14079	" " " Dowel Pin
181D	" " " " Screw
18462	Arch Clamp complete, Nos. 1654C, 18367, 18433 to 18435, 18438, 18460, 18461, 18463, 39302, two each 181D, 1175D, 14079 and five 217.....
*18439	Arm with 4449, 17844 and two 164E.....
2002	" Dowel Pin
4448	" Oil Tube for intermediate bearing
880	" Screw
17702	" Shaft
17703	" " Bushing (back)
435C	" " " " Adjusting Screw
1520E	" " " " " Nut
*4449	" " " (front)
23373	Belt Cover
39290	" " Bracket with 184E and 17741
184E	" " " Screw Stud
17741	" " " Stud
217D	" " " Screw

39222	Belt Shifter.....
39223	" " Clamp.....
1255D	" " " Screw.....
4292	Crank Connecting Rod.....
*4349	" " " Cap.....
158E	" " " " Screw.....
375C	" " " " Hinge Screw.....
1518E	" " " " " Nut.....
*18352	Cylinder.....
18388	" " Block.....
1300D	" " " Screw.....
18427	" " End Cover with 18428, 18444 and three 4604.....
18428	Cylinder End Cover Bracket.....
18444	" " " " " Hinge Pin.....
4604	" " " " " Rivet.....
18379	" " " " " Spring.....
217D	" " " " " Screw.....
17724	Face Plate.....
17725	Face Plate complete, Nos. 448C, 600, 1560C, 2103, 2105, 2107, 2124, 2127, 17724 and two each 233D and 2102.....
164	Face Plate Screw.....
2107	" " " Thread Guard.....
233D	" " " " " Screw.....
18353	Feed Across Connection.....
*18354	" " " " " Cap.....
175E	" " " " " Screw.....
18355	" " " " " Knuckle Joint.....
1184C	" " " " " Hinge Screw.....
18356	" " " " " Regulator with 1952.....
1187D	" " " " " Adjusting Stud.....
1676	" " " " " " Nut.....
17738	" " " " " " Washer.....
17739	" " " " " " Sleeve.....
18357	" " " " " Hinge Stud.....
690D	" " " " " " Clamping Screw.....
1952	" " " " " " Roller and Stud.....
18358	" " " " " Shaft.....
18359	" " " " " Collar with two 200C.....
200C	" " " " " " Set Screw.....
18360	" " " " " Crank (back) with 160E and 200C.....
18361	" " " " " " Ball Stud.....
200C	" " " " " " " Set Screw.....
160E	" " " " " " Clamping Screw.....
18362	" " " " " " (front) with 160E and 18363.....

160E	Feed Across Shaft Crank (front) Clamping Screw.....
18363	" " " " " Stud.....
18364	" " " " " " Slide Block.....
18404	Feed Cam with 1192C and two each 190D and 17874.....
18415	" " " " " Driving Worm with 1441C and 1442C.....
1442C	" " " " " Position Screw.....
1441C	" " " " " Set Screw.....
17797	" " " " " Wheel with 453C.....
3012	" " " " " " Pin.....
453C	" " " " " " Set Screw.....
18384	" " " " " Pin.....
1192C	" " " " " Set Screw.....
18416	" " " " " Shaft.....
18417	" " " " " Bracket.....
1177D	" " " " " Screw (back).....
1193D	" " " " " " (front).....
1653C	" " " " " Nut.....
18463	" " " " " Plate.....
18437	" " " " " Carrier Bar.....
18438	" " " " " " 18437 with 934D, 1195E, 1221, 17743, 18366, 18390, two 7476 and four 17806.....
18366	Feed Plate Carrier Bar Block.....
18367	" " " " " " Cover.....
1221	" " " " " " Screw.....
7476	" " " " " " Steady Pin.....
17805	" " " " " " Pivot Block.....
1194D	" " " " " " " Screw.....
18390	" " " " " " Plate.....
934D	" " " " " " Screw.....
1654C	" " " " " Nut.....
17806	" " " " " Position Stud.....
1195E	" " " " " Screw Stud.....
17742	" " " " " Regulator with 1953.....
18369	" " " " " Bracket with 690D, 17732 and two 160D.....
*17732	Feed Regulator Bracket Cap.....
160D	" " " " " " Screw.....
8589	" " " " " Dowel Pin.....
1177E	" " " " " " Screw.....
17744	" " " " " Hinge Stud.....
17743	" " " " " Post.....
1953	" " " " " Roller and Screw Stud with 1655C and 14017.....
1655C	Feed Regulator Roller and Screw Stud Nut.....
14017	" " " " " " Washer.....
1190C	" " " " " Stop Screw.....
17745	" " " " " Swivel.....
1191D	" " " " " Thumb Screw.....

18389	Knife (needle thread)
17808	" (shuttle thread)
18370	Bar with 18373 and two 17822
18371	" " Cap
217	" " Screw
18372	" " Connection with 17917
190D	" " Screw
7071	" " Washer
17915	" " Slide Block
17916	" " Stud
17917	" " " 17915 with 17916
39297	" " Driving Lever with 190D, 1420E, 17919 and 39298
18382D	Knife Bar Driving Lever Hinge Screw
1681C	" " " " " Nut
39298	" " " " " Lock Stud
17919	" " " " " Spring
190D	" " " " " Screw
1420E	" " " " " Stop Screw
18373	" " Rack
17822	" " Rivet
39235	" Cam Lever Body
39237	Knife Cam Lever complete, Nos. 1174, 19793, 39235 and 39236
18375	Knife Cam Lever Bracket
8589	" " " " Dowel Pin
670E	" " " " Screw
1197D	" " " Hinge Screw
1964	" " " Roller and Stud
39236	" " " Slide with 1964
1174	" " " Screw
19793	" " " Steady Pin
17825	" Holder with 17826, 17830 and two 7298
17826	" " Pinion
8589	" " Dowel Pin
17827	" " Stud
17828	" " Bracket with 17827
1319	" " " " Screw
1198D	" Screw
17829	" Thread Holder
17830	" " Position Pin
17831	Needle Bar with 237
39203	" " Connecting Link
377C	" " " Hinge Screw
1518E	" " " " Nut
2052	" " " Stud with 155C
155C	" " " Set Screw

17832	Needle Bar Thread Nipper Driving Lever
1196C	" " " " " Hinge Screw
17833	Needle Bar Thread Nipper Driving Lever Spring
17834	" " " " Lever with 17835
17835	" " " " Bushing
1200D	" " " " Hinge Screw
39276	" " " " Spring
1329	" " " " Screw
17837	" " " " Rod
17838	" " " " Adjusting Stud
1651E	" " " " " Lock Nut
17839	Needle Bar Thread Nipper Rod Arm with 196
196	" " " " " Set Screw
17840	" " " " " Support
190D	" " " " " Screw
237	" Set Screw
6022	Oscillating Rock Shaft (steel) with 4784
6489	" " " Hinge Pin
1513C	" " " " Nut
4784	" " " Oil Pad
18385	" Shaft
18386	" Crank
18387	Oscillating Shaft Crank complete, Nos. 237, 1519E, 15171 and 18386
2049	Oscillating Shaft Crank Pin
237	" " " Set Screw
15170	" " " Slide Block
229D	" " " " Cap Screw
12424	" " " " Washer
1035C	Oscillating Shaft Crank Slide Block Screw Stud
1519E	" " " " " Nut
15171	Oscillating Shaft Crank Slide Block complete, Nos. 229D, 1035C, 12424 and 15170
2058	Presser Bar
17841	" " Collar with two 196
196	" " Set Screw
17842	" " Guide Bracket with 453C
453C	" " " Set Screw
17843	" " Lifting Lever
17844	" " " Bracket
164E	" " " " Screw
1201D	" " " " Hinge Screw
17845	" " " " Rod
17846	" " " " Chain
8414	" " Spring

17941	Pulley (loose) 3 in. diam.
17848	" " Bushing
2269	" " Position Pin
1202D	" " Cap Screw
17942	" (tight) 3 in. diam., with 2269
2022	" " Pin
17955	Pulleys complete, Nos. 1202D, 1206C, 17848, 17854, 17941 and 17942
2996	Shuttle Bobbin
15140	" " Case Latch
2973	" " " Lever
2974	" " " Fulcrum Pin
2975	" " " Spring
592E	" " " Stop Screw
15141	" " " Hinge, Nos. 2973, 2974 and 15140
15027	Shuttle Bobbin Case Position Finger
2523	" " " Rivet
15142	Shuttle Bobbin Case complete, Nos. 591, 592E, 2523, 2975, 15027, 15098 and 15141
21562	Shuttle Body
591	" Tension Regulating Screw
15098	" " Spring
21561	Shuttle, 1 1/16 in. diam., Nos. 2996, 15142 and 21562
*2542	" Driver
2441	" " 2542 with two 462C
2049	" " Pin
462C	" " Set Screw
18411	" Race Body
21623	" " Cap
662D	" " Screw
2523	" " Steady Pin
18429	" " Ring
18413	" " Spring
1289D	" " Screw
18430	Shuttle Race (flexible) complete, Nos. 662D, 2523, 18411, 18429, 21623 and two each 1289D and 18413
171	Shuttle Race Screw
17853	Starting Lever
1262C	" " Hinge Screw
1662C	" " " Nut
17886	" " Pitman
17854	Stop Cam
17855	" " Interlocking Rod
18440	" " " Case with 18443 and two 193
18441	Stop Cam Interlocking Rod Case Bracket

18442	Stop Cam Interlocking Rod Case Bracket complete, Nos. 1182E, 1196C, 1204E, 1254C, 1262C, 1318D, 1508C, 1662C, 17853, 17855, 17859 to 17864, 17872, 17873, 18440, 18441, 39222, 39223 and two each 898D and 1255D
16532	Stop Cam Interlocking Rod Case Bracket Dowel Pin
1343E	Stop Cam Interlocking Rod Case Bracket Screw
1204E	" " " Hinge Screw
17859	" " " Socket Joint
898D	" " " Cap Screw
17860	Stop Cam Interlocking Rod Case Spring
17861	" " " Stop Stud
1254C	" " " Screw
1508C	Stop Cam Interlocking Rod Case Stop Stud Screw Bushing Lock Nut
17862	Stop Cam Interlocking Rod Case Stop Stud Spring
18443	" " " Wearing Block
193	" " " Screw
17863	Stop Cam Interlocking Rod Spring
17864	" " " Stop
1318D	" " " Screw
3012	" " Pin
1206C	" " Screw
2102	Tension Disc
1560C	" Regulating Thumb Nut
600	" Screw Stud
448C	" " Set Screw
2103	" Spring
2105	" Thread Guard
17748	Thread Eyelet (top of arm)
18392	" Take-up Cam with 446C
3012	" " Pin
446C	" " Set Screw
18393	" " Lever with 1822
79C	" " Hinge Screw
1822	" " Roller and Stud
2124	" " Spring
2127	" " Regulator Plate
233D	" " " Adjusting Screw
17865	Thread Wiper Body
1207D	" " Hinge Screw
17866	" " Hook
17867	" " Support

641	Thread Wiper Body Support Set Screw.....
17868	“ “ “ Wire.....
337D	“ “ “ “ Screw.....
17869	“ “ “ “ Washer.....
18381	Throat Plate with 17871 and two 1208D.....
17871	“ “ Needle Hole Bushing.....
1208D	“ “ “ “ Screw.....
691	“ “ Screw.....
17872	Trip Lever.....
1196C	“ “ Hinge Screw.....
17873	“ “ Spring.....
1182E	“ “ “ Screw.....
17874	Tripping Point.....
190D	“ “ Screw.....

ATTACHMENTS AND ACCESSORIES

18419	Cylinder Base Plate.....	
18420	“ “ “ Hinge Connection.....	
18423	“ “ “ “ “ Hinge Pin.....	
453C	“ “ “ “ “ “ “.....	
	Set Screw.....	
18424	Cylinder Base Plate (hinged) complete, Nos. 18419, two each 453C, 18420, 18423, three wood screws 1¼ in. No. 12 and four 184D.....	
134D	Cylinder Base Plate Screw.....	
26420	Oilier with Cap and 26422.....	
26421	“ 26420 filled with oil.....	
26422	“ Spout, 3½ in. long.....	
26026	Screw Driver (machine).....	
26485	“ “ (shuttle tension).....	
10875	Wrench for 1518 and 1520.....	
27662	“ “ 1508.....	
17905	“ “ 1178, 1267, 1654 and 1676.....	
22003	“ “ 1651.....	

BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

27540	Base.....
15072	Bobbin Position Pin.....
27302	Frame.....
32D	“Hinge Screw.....
27303	“Spring.....
27541	Pulley.....

27538	Spindle with 15072.....
27306	Spool Pin.....
27307	“ Stand.....
27308	Spool Stand complete, Nos. 418D, 1562D, 2106, 10141, 11241, 27306, 27307, wood screw 1 in. No. 10 and two 2455.....
11241	Spool Washer (cloth).....
27312	Stop Latch.....
35D	“ “ Hinge Screw.....
2455	Tension Disc.....
1562D	“ Regulating Thumb Nut.....
418D	“ Screw Stud.....
10141	“ Spring.....
2106	“ Thread Guide.....
27647	Bobbin Winder, Nos. 32D, 35D, 27302, 27303, 27312, 27538, 27540, 27541 and two wood screws 1 in. No. 7.....
27544	Bobbin Winder complete, Nos. 27308 and 27647.....

BOBBIN WINDER

SWINGING AUTOMATIC, RIGHT HAND (HAMBURG)

This Bobbin Winder is the same as 27544 with the following exceptions:

27610	Spindle with 15072, in place of 27538.
2846	“ for Spool.
27611	“ 27610 with 2846.
27656	Bobbin Winder, Nos. 32d, 35d, 27302, 27303, 27312, 27540, 27541, 27611 and two wood screws 1 in. No. 7.
27612	Bobbin Winder complete, Nos. 27308 and 27656.

STARTING LEVER AND FOOT LIFTER PARTS

17876	Treadle.....			
17877	"	Pitman Rod (lower).....		
17878	"	"	"	(upper).....
17879	"	"	"	Clamp with two 161D.....
161D	"	"	"	" Screw.....

17880	Treadle Pitman complete, Nos. 17877 to 17879.....
17881	" Shaft.....
186	" " Set Screw.....
17882	" Spring.....
17883	" Stand.....
17884	Treadle complete, Nos. 186, 17876, 17881 to 17883 and two wood screws 1 in. No. 10.....
17885	Treadle and Pitman complete, Nos. 17880 and 17884

TABLE BELT GUIDE

39218	Belt Guide with two 168E.....
168E	" " Set Screw.....
17892	Bracket with two 153E.....
17893	Pulley.....
39219	" Shaft (long) with 17896.....
39220	" " (short) " ".....
17896	" " Plug.....
153E	" " Set Screw.....
39221	Table Belt Guide complete, Nos. 17892, 39219, 39220, two each 17893, 39218 and three wood screws 1 1/4 in. No. 12.....

THREAD UNWINDER

FOR TWO LARGE SPOOLS

27936	Spool Pin.....
27937	" Rest.....
27938	" " 27937 with two each 453c and 27936.....
27939	" " Rod.....
453c	" " " Set Screw.....
453c	" " " Set Screw.....
27940	" Stand with 453c.....
27941	" Washer (steel).....
27942	Thread Eyelet Rod.....
453c	" " " Set Screw.....
27943	Thread Unwinder complete, Nos. 27938 to 27940, 27942, two 27941 and three wood screws 1 in. No. 12.....