Form 8445 Revised April, 1930 PRINTED IN U. S. A.

LIST of PARTS



MACHINES
Nos. 81-1 and 81-8

THE SINGER MANUFACTURING COMPANY

COPYRIGHT, U. S. A., 1916, 1918, 1922, 1923 and 1926
BY THE SINGER MANUFACTURING COMPANY
ALL RIGHTS RESERVED FOR ALL COUNTRIES

INDEX

| | PAGE |
|-------------------------|------|
| Accessories | . 21 |
| FOOT LIFTER PARTS | . 22 |
| Knife Grinder | . 23 |
| Knee Lifter Parts | . 22 |
| Machine Base | . 24 |
| " No. 81-1 | . 7 |
| " " 81-8 | . 14 |
| Numerical List of Parts | . 25 |
| Obsolete Parts | . 24 |
| THREAD UNWINDER | . 24 |

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A—Hardened, Polished, Nickel Plated and Buffed B—Polished, Nickel Plated and Buffed C—Hardened Only D—Polished Only

E—Soft, Not Polished F—Hardened and Polished

H-Blued

J-Nickel Plated Only

K—Hardened and Nickel Plated

L-Brass Plated

M—Oxidized

N—Japanned, Dull P—Japanned, Bright R—Merlized T—Copper Plated

T. A.—Hardened, Polished, Copper and Nickel Plated and Buffed

T. B.—Copper and Nickel Plated and Polished
T. J.—Copper and Nickel Plated Only
T. K.—Hardened, Copper and Nickel Plated
T. M.—Copper Plated and Oxidized
T. L.—Copper and Brass Plated
U—Zinc Plated
U—Zinc Plated

V-Silver Plated

W-Polished and Nickel Plated

Z-Chromium Plated

Z. B.—Polished, Nickel Plated, Buffed and Chromium Plated Z. J.—Nickel and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:


1 to 1500 and 50001 to 51500 are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 and upward are numbers of Machine Parts

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

LIST OF PARTS COMPLETE

FOR



MACHINE No. 81-1

FOR TRIMMING, SCALLOPING AND OVEREDGING LACE CURTAINS AND OTHER WOVEN FABRICS, ETC., AT THE SAME TIME LAYING ONE OR MORE CORDS UNDER THE OVEREDGE STITCHES IF DESIRED. THREE THREAD STITCH.

| No. | PLATE | NAME |
|--------|--------|--|
| *42484 | | Arm with two each 462c, 624c, 42253 and |
| | | 42487 |
| 4389 | 5543 | Arm Dowel Pin |
| 9491 | E 5562 | " Screw |
| 42001 | 5576 | Balance Wheel, $2\frac{3}{16}$ in. pulley, with 424c |
| | | and 1354c |
| 13540 | 5562 | Balance Wheel Position Screw |
| 4240 | 5562 | " Set Screw |
| 42002 | 5526 | Cloth Plate |

```
NO.
      PLATE
                            NAME
42003
       5526
             Cloth Plate Extension (lower).....
  229E 5562
                                      Screw....
              "
42108
       5526
                                (upper).....
              "
                   "
                          "
  229E 5562
                                     Screw.....
42005
              "
                   "
       5526
                       Lock Spring.....
                   "
  236c 5562
              "
                                Screw.....
42107
             Cloth Plate complete, Nos. 42002, 42003,
              42005, 42108, two 236c and five 229E..
 1437p 5562
             Cloth Plate Hinge Screw.....
                        66
                             66
                                 Nut.....
 1655E 5562
42006
       5529
             Feed Bar with 1253c.....
                  " Hinge Pin.....
42007
       5529
              "
                          " Set Screw.....
 1253c 5529
42008
       5529
                 Connecting Rod with 42009 and two
*42009
             Feed Connecting Rod Cap.....
                            66
                               " Screw.....
 1057E 5529
                            "
 1373c 5529
                               Hinge Screw.....
                                " " Nut..
 1520c 5529
42010
      5541
                 Dog, 17 teeth (16 teeth to the inch)
  190p 5556
                    Screw.....
              "
42011
       5529
                 Eccentric with two 453c.
              "
42094
       5526
                         Cover.....
              "
  207p 5529
                    "
                             Screw.....
              "
  453c 5529
                         Set Screw.....
              "
42012
       5529
                 Lifting Eccentric with two 462c....
42013
       5529
              "
                               Connection.....
              "
  462c 5529
                               Set Screw.....
              "
 1374c 5530
                 Regulating Screw Stud.....
              "
                            "
                                 66
 1680c 5530
                                    Nut.....
              "
42290
                            "
                                 "
       5530
                                    Washer....
              "
42014
       5530
                 Regulator with 233p and two 1259c
              "
42015
       5529
                          Connection with 1012E...
 1012E 5529
                                 Adjusting Screw
                     "
 1373c 5529
                                 Hinge Screw....
 1520c 5529
                     "
42016
       5530
                          Hinge Stud.....
42017
       5529
                          Indicator.....
42018
       5530
              "
                     "
                                  Plate......
                    "
                                   " Screw....
  337p 5530
              "
                    "
  207p 5529
                                  Screw.....
              "
 1259c 5530
                    "
                          Set Screw.....
              "
                    "
  233p 5530
                          Stop Screw.....
42019
       5530
                 Rock Shaft....
42020
            Feed Rock Shaft complete, Nos. 42019
              and 42021.....
            Feed Rock Shaft Crank with 157E.....
42021
       5530
```

| NO. | PLATE | NAME |
|--------|--------|---|
| 157E | 5530 | Feed Rock Shaft Crank Clamping Screw |
| 42098 | 5530 | " " Hinge Pin |
| 42079 | 5530 | " " " Bushing |
| 1036c | | " " " " Set |
| 20000 | 0000 | Screw |
| *42022 | | Frame |
| 42023 | 5576 | " Rotary Shaft |
| 42024 | 5576 | " " Bushing (front) |
| 1036c | 5530 | " " " " Set |
| | | Screw |
| 42025 | 5553 | Frame Rotary Shaft Crank with 1259c |
| | | and 1375c |
| 1375c | 5553 | Frame Rotary Shaft Crank Position Screw |
| 1259c | 5553 | " " Set Screw |
| 42026 | 5576 | " " Flanged Bushing |
| | | (back) with 54967 |
| 54967 | 5591 | Frame Rotary Shaft Flanged Bushing |
| | | (back) Oil Pad (braided cotton) |
| 1036c | 5530 | Frame Rotary Shaft Flanged Bushing |
| | | (back) Set Screw |
| 42367 | 5591 | Frame Rotary Shaft Front Bearing Oil |
| | | Pad (braided cotton) |
| 42027 | 5589 | Frame Side Cover (left) with 19045 |
| 19045 | 5543 | " " " Handle |
| 330w | 5562 | " " " Screw |
| 42028 | 5526 | " " (right) hinged |
| 42101 | 5543 | " " Lock Spring |
| 330w | 5562 | " " " Screw |
| 42029 | 5576 | " Top Cover |
| 42030 | 5543 | " " Extension |
| 42031 | 5543 | " " " Cord Guide. |
| 337p | 5543 | |
| | | Screw |
| 42102 | 5543 | Frame Top Cover Extension Holder |
| 283w | 5543 | " " " Thumb |
| | | Screw |
| 2749 | 5543 | Frame Top Cover Extension Holder |
| | | Thumb Screw Washer |
| 176p | 5543 | Frame Top Cover Extension Screw |
| 742F | 5562 | " " Screw |
| 42033 | 5542 | Knife (movable) |
| Nor | E: Two | No. 42033 are sent with this machine. |
| 42034 | 5542 | Knife (movable) Gib |
| 42035 | 5542 | " " Holder |
| 42036 | | " " 42035 with 133F, |
| | | 42034, 42037, 42040 and two 404b |
| | | |

| NO. | PLATE | NAME |
|--|--|--|
| | | |
| 42037 | 5542 | Knife (movable) Holder Cap |
| | 5542 | Screw |
| 42038 | 5542 | Guide with 550F |
| 42039 | 5542 | Plate |
| | 5542 | Screw |
| 336F | | " " Set Screw |
| 133 г | | " " Screw |
| 42040 | 5542 | " " Extension |
| | | Pin |
| 42041 | 5542 | Knife (movable) Holder Spring |
| 42042 | 5542 | " " Lever |
| 42043 | 5542 | " Connection with |
| | | 42044 and two 175E |
| *42044 | - | Knife (movable) Lever Connection Cap |
| 175E | 5542 | |
| | | Screw |
| 13730 | 5542 | Knife (movable) Lever Connection Hinge |
| | | Screw |
| 15200 | 5542 | Knife (movable) Lever Connection Hinge |
| | | Screw Nut |
| 42045 | 5542 | Knife (movable) Lever Hinge Stud |
| 12290 | 5542 | " " " " Set |
| | | Screw |
| | | |
| 42046 | 5543 | Knife (stationary) with 42049 |
| | | Knife (stationary) with 42049 |
| Ne | OTE: T | Knife (stationary) with 42049 wo 42046 are sent with this machine. |
| No 42048 | оте: Т 5543 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud |
| No 42048 | OTE: T | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " Thumb |
| No 42048 1534v | 5543 v 5543 | Knife (stationary) with 42049 |
| No 42048 1534v 42047 | 5543 v 5543 5543 | Knife (stationary) with 42049 |
| No 42048 1534v | 5543 v 5543 5543 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating |
| 1534v 42047 42047 1376c | 5543 v 5543 5543 5543 c 5543 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw. |
| 1534v 42048 1534v 42047 13766 | 5543 v 5543 5543 5543 5543 v 5543 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw. Knife (stationary) Holder Screw. |
| 1101c 440r 1534v | 5543 5543 5543 5543 5543 5543 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw Knife (stationary) Holder Screw " " Stop Screw |
| 1101c 440r 154v | 5543 5543 5543 5543 5543 5543 5543 5543 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw Knife (stationary) Holder Screw " " Stop Screw " " Nut |
| 101c 42049 1534v 42047 1376c 1101c 440s 1547J 42049 | 5543 5543 5543 5543 5543 5543 5543 5543 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw Knife (stationary) Holder Screw " " Stop Screw " " " Nut " Stud |
| 101c 42049 1534v 42047 1376c 1101c 440r 1547J 42049 42050 | 5543 5543 5543 5543 5543 5543 5543 5543 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw Knife (stationary) Holder Screw " " Stop Screw " " " Nut " " Stud Looper (left hand) |
| 101c 42048 1534v 42047 1376c 1101c 440r 1547J 42049 42050 42051 | 5543 5543 5543 5543 5543 5543 5543 5543 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw Knife (stationary) Holder Screw " " Stop Screw " " " Nut " " Stud Looper (left hand) " " Lever with 209H |
| 101c 42048 1534v 42047 1376c 1101c 440r 1547J 42049 42050 42051 42052 | 5543 v 5543 5543 5543 5543 5543 5543 5543 5553 5553 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw Knife (stationary) Holder Screw " " " Stop Screw " " " " " Nut " " Stud Looper (left hand) " " Lever with 209H " " Connecting Link |
| 101c 42048 1534v 42047 1376c 1101c 440r 1547J 42049 42050 42051 | 5543 v 5543 5543 5543 5543 5543 5543 5543 5553 5553 | Knife (stationary) with 42049. wo 42046 are sent with this machine. Knife (stationary) Clamping Stud |
| 101c 42048 1534v 42047 1376c 1101c 440r 1547J 42049 42050 42051 42052 50562c | 5543 v 5543 5543 5543 5543 5543 5543 5543 5553 5553 5553 7396 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw Knife (stationary) Holder Screw " " Stop Screw " " " " " Nut " " Stud Looper (left hand) " " " Lever with 209H " " " " " " Connecting Link " " " " " " " " " |
| 101c 42048 1534v 42047 1376c 1101c 440r 1547J 42049 42050 42051 42052 50562c | 5543 v 5543 5543 5543 5543 5543 5543 5543 5553 5553 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw Knife (stationary) Holder Screw " " Stop Screw " " " " " Nut " " Stud Looper (left hand) " " " Connecting Link " " " " " " Hinge Screw Looper (left hand) Lever Connecting Link " " " " " " " " " |
| 1010 42048 1534v 42047 13760 11010 440r 1547J 42049 42050 42051 42052 505620 15200 | 5543 v 5543 5543 5543 5543 5543 5543 5543 5553 5553 5553 5553 7396 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw Knife (stationary) Holder Screw " " " Stop Screw " " " " " Nut " " Stud Looper (left hand) " " " Connecting Link " " " " " " Hinge Screw Looper (left hand) Lever Connecting Link Hinge Screw Nut |
| 1010 42048 1534v 42047 13760 11010 440r 1547J 42049 42050 42051 42052 505620 42053 | 5543 5543 5543 5543 5543 5543 5543 5543 5543 5553 5553 5553 5553 5553 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw Knife (stationary) Holder Screw " " Stop Screw " " " " " Nut " " Stud Looper (left hand) " " " Connecting Link " " " " " " Hinge Screw Looper (left hand) Lever Connecting Link Hinge Screw Nut Looper (left hand) Lever Hinge Stud |
| 1010 42048 1534v 42047 13760 11010 440r 1547J 42049 42050 42051 42052 505620 42053 | 5543 v 5543 5543 5543 5543 5543 5543 5543 5553 5553 5553 5553 7396 | Knife (stationary) with 42049. wo 42046 are sent with this machine. Knife (stationary) Clamping Stud |
| 1010 42048 1534v 42047 13760 11010 440r 1547J 42049 42050 42051 42052 505620 42053 10360 | 5543 5543 5543 5543 5543 5543 5543 5543 5543 5553 5553 5553 5553 5553 | Knife (stationary) with 42049 wo 42046 are sent with this machine. Knife (stationary) Clamping Stud " " " Thumb Nut Knife (stationary) Holder " " Regulating Thumb Screw Knife (stationary) Holder Screw " " Stop Screw " " " " " Nut " " Stud Looper (left hand) " " " Connecting Link " " " " " " Hinge Screw Looper (left hand) Lever Connecting Link Hinge Screw Nut Looper (left hand) Lever Hinge Stud |


| | PLATE | NAME |
|---------|--|--|
| 42166 | 5553 | Looper (right hand) |
| 42073 | 5553 | " " and Spreader Lever |
| | | with 1259c |
| 42074 | 5553 | Looper (right hand) and Spreader Lever |
| | | Ball Stud |
| 1259c | 5553 | Looper (right hand) and Spreader Lever |
| 12000 | 0000 | Ball Stud Set Screw |
| 42075 | 5553 | Looper (right hand) and Spreader Lever |
| 42010 | 0000 | Connection with 49070 49070 |
| | | Connection with 42059, 42076 and four |
| * 400=0 | | 896E |
| *42076 | | Looper (right hand) and Spreader Lever |
| | | Connection Cap (lower) |
| 896E | 7396 | Looper (right hand) and Spreader Lever |
| | | Connection Cap (lower) Screw |
| *42059 | | Looper (right hand) and Spreader Lever |
| | | Connection Cap (upper) |
| 896E | 7396 | Looper (right hand) and Spreader Lever |
| | | Connection Cap (upper) Screw |
| 42077 | 5584 | Looper (right hand) and Spreader Lever |
| | | Connection Guide |
| 171F | 5544 | Looper (right hand) and Spreader Lever |
| | | Connection Guide Screw |
| 42106 | 5584 | Looper (right hand) and Spreader Lever |
| | | Connection Oil Tube and Bracket with |
| | | 29599 |
| 29599 | 5584 | Looper (right hand) and Spreader Lever |
| 20000 | 0001 | Connection Oil Tube Packing (felt) |
| 42078 | 5584 | Looper (right hand) and Spreader Lever |
| 12010 | 0001 | Hinge Pin |
| 42079 | 5530 | Looper (right hand) and Spreader Lever |
| 42079 | 5550 | Hinge Pin Bushing |
| 1050- | FFF0 | |
| 1259c | 5555 | Looper (right hand) and Spreader Lever |
| 107- | | Hinge Pin Bushing Set Screw |
| | 5553 | Looper (right hand) Screw |
| 42054 | 5544 | Needle Bar |
| 42253 | 5544 | Dusning |
| 462c | The same of the sa | bet berew |
| 42061 | 5544 | Connecting Dracket with 1879 |
| | | and 223F |
| 187D | 5544 | Needle Bar Connecting Bracket Clamping |
| | | Screw |
| 42055 | 5544 | Needle Bar Connecting Link |
| 40247 | 5544 | " " " Hinge Pin " " " " " |
| 223F | 5544 | |
| | | Set Screw for 42061 |
| 904c | 5544 | Needle Bar Connecting Link Hinge Pin |
| | | Set Screw for 42104 |
| | | |

| NO. | PLATE | | | , | NAME | | |
|--------|-------------------|----------|----------|--------|----------|--------------|-------------|
| | | Mandle | D | | | 0 | :41 49050 |
| 42057 | 5544 | | | | | | rith 42059, |
| 42076 | | Noodlo | Bor | Conno | oting F | and C | ap (lower) |
| | 7396 | " | " | Conne | | " | |
| OJUE | 1000 | Saron | | | | | |
| *42059 | | Noodlo | Ron | Conno | oting D | od C | ap (upper) |
| | 7396 | Needle | Dar " | Conne | cuing in | " " | ap (upper) |
| 090E | 7390 | Conon | | | | | |
| 42077 | 5584 | Moodle | Don | Conno | oting D | od C | uide |
| 171F | | " | " | Connec | ung 1 | " | " Screw |
| 42103 | 5544 | " | " | Cronle | (heals) | | 1258c and |
| 42100 | 0044 | two 1 | | | | | |
| 42074 | 5553 | Noodlo | Por l | Crople | (bools) | Roll (| Stud |
| 12590 | | " | " | Clank | (back) | ban i | " Set |
| 12090 | 5 0000 | Caron | | | | | 5 6.6 |
| 12590 | 5553 | | | | | | ion Screw. |
| 12580 | The second second | Weedle | mar ' | Crank | (Dack) | Sot S | crew |
| 42104 | 5544 | " | " | " | | | th 904c, |
| 42104 | 9944 | 1958 | and | 12500 | | | |
| 12500 | 5553 | Noodlo | Ror | Crople | (front) | Posit | tion Screw |
| 12580 | | " | " | " | (110116) | | Screw |
| 42105 | 5544 | " | " | | Shoft | | |
| 42487 | 7396 | " | " | " | | | g |
| 6240 | | " | " | " | " | usiiiii " | Set Screw |
| 42115 | 5544 | " | | Three | Potai | nor R | racket |
| | 5544 | " | " | "" | i netai | | " Screw |
| 42483 | 7396 | " | " | " | " | D | isc |
| 930 | | " | " | " | " | | erew |
| 10107 | 5544 | " | " | " | " | | oring |
| 17280 | No. | " | Clan | ning 1 | Jut | | |
| 42066 | 5544 | | | | | | |
| 171F | | " | " | | | | |
| 42067 | 5541 | Presser | Foot | | | | 068 |
| 42068 | 5541 | " | " | | | | er |
| | 5553 | " | " | | " | " | Screw. |
| 1324c | 5591 | " | " | Screw | | | |
| 39541 | 5586 | " | " | " | | | |
| 42069 | 5576 | " | Leve | er | | | |
| 42045 | 5542 | " | " | | | | |
| 1120c | 5591 | " | " | " | | | Screw |
| 42070 | 5584 | " | " | Lifte | | | |
| 850 | 5584 | " | " | " | | | ew |
| 1377c | 5584 | " | " | Scre | | | ntric) |
| 1547л | 5584 | " | " | " | " | | |
| 42071 | 5584 | " | " | Sprin | ng | | |
| 1378p | 5584 | Pressure | e Reg | | | | rew |
| 42072 | 5584 | Spreade | r | | , | | |
| | | | | | | | |

| NO. PLATE | NAME |
|------------|---|
| 197p 5556 | Spreader Screw |
| 2102 5556 | Tension (cord) Disc |
| 1560c 5556 | " " Regulating Thumb Nut |
| 637c 5556 | " Screw Stud |
| 33929 | " " " 637c with 1560c |
| 10148 5556 | " " Spring |
| 2102 5556 | " (looper, left hand) Disc |
| 1560c 5556 | " " " Regulating |
| 10000 0000 | Thumb Nut |
| 828c 5556 | Tension (looper, left hand) Screw Stud |
| 42418 — | |
| | 828c with 1560c |
| 10148 5556 | Tension (looper, left hand) Spring |
| 2102 5556 | " (looper, right hand) Disc |
| 1560c 5556 | " " Regulating |
| | Thumb Nut |
| 828c 5556 | Tension (looper, right hand) Screw Stud |
| 42418 | |
| | 828c with 1560c |
| 10148 5556 | Tension (looper, right hand) Spring |
| 17547 5556 | " " " Thread Guide |
| 2102 5556 | " (needle thread) Disc |
| 1560c 5556 | " " Regulating Thumb |
| | Nut |
| 916c 5556 | Tension (needle thread) Screw Stud |
| 44209 5556 | " " " " 916c |
| | with 1560c |
| 10148 5556 | Tension (needle thread) Spring |
| 42082 5556 | " " Thread Guide |
| 42242 7396 | Thread (looper, left hand) Eyelet |
| 233р 5553 | " " " " Screw |
| 42084 5556 | " " " Tube |
| 462c 5556 | " " " Set Screw |
| 42093 5556 | " (looper, (right hand) Staple |
| 190р 5556 | " " " Screw |
| 42127 5556 | " " " Take-up |
| 197р 5556 | " " " Screw |
| 42096 5556 | " (needle) Eyelet |
| 217р 5556 | " " Screw |
| 42097 5556 | " " Take-up |
| 197р 5556 | " " Screw |
| 42085 5541 | Throat Plate for 42010 |
| 742F 5562 | " " Screw |

LIST OF PARTS COMPLETE

FOR



MACHINE No. 81-8

FOR TRIMMING, SCALLOPING AND OVEREDGING LACE CURTAINS AND OTHER WOVEN FABRICS, ETC., AT THE SAME TIME LAYING ONE OR MORE CORDS UNDERTHE OVEREDGE STITCHES IF DESIRED. THE MACHINE IS FITTED WITH A DOUBLE FEED DOG. THE HEIGHT OF THE BACK FEED DOG CAN BE ADJUSTED BY A HAND LEVER AT THE BACK OF THE MACHINE TO ACCOMMODATE DIFFERENT THICKNESSES OF CORDS. ALSO FITTED WITH OIL TUBES FOR CARRYING OIL TO THE FRONT AND BACK BEARINGS. TWO THREAD STITCH.

| NO. | PLATE | NAME |
|--------|-------|---|
| *42486 | | Arm with two each 462c, 624c, 42253 and |
| | | 42487 |
| 4389 | 5543 | Arm Dowel Pin |

| NO. PLATE | NAME |
|------------|--|
| 949E 5562 | Arm Screw |
| 42001 5576 | Balance Wheel $2\frac{3}{16}$ in. pulley with $424c$ |
| | and 1354c |
| 1354c 5562 | Balance Wheel Position Screw |
| 424c 5562 | " Set Screw |
| 42361 5589 | Cloth Plate |
| 42363 5589 | " " Extension (lower) |
| 229E 5562 | " " Serew |
| 42108 5526 | " " (upper) |
| 229E 5562 | " " Screw |
| 42005 5526 | " " Lock Spring |
| 236c 5562 | " " " Screw |
| 42362 | Cloth Plate complete, Nos. 42005, 42108, |
| | 42361, 42363, two 236c and five 229E |
| 1437p 5562 | Cloth Plate Hinge Screw |
| 1655E 5562 | " " " Nut |
| 42031 5543 | |
| 42030 5543 | Cord Guide |
| | Holder |
| | ocrew |
| 337D 5543 | Screw |
| 42341 5590 | Feed (back) Adjusting Lever with 967D |
| | and 42342 |
| 967D 5590 | Feed (back) Adjusting Lever Clamping |
| | Screw |
| 42342 5590 | Feed (back) Adjusting Lever Stud |
| 42340 5590 | " " Bar |
| 61c 5590 | " " Hinge Screw |
| 42343 5541 | " Dog, 3 teeth (16 teeth to the |
| | inch) |
| 203р 5591 | Feed (back) Dog Screw |
| 42151 5590 | " (front) Bar with 1253c |
| 42007 5529 | " " Hinge Pin |
| 1253c 5529 | " " Set Screw |
| 42344 5541 | " Dog, 17 teeth (16 teeth to |
| 12011 0011 | the inch) |
| 190р 5556 | Feed (front) Dog Screw |
| 42008 5529 | " Connecting Rod with 42009 and two |
| 12008 5525 | |
| * 10000 | 1057E |
| *42009 | Feed Connecting Rod Cap |
| 1057E 5529 | Screw |
| 1373c 5529 | Hinge Screw |
| 1520c 5529 | Nut |
| 42011 5529 | " Eccentric with two 453c |
| 42153 5589 | " " Cover |
| 42102 5543 | " " Holder |
| 283w 5543 | " " Thumb Screw |
| | |

| NO. | PLATE | NAME |
|---|----------------|--|
| 2749 | 5543 | Feed Eccentric Cover Holder Thumb |
| 2749 | 9949 | Screw Washer |
| 207 | 5529 | Feed Eccentric Cover Screw |
| | 5529 | " " Set Screw |
| 42345 | 5590 | " Lifting Eccentric with two 462c |
| 42013 | 5529 | " " Connection |
| | 5529 | " " Set Screw |
| 13740 | | " Regulating Screw Stud |
| A 50 C A | 5530 | " " " Nut |
| 42290 | 5530 | " " Washer |
| 42290 | 5530 | " Regulator with 233p and two 1259c |
| 42014 | 5529 | " Connection with 1012E |
| | 5529 | " " Adjusting |
| 10121 | 5 5525 | Screw |
| 1979 | 5529 | Feed Regulator Connection Hinge Screw |
| | 5529 | " " " " " " |
| 15200 | 3 0020 | Nut |
| 42016 | 5530 | Feed Regulator Hinge Stud |
| 12596 | and the second | " " Set Screw |
| | 5530 | " Stop Screw |
| 42019 | 5530 | - " Rock Shaft |
| 42019 | 5550 | Feed Rock Shaft complete, Nos. 42019 and |
| 42020 | | 42021 |
| 42021 | 5530 | Feed Rock Shaft Crank with 157E |
| 1571 | | " " " Clamping Screw |
| 42098 | 5530 | " " Hinge Pin |
| 42079 | 5530 | " " " Bushing |
| 10360 | | " " " " " Set |
| 10000 | . 0000 | Screw |
| *42346 | | Frame |
| 42023 | 5576 | " Rotary Shaft |
| 42024 | 5576 | " " Bushing (front) |
| 10360 | | " " " " Set |
| 2000 | | Screw |
| 42025 | 5553 | Frame Rotary Shaft Crank with 1259c |
| | | and 1375c |
| 13750 | 5553 | Frame Rotary Shaft Crank Position Screw |
| 12590 | 5553 | " " Set Screw |
| 42026 | 5576 | " " Flanged Bushing |
| | | (back) with 54967 |
| 54967 | 5591 | Frame Rotary Shaft Flanged Bushing |
| | | (back) Oil Pad (braided cotton) |
| 10366 | 5530 | Frame Rotary Shaft Flanged Bushing |
| | | (back) Set Screw |
| 42367 | 5591 | Frame Rotary Shaft Front Bearing Oil |
| 42507 | OOUL | |
| 42507 | 0001 | Pad (braided cotton) |

| NO. | PLATE | | | | NAME | | |
|-------------------|----------------|---------|----------|--------|--------|---------|------------|
| 19045 | 5543 | Fram | e Side | Cover | | Hand | le |
| | 5562 | | 66 | " | " | Screw | |
| 42028 | 5526 | - 66 | " | " | (right |) hing | ed |
| 42101 | 5543 | " | " | " | " | | Spring |
| 330w | 5562 | | " | " | " | Scre | w |
| 42033 | 5542 | Knife | (mova | ble) | | | |
| 2.7 | - | | | | | | |
| Not | E: Tw | o No. 4 | 12033 a | re sen | t with | this r | nachine. |
| 42034 | 5542 | Knife | (mova | ble) C | ib | | |
| 42035 | 5542 | " | " | | | | |
| 42036 | | ** | ** | | " | 42035 | with 133F, |
| | | 420 | 34, 420 | 37. 49 | 2040 9 | nd tw | o 404D |
| 42037 | 5542 | Knife | (mova | ble) F | Tolder | Can | |
| | 5542 | " | (110 14 | 010, 1 | " | " 5 | crew |
| 42038 | 5542 | " | 46 | | " | | with 336F |
| 42039 | 5542 | " | " | | " | Guide | Plate |
| | 5542 | " | ** | | " | ** | " Screw |
| | 5542 | " | " | | " | " | |
| | 5542 | " | " | | | | Set Screw |
| 42040 | | " | " | | " | | |
| 42040 | 5542 | | | | | | Extension |
| 10011 | **** | Pin. | | | | | |
| 42041 | 5542 | Knife | (mova | | | | g |
| 42042 | 5542 | " | | L | ever | | |
| 42043 | 5542 | | " | | | | tion with |
| | | | | | | | |
| *42044 | | | | ble) | | | ection Cap |
| 175E | 5542 | | " | | " | " | |
| | | Scre | w | | | | |
| 1373c | 5542 | | | | | | tion Hinge |
| | | Scre | w | | | | |
| 1520c | 5542 | Knife | (moval | ble) L | ever C | onnec | tion Hinge |
| | | Scre | w Nut | | | | |
| 42045 | 5542 | Knife | (moval | ble) L | ever E | Iinge S | Stud |
| 1229c | 5542 | " | " | | " | " | "Set |
| | | Scre | w | | | | |
| 42046 | 5543 | Knife | (statio | nary) | with 4 | 2049. | |
| NT. | TD. | NT 46 | 0.40 | | | | , . |
| NOTE | : Iwo | | | | | | achine. |
| 42048 | 5543 | Knife | (station | nary) | Clamp | oing St | ud |
| $1534 \mathrm{w}$ | 5543 | " | " | | " | | " Thumb |
| | | Nut | | | | | |
| 42047 | 5543 | Knife | (statio | nary) | Holde | r | |
| 1376c | 5543 | " | " | | " | Reg | ulating |
| | | Thu | mb Sci | ew | | | |
| 1101c | 5543 | Knife | (station | nary) | Holde | r Scre | w |
| 440F | 5543 | ** | | 3, | " | | Screw |
| 1547.ı | | " | 66 | | " | " | |
| | 5543 | | ** | | " | | " Nut |
| , | 5543 8445—2 | | " | | " | | " Nut |

| NO. PLATE | NAME |
|-------------|--|
| 42049 5543 | Knife (stationary) Stud |
| 42050 5553 | Looper (left hand) |
| 42051 5553 | " " Lever with 209н |
| 42052 5553 | " " Connecting Link |
| 50562c 7396 | " " " " " " " |
| 50502C 7590 | Hinge Screw |
| 1500 5550 | T (1-5t 11) I Connection Link |
| 1520c 5553 | Looper (left hand) Lever Connecting Link |
| | Hinge Screw Nut |
| 42053 5553 | Looper (left hand) Lever Hinge Stud |
| 1036c 5553 | " " Set |
| | Screw |
| 209н 5553 | Looper (left hand) Set Screw |
| 42166 5553 | " (right hand) |
| 42073 5553 | " " and Spreader Lever |
| | with 1259c |
| 42074 5553 | Looper (right hand) and Spreader Lever |
| 12011 0000 | Ball Stud |
| | |
| 1259c 5553 | Looper (right hand) and Spreader Lever |
| | Ball Stud Set Screw |
| 42075 5553 | Looper (right hand) and Spreader Lever |
| | Connection with 42059, 42076 and four |
| | 896E |
| *42076 | Looper (right hand) and Spreader Lever |
| 12010 | Connection Cap (lower) |
| 896E 7396 | Looper (right hand) and Spreader Lever |
| 990E 1990 | Connection Cap (lower) Screw |
| *40070 | Looper (right hand) and Spreader Lever |
| *42059 | |
| | Connection Cap (upper) |
| 896E 7396 | Looper (right hand) and Spreader Lever |
| | Connection Cap (upper) Screw |
| 42077 5584 | Looper (right hand) and Spreader Lever |
| | Connection Guide |
| 171F 5544 | Looper (right hand) and Spreader Lever |
| 2.22 3322 | Connection Guide Screw |
| 42106 5584 | Looper (right hand) and Spreader Lever |
| 12100 0001 | Connection Oil Tube and Bracket with |
| | 29599 |
| | |
| 29599 5584 | Looper (right hand) and Spreader Lever |
| | Connection Oil Tube Packing (felt) |
| 42078 5584 | Looper (right hand) and Spreader Lever |
| | Hinge Pin |
| 42079 5530 | Looper (right hand) and Spreader Lever |
| | Hinge Pin Bushing |
| 1259c 5553 | Looper (right hand) and Spreader Lever |
| 22000 0000 | Hinge Pin Bushing Set Screw |
| 197р 5553 | Looper (right hand) Screw |
| 191D 9999 | Looper (fight hand) Screw |

| NO. | PLATE | NAME |
|----------------|-------|---|
| 42054 | 5544 | Needle Bar |
| 42253 | 5544 | " " Bushing |
| 462c | 5544 | " " Set Screw |
| 42061 | 5544 | " Connecting Bracket with 187p |
| | 0011 | and 223F |
| 187n | 5544 | Needle Bar Connecting Bracket Clamping |
| 1011 | 0011 | Screw |
| 42055 | 5544 | Needle Bar Connecting Link |
| 40247 | 5544 | " " " Hinge Pin |
| 223F | 5544 | ringe rin |
| 225F | 5544 | Set |
| 004 | | Screw for 42061. |
| 904c | 5544 | Needle Bar Connecting Link Hinge Pin |
| 100.15 | | Set Screw for 42104 |
| 42347 | 5590 | Needle Bar Connecting Rod with 42059, |
| | | 42076 and four 896E |
| *42076 | | Needle Bar Connecting Rod Cap (lower) |
| 896E | 7396 | |
| | | Screw |
| *42059 | | Needle Bar Connecting Rod Cap (upper) |
| 896E | 7396 | |
| | | Screw |
| 42077 | 5584 | Needle Bar Connecting Rod Guide |
| 171F | 5544 | " " " Screw |
| 42103 | 5544 | " Crank (back) with 1258c and |
| | | two 1259c |
| 42074 | 5553 | Needle Bar Crank (back) Ball Stud |
| 1259c | 5553 | " " " Set |
| 12000 | 0000 | Screw |
| 1259c | 5553 | Needle Bar Crank (back) Position Screw. |
| 1258c | 5544 | " " Set Screw |
| 42104 | 5544 | |
| 42104 | 9944 | (Holle) with 5040,12500 |
| 1259c | 5553 | and 1259c. Needle Bar Crank (front) Position Screw |
| 1259C 1258C | 5544 | |
| 42105 | 5544 | Set Screw |
| 42487 | | Shart |
| | 7396 | Dusning |
| 624c | 7396 | " Set Screw |
| 42115 | 5544 | Inread Retainer Bracket |
| 228D | | Screw |
| 42348 | 5591 | Disc (inside) |
| 10106 | 5544 | " " " (outside) |
| 42349 | 5591 | u u u u u |
| | | 10106 with 42350 |
| 42350 | | Needle Bar Thread Retainer Disc (outside) |
| | | Bushing |
| | 5544 | Needle Bar Thread Retainer Screw |
| 10107 | 5544 | " " " Spring |
| | | |

| | · · |
|------------|---|
| NO. PLATE | NAME |
| 1728c 5544 | Needle Clamping Nut |
| 42066 5544 | " Guard |
| 171F 5544 | " Screw |
| 42351 5591 | Oil Pipe with 42353 and 42354, for oiling |
| | back bearing |
| 42352 5591 | Oil Pipe with 42353 and 42354, for oiling |
| | front bearing |
| 42353 5591 | Oil Pipe Coupling |
| 42354 5591 | " " Oil Cup |
| 42355 5591 | " " Strap for 42351 |
| 42356 5591 | " " 42352 |
| 207p 5529 | " " Screw for 42355 |
| 742F 5562 | " " " 42356 |
| 42357 5541 | Presser Foot with 220p, 233p, 42068 and |
| 42507 5541 | 42358 |
| 42068 5541 | Presser Foot Chaining-off Finger |
| | " " Screw |
| 233D 5553 | |
| 1324c 5591 | Derew |
| 39541 5586 | wasner |
| 220р 5541 | Stop Sciew |
| 42358 5541 | guu |
| 42069 5576 | Level |
| 42045 5542 | Tinge Stud |
| 1120c 5591 | Set Screw |
| 42070 5584 | " " Lifter |
| 85D 5584 | " " Hinge Screw |
| 1377c 5584 | " Screw Stud (eccentric) |
| 1547」 5584 | " " " Nut |
| 42071 5584 | " " Spring |
| 1378D 5584 | Presser Regulating Thumb Screw |
| 42359 5591 | Spreader |
| 197р 5556 | " Screw |
| 2102 5556 | Tension (cord) Disc |
| 1560c 5556 | " Regulating Thumb Nut |
| 637c 5556 | " Screw Stud |
| 33929 | " " 637c with 1560c |
| 10148 5556 | " " Spring |
| 2102 5556 | " (looper, left hand) Disc |
| 1560c 5556 | " " " Regulating |
| | Thumb Nut |
| 828c 5556 | Tension (looper, left hand) Screw Stud |
| 42418 | " " " " " " |
| 12110 | 828c with 1560c |
| 10148 5556 | Tension (looper, left hand) Spring |
| 2102 5556 | " (looper, right hand) Disc |
| 1560c 5556 | " " Regulating |
| 10000 0000 | Thumb Nut |
| | THUMO 1100 |

| NO. | PLATE | | | NAM | Œ | | |
|------|---------------------|---------|-----------|--------|------|----------|-----------|
| 82 | 8c 5556 | Tension | (looper | , righ | t ha | nd) Sci | rew Stud |
| 4241 | 8 — | " | " | " | | | |
| | | 828c | with 156 | 0c | | | |
| 1014 | 8 5556 | Tension | (looper | right | ha | nd) Spr | ing |
| 1754 | 7 5556 | " | " | | 6 | ' Thre | ad Guide |
| 210 | 2 5556 | 66 | (needle | threa | | | |
| 156 | 0c 5556 | " | " | " | Re | gulating | g Thumb |
| | | Nut. | | | | | |
| 91 | 6c 5556 | | n (needle | | | | |
| 4420 | 9 | " | " | " | | " | " 916c |
| | | with | 1560c | | | | |
| 1014 | 8 5556 | Tension | n (needle | threa | d) S | Spring. | |
| 4208 | 2 5556 | " | " | " | | | Guide |
| 4224 | 2 7396 | Thread | (looper, | left h | | | |
| 23 | 3р 5553 | " | " | " | | | Screw |
| 4212 | 4 5590 | " | " | " | " | | ff |
| 4212 | 5 5590 | " | 66 | " | " | " | Eyelet |
| 23 | 3р 5553 | " | " | | " | " | Screw |
| 4208 | 4 5556 | " | " | " | " | Tube. | |
| 46 | 2c 5556 | " | " | - 44 | " | | Set Screw |
| 4209 | 3 5556 | ** | " r | ight h | and |) Staple | |
| 19 | Ор 5556 | ** | 66 | " | " | | Screw |
| 4212 | 7 5556 | " | " | " | " | Take- | up |
| 19 | 7 _D 5556 | " | " | | " | " | Screw. |
| 4209 | 6 5556 | " | | | | | |
| 21 | 7D 5556 | " | " | " | S | crew | |
| 4236 | 0 5541 | Throat | Plate fo | r 4234 | 3 a | nd 4234 | 4 |
| 74 | 2F 5562 | " | " Sc | rew | | | |

ACCESSORIES

| NO. | PLATE | | | NAM | E | |
|--------|-------|----------|--------|----------|-------|-------------------|
| 1407E | 5563 | Machin | e Base | Thumb | Screv | v for 3 in. table |
| 1408E | 5563 | " | " | " | " | " 2 in. table |
| 14063 | 5586 | " | " | ** | " | Spring |
| 9842 | 5586 | " | ** | " | " | " Washer |
| 120344 | 5566 | Oiler (c | opper | plated) | with | 120345 |
| 120345 | 5566 | " SI | out, 5 | in. long | g | |
| 120440 | 5566 | | | | | |
| 42090 | 5566 | Thread | ing Wi | re | | |
| 120341 | 5566 | | | | | |
| 42089 | 5566 | | | | | 1629 |
| 8908 | 5566 | " | | | | |
| 1899 | 5566 | " | 11 15 | 47 | | |

FOOT LIFTER PARTS

| NO. | PLATE | | | NAME |
|-------|-------|-----------|---------|-------------------------------|
| 6439 | | Chain, | 36 ir | n. to 45 in., with 56864 and |
| | | | | |
| | North | | | ring No. 6439 state length |
| | 11011 | 2. 11 110 | | required. |
| | | | | |
| 4879 | 5566 | Chain | Conne | ecting Link |
| 56864 | 5566 | " | | (large) |
| 56865 | 7396 | " | " | (small) |
| 42130 | 5586 | Lifting | g Leve | r |
| 42131 | 5586 | " | " | Bracket |
| 12290 | 5586 | " | " | " Screw |
| 13011 | 5586 | " | " | Hinge Screw |
| 42132 | 5586 | " | " | Spring |
| 1148F | 5586 | " | " | Stop Screw |
| 1547J | 5543 | " | " | " " Nut |
| 4881 | 5564 | Tread | le | |
| 4882 | 5566 | " | | ft |
| 4883 | 5566 | 66 | | ng |
| 4884 | 5564 | " | | nd |
| 4885 | 5564 | Tread | | plete Nos. 4879, 4881 to 4884 |
| | | | | rood screws 1 in. No. 16 |
| 42133 | | Foot 1 | Lifter | complete, Nos. 1301p, 4885, |
| | | | | 30 to 42132 and two each |
| | | 1148 | SF. 122 | 29c and 1547j |
| | | | , | |

KNEE LIFTER PARTS

| NO. | PLATE | | | NAME |
|-------|-------|--------|----------|-----------------------------|
| 42130 | 5586 | Liftin | g Lever | |
| 42131 | 5586 | " | " | Bracket |
| 12290 | 5586 | " | " | " Screw |
| 42142 | 5564 | ** | " | Connecting Rod |
| 1301p | 5586 | " | " | Hinge Screw |
| 42132 | 5586 | " | " | Spring |
| 1148F | 5586 | " | " | Stop Screw |
| 1547л | 5543 | " | | " " Nut |
| 2763 | 5564 | Rock | Shaft | |
| 12242 | 5564 | ** | | Ianger with two wood screws |
| | | 1 in | | 0 |
| 2765 | 5564 | | | Tnee Arm |
| 2766 | 5564 | " | " | " " Hub with 356c |
| 356c | 5562 | " | " | " " Set Screw |
| 2768 | | | | Knee Arm complete, Nos. |
| | | 976 | 5 to 976 | ! T |

| NO. | PLATE | | | | NAMI | E. | |
|-------|-------|-------|--------|---------|--------|-------|----------------|
| 2767 | 5564 | Pools | Shoft | Knee | | | h 356c |
| 2101 | 9904 | LOCK | Share | Truce | 1 late | | |
| 356c | 5562 | " | " | " | " | Set | Screw |
| 6337 | 5564 | " | " | Lifting | g Bra | cket | with two 356c |
| 7125 | 5564 | " | " | " | | " | Hook |
| 3560 | 5562 | 44 | " | " | | " | "SetScrew |
| 3560 | 5562 | | " | " | | " | Set Screw |
| 2770 | 5564 | " | " | Stop : | Dog 1 | with | 356c |
| 3560 | 5562 | " | " | " | " | Set S | Screw |
| 42143 | 5564 | Rock | Shaft | comp | olete, | No | s. 2763, 2768, |
| | | 633 | 7,712 | 5 and | two e | ach 2 | 2770 and 12242 |
| 42144 | | Knee | Lifter | comp | olete, | Nos | . 1301р, 42130 |
| | | to | 42132, | 4214 | 2, 42 | 143 | and two each |
| | | 114 | SF, 12 | 29c aı | nd 15 | 47J. | |

KNIFE GRINDER

| NO. | PLATE | | | NAME |
|-------|-------|-------|----------|--------------------------------|
| 41326 | 5568 | | Wheel | 1 |
| 15080 | 5569 | " | " | Clamping Nut |
| 41327 | 5568 | " | " | Shaft |
| 41328 | 5568 | " | " | " Pulley with 1036c |
| 10360 | 5569 | " | " | " Set Screw |
| 41513 | 5569 | " | " | Washer |
| 41329 | 5567 | Frame | with 1 | 1036c |
| 8781 | 5569 | " | Oil Ho | ole Stop Screw |
| 41330 | 5568 | Knife | Holder | with two 14222 |
| 41331 | 5568 | - " | " | Bracket with 157E |
| 157E | 5569 | " | " | " Clamping Screw |
| 42065 | 5569 | " | " | " Hinge Stud |
| 10360 | 5569 | " | " | " "SetScrew |
| 7170 | 5569 | " | " | " Stop Screw |
| 1520л | 5569 | " | " | " " Nut |
| 41333 | 5569 | " | " | Clamp |
| 41334 | 5569 | " | " | " Spring |
| 14222 | 5569 | " | " | " Steady Pin |
| 7711 | 5569 | " | " | " Thumb Screw |
| 9701 | 5569 | " | " | Regulating Thumb Screw |
| 3130 | 5569 | " | " | Screw Centre |
| 1519л | 5569 | " | " | " " Nut |
| 41332 | 5569 | ** | " | Spring |
| 41335 | | Knife | Grinde | er complete, Nos. 717c, 970p, |
| | | 1508 | Sc, 1520 | 0, 41326 to 41332, 42065, two |
| | | each | 313c, | , 771 р, 878 р, 1519 г, 41333, |
| | | | | 13 and three wood screws 11/4 |
| | | in. I | No. 12. | |
| | | | | |

MACHINE BASE

| NO. | PLATE | NAME |
|-------|-------|--|
| 42086 | 5564 | Machine Base with three wood screws 11/4 |
| | | in. No. 12 and four each 935E, 4718, |
| | | 42088 and 66707 |
| 4718 | 5586 | Machine Base Cushion (felt) |
| 42088 | 5586 | " Cushion (felt) |
| 935E | 5586 | " Screw |
| 66707 | 7396 | " " Washer. |

THREAD UNWINDER

FOR THREE SPOOLS

| NO. | PLATE | NAME |
|---------|-------|--|
| 225389 | 7165 | Spool Rest (for one spool) with 201018c |
| 225395 | 7165 | " (for two spools) with 201018c |
| 225388 | 7165 | " " Rod |
| 2003836 | 7396 | " " Set Screw |
| 2010180 | 7396 | " " Set Screw |
| 202490 | 7165 | " Stand with 200383c |
| 225391 | 7165 | Thread Guide |
| 201696л | 7396 | " " Lock Nut |
| 225392 | 7165 | " Rod with 208E and 225393 |
| 208E | 5562 | · " " Screw |
| 225393 | 7396 | " " Washer |
| 225397 | 7165 | Thread Unwinder complete, Nos. 201696J, |
| | | 202490, 225388, 225389, 225392, 225395, |
| | | three 225391 and wood screws 7/8 in. No. |
| | | 12 |
| 27739 | 7234 | Thread Cone (wood) for large cones |
| 225390 | 7234 | " Holder, for inverted cones |
| | | array lacross later the state of the state o |

Note: Nos. 27739 and 225390 are used with, but not included in 225397.

OBSOLETE PARTS

| | NO. | PLATE | NAME |
|---|-------------------|-------|--|
| * | 42251 | - | Arm with two each 462c and 42253, for |
| | | | 81-1 Machine |
| * | 42339 | | Arm with two each 462c and 42253, for |
| | | | 81-8 Machine |
| | 42100 | - | Cloth Plate complete for 81-1 Machine, |
| | | | Nos. 42002 to 42005, two 236c and five |
| | | | 229 Е |
| | 42004 | 5589 | Cloth Plate Extension (upper) |
| | 1372F | 5562 | " " Hinge Screw |
| | 1547 _J | 5543 | " " " Nut |
| | 378c | 5553 | Looper (left hand) Lever Connecting Link |
| | | | Llings Consu |

FOR MACHINES Nos. 81-1 and 81-8

NUMERICAL LIST OF PARTS

| NO. PLATE | NAME |
|-----------|---|
| 61c 5590 | Feed (back) Bar Hinge Screw for 81-8 |
| | Machine |
| 85D 5584 | Presser Lever Lifter Hinge Screw |
| 93c 5544 | Needle Bar Thread Retainer Screw |
| 133F 5542 | Knife (movable) Holder Screw for 42036 |
| 157E 5530 | Feed Rock Shaft Crank Clamping Screw |
| | for 42021 |
| 157E 5569 | Knife Grinder Knife Holder Bracket |
| | Clamping Screw for 41331 |
| 171F 5544 | Looper (right hand) and Spreader Lever |
| | Connection Guide Screw |
| 171F 5544 | Needle Bar Connecting Rod Guide Screw |
| 171F 5544 | " Guard Screw |
| 175E 5542 | Knife (movable) Lever Connection Cap |
| | Screw for 42043 |
| 176р 5543 | Cord Guide Holder Screw for 81-8 Machine |
| 176р 5543 | Frame Top Cover Extension Screw for |
| | 81-1 Machine |
| 187p 5544 | Needle Bar Connecting Bracket Clamping |
| | Screw for 42061 |
| 190р 5556 | Feed Dog Screw for 81-1 Machine |
| 190р 5556 | " (front) Dog Screw for 81-8 Machine |
| 190р 5556 | Thread (looper, right hand) Staple Screw |
| 197р 5553 | Looper (right hand) Screw |
| 197р 5556 | Spreader Screw |
| 197р 5556 | Thread (looper, right hand) Take-up Screw |
| 197р 5556 | " (needle) Take-up Screw for 81-1 |
| | Machine |
| 203р 5591 | Feed (back) Dog Screw for 81-8 Machine |
| 207р 5529 | " Eccentric Cover Screw |
| 207р 5529 | " Regulator Indicator Screw for 81-1 |
| | Machine |
| 207D 5529 | Oil Pipe Strap Screw for 42355 |
| 208E 5562 | Thread Unwinder Thread Guide Rod |
| | Screw for 225392 |
| 209н 5553 | Looper (left hand) Set Screw for 42051 |
| 217р 5556 | Thread (needle) Eyelet Screw |
| 220p 5541 | Presser Foot Stop Screw for 42357 |
| 223F 5544 | Needle Bar Connecting Link Hinge Pin |
| | Set Screw for 42061 |
| 228p 5544 | Needle Bar Thread Retainer Bracket Screw |
| 229E 5562 | Cloth Plate Extension (lower) Screw for |
| | 42100, 42107 and 42362 |

| **** *** * * * * * * * * * * * * * * * * | NAME |
|--|--|
| NO. PLATE | |
| 229E 5562 | Cloth Plate Extension (upper) Screw for 42100, 42107 and 42362 |
| 200 | Feed Regulator Stop Screw for 42014 |
| 233р 5530 | |
| 233р 5553 | Presser Foot Chaining-off Finger Screw for |
| | 42067 and 42357 |
| 233р 5553 | Thread (looper, left hand) Eyelet Screw " " Pull-off Screw |
| 233р 5553 | |
| 2000 | for 81-8 Machine |
| 236c 5562 | Cloth Plate Lock Spring Screw for 42100, |
| and the same | 42107 and 42362 |
| 283w 5543 | Feed Eccentric Cover Holder Thumb |
| | Screw for 81-8 Machine |
| 283w 5543 | Frame Top Cover Extension Holder |
| | Thumb Screw for 81-1 Machine |
| 313c 5569 | Knife Grinder Knife Holder Screw Centre |
| | for 41335 |
| 330w 5562 | Frame Side Cover (left) Screw |
| 330w 5562 | " " (right) Screw |
| 336г 5542 | Knife (movable) Holder Guide Set Screw |
| | for 42038 |
| 337р 5543 | Cord Guide Screw for 81-8 Machine |
| 337р 5530 | Feed Regulator Indicator Plate Screw for |
| | 81-1 Machine |
| 337р 5543 | Frame Top Cover Extension Cord Guide |
| | Screw for 81-1 Machine |
| 356c 5562 | Rock Shaft Knee Arm Hub Set Screw for |
| | 2766 |
| 356c 5562 | Rock Shaft Knee Plate Set Screw for 2767 |
| 356c 5562 | " LiftingBracketHookSetScrew |
| | for 6337 |
| 356c 5562 | Rock Shaft Lifting Bracket Set Screw for |
| | 6337 |
| 356c 5562 | Rock Shaft Stop Dog Set Screw for 2770 |
| 378c 5553 | Looper (left hand) Lever Connecting Link |
| | Hinge Screw, obsolete |
| 404p 5542 | Knife (movable) Holder Cap Screw for |
| | 42036 |
| 424c 5562 | Balance Wheel Set Screw for 42001 |
| 440r 5543 | Knife (stationary) Holder Stop Screw |
| 453c 5529 | Feed Eccentric Set Screw for 42011 |
| 462c 5529 | " Lifting Eccentric Set Screw for |
| 2320 0020 | 42012 and 42345 |
| 462c 5544 | Needle Bar Bushing Set Screw for 42484 |
| 2020 0021 | and 42486 |
| 462c 5556 | Thread (looper, left hand) Tube Set Screw |
| 621p 5542 | Knife (movable) Holder Guide Plate Screw |
| 0210 0012 | Time (movable) Holder Guider laterserew |

| NO. PLATE | NAME |
|------------------------|---|
| 624c 7396 | Needle Bar Crank Shaft Bushing Set |
| | Screw for 42484 and 42486 |
| 637c 5556 | Tension (cord) Screw Stud for 33929 |
| 717c 5569 | Knife Grinder Knife Holder Bracket Stop |
| | Screw for 41335 |
| 742F 5562 | Frame Top Cover Screw for 81-1 Machine |
| 742F 5562 | Oil Pipe Strap Screw for 42356 |
| 742F 5562 | Throat Plate Screw |
| 771 _D 5569 | Knife Grinder Knife Holder Clamp Thumb |
| 000 5550 | Screw for 41335. |
| 828c 5556 | Tension (looper, left hand) Screw Stud for |
| 0000 5550 | 42418 Tension (looper, right hand) Screw Stud |
| 828c 5556 | for 42418 |
| 878p 5569 | Knife Grinder Frame Oil Hole Stop Screw |
| 8100 0009 | for 41335 |
| 896E 7396 | Looper (right hand) and Spreader Lever |
| 0001 1000 | Connection Cap (lower) Screw for 42075 |
| 896E 7396 | Looper (right hand) and Spreader Lever |
| | Connection Cap (upper) Screw for |
| | 42075 |
| 896E 7396 | Needle Bar Connecting Rod Cap (lower) |
| | Screw for 42057 |
| 896E 7396 | Needle Bar Connecting Rod Cap (upper) |
| | Screw for 42057 |
| 904c 5544 | Needle Bar Connecting Link Hinge Pin |
| | Set Screw for 42104 |
| 916c 5556 | Tension (needle thread) Screw Stud for |
| 025- 5500 | 44209 Machine Cushion Screw for 42086 |
| 935D 5586 949E 5562 | Arm Serent |
| 967D 5590 | Arm ScrewFeed (back) Adjusting Lever Clamping |
| 901D 9990 | Screw for 42341 |
| 970p 5569 | Knife Grinder Knife Holder Regulating |
| | Thumb Screw for 41335 |
| 1012E 5529 | Feed Regulator Connection Adjusting |
| | Screw for 42015 |
| 1036c 5530 | Feed Rock Shaft Hinge Pin Bushing Set |
| | Screw |
| 1036c 5530 | Frame Rotary Shaft Bushing (front) Set |
| | Screw |
| 1036c 5530 | Frame Rotary Shaft Flanged Bushing |
| 1000 - 5500 | (back) Set Screw |
| 1036c 5569 | Knife Grinder Emery Wheel Shaft Pulley |
| 1036c 5569 | Set Screw for 41328 Knife Grinder Knife Holder Bracket Hinge |
| 10000 0009 | Stud Set Screw for 41329 |
| | billd bet belew for 41529 |

| NO. PLATE | NAME |
|--------------|---|
| 1036c 5553 | Looper (left hand) Lever Hinge Stud Set |
| | Screw |
| 1057E 5529 | Feed Connecting Rod Cap Screw for 42008 |
| 1101c 5543 | Knife (stationary) Holder Screw |
| 1120c 5591 | Presser Lever Hinge Stud Set Screw |
| 1148F 5586 | Lifting Lever Stop Screw for 42133 and |
| 1000 5510 | 42144 |
| 1229c 5542 | Knife (movable) Lever Hinge Stud Set Screw |
| 1000- 5500 | Lifting Lever Bracket Screw for 41133 and |
| 1229c 5586 | 42144 |
| 1253c 5529 | Feed Bar Hinge Pin Set Screw for 42006. |
| 1253c 5529 | " (front) Bar Hinge Pin Set Screw for |
| 12000 0020 | 42151 |
| 1258c 5544 | Needle Bar Crank (back) Set Screw for |
| 12000 0011 | 42103 |
| 1258c 5544 | Needle Bar Crank (front) Set Screw for |
| 12000 0011 | 42104 |
| 1259c 5530 | Feed Regulator Set Screw for 42014 |
| 1259c 5553 | Frame Rotary Shaft Crank Set Screw for |
| | 42025 |
| 1259c 5553 | Looper (right hand) and Spreader Lever |
| | Ball Stud Set Screw for 42073 |
| 1259c 5553 | Looper (right hand) and Spreader Lever |
| | Hinge Pin Bushing Set Screw |
| 1259c 5553 | Needle Bar Crank (back) Ball Stud Set |
| | Screw for 42103 |
| 1259c 5553 | Needle Bar Crank (back) Position Screw |
| | for 42103 |
| 1259c 5553 | Needle Bar Crank (front) Position Screw |
| | for 42104 |
| 1301p 5586 | Lifting Lever Hinge Screw for 42133 and |
| | 42144 |
| 1324c 5591 | Presser Foot Screw |
| 1354c 5562 | Balance Wheel Position Screw for 42001 |
| 1372F 5562 | Cloth Plate Hinge Screw, obsolete |
| 1373c 5529 | Feed Connecting Rod Hinge Screw |
| 1373c 5529 | " Regulator Connection Hinge Screw |
| 1373c 5542 | Knife (movable) Lever Connection Hinge |
| | Screw |
| 1374c 5530 | Feed Regulating Screw Stud. |
| 1375c 5553 | Frame Rotary Shaft Crank Position Screw |
| 1000 5510 | for 42025 |
| 1376c 5543 | Knife (stationary) Holder Regulating |
| 1977 - 5504 | Thumb Screw |
| 1377c 5584 | Presser Lever Screw Stud (eccentric) |
| 1378p 5584 | Pressure Regulating Thumb Screw |

| NO. PLATE | NAME |
|--|---|
| 1407E 5563 | Machine Base Thumb Screw, for 3 in. |
| | table (Accessories) |
| 1408E 5563 | Machine Base Thumb Screw, for 2 in. |
| | table (Accessories) |
| 1437р 5562 | Cloth Plate Hinge Screw |
| 1508c 5569 | Knife Grinder Emery Wheel Clamping |
| | Nut for 41335 |
| 1519л 5569 | Knife Grinder Knife Holder Screw Centre |
| | Nut for 41335 |
| 1520c 5529 | Feed Connecting Rod Hinge Screw Nut |
| 1520c 5529 | " Regulator Connection Hinge Screw |
| | Nut |
| 1520л 5569 | Knife Grinder Knife Holder Bracket Stop |
| | Screw Nut for 41335 |
| 1520c 5542 | Knife (movable) Lever Connection Hinge |
| | Screw Nut |
| 1520c 5553 | Looper (left hand) Lever Connecting Link |
| | Hinge Screw · Nut |
| 1534w 5543 | Knife (stationary) Clamping Stud Thumb |
| | Nut |
| 1547」 5543 | Cloth Plate Hinge Screw Nut, obsolete |
| 1547л 5543 | Knife (stationary) Holder Stop Screw Nut |
| 1547л 5543 | Lifting Lever Stop Screw Nut for 42133 |
| | and 42144 |
| 1547」 5584 | Presser Lever Screw Stud Nut |
| 1560c 5556 | Tension (cord) Regulating Thumb Nut |
| 1500 5550 | for 33929. |
| - 1560c 5556 | Tension (looper, left hand) Regulating Thumb Nut for 42418 |
| 1560c 5556 | Tension (looper, right hand) Regulating |
| 19000 9990 | Thumb Nut for 42418 |
| 1560c 5556 | Tension (needle thread) Regulating Thumb |
| 10000 0000 | Nut 44209 |
| 1629 5544 | Needle Clamping Nut, obsolete, use 1728c |
| 1655E 5562 | Cloth Plate Hinge Screw Nut |
| 1680c 5530 | Feed Regulating Screw Stud Nut |
| 1728c 5544 | Needle Clamping Nut |
| 2102 5556 | Tension (cord) Disc |
| 2102 5556 | " (looper, left hand) Disc |
| 2102 5556 | " (looper, right hand) Disc |
| 2102 5556 | " (needle thread) Disc |
| 2749 5543 | Feed Eccentric Cover Holder Thumb |
| No. of the last of | Screw Washer for 81-8 Machine |
| 2749 5543 | Frame Top Cover Extension Holder Thumb |
| | Screw Washer for 81-1 Machine |
| 2763 5564 | Rock Shaft for 42143 |

| NO. | PLATE | NAME |
|-------|-------|--|
| | | Nos. 2765 to 2767 for 2768 |
| 2765 | 5564 | |
| 2766 | 5564 | Rock Shaft Knee Arm |
| 2767 | | Hub with 350C |
| | 5564 | Plate With 350C |
| 2768 | | Rock Shaft Knee Arm complete for 42143, Nos. 2765 to 2767 |
| 2770 | 5564 | Rock Shaft Stop Dog with 356c for 42143 |
| 4389 | 5543 | Arm Dowel Pin |
| 4718 | 5586 | Machine Base Cushion (felt) for 42086 |
| 4822 | 5566 | Wrench for 1547 (Accessories) |
| 4879 | 5566 | Chain Connecting Link for 4885 |
| | | Nos. 4881 to 4884 for 4885 |
| 4881 | 5564 | Treadle |
| 4882 | 5566 | " Shaft |
| 4883 | 5566 | " Spring |
| 4884 | 5564 | " Stand |
| 4885 | 5564 | Treadle complete for 42133, Nos. 4879, |
| | | 4881 to 4884 and two wood screws 1 in. |
| 6337 | 5564 | No. 16 |
| 0001 | 9904 | for 42143 |
| 6439 | - | Chain, 36 in. to 45 in., with 56864 and |
| 7105 | | 56865, for 42133 |
| 7125 | 5564 | Rock Shaft Lifting Bracket Hook for 42143 |
| 8908 | 5566 | Wrench for 1520 and 1655 (Accessories) |
| 9842 | 5586 | Machine Base Thumb Screw Spring |
| | | Washer (Accessories) |
| 42483 | 7396 | Needle Bar Thread Retainer Disc for 81-1 |
| | | Machine |
| 10106 | 5544 | NeedleBarThreadRetainerDisc(outside) |
| 1010= | | for 42349 |
| 10107 | 5544 | Needle Bar Thread Retainer Spring |
| 10148 | 5556 | Tension (cord) Spring. |
| 10148 | 5556 | " (looper, left hand) Spring |
| 10148 | 5556 | (looper, right hand) Spring |
| 10148 | 5556 | " (needle thread) Spring |
| 12242 | 5564 | Rock Shaft Hanger with two wood screws 1 in. No. 10, for 42143 |
| 14063 | 5586 | Machine Base Thumb Screw Spring |
| _1000 | 5000 | (Accessories) |
| 14222 | 5569 | Knife Grinder Knife Holder Clamp Steady |
| | | Pin for 41330 |
| 17547 | 5556 | Tension (looper, right hand) Thread Guide |
| 19045 | 5543 | Frame Side Cover (left) Handle for 42027 |
| | | Tande Cover (lett) Handle 101 42021 |

| NO. | PLATE | NAME |
|--------|-------|--|
| 27739 | 7234 | Thread Unwinder Thread Cone (wood) for |
| | | large cones, for 225397 |
| 29599 | 5584 | Looper (right hand) and Spreader Lever |
| | | Connection Oil Tube Packing (felt) for |
| | | 42106 |
| 33929 | | Tension (cord) Screw Stud 637c with 1560c |
| 39541 | 5586 | Presser Foot Screw Washer |
| 40247 | 5544 | Needle Bar Connecting Link Hinge Pin |
| | N | оз. 41326 то 41334 гог 41335 |
| 41326 | 5568 | Knife Grinder Emery Wheel |
| 41327 | 5568 | " " " Shaft |
| 41328 | 5568 | " " " Shaft " " " Pulley |
| 11020 | 0000 | with 1036c |
| 41329 | 5567 | Knife Grinder Frame with 1036c |
| 41330 | 5568 | " " Knife Holder with two |
| 41990 | 0000 | 14222 |
| 41331 | 5568 | Knife Grinder Knife Holder Bracket with |
| 11001 | 0000 | 157E |
| 41332 | 5569 | Knife Grinder Knife Holder Spring |
| 41333 | 5569 | Knife Grinder Knife Holder Clamp |
| 41334 | 5569 | " " " Spring |
| 41335 | | Knife Grinder complete for 42033 and |
| 11000 | | 42046, Nos. 717c, 970p, 1508c, 1520j, |
| | | 41326 to 41332, 42065, two each 313c, |
| | | 771p, 878p, 1519j, 41333, 41334, 41513 |
| | | and three wood screws 1¼ in. No. 12 |
| 41513 | 5569 | Knife Grinder Emery Wheel Washer for |
| 11010 | 0000 | 41335 |
| 42001 | 5576 | Balance Wheel, $2\frac{3}{16}$ in. pulley, with 424c |
| 12001 | | and 1354c |
| 42002 | 5526 | Cloth Plate for 42100 and 42107 |
| 42003 | 5526 | " Extension (lower) 42100 and |
| | | 42107 |
| 42004 | 5589 | Cloth Plate Extension (upper) 42100, |
| | | obsolete |
| 42005 | 5526 | Cloth Plate Lock Spring for 42100, 42107 |
| | | and 42362 |
| 42006 | 5529 | Feed Bar with 1253c, for 81-1 Machine |
| 42007 | 5529 | " " Hinge Pin for 81-1 Machine |
| 42007 | 5529 | " (front) Bar Hinge Pin for 81-8 Ma- |
| | | chine |
| 42008 | 5529 | Feed Connecting Rod with 42009 and two |
| | | 1057E |
| *42009 | | Feed Connecting Rod Cap for 42008 |
| 42010 | 5541 | " Dog, 17 teeth (16 teeth to the inch) |
| | | for 81-1 Machine |

| NO. | PLATE | NAME |
|--------|-------|---|
| 42011 | 5529 | Feed Eccentric with two 453c |
| 42012 | 5529 | " Lifting Eccentric with two 462c, for |
| | | 81-1 Machine |
| 42013 | 5529 | Feed Lifting Eccentric Connection |
| 42014 | 5530 | " Regulator with 233p and two 1259c |
| 42015 | 5529 | " Connection with 1012E |
| 42016 | 5530 | " " Hinge Stud |
| 42017 | 5529 | " " Indicator for 81-1 Ma- |
| 12011 | 0020 | chine |
| 42018 | 5530 | Feed Regulator Indicator Plate for 81-1 |
| 12010 | 0000 | Machine |
| 42019 | 5530 | Feed Rock Shaft for 42020. |
| 42019 | | Feed Rock Shaft complete, Nos. 42019 |
| 42020 | | and 42021 |
| 42021 | 5530 | Feed Rock Shaft Crank with 157E, for |
| 42021 | 9990 | |
| | | 42020 |
| *42022 | - | Frame for 81-1 Machine |
| 42023 | 5576 | " Rotary Shaft |
| 42024 | 5576 | " Bushing (front) |
| 42025 | 5553 | " " Crank with 1259c |
| | | and 1375c |
| 42026 | 5576 | Frame Rotary Shaft Flanged Bushing |
| | | (back) with 54967 |
| 42027 | 5589 | Frame Side Cover (left) with 19045 |
| 42028 | 5526 | " " (right) hinged |
| 42029 | 5576 | " Top Cover for 81-1 Machine |
| 42030 | 5543 | Cord Guide Holder for 81-8 Machine |
| 42030 | 5543 | Frame Top Cover Extension for 81-1 |
| | | Machine |
| 42031 | 5543 | Cord Guide for 81-8 Machine |
| 42031 | 5543 | Frame Top Cover Extension Cord Guide |
| | | for 81-1 Machine |
| 42033 | 5542 | Knife (movable) |
| 42034 | 5542 | " " Gib for 42036 |
| 42034 | 5542 | " " Holder for 42036 |
| 42036 | 5542 | 11010101 101 12000 |
| 42000 | | " 42035 with 133F, 42034, 42037, 42040 and two 404D |
| 1000= | | |
| 42037 | 5542 | Knife (movable) Holder Cap for 42036 |
| 42038 | 5542 | Guide with 336F |
| 42039 | 5542 | " " Plate |
| 42040 | 5542 | Screw Extension |
| | | Pin for 42036 |
| 42041 | 5542 | Knife (movable) Holder Spring |
| 42042 | 5542 | " " Lever |
| 42043 | 5542 | " " Connection with |
| | | 42044 and two 175E |
| | | |

| | NO. | PLATE | NAME |
|---|-------|-------|--|
| 1 | 42044 | | Knife (movable) Lever Connection Cap |
| | 12011 | | for 42043 |
| | 42045 | 5542 | Knife (movable) Lever Hinge Stud |
| | 42045 | 5542 | Presser Lever Hinge Stud |
| | 42046 | 5543 | Knife (stationary) with 42049 |
| | 42047 | 5543 | " " Holder |
| | 42048 | 5543 | " Clamping Stud " Stud for 42046 |
| | 42049 | 5543 | " Stud for 42046 |
| | 42050 | 5553 | Looper (left hand) |
| | 42051 | 5553 | " " Toyor with 200 u |
| | 42052 | 5553 | " " Connecting |
| | | | Link |
| | 42053 | 5553 | Looper (left hand) Lever Hinge Stud |
| | 42054 | 5544 | Needle Bar |
| | 42055 | 5544 | " " Connecting Link |
| | 42057 | 5544 | " " Rod with 42059, |
| | 42001 | 9944 | 42076 and four 896E, for 81-1 Machine |
| * | 42059 | | Looper (right hand) and Spreader Lever |
| | 12000 | | Connection Cap (upper) for 42075 |
| 3 | 42059 | | Needle Bar Connecting Rod Cap (upper) |
| | 12000 | | for 42057 and 42347 |
| | 42061 | 5544 | Needle Bar Connecting Bracket with 187p |
| | 12001 | 0011 | and 223F |
| | 42065 | 5569 | Knife Grinder Knife Holder Bracket |
| | 12000 | 0000 | Hinge Stud for 41335 |
| | 42066 | 5544 | Needle Guard |
| | 42067 | 5541 | Presser Foot with 233p and 42068, for 81-1 |
| | | | Machine |
| | 42068 | 5541 | Presser Foot Chaining-off Finger for 42067 |
| | | | and 42357 |
| | 42069 | 5576 | Presser Lever |
| | 42070 | 5584 | " " Lifter |
| | 42071 | 5584 | " " Spring |
| | 42072 | 5584 | Spreader for 81-1 Machine |
| | 42073 | 5553 | Looper (right hand) and Spreader Lever |
| | | | with 1259c |
| | 42074 | 5553 | Looper (right hand) and Spreader Lever |
| | | | Ball Stud |
| | 42074 | 5553 | Needle Bar Crank (back) Ball Stud |
| | 42075 | 5553 | Looper (right hand) and Spreader Lever |
| | | | Connection with 42059, 42076 and four |
| | | | 896E |
| * | 42076 | | Looper (right hand) and Spreader Lever |
| | | | Connection Cap (lower) for 42075 |
| × | 42076 | | Needle Bar Connecting Rod Cap (lower) |
| | | | for 42057 and 42347 |
| | | | |

| NO | | PLATE | NAME |
|-----|-----|-------|--|
| 42 | 077 | 5584 | Looper (right hand) and Spreader Lever |
| | | | Connection Guide |
| | 077 | 5584 | Needle Bar Connecting Rod Guide |
| 42 | 078 | 5584 | Looper (right hand) and Spreader Lever |
| | | | Hinge Pin |
| | 079 | 5530 | Feed Rock Shaft Hinge Pin Bushing |
| 420 | 079 | 5530 | Looper (right hand) and Spreader Lever |
| | | | Hinge Pin Bushing |
| | 082 | 5556 | Tension (needle thread) Thread Guide |
| | 084 | 5556 | Thread (looper, left hand) Tube |
| | 085 | 5541 | Throat Plate for 42010 for 81-1 Machine |
| 42 | 086 | 5564 | Machine Base with three wood screws 11/4 |
| | | | in. No. 12 and four each 935D, 4718, |
| | | | 42088 and 66707 |
| | 088 | 5586 | Machine Cushion (felt) for 42086 |
| 42 | 089 | 5566 | Wrench for 1324, 1374 and 1629 (Accesso- |
| | | | ries) |
| 420 | 090 | 5566 | Threading Wire (Accessories) |
| 420 | 093 | 5556 | Thread (looper, right hand) Staple |
| 420 | 094 | 5526 | Feed Eccentric Cover for 81-1 Machine |
| | 096 | 5556 | Thread (needle) Eyelet |
| 42 | 097 | 5556 | " Take-up for 81-1 Ma- |
| | | | chine |
| 420 | 098 | 5530 | Feed Rock Shaft Hinge Pin |
| 42 | 100 | | Cloth Plate complete for 81-1 Machine, |
| | | | Nos. 42002 to 42005 two 236p and five |
| | | | 229p, obsolete |
| 42 | 101 | 5543 | Frame Side Cover (right) Lock Spring |
| 42 | 102 | 5543 | Feed Eccentric Cover Holder for 81-8 Ma- |
| | | | chine |
| 42 | 102 | 5543 | Frame Top Cover Extension Holder for |
| | | | 81-1 Machine |
| 42 | 103 | 5544 | Needle Bar Crank (back) with 1258c and |
| | | | two 1259c |
| 42 | 104 | 5544 | Needle Bar Crank (front) with 904c, |
| | | | 1258c and 1259c |
| 42 | 105 | 5544 | Needle Bar Crank Shaft |
| 42 | 106 | 5584 | Looper (right hand) and Spreader Lever |
| | | | Connection Oil Tube and Bracket with |
| | | | 29599 |
| 42 | 107 | - | Cloth Plate complete for 81-1 Machine, |
| | | | Nos. 42002, 42003, 42005, 42108, two |
| | | | 236c and five 229E |
| 42 | 108 | 5526 | Cloth Plate Extension (upper) for 42107 |
| | | 2211 | and 42362 |
| 42 | 115 | 5544 | Needle Bar Thread Retainer Bracket |

| NO. | PLATE | NAME |
|--------|---------|--|
| 42124 | 5590 | Thread (looper, left hand) Pull-off for 81-8 |
| | | Machine |
| 42125 | 5590 | Thread (looper, left hand) Pull-off Eyelet |
| | | for 81-8 Machine |
| 42127 | 5556 | Thread (looper, right hand) Take-up |
| | Nos. 42 | 130 to 42132 for 42133 and 42144 |
| 42130 | 5586 | Lifting Lever |
| 42131 | 5586 | " " Bracket |
| 42132 | 5586 | " " Spring |
| 42133 | | Foot Lifter complete, Nos. 1301p, 4885, |
| | | 6439, 42130 to 42132 and two each |
| 10110 | | 1148F, 1229c and 1547J |
| 42142 | 5564 | Lifting Lever Connecting Rod for 42144. |
| 42143 | 5564 | Rock Shaft complete for 42144, Nos. 2763, |
| | | 2768, 6337, 7125 and two each 2770 and |
| 42144 | | 12242 Knee Lifter complete, Nos. 1301p, 42130 |
| 42144 | | to 42132, 42142, 42143 and two each |
| | | 1148F, 1229c and 1547J |
| 42151 | 5590 | Feed (front) Bar with 1253c, for 81-8 |
| | 0000 | Machine |
| 42153 | 5589 | Feed Eccentric Cover for 81-8 Machine. |
| 42166 | 5553 | Looper (right hand) |
| 42242 | 7396 | Thread (looper, left hand) Eyelet |
| *42251 | | Arm with two each 462c and 42253, for |
| | | 81-1 Machine |
| 42253 | 5544 | Needle Bar Bushing for 42484 and 42486 |
| 42290 | 5530 | Feed Regulating Screw Stud Washer |
| | Nos. 4 | 2339 to 42364 For 81-8 Machine |
| *42339 | | Arm with two each 462c and 42253 |
| 42340 | 5590 | Feed (back) Bar |
| 42341 | 5590 | " " Adjusting Lever with 967p |
| 10010 | | and 42342 |
| 42342 | 5590 | Feed (back) Adjusting Lever Stud for |
| 10212 | FF41 | 42341 |
| 42343 | 5541 | Feed (back) Dog, 3 teeth (16 teeth to the |
| 42344 | 5541 | inch) |
| 12011 | 0011 | inch) |
| 42345 | 5590 | Feed Lifting Eccentric with two 462c |
| *42346 | | Frame |
| 42347 | 5590 | Needle Bar Connecting Rod with 42059, |
| | | 42076 and four 896E |
| 42348 | 5591 | Needle Bar Thread Retainer Disc (inside) |
| 42349 | 5591 | " " " (outside) |
| | | 10106 with 42350 |

| | NO. | PLATE | NAME |
|-----|--------|--------|---|
| | 42350 | | Needle Bar Thread Retainer Disc (outside) |
| | | | Bushing for 42349 |
| | 42351 | 5591 | Oil Pipe with 42353 and 42354, for oiling |
| | | | back bearing |
| | 42352 | 5591 | Oil Pipe with 42353 and 42354, for oiling |
| | 12002 | 0001 | front bearing |
| | 42353 | 5591 | Oil Pipe Coupling for 42351 and 42352 |
| | 42354 | 5591 | " " Oil Cup for 42351 and 42352 |
| | 42355 | 5591 | " " Strap for 42351 |
| | 42356 | 5591 | " " 42352 |
| | 42357 | 5541 | Presser Foot with 220p, 233p, 42068 and |
| | 42557 | 9941 | 42358 |
| | 10050 | | Presser Foot Stop Screw Stud for 42357 |
| | 42358 | 5541 | |
| | 42359 | 5591 | Spreader for 81-8 Machine |
| | 42360 | 5541 | Throat Plate for 42343 and 42344 |
| | 42361 | 5589 | Cloth Plate for 42362 |
| | 42362 | | Cloth Plate complete, Nos. 42005, 42108, |
| | | | 42361, 42363 two 236c and five 229E |
| | 42363 | 5589 | Cloth Plate Extension (lower) for 42362 |
| | 42367 | 5591 | Frame Rotary Shaft Front Bearing Oil |
| | | | Pad (braided cotton) |
| | 42418 | | Tension (looper, left hand) Screw Stud |
| | | | 828c with 1560c |
| | 42418 | | Tension (looper, right hand) Screw Stud |
| | | | 828c with 1560c |
| | 42483 | 7396 | Needle Bar Thread Retainer Disc for 81-1 |
| | | | Machine |
| × | 42484 | | Arm with two each 462c, 624c, 42253 and |
| | | | 42487, for 81-1 Machine |
| > | *42486 | | Arm with two each 462c, 624c, 42253 and |
| | 12100 | | 42487, for 81-8 Machine |
| | 42487 | 7396 | Needle Bar Crank Shaft Bushing for 42484 |
| | 42401 | 1000 | and 42486 |
| | 44209 | | Tension (needle thread) Screw Stud 916c |
| | 44209 | | with 1560c |
| | FOFES | a 7206 | Looper (left hand) Lever Connecting |
| | 50502 | c 7396 | Link Hinge Screw |
| | F4007 | FF01 | Frame Rotary Shaft Flanged Bushing |
| | 54967 | 5591 | (back) Oil Pad (braided cotton) for |
| | | | |
| | E0004 | EE00 | 42026 |
| | 56864 | | |
| | 56865 | | (Sinan) for Orob |
| | 66707 | | Machine Cushion Screw Washer for 42086 |
| - 5 | 120341 | 5566 | Tweezers, curved (Accessories) |
| 8 | 120344 | 5566 | Oiler (copper plated) with 120345 (Acces- |
| | 100- | 2, | sories) |
| 1 | 120345 | 5566 | Oiler Spout, 5 in. long, for 120344 |


| 7.02 | | |
|---------|-------|--|
| NO. | PLATE | NAME |
| 120440 | 5566 | Screw Driver (Accessories) |
| 2003830 | 7396 | Thread Unwinder Spool Rest Rod Set |
| | | Screw for 202490 |
| 2010180 | 7396 | Thread Unwinder Spool Rest Set Screw |
| | | for 225389 and 225395 |
| 201696л | 7396 | Thread Unwinder Thread Guide Lock Nut |
| | | for 225397 |
| 202490 | 7165 | Thread Unwinder Spool Standwith 200383c |
| | | for 225397 |
| 225388 | 7165 | Thread Unwinder Spool Rest Rod for |
| | | 225397 |
| 225389 | 7165 | Thread Unwinder Spool Rest (for one spool) |
| | | with 201018c, for 225397 |
| 225390 | 7234 | Thread Unwinder Thread Cone Holder |
| | | for inverted cones, for 225397 |
| 225391 | 7165 | Thread Unwinder Thread Guide for |
| | | 225397 |
| 225392 | 7165 | Thread Unwinder Thread Guide Rod with |
| | | 208E and 225393, for 225397 |
| 225393 | 7396 | Thread Unwinder Thread Guide Rod |
| | | Washer for 225392 |
| 225395 | 7165 | Thread Unwinder Spool Rest (for two |
| | | spools) with 201018c, for 225397 |
| 225397 | 7165 | Thread Unwinder complete, (for three |
| | | spools) Nos. 2016961, 202490, 225388, |
| | | 225389, 225392, 225395 three 225391 |
| | | and wood screws 7/8 in. No. 12 |
| | | |

Genuine Singer Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."

Needles in Containers marked
"For Singer Machines"
are not Singer made needles.


FOR MACHINES Nos. 81-1 and 81-8

PLATE 5526-ONE-HALF SIZE




From the library of: Superior Sewing Machine & Supply LLC

PLATE 5529-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC


PLATE 5530-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC


PLATE 5541-FULL SIZE

PLATE 5542-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 5543-FULL SIZE




From the library of: Superior Sewing Machine & Supply LLC

PLATE 5544-FULL SIZE 器 學

From the library of: Superior Sewing Machine & Supply LLC

PLATE 5553-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 5556-FULL SIZE




PLATE 5562-FULL SIZE






PLATE 5563-FULL SIZE




From the library of: Superior Sewing Machine & Supply LLC

PLATE 5564-ONE-FOURTH SIZE




From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC

PLATE 5567--ONE-HALF SIZE





From the library of: Superior Sewing Machine & Supply LLC

PLATE 5568-ONE-HALF SIZE


From the library of: Superior Sewing Machine & Supply LLC

PLATE 5569-FULL SIZE







From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC

PLATE 7165-ONE-SIXTH SIZE 225,395

From the library of: Superior Sewing Machine & Supply LLC




PLATE 7396-FULL SIZE 60914 56865 201696 225393

