FORM 18954 (1235) PRINTED IN U. S. A.

LIST OF PARTS



MACHINES Nos. 81-53 and 81-56

THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

BEFORE STARTING THE MACHINE apply Singer Cloth and Leather Oil to the oil cup in the bed of the machine until the reservoir is full. Also fill the oil cup at the top of the machine and thoroughly saturate the wick in the casting near the top of the needle bar. Then oil the needle bar link connection at the front of the machine, also the knife lever and presser lever bearings at the back of the machine. THEREAFTER, replenish the oil supply in the reservoir about once each day, or often enough to keep it filled. Twice a day apply oil to the remainder of the oiling points.

> Copyright, U. S. A. 1932, 1933 and 1935 by the Singer Manufacturing Co. All Rights Reserved for all Countries

ALTERATIONS IN

FORM 18954

JANUARY, 1936

THE SINGER MANUFACTURING CO.

From the library of: Superior Sewing Machine & Supply LL

and a second second

ALTERATIONS IN

FORM 18954

JANUARY, 1936

THE SINGER MANUFACTURING CO.

From the library of: Superior Sewing Machine & Supply LLC

ALTERATIONS IN

LIST OF PARTS

FOR

MACHINES Nos. 81-53 and 81-56

FORM No. 18954


PAGE 21

Change Heading to read:

WELT GUIDE

Delete the following numbers and descriptions:

132668	20809	Feed (back) Dog, 10 teeth (16 teeth to
		the inch)
132706	20814	Feed (front) Dog, 11 teeth (16 teeth to the inch)
132708	20814	Presser Foot (hinged) complete, Nos. 233J, 14058, 42461, 132609 to 132611, 132682, 132685 and 132707
132709	20814	Throat Plate




INDEX

Accessories	22
Bench Stands	22
Fittings Chart for No. 81-53 Machine	15
Fittings for No. 81-53 Machine	16
Fittings for No. 81-56 Machine	21
Foot Lifter Parts	23
Knee Lifter Parts	24
Knife Grinders	25
Machine Bases	26
Machine Base Oil Drain Jars	27
Machine No. 81-53	5
Machine No. 81-56	19
Numerical List of Parts	31
Obsolete Parts	29
Thread Unwinder	28

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column. The number stamped on a Sewing Machine Part is in every case the number of the single part only. Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination. Each number always indicates the SAME PART in whatever list it appears, or for whatever machine. The letters after some of the numbers indicate the style of finish only, as follows: A-Hardened, Polished, Nickel Plated and Buffed B-Polished, Nickel Plated and Buffed C-Hardened Only D-Polished Only E-Soft, Not Polished F-Hardened and Polished G-Bright Rumbled and Nickel Plated H-Blued J-Nickel Plated Only K-Hardened and Nickel Plated L-Brass Plated M-Oxidized N-Japanned, Dull P-Japanned, Bright R-Merlized T-Copper Plated T.A-Hardened, Polished, Copper and Nickel Plated and Buffed T.B-Copper and Nickel Plated and Polished T.J-Copper and Nickel Plated Only T.K-Hardened, Copper and Nickel Plated T.M-Copper Plated and Oxidized T.L-Copper and Brass Plated U-Zinc Plated V-Silver Plated W-Polished and Nickel Plated Y-Black Nickel Plated Only Z-Chromium Plated Z.B-Polished, Nickel Plated, Buffed and Chromium Plated Z.J-Nickel and Chromium Plated These letters MUST BE USED when they appear in the list; and AFTER the number as in the list. In this series: 1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts. The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering. Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

LIST OF PARTS COMPLETE FOR



MACHINE No. 81-53

For Trimming, Overedging and Closing Seams in Light and Medium Weight Knit Material and Rayon. Three-thread stitch. Foot Lifter. Gathering feed. The front and rear feed dogs rise and fall simultaneously and can be adjusted to regulate the fullness of the gathering in sweater material or for Rayon material where gathering is not required. Speed up to 5000 R.P.M. on short runs, depending on the material being stitched.

No.	Plate	Name
•132522		Arm with 15404,42253,132580 and two
		each 462C, 624C, 15405 and 132589
4389	20821	Arm Dowel Pin
68350	20821	" 011 Cup
949E	20806	" Screw
132632	20827	Balance Wheel, 1 7/8 in. pulley, with
		446C and 1285C
1285C	20807	Balance Wheel Position Screw
446C	7409	" " Set Screw

No.	Plate	Name
132654	20827	Chip Guard
132524	20808	Cloth Plate with 132525
132601	20808	" " Extension (lower)
233E	20809	" " " Screw
42108	20821	" " (upper)
233E	20809	" " " Screw
•132525		" " Hinge Bracket
132526	20821	" " Stud
50150C	20821	" " " Set Screw
42005	20821	" Lock Spring
2360	20821	" " Screw
132527		Cloth Plate complete, Nos. 42005, 42108,
		132524,132601,two 236C and five
		233E
132665	20819	Feed (back) Bar
11320	20819	" " Hinge Screw
132666	20819	" " " " Pin (hollow)
132667	20819	" " Connecting Link
132668	20809	" " Dog, 10 teeth (16 teeth to
		the inch)
No	te: No	. 132668 is sent with this Machine, unless
		otherwise specified on order.
203E	20824	Feed (back) Dog Screw
132670	20819	" " Regulator
51360W	20819	" " Position Screw
132671	20819	" (front) Bar with 1253C
•132672		" " 132671 with 1132C,51360W
		132528, 132539, 132665 to 132667,
		132670 and 132676 (For factory use
		only)
132528	7406	Feed (front) Bar Hinge Pin
12530	7406	" " " Set Screw
132529	7407	" " Connecting Rod with 171C,
		1695J and two 1057E
132643		Feed (front) Connecting Rod 132529 with
		132644
1057E	20804	Feed (front) Connecting Rod Cap Screw
512920	7407	" " " Hinge Screw.
1710	7413	и и и и и и
		Clamping Screw
1695J	7407	Feed (front) Connecting Rod Hinge Screw
		Clamping Screw Nut
1520J	5569	Feed (front) Connecting Rod Hinge Screw
		Nut
132673	20809	Feed (front) Dog, 11 teeth (16 teeth to
		the inch)
Not	te: No.	132673 is sent with this Machine, unless
		otherwise specified on order.

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
190E	7406	Feed (front) Dog Screw
•132531		" " Eccentric
•132532		" " Body
1036C	5569	" " " Set Screw
19047	7407	" " Clamping Washer.
201J	7407	
~~~~		Screw
132533	7407	Feed (front) Eccentric 011 Tube
132644	20822	Feed (front) Eccentric (adjustable) com-
100011	20022	plete, Nos. 201J, 19047, 51145C,
		132531 to 132533 and two 1036C
132651	7407	Feed (front) Eccentric Cover
50253J	7407	" " " Screw
132712	20822	" " Lint Cover
		(spring)
132785	20803	Feed (front) Eccentric Lubricator with
		132537
132537	20803	Feed (front) Eccentric Lubricator Oil
		Wick (braided cotton)
132649	20803	Feed (front) Lifting Eccentric with two
		4620
132539	20803	Feed (front) Lifting Eccentric Connec-
		tion
4620	20803	Feed (front) Lifting Eccentric Set Screw
51145C	7407	" " Regulating Screw
132675	20819	" " Rock Shaft
132676		Feed (front) Rock Shaft complete, Nos.
		42021 and 132675
42021	20803	Feed (front) Rock Shaft Crank with 157E.
157E	20803	" " " " Clamping
		Screw
132542	20803	Feed (front) Rock Shaft Hinge Pin with
		132544
132543	20803	Feed (front) Rock Shaft Hinge Pin Bush-
		ing
132816	20823	Feed (front) Rock Shaft Hinge Pin Bush-
		ing Oil Wick (wick)
1036C	20803	Feed (front) Rock Shaft Hinge Pin Bush-
		ing Set Screw
132544	20803	Feed (front) Rock Shaft Hinge Pin Oil
		Wick (braided cotton)
•132545		Frame
132546	20808	Bottom Cover with 132594
132547	20808	Gasket
190E	7406	Screw
132548	20821	011 Cup
132549	20827	Rotary Shart with 132558 and
		132559

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
132616		Frame Rotary Shaft 132549 with 132585
100010		and 132695
•132862		Frame Rotary Shaft Bushing (front)
132863	20817	"""132862
		with 132835,132864 and two 132715
132864	20823	Frame Rotary Shaft Bushing (front) 011
		Pad (braided cotton)
132715	20817	Frame Rotary Shaft Bushing (front) 011
		Pad Retainer
132817	20823	Frame Rotary Shaft Bushing (front) 011
		Wick (wick)
513320	20821	Frame Rotary Shaft Bushing (front) Set
		Screw
132769	20817	Frame Rotary Shaft Crank with 1036C,
		1375C and 132773
132770	20817	Frame Rotary Shaft Crank Ball Sleeve
132771	20817	" " " " Bush-
10045	00010	ing
1664E	20817	Frame Rotary Shaft Crank Ball Sleeve
132772	20817	Bushing Nut.
102112	20017	Frame Rotary Shaft Crank Ball Sleeve
132773		Bushing Nut Washer Frame Rotary Shaft Crank Ball Sleeve
102110		Bushing Position Pin
132774	20817	Frame Rotary Shaft Crank Ball Sleeve
100//1	20011	Guide
13750	20817	Frame Rotary Shaft Crank Position Screw.
1036C	20817	" " " Set Screw
132775		Frame Rotary Shaft Crank complete, Nos.
		1664E and 132769 to 132772
132835	20817	Frame Rotary Shaft Crank 011 Sling Cover
•132865		" " " Flanged Bushing
		(back)
132866	20827	Frame Rotary Shaft Flanged Bushing
		(back) 132865 with 132692,132867,
		132868 and two 132603
132867	20823	Frame Rotary Shaft Flanged Bushing
		(back) Oil Pad (large) braided cot-
132868	20823	ton
102000	20020	Frame Rotary Shaft Flanged Bushing
		(back) Oil Pad (small) braided cot- ton
132603	20827	Frame Rotary Shaft Flanged Bushing
	20021	(back) Oil Pad Retainer
132817	20823	Frame Rotary Shaft Flanged Bushing
		(back) Oil Wick (wick)
513320	20821	Frame Rotary Shaft Flanged Bushing
		(back) Set Screw

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
132558	20823	Frame Rotary Shaft 011 Pad (braided cot-
		ton)
132559	20823	Frame Rotary Shaft Oil Pad Retainer
•132692	20827	" " " Sling Cover
132560	20827	" Side Cover (left) with 132701
132701	20821	
		" " Handle
330W	20821	Screw
42028	20827	(right) Hinged
42101	20821	" " " Lock Spring
330W	20821	" " " Screw
132780	20808	" Top Cover
132781		" " 132780 with 132782 to
		132784 and two 197J
132650	7409 .	Frame Top Cover Extension
42102	7409	" " Holder
	7409	
132600		" " " 42102
		with 42101,132650,132651 and two
		each 176J and 50253J
283W	7409	Frame Top Cover Extension Holder Thumb
		Screw
19044	7409	Frame Top Cover Extension Holder Thumb
		Screw Washer
176J	20806	Frame Top Cover Extension Screw
132782	20821	" " " Oil Reservoir Cover
197J	7414	" " " Screw
132783	20821	" " " Tube
		" " " " Wick
132784	20821	WICK
583F	20806	Screw (large)
742F	20806	(Small)
42305	20818	Knife (movable)
No	te: Two	No. 42305 are sent with this Machine.
42306	20818	Knife (movable) Gib
42307	20818	" " Holder
42308		" " 42307 with 133F,
		42040 and 42306
42038	20818	Knife (movable) Holder Guide with 336F
42039	20818	
621E	20818	" Plate
336F	20818	" " " Set Screw.
in the second second	and the second second	bet bliew
133F	20818	
42040	20818	Extension
-		Pin
42041	20818	Knife (movable) Holder Spring
132562	20804	" " Lever with 175E
132563	20804	" " Connection with
		two 1057E
132620		Knife (movable) Lever Connection 132563
		with 132649

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
1057E	20804	Knife (movable) Lever Connection Cap
132565	20804	Screw Knife (movable) Lever Connection Hinge Stud
175E	20804	Knife (movable) Lever Connection Hinge Stud Set Screw
42045	20804	Knife (movable) Lever Hinge Stud
12290	20804	" " " " Set
42309	20818	Knife (stationary) with 42049
No	ote: 1	wo No. 42309 are sent with this Machine.
42310	20818	Knife (stationary) Clamping Stud
1534D	20818	" " " " Thumb Nut
132767	20818	" " Holder
13760	20818	" Regulating
		Thumb Screw
1101C	20818	Knife (stationary) Holder Screw
440C	20818	" " Stop Screw
1547J	20818	" " " Nut
42049	20818	" " Stud
42050	20822	Looper (left hand)
50117C	20822	Clamping Screw
132566	20820	" " Lever with 50117C and
		two 1253C
•132717		Looper (left hand) Lever Connecting Stud
132718	20822	
170510		132717 with 68497,132719 and 132721
132719	20822	Looper (left hand) Lever Connecting Stud
132720	-	Cap
102/20	20822	Looper (left hand) Lever Connecting Stud
12530	7406	Hinge Pin
12000	7406	Looper (left hand) Lever Connecting Stud
68497	20822	Hinge Pin Set Screw
00101	20022	Looper (left hand) Lever Connecting Stud
132721	20822	Oil Pad (wick) Looper (left hand) Lever Connecting Stud
	20000	011 Pad Retainer
132569	20822	Looper (left hand) Lever Hinge Stud with
		132552
132552	20822	Looper (left hand) Lever Hinge Stud Oil
		Pad (braided cotton)
132816	20823	Looper (left hand) Lever Hinge Stud Oil
		Wick (wick)
10360	5569	Looper (left hand) Lever Hinge Stud Set
		Screw
132630	20820	Looper (right hand)
132698	20820	" and Spreader Lever
		with 233E,241E and 50200C

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
132703		Looper (right hand) and Spreader Lever
195109		
		132698 with 132699
•132606		Looper (right hand) and Spreader Lever
		132703 with 132566, 132569, 132629,
		132718 and 132720 (For factory use
		only)
132802	20817	Looper (right hand) and Spreader Lever
		Ball Stud
500000		Looper (right hand) and Spreader Lever
50200C	7413	
		Ball Stud Set Screw
132777	20817	Looper (right hand) and Spreader Lever
		Connection with four 896E
1/10000		Looper (right hand) and Spreader Lever
132779		Looper (right hand) and spreader hever
		Connection 132777 with 132774,
	•	132775 and 132802
896E	20817	Looper (right hand) and Spreader Lever
COOL	20011	
		Connection Cap Screw
132699	20805	Looper (right hand) and Spreader Lever
		Hinge Pin with 125056
132543	20803	Looper (right hand) and Spreader Lever
105040	20000	Hinge Pin Bushing
		Hinge Fin Bushing
132816	20823	Looper (right hand) and Spreader Lever
		Hinge Pin Bushing Oil Wick (wick)
10360	5569	Looper (right hand) and Spreader Lever
10000	0000	Hinge Pin Bushing Set Screw
		Hinge Fin Bushing Set Sciew
125056	20805	Looper (right hand) and Spreader Lever
		Hinge Pin Oil Pad (braided cotton).
10360	5569	Looper (right hand) and Spreader Lever
10000	0000	Hinge Pin Set Screw
241E	20820	Looper (right hand) and Spreader Lever
		011 Plug Screw
197J	7414	Looper (right hand) Screw
42054	20805	Needle Bar
		" "Bushing (lower)
42253	20805	Busning (lower)
132580	20805	(upper/
132581	20805	" " " 011 Pad (braid-
		ed cotton)
170201	20805	Needle Bar Bushing (upper) 011 Pad Cover
132621		" " " " " " " "
217J	20805	
		Screw
4620	20803	Needle Bar Bushing Set Screw
	20805	" " Connecting Bracket with 187E
132598	20805	
		and 223F
187E	20805	Needle Bar Connecting Bracket Clamping
		Screw
132582	20805	Needle Bar Connecting Link
and the second s		" " " Hinge Pin
132583	20805	
		with 132584

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
132584	20805	Needle Bar Connecting Link Hinge Pin Oil
		Pad (wick)
223F	20805	Needle Bar Connecting Link Hinge Pin Set
		Screw for 132598
6200	7413	Needle Bar Connecting Link Hinge Pin Set
		Screw for 132597
132585	7413	Needle Bar Connecting Rod with four
		1057E
1057E	20804	Needle Bar Connecting Rod Cap Screw
132577	20805	" " " Guide
196F	20805	" " " Screw
132588	7413	" " Crank (back) with 132590 and
		two 12500
•132573		two 1259C Needle Bar Crank (back) Ball Stud
132695	20805	" " " " " " 132573
102030	20000	100010
132696	00005	with 182696
195030	20805	Needle Bar Crank (back) Ball Stud 011
10500		Pad (felt)
12590	7413	Needle Bar Crank (back) Ball Stud Set
		Screw
132589	7413	Needle Bar Crank (back) Bushing
624C	7413	" " " " Set
		Screw
132590	7413	Needle Bar Crank (back) Oil Pad (wick)
1259C	7413	" " " Set Screw
132597	7413	" " (front) with 620C, 1259C
		and 50200C
132615		Needle Bar Crank (front) 132597 with
		132582,132598 and two 132583
12590	7413	Needle Bar Crank (front) Position Screw.
50200C	7413	" " Set Screw
42115	7413	
42483	7413	" " " " Disc
930	7413	
10107	7413	Screw
17280	20805	Spring
42066	7413	" Clamping Nut
42000 171F	7413	" Guard
132679	7413	" " Screw
132680	20809	Presser Foot Body with 735C
		" Chaining-off Finger
233J 132609	20809	Screw
		" " Plate
132610	20809	Collar
100011		with 2400
132611	20809	Presser Foot Chaining-off Plate Collar
		Guide Pin
735C	20809	Presser Foot Chaining-off Plate Collar
		Guide Pin Set Screw

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
2400	20809	Presser Foot Chaining-off Plate Collar
~~~~	20000	Set Screw
14058	20809	Presser Foot Chaining-off Plate Spring.
132681	20809	Presser Foot (solid) complete, for knit
		goods, Nos. 233J, 14058, 132609 to
		132611,132679 and 132680
No	ote: No.	
		otherwise specified on order.
13240	20824	Presser Foot Screw
39541	20824	" " Washer
42069	20827	" Lever
42045	20804	" " Hinge Stud
11200	20806	" " " Set Screw
42070	7414	" " Lifter
85D	7414	" " " Hinge Screw
13770	20807	" " Screw Stud (eccentric)
1547J	7409	" " " Nut
42071	7414	" " Spring
1378D	7414	Pressure Regulating Thumb Screw
132631	20820	Spreader
197J	7414	" Screw
2102	7414	Tension (looper, left hand) Disc
1560C	7414	Regulating
50148C	F147.4	Thumb Nut
124687	7414	Tension (looper, left hand) Screw Stud
10007		50148C with 1560C
54883	7414	Tension (looper, left hand) Spring
132599	7414	" " " " Thread Guide
2102	7414	" " right hand) Disc
15600	7414	" " " Regulating
		Thumb Nut
8280	7414	Tension (looper, right hand) Screw Stud.
42418		
		828C with 1560C
10148	7414	Tension (looper, right hand) Spring
2102	7414	" (needle thread) Disc
1560C	7414	" " " Regulating Thumb
		Nut
9160	7414	Tension (needle thread) Screw Stud
44209		" " " " 916C
		with 1560C
10148	7414	Tension (needle thread) Spring
42082	7414	" " Thread Guide
132629 233E	20806 20809	Thread (looper, left hand) Eyelet
233E 42122	20809	Screw.
ANT NO	20000	Nipper Spring
		(lower)

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
42123	20806	Thread (looper, left hand) Nipper Spring
		(upper)
176J	20806	Thread (looper, left hand) Nipper Spring
		Screw
42084	20806	Thread (looper, left hand) Tube
4620	20803	" " " " Set Screw
42126	20806	" " " Pull-off
132652	20820	" " right hand) Controller
132653	20820	и п и и и
		Eyelet
1,32591	20806	Thread (looper, right hand) Pull-off
42244	20806	"" "Eye-
		let
207J	20806	Thread (looper, right hand) Pull-off
		Eyelet Screw
132664	20806	Thread (looper, right hand) Staple
176J	20806	""" Screw
7071	20821	
		Washer
42127	20806	Thread (looper, right hand) Take-up
197J	7414	Screw
132622	20806	" (needle) Eyelet
223J	20805	" Screw
132623	20806	" " Take-up
197J	7414	" " " Screw
132688	20809	Throat Plate, for 1/8 in. to 3/16 in.
		bight, for 132668 and 132673
Not	e: No.	132688 is sent with this Machine, unless
		otherwise specified on order.
742F	20806	Throat Plate Screw
•15404		Trade Mark
15405		" " Rivet

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines"

are not Singer made needles.

2

From the library of: Superior Sewing Machine & Supply LLC

FITTINGS

FOR MACHINE No. 81-53

Feed (back) Dog Feed (front) Dog Presser Foot (solid) Presser Foot (hinged) Throat Plate	For Knit Goods 1/8" to 3/16" <u>Bight</u> 132668 132673 132681 132686 132688	For Knit Goods 3/16" to 1/4" <u>Bight</u> 132668 132673 132681 132686 132689	For R 3/32" to <u>B1g</u> 1326 1326 1326	5/32" ht 69 74 87
Feed (back) Dog Feed (front) Dog Presser Foot (solid) Presser Foot (hinged) Throat Plate		For Blind Stitching <u>For Ravon</u> 132669 132722 132708 132723	For Stitching Collars to bodies of heavy sweaters 3/16" to 1/4" <u>Bight</u> 132761 132762 132764 132765	For Knit Goods with elastic tape inserted in seam 1/8" to 3/16" <u>Bight</u> 132761 132762 132768 132765

FITTINGS FOR No. 81-53 MACHINE

FOR KNIT GOODS

FOR 1/8 IN. TO 3/16 IN. BIGHT

No.	Plate	Name
132668	20809	Feed (back) Dog, 10 teeth (16 teeth to the inch)
132673	20809	Feed (front) Dog, 11 teeth (16 teeth to the inch)
132679		Presser Foot Body with 735C
132680	20809	" " Chaining-off Finger
233J	20809	" " Screw
132609		" " Plate
132610	20809	" " " Collar
		with 240C
132611	20809	Presser Foot Chaining-off Plate Collar Guide Pin
7350	20809	Presser Foot Chaining-off Plate Collar Guide Pin Set Screw.
2400	20809	Presser Foot Chaining-off Plate Collar Set Screw
14058	20809	Presser Foot Chaining-off Plate Spring
132681	20809	Presser Foot (solid) complete, Nos. 233J 14058,132609 to 132611,132679 and 132680
42461	20809	Presser Foct Hinge Pin
132683		" " Plate
132685		" " Shank with 735C
132686	20809	Presser Foot (hinged) complete, Nos.233J 14058,42461,132609 to 132611,132680
		132683 and 132685
132688	20809	Throat Plate

FOR KNIT GOODS

FOR 3/16 IN. TO 1/4 IN. BIGHT

No.	Plate	Name
132668	20810	Feed (back) Dog, 10 teeth (16 teeth to
		the inch)
132673	20810	Feed (front) Dog, 11 teeth (16 teeth to
		the inch)
132681	20810	Presser Foot (solid) complete, Nos. 233J
		14058,132609 to 132611,132679 and
		132680
132686	20810	Presser Foot (hinged) complete, Nos.233J
		14058,42461,132609 to 132611,132680
		132683 and 132685
132689	20810	Throat Plate

From the library of: Superior Sewing Machine & Supply LLC

FOR RAYON

FOR 3/32 IN. TO 5/32 IN. BIGHT

No.	Plate	Name
132669	20811	Feed (back) Dog, 14 teeth (22 teeth to the inch)
132674	20811	Feed (front) Dog, 15 teeth (22 teeth to the inch)
132682	20811	Presser Foot Chaining-off Finger
132687	20811	Presser Foot (hinged) complete, Nos.233J 14058,42461,132609 to 132611,132682 132683 and 132685
132690	20811	Throat Plate

FOR STITCHING COLLARS TO BODIES OF HEAVY SWEATERS

FOR 3/16 IN. TO 1/4 IN. BIGHT

No.	Plate	Name
132761	20812	Feed (back) Dog, 7 teeth (12 teeth to the inch)
132762	20812	Feed (front) Dog, 8 teeth (12 teeth to the inch)
132763		Presser Foot Body with 735C
132764	20812	Presser Foot (solid) complete, Nos. 233J 14058,132609 to 132611,132682 and 132763
132765	20812	Throat Plate

FOR KNIT GOODS WITH ELASTIC TAPE INSERTED IN THE SEAM FOR I/8 IN. TO 3/16 IN. BIGHT

No.	Plate	Name
132761	20813	Feed (back) Dog, 7 teeth (12 teeth to the inch)
132762	20813	Feed (front) Dog, 8 teeth (12 teeth to the inch)
132768	20813	Presser Foot (solid) complete, Nos. 233J 14058,132609 to 132611,132679 and 132682
132765	20813	Throat Plate

FOR BLIND STITCHING FOR KNIT GOODS

No.	Plate	Name
132668	20814	.Feed (back) Dog, 10 teeth (16 teeth to
		the inch)
132706	20814	Feed (front) Dog, 11 teeth (16 teeth to
		the inch)
132707		Presser Foot Plate
132708	20814	Presser Foot (hinged) complete, Nos.233J
		14058,42461,132609 to 132611,132682
		132685 and 132707
132709	20814	Throat Plate

FOR BLIND STITCHING

FOR RAYON

No.	Plate	Name
132669	20815	Feed (back) Dog, 14 teeth (22 teeth to the inch)
132722	20815	Feed (front) Dog, 16 teeth (22 teeth to the inch)
132708	20815	Presser Foot (hinged) complete, Nos.233J 14058,42461,132609 to 132611,132682 132685 and 132707
132723	20815	Throat Plate

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles.

2

18

MACHINE No. 81-56

For Trimming, Overedging and Blind Stitch Hemming or Welting in Knit Underwear. Three-thread stitch. Foot Lifter. Gathering feed. Speed up to 5000 R. P. M. on short runs, depending on the material being stitched.

NOTE: THIS MACHINE IS THE SAME AS THE 81-53 MACHINE WITH THE FOLLOWING EXCEPTIONS.

No.	Plate		Name
42147	7406	Feed	(back) Bar, in place of 132665
610	7406	n	" " Hinge Screw, in place
			of 1132C
42148	7406	Feed	(back) Connecting Link, in place of
			132667
11320	7406		(back) Connecting Link Hinge Screw.
42149	20816	11	" Dog, 3 teeth (16 teeth to
			the inch) in place of 132668
42150	7406	Feed	(back) Regulator, in place of
			132670
11320		Feed	(back) Regulator Hinge Screw
·190J			" Set Screw
1444C			Thumb Screw
42151	7406	"	(front) Bar with 1253C, in place of
			132671
•132624		Feed	(front) Bar 42151 with 610,42147,
			42148,42150,132528,132539,132541
			and two 1132C, in place of 132672
132619		Deed	(For factory use only)
195019		reed	(front) Connecting Rod 132529 with
42182	20816	Food	132534, in place of 132643 (front) Dog, 17 teeth (16 teeth to
40100	20010	reeu	the inch) in place of 132673
•132702		Food	(front) Eccentric Body, in place of
TOPLOP		reed	132532
132534	7407	Feed	(front) Eccentric complete, Nos.
100001			201J,19047,51145C,132531,132533,
			132702 and two 1036C, in place of
			132644
132540	7406	Feed	(front) Rock Shaft, in place of
			132675
132541			(front) Rock Shaft complete, Nos.
			1444C, 42021 and 132540, in place of
			132676

No.	Plate	Name
42213	7409	Knife (movable) in place of 42305
No	te: Two	No. 42213 are sent with this Machine.
42214	7409	Knife (movable) Gib, in place of 42306
42035	7409	" " Holder, in place of
		42307
132627		Knife (movable) Holder 42035 with 133F, 42037,42040,42214 and two 404E, in place of 42308
42037	7409	Knife (movable) Holder Cap
404E	7409	" " " Screw
42046	20804	" (stationary) with 42049, in place
	20004	of 42309
No	te: Two	No. 42046 are sent with this Machine.
42048	20804	Knife (stationary) Clamping Stud, in
10010	20001	place of 42310
132766	20804	Knife (stationary) Holder, in place of
		132767
•132639		Looper (right hand) and Spreader Lever
		132703 with 42242, 132566, 132569,
		132718 and 132720 (For factory use
		only) in place of 132606
42183		Presser Foot Body
42184	20816	" " Chaining-off Finger
233J	20816	" " " Screw
9320	20816	" " Hinge Pin
42159		" " Plate
14058	20816	" " Spring
42160	20816	" " Adjusting Pin
464C	20816	. " " " " Set
		Screw
42185	20816	Presser Foot (spring hinged) complete,
		Nos. 233J, 464C, 9320, 14058, 42159,
		42160,42183 and 42184, in place of
		132681
42242	20820	Thread (looper, left hand) Eyelet, in
		place of 132629
42452	20816	Throat Plate for 42149 and 42182, in
		place of 132688

From the library of: Superior Sewing Machine & Supply LLC

FITTINGS FOR BLIND STITCH WELTING

FOR NO. 81-56 MACHINE

No.	Plate	Name
132668	20809	Feed (back) Dog, 10 teeth (16 teeth to
		the inch)
132706	20814	Feed (front) Dog, 11 teeth (16 teeth to
		the inch)
132708	20814	Presser Foot (hinged) complete, Nos.233J
		14058,42461,132609 to 132611,132682
		132685 and 132707
132709	20814	Throat Plate
42473	20825	Welt Guide
42475	20825	" " Hinge (female half)
42476	20825	" " (male half)
42474	20825	" " Pin
42477	20825	" " Rivet
132710	20825	" " Holder
•132758		" " 132710 with 190J,1117J
		1209C and 22436 (For factory use
		only)
12090	20825	Welt Guide Holder Screw
22436	20825	" " " Washer
1117J	20825	" Regulating Thumb Screw
190J	20825	" " Screw
42478	20825	" " Spring
132869		" " 42478 with 42475 and
		two 42477
42188	20825	Welt Guide (hinged) complete, Nos. 42473
		42474,42476,132869 and two 42477

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles.

2

21

ACCESSORIES

No.	Plate	Name
1408J	20826	Machine Base Thumb Screw, for 1 5/8 in.
		tables and Individual Stands, for
		use when machine is mounted on top
		of table
474J	20826	Machine Base Thumb Screw, for use when
		machine is mounted 1 1/2 in. lower
		than standard
14063	20807	Machine Base Thumb Screw Spring, for
		Thumb Screw No. 1408, when machine
		is mounted on Individual Stand
27498	20826	Machine Base Thumb Screw Spring, for
		Thumb Screw No.1408 on 1 5/8 in.
		Tables and Thumb Screw No. 474 when
		machine is mounted 1 1/2 in. lower
		than standard
9842	7419	Machine Base Thumb Screw Spring Washer.
132602	20807	#d.01101
120344	5566	Oiler (copper plated) with 120345
120345	5566	" Spout, 5 in. long
120440	5566	Screw Driver
42090	5566	Threading Wire
120341	5566	Tweezers (curved)
42089	5566	Wrench for 1324
8908	5566	" " 1520
4822	5566	" " 1547

BENCH STANDS

BENCH STAND NO. 79768 FOR MACHINE BASE NO. 132592 WHEN MACHINE IS MOUNTED ON TOP OF TABLE

No.	Plate	Name
79768		Bench Stand with 27998, two each 28291, 46548,wood screws 1 1/2 in. No. 12
		F.H. and eight wood screws 5/8 in. No.5 F.H.
28291	20807	Cover Hinge with two each wood screws 1/2 in.No.5 F.H.and 5/8 in.No.5 F.H

BENCH STANDS

No.	Plate	Name
27998	20807	Cover Hook and Eye (brass) with wood
		screw 1/2 in. No. 5 F.H
46548	20807	Cover Rest (felt)

BENCH STAND NO. 79790 FOR MACHINE BASE NO. 132656 WHEN MACHINE IS MOUNTED I 1/2 IN. LOWER THAN STANDARD FOR FRONT PLANKS NOS. 123882 TO 123885

No.	Plate	Name
79790		Bench Stand with 27998,60820, two each
		28291,46548,150244, three each wood
		screws 1 1/4 in. No. 12 F.H., 1 1/2
		in. No. 14 F.H. and eight wood
		screws 1/2 in. No. 5 F.H
60820		Cover Chain, 9 1/4 in. long with two
		56865
56865	20807	Cover Chain Hook
150244	20826	" " Screw Eye
28291	20807	" Hinge with two each wood screws
		1/2 in. No. 5 F.H. and 5/8 in. No.5
		F.H
27998	20807	Cover Hook and Eye (brass) with wood
		screw 1/2 in. No. 5 F.H
46548	20807	Cover Rest (felt)

FOOT LIFTER PARTS

No.	Plate			Name				
6439		Chain,	36 in	to 45	in.,	with	56864	and
		5	6865					
No	te: W	hen order	ing No	. 6439,5	state	lengt	h requ	ired
4879	5566	Chain	Connec	ting Lin	nk			
56864	5566	11	Hook (large).				
56865	20807	"	" (;	small).				
42130	20824	Liftin	g Leve	r				
42131	20824	n	"	Brack	et			
12290	20804	"	"	H	Sci	rew		
1301D	20824	II	"	Hinge	Scre	w		
42132	20824	"	"	Spring	g			
1148F	20824	"	"	Stop 1	Screw			

FOOT LIFTER PARTS

No.	Plate	Name
1547J	7409	Lifting Lever Stop Screw Nut
4881	20808	Treadle
4882	5566	" Shaft
4883	5566	" Spring
4884	20808	" Stand
4885	20808	Treadle complete, Nos. 4879,4881 to 4884
		and two wood screws 1 in. No. 16
42133		Foot Lifter complete, Nos. 1301D, 4885,
		6439,42130 to 42132 and two each
		1148F,1229C and 1547J

KNEE LIFTER PARTS

No.	Plate	Name
42130	20824	Lifting Lever
42131	20824	" " Bracket
12290	20804	" " " Screw
42142	20808	" Connecting Rod
1301D	20824	" " Hinge Screw
42132	20824	" " Spring
1148F	20824	" " Stop Screw
1547J	7409	" " " Nut
2763	20808	Rock Shaft
12242	20808	" " Hanger with two wood screws 1
		in. No. 10
2765	20808	Rock Shaft Knee Arm
2766	20808	" " " " Hub with 356C
356C	20807	" " " " " Set Screw
2768		Rock Shaft Knee Arm complete, Nos. 2765
		to 2767
0000	20808	Pools Shoft Vaca Diata adda 2502
2767	20000	
356C		Rock Shaft Knee Plate with 356C
	20808 20807 20808	" " " Set Screw
356C	20807	" " Set Screw Lifting Bracket with two 356C
356C 6337 7125	20807 20808	" " " Set Screw " " Lifting Bracket with two 3560 " " " Hook
356C 6337	20807 20808 20808	" " Lifting Bracket with two 356C " " " Hook " " " " " " " " " " " " " " " " "
356C 6337 7125 356C	20807 20808 20808 20807	" " " " " " " " " " " " " " " " " " "
356C 6337 7125 356C 356C	20807 20308 20808 20807 20807	" " " " " " " " " " " " " " " " " " "
356C 6337 7125 356C 356C 2770	20807 20308 20808 20807 20807 20808	" " " " " " " " " " " " " " " " " " "
356C 6337 7125 356C 356C 2770 356C	20807 20808 20808 20807 20807 20808 20808	" " " " " " " " " " " " " " " " " " "
356C 6337 7125 356C 356C 2770 356C	20807 20808 20808 20807 20807 20808 20808	" " " " " " " " " " " " " " " " " " "
356C 6337 7125 356C 2770 356C 42143	20807 20808 20808 20807 20807 20808 20808	<pre>" " " Set Screw" " " Lifting Bracket with two 3560 " " " Hook" " " " Set Screw " " Set Screw" " Stop Dog with 3560" " " Set Screw Rock Shaft complete, Nos. 2763,2768,6337 7125 and two each 2770 and 12242 Knee Lifter complete, Nos. 1301D,42130</pre>
356C 6337 7125 356C 2770 356C 42143	20807 20808 20808 20807 20807 20808 20808	" " " " " " " " " " " " " " " " " " "

KNIFE GRINDERS

KNIFE GRINDER NO. 41819 FOR KNIVES NOS. 42305 AND 42309 FOR MACHINE NO. 81-53

No.	Plate	Name
41326	20829	Emery Wheel
1508C	5569	" " Clamping Nut
41327	20829	" " Shaft
41328	20829	" " Pulley with 1036C
10360	5569	" " " " Set Screw
41513	5569	" " Washer
41329	20830	Frame with 1036C
878D	5569	" Oil Hole Stop Screw
41818	20829	Knife Holder with two 14222
150210		" " 41818 with 970D,41331,41332
		and two each 313C, 771D, 1519J, 41333
		and 41334
41331	20829	Knife Holder Bracket with 157E
157E	5569	" " Clamping Screw
42065	5569	" " Hinge Stud
10360	5569	" " " " " Set Screw
7170	5569	" " Stop Screw
1520J	5569	" " " " Nut
41333 `	5569	" " Clamp
41334	5569	" " " Spring
14222	5569	" " " Steady Pin
771D	5569	" " " Thumb Screw
970D	5569	" " Regulating Thumb Screw
3130	5569	" " Screw Center
1519J	5569	" " " Nut
41332	5569	" " Spring
41819		Knife Grinder complete, Nos. 717C, 1508C,
		1520J,41326 to 41329,42065,150210,
		two each 878D, 41513 and three wood
		screws 1 1/4 in. No. 12

25

KNIFE GRINDER NO. 41335 FOR KNIVES NOS. 42046 AND 42213 FOR MACHINE NO. 81-56 THIS KNIFE GRINDER IS THE SAME AS NO. 41819 WITH THE FOLLOWING EXCEPTIONS

No.	Plate	Name
41330	20829	Knife Holder with two 14222, in place of
		41818
150209		Knife Holder 41330 with 970D, 41331, 41332
		and two each 313C,771D,1519J,41333
		and 41334, in place of 150210
41335		Knife Grinder complete, Nos. 717C, 1508C,
		1520J,41326 to 41329,42065,150209,
		two each 878D, 41513 and three wood
		screws 1 1/4 in. No. 12

MACHINE BASES

MACHINE BASE NO. 132592

WHEN MACHINE IS MOUNTED ON TOP

OF TABLE

FOR USE WITH BENCH STAND NO. 79768

No.	Plate	Norma	
NO.	Place	Name	
132647	20808	Machine Base	
132595	7419	" " Cushion (large) felt	
42088	7419	" " (small) felt	
132618	7419	" " " " for	
		474 or 1408	
935E	7419	Machine Base Cushion (small) Screw	
132596	7419	" " (leather)	
132593	7419	" " Oil Drain Strainer	
54477	7419	" " Screw Stud	
51576E	7419	" " " Nut	
9842	7419	" " " " Washer	
132594	7419	" " Thumb Screw Bushing	

MACHINE BASES

No.	Plate	Name
132592		Machine Base complete, Nos.132593,132596 132618,132647, three each 9842, 51576E,54477 and four each 935E, 42088 and 132595
132704		Machine Base and Oil Drain Jar complete, Nos.131268 and 132592

MACHINE BASE NO. 132656 WHEN MACHINE IS MOUNTED I 1/2 IN. LOWER THAN STANDARD FOR USE WITH BENCH STAND NO. 79790

No.	Plate	Name
132655	20830	Machine Base
1204E	20824	" " Position Stud
131022	20824	" " " Bushing (rub-
		ber)
132656		Machine Base complete, Nos.132593,132596 132618,132655, three each 1204E, 131022 and four each 935E,42088 and 132595
132705		Machine Base and Oil Drain Jar complete, Nos.132656 and 132697

MACHINE BASE OIL DRAIN JARS

MACHINE BASE OIL DRAIN JAR SWINGING TYPE OIL DRAIN JAR NO. 131268 FOR MACHINE BASE NO. 132592 FOR BENCH STAND NO. 79768

No.	Plate	Name
131185	20828	Jar (glass)
131191	20828	" Cap
131188	20828	" Clamp
131217		" " 131188 with 131189
131189	20828	" " Lever
12470	20824	" " Hinge Screw

From the library of: Superior Sewing Machine & Supply LLC

MACHINE BASE OIL DRAIN JARS

No.	Plate	Name
131265	20828	Nipple (long)
131266	20828	" (short)
131267	20828	" Elbow
131268		Machine Base Oil Drain Jar (swinging type) complete, Nos. 131185,131191,
		131217,131266 and two each 1247C,
		131265 and 131267

MACHINE BASE OIL DRAIN JAR SWINGING TYPE OIL DRAIN JAR NO. 132697 FOR MACHINE BASE NO. 132656 FOR BENCH STAND NO. 79790

No.	Plate	Name
132697		Machine Base Oil Drain Jar (swinging
		type) complete, Nos. 131185,131191, 131217,131265 and two each 1247C,
		131266 and 131267

THREAD UNWINDER

FOR THREE SPOOLS

No.	Plate	Name
225259	20778	Spool Rest (for one spool) with 201018C.
225257	20778	" " two spools) with 201018C
150203	20778	" Cushion (felt)
225388	20778	" " Rod
2003830	20807	" " " Set Screw
201018C	20807	" " Set Screw
202490	20778	" Stand with 200383C
225391	20778	Thread Guide
201696J	20807	" " Lock Nut
225326	20807	" " Position Cup
225324	20778	" " Rod with 208E and 225322
208E	7409	" " " Screw
225322	20807	" " Washer
•150057		" Separator
150058	20778	" " 150057 with 150059
•150059		" " Bracket

From the library of: Superior Sewing Machine & Supply LLC

THREAD UNWINDER

No.	Plate	Name
150060	20778	Thread Separator Bracket Arm with 164J
		and 9525
164J	20807	Thread Separator Bracket Arm Clamping
		Screw
9525	20807	Thread Separator Bracket Arm Clamping
		Screw Washer
164J	20807	Thread Separator Bracket Screw
9525	20807	" " " Washer
150061		Thread Separator complete, Nos. 164J,
		9525,150058 and 150060
150178	20778	Thread Unwinder complete, Nos. 150061,
		201696J, 202490, 225257, 225259, 225324
		225326,225388 and three each 150203
		225391 and wood screws 7/8 in. No.
		12
27739	20778	Thread Cone (wood) for large cones
225390	20778	" " Holder, for inverted cones
Note: Nos. 27739 and 225390 are used with, but not		
included in 150178.		

OBSOLETE PARTS

No.	Plate	Name
•132713		Frame Rotary Shaft Bushing (front) use 132362
132714	20802	Frame Rotary Shaft Bushing (front) 132713 with 132552,132715 and 132716, use 132863
132552	20822	Frame Rotary Shaft Bushing (front) 011 Pad (braided cotton)
132553	20803	Frame Rotary Shaft Crank with 1036C and 1375C, superseded by 132775, not
132716	20802	interchangeable Frame Rotary Shaft Crank Oil Sling Cover, superseded by 132835, not inter- changeable
•132554		Frame Rotary Shaft Flanged Bushing (back) use 132365
132694	20802	Frame Rotary Shaft Flanged Bushing (back) 132554 with 132555,132556, 132603 and 132692, use 132866
132555	20802	Frame Rotary Shaft Flanged Bushing (back) 0il Pad (large) braided cot- ton, superseded by 132867, not in- terchangeable

From the library of: Superior Sewing Machine & Supply LLC

OBSOLETE PARTS

30

No.	Plate	Name
132556	20802	Frame Rotary Shaft Flanged Bushing (back) 0il Pad (small) braided cot- ton, superseded by 132868, not in- terchangeable
•132573		Looper (right hand) and Spreader Lever Ball Stud
132695	20805	Looper (right hand) and Spreader Lever Ball Stud 132573 with 132696
132696	20805	Looper (right hand) and Spreader Lever Ball Stud 011 Pad (felt)
132574	20805	Looper (right hand) and Spreader Lever Connection with four 1057E, super- seded by 132777, not interchange- able.
132617		Looper (right hand) and Spreader Lever Connection 132574 with 132553 and 132695, use 132779
1057E	20804	Looper (right hand) and Spreader Lever Connection Cap Screw
132577	20805	Looper (right hand) and Spreader Lever Connection Guide
196F	20805	Looper (right hand) and Spreader Lever Connection Guide Screw

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles. 2

NUMERICAL LIST OF PARTS FOR MACHINES Nos. 81-53 and 81-56

NUMERICAL LIST OF PARTS

No.	Plate	Name
610	7406	Feed (back) Bar Hinge Screw for 132624
85D	7414	Presser Lever Lifter Hinge Screw
930	7413	Needle Bar Thread Retainer Screw
133F	20818	Knife (movable) Holder Screw for 42308
1001	20010	and 132627
157E	20803	Feed (front) Rock Shaft Crank Clamping
1011	20000	Screw for 42021
157E	5569	Knife Grinder Knife Holder Bracket
1011	0000	Clamping Screw for 41331
164J	20807	Thread Unwinder Thread Separator Bracket
1040	20001	Arm Clamping Screw for 150060
164J	20807	Thread Unwinder Thread Separator Bracket
1040	20007	Screw for 150061
1710	7413	Feed (front) Connecting Rod Hinge Screw
1/10	7410	Clamping Screw for 132529
171F	7417	Needle Guard Screw
171F	7413 20804	
175E	20804	Knife (movable) Lever Connection Hinge
		Stud Set Screw for 132562
176J	20806	Frame Top Cover Extension Screw for
		132600
176J	20806	Thread (looper, left hand) Nipper Spring
		, Screw
176J	20806	Thread (looper, right hand) Staple Screw
187E	20805	Needle Bar Connecting Bracket Clamping
		Screw for 132598
190E	7406	Feed (front) Dog Screw
190E	7406	Frame Bottom Cover Screw
190J	7406	Feed (back) Regulator Set Screw for
		81-56 Machine
190J	20825	Welt Guide Screw for 132758
196F	20805	Looper (right hand) and Spreader Lever
1000		Connection Guide Screw, obsolete
196F	20805	Needle Bar Connecting Rod Guide Screw
197J	7414	Frame Top Cover Oil Reservoir Cover
		Screw for 132781
197J	7414	Looper (right hand) Screw
197J	7414	Spreader Screw
197J	7414	Thread (looper, right hand) Take-up
1001		Screw
197J	7414	Thread Needle Take-up Screw
201J	7407	Feed (front) Eccentric Clamping Washer
203E	20824	Screw for 132534 and 132644
RUGE	20024	Feed (back) Dog Screw

No.	Plate	Name
207J	20806	Thread (looper, right hand) Pull-off
		Eyelet Screw
208E	7409	Thread Unwinder Thread Guide Rod Screw
SUOF	1409	
		for 225324
217J	20805	Needle Bar Bushing (upper) 011 Pad Cover
		Screw
223F	20805	Needle Bar Connecting Link Hinge Pin Set
1033	20000	
		Screw for 132598
223J	20805	Thread (needle) Eyelet Screw
233E	20809	Cloth Plate Extension (lower) Screw for
		132527
233E	20809	Cloth Plate Extension (upper) Screw for
ACOL	20003	
		132527
233E	20809	Thread (looper, left hand) Eyelet Screw
		for 132698
233J	20809	Presser Foot Chaining-off Finger Screw
2000	20000	for 42185,132681,132686,132687,
		132708,132764 and 132768
2360	20821	Cloth Plate Lock Spring Screw for 132527.
2400	20809	Presser Foot Chaining-off Plate Collar
		Set Screw for 132610
241E	20820	Looper (right hand) and Spreader Lever
241E	20020	
		011 Plug Screw for 132698
283W	7409	Frame Top Cover Extension Holder Thumb
		Screw
3130	5569	Knife Grinder Knife Holder Screw Center
		for 150209 and 150210
77011	00001	Frame Side Cover (left) Screw
330W	20821	
330W	20821	(Tight) belew
336F	20818	Knife (movable) Holder Guide Set Screw
		for 42038
356C	20807	Rock Shaft Knee Arm Hub Set Screw for
0000	20001	2766
7500	00000	
356C	20807	Rock Shaft Knee Plate Set Screw for 2767
356C	20807.	" " Lifting Bracket Hook Set
		Screw for 6337
356C	20807	Rock Shaft Lifting Bracket Set Screw for
		6337
356C	20807	Rock Shaft Stop Dog Set Screw for 2770
404E	7409	Knife (movable) Holder Cap Screw for
		132627
440C	20818	Knife (stationary) Holder Stop Screw
446C	7409	Balance Wheel Set Screw for 132632
4620	20803	Feed (front) Lifting Eccentric Set Screw
1000	20000	
1000		for 132649
4620	20803	Needle Bar Bushing Set Screw for 132522.
4620	20803	Thread (looper, left hand) Tube Set
		Screw

32

No.	Plate	Name
464C	20816	Presser Foot Spring Adjusting Pin Set Screw for 42185
474J	20826	Machine Base Thumb Screw, for use when
		machine is mounted 1 1/2 inch lower
		than standard (Accessories)
583F	20806	Frame Top Cover Screw (large)
6200	7413	Needle Bar Connecting Link Hinge Pin Set
		Screw for 132597
621E	20818	Knife (movable) Holder Guide Plate Screw
624C	7413	Needle Bar Crank (back) Bushing Set
		Screw for 132522
7170	5569	Knife Grinder Knife Holder Bracket Stop
		Screw for 41335 and 41819
7350	20809	Presser Foot Chaining-off Plate Collar
		Guide Pin Set Screw for 132679 and
		132685
742F	20806	Frame Top Cover Screw (small)
742F	20806	Throat Plate Screw
771D	5569	Knife Grinder Knife Holder Clamp Thumb
		Screw for 150209 and 150210
8280	7414	Tension (looper, right hand) Screw Stud
		for 42418
879D	5569	Knife Grinder Frame Oil Hole Stop Screw
		for 41335 and 41819
896E	20817	Looper (right hand) and Spreader Lever
		Connection Cap Screw for 132777
9160	7414	Tension (needle thread) Screw Stud for
		44209
935E	7419	Machine Base Cushion (small) Screw-for
		132592 and 132656
949E	20806	Arm Screw
970D	5569	Knife Grinder Knife Holder Regulating
		Thumb Screw for 150209 and 150210
1036C	5569	Feed (front) Eccentric Body Set Screw
		for 132534 and 132644
10360	20803	Feed (front) Rock Shaft Hinge Pin Bush-
20700	00017	ing Set Screw
1036C	20817	Frame Rotary Shaft Crank Set Screw for
10700	5500	132553 and 132769 Looper (left hand) Lever Hinge Stud Set
1036C	5569	
1036C	5569	Screw Looper (right hand) and Spreader Lever
10300	0009	Hinge Pin Bushing Set Screw
1036C	5569	Looper (right hand) and Spreader Lever
10000	0000	Hinge Pin Set Screw
1036C	5569	Knife Grinder Emery Wheel Shaft Pulley
10000	0000	Set Screw for 41325
1036C	5569	Knife Grinder Knife Holder Bracket Hinge
		Stud Set Screw for 41329

No.	Plate	Name
1057E	20804	Feed (front) Connecting Rod Cap Screw
10011	20001	for 132529
1057E	20804	Knife (movable) Lever Connection Cap
10011	20001	Screw for 132563
1057E	20804	Looper (right hand) and Spreader Lever
TOOLD	20004	Connection Cap Screw for 132574,
		obsolete
1057E	20804	Needle Bar Connecting Rod Cap Screw for
20012	20001	132585
11010	20818	Knife (stationary) Holder Screw
1117J	20825	Welt Guide Regulating Thumb Screw for
11110	20020	132758
11200	20806	Presser Lever Hinge Stud Set Screw
11320	20819	Feed (back) Bar Hinge Screw for 132672.
11320	7406	" " Connecting Link Hinge Screw
11020	1400	for 132624
11320	7406	Feed (back) Regulator Hinge Screw for
11000	1400	132624
1148F	20824	Lifting Lever Stop Screw for 42133 and
	20021	42144
1204E	20824	Machine Base Position Stud for 132656
12090	20825	Welt Guide Holder Screw for 132758
12290	20804	Knife (movable) Lever Hinge Stud Set
		Screw
12290	20804	Lifting Lever Bracket Screw for 42133
		and 42144
12470	20824	Machine Base Oil Drain Jar Clamp Lever
		Hinge Screw for 131268 and 132697
12530	7406	Feed (front) Bar Hinge Pin Set Screw for
		42151 and 132671
12530	7406	Looper (left hand) Lever Connecting Stud
		Hinge Pin Set Screw for 132566
12590	7413	Needle Bar Crank (back) Ball Stud Set
		Screw for 132588
12590	7413	Needle Bar Crank (back) Set Screw for
		132588
12590	7413	Needle Bar Crank (front) Position Screw
		for 132597
12350	20807	Balance Wheel Position Screw for 132632.
1301D	20824	Lifting Lever Hinge Screw for 42133 and
		42144
13240	20824	Presser Foot Screw
13750	20317	Frame Rotary Shaft Crank Position Screw
		for 132553 and 132769
13760	20318	Knife (stationary) Holder Regulating
		Thumb Screw
13770	20807	Presser Lever Screw Stud (eccentric)
1378D	7414	Pressure Regulating Thumb Screw

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
1408J	20826	Machine Base Thumb Screw for 1 5/8 in.
		tables and Individual Stands, for
		use when machine is mounted on top
24440		of table (Accessories)
1444C	7406	Feed (back) Regulator Thumb Screw for
15000		132541
1508C	5569	Knife Grinder Emery Wheel Clamping Nut
15101		for 41335 and 41819
1519J	5569	Knife Grinder Knife Holder Screw Center
1500.		Nut for 150209 and 150210
1520J	5569	Feed (front) Connecting Rod Hinge Screw
1500.		Nut
1520J	5569	Knife Grinder Knife Holder Bracket Stop
		Screw Nut for 41335 and 41819
1534D	20818	Knife (stationary) Clamping Stud Thumb
		Nut
1547J	20818	Knife (stationary) Holder Stop Screw Nut
1547J	7409	Lifting Lever Stop Screw Nut for 42133
		and 42144
1547J	7409	Presser Lever Screw Stud Nut
1560C	7414	Tension (looper, left hand) Regulating
15000		Thumb Nut for 124687
1560C	7414	Tension (looper, right hand) Regulating
15000		Thumb Nut for 42418
1560C	7414	Tension (needle thread) Regulating Thumb
10040	00017	Nut for 44209
1664E	20817	Frame Rotary Shaft Crank Ball Sleeve
1695J	7407	Bushing Nut for 132775 Feed (front) Connecting Rod Hinge Screw
10900	1401	Clamping Screw Nut for 132529
17280	20805	Needle Clamping Nut.
2102	7414	Tension (looper, left hand) Disc
2102	7414	" " " right hand) Disc
2102	7414	" (needle thread) Disc
2763	20808	Rock Shaft for 42143
2765	20808	" " Knee Arm, for 2768
2766	20808	" " " Hub with 356C, for
5100	20000	2768
2767	20808	Rock Shaft Knee Plate with 356C, for
2101	20000	2768
2768		Rock Shaft Knee Arm complete, for 42143,
		Nos. 2765 to 2767
2770	20808	Rock Shaft Stop Dog with 356C, for 42143
4389	20821	Arm Dowel Pin
4822	5566	Wrench for 1547 (Accessories)
4879	5566	Chain Connecting Link for 4885
4881	20808	Treadle for 4885
4882	5566	" Shaft for 4885

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
4883	5566	Treadle Spring for 4885
4884	20808	" Stand for 4885
4885	20808	Treadle complete for 42133, Nos. 4879,
4000	20000	4881 to 4884 and two wood screws 1
		in. No.16
6337	20808	Rock Shaft Lifting Bracket with two 356C
		for 42143
6439		Chain, 36 in. to 45 in. with 56864 and
		56865, for 42133
7071	20821	Thread (looper, right hand) Staple Screw
		Washer
7125	20808	Rock Shaft Lifting Bracket Hook for
1100	20000	42143
8908	5566	Wrench for 1520 (Accessories)
9320	20816	Presser Foot Hinge Pin for 42185
9525	20807	Thread Unwinder Thread Separator Bracket
9222	20807	Arm Clamping Screw Washer for
		150060
9525	20807	Thread Unwinder Thread Separator Bracket
		Screw Washer for 150061
9842	7419	Machine Base Screw Stud Nut Washer for
		132592
9842	7419	Machine Base Thumb Screw Spring Washer
		(Accessories)
10107	7413	Needle Bar Thread Retainer Spring
10148	7414	Tension (looper, right hand) Spring
10148	7414	" (needle thread) Spring
12242	20808	Rock Shaft Hanger with two wood screws
		1 in. No. 10 for 42143
14058	20809	Presser Foot Chaining-off Plate Spring
14000	20000	for 132681,132686,132687,132708,
		132764 and 132768
14050	00000	Presser Foot Spring for 42185
14058	20809	
14063	20807	Machine Base Thumb Screw Spring, for
		Thumb Screw No. 1408, when machine
		is mounted on individual stand (Ac-
		cessories)
14222	5569	Knife Grinder Knife Holder Clamp Steady
		Pin for 41330 and 41818
•15404		Trade Mark for 132522
15405		" " Rivet for 132522
19044	7409	Frame Top Cover Extension Holder Thumb
		Screw Washer
19047	7407	Feed (front) Eccentric Clamping Washer
		for 132534 and 132644
22436	20825	Welt Guide Holder Screw Washer for
		132758
		100100111111111111111111111111111111111

No.	Plate	Name
27498	20826	Machine Base Thumb Screw Spring, for
		Thumb Screw No. 1408 on 1 5/8 inch
		tables and Thumb Screw No. 474
		when machine is mounted 1 1/2 inch lower than standard (Accessories).
27739	20778	Thread Unwinder Thread Cone (wood) for
21100	20110	large cones, for 150178
27998	20807	Bench Stand Cover Hook and Eye (brass)
		with wood screw 1/2 in. No. 5 F.H.
		for 79768 and 79790
28291	20807	Bench Stand Cover Hinge with two each wood screws 1/2 in. No. 5 F.H. and
		5/8 in. No. 5 F.H., for 79768 and
		79790
39541	20824	Presser Foot Screw Washer
41326	20829	Knife Grinder Emery Wheel for 41335 and
		41819
41327	20829	Knife Grinder Emery Wheel Shaft for
41328	20829	41335 and 41819 Knife Grinder Emery Wheel Shaft Pulley
41060	20023	with 1036C, for 41335 and 41819
41329	20830	Knife Grinder Frame with 1036C for
		41335 and 41819
41330	20829	Knife Grinder Knife Holder with two
43.003	00000	14222, for 150209
41331	20829	Knife Grinder Knife Holder Bracket with 157E, for 150209 and 150210
41332	5569	Knife Grinder Knife Holder Spring for
		150209 and 150210
41333	5569	Knife Grinder Knife Holder Clamp for
		150209 and 150210
41334	5569	Knife Grinder Knife Holder Clamp Spring for 150209 and 150210
41335		Knife Grinder complete, for Knives, Nos.
41000		42046 and 42213, for 81-56 Machine
		Nos. 717C, 1508C, 1520J, 41326 to
		41329,42065,150209, two each 878D,
		41513 and three wood screws 1 1/4
41513	5569	in. No. 12 Knife Grinder Emery Wheel Washer for
41010	0009	41335 and 41819
41818	20829	Knife Grinder Knife Holder with two
		14222, for 150210
41819		Knife Grinder complete for Knives, Nos.
		42305 and 42309, for 81-53 Machine Nos. 717C, 1508C, 1520J, 41326 to
		41329,42065,150210,two each 878D,
		41513 and three wood screws 1 1/4
		in. No. 12

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
42005	20821	Cloth Plate Lock Spring for 132527
42021	20803	Feed (front) Rock Shaft Crank with 157E,
		for 132541 and 132676
42028	20827	Frame Side Cover (right) Hinged
42035	7409	Knife (movable) Holder for 132627
42037	7409	" " Cap for 132627
42038	20818	Guide with SSOF,
		for 81-53 Machine
42039	20818	Knife (movable) Holder Guide Plate for
		81-53 Machine
42040	20818	Knife (movable) Holder Screw Extension
		Pin for 42308 and 132627
42041	20818	Knife (movable) Holder Spring
42045	20804	" " Lever Hinge Stud
42045	20804	Presser Lever Hinge Stud
42046	20804	Knife (stationary) with 42049, for 81-56
		Machine
42048	20804	Knife (stationary) Clamping Stud for
		81-56 Machine
42049	20818	Knife (stationary) Stud for 42046 and
		42309
42050	20822	Looper (left hand)
42054	20805	Needle Bar
42065	5569	Knife Grinder Knife Holder Bracket Hinge
		Stud for 41335 and 41819
42066	7413	Needle Guard
42069	20827	Presser Lever
42070	7414	" " Lifter
42071	7414	Spring
42082	7414	Tension (needle thread) Thread Guide
42084	20806	Thread (looper, left hand) Tube
42088	7419	Machine Base Cushion (small) felt, for
40000	5500	132592 and 132656
42089	5566	Wrench for 1324 (Accessories)
42090 42101	5566	Threading Wire (Accessories)
42101	20821	Frame Side Cover (right) Lock Spring for
42102	7409	132600 Frame Top Cover Extension Holder for
42102	7409	
42108	20821	132600 Cloth Plate Extension (upper) for 132527
42108	7413	
42115	20806	Needle Bar Thread Retainer Bracket Thread (looper, left hand) Nipper Spring
TOLOG	20000	(lower)
42123	20806	Thread (looper, left hand) Nipper Spring
TRIEU	20000	(upper)
42126	20806	Thread (looper, left hand) Pull-off
42120	20806	" (looper, right hand) Take-up
42130	20824	Lifting Lever for 42133 and 42144
	NOON-F	bit on B bever for the too and the 144

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
42131	20824	Lifting Lever Bracket for 42133 and
		42144
42132	20824	Lifting Lever Spring for 42133 and
TNICH	20021	42144
42133		Foot Lifter complete, Nos. 1301D,4885,
42100		
		6439,42130 to 42132 and two each
		1148F,1229C and 1547J
42142	20808	Lifting Lever Connecting Rod for 42144.
42143	20808	Rock Shaft complete for 42144, Nos.2763
		2768,6337,7125 and two each 2770
		and 12242
40144		Knee Lifter complete, Nos. 1301D,42130
42144		
		to 42132,42142,42143 and two each
		1148F,1229C and 1547J
42147	7406	Feed (back) Bar for 132624
42148	7406	Feed (back) Connecting Link for 132624.
42149	20816	" " Dog, 3 teeth (16 teeth to
		the inch) for 42452, for 81-56 Ma-
		chine
42150	7406	Feed (back) Regulator for 132624
		" (front) Bar with 1253C, for 132624
42151	7406	
42159		Presser Foot Plate for 42185
42160	20816	" " Spring Adjusting Pin for
		42185
42182	20816	Feed (front) Dog, 17 teeth (16 teeth to
		the inch) for 42452, for 81-56 Ma-
		chine
42183		Presser Foot Body for 42185
42184	20816	" " Chaining-off Finger, for
TOIOT	20010	42185
40105	00916	Presser Foot (spring hinged) complete,
42185	20816	
		for 81-56 Machine, Nos. 233J,464C,
		9320,14058,42159,42160,42183 and
		42184
42188	20825	Welt Guide (hinged) complete, for blind
		stitch welting, for 81-56 Machine,
		Nos. 42473, 42474, 42476, 132869 and
		two 42477
42213	7409	Knife (movable) for 81-56 Machine
42214	7409	" " Gib for 132627
42242	20820	Thread (looper, left hand) Eyelet for
46646	20020	132639
	00000	
42244	20806	Thread (looper, right hand) Pull-off
		Eyelet
42253	20805	Needle Bar Bushing (lower) for 132522
42305	20818	Knife (movable)
42306	20818	" " Gib for 42303
42307	20818	" " Holder for 42308

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
42308		Knife (movable) Holder 42307 with 133F,
		42040 and 42306, for 81-53 Machine.
42309	20818	Knife (stationary) with 42049, for 81-53 Machine
42310	20818	Knife (stationary) Clamping Stud for 81-53 Machine
42418		Tension (looper, right hand) Screw Stud 828C with 1560C
42452	20816	Throat Plate, for 42149 and 42182, for Heavy Work for 81-56 Machine
42461	20809	Presser Foot Hinge Pin for 132686,132687
		and 132708
42473	20825	Welt Guide for 42188
42474	20825	" " Hinge Pin for 42188
42475	20825	""" (female half) for
		132869
42476	20825	Welt Guide Hinge (male half) for 42188
42477	20825	" " " Rivet for 42188 and
		132869
42478	20825	Welt Guide Spring for 132869
42483	7413	Needle Bar. Thumb Retainer Disc
44209		Tension (needle thread) Screw Stud 916C
		with 1560C
46548	20807	Bench Stand Cover Rest (felt) for 79768
		and 79790
50117C	20822	Looper (left hand) Clamping Screw for
		132566
50148C	7414	Tension (looper, left hand) Screw Stud for 124687
50150C	20821	Cloth Plate Hinge Stud Set Screw
50200C	7413	Looper (right hand) and Spreader Lever Ball Stud Set Screw for 132698
50200C	7413	Needle Bar Crank (front) Set Screw for 132597
50253J	7407	Feed (front) Eccentric Cover Screw for 132600.
51145C	7407	Feed (front) Regulating Screw for 132534 and 132644.
512920	7407	Feed (front) Connecting Rod Hinge Screw.
513320	20821	Frame Rotary Shaft Bushing (front) Set Screw
513320	20821	Frame Rotary Shaft Flanged Bushing
	T	(back) Set Screw
51360W	20819	Feed (back) Regulator Position Screw for 132672.
51576E	7419	Machine Base Screw Stud Nut for 132592.
54477	7419	" " " for 132592
54883	7414	Tension (looper, left hand) Spring
		(acoport act o mand, oht mile

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
56864	5566	Chain Hook (large) for 6439
56865	20807	Bench Stand Cover Chain Hook for 60820
56865	20807	Chain Hook (small) for 6439
60820		Bench Stand Cover Chain 9 1/4 in. long
		with two 56865, for 79790
68350	20821	Arm 011 Cup
68497	20822	Looper (left hand) Lever Connecting Stud
		011 Pad (wick) for 132718
79768		Bench Stand with 27998, two each 28291,
10100		46548, wood screws 1 1/2 in. No. 12
		F.H. and eight wood screws 5/8 in.
		No. 5 F.H., for Machine Base No.
		132592, for use when machine is
		mounted on top of table
79790		Bench Stand with 27998,60820, two each
		28291,46548,150244, three each wood
		screws 1 1/4 in. No. 12 F.H., 1 1/2
		in. No. 14 F.H. and eight wood
		screws 1/2 in. No. 5 F.H., for Ma-
		chine Base No. 132656, for use when
		machine is mounted 1 1/2 in. lower
		than standard, for Front Planks,
		Nos.123882 to 123885
120341	5566	Tweezers (curved) Accessories
120344	5566	Oiler (copper plated) with 120345 (Ac-
		cessories)
120345	5566	0iler Spout, 5 in. long, for 120344
120440	5566	Screw Driver (Accessories)
124687		Tension (looper, left hand) Screw Stud
		50148C with 1560C
125056	20805	Looper (right hand) and Spreader Lever
		Hinge Pin Oil Pad (braided cotton)
		for 132699
131022	20824	Machine Base Position Stud Bushing (rub-
101000		ber) for 132656
131185	20828	Machine Base Oil Drain Jar (glass) for
101100	20020	131268 and 132697
131188	20828	Machine Base Oil Drain Jar Clamp for
101100	20020	131217
131189	20828	Machine Base Oil Drain Jar Clamp Lever
101100	20020	for 131217
131191	20828	Machine Base Oil Drain Jar Cap for
101191	00000	131268 and 132697
131217		Machine Base Oil Drain Jar Clamp 131188
191911		with 131189, for 131268 and 132697.
171005	00000	Machine Base Oil Drain Jar Nipple (long)
131265	20828	for 131268 and 132697
171000	00000	
131266	20828	Machine Base Oil Drain Jar Nipple (short) for 131268 and 132697
		(SUOLC) TOL TOTSOS SUG TOSOS

No.	Plate	Name
131267	20828	Machine Base Oil Drain Jar Nipple Elbow
101201	20020	for 131268 and 132697
131268		Machine Base Oil Drain Jar (swinging
101200		type) complete for 132704, Nos.
		131185,131191,131217,131266 and two
		each 12470,131265 and 131267
•132522		Arm with 15404,42253,132580 and two each
TOPOPP		462C,624C,15405 and 132589
132524	20808	Cloth Plate with 132525, for 132527
•132525	20000	" " Hinge Bracket for 132524
132526	20821	" " " Ctud
132527	20021	" " Stud
102027		Cloth Plate complete, Nos. 42005,42108,
		132524,132601, two 236C and five
120500		233E
132528	7406	Feed (front) Bar Hinge Pin for 132624
170500		and 132672
132529	7407	Feed (front) Connecting Rod with 171C,
		1695J and two 1057E, for 132619 and
		132643
•132531		Feed (front) Eccentric for 132534 and
		132644
•132532		Feed (front) Eccentric Body for 132644
132533	7407	" Oil Tube for
		132534 and 132644
132534	7407	Feed (front) Eccentric complete for
		132619, Nos. 201J,19047,51145C,
		132531,132533,132702 and two 1036C.
132537	20803	Feed (front) Eccentric Lubricator 011
		Wick (braided cotton) for 132785
132539	20803	Feed (front) Lifting Eccentric Connec-
		tion for 132624 and 132672
132540	7406	Feed (front) Rock Shaft for 132541
132541		Feed (front) Rock Shaft complete for
		132624, Nos. 1444C, 42021 and 132540
132542	20803	Feed (front) Rock Shaft Hinge Pin with
		132544
132543	20803	Feed (front) Rock Shaft Hinge Pin Bush-
		ing
132543	20803	Looper (right hand) and Spreader Lever
		Hinge Pin Bushing
132544	20803	Feed (front) Rock Shaft Hinge Pin 011
		Wick (braided cotton) for 132542
*132545		Frame
132546	20808	Bottom Cover with 132594
132547	20808	" " " Gasket
132548	20821	" 011 Cup
132549	20827	" Rotary Shaft with 132558 and
		132559, for 132616

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
132552	20822	Frame Rotary Shaft Bushing (front) 011
102002	~~~~~	Pad (braided cotton) for 132714,
		obsolete
132552	20822	Looper (left hand) Lever Hinge Stud Oil
		Pad (braided cotton) for 132569
132553	20803	Frame Rotary Shaft Crank with 1036C and
		1375C, for 132617, obsolete, super-
		seded by 132775 not interchangeable
•132554		Frame Rotary Shaft Flanged Bushing
-102004		(back) for 132694, obsolete, use
		132865
132555	20802	Frame Rotary Shaft Flanged Bushing
		(back) 011 Pad (large) braided cot-
		ton, for 132694, obsolete, super-
		seded by 132867 not interchangeable
170550	00000	Frame Rotary Shaft Flanged Bushing
132556	20802	(back) 011 Pad (small) braided cot-
		ton, for 132694, obsolete, super-
		seded by 132868 not interchangeable
132558	20823	Frame Rotary Shaft Oil Pad (braided cot-
		ton) for 132549
132559	20823	Frame Rotary Shaft Oil Pad Retainer for
		132549
132560	20827	Frame Side Cover (left) with 132701
132562	20804	Knife (movable) Lever with 175E
	20804	" " Connection with
132563	20804	CONNECCION WICH
		two 1057E, for 132620
132565	20804	Knife (movable) Lever Connection Hinge
		Stud
132566	20820	Looper (left hand) Lever with 50117C and
		two 1253C, for 132606 and 132639
132569	20822	Looper (left hand) Lever Hinge Stud with
100000		132552, for 132606 and 132639
•132573		Looper (right hand) and Spreader Lever
106010		Ball Stud for 132695, obsolete
1100500		Needle Bar Crank (back) Ball Stud for
•132573		
		132695
132574	20805	Looper (right hand) and Spreader Lever
		Connection with four 1057E, for
		132617, obsolete, superseded by
		132777, not interchangeable
132577	20805	Looper (right hand) and Spreader Lever
		Connection Guide, obsolete
132577	20805	Needle Bar Connecting Rod Guide
132580	20805	" " Bushing (upper) for 132522
132581	20805	" " " " 011 Pad
196961	20000	(braided cotton)
100500	00005	
132582	20805	Needle Bar Connecting Link for 132615

43

No.	Plate	Name
132583	20805	Needle Bar Connecting Link Hinge Pin
		with 132584, for 132615
132584	20805	Needle Bar Connecting Link Hinge Pin Oil
100004	20000	Pad (wick) for 132583
132585	0417	Fau (WICK) 101 132003
102000	7413	Needle Bar Connecting Rod with four
		1057E, for 132616
132588	7413	Needle Bar Crank (back) with 132590 and
		two 1259C
132589	7413	Needle Bar Crank (back) Bushing for
		132522
132590	7413	Needle Bar Crank (back) Oil Pad Wick for
		132588
132591	20806	Thread (looper, right hand) Pull-off
132592		Machine Base complete, for 132704, Nos.
102002		132593,132596,132618,132647, three
		each 9842,51576E,54477 and four
		each 935E,42088 and 132595
132593	7419	Machine Base Oil Drain Strainer for
		132592 and 132656
132594	7419	Machine Base Thumb Screw Bushing for
		132546
132595	7419	Machine Base Cushion (large) felt, for
		132592 and 132656
132596	7419	Machine Base Cushion (leather) for
		132592 and 132656
132597	7413	Needle Bar Crank (front) with 620C, 1259C
100001	/110	and 50200C, for 132615
132598	20805	Needle Bar Connecting Bracket with 187E
108030	20000	Needle Bar connecting Bracket with 187E
170500		and 223F, for 132615
132599	7414	Tension (looper, left hand) Thread Guide
132600		Frame Top Cover Extension Holder 42102
		with 42101, 132650, 132651 and two
		each 176J and 50253J
132601	20808	Cloth Plate Extension (lower) for 132527
132602	20807	Machine Base Thumb Screw Washer (Acces-
		sories)
132603	20827	Frame Rotary Shaft Flanged Bushing
		(back) 011 Pad Retainer for 132694
		and 132866
•132606		Looper (right hand) and Spreader Lever
		132703 with 132566, 132569, 132629,
		132718 and 132720 (For factory use
		only)
132609		
100000		Presser Foot Chaining-off Plate for
		132681, 132686, 132687, 132708, 132764
170010	00000	and 132768
132610	20809	Presser Foot Chaining-off Plate Collar
		with 240C, for 132681,132686,132687
		132708,132764 and 132768
1 (B) 1 (C) (C) (C) (C)		

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
132611	20809	Presser Foot Chaining-off Plate Collar
		Guide Pin for 132681,132686,132687,
		132708,132764 and 132768
132615		Needle Bar Crank (front) 132597 with
		132582,132598 and two 132583
132616		Frame Rotary Shaft 132549 with 132585
		and 132695
132617		Looper (right hand) and Spreader Lever
		Connection 132574 with 132553 and
		132695, obsolete, use 132779
132618	7419	Machine Base Cushion (small) felt, for
		474 or 1408, for 132592 and 132656.
132619		Feed (front) Connecting Rod 132529 with
		132534, for 81-56 Machine
132620		Knife (movable) Lever Connection 132563
		with 132649
132621	20805	Needle Bar Bushing (upper) 011 Pad Cover
132622	20806	Thread (needle) Eyelet
132623	20806	" " Take-up
•132624		Feed (front) Bar 42151 with 610,42147,
1000001		42148,42150,132528,132539,132541
		and two 1132C, for 81-56 Machine
		(For factory use only)
132627		Knife (movable) Holder 42055 with 133F,
100001		42037,42040,42214 and two 404E, for
		81-56 Machine
132629	20806	Thread (looper, left hand) Eyelet for
102023	0000	132606
132630	20820	Looper (right hand)
132631	20820	Spreader
132632	20820	Balance Wheel 1 7/8 in. pulley with 446C
102002	20021	and 1285C
•132639		Looper (right hand) and Spreader Lever
-102009		132703 with 42242,132566,132569,
		132718 and 132720, for 81-56 Ma-
		chine (For factory use only)
132643		Feed (front) Connecting Rod 132529 with
102040		132644, for 81-53 Machine
132644	20822	Feed (front) Eccentric (adjustable) com-
132044	20822	plete, for 132643, Nos. 2013, 19047,
		51145C, 132531 to 132533 and two
		1036C
132647	20808	Machine Base for 132592
132647	20808	Feed (front) Lifting Eccentric with two
102049	20003	462C, for 132620
132650	7409	Frame Top Cover Extension for 132600
132650	7409	Feed (front) Eccentric Cover for 132600.
132651	20820	Thread (looper, right hand) Controller.
ACODOL	00000	intedu (100per, 11gnt hand) controller

From the library of: Superior Sewing Machine & Supply LLC

46

No.	Plate	Name
132653	20820	Thread (looper, right hand) Controller
		Eyelet
132654	20827	Chip Guard
132655	20830	Machine Base for 132656
132656		Machine Base complete for 132705, Nos.
		132593,132596,132618,132655, three
		each 1204E, 131022 and four each
		935E,42088 and 132595
132664	20806	Thread (looper, right hand) Staple
132665	20819	Feed (back). Bar for 132672
132666	20819	" " " Hinge Pin (hollow) for
195000	20919	
		132672
132667	20819	Feed (back) Connecting Link for 132672
132668	20809	" Dog, 10 teeth (16 teeth to
		the inch) for 132688, 132689 and
		132709, for Knit Goods, for 1/8 in.
		to 1/4 in. bight and for Blind
		Stitching Knit Goods, for 81-53 Ma-
		chine and for 132709, for Blind
		Stitch Welting, for 81-56 Machine
132669	20811	Feed (back) Dog, 14 teeth (22 teeth to
		the inch) for 132690 and 132723, for
		Rayon, for 3/32 in. to 5/32 in.
		bight and also for Blind Stitching
		Rayon, for 81-53 Machine
132670	20819	Feed (back) Regulator for 132672
132671	20819	" (front) Bar with 1253C, for 132672.
•132672		" " 132671 with 11320,
		51360W, 132528, 132539, 132665 to
		132667,132670 and 132676, for 81-53
		Machine (For factory use only)
132673	20809	Feed (front) Dog, 11 teeth (16 teeth to
102070	20003	the inch) for 132688 and 132689, for
		Knit Goods, for 1/8 in. to 1/4 in.
132674	20811	bight, for 81-53 Machine
102074	20011	Feed (front) Dog, 15 teeth (22 teeth to
		the inch) for 132690, for Rayon, for
		3/32 in. to 5/32 in. bight for
120005	000000	81-53 Machine
132675	20819	Feed (front) Rock Shaft for 132676
132676		Feed (front) Rock Shaft complete, for
		132672, Nos. 42021 and 132675
132679		Presser Foot Body with 735C, for 132681
		and 132768
132680	20809	Presser Foot Chaining-off Finger for
		132681 and 132686

No. 132681	Plate 20309	Name Presser Foot (solid) complete, for Knit Goods, for 1/8 in. to 1/4 in.bight, for 81-53 Machine, Nos. 233J,14058, 132609 to 132611,132679 and 132680.
132682	20811	Presser Foot Chaining-off Finger for 132687,132708,132764 and 132768
132683 132685		Presser Foot Plate for 132686 and 132687 " "Shank with 735C, for 132686 132687 and 132708
132686	20809	Presser Foot (hinged) complete for Knit Goods, for 1/8 in. to 1/4 in. bight for 81-53 Machine, Nos. 233J,14058, 42461,132609 to 132611,132680, 132683 and 132685
132687	20811	Presser Foot (hinged) complete, for Ray- on, for 3/32 in. to 5/32 in. bight, for 81-53 Machine, Nos. 233J,14058, 42461,132609 to 132611,132682, 132683 and 132685
132688	20809	Throat Plate for 1/8 in. to 3/16 in. bight, for 132668 and 132673, for Knit Goods, for 81-53 Machine
132689	20810	Throat Plate for 3/16 in.to 1/4 in.bight for 132668 and 132673, for Knit Goods, for 81-53 Machine
132690	20811	Throat Plate for 3/32 in. to 5/32 in. bight, for 132669 and 132674, for Rayon, for 81-53 Machine
•132692	20827	Frame Rotary Shaft Oil Sling Cover for 132694 and 132866
132694	20802	Frame Rotary Shaft Flanged Bushing (back) 132554 with 132555,132556, 132603 and 132692, obsolete, use 132866
132695	20805	Looper (right hand) and Spreader Lever Ball Stud 132573 with 132696, for 132617, obsolete
132695	20805	Needle Bar Crank (back) Ball Stud 132573 with 132696, for 132616
132696	20805	Looper (right hand) and Spreader Lever Ball Stud 011 Pad (felt) for 132695 obsolete
132696	20805	Needle Bar Crank (back) Ball Stud Oil Pad (felt) for 132695
132697		Machine Base Oil Drain Jar (swinging type) complete, for 132705, Nos. 131185,131191,131217,131265 and two each 1247C,131266 and 131267

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
132698	20820	Looper (right hand) and Spreader Lever
		with 233E,241E and 50200C, for
		132703
132699	20805	Looper (right hand) and Spreader Lever
		Hinge Pin with 125056, for 132703
132701	20821	Frame Side Cover (left) Handle for
		132560
•132702		Feed (front) Eccentric Body for 132534
132703		Looper (right hand) and Spreader Lever
		132698 with 132699, for 132606 and
		132639
132704		Machine Base and Oil Drain Jar complete,
100101		for Machine Base No. 132592, when
		Machine is mounted on top of table,
		for use with Bench Stand No. 79768,
		Non JEloco and JECTOR
132705		Nos. 131268 and 132592
195109		Machine Base and Oil Drain Jar complete,
		for Machine Base No. 132656, when
		Machine is mounted 1 1/2 inch lower
		than standard, for use with Bench
		Stand No. 79790, Nos. 132656 and
		132697
132706	20814	Feed Front Dog, 11 teeth (16 teeth to
		the inch) for 132709, for Blind
		Stitching, for Knit Goods, for
		81-53 Machine and for 132709, for
		Blind Stitch Welting, for 81-56 Ma-
		chine
132707		Presser Foot Plate for 132708
132708	20814	Presser Foot (hinged) complete, for
		Blind Stitching, for Knit Goods and
		Rayon, for 81-53 Machine and for
		Blind Stitch Welting, for 81-56 Ma-
		chine, Nos. 233J,14058,42461,132609
		to 132611,132682,132685 and 132707.
132709	20814	Throat Plate for 132668 and 132706, for
		Blind Stitching, for Knit Goods,
		for 81-53 Machine and for Blind
		Stitch Welting, for 81-56 Machine.
132710	20825	Welt Guide Holder for 132758
132712	20822	Feed (front) Eccentric Lint Cover
100110		(spring)
•132713		Frame Rotary Shaft Bushing (front) for
100/10		130714 obsolate was 130800
132714	20802	132714, obsolete, use 132862
100114	20002	Frame Rotary Shaft Bushing (front)
		132713 with 132552,132715 and
		132716, obsolete, use 132863

From the library of: Superior Sewing Machine & Supply LLC

		and the second
No.	Plate	Name
132715	20817	Frame Rotary Shaft Bushing (front) 011
		Pad Retainer for 132714 and 132863.
132716	20802	Frame Rotary Shaft Crank Oil Sling Cover
		for 132714, obsolete, superseded by
		132835, not interchangeable
•132717		Looper (left hand) Lever Connecting Stud
		for 132718
132718	20822	Looper (left hand) Lever Connecting Stud
		132717 with 68497,132719 and 132721
		for 132606 and 132639
132719	20822	Looper (left hand) Lever Connecting Stud
100110	20022	Cap for 132718
170000	00000	Looper (left hand) Lever Connecting Stud
132720	20822	
		Hinge Pin for 132606 and 132639
132721	20822	Looper (left hand) Lever Connecting Stud
		011 Pad Retainer for 132718
132722	20815	Feed (front) Dog, 16 teeth (22 teeth to
		the inch) for 132723, for Blind
		Stitching, for Rayon, for 81-53 Ma-
		chine
132723	20815	Throat Plate for 132669 and 132722, for
		Blind Stitching, for Rayon, for
		81-53 Machine
•132758		Welt Guide Holder 132710 with 190J,1117J
		1209C and 22436, for 81-56 Machine
		(For factory use only)
132761	20812	Feed (back) Dog, 7 teeth (12 teeth to
100,01		the inch) for 132765, for Stitching
		Collars to Bodies of Heavy Sweaters
		for 3/16 in. to 1/4 in. bight and
		for Knit Goods with Elastic Tape
		inserted in the seam, for 1/8 in.to
		3/16 in. bight, for 81-53 Machine.
132762	20812	Feed (front) Dog, 8 teeth (12 teeth to
		the inch) for 132765, for Stitching
		Collars to Bodies of Heavy Sweaters
		for 3/16 in. to 1/4 in. bight and
		for Knit Goods with Elastic Tape
		inserted in the seam, for 1/8 in.to
		3/16 in. bight, for 81-53 Machine
132763		Presser Foot Body with 735C, for 132764.
132764	20812	Presser Foot (solid) complete, for
		Stitching Collars to Bodies of
		Heavy Sweaters, for 3/16 in. to 1/4
		in. bight, for 81-53 Machine, Nos.
		233J,14058,132609 to 132611,132682
		and 132763

49

No.	Plate	Name
132765	20812	Throat Plate for 132761 and 132762, for
		Stitching Collars to Bodies of
		Heavy Sweaters, for 3/16 in. to 1/4
		in. bight and for Knit Goods with
		Elastic Tape inserted in the seam,
		for 1/8 in. to 3/16 in. bight, for
		81-53 Machine
132766	20804	Knife (stationary) Holder for 81-56 Ma-
102700	20004	
100000	00000	chine
132767	20818	Knife (stationary) Holder for 81-53 Ma-
		chine
132768	20813	Presser Foot (solid) complete, for Knit
		Goods with Elastic Tape inserted in
		the seam, for 1/8 in. to 3/16 in.
		bight, for 81-53 Machine, Nos. 233J
		14058,132609 to 132611,132679 and
		132682
132769	20817	Frame Rotary Shaft Crank with 1036C,
		1375C and 132773, for 132775
132770	20817	Frame Rotary Shaft Crank Ball Sleeve for
		132775
132771	20817	Frame Rotary Shaft Crank Ball Sleeve
		Bushing for 132775
132772	20817	Frame Rotary Shaft Crank Ball Sleeve
100110	2001.	Bushing Nut Washer for 132775
132773		Frame Rotary Shaft Crank Ball Sleeve
TOPITO		Bushing Position Pin for 132769
132774	20817	Frame Rotary Shaft Crank Ball Sleeve
100/14	20017	Guide for 132779
132775		Frame Rotary Shaft Crank complete, for
102/10		
		132779, Nos. 1664E and 132769 to
		132772
132777	20817	Looper (right hand) and Spreader Lever
		Connection with four 896E, for
		132779
132779		Looper (right hand) and Spreader Lever
		Connection 132777 with 132774,
		132775 and 132802
132780	20808	Frame Top Cover for 132781
132781		" " 132780 with 132782 to
		132784 and two 197J
132782	20821	Frame Top Cover Oil Reservoir Cover for
		132781
132783	20821	Frame Top Cover Oil Tube for 132781
132784	20821	" " " Wick for 132781
132785	20803	Feed (front) Eccentric Lubricator with
		132537
132802	20817	Looper (right hand) and Spreader Lever
		Ball Stud for 132779

From the library of: Superior Sewing Machine & Supply LLC

No.	Plate	Name
132816	20823	Feed (front) Rock Shaft Hinge Pin Bush-
		ing Oil Wick (wick)
132816	20823	Looper (left hand) Lever Hinge Stud Oil Wick (wick)
132816	20823	Looper (right hand) and Spreader Lever Hinge Pin Bushing Oil Wick (wick)
132817	20823	Frame Rotary Shaft Bushing (front) 011 Wick (wick)
132817	20823	Frame Rotary Shaft Flanged Bushing (back) 011 Wick (wick)
132835	20817	Frame Rotary Shaft Crank Oil Sling Cover for 132863
•132862		Frame Rotary Shaft Bushing (front) for 132863.
132863	20817	Frame Rotary Shaft Bushing (front) 132862 with 132835,132864 and two
132864	20823	132715 Frame Rotary Shaft Bushing (front) 011 Pad (braided cotton) for 132863
•132865		Frame Rotary Shaft Flanged Bushing (back) for 132866
132866	20827	Frame Rotary Shaft Flanged Bushing (back) 132865 with 132692,132867,
132867	20823	132868 and two 132603 Frame Rotary Shaft Flanged Bushing (back) 0il Pad (large) braided cot-
132868	20823	ton, for 132866 Frame Rotary Shaft Flanged Bushing (back) Oil Pad (small) braided cot-
132869		ton, for 132866 Welt Guide Spring 42478 with 42475 and two 42477, for 42188
•150057		Thread Unwinder Thread Separator, for 150058.
150058	20778	Thread Unwinder Thread Separator 150057 with 150059, for 150061
•150059		Thread Unwinder Thread Separator Bracket for 150058
150060	20778	Thread Unwinder Thread Separator Bracket Arm with 164J and 9525, for 150061.
150061		Thread Unwinder Thread Separator com- plete, for 150173, Nos. 164J,9525, 150058 and 150060
150178	20778	Thread Unwinder complete, for three spools, Nos. 150061,201696J,202490, 225257,225259,225324,225326,225388 and three each 150203,225391 and wood screws 7/8 in. No. 12

From the library of: Superior Sewing Machine & Supply LLC

Plate	Name
20778	Thread Unwinder Spool Rest Cushion
	(felt) for 150178 Knife Grinder Knife Holder 41330 with
	970D,41331,41332 and two each 313C,
	771D,1519J,41333 and 41334, for 41335
	Knife Grinder Knife Holder 41813 with
	970D,41331,41332 and two each 313C, 771D,1519J,41333 and 41334, for
	41819
20826	Bench Stand Cover Chain Hook Screw Eye for 79790
20807	Thread Unwinder Spool Rest Rod Set Screw
20807	for 202490 Thread Unwinder Spool Rest Set Screw for
20001	225257 and 225259
20807	Thread Unwinder Thread Guide Lock Nut for 150178
20778	Thread Unwinder Spool Stand with 200383C
02770	for 150178
20115	Thread Unwinder Spool Rest (for two spools) with 201018C, for 150173
20778	Thread Unwinder Spool Rest (for one
20307	spocl) with 201018C, for 150178 Thread Unwinder Thread Guide Rod Washer
	for 225324
20775	Thread Unwinder Thread Guide Rod with 203E and 225322, for 150178
20307	Thread Unwinder Thread Guide Position
20775	Cup for 150175 Thread Unwinder Spool Rest Rod for
	150178
20779	
	20778 20826 20807 20807 20807 20778 20778 20778 20778 20775

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

> Needles in Containers marked "For Singer Machines" are not Singer made needles. 2

52

ILLUSTRATIONS OF PARTS FOR MACHINES Nos. 81-53 and 81-56









PLATE 5569-FULL SIZE






















PLATE 20778-ONE-SIXTH SIZE




















PLATE 20809-FULL SIZE




PLATE 20810-FULL SIZE






PLATE 20811-FULL SIZE




132674






132682

PLATE 20812-FULL SIZE



132764






132682




PLATE 20813-FULL SIZE





132762





132682

PLATE 20814-FULL SIZE





PLATE 20815-FULL SIZE

132723











PLATE 20816-FULL SIZE














PLATE 20822-FULL SIZE 132712 132.644 132718 42050 132719 50117 132721 T 132569 132552 132720 68497

PLATE 20823-FULL SIZE

132864 132868

From the library of: Superior Sewing Machine & Supply LLC





PLATE 20825-FULL SIZE







D














PLATE 20826-FULL SIZE










PLATE 20830-ONE-FOURTH SIZE

