FORM 18638 JULY, 1933 PRINTED IN U. S. A.

# LIST of PARTS



MACHINE No. 81-63

THE SINGER MANUFACTURING COMPANY

Copyright, U. S. A.,
1922, 1932 and 1933,
By The Singer Manufacturing Co.
All Rights Reserved for all Countries

#### INSTRUCTIONS FOR OILING

BEFORE STARTING THE MACHINE apply Singer Cloth and Leather Oil to the oil cup in the bed of the machine until the reservoir is full. Also fill the oil cup at the top of the machine and thoroughly saturate the wick in the casting near the top of the needle bar. Then oil the needle bar link connection at the front of the machine, also the knife lever and presser lever bearings at the back of the machine.

THEREAFTER, replenish the oil supply in the reservoir about once each day, or often enough to keep it filled. Twice a day apply oil to the remainder of the oiling points.

# INDEX

	PAGE
Accessories	. 16
BENCH STAND.	. 15
FOOT LIFTER PARTS	. 17
Knee Lifter Parts.	. 18
Machine No. 81-63	. 7
"Base	. 16
Numerical List of Parts	. 21
Parts Required for Three-Thread Stitch	. 15
THREAD UNWINDER	. 19

#### INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A—Hardened, Polished, Nickel Plated and Buffed
B—Polished, Nickel Plated and Buffed
C—Hardened Only
D—Polished Only
E—Soft, Not Polished
F—Hardened and Polished
H—Blued
J—Nickel Plated Only
K—Hardened and Nickel Plated
L—Brass Plated

M—Hardened and Net
L—Brass Plated
M—Oxidized
N—Japanned, Dull
P—Japanned, Bright
R—Merlized
T—Copper Plated
Hardened Relight

T. A.—Hardened, Polished, Copper and Nickel Plated and Buffed

T. B.—Copper and Nickel Plated and Polished

T. J.—Copper and Nickel Plated Only
T. J.—Copper and Nickel Plated Only
T. K.—Hardened, Copper and Nickel Plated
T. M.—Copper Plated and Oxidized
T. L.—Copper and Brass Plated
U—Zinc Plated
V—Silver Plated
W.—Relighed and Nickel Plated

V—Silver Plated
W—Polished and Nickel Plated
Y—Black Nickel Plated Only
Z—Chromium Plated
Z. B.—Polished, Nickel Plated, Buffed and Chromium Plated

Z. J.—Nickel and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.


In this series:

1 to 1500 and 50001 to 51500 are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 and upward are numbers of Machine Parts

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (\*) are furnished only when repairs are made at factory.

# LIST OF PARTS COMPLETE FOR



### **MACHINE No. 81-63**

FOR SERGING PANTS AND CUT EDGES OF CLOTH. NO TRIM-MER. HAS A GUIDE ADJUSTABLE FOR DIFFERENT THICKNESSES AND WIDTH OF BIGHT. TWO-THREAD STITCH. FOOT LIFTER. HAS AN IMPROVED OILING SYSTEM, WHICH AUTOMATICALLY OILS ALL OF THE PRINCIPAL BEARINGS OF THE MACHINE. BALANCE WHEEL NO. 132632. DIAMETER OF BELT GROOVE 17/8 INCHES. SPEED 5000.

	PLATE	NAME
*132522		Arm with 42253, 132580 and two each
		462c, 624c and 132589
4389	7416	Arm Dowel Pin
68350	7416	" Oil Cup
949E	7417	" Screw
132632	20784	Balance Wheel, 17/8 in. pulley, with
		with 446c and 1258c

NO.	PLATE	D.1	NAME
1285c	7418	Balance	Wheel Position Screw
446c			Set Screw
132524	20779	Cloth P	Plate with 132525
132601	20779		" Extension (lower)
233E	7416	"	" Screw
42108	7416	"	" (upper)
233E	7416	"	" Screw
*132525		"	" Hinge Bracket
132526	7416	"	" " Stud
50150c	7416	"	" Set Screw
42005	7416	"	" Lock Spring
236c	7416	"	" " Screw
132527		Cloth	Plate complete, Nos. 42005,
		42108	3, 132524, 132601, two 236c and
			33E
42205	20780	Food B	ar with 1253c
132528	20786	" "	
1253c	20781	"	
132529	20781		onnecting Rod with 171c, 1695,
132329	20781		
100010			30 and two 1057E
132643			Connecting Rod 132529 with
		13264	4
*132530	-		Connecting Rod Cap
1057E		"	" " Screw
51292c	Tenning to the last of the las	"	" " Hinge Screw
171c	20781	"	
		Clam	ping Screw
1695 <sub>J</sub>	20781	Feed (	Connecting Rod Hinge Screw
		Clam	ping Screw Nut
1520л	20781	Feed (	Connecting Rod Hinge Screw
		Nut	
42267	20782	Feed I	Dog, 24 teeth (16 teeth to the
190л	20781		og Screw
*132531		" E	ccentric
*132532		"	" Body
1036c	20781	"	" Set Screw
19047	20781	"	" Clamping Washes
201 <sub>J</sub>	20781		" Clamping Washer " " Screw
132533		"	
	20781		On Tube
132644	20781	reed F	Eccentric complete, Nos. 2011,
		19047	7, 51145c, 132531 to 132533 and
100051	00001	two 1	036c
132651	20781	Feed E	ccentric Cover
42102	20786		" " Holder
132634		"	" " 42102 with
		13265	51 and two 50253j

210	PLATE	NAME
	20786	Feed Eccentric Cover Holder Thumb
200 W	20100	
2749	20786	ScrewFeed Eccentric Cover Holder Thumb
2149	20780	Screw Washer
50050-	00701	Feed Eccentric Cover Screw
50253j	20781	" " Lubricator with 192527
132536	20783	Lubricator with 152557
132537	20783	Oll Wick
400000		(braided cotton)
132635	20783	Feed Lifting Eccentric with two 462c
132539	20783	Connection
462c		bet berew
51145c		" Regulating Screw
132625	20780	" Rock Shaft
132626		Feed Rock Shaft complete, Nos. 42021
		and 132625
42021	20783	Feed Rock Shaft Crank with 157E
157E	20783	" " Clamping
		Screw
132542	20783	Feed Rock Shaft Hinge Pin with 132544
132543	20783	" " " Bushing
132544	20783	" " " " " Oil
		Wick (braided cotton)
1036c	20783	Feed Rock Shaft Hinge Pin Bushing
		Set Screw
132544	20783	Feed Rock Shaft Hinge Pin Oil Wick
		(braided cotton)
*132545		Frame
132546	20779	" Bottom Cover with 132594
132547	20779	" " Gasket
190E	20781	" " Screw
132548	7416	" Oil Cup
132549	20784	" Rotary Shaft with 132558 and
		132559
132616		Frame Rotary Shaft 132549 with 132585
		and 132695
132550	7416	Frame Rotary Shaft Bushing (front)
-5-000		with 132552
132552	20785	Frame Rotary Shaft Bushing (front)
	-0.00	Oil Pad (braided cotton)
132551	7416	Frame Rotary Shaft Bushing (front)
	. 110	Oil Wick (braided cotton)
51332c		Frame Rotary Shaft Bushing (front)
010020		Set Screw
132553	20783	Frame Rotary Shaft Crank with 1036c
102000	20100	and 1375c
1375c	20783	Frame Rotary Shaft Crank Position
10100	20100	Screw
		Delew

NO. PLATE	NAME	Conorr
1036c 20783	Frame Rotary Shaft Crank Set	berew
132554 20784	" " Flanged	
	(back)	
132694	Frame Rotary Shaft Flanged	Bushing
	(back) 132554 with 132555,	132556,
	132603 and 132692	
132555 20780	Frame Rotary Shaft Flanged	Bushing
	(back) Oil Pad, large (braided	l cotton)
132556 7416	Frame Rotary Shaft Flanged	Bushing
102000 1220	(back) Oil Pad, small (braided	l cotton)
132603 20780	Frame Rotary Shaft Flanged	Bushing
132003 20100	(back) Oil Pad Retainer	
132551 7416	Frame Rotary Shaft Flanged	Bushing
152551 7410	(back) Oil Wick (braided cot	ton)
F1000-	Frame Rotary Shaft Flanged	Buching
51332c		
100550 00500	(back) Set Screw	
132558 20780	Frame Rotary Shaft Oil Pad	
	cotton)	
132559 20780	Frame Rotary Shaft Oil Pad R	
*132692		Cover
132638 20784	" Side Cover (left) with 1	
19045 7416	- Andrews	e
330w 7416		
42028 20784	" " (right, hinge	ed)
42192 20786	" " " Lock	Spring
330w 7416		"
	Screw	
330w 7416	Frame Side Cover (right) Screw	
132636 20779	" Top Cover	
583F 7417	" " Screw (large	)
742F 7417		ĺ)
38571 20786	Guide with 230н and 38572	
217F 7412	" Screw	
7071 20786	" " Washer	
38572 20786	" Smoothing Plate	
230н 20786		
42114 20785	Looper (left hand)	
132566 20785	" " Lever with	
192900 20789	and two 1253c	
199567 99705	Looper (left hand) Lever Co	
132567 20785		
0040	Stud with 68497	
68497	Looper (left hand) Lever Co	
100015 005-	Stud Oil Pad	
132645 20785	Looper (left hand) Lever Co	
	Stud Hinge Pin	
1253c 20785	Looper (left hand) Lever Co	onnecting
	Stud Hinge Pin Set Screw	

NO.	PLATE	NAME
132569	20785	Looper (left hand) Lever Hinge Stud
	20505	with 132552
132552	20785	Looper (left hand) Lever Hinge Stud Oil Pad (braided cotton)
400	00505	
132571	20785	Looper (left hand) Lever Hinge Stud Oil Wick (braided cotton)
1000-	00701	
1036C	20781	Looper (left hand) Lever Hinge Stud Set Screw
50117a	20785	Looper (left hand) Set Screw
50117c		" (right hand)
132630	20785	
132698		and optedder never
		with 233E, 241E and 50200c
132703		Looper (right hand) and Spreader Lever
		132698 with 132699
132573	7412	Looper (right hand) and Spreader Lever
		Ball Stud
132695		Looper (right hand) and Spreader Lever
		Ball Stud 132573 with 132696
132696		Looper (right hand) and Spreader Lever
		Ball Stud Oil Pad (felt)
50200c	7413	Looper (right hand) and Spreader Lever
		Ball Stud Set Screw
132574	7412	Looper (right hand) and Spreader Lever
102011		Connection with 132575, 132576 and
		four 1057E
132617		Looper (right hand) and Spreader Lever
102011		Connection 132574 with 132553 and
		132695
*132575	Markey	Looper (right hand) and Spreader Lever
102010		Connection Cap (lower)
1057E	7412	Looper (right hand) and Spreader Lever
1007E	7412	Connection Cap (lower) Screw
*190570		Looper (right hand) and Spreader Lever
*132576		
1057	7410	Connection Cap (upper)
1057E	7412	Looper (right hand) and Spreader Lever
100555	7110	Connection Cap (upper) Screw
132577	7412	Looper (right hand) and Spreader Lever
100	F110	Connection Guide
196F	7412	Looper (right hand) and Spreader Lever
100000		Connection Guide Screw
132699		Looper (right hand) and Spreader Lever
		Hinge Pin with 132700
132543	20783	Looper (right hand) and Spreader Lever
		Hinge Pin Bushing
132700		Looper (right hand) and Spreader Lever
		Hinge Pin Bushing Oil Pad (braided
		cotton)

210	PLATE	NAME
	State of the last	Looper (right hand) and Spreader Lever
1036c	20781	Hinge Pin Bushing Set Screw
100700		Looper (right hand) and Spreader Lever
132700		Hinge Pin Oil Pad (braided cotton) for
		132699
	00701	Looper (right hand) and Spreader Lever
1036c	20781	Hinge Pin Set Screw
241E		Looper (right hand) and Spreader Lever
		Oil Plug Screw
197л	20785	Looper (right hand) Screw
42054	7412	Needle Bar
42253	7412	Bushing (lower)
132580	7412	" " (upper) " " Oil Pad
132581	7412	
		(braided cotton)
132621	7412	Needle Bar Bushing (upper) Oil Pad
		Cover
217л	7412	Needle Bar Bushing (upper) Oil Pad
		Cover Screw
462c	20783	Needle Bar Bushing Set Screw
132598	7412	" " Connecting Bracket with
102000		187E and 223F
187E	7412	Needle Bar Connecting Bracket Clamp-
1011	1112	ing Screw
100500	7412	Needle Bar Connecting Link
132582 132583	7412	" " Hinge Pin
132583	7412	with 132584
100504	7412	Needle Bar Connecting Link Hinge Pin
132584	7412	Oil Pad (wick)
000-	7412	Needle Bar Connecting Link Hinge Pin
223F	7412	Set Screw for 132598
000-	7413	Needle Bar Connecting Link Hinge Pin
620c	7415	Set Screw for 132597
120505	7413	Needle Bar Connecting Rod with 132586
132585	7415	132587 and four 1057E
*132586		Needle Bar Connecting Rod Cap (lower)
	7413	" " " " " "
1057E	7415	Screw
		Needle Bar Connecting Rod Cap (upper)
*132587		" " " " " " "
1057E	7413	
		Screw
132577	7412	Needle Bar Connecting Rod Guide
196F	7412	DOI O II
132588	7413	Clank (back) with 192000
		and two 1259c
132573	7412	Needle Bar Crank (back) Ball Stud

NO.	PLATE	NAME
132695		Needle Bar Crank (back) Ball Stud
		132573 with 132696
132696		Needle Bar Crank (back) Ball Stud
		Oil Pad (felt)
1259c	7413	Needle Bar Crank (back) Ball Stud
		Set Screw
132589	7413	Needle Bar Crank (back) Bushing
624c	7413	" " " " Set
		Screw
132590	7413	Needle Bar Crank (back) Oil Pad
		(wick)
1259c	7413	Needle Bar Crank (back) Set Screw
132597	7413	" " (front) with 620c, 1259c and 50200c
190015		Needle Bar Crank (front) 132597 with
132615		132582, 132598 and two 132583
1259c	7413	Needle Bar Crank (front) Position
12090	1419	Screw
50200c	7413	Needle Bar Crank (front) Set Screw
42115	7413	" " Thread Retainer Bracket
228J	20786	
		Screw
42483	7413	Needle Bar Thread Retainer Disc
93c	7413	" " " Screw
10107	7413	" " Spring
1728c	7412	Clamping Nut
42066 42195	7413 20786	" Guard
1101c	7418	" " Holder " " Screw
171F	7413	" " Screw. A
42268	20782	Presser Foot Chaining-off Finger
233ј	20782	" " Screw
132609		" " Plate
132610	20782	Collar
132611	20782	with 240c Presser Foot Chaining-off Plate Collar
152011	20102	Guide Pin
735c	20782	Presser Foot Chaining-off Plate Collar
1000	20102	Guide Pin Set Screw
240c	20782	Presser Foot Chaining-off Plate Collar
		Set Screw
62527	20782	Presser Foot Hinge Pin
42270		" Plate
132612	20700	Bhank with 1550
14058	20782	" " Spring

NO. PLATE	NAME
132637 20782	Presser Foot (spring hinged) complete,
182081 20102	Nos. 233 <sub>J</sub> , 14058, 42268, 42270, 62527
	and 132609 to 132612
1324c 20782	Presser Foot Screw
39541 20782	" " Washer
42069 20784	" Lever
42376	" 42069 with 42045
42045 20786	" " Hinge Stud
1120c 7417	Presser Lever Hinge Stud Set Screw
42070 7414	" " Lifter
85p 7414	" " Hinge Screw
1377c 7418	" Screw Stud (eccentric)
1547』 20786	" " " Nut
42071 7414	" " Spring
1378p 7414	Pressure Regulating Thumb Screw
132631 20785	Spreader
197л 20785	" Screw
2102 7414	Tension (looper, left hand) Disc
1560c 7414	" " " Regulating
10000	Thumb Nut
50148c 7414	Tension (looper, left hand) Screw Stud
124687	" " " " " "
12100.	50148c with 1560c
54883 7414	Tension (looper, left hand) Spring
132599 7414	" " " Thread
102000	Guide
2102 7414	Tension (needle thread) Disc
1560c 7414	" " Regulating
	Thumb Nut
916c 7414	Tension (needle thread) Screw Stud
44209	" " " " 916c
	with 1560c
10148 7414	Tension (needle thread) Spring
42082 7414	
42242 20786	
233E 7416	" " " Screw
42084 7417	" " " Tube
462c 20783	" " " " Set
	Screw
42096 20786	
217j 7412	
42128 20786	
197J 7414	
42272 20782	
742F 7417	" " Screw

## PARTS REQUIRED FOR THREE-THREAD STITCH

NO.	PLATE	NAME
132630	20785	Looper (right hand)
2102	7414	Tension (looper, right hand) Disc
1560c	7414	" " Regulating
		Thumb Nut
828c	7414	Tension (looper, right hand) Screw Stud
42418		
		828c with 1560c
10148	7414	Tension (looper, right hand) Spring
57076	7414	" " Thread
		Guide
132629	7417	Thread (looper, left hand) Evelet.
42122	7417	" " " Nipper
		Spring (lower)
42123	7417	Thread (looper, left hand) Nipper
		Spring (upper)
176ј	7417	Thread (looper, left hand) Nipper
		Spring Screw
42126	7417	Thread (looper, left hand) Pull-off
132591	7417	" (looper, right hand) Pull-off
42244	7417	
12-11		Eyelet
207л	7417	Thread (looper, right hand) Pull-off
2010		Eyelet Screw
42093	7417	Thread (looper, right hand) Staple
190л	- CONTROL (10)	" " " Screw
42127	7417	" " " Take-up
197.1		" " " " Screw
132622		" (needle) Eyelet
233л		" " Screw
132623	7417	" " Take-up
102020	1.411	такс-ир

#### **BENCH STAND**

NO.	PLATE	NAME
79768		Bench Stand with 27998, two each
		28291, 46548, wood screws 1½ in.
		No. 12 and eight wood screws 5/8 in.
		No. 5
28291	7418	Cover Hinge
27998	7418	" Hook and Eye (brass) with wood
		screw ½ in. No. 5
46548	7418	Cover Rest (felt)

18638-2

### **ACCESSORIES**

NO.	PLATE	NAME
1407E	5563	Machine Base Thumb Screw, for 3 in.
		table
1408E	5563	Machine Base Thumb Screw, for 2 in.
		table
14063	7418	Machine Base Thumb Screw Spring
9842	7419	
		Washer
132602	7418	Machine Base Thumb Screw Washer
120344	5566	Oiler (copper plated) with 120345
120345	5566	" Spout, 5 in. long
120440	5566	Screw Driver
42090	5566	Threading Wire
120341	5566	Tweezers (curved)
68547	7418	Wrench for 1324 and 1728
8908	5566	" " 1520
4822	5566	" " 1547

# **MACHINE BASE**

NO.	PLATE			NAME
132647	20779	Machine	Base	e
132595	7419	"	"	Cushion (large) felt
42088	7419	"	"	" (small) felt
132618	7419	"	"	" " for
		1407 o	r 140	08
935E	7419	Machine	Base	e Cushion (small) Screw
132596	7419	"	"	" (leather)
132593	7419	"	"	Oil Drain Strainer
131019	20784	"	"	" Pipe
131020	20784	"	"	" " Valve
54477	7419	"	"	Screw Stud
51576E	7419	"	"	" " Nut
9842	7419	"	"	" " Washer.
132594	7419	"	"	Thumb Screw Bushing
132592		Machine	Base	e complete, Nos. 131019,
		131020	), 13	32593, 132596, 132618,
		132647	, thi	ree each 9842, 51576E,
		54477	and f	four each 935E, 42088 and
		120505		

#### **FOOT LIFTER PARTS**

NO.	PLATE	NAME
6439		Chain, 36 in. to 45 in., with 56864 and
		56865
N	me. Wi	nen ordering No. 6439 state length
111	JIE. WI	required.
		required.
4879	5566	Chain Connecting Link
56864	5566	" Hook (large)
56865	7418	" " (small)
42130	20780	Lifting Lever
42131	20780	" " Bracket
1229c	20780	" " Screw
1301р	20780	" " Hinge Screw
42132	20780	" " Spring
1148F	20780	" Stop Screw
1547л	20786	" " " Nut
4881	20779	Treadle
4882	5566	" Shaft
4883	5566	" Spring
4884	20779	" Stand
4885	20779	Treadle complete, Nos. 4879, 4881 to
		4884 and two wood screws 1 in. No. 16
42133		Foot Lifter complete, Nos. 1301p, 4885,
		6439, 42130 to 42132 and two each
		1148r, 1229c and 1547j

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked
"For Singer Machines"
are not Singer made needles. 2

# **KNEE LIFTER PARTS**

NO.	PLATE	NAME
42130	20780	Lifting Lever
42131	20780	" " Bracket
1229c	20780	" " Screw
42142	20779	" Connecting Rod
1301p	20780	" " Hinge Screw
42132	20780	" " Spring
1148F	20780	" " Stop Screw
1547 <sub>J</sub>	20786	" " " Nut
2763	20779	Rock Shaft
12242	20779	" " Hanger with two wood
		screws 1 in. No. 10
2765	20779	Rock Shaft Knee Arm
2766	20779	" " " Hub with 356c
356c	7418	" " Set Screw
2768		Rock Shaft Knee Arm complete, Nos.
		2765 to 2767
2767	20779	Rock Shaft Knee Plate with 356c
356c	7418	" " " Set Screw
6337	20779	" Lifting Bracket with two
		356c
7125	20779	Rock Shaft Lifting Bracket Hook
356c	7418	" " " Set
		Screw
356c	7418	Rock Shaft Lifting Bracket Set Screw.
2770	20779	" " Stop Dog with 356c
356c	7418	" " " Set Screw
42143	20779	Rock Shaft complete, Nos. 2763, 2768
		6337, 7125 and two each 2770 and
		12242
42144		Knee Lifter complete, Nos. 1301D
		42130 to 42132, 42142, 42143 and two
		each 1148r, 1229c and 1547j

#### THREAD UNWINDER

#### FOR TWO SPOOLS

NO.	PLATE	NAME
225257	20787	Spool Rest (for two spools) with
		201018c
150203		Spool Rest Cushion (felt)
225388	20787	" " Rod
200383c	7418	" " Set Screw
201018c	7418	" " Set Screw
202490	20787	" Stand with 200383c
225391	20787	Thread Guide
201696л	7418	" " Lock Nut
225326	7418	" Position Cup
225324	20787	" Rod with 208E and 225322
208E	20786	" " Screw
225322	7418	" " Washer
*150085		" Separator
150086	20787	" 150085 with 150059
*150059		" Bracket
150060	20787	" " Arm with
		164s and 9525
164л	7418	Thread Separator Bracket Arm Clamp-
		ing Screw
9525	7418	Thread Separator Bracket Arm Clamp-
		ing Screw Washer
164л	7418	Thread Separator Bracket Screw
9525	7418	" " Washer
150087		Thread Separator complete, Nos. 1641,
		9525, 150060 and 150086
150088	20787	Thread Unwinder complete, Nos. 150087,
		201696л, 202490, 225257, 225324,
		225326, 225388, two each 150203,
		225391 and three wood screws 7/8
0,000		in. No. 12
27739	7234	Thread Cone (wood) for large cones
225390	7234	" Holder, for inverted cones

Note: Nos. 27739 and 225390 are used with, but not included in 150088.

# NUMERICAL LIST OF PARTS FOR MACHINE No. 81-63

# NUMERICAL LIST OF PARTS

NO.	PLATE	NAME
85p		Presser Lever Lifter Hinge Screw
93c		Needle Bar Thread Retainer Screw
	20783	Feed Rock Shaft Crank Clamping
197E	20100	Screw for 42021
164л	7418	Thread Unwinder Thread Separator
1041	7418	Product Ame Clarical Separator
		Bracket Arm Clamping Screw for
101	7410	150060
164л	7418	Thread Unwinder Thread Separator
1 = 1	00701	Bracket Screw for 150087
171c	20781	Feed Connecting Rod Hinge Screw
		Clamping Screw for 132529
171F	7413	Needle Guard Screw
176ј	7417	Thread (looper, left hand) Nipper
	-	Spring Screw
187E	7412	Needle Bar Connecting Bracket Clamp-
		ing Screw for 132598
-	20781	Frame Bottom Cover Screw
190л	20781	Feed Dog Screw
190л	20781	Thread (looper, right hand) Staple Screw
196 <sub>F</sub>	7412	Looper (right hand) and Spreader Lever
		Connection Guide Screw
196F	7412	Needle Bar Connecting Rod Guide
		Screw
197 <sub>J</sub>	20785	Looper (right hand) Screw
197ј	20785	Spreader Screw
197л	7414	Thread (needle) Take-up Screw
197л	7414	" (looper, right hand) Take-up
		Screw
201ј	20781	Feed Eccentric Clamping Washer Screw
		for 132644
207л	7417	Thread (looper, right hand) Pull-off
		Eyelet Screw
208E	20786	Thread Unwinder Thread Guide Rod
		Screw for 225324
217F	7412	Guide Screw
217л	7412	Needle Bar Bushing (upper) Oil Pad
		Cover Screw
217л	7412	Thread (needle) Eyelet Screw
223F	7412	Needle Bar Connecting Link Hinge Pin
		Set Screw for 132598
228ј	20786	Needle Bar Thread Retainer Bracket
		Screw
230н	20786	Guide Smoothing Plate Screw for 38571

NO. PLATE	NAME
233E 7416	Cloth Plate Extension (lower) Screw for
	132527
233E 7416	Cloth Plate Extension (upper) Screw
	for 132527
233E 7416	Thread (looper, left hand) Eyelet Screw
	for 132698
233л 20782	Presser Foot Chaining-off Finger Screw
	for 132637
233ј 7416	Thread (looper, left hand) Eyelet Screw
233л 7416	" (needle) Eyelet Screw
236c 7416	Cloth Plate Lock Spring Screw for
2000 1110	132527
240c 20782	Presser Foot Chaining-off Plate Collar
2100 20102	Set Screw for 132610
241E ——	Looper (right hand) and Spreader Lever
2416	Oil Plug Screw for 132698
283w 20786	Feed Eccentric Cover Holder Thumb
200W 20100	Screw
330w 7416	Frame Side Cover (left) Screw
330w 7416	" " (right) Lock Spring
990M 1410	Screw
330w 7416	Frame Side Cover (right) Screw
356c 7418	Rock Shaft Knee Arm Hub Set Screw
9900 7419	for 2766
950- 7410	Rock Shaft Knee Plate Set Screw for
356c 7418	
356c 7418	2767
356c 7418	Screw for 6337
070- 7110	Rock Shaft Lifting Bracket Set Screw
356c 7418	
050 5410	for 6337
356c 7418	Rock Shaft Stop Dog Set Screw for
110-	2770
446c ——	Balance Wheel Set Screw for 132632
462c 20783	Feed Lifting Eccentric Set Screw for
400~ 00700	Needle Ben Bushing Set Same for
462c 20783	Needle Bar Bushing Set Screw for
100 00700	132522
462c 20783	Thread (looper, left hand) Tube Set
E00- 5415	Screw
583F 7417	Frame Top Cover Screw (large)
620c 7413	Needle Bar Connecting Link Hinge Pin
004- 7410	Set Screw for 132597
624c 7413	Needle Bar Crank (back) Bushing Set
705- 00700	Screw for 132522 Presser Foot Chaining-off Plate Collar
735c 20782	
749. 7417	Guide Pin Set Screw for 132612
742F 7417	Frame Top Cover Screw (small)

NO DIAM	NAME:
NO. PLATI 742F 7417	
828c 7414	
828C 7414	Tension (looper, right hand) Screw Stud for 42418
916c 7414	Tension (needle thread) Screw Stud for 44209
935E 7419	Machine Base Cushion (small) Screw for 132592.
949E 7417	Arm Screw
1036c 20781	Feed Eccentric Body Set Screw for
10000 20101	132644
1036c 20783	Feed Rock Shaft Hinge Pin Bushing Set Screw
1036c 20783	Frame Rotary Shaft Crank Set Screw for 132553.
1036c 20781	Looper (left hand) Lever Hinge Stud Set Screw
1036c 20781	Looper (right hand) and Spreader Lever Hinge Pin Bushing Set Screw
1036c 20781	
1057E 20781	Feed Connecting Rod Cap Screw for 132529.
1057е 7412	
1057в 7412	Looper (right hand) and Spreader Lever Connection Cap (upper) Screw for 132574
1057E 7413	Needle Bar Connecting Rod Cap (lower) Screw for 132585
1057E 7413	Needle Bar Connecting Rod Cap (upper) Screw for 132585
1101c 7418	Needle Guard Holder Screw
1120c 7417	Presser Lever Hinge Stud Set Screw
1148F 20780	
1229c 20780	
1253c 20781	
1253c 20785	
1259c 7413	
1259c 7413	

NO. PLATE	NAME
1259c 7413	Needle Bar Crank (front) Position
	Screw for 132597
1285c 7418	Balance Wheel Position Screw for
	132632
1301р 20780	Lifting Lever Hinge Screw for 42133 and
	42144
1324c 20782	Presser Foot Screw
1375c 20783	Frame Rotary Shaft Crank Position
	Screw for 132553
1377c 7418	Presser Lever Screw Stud (eccentric)
1378р 7414	Pressure Regulating Thumb Screw
1407E 5563	Machine Base Thumb Screw, for 3 in.
	table (Accessories)
1408E 5563	Machine Base Thumb Screw, for 2 in.
	table (Accessories)
1520л 20781	Feed Connecting Rod Hinge Screw Nut
1547л 20786	Lifting Lever Stop Screw Nut for 42133
	and 42144
1547ј 20786	Presser Lever Screw Stud Nut
1560c 7414	Tension (looper, left hand) Regulating
	Thumb Nut for 124687
1560c 7414	Tension (looper, right hand) Regulating
	Thumb Nut for 42418
1560c 7414	Tension (needle thread) Regulating
	Thumb Nut for 44209
1695」 20781	Feed Connecting Rod Hinge Screw
	Clamping Screw Nut for 132529
1728c 7412	Needle Clamping Nut
2102 7414	Tension (looper, left hand) Disc
2102 7414	(looper, right hand) Disc
2102 7414	" (needle thread) Disc Feed Eccentric Cover Holder Thumb
2749 20786	
2763 20779	Screw Washer
2765 20779	" " Knee Arm for 2768
2766 20779	" " Hub with 356c,
2100 20119	for 2768
2767 20779	Rock Shaft Knee Plate with 356c, for
2767 20779	
2768	2768
2100	42143, Nos. 2765 to 2767
0770 00770	
2770 20779	Rock Shaft Stop Dog with 356c, for
4389 7416	42143
4389 7416 4822 5566	Wrench for 1547 (Accessories)
4879 5566	Chain Connecting Link for 4885
4919 9900	Chain Connecting Link for 4885

NO.	PLATE	NAME
	N	os. 4881 to 4884 for 4885
4881	20779	Treadle
4882	5566	" Shaft
4883	5566	" Spring
4884	20779	" Stand
4885	20779	Treadle complete for 42133, Nos. 4879,
		4881 to 4884 and two wood screws
		1 in. No. 16
6337	20779	Rock Shaft Lifting Bracket with two
		356c, for 42143
6439		Chain, 36 in. to 45 in., with 56864 and
		56865, for 42133
7071	20786	Guide Screw Washer
7125	20779	Rock Shaft Lifting Bracket Hook for
		42143
8908	5566	Wrench for 1520 (Accessories)
9525	7418	Thread Unwinder Thread Separator
		Bracket Arm Clamping Screw Washer
		for 150060
9525	7418	Thread Unwinder Thread Separator
		Bracket Screw Washer for 150087
9842	7419	Machine Base Thumb Screw Spring
		Washer (Accessories)
9842	7419	Machine Base Screw Stud Nut Washer
		for 132592
10107	7413	Needle Bar Thread Retainer Spring
10148	7414	Tension (needle thread) Spring
10148	7414	" (looper, right hand) Spring
12242	20779	Rock Shaft Hanger with two wood
	20-00	screws 1 in. No. 10, for 42143
14058	20782	Presser Foot Spring for 132637
14063	7418	Machine Base Thumb Screw Spring
10045	7110	(Accessories)
19045	7416	Frame Side Cover (left) Handle for
19047	20781	132638 Feed Eccentric Clamping Washer for
19047	20781	199644
27739	7234	132644
21109	1204	for large cones, for 150088
27998	7418	Bench Stand Cover Hook and Eye
21000	1410	(brass) with wood screw ½ in. No.
		5, for 79768
28291	7418	Bench Stand Cover Hinge for 79768
38571	20786	Guide with 230H and 38572
38572	20786	" Smoothing Plate for 38571
39541	20782	Presser Foot Screw Washer

NO.	PLATE	NAME
42005	7416	Cloth Plate Lock Spring for 132527
42021	20783	Feed Rock Shaft Crank with 157E, for
		132626
42028	20784	Frame Side Cover (right, hinged)
42045	20786	Presser Lever Hinge Stud for 42376
42054	7412	Needle Bar
42066	7413	" Guard
42069	20784	Presser Lever for 42376
42070	7414	" " Lifter
42071	7414	" " Spring
42082	7414	Tension (needle thread) Thread Guide.
42084	7417	Thread (looper, left hand) Tube
42088	7419	Machine Base Cushion (small) felt, for
12000	1110	132592
42090	5566	Threading Wire (Accessories)
42093	7417	Thread (looper, right hand) Staple
42095	20786	" (needle) Eyelet
42102	20786	Feed Eccentric Cover Holder for 132634
42102	7416	Cloth Plate Extension (upper) for
42108	7410	132527
10111	00705	Looper (left hand)
42114	20785 7413	Needle Bar Thread Retainer Bracket
42115		
42122	7417	Thread (looper, left hand) Nipper
10100		Spring (lower)
42123	7417	Thread (looper, left hand) Nipper
		Spring (upper)
42126	7417	Thread (looper, left hand) Pull-off
42127	7417	(looper, right hand) Take-up
42128	20786	(needle) Take-up
42130	20780	Lifting Lever for 42133 and 42144
42131	20780	" " Bracket for 42133 and
		42144
42132	20780	Lifting Lever Spring for 42133 and
		42144
42133		Foot Lifter complete, Nos. 1301d,
		4885, 6439, 42130 to 42132 and two
		each 1148r, 1229c and 1547j
42142	20779	Lifting Lever Connecting Rod for 42144
42143	20779	Rock Shaft complete for 42144, Nos.
		2763, 2768, 6337, 7125 and two each
		2770 and 12242
42144		Knee Lifter complete, Nos. 1301D,
		42130 to 42132, 42142, 42143 and
		two each 1148F, 1229c and 1547J
42192	20786	Frame Side Cover (right) Lock Spring
42195	20786	Needle Guard Holder
42205	20780	Feed Bar with 1253c

NO. PLATE	NAME
42242 20786	Thread (looper, left hand) Eyelet
42244 7417	" (looper, right hand) Pull-off
	Eyelet
42253  7412	Needle Bar Bushing (lower) for 132522.
42267 20782	Feed Dog, 24 teeth (16 teeth to the inch)
	for 42272
42268 20782	Presser Foot Chaining-off Finger for
	132637
42270	Presser Foot Plate for 132637
42272 20782	Throat Plate for 42267
42376	Presser Lever 42069 with 42045
42418	Tension (looper, right hand) Screw Stud
	828c with 1560c
42483 7413	Needle Bar Thread Retainer Disc
44209	Tension (needle thread) Screw Stud
	916c with 1560c
46548 7418	Bench Stand Cover Rest (felt) for
	79768
50117c 20785	Looper (left hand) Set Screw for 132566
50148c 7414	Tension (looper, left hand) Screw Stud
F01F0	for 124687
50150c 7416	Cloth Plate Hinge Stud Set Screw
50200c 7413	Looper (right hand) and Spreader Lever
**************************************	Ball Stud Set Screw for 132698
50200c 7413	Needle Bar Crank (front) Set Screw for
T0070 00701	132597
50253j 20781	Feed Eccentric Cover Screw for 132634.
51145c 20781 51292c 20781	regulating below for 102011
51292c 20781 51332c	" Connecting Rod Hinge Screw Frame Rotary Shaft Bushing (front)
51552C	Set Screw
*1000	
51332c ——	Frame Rotary Shaft Flanged Bushing
	(back) Set Screw
51576E 7419	Machine Base Screw Stud Nut for
	132592
54477 7419	Machine Base Screw Stud for 132592
54883 7414	Tension (looper, left hand) Spring
56864 5566	Chain Hook (large) for 6439
56865 7418	" (small) for 6439
57076 7414	Tension (looper, right hand) Thread
	Guide
62527 20782	Presser Foot Hinge Pin for 132637
68350 7416	Arm Oil Cup
68497	Looper (left hand) Lever Connecting
	Stud Oil Pad for 132567
68547 7418	Wrench for 1324 and 1728 (Accessories).

210	DI AMES	NAME
NO.	PLATE	Bench Stand with 27998 two each
79768		Bench Stand with 27998 two each 28291, 46548, wood screws $1\frac{1}{2}$ in.
		28291, 46548, wood screws 1/2 in.
		No. 12 and eight wood screws 5% in.
		No. 5
120341	5566	Tweezers (curved) Accessories
120344	5566	Oiler (copper plated) with 120345
		(Accessories)
120345	5566	Oiler Spout, 5 in. long, for 120344
120440	5566	Screw Driver (Accessories)
124687		Tension (looper, left hand) Screw Stud
		50148c with 1560c
131019	20784	Machine Base Oil Pipe for 132592
131020	20784	" " " Valve for 132592
*132522		Arm with 42253, 132580 and two each
		462c, 624c and 132589
132524	20779	Cloth Plate with 132525, for 132527
*132525		" " Hinge Bracket for 132524
132526	7416	" " Stud
132527		Cloth Plate complete, Nos. 42005,
		42108, 132524, 132601, two 236c and
		five 233E
132528	20786	Feed Bar Hinge Pin
132529	20781	" Connecting Rod with 171c, 1695,
102020	20,01	132530 and two 1057E, for 132643
*132530		Feed Connecting Rod Cap for 132529.
*132531		" Eccentric for 132644
*132532		" " Body for 132644
132533	20781	" Oil Tube for 132644
132536	20783	" Lubricator with 132537
132537	20783	" " Oil Wick
102001	20100	(braided cotton) for 132536
132539	20783	Feed Lifting Eccentric Connection
132539	20783	" Rock Shaft Hinge Pin with
152542	20100	132544
132543	20783	Feed Rock Shaft Hinge Pin Bushing
132543	20783	Looper (right hand) and Spreader Lever
152545	20783	Hinge Pin Bushing
190544	20702	Feed Rock Shaft Hinge Pin Bushing
132544	20783	Oil Wick (braided cotton)
100511	00700	Feed Rock Shaft Hinge Pin Oil Wick
132544	20783	(braided cotton) for 132542
*100=4=		
*132545	00770	" Rottom Cover with 132594
132546	20779	Dollom Cover with 192991
132547	20779	Gasket
132548	7416	On Cup
132549	20784	Rotary Shart with 192995 and
		132559, for 132616

	NO.	PLATE	NAME
	132550	7416	Frame Rotary Shaft Bushing (front) with 132552
	132551	7416	Frame Rotary Shaft Bushing (front)
	132551	7416	Oil Wick (braided cotton) Frame Rotary Shaft Flanged Bushing
	132552	20785	(back) Oil Wick (braided cotton) Frame Rotary Shaft Bushing (front)
			Oil Pad (braided cotton) for 132550
	132552	20785	Looper (left hand) Lever Hinge Stud Oil Pad (braided cotton) for 132569
	132553	20783	Frame Rotary Shaft Crank with 1036c and 1375c
	132554	20784	Frame Rotary Shaft Flanged Bushing
	132555	20780	(back) for 132694 Frame Rotary Shaft Flanged Bushing
			(back) Oil Pad, large (braided cotton) for 132694
	132556	7416	Frame Rotary Shaft Flanged Bushing
			(back) Oil Pad, small (braided cotton) for 132694
	132558	20780	Frame Rotary Shaft Oil Pad (braided
	132559	20780	cotton) for 132549 Frame Rotary Shaft Oil Pad Retainer
	132566	20785	for 132549 Looper (left hand) Lever with 50117c
	132567	20785	and two 1253c Looper (left hand) Lever Connecting
			Stud with 68497
	132569	20785	Looper (left hand) Lever Hinge Stud with 132552
	132571	20785	Looper (left hand) Lever Hinge Stud Oil Wick (braided cotton)
	132573	7412	Looper (right hand) and Spreader Lever Ball Stud for 132695
	132573	7412	Needle Bar Crank (back) Ball Stud for 132695.
	132574	7412	Looper (right hand) and Spreader Lever
			Connection with 132575, 132576 and four 1057E, for 132617
*	132575		Looper (right hand) and Spreader Lever
*	132576		Connection Cap (lower) for 132574 Looper (right hand) and Spreader Lever
			Connection Cap (upper) for 132574
	132577	7412	Looper (right hand) and Spreader Lever Connection Guide
	132577	7412	Needle Bar Connecting Rod Guide

	NO.	PLATE	NAME
	132580	7412	Needle Bar Bushing (upper) for 132522
	132581	7412	" " " Oil Pad
			(braided cotton)
	132582	7412	Needle Bar Connecting Link for 132615
	132583	7412	" " " Hinge Pin
		- III O CARACTO AND A CARACTOR A CAR	with 132584, for 132615
	132584	7412	Needle Bar Connecting Link Hinge Pin
	102001	,	Oil Pad (wick) for 132583
	132585	7413	Needle Bar Connecting Rod with
	102000	1110	132586, 132587 and four 1057E, for
			132616
×	132586		Needle Bar Connecting Rod Cap (lower)
	102000		for 132585
1	132587		Needle Bar Connecting Rod Cap
	152587		(upper) for 132585
	100500	7/10	Needle Bar Crank (back) with 132590
	132588	7413	and two 1259c
	132589	7413	Needle Bar Crank (back) Bushing for
	No analysis of the		132522
	132590	7413	Needle Bar Crank (back) Oil Pad (wick)
			for 132588
	132591	7417	Thread (looper, right hand) Pull-off
	132592		Machine Base complete, Nos. 131019,
			131020, 132593, 132596, 132618,
			132647, three each 9842, 51576E,
			54477 and four each 935E, 42088
			and 132595
	132593	7419	Machine Base Oil Drain Strainer for
			132592
	132594	7419	Machine Base Thumb Screw Bushing
			for 132546
	132595	7419	Machine Base Cushion (large) felt, for
			132592
	132596	7419	Machine Base Cushion (leather) for
			132592
	132597	7413	Needle Bar Crank (front) with 620c,
	202001		1259c and 50200c, for 132615
	132598	7412	Needle Bar Connecting Bracket with
	102000	, 112	187E and 223F, for 132615
	132599	7414	Tension (looper, left hand) Thread
	102000	1414	Guide
	132601	20779	Cloth Plate Extension (lower) for
	152001	20779	132527
	132602	7418	Machine Base Thumb Screw Washer
	152002	7418	
	190000	00700	(Accessories)
	132603	20780	Frame Rotary Shaft Flanged Bushing
			(back) Oil Pad Retainer for 132694

NO.	PLATE	NAME
132609	-	Presser Foot Chaining-off Plate for 132637
132610	20782	Presser Foot Chaining-off Plate Collar with 240c, for 132637
132611	20782	Presser Foot Chaining-off Plate Collar
132612		Guide Pin for 132637 Presser Foot Shank with 735c, for 132637
132615		Needle Bar Crank (front) 132597 with
100010		132582, 132598 and two 132583
132616		Frame Rotary Shaft 132549 with 132585 and 132695
132617	-	Looper (right hand) and Spreader Lever Connection 132574 with 132553
		and 132695
132618	7419	Machine Base Cushion (small) felt, for 1407 or 1408, for 132592
132621	7412	Needle Bar Bushing (upper) Oil Pad
		Cover
132622	7417	Thread (needle) Eyelet
132623	7417	" Take-up
132625	20780	Feed Rock Shaft for 132626
132626		Feed Rock Shaft complete, Nos. 42021 and 132625
132629	7417	Thread (looper, left hand) Eyelet
132630	20785	Looper (right hand)
132631	20785	Spreader
132632	20784	Balance Wheel, 17/8 in. pulley, with 446c and 1285c
190094		Feed Eccentric Cover Holder 42102
132634		with 132651 and two 50253J
10000	00200	
132635 132636	20783 20779	Feed Lifting Eccentric with two 462c
132637	20779	Frame Top Cover
152057	20782	Nos. 233j, 14058, 42268, 42270,
		62527 and 132609 to 132612
132638	20784	Frame Side Cover (left) with 19045
132643		Feed Connecting Rod 132529 with
		132644
132644	20781	Feed Eccentric complete for 132643,
		Nos. 201 <sub>J</sub> , 19047, 51145c, 132531 to 132533 and two 1036c
132645	20785	Looper (left hand) Lever Connecting Stud Hinge Pin
132647	20779	Machine Base for 132592
132651	20781	Feed Eccentric Cover for 132634
18638—3		

NO.	PLATE	NAME
*132692		Frame Rotary Shaft Oil Sling Cover
		for 132694
132694		Frame Rotary Shaft Flanged Bushing
		(back) 132554 with 132555, 132556,
		132603 and 132692
132695		Looper (right hand) and Spreader Lever
102000		Ball Stud 132573 with 132696, for
		132617
132695		Needle Bar Crank (back) Ball Stud
152095		132573 with 132696, for 132616
100000		
132696		Looper (right hand) and Spreader Lever
		Ball Stud Oil Pad (felt) for 132695
132696		Needle Bar Crank (back) Ball Stud
		Oil Pad (felt) for 132695
132698		Looper (right hand) and Spreader Lever
		with 233E, 241E and 50200c, for
		132703
132699		Looper (right hand) and Spreader Lever
102000		Hinge Pin with 132700, for 132703
132700		Looper (right hand) and Spreader Lever
		Hinge Pin Bushing Oil Pad (braided
		cotton)
132700		Looper (right hand) and Spreader Lever
102100		Hinge Pin Oil Pad (braided cotton)
		for 132699
400000		
132703		Looper (right hand) and Spreader Lever
		132698 with 132699
*150059		Thread Unwinder Thread Separator
		Bracket for 150086
150060	20787	Thread Unwinder Thread Separator
		Bracket Arm with 1641 and 9525,
		for 150087
*150085		Thread Unwinder Thread Separator
		for 150086
150086	20787	Thread Unwinder Thread Separator
200.000	20.0.	150085 with 150059, for 150087
150087		Thread Unwinder Thread Separator
100001		complete for 150088, Nos 164 <sub>J</sub> , 9525,
		150060 and 150086
150000	90707	
150088	20787	Thread Unwinder complete, for two
		spools, Nos. 150087, 201696J, 202490,
		225257, 225324, 225326, 225388, two
		each 150203, 225391 and three wood
		screws 7/8 in. No. 12
150203		Thread Unwinder Spool Rest Cushion
		(felt) for 150088
		,

NO.	PLATE	NAME
200383c	7418	Thread Unwinder Spool Rest Rod Set
		Screw for 202490
201018c	7418	Thread Unwinder Spool Rest Set Screw
		for 225395
201696л	7418	Thread Unwinder Thread Guide Lock
		Nut for 150088
202490	20787	Thread Unwinder Spool Stand with
		200383c, for 150088
225257	20787	Thread Unwinder Spool Rest (for two
		spools) with 201018c, for 150088
225322	7418	Thread Unwinder Thread Guide Rod
		Washer for 225324
225324	20787	Thread Unwinder Thread Guide Rod
		with 208E and 225322, for 150088
225326	7418	Thread Unwinder Thread Guide Posi-
		tion Cup for 150088
225388	20787	Thread Unwinder Spool Rest Rod for
		150088
225390	7234	Thread Unwinder Thread Cone Holder,
		for inverted cones, for 150088
225391	20787	Thread Unwinder Thread Guide for
		150088


Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked


"For Singer Machines"
are not Singer made needles. 2

# FOR MACHINE No. 81-63


#### PLATE 5563-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC



## PLATE 7412-FULL SIZE 132581 217 132583 132584

From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC

## PLATE 7414-FULL SIZE ANANANANANANANANANANA a


From the library of: Superior Sewing Machine & Supply LLC


## PLATE 7416-FULL SIZE T 50150 19045

From the library of: Superior Sewing Machine & Supply LLC

## PLATE 7417-FULL SIZE


From the library of: Superior Sewing Machine & Supply LLC





From the library of: Superior Sewing Machine & Supply LLC

#### PLATE 20779-ONE-FOURTH SIZE




From the library of: Superior Sewing Machine & Supply LLC

# PLATE 20780-FULL SIZE 132558 132559


From the library of: Superior Sewing Machine & Supply LLC


#### PLATE 20781-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC


## PLATE 20782—FULL SIZE






From the library of: Superior Sewing Machine & Supply LLC

#### PLATE 20784-ONE-HALF SIZE



From the library of: Superior Sewing Machine & Supply LLC

#### PLATE 20785-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

### PLATE 20786-FULL SIZE Com (11)

From the library of: Superior Sewing Machine & Supply LLC

#### PLATE 20787-ONE-SIXTH SIZE

