Form 18147—Revised January, 1933 PRINTED IN U. S. A.

LIST of PARTS



MACHINES

Nos. 81-9, 81-20 and 81-21

THE SINGER MANUFACTURING COMPANY

COPYRIGHT, U. S. A., 1916, 1918, 1922, 1923, 1926 and 1932
BY THE SINGER MANUFACTURING CO.
ALL RIGHTS RESERVED FOR ALL COUNTRIES

INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, it should be oiled at least twice each day by applying Singer Cloth and Leather Oil to all oil holes marked "Oil" and to all other oiling places.

Genuine Singer Needles should be used in this machine. Their containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked

"For Singer Machines"

are not Singer made needles.

2

INDEX

	AGE
Accessories	31
FOOT LIFTER PARTS	32
Guide (Hinged)	31
Knife Grinder	33
KNEE LIFTER PARTS	32
Machine No. 81-9	7
" " 81-20	15
" " 81-21	23
Machine Base	31
Numerical List of Parts	37
Obsolete Parts	35
THREAD UNWINDER	34

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A—Hardened, Polished, Nickel Plated and Buffed B—Polished, Nickel Plated and Buffed

C-Hardened Only D—Polished Only

E—Soft, Not Polished F—Hardened and Polished

H-Blued

J-Nickel Plated Only

K—Hardened and Nickel Plated

L—Brass Plated M—Oxidized

N—Japanned, Dull P—Japanned, Bright

R-Merlized T-Copper Plated

T. A.—Hardened, Polished, Copper and Nickel Plated and Buffed

T. B.—Copper and Nickel Plated and Polished
T. J.—Copper and Nickel Plated Only
T. K.—Hardened, Copper and Nickel Plated
T. M.—Copper Plated and Oxidized
T. L.—Copper and Brass Plated
U—Zinc Plated
V. Silver Plated

V-Silver Plated

W—Polished and Nickel Plated Y-Black Nickel Plated Only

Z-Chromium Plated

Z. B.—Polished, Nickel Plated, Buffed and Chromium Plated

Z. J.—Nickel and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.


In this series:

1 to 1500 and 50001 to 51500 are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 and upward are numbers of Sewing Machine Parts and Electrical Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

LIST OF PARTS COMPLETE FOR



MACHINE No. 81-9

FOR SEAMING AND INSERTING SLEEVES AND HEMMING THE BOTTOMS AND CUFFS OF LIGHT AND MEDIUM SWEATERS, HAS TRIMMER AND AUXILIARY FEED TO PREVENT FULLING OR "BELLING" THE EDGE WHILE STITCHING.

HIGH LIFT. FOOT LIFTER.

NO.	PLATE	NAME
*42485	-	Arm with two each 462c, 624c, 42253 and
		42487
4389	5585	Arm Dowel Pin
949E	5587	" Screw
42001	5576	Balance Wheel, $2\frac{3}{16}$ in. pulley, with 424c
		and 1354c

NO.	PLATE			NAME	
1354c	5587	Polo	nao W		on Screw
424c	5587	Daia			
42002	5526	Cloth	Dlata		rew
42401	5520				N== 49009 49007
42401					Nos. 42002, 42005,
49904	FF00	4Z.	DI 42	294, two 2	36c and five 229E
42294	5598	Cloth	Plate	Extension	(lower)
229E	5587	"	"	"	Berew
42108	5577	"	"	"	(upper)
229E	5587	"	"	Marian San	Screw
1437р	5587	"	"		rew
1655л	5587	"	"		Nut
42005	5526	"	"	Lock Spri	ing
236c	5587				Berew
42147	7376		(back)) Bar	
61c	7376	"	"	" Hing	ge Screw
42148	7376	"	"	Connecti	ng Link
1132c	7376	"	"	"	" Hinge Screw
42149	7397	"	"		eth (16 teeth to the
		inc	h)		
203c	5587	Feed	(back)	Dog Scre	w
42150	5557	"	"		r
1132c	5557	"	"	"	Hinge Screw
190л	5557	"	"	"	Set Screw
1444c	5557	"	"	"	Thumb Screw
42151	5557	"	(front	Bar with	1253c
42007	5529	"	"	" Hing	ge Pin
1253c	5587	"	"	" "	" Set Screw
42008	5529	"	"	Connecti	ng Rod with 42009
		and	l two 1	l057е	
*42009		Feed	(front)	Connecti	ng Rod Cap
1057E	5529	**	"	"	" " Screw
1373c	5529	"	"	"	" Hinge
		Scr	ew		
1520c	5529	Feed			cting Rod Hinge
	0020				ringe
42402	7397	Feed	(front	Dog 17	teeth (16 teeth to
					······································
190л	5557	Feed	(front)	Dog Sero	w
42011	5529	"	"	Eccentric	with two 453c
42298	7375	"	"	"	Cover
207F	5529	"	"	"	" Screw
453c	5529	"	"	"	Set Screw
42208	7376	"	"	Lifting F	ccentric with two
	.010	462	C	Ditting E	ceentric with two
42013	5529			T:0: T	
42013 462c		Feed "	(front)	Litting Ec	ecentric Connection
	5544	"	"		Set Screw
1374c	5530			Regulatin	g Screw Stud

	NO.	PLATE	NAME
	1680c	5530	Feed (front) Regulating Screw Stud Nut
	42290	5530	" " " " " " "
		3000	Washer
	42014	5530	Feed (front) Regulator with 2331 and two
			1259c
	42015	5529	Feed (front) Regulator Connection with
			1012E
	1012E	5529	Feed (front) Regulator Connection Ad-
			justing Screw
	1373c	5529	Feed (front) Regulator Connection Hinge
			Screw
	1520c	5529	Feed (front) Regulator Connection Hinge
			Screw Nut
	42016	5530	Feed (front) Regulator Hinge Stud
	42017	5529	Indicator
	42018	5530	1146
	337л	5530	Belew
	207 _F	5587	Dolow
	1259c	5530	Det Bulew
	233ј	5530	btop berew
	42154	7376	TOCK Share
	42155		Feed (front) Rock Shaft complete, Nos.
			42021 and 42154
	42021	5530	Feed (front) Rock Shaft Crank with 157E " " Clamping
	157E	5530	
			Screw
	42098	5530	Feed (front) Rock Shaft Hinge Pin
	42079	5530	Dusii-
			ing
	1036c	5530	Feed (front) Rock Shaft Hinge Pin Bush-
			ing Set Screw
*	42209		Frame
	42266	7375	" Rotary Shaft
	42024	5576	" " Bushing (front)
	1036c	5530	" " " " Set
			Screw
	42211	7380	Frame Rotary Shaft Crank with 1036c
			and 1375c
	1375c	5553	Frame Rotary Shaft Crank Position
	1000	****	Screw
	1036c	5530	Frame Rotary Shaft Crank Set Screw
	42026	5576	" " Flanged Bushing (back) with 54967
	-100		Frame Rotary Shaft Flanged Bushing
	54967	5585	(back) Oil Pad (braided cotton)
	1026~	5530	Frame Rotary Shaft Flanged Bushing
	1036c	9990	(back) Set Screw
			(Daok) Dou Dolom

NO.	PLATE	NAME
42367	5585	Frame Rotary Shaft Front Bearing Oil
		Pad (braided cotton)
42027	7375	Frame Side Cover (left) with 19045
19045	5585	" " " Handle
330w	5587	" " " Screw
42028	5526	" " (right) hinged
42101	5543	" " Lock Spring
330w	5587	" " " Screw
42029	5576	" Top Cover
42212	7376	" " Extension
42102	5543	" " " Holder
*42319		Frame Top Cover Extension Holder
		42102 with 42101, 42212, 42298 and
		two each 176j and 207f
283w	5543	Frame Top Cover Extension Holder
		Thumb Screw
2749	5543	Frame Top Cover Extension Holder
		Thumb Screw Washer
176л	7376	Frame Top Cover Extension Screw
$742_{\rm F}$	5587	" " Screw
42213	7398	Knife (movable)
NT		
NOT	E: Two	No. 42213 are sent with this machine.
42214	7398	Knife (movable) Gib
42035	5542	" " Holder
42215		" 42035 with 133F,
		42040, 42214, 42216 and two 404E
42216	7398	Knife (movable) Holder Cap
404E	5542	" " Screw
42038	5542	" Guide with 336F
42039	5542	" " " Plate
621 _D	5542	" " " Screw
336 _F	5542	" " Set Screw
133 _F	5542	" " Screw
42040	5542	" " Extension
		Pin
42041	5542	Knife (movable) Holder Spring
42042	5542	" " Lever
42043	5542	" " Connection with
		42044 and two 175E
*42044		Knife (movable) Lever Connection Cap
175E	5542	" " " " " " " " " " " " " " " " " " "
		Screw
1373c	5542	Knife (movable) Lever Connection Hinge
		Screw
1520c	5542	Knife (movable) Lever Connection Hinge
		Screw Nut

NO.	PLATE	NAME
42045	5542	Knife (movable) Lever Hinge Stud
1229c	5542	" " " " Set
1200		Screw
42046	5543	Knife (stationary) with 42049
Nor	E: Two	No. 42046 are sent with this machine.
42048	5543	Knife (stationary) Clamping Stud
1534p	5543	" " Thumb
10010	0010	Nut
42156	5545	Knife (stationary) Holder
1376c	5543	" Regulating
20,00	0010	Thumb Screw
1101c	5543	Knife (stationary) Holder Screw
440F	5543	" " Stop Screw
1547J	5543	" " " Nut
42049	5543	" " Stud
42219	7380	Looper (left hand)
42051	5553	" " Lever with 209H
42051	5553	" " Connecting
42052	9999	Link
70700-	7396	Looper (left hand) Lever Connecting
50562c	7590	Link Hinge Screw
1700		
1520c	5529	Looper (left hand) Lever Connecting Link Hinge Screw Nut
10050		
42053	5553	Looper (left hand) Lever Hinge Stud
1036c	5553	
200	****	Screw
209н	5553	Looper (left hand) Set Screw
42220	7380	" (right hand)
42073	5553	and opteader Level
		with 1259c
42221	7380	Looper (right hand) and Spreader Lever
		Ball Stud
1259c	5553	Looper (right hand) and Spreader Lever
		Ball Stud Set Screw
42075	5553	Looper (right hand) and Spreader Lever
12010	0000	Connection with 42059, 42076 and
		four 896E
*42076		Looper (right hand) and Spreader Lever
42070		Connection Cap (lower)
	-	
896E	7396	Looper (right hand) and Spreader Lever
		Connection Cap (lower) Screw
*42059		Looper (right hand) and Spreader Lever
W.		Connection Cap (upper)
896E	7396	Looper (right hand) and Spreader Lever
		Connection Cap (upper) Screw


NO.	PLATE	NAME
42077	5584	Looper (right hand) and Spreader Lever Connection Guide
171E	5544	Looper (right hand) and Spreader Lever Connection Guide Screw
42403	7398	Looper (right hand) and Spreader Lever Connection Oil Tube and Bracket
		with 29599
29599	5584	Looper (right hand) and Spreader Lever Connection Oil Tube Packing (felt)
42078	5584	Looper (right hand) and Spreader Lever Hinge Pin
42079	5530	Looper (right hand) and Spreader Lever Hinge Pin Bushing
1259c	5553	Looper (right hand) and Spreader Lever Hinge Pin Bushing Set Screw
197л	5553	Looper (right hand) Screw
38534	7380	Needle Bar (hollow)
42253	5544	" "Bushing
462c	5544	" Set Screw
42291	7380	" Connecting Bracket with 223F
12201	1000	and 1057E
1057E	5553	Needle Bar Connecting Bracket Clamp-
200.2	0000	ing Screw
42055	5544	N-11 D C T . 1
40247	5544	" " " Hinge Pin
223F	5544	" " " Hinge Pin " " " " "
		Set Screw for 42291
904c	5544	Needle Bar Connecting Link Hinge Pin
		Set Screw for 42104
42057	5544	Needle Bar Connecting Rod with 42059,
*40070		42076 and four 896E
*42076		Needle Bar Connecting Rod Cap (lower)
896E	7396	
*42059		Screw
896E	7396	Needle Bar Connecting Rod Cap (upper)
890E	7590	
42077	5584	Screw
171F	5544	Needle Bar Connecting Rod Guide " " Screw
42103	5544	
42103	5544	Clank (back) with 1258C and
42074	5553	two 1259c Needle Bar Crank (back) Ball Stud
1259c	5553	" " " Set
12090	0000	Screw Set
1259c	5553	Needle Bar Crank (back) Position Screw
1258c	5544	" " Set Screw
42104	5544	" " (front) with 904c.
		1258c and 1259c

NO.	PLATE	NAME
1259c	5553	Needle Bar Crank (front) Position
		Screw
1258c	5544	Needle Bar Crank (front) Set Screw
42105	5544	" " " Shaft
42487	7396	" " " Bushing
624c	7396	" " Set Screw
42115	5544	" "Thread Retainer Bracket
228J	5544	" " Screw
42483	7396	" " " Disc
93c	5544	" " " Screw
10107	5544	" " " Spring
1728c	7380	" Clamping Nut
42066	5544	" Guard
171F	5544	" " Screw
42157		Presser Foot Body
42404	7397	" " Chaining-off Finger for
12101		42406
42500		Presser Foot Chaining-off Finger for
12000		132663
233л	5530	Presser Foot Chaining-off Finger Screw
9320	5585	" " Hinge Pin
42405		" " Plate
14058	5585	" " Spring
42160	5585	" " Adjusting Pin
464c	5587	" " " " Set
		Screw
42406	7397	Presser Foot (spring hinged) complete,
		Nos. 233 _J , 464c, 9320, 14058, 42157,
		42160, 42404 and 42405
132663		Presser Foot (spring hinged) complete,
102000		Nos. 233J, 464c, 9320, 14058, 42157,
		42160, 42405 and 42500
1324c	5545	Presser Foot Screw.
39541	5545	" " Washer
42227	7375	" Lever
42377	1010	" 42227 with 42045
42045	5545	" " Hinge Stud
1120c	5545	" " Set Screw
42070	5584	" " Lifter
85p	5584	" " Hinge Screw
1377c	5584	" Screw Stud (eccentric)
1547л	5584	" " " Nut
42071	5584	" " Spring
1378р	5584	Pressure Regulating Thumb Screw
42250	7380	Spreader
197л	5553	" Screw
2102	5585	Tension (looper, left hand) Disc
		The state of the s

		N. M.
NO.	PLATE	NAME
1560c	5585	Tension (looper, left hand) Regulating
0.00		Thumb Nut
828c	5585	Tension (looper, left hand) Screw Stud
42418		
no establishment		828c with 1560c
42121	7380	Tension (looper left hand) Spring
2102	5585	" right hand) Disc
1560c	5585	" " Regulating
		Thumb Nut
828c	5585	Tension (looper, right hand) Screw Stud
42418		
		828c with 1560c
10148	5585	Tension (looper, right hand) Spring
17547	5585	" " " Thread Guide
2102	5585	" (needle thread) Disc
1560c	5585	" " Regulating
		Thumb Nut
916c	5585	Tension (needle thread) Screw Stud
44209		" " " " 916c
		with 1560c
2103	7380	Tension (needle thread) Spring.
42082	5585	" " Thread Guide
42242	7396	Thread (looper, left hand). Eyelet
233л	5530	" " " " " " "
42122	7380	" " Nipper Spring
		(lower)
42123	7380	Thread (looper, left hand) Nipper Spring
		(upper)
176л	7376	Thread (looper, left hand) Nipper Spring
		Screw
42124	7380	Thread (looper, left hand) Pull-off
42125	7380	" " " Eyelet
233л	5530	" " " " Screw.
42084	5585	" " " Tube
462c	5544	" " Set Screw
42126	7380	" (looper, right hand) Pull-off
42093	5585	" " " Staple
190s	5557	" " " Screw
42127	5585	" " Take-up
197F	5553	" " " Screw
42096	5585	" (needle) Eyelet
217F	5585	" " Screw
42128	7398	" " Take-up
197F	5553	" " Screw
42407	7397	Throat Plate for 42149 and 42402
742F	5587	" " Screw

LIST OF PARTS COMPLETE

FOR



MACHINE No. 81-20

FOR TRIMMING, OVEREDGING AND CLOSING SEAMS IN FINE STOCKINGS AND UNDERWEAR MADE OF SILK, LISLE THREAD, ETC. HAS AUXILIARY FEED TO PREVENT FULLING THE EDGES WHILE STITCHING. BIGHT ADJUSTABLE FROM $\frac{1}{16}$ IN. TO $\frac{1}{8}$ IN. TWO-THREAD STITCH. FOOT LIFTER.

NO.	PLATE	NAME
*42484		Arm with two each 462c, 624c, 42253
		and 42487
4389	5585	Arm Dowel Pin
949E	5587	" Screw
42001	5576	Balance Wheel, $2\frac{3}{16}$ in. pulley, with 424c
		and 1354c
1354c	5587	Balance Wheel Position Screw
424c	5587	" Set Screw

18147-2

NO.	PLATE			NAM	Æ		
*42145	5577	Cloth	Plate.				
42146		Cloth	Plate	complete	Nos. 420	003, 4	2005,
					236c and		
42003	5577				n (lower)		
229E	5587	"	"	"	"		v
42108	5577	"	"	"	(upper)		
229E	5587	"	"	"	(apper)		w
1437p	5587	"	"	Hinge Sc	rew		
1655 _J	5587	"	"	"	" Nut		
42005	5526	"	"	Look Spr	ing		
236c	5587	"			' Screw		
42147	7376	Food	(back)		Deren		
61c	7376	reed	(Dack)				
42148	7376	"	"	TIM	ge Screw.		
		"	"	Connect	ing Link.		
1132c	7376	"	"		11		Screw
42421	7399	"	"		e teeth, fo		
203c	5587	"	"		ew		
42150	5557	"	"	Regulato	or		
1132c	5557	"	"	"	Hinge S	-	
190л	5557				Set Scr		
1444c	5557	"	"	"	Thumb		
42151	5557	"	(front)	Bar with	1253c		
42007	5529	"	"	" Hin	ge Pin		
1253c	5587	"	**		" Se	t Scr	ew
42008	5529	"	"		ing Rod v		
		and	d two 1	057E			
*42009				Connect	ing Rod C		
1057E	5529	"	"	"	"	" 5	Screw
1373c	5529	"	"	"			Screw
1520c	5529	"	"	"	"	"	"
		Nu	t				
42422	7399) Dog, f	ine teeth		
		wo	rk				
190л	5557	Feed	(front)	Dog Sere	ew		
42011	5529	"	"	Eccentri	c with tw	o 453	BC
42153	5577	"	"	"	Cover		
207F	5529	"	"	"		crew.	
453c	5529	**	"	"	Set Scre		
42012	5529	66	"	Lifting F	Eccentric		
	00-0	462	C	0			
42013	5529						
12010	0029				Eccentric		
100							
462c	5544	Feed			Eccentric		
1374c	5530	"	"	Regulati	ng Screw		
1680c	5530	"		"	"	"	Nut
42290	5530		. "		"	"	"
		Wa	sher				

NO.	PLATE	NAME
42014	5530	Feed (front) Regulator with 2331 and two
		1259c
42015	5529	Feed (front) Regulator Connection with 1012E
1010-		
1012E	5529	Feed (front) Regulator Connection Adjusting Screw
1979.	5529	Feed (front) Regulator Connection Hinge
1373c	5529	Screw
1520c	5529	Feed (front) Regulator Connection Hinge
10200	0029	Screw Nut
42016	5530	Feed (front) Regulator Hinge Stud
42017	(C)	" " Indicator
	5529	
42018	5530	" " " Plate
337ј	5530	
		Screw
$207_{\mathbf{F}}$	5587	Feed (front) Regulator Indicator Screw
1259c	5530	" " Set Screw
233ј	5530	" " Stop Screw
42154	7376	" " Rock Shaft
42155	(Partitional)	Feed (front) Rock Shaft complete, Nos.
		42021 and 42154
42021	5530	Feed (front) Rock Shaft Crank with
		157E
157E	5530	Feed (front) Rock Shaft Crank Clamp-
		ing Screw
42098	5530	Feed (front) Rock Shaft Hinge Pin
42079	5530	" " " Bush-
		ing
1036c	5530	Feed (front) Rock Shaft Hinge Pin Bush-
10000	0000	ing Set Screw
* 10000		
*42022		Frame
42023	5576	Rotary Shart
42024	5576	
1036c	5530	Set
		Screw
42110	7396	Frame Rotary Shaft Crank with 1036c
		and 1375c
1375c	5553	Frame Rotary Shaft Crank Position
20,00	0000	Screw
1000-	*****	
1036c	5530	Frame Rotary Shaft Crank Set Screw
42026	5576	" " Flanged Bushing
		(back) with 54967
54967	5585	Frame Rotary Shaft Flanged Bushing
		(back) Oil Pad (braided cotton)
1036c	5530	Frame Rotary Shaft Flanged Bushing
		(back) Set Screw

NO.	PLATE	NAME
42367	5585	Frame Rotary Shaft Front Bearing Oil
		Pad (braided cotton)
42027	7375	Frame Side Cover (left) with 19045
19045	5585	" " " Handle
330w	5587	" " " Screw
42028	5526	" " (right) hinged
42101	5543	" " Lock Spring
330w	5587	" " " Screw
42029	5576	" Top Cover
42459	7398	" " Extension
42102	5543	" " " Holder
*42324		" " " 42102
		with 42101, 42153, 42459 and two
		each 1761 and 207F
283w	5543	Frame Top Cover Extension Holder
		Thumb Screw
2749	5543	Frame Top Cover Extension Holder
		Thumb Screw Washer
176л	7376	Frame Top Cover Extension Screw
$742_{\rm F}$	5587	" " Screw
42111	5542	Knife (movable)
Note	: Two	No. 42111 are sent with this machine.
10110	****	77 14 / 111 011
42112	5542	Knife (movable) Gib
42035	5542	1101001
42113		42050 WITH 155F,
42037	5542	42037, 42040, 42112 and two 404E
42037 404E	5542	Knife (movable) Holder Cap
42038	5542	" " Screw " Guide with 336F
42039	5542	" " " Plate
621p	5542	" " Screw
336F	5542	" " Set Screw
133F	5542	" " Screw
42040	5542	" " Extension
12010	0012	Pin
42041	5542	Knife (movable) Holder Spring
42042	5542	" Lever
42043	5542	" " Connection with
12010	0012	42044 and two 175E
*42044		Knife (movable) Lever Connection Cap
175E	5542	" " " " "
		Screw
1373c	5542	Knife (movable) Lever Connection Hinge
		Screw
1520c	5542	Knife (movable) Lever Connection Hinge
		Screw Nut

NO.	PLATE	NAME
42045	5542	Knife (movable) Lever Hinge Stud
1229c	5542	" " " Set
12250	0012	" " " Set
42046	5543	Knife (stationary) with 42049
Not	E: Two	No. 42046 are sent with this machine.
42048	5543	Knife (stationary) Clamping Stud
1534p	5543	" " Thumb
		Nut
42156	5545	Knife (stationary) Holder
1376c	5543	" " Regulating
		Thumb Screw
1101c	5543	Knife (stationary) Holder Screw
440F	5543	" " Stop Screw " " Nut
1547л	5543	" " " Nut
42049	5543	" " Stud
42050	5553	Looper (left hand)
42051	5553	" " Lever with 209н
42052	5553	" " ConnectingLink
50562c	7396	
		Hinge Screw
1520c	5529	Looper (left hand) Lever Connecting
		Link Hinge Screw Nut
42053	5553	Looper (left hand) Lever Hinge Stud
1036c	5553	
		Set Screw
209н	5553	Looper (left hand) Set Screw
42166	5553	(light hand)
42073	5553	and Spreader Lever
		with 1259c
42074	5553	Looper (right hand) and Spreader Lever
		Ball Stud
1259c	5553	Looper (right hand) and Spreader Lever
	****	Ball Stud Set Screw
42075	5553	Looper (right hand) and Spreader Lever Connection with 42059, 42076 and four
		The state of the s
		896E
*42076	-	Looper (right hand) and Spreader Lever
		Connection Cap (lower)
896E	7396	Looper (right hand) and Spreader Lever
		Connection Cap (lower) Screw
*42059		Looper (right hand) and Spreader Lever
		Connection Cap (upper)
896E	7396	Looper (right hand) and Spreader Lever
		Connection Cap (upper) Screw
42077	5584	Looper (right hand) and Spreader Lever
		Connection Guide

	NO.	PLATE	NAME
	171E	5544	Looper (right hand) and Spreader Lever
			Connection Guide Screw
	42106	5584	Looper (right hand) and Spreader Lever
			Connection Oil Tube and Bracket with
			29599
	29599	5584	Looper (right hand) and Spreader Lever
			Connection Oil Tube Packing (felt)
	42078	5584	Looper (right hand) and Spreader Lever
			Hinge Pin
	42079	5530	Looper (right hand) and Spreader Lever
	42079	5550	Looper (right hand) and Spreader Lever
			Hinge Pin Bushing
	1259c	5553	Looper (right hand) and Spreader Lever
			Hinge Pin Bushing Set Screw
	197л	5553	Looper (right hand) Screw
	42054	5544	Needle Bar
	42253	5544	" " Bushing
	462c	5544	" " Set Screw
	42061	5544	" " Connecting Bracket with
		00	187E and 223F
	187E	5544	Needle Bar Connecting Bracket Clamp-
	101E	9944	
			ing Screw
	42055	5544	Needle Bar Connecting Link
	40247	5544	" " " Hinge Pin
	$223_{\rm F}$	5544	
			Set Screw for 42061
	904c	5544	Needle Bar Connecting Link Hinge Pin
			Set Screw for 42104
	42057	5544	Needle Bar Connecting Rod with 42059,
			42076 and four 896E
*	42076		Needle Bar Connecting Rod Cap (lower)
	896E	7396	
			Screw
*	42059		Needle Bar Connecting Rod Cap (upper)
	896E	7396	" " " " " "
	COOL	.000	Screw
	42077	5584	Needle Bar Connecting Rod Guide
	171F	5544	" " Screw
	42103	5544	" Crank (back) with 1258c and
	12100	0011	two 1259c
	42074	5553	Needle Bar Crank (back) Ball Stud
	1259c	5553	" " " Set
	12000	0000	
	1259c	5553	Screw Needle Bar Crank (back) Position Screw
	1258c	5544	" " Set Screw
	42104	5544	" " (front) with 904c, 1258c
	12104	9944	(1ront) with 904c, 1258c
			and 1259c

NO.	PLATE	NAME
1259c	5553	Needle Bar Crank (front) Position Screw
1258c	5544	" " Set Screw
42105	5544	" " Shaft
42487		" " Bushing
	7396	" " Set Screw
624c	7396	
42115	5544	" " Thread Retainer Bracket
228ј	5544	Screw
42483	7396	Disc
93c	5544	Screw
10107	5544	Spring
1728c	7380	Clamping Nuc
42066	5544	Guard
$171_{\rm F}$	5544	Screw
42288	7397	Presser Foot Chaining-off Finger
233л	5530	" " Screw
42405		" " Plate (back)
9320	5585	" " " Hinge Pin
14058	5585	" " " Spring
42160	5585	" " " " Adjust-
		ing Pin
464c	5587	Presser Foot Plate (back) Spring Adjust-
		ing Pin Set Screw
42263		Presser Foot Plate (front)
42461	7397	" " " Hinge Pin
42264		" " Shank
42420	7397	Presser Foot (spring hinged) complete,
		Nos. 233j, 464c, 9320, 14058, 42160,
		42263, 42264, 42288, 42405 and 42461
1324c	5545	Presser Foot Screw
39541	5545	" " Washer
42069	5545	" Lever
42376		" 42069 with 42045
42045	5545	" " Hinge Stud
1120c	5545	" " Set Screw
42070	5584	" " Lifter
85p	5584	" " Hinge Screw
1377c	5584	" Screw Stud (eccentric)
1547л	5584	" " " Nut
42071	5584	" " Spring
1378p	5584	Pressure Regulating Thumb Screw
42427	7398	Spreader
197л	5553	" Screw
2102	5585	Tension (looper, left hand) Disc
1560c	5585	" " " Regulating
10000	0000	Thumb Nut


NO.	PLATE	NAME
828c	5585	Tension (looper, left hand) Screw Stud
42418		
		828c with 1560c
42121	7380	Tension (looper, left hand) Spring
2102	5585	" (looper, right hand) Disc
1560c	5585	" " Regulating
		Thumb Nut
828c	5585	Tension (looper, right hand) Screw Stud
42418	-	
		828c with 1560c
10148	5585	Tension (looper, right hand) Spring
17547	5585	" " " Thread
		Guide
2102	5585	Tension (needle thread) Disc
1560c	5585	" " Regulating
		Thumb Nut
916c	5585	Tension (needle thread) Screw Stud
44209		" " " 916c
		with 1560c
10148	5585	Tension (needle thread) Spring
42082	5585	" " Thread Guide
42242	7396	Thread (looper, left hand) Eyelet
233ј	5530	" " " Screw.
42084	5585	" " " Tube
462c	5544	" " Set Screw
42126	7380	" (looper, right hand) Pull-off
42093	5585	" " " Staple
190л	5557	" " " Screw
42127	5585	" " Take-up
197 _F	5553	" " " Screw
42096	5585	" (needle) Eyelet
217F	5585	" " Screw
42128	7398	" " Take-up
_ 197 _F	5553	" " Screw
42415	7399	Throat Plate for 42421 and 42422
742F	5587	" " Screw

Genuine Singer Needles should be used in this machine.

Their containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles.

LIST OF PARTS COMPLETE



MACHINE No. 81-21

FOR TRIMMING, OVEREDGING AND BLIND STITCH HEMMING OR WELTING ON UNDERWEAR MADE OF SILK, LISLE THREAD, ETC. HAS AUXILIARY FEED TO PREVENT FULLING THE EDGES WHILE STITCHING. BIGHT 1/16 INCH. TWO-THREAD STITCH. FOOT LIFTER.

NO.	PLATE	NAME
*42484		Arm with two each 462c, 624c, 42253
		and 42487
4389	5585	Arm Dowel Pin
949E	5587	" Screw
42001	5576	Balance Wheel, $2\frac{3}{16}$ in. pulley, with 424c
		and 1354c
1354c	5587	Balance Wheel Position Screw
424c	5587	" Set Screw
*42145	5577	Cloth Plate

NO.	PLATE	The state of the s
42146	-	Cloth Plate complete, Nos. 42003, 42005,
		42108, 42145, two 236c and five 229E
42003	5577	Cloth Plate Extension (lower)
229E	5587	" " Screw
42108	5577	" " (upper)
229E	5587	" " Screw
1437p	5587	" " Hinge Screw
1655л	5587	" " " Nut
42005	5526	" " Lock Spring
236c	5587	" " " Screw
42147	7376	Feed (back) Bar
61c	7376	" " Hinge Screw
42148	7376	" " Connecting Link
1132c	7376	" " Hinge Screw
42421	7399	" Dog, fine teeth, for silk work
203c	5587	" Screw
42150	5557	" Regulator
1132c	5557	" " Hinge Screw
190л	5557	Illige Belew
1444c		Set Screw
	5557	Thumb Screw
42151	5557	" (front) Bar with 1253c
42007	5529	Timge Im
1253c	5587	Set Screw
42008	5529	Connecting Rod with 42009
		and two 1057E
*42009	-	Feed (front) Connecting Rod Cap
1057E	5529	" " " Screw
1373c	5529	nınge
		Screw
1520c	5529	Feed (front) Connecting Rod Hinge
		Screw Nut
42422	7399	Feed (front) Dog, fine teeth, for silk
		work
190л	5557	Feed (front) Dog Screw
42011	5529	" Eccentric with two 453c
42153	5577	" " Cover
$207_{\rm F}$	5529	" " " Screw
453c	5529	" Set Screw
42012	5529	" Lifting Eccentric with two
		462c
42013	5529	Feed (front) Lifting Eccentric Con-
12010	0020	nection
400-	==11	
462c	5544	Feed (front) Lifting Eccentric Set Screw.
1374c	5530	Regulating Screw Stud
1680c	5530	" " " Nut
42290	5530	
		Washer

NO.	PLATE	NAME
42014	5530	Feed (front) Regulator with 2331 and two
		1259c
42015	5529	Feed (front) Regulator Connection with
12010	00-0	1012E
1012E	5529	Feed (front) Regulator Connection Ad-
10126	0020	justing Screw
1373c	5529	Feed (front) Regulator Connection Hinge
19190	0020	Screw
1520c	5529	Feed (front) Regulator Connection Hinge
15200	5529	Screw Nut
42016	5530	Feed (front) Regulator Hinge Stud
	5529	" " Indicator
42017		" " " Plate
42018	5530	
337л	5530	
		Screw
$207_{\rm F}$	5587	Feed (front) Regulator Indicator Screw
1259c	5530	Det Delew
233ј	5530	Stop Screw
42154	7376	TOOK Share
42155		Feed (front) Rock Shaft complete, Nos.
		42021 and 42154
42021	5530	Feed (front) Rock Shaft Crank with
		157E
157E	5530	Feed (front) Rock Shaft Crank Clamp-
		ing Screw
42098	5530	Feed (front) Rock Shaft Hinge Pin
42079	5530	" " " " Bush-
		ing
1036c	5530	Feed (front) Rock Shaft Hinge Pin Bush-
10000	0000	ing Set Screw
*40000		Frame
*42022		" Rotary Shaft
42023	5576	" " Bushing (front)
42024	5576	" " Set
1036c	5530	
		Screw
42025	5553	Frame Rotary Shaft Crank with 1259c
		and 1375c
1375c	5553	Frame Rotary Shaft Crank Position
		Screw
1259c	5553	Frame Rotary Shaft Crank Set Screw
42026	5576	" " Flanged Bushing
12020	0010	(back) with 54967
-100-		Frame Rotary Shaft Flanged Bushing
54967	5585	(back) Oil Pad (braided cotton)
10360	5530	Frame Rotary Shaft Flanged Bushing
		(back) Set Screw

NO.	PLATE	NAME
42367	5585	Frame Rotary Shaft Front Bearing Oil
		Pad (braided cotton)
42027	7375	Frame Side Cover (left) with 19045
19045	5585	" " " Handle
330w	5587	" " " Screw
42028	5526	" " (right) hinged
42101	5543	" " Lock Spring
330w		" " Screw
42029	5576	" Top Cover
42459	7398	" " Extension
42102	5543	" " Holder
*42324	0010	" " " 42102
12021		with 42101, 42153, 42459 and two
		each 1761 and 207F
200	****	
283w	5543	Frame Top Cover Extension Holder
	S. O. The	Thumb Screw
2749	5543	Frame Top Cover Extension Holder
		Thumb Screw Washer
176л	7376	Frame Top Cover Extension Screw
742F	5587	" " Screw
42111	5542	Knife (movable)
Nor	Two	No. 42111 are sent with this machine.
1101	E. IWO	10. 42111 are sent with this machine.
42112	5542	Knife (movable) Gib
42035	5542	" " Holder
42113		" " 42035 with 133F,
		42037, 42040, 42112 and two 404E
42037	5542	Knife (movable) Holder Cap
404E	5542	" " Screw
42038	5542	" " Guide with 336F
42039	5542	" " Plate
621p	5542	" " " " Screw
336F	5542	" " Set Screw
133F	5542	
42040	5542	" " Screw
42040	0042	701
42041	5542	
42041	The state of the s	Knife (movable) Holder Spring
	5542	Lever
42043	5542	Connection with
		42044 and two 175E
*42044		Knife (movable) Lever Connection Cap
175E	5542	u u u u
		Screw
1373c	5542	Knife (movable) Lever Connection Hinge
		Screw
1520c	5542	Knife (movable) Lever Connection Hinge
		Screw Nut

NO.	PLATE	NAME
42045	5542	Knife (movable) Lever Hinge Stud
1229c	5542	" " " " Set
		Screw
42046	5543	Knife (stationary) with 42049
Nor	E: Two	No. 42046 are sent with this machine.
42048	5543	Knife (stationary) Clamping Stud
1534p	5543	" " Thumb
		Nut
42156	5545	Knife (stationary) Holder
1376c	5543	" " Regulating
		Thumb Screw
1101c	5543	Knife (stationary) Holder Screw
440F	5543	" Stop Screw
1547л	5543	" " " Nut
42049	5543	" " Stud
42050	5553	Looper (left hand)
42051	5553	" " Lever with 209н
42052	5553	" " " Connecting
		Link
50562c	7396	Looper (left hand) Lever Connecting
		Link Hinge Screw
1520c	5529	Looper (left hand) Lever Connecting
20200	0020	Link Hinge Screw Nut
42053	5553	Looper (left hand) Lever Hinge Stud
1036c	5553	" " " " " "
10000	0000	Set Screw
209н	5553	Looper (left hand) Set Screw
42166	5553	" (right hand)
42073	5553	" " and Spreader Lever
12010	0000	with 1259c
42074	5553	Looper (right hand) and Spreader Lever
42074	0000	Ball Stud
1259c	5553	Looper (right hand) and Spreader Lever
12000	0000	Ball Stud Set Screw
42075	5553	Looper (right hand) and Spreader Lever
42075	9999	Connection with 42059, 42076 and
		four 896E
*42076		Looper (right hand) and Spreader Lever
42070		Connection Cap (lower)
000-	7396	Looper (right hand) and Spreader Lever
896E	7590	Connection Cap (lower) Screw
*42059		Looper (right hand) and Spreader Lever
42059		Connection Cap (upper)
000-	7200	Looper (right hand) and Spreader Lever
896E	7396	Connection Cap (upper) Screw
100==		Connection Cap (IIDDer) Screw
	FF0.4	Tanan (wight hand) 1 Class las Tanan
42077	5584	Looper (right hand) and Spreader Lever Connection Guide

NO.	PLATE	NAME
171E	5544	Looper (right hand) and Spreader Lever
10100	L	Connection Guide Screw
42106	5584	Looper (right hand) and Spreader Lever
		Connection Oil Tube and Bracket with
		29599
29599	5584	Looper (right hand) and Spreader Lever
		Connection Oil Tube Packing (felt)
42078	5584	Looper (right hand) and Spreader Lever
		Hinge Pin
42079	5530	Looper (right hand) and Spreader Lever
		Hinge Pin Bushing
1259c	5553	Looper (right hand) and Spreader Lever
1		Hinge Pin Bushing Set Screw
197ј	5553	Looper (right hand) Screw
42054	5544	Needle Bar
42253	5544	" " Bushing
462c	5544	" " Set Screw
42061	5544	" Connecting Bracket with
		187E and 223F
187E	5544	Needle Bar Connecting Bracket Clamp-
		ing Screw
42055	5544	Needle Bar Connecting Link
40247	5544	" " " Hinge Pin
223F	5544	
		Set Screw for 42061
904c	5544	Needle Bar Connecting Link Hinge Pin
		Set Screw for 42104
42057	5544	Needle Bar Connecting Rod with 42059,
		42076 and four 896E
*42076		Needle Bar Connecting Rod Cap (lower)
896E	7396	
		Screw
*42059		Needle Bar Connecting Rod Cap (upper)
896E	7396	u u u u u u
100==		Screw
42077	5584	Needle Bar Connecting Rod Guide
171F	5544	" " " Screw
42103	5544	Needle Bar Crank (back) with 1258c
		and two 1259c
42074	5553	Needle Bar Crank (back) Ball Stud
1259c	5553	" " " " Set
		Screw
1259c	5553	Needle Bar Crank (back) Position Screw
1258c	5544	" " Set Screw
42104	5544	" " (front) with 904c,
		1258c and 1259c
1259c	5553	Needle Bar Crank (front) Position Screw

NO.	PLATE	NAME
1258c	5544	Needle Bar Crank (front) Set Screw
42105	5544	Snart
42487	7396	busning
624c	7396	" " Set Screw
42115	5544	" "Thread Retainer Bracket
228J	5544	" " " " Screw
42483	7396	" " " Disc
93c	5544	" " " Screw
10107	5544	" " " Spring
1728c	7380	" Clamping Nut
42066	5544	" Guard
171 _F	5544	" " Screw
42449	7402	Presser Foot Chaining-off Finger
233ј	5530	" " " Screw
42405		" " Plate (back)
9320	5585	" " " Hinge Pin
14058	5585	" " " Spring
42160	5585	" " " Adjust-
		ing Pin
464c	5587	Presser Foot Plate (back) Spring Adjust-
		ing Pin Set Screw
42450		Presser Foot Plate (front)
42461	7397	" " " Hinge Pin
42264		" " Shank
42451	7402	Presser Foot (spring hinged) complete,
12101		Nos. 233 _J , 464c, 9320, 14058, 42160,
		42264, 42405, 42449, 42450 and 42461
1324c	5545	Presser Foot Screw
39541	5545	" " Washer
42069	5545	washer
42009	5545	" Lever " 42069 with 42045
42045	FFAF	42009 WIGH 42045
1120c	5545 5545	" " Hinge Stud
42070	5584	Bet Berew
42070 85p	5584	" Lifter
1377c	5584	Timge Screw
1547 _J		" Screw Stud (eccentric) " " Nut
42071	5584 5584	. INUU
1378p	5584	opring
42427	7398	Pressure Regulating Thumb Screw
		Spreader
197 _J 2102	5553 5585	Screw
		Tension (looper, left hand) Disc " " Regulating
1560c	5585	
		Thumb Nut
828c	5585	Tension (looper, left hand) Screw Stud
42418		
		828c with 1560c

NO.	PLATE	NAME
42121	7380	Tension (looper, left hand) Spring
2102	5585	" (looper, right hand) Disc
1560c	5585	" " " Regulating
		Thumb Nut
828c	5585	Tension (looper, right hand) Screw Stud
42418		
		828c with 1560c
10148	5585	Tension (looper, right hand) Spring
17547	5585	" " Thread Guide
2102	5585	" (needle thread) Disc
1560c	5585	" " Regulating
		Thumb Nut
916c	5585	Tension (needle thread) Screw Stud
44209		" " " " 916c
		with 1560c
10148	5585	Tension (needle thread) Spring
42082	5585	" " Thread Guide
42242	7396	Thread (looper, left hand) Eyelet
233ј	5530	" " " " Screw
42084	5585	" " " Tube
462c	5544	" " " Set Screw
42093	5585	" (looper, right hand) Staple
190л	5557	" " " Screw
42127	5585	" " " Take-up
$197_{\rm F}$	5553	" " " Screw
42096	5585	" (needle) Eyelet
$217_{\rm F}$	5585	" " Screw
42126	7380	" " Pull-off
42128	7398	" " Take-up
197 _F	5553	" " Screw
42468	7399	Throat Plate for 42421 and 42422
$742_{\rm F}$	5587	" " Screw
42488	7396	Welt Guide (solid)
42441		" 42488 with 42440
42440	7400	" " Adjusting Slide
42442	7400	" " Holder
42443		" " 42442 with 217в,
		1117в, 1209с and 19044
42444	7400	Welt Guide Holder Extension with 42445
42445	7400	" " " Stud
228в	5544	" " Screw
1209c	7400	" " " Screw
19044	7400	" " Washer
1117в		" Regulating Thumb Screw
217в	5585	" " Screw
42446		Welt Guide complete, adjustable, from
		½ in. to 1 in., Nos. 42441, 42443, 42444
		and two 228B

MACHINE BASE

NO. 42086	PLATE 5564	NAME Machine Base with three wood screws 11/4 in. No. 12 and four each 935E, 4718, 42088 and 66707
4718	5586	Machine Base Cushion (felt)
42088	5586	" Cushion (felt)
935E	5586	" Screw
66707	7398	" Washer

ACCESSORIES

	NO.	PLATE	NAME
	1407E	5563	Machine Base Thumb Screw, for 3 in. table
	1408E	5563	Machine Base Thumb Screw, for 2 in. table
	14063	5586	Machine Base Thumb Screw Spring
	9842	5586	" " Washer
1	120344	5566	Oiler (copper plated) with 120345
]	120345	5566	" Spout, 5 in. long
1	20440	5566	Screw Driver
	42090	5566	Threading Wire
J	20341	5566	Tweezers (curved)
	68547	7396	Wrench for 1324, 1374, 1629 and 1728
	8908	5566	" " 1520 and 1655
	4822	5566	" " 1547

GUIDE (Hinged)

FOR 81-20 MACHINE

NO.	PLATE			N	AME		
42434	7400	Guide	with 1	9045.			
19045	5585	"	Handl	e			
42435	7400	"	Holde	r			
1425л	7400	"	Hinge	Screv	v		
42436	7400	"	66	"	Frict	ion Wa	sher
42437		Committee of the commit		STATE OF THE STATE			s. 1425 _j
		and	42434	to 42	436		
42288	7397	Presser	Foot			f Finge	r
233ј	5530	"	**		**	"	Screw
42405		"	"	Plate	(back)	
9320	5585	"	**	"	"	Hinge	e Pin
14058	5585	"	"	"	"	Sprin	g
42160	5585	"	"	"	**	"	Adjust-
		ing l	Pin				

18147-3

NO.	PLATE	NAME
464c	5587	Presser Foot Plate (back) Spring Adjust-
		ing Pin Set Screw
42438		Presser Foot Plate (front)
42461	7397	" " " Hinge Pin
42264		" " Shank
42439	7402	Presser Foot (spring hinged) complete
		for 42437, Nos. 2331, 464c, 9320, 14058,
		42160, 42264, 42288, 42405, 42438
		and 42461.

FOOT LIFTER PARTS

NO.	PLATE	NAME
6439		Chain, 36 in. to 45 in., with 56864 and 56865
Note:	When	ordering No. 6439, state length required.
4879	5566	Chain Connecting Link
56864	5566	" Hook (large)
56865	7396	" " (small)
42130	5586	Lifting Lever
42131	5586	" " Bracket
1229c	5586	" " Screw
1301p	5586	" " Hinge Screw
42132	5586	" " Spring
1148F	5586	" Stop Screw
1547л	5543	" " " Nut
4881	5564	Treadle
4882	5566	" Shaft
4883	5566	" Spring
4884	5564	" Stand
4885	5564	
4000	5504	Treadle complete, Nos. 4879, 4881 to
42133	-	4884 and two wood screws 1 in. No. 16 Foot Lifter complete, Nos. 1301p, 4885, 6439, 42130 to 42132 and two each 1148F, 1229c and 1547J
		1140r, 12250 and 15473

KNEE LIFTER PARTS

NO.	PLATE			NAME
42130	5586	Lifting	Leve	r
42131	5586	"	"	Bracket
1229c	5586	"	"	
42142	5564	"	"	Connecting Rod
1301p	5586	66	66	Hinge Screw
42132	5586	"	"	Spring

370	DY AME	NAME
NO.	PLATE	
1148F	5586	Lifting Lever Stop Screw
1547л	5543	" " " Nut
2763	5564	Rock Shaft
12242	5564	" Hanger with two wood screws
		1 in. No. 10
2765	5564	Rock Shaft Knee Arm
2766	5564	" " " Hub with 356c
356c	5587	" " " Set Screw
2768		Rock Shaft Knee Arm complete, Nos.
		2765 to 2767
2767	5564	Rock Shaft Knee Plate with 356c
356c	5587	" " " Set Screw
6337	5564	" " Lifting Bracket with two
		356c
7125	5564	Rock Shaft Lifting Bracket Hook
356c	5587	" " Set Screw
356c	5587	" " Set Screw
2770	5564	" Stop Dog with 356c
356c	5587	" " Set Screw
42143	5564	Rock Shaft complete, Nos. 2763, 2768,
		6337, 7125 and two each 2770 and
		12242
42144		Knee Lifter complete, Nos. 1301p, 42130
		to 42132, 42142, 42143 and two each
		1148F, 1229c and 1547J

KNIFE GRINDER

***	DY AMI			3743	£173			
NO.	PLATE			NAM				
41326	5568	Emery	Whee	:1				
1508c	5569	"	"		ping N			
41327	5568	"	"	Shaft				
41328	5568	"	"	"	Pulley	with	1036	ic
1036c	5569	"	- "	"	"	Set S	crew	
41513	5569	"	"		er			
41329	5567	Frame		1036c				
878D	5569		Oil H	ole Sto	p Screv	v		
41330	5568	Knife :	Holder	with t	wo 142	222		
150209		"	"	41330	with	970D,	41	331,
				two ea				
		4133	o and	41334.				
41331	5568	Knife :	Holder	Brack	et with	157E.		
157E	5569	"	"	"	Clar	nping	Scre	w
42065	5569	"	"	"	Hin	ge Stud	l	
1036c	5569	"	"	"	"	"	S	e t
		Scre	w					

NO.	PLATE			NA	ME		
717c	5569	Knife	Holder	Bracke	et Stop	Screv	v
1520л	5569	"	"	"	"	"	Nut
41333	5569	"	"	Clamp			
41334	5569	"	"	"			
14222	5569	"	"	"			
771 _D	5569	"	"	"			ew
970D	5569	"	"	Regula			Screw
313c	5569	"	"				
1519л	5569		"	"		Nut.	
41332	5569	. "	"				
41335		Knife	Grind	er cor	nplete	, Nos	. 717c,
		1508	Sc, 1520	Ој, 413	26 to	41329	, 42065,
and .	125	1509	209, two	each 8	878D, 4	1513 a	nd three
		woo	d screw	s 11/4 in	n. No.	12	

THREAD UNWINDER

FOR THREE SPOOLS

NO. PLATE	NAME
225259 20778	Spool Rest (for one spool) with 201018c.
225257 20778	" (for two spools) with 201018c
150203	" Cushion (felt)
225388 20778	" " Rod
200383c 7396	" " Set Screw
201018c 7396	" " Set Screw
202490 20778	" Stand with 200383c
225391 20778	Thread Guide
201696л 7396	" " Lock Nut
225326 7396	" Position Cup
225324 20778	" Rod with 208E and 225322
208E 7396	" " " Screw
225322 7396	" " Washer
*150057	" Separator
150058 20778	" 150057 with 150059
*150059	" Bracket
150060 20778	" " Arm with 164J
	and 9525
164л ——	Thread Separator Bracket Arm Clamping
	Screw
9525	Thread Separator Bracket Arm Clamping
0020	Screw Washer
164л ——	Thread Separator Bracket Screw
9525	" " Washer
150061	Thread Separator complete, Nos. 1644,
20001	9525, 150058 and 150060
	0020, 100000 tille 100000

NO.	PLATE	NAME
150178	20778	Thread Unwinder complete, Nos. 150061,
		201696л, 202490, 225257, 225259, 225324,
		225326, 225388 and three each 150203,
		225391 and wood screws 1/8 in. No. 12.
27739	7234	Thread Cone (wood) for large cones
225390	7234	" Holder, for inverted cones.

Note: Nos. 27739 and 225390 are used with, but not included in 150178

OBSOLETE PARTS

NO.	PLATE	NAME
*42251		Arm with two each 462c and 42253, for 81-20 and 81-21 Machines
*42252		Arm with two each 462c and 42253, for 81-9 Machine.
42030	5543	Frame Top Cover Extension for 81-20 and 81-21 Machines
10106	5544	Needle Bar Thread Retainer Disc, super- seded by 42483
1629c		
42083	5553	Thread (looper, left hand) Eyelet, super- seded by 42242

Genuine Singer Needles should be used in this machine. Their containers are marked with the Company's Trade Mark "SIMANCO."1

Needles in Containers marked "For Singer Machines" are not Singer made needles.

2

NUMERICAL LIST OF PARTS

FOR

MACHINES

Nos. 81-9, 81-20 and 81-21

NUMERICAL LIST OF PARTS

NO.	PLATE	NAME
61c	7376	Feed (back) Bar Hinge Screw
85p	5584	Presser Lever Lifter Hinge Screw
93c	5544	Needle Bar Thread Retainer Screw
133F	5542	Knife (movable) Holder Screw for 42113
		and 42215
157E	5530	Feed (front) Rock Shaft Crank Clamp-
10.1	0000	ing Screw for 42021
157E	5569	Knife Grinder Knife Holder Bracket
1011	0000	Clamping Screw for 41331
164л		Thread Unwinder Thread Separator
1043		Bracket Arm Clamping Screw for
		150060
164л		Thread Unwinder Thread Separator
1049		Bracket Screw for 150061
171E	5544	Looper (right hand) and Spreader Lever
TILE	9944	Connection Guide Screw
171 _F	5544	Needle Bar Connecting Rod Guide Screw
171F	5544	" Guard Screw
171F	5542	Knife (movable) Lever Connection Cap
179E	0042	Screw for 42043
176л	7376	Frame Top Cover Extension Screw for
1703	1310	42319 and 42324
176ј	7376	Thread (looper, left hand) Nipper Spring
1703	1310	Screw for 81-9 Machine
187E	5544	Needle Bar Connecting Bracket Clamp-
101E	9944	ing Screw for 42061
190л	5557	Feed (back) Regulator Set Screw
190J	5557	" (front) Dog Screw
190J	5557	Thread (looper, right hand) Staple Screw
190J 197J	5553	Looper (right hand) Screw
197J	5553	Spreader Screw
1975 197F	5553	Thread (looper, right hand) Take-up
1971	0000	Screw
197F	5553	Thread (needle) Take-up Screw
203c	5587	Feed (back) Dog Screw
207F	5529	" (front) Eccentric Cover Screw for
207F	5529	42319 and 42324
207F	5587	Feed (front) Regulator Indicator Screw
208E	7396	Thread Unwinder Thread Guide Rod
200E	1000	Screw for 225324
209н	5553	Looper (left hand) Set Screw for 42051
209H 217F	5585	Thread (needle) Eyelet Screw
217F 217B	5585	Welt Guide Screw for 42443
211B	9999	Well duide below for 12110

NO.	PLATE	
223F	5544	Needle Bar Connecting Link Hinge Pin
		Set Screw for 42061 and 42291
228ј	5544	Needle Bar Thread Retainer Bracket
		Screw
228в	5544	Welt Guide Holder Extension Screw for
		42446
229E	5587	Cloth Plate Extension (lower) Screw for
		42146 and 42401
229E	5587	Cloth Plate Extension (upper) Screw for
		42146 and 42401
233л	5530	Feed (front) Regulator Stop Screw for
		42014
233л	5530	Presser Foot Chaining-off Finger Screw
	0000	for 42406, 42420, 42439, 42451 and
		132663
233л	5530	Thread (looper, left hand) Eyelet Screw.
233л	5530	" " Pull-off Screw
2001	9990	f-n 01 0 M - 1:
236c	5587	for 81-9 Machine.
250C	5587	Cloth Plate Lock Spring Screw for 42146
202	5540	and 42401
283w	5543	Frame Top Cover Extension Holder
313c	FF00	Thumb Screw
919C	5569	Knife Grinder Knife Holder Screw Center
220		for 150209
330w	5587	Frame Side Cover (left) Screw
330w	5587	
336ғ	5542	Knife (movable) Holder Guide Set Screw
007	****	for 42038
337ј	5530	Feed (front) Regulator Indicator Plate
0.50		Screw
356c	5587	Rock Shaft Knee Arm Hub Set Screw for
0.40		2766
356c	5587	Rock Shaft Knee Plate Set Screw for
050		2767
356c	5587	Rock Shaft Lifting Bracket Hook Set
050		Screw for 6337
356c	5587	Rock Shaft Lifting Bracket Set Screw
250		for 6337
356c	5587	Rock Shaft Stop Dog Set Screw for 2770
404E	5542	Knife (movable) Holder Cap Screw for
		42113 and 42215
424c	5587	Balance Wheel Set Screw for 42001
440F	5543	Knife (stationary) Holder Stop Screw
453c	5529	Feed (front) Eccentric Set Screw for
		42011
462c	5544	Feed (front) Lifting Eccentric Set Screw
		for 42012 and 42208

	NO.	PLATE	NAME
-	462c	5544	Thread (looper, left hand) Tube Set
			Screw
-	462c	5544	Needle Bar Bushing Set Screw for 42251,
			42252, 42484 and 42485
4	164c	5587	Presser Foot Spring Adjusting Pin Set
			Screw for 42406 and 132663
	164c	5587	Presser Foot Plate (back) Spring Adjust-
			ing Pin Set Screw for 42420, 42439 and
			42451
(321p	5542	Knife (movable) Holder Guide Plate
			Screw
(324c	7396	Needle Bar Crank Shaft Bushing Set
			Screw for 42484 and 42485
,	717c	5569	Knife Grinder Knife Holder Bracket
	1.0	0000	Stop Screw for 41335
,	742F	5587	Frame Top Cover Screw
	742F	5587	Throat Plate Screw
	771p	5569	Knife Grinder Knife Holder Clamp
	1110	0000	Thumb Screw for 150209
9	828c	5585	Tension (looper, left hand) Screw Stud
	3200	0000	for 42418.
9	828c	5585	Tension (looper, right hand) Screw Stud
	200	0000	for 42418.
5	878p	5569	Knife Grinder Frame Oil Hole Stop Screw
,	,,,,,	0000	for 41335
5	896E	7396	Looper (right hand) and Spreader Lever
,	3001	1000	Connection Cap (lower) Screw for
			42075
	896E	7396	Looper (right hand) and Spreader Lever
	390E	7590	Connection Cap (upper) Screw for
			42075
	200	H000	
5	896E	7396	Needle Bar Connecting Rod Cap (lower)
	200	H000	Screw for 42057
2	896E	7396	Needle Bar Connecting Rod Cap (upper)
			Screw for 42057
,	904c	5544	Needle Bar Connecting Link Hinge Pin
			Set Screw for 42104
,	916c	5585	Tension (needle thread) Screw Stud for
			44209
- 1	935E	5586	Machine Cushion Screw for 42086
	949E	5587	Arm Screw
,	970p	5569	Knife Grinder Knife Holder Regulating
4.	110-	FF00	Thumb Screw for 150209
1()12E	5529	Feed (front) Regulator Connection Ad-
10	190 -	FF20	justing Screw for 42015
1(036c	5530	Feed (front) Rock Shaft Hinge Pin
			Bushing Set Screw

NO.	PLATE	NAME
1036c	5530	Frame Rotary Shaft Bushing (front) Set Screw
1036c	5530	Frame Rotary Shaft Crank Set Screw for 42110 and 42211
1036c	5530	Frame Rotary Shaft Flanged Bushing (back) Set Screw
1036c	5569	Knife Grinder Emery Wheel Shaft Pulley Set Screw for 41328
1036c	5569	Knife Grinder Knife Holder Bracket Hinge Stud Set Screw for 41329
1036c	5553	Looper (left hand) Lever Hinge Stud Set Screw
1057E	5529	Feed (front) Connecting Rod Cap Screw for 42008,
1057E	5553	Needle Bar Connecting Bracket Clamping Screw for 42291
1101c	5543	Knife (stationary) Holder Screw
1117в	7400	Welt Guide Regulating Thumb Screw for 42443
1120c	5545	Presser Lever Hinge Stud Set Screw
1132c	7376	Feed (back) Connecting Link Hinge Screw
1132c	5557	Feed (back) Regulator Hinge Screw
1148F	5586	Lifting Lever Stop Screw for 42133 and 42144
1209c	7400	Welt Guide Holder Screw for 42443
1229c	5542	Knife (movable) Lever Hinge Stud Set Screw
1229c	5586	Lifting Lever Bracket Screw for 42133 and 42144
1253c	5587	Feed (front) Bar Hinge Pin Set Screw for 42151
1258c	5544	Needle Bar Crank (back) Set Screw for 42103
1258c	5544	Needle Bar Crank (front) Set Screw for 42104
1259c	5530	Feed (front) Regulator Set Screw for 42014
1259c	5553	Frame Rotary Shaft Crank Set Screw for 42025
1259c	5553	Looper (right hand) and Spreader Lever Ball Stud Set Screw for 42073
1259c	5553	Looper (right hand) and Spreader Lever Hinge Pin Bushing Set Screw
1259c	5553	Needle Bar Crank (back) Ball Stud Set Screw for 42103

270	DT 1 MIN	NAME
NO. 1259c	PLATE 5553	Needle Bar Crank (back) Position Screw
12590	9999	for 42103
1050-		Needle Bar Crank (front) Position Screw
1259c	5553	
4004	****	for 42104
1301 _D	5586	Lifting Lever Hinge Screw for 42133
		and 42144
1324c	5545	Presser Foot Screw
1354c	5587	Balance Wheel Position Screw for 42001
1373c	5529	Feed (front) Connecting Rod Hinge
		Screw
1373c	5529	Feed (front) Regulator Connection Hinge
		Screw
1373c	5542	Knife (movable) Lever Connection Hinge
		Screw
1374c	5530	Feed (front) Regulating Screw Stud
1375c	5553	Frame Rotary Shaft Crank Position
		Screw for 42025, 42110 and 42211
1376c	5543	Knife (stationary) Holder Regulating
		Thumb Screw
1377c	5584	Presser Lever Screw Stud (eccentric)
1378p	5584	Pressure Regulating Thumb Screw
1407E	5563	Machine Base Thumb Screw, for 3 in.
	0000	table (Accessories)
1408E	5563	Machine Base Thumb Screw, for 2 in.
21001	0000	table (Accessories)
1425ј	7400	Guide Hinge Screw for 42437
1437p	5587	Cloth Plate Hinge Screw
1444c	5557	Feed (back) Regulator Thumb Screw
1508c	5569	Knife Grinder Emery Wheel Clamping
10000	0000	Nut for 41335
1519ј	5569	Knife Grinder Holder Screw Center Nut
10101	0000	for 150209
1520c	5529	Feed (front) Connecting Rod Hinge
10200	0020	Screw Nut
1520c	5529	Feed (front) Regulator Connection Hinge
15200	0020	Screw Nut.
1520л	5569	Knife Grinder Knife Holder Bracket Stop
10203	5505	Screw Nut for 41335
1520c	5542	Knife (movable) Lever Connection Hinge
10200	0042	Screw Nut
1520c	5529	Looper (left hand) Lever Connecting Link
10200	0029	Hinge Screw Nut
1534p	5543	Knife (stationary) Clamping Stud
1994D	0040	Thumb Nut
1547л	5543	Knife (stationary) Holder Stop Screw
19471	9949	Nut
		1Nut

NO.	PLATE	
1547л	5543	Lifting Lever Stop Screw Nut for 42133
		and 42144
1547л	5584	Presser Lever Screw Stud Nut
1560c	5585	Tension (looper, left hand) Regulating
		Thumb Nut for 42418
1560c	5585	Tension (looper, right hand) Regulating
		Thumb Nut for 42418
1560c	5585	Tension (needle thread) Regulating
		Thumb Nut for 44209
1629c		Needle Clamping Nut, obsolete, super-
		seded by 1728
1655ј	5587	Cloth Plate Hinge Screw Nut
1680c	5530	Feed (front) Regulating Screw Stud Nut
1728c	7380	Needle Clamping Nut
2102	5585	Tension (looper, left hand) Disc
2102	5585	" (looper, right hand) Disc
2102	5585	" (needle thread) Disc
2103	7380	" " Spring for 81-9
		Machine
2749	5543	Frame Top Cover Extension Holder
		Thumb Screw Washer
2763	5564	Rock Shaft for 42143
	N	os. 2765 to 2767 for 2768
2765	5564	Rock Shaft Knee Arm
2766	5564	" " " Hub with 356c
2767	5564	" " Plate with 356c
2768		Rock Shaft Knee Arm complete for 42143
		Nos. 2765 to 2767
2770	5564	Rock Shaft Stop Dog with 356c, for 42143
4389	5585	Arm Dowel Pin
4718	5586	Machine Base Cushion (felt) for 42086
4822	5566	Wrench for 1547 (Accessories)
4879	5566	Chain Connecting Link for 4885
	N	os. 4881 to 4884 for 4885
4881	5564	Treadle
4882	5566	" Shaft
4883	5566	" Spring
4884	5564	" Stand
4885	5564	Treadle complete for 42133, Nos. 4879,
	0001	4881 to 4884 and two wood screws
		1 in. No. 16
6337	5564	Rock Shaft Lifting Bracket with two
		356c, for 42143
6439		Chain, 36 in. to 45 in., with 56864 and
		56865, for 42133

NO.	PLATE	NAME
7125	5564	Rock Shaft Lifting Bracket Hook for
		42143
8908	5566	Wrench for 1520 and 1655 (Accessories)
9320	5585	Presser Foot Hinge Pin for 42406 and
		132663
9320	5585	Presser Foot Plate (back) Hinge Pin for
		42420, 42439 and 42451
9525		Thread Unwinder Thread Separator
		Bracket Arm Clamping Screw Washer
		for 150061
9525		Thread Unwinder Thread Separator
		Bracket Screw Washer for 150061
9842	5586	Machine Base Thumb Screw Spring
		Washer (Accessories)
10106	5544	Needle Bar Thread Retainer Disc, ob-
		solete, superseded by 42483
10107	5544	Needle Bar Thread Retainer Spring
10148	5585	Tension (looper, right hand) Spring
10148	5585	Tension (needle thread) Spring for 81-20
		and 81-21 Machines
12242	5564	Rock Shaft Hanger with two wood screws
		1 in. No. 10, for 42143
14058	5585	Presser Foot Spring for 42406 and 132663
14058	5585	" " Plate (back) Spring for
		42420, 42439 and 42451
14063	5586	Machine Base Thumb Screw Spring
		(Accessories)
14222	5569	Knife Grinder Knife Holder Clamp
		Steady Pin for 41330
17547	5585	Tension (looper, right hand) Thread
		Guide
19044	7400	Welt Guide Holder Screw Washer for
		42443
19045	5585	Frame Side Cover (left) Handle for 42027
19045	5585	Guide Handle for 42434
27739	7234	Thread Unwinder Thread Cone (wood)
		for large cones, for 225397
29599	5584	Looper (right hand) and Spreader Lever
		Connection Oil Tube Packing (felt)
		for 42106 and 42403
38534	7380	Needle Bar (hollow) for 81-9 Machine
39541	5545	Presser Foot Screw Washer
40247	5544	Needle Bar Connecting Link Hinge Pin
	Nos	s. 41326 то 41329 год 41335
41326	5568	Knife Grinder Emery Wheel
41327	5568	" " Shaft
11021	0000	Dilate

44

NO.	PLATE	NAME
41328	5568	Knife Grinder Emery Wheel Shaft Pulley with 1036c
41000		Knife Grinder Frame with 1036c
41329	5567	Kniie Grinder Frame with 1050c
	No	s. 41330 to 41334 for 150209
41330	5568	Knife Grinder Knife Holder with two 14222
41331	5568	Knife Grinder Knife Holder Bracket with
11000	****	157E
41332	5569	Knife Grinder Knife Holder Spring " " Clamp
41333	5569	" " Clamp
41334	5569	~Pimb
41335		Knife Grinder complete, Nos. 717c,
		1508c, 1520J, 41326 to 41329, 42065,
		150209, two each 878D, 41513 and three wood screws 11/4 in. No. 12
41510	FF60	Wrife Crinder Frank Wheel Wester for
41513	5569	Knife Grinder Emery Wheel Washer for 41335
42001	5576	Balance Wheel, $2\frac{3}{16}$ in. pulley, with 424c
		and 1354c
42002	5526	Cloth Plate for 42401
42003	5577	" Extension (lower) for 42146.
42005	5526	" Lock Spring for 42146 and
		42401
42007	5529	Feed (front) Bar Hinge Pin
42008	5529	" Connecting Rod with 42009
		and two 1057E
*42009		Feed (front) Connecting Rod Cap for
		42008
42011	5529	Feed (front) Eccentric with two 453c
42012	5529	" " Lifting Eccentric with two
	00-0	462c, for 81-20 and 81-21 Machines
42013	5529	Feed (front) Lifting Eccentric Connection
42014	5530	" Regulator with 2331 and two
		1259c
42015	5529	Feed (front) Regulator Connection with 1012E
42016	5530	Feed (front) Regulator Hinge Stud
42017	5529	" " Indicator
42018	5530	" " Plate
42021	5530	" Rock Shaft Crank with 157E,
12021	0000	for 42155
*42022		Frame for 81-20 and 81-21 Machines
42023	5576	" Rotary Shaft for 81-20 and 81-21
		Machines
42024	5576	Frame Rotary Shaft Bushing (front)
42025	5553	" " Crank with 1259c
		and 1375c, for 81-21 Machine

NO.	PLATE	NAME
42026	5576	Frame Rotary Shaft Flanged Bushing
		(back) with 54967
42027	7375	Frame Side Cover (left) with 19045
42028	5526	" " (right) hinged
42029	5576	" Top Cover
42030	5543	" " Extension for 81-20
		and 81-21 Machines, obsolete
42035	5542	Knife (movable) Holder for 42113 and
		42215
42037	5542	Knife (movable) Holder Cap for 42113
42038	5542	" " Cuido with 226n
42039	5542	" " Plate
42040	5542	" " Screw Extension
22020	0011	Pin for 42113 and 42215
42041	5542	Knife (movable) Holder Spring
42042	5542	" " Lever
42043	5542	" " Connection with
12010	0012	42044 and two 175E
*42044		Knife (movable) Lever Connection Cap
12011		for 42043
42045	5542	Knife (movable) Lever Hinge Stud
42045	5545	Presser Lever Hinge Stud for 42376 and
42040	9949	42377
42046	5543	Knife (stationary) with 42049
42048	5543	" Clamping Stud
42048	5543	" Stud for 42046
42049		Looper (left hand) for 81-20 and 81-21
42050	5553	
10071		Machines
42051	5553	Looper (left hand) Lever with 209H " " Connecting
42052	5553	
10000		Link
42053	5553	Looper (left hand) Lever Hinge Stud
42054	5544	Needle Bar for 81-20 and 81-21 Ma-
100 8 8		chines
42055	5544	Needle Bar Connecting Link
42057	5544	1000 WITH 42009,
		42076 and four 896E
*42059		Looper (right hand) and Spreader Lever
		Connection Cap (upper) for 42075
*42059		Needle Bar Connecting Rod Cap (upper)
		for 42057
42061	5544	Needle Bar Connecting Bracket with
		187E and 223F, for 81-20 and 81-21
		Machines
42065	5569	Knife Grinder Knife Holder Bracket
		Hinge Stud for 41335
42066	5544	Needle Guard

NO.	PLATE	NAME
42069	5545	Presser Lever for 42376
42070	5584	" - " Lifter
42071	5584	" " Spring
42073	5553	Looper (right hand) and Spreader Lever
		with 1259c
42074	5553	Looper (right hand) and Spreader Lever
		Ball Stud for 81-20 and 81-21 Ma-
		chines
42074	5553	Needle Bar Crank (back) Ball Stud
42075	5553	Looper (right hand) and Spreader Lever
		Connection with 42059, 42076 and
		four 896E
*42076		Looper (right hand) and Spreader Lever
		Connection Cap (lower) for 42075
*42076	-	Needle Bar Connecting Rod Cap (lower)
- TI		for 42057
42077	5584	Looper (right hand) and Spreader Lever
12011	0001	Connection Guide
10077	5584	Needle Bar Connecting Rod Guide
42077 42078	5584	Looper (right hand) and Spreader Lever
42078	5584	Hinge Pin

42079	5530	Feed (front) Rock Shaft Hinge Pin
10000		Bushing
42079	5530	
		Hinge Pin Bushing
42082	5585	Tension (needle thread) Thread Guide
42083	5553	Thread (looper, left hand) Eyelet, ob-
		solete, superseded by 42242
42084	5585	Thread (looper, left hand) Tube
42086	5564	Machine Base with three wood screws 11/4
		in. No. 12 and four each 935E, 4718,
		42088 and 66707
42088	5586	Machine Cushion (felt) for 42086
42090	5566	Threading Wire (Accessories)
42093	5585	Thread (looper, right hand) Staple
42096	5585	" (needle) Eyelet
42098	5530	Feed (front) Rock Shaft Hinge Pin
42101	5543	Frame Side Cover (right) Lock Spring
		for 42319 and 42324
42102	5543	Frame Top Cover Extension Holder for
		42319 and 42324
42103	5544	Needle Bar Crank (back) with 1258c
inco		and two 1259c
42104	5544	Needle Bar Crank (front) with 904c,
10105		1258c and 1259c
42105	5544	Needle Bar Crank Shaft

27.0	70 F 1 MIC	NAME
NO.	PLATE	
42106	5584	Looper (right hand) and Spreader Lever Connection Oil Tube and Bracket
		with 29599, for 81-20 and 81-21 Ma- chines
42108	5577	Cloth Plate Extension (upper) for 42146
42108	3011	and 42401
42110	7396	Frame Rotary Shaft Crank with 1036c
42110	1000	
		and 1375c, for 81-20 Machine
42111	5542	Knife (movable) for 81-20 and 81-21
		Machines
42112	5542	Knife (movable) Gib for 42113
42113		Holder 42055 With 155F,
		42037, 42040, 42112 and two 404E, for
		81-20 and 81-21 Machines
42115	5544	Needle Bar Thread Retainer Bracket
42121	7380	Tension (looper, left hand) Spring
	Nos. 42	2122 to 42125 for 81-9 Machine
42122	7380	Thread (looper, left hand) Nipper Spring
42122	1000	(lower)
42123	7380	Thread (looper, left hand) Nipper Spring
42120	1000	(upper)
42124	7380	Thread (looper, left hand) Pull-off
42125	7380	" " Evelet
42126	7380	" (looper, right hand) Pull-off for
42120	1000	81-9 and 81-20 Machines
42126	7380	Thread (needle) Pull-off for 81-21 Ma-
12120	1000	chine
42127	5585	Thread (looper, right hand) Take-up
42128	7398	" (needle) Take-up
N	os. 4213	30 TO 42132 FOR 42133 AND 42144
42130	5586	Lifting Lever
42131	5586	" " Bracket
42132	5586	" " Spring
42133		Foot Lifter complete, Nos. 1301p, 4885,
		6439, 42130 to 42132 and two each
		1148F, 1229c and 1547J
42142	5564	Lifting Lever Connecting Rod for 42144
42143	5564	Rock Shaft complete for 42144, Nos.
		2763, 2768, 6337, 7125 and two each
		2770 and 12242
42144		Knee Lifter complete, Nos. 1301p, 42130
		to 42132, 42142, 42143 and two each
		1148F, 1229c and 1547J
*42145	5577	Cloth Plate for 42146
18147—4		

NO.	PLATE	NAME
42146		Cloth Plate complete for 81-20 and 81-21
		Machines, Nos. 42003, 42005, 42108,
		42145, two 236c and five 229E
42147	7376	Feed (back) Bar
42148	7376	" Connecting Link
42149	7397	" Dog, 3 teeth (16 teeth to the
		inch) for 42407, for 81-9 Machine
42150	5557	Feed (back) Regulator
42151	5557	" (front) Bar with 1253c
42153	5577	" Eccentric Cover for 42324
42154	7376	" Rock Shaft for 42155
42155		Feed (front) Rock Shaft complete, Nos.
		42021 and 42154
42156	5545	Knife (stationary) Holder
42157		Presser Foot Body for 42406 and 132663
42160	5585	" "Plate (back) Spring Ad-
12100	0000	justing Pin for 42420, 42439 and 42451
42160	5585	Presser Foot Spring Adjusting Pin for
12100	0000	42406 and 132663
42166	5553	Looper (right hand) for 81-20 and 81-21
12100	0000	
42208	7376	Machines Feed (front) Lifting Eccentric with two
42200	1910	462g for 21 0 Marking
*42209		462c, for 81-9 Machine
42211	7200	Frame for 81-9 Machine
42211	7380	Tiotaly Shart Clank with 1050C
42212	7970	and 1375c, for 81-9 Machine
	7376	Frame Top Cover Extension for 42319
42213	7398	Knife (movable) for 81-9 Machine
42214	7398	GID for 42215
42215		110ider 42055 with 155F.
		42040, 42214, 42216 and two 404E,
10010		for 81-9 Machine
42216	7398	Knife (movable) Holder Cap for 42215
42219	7380	Looper (left hand) for 81-9 Machine
42220	7380	" (right hand) for 81-9 Machine
42221	7380	" and Spreader Lever
		Ball Stud for 81-9 Machine
42227	7375	Presser Lever for 42377
42242	7396	Thread (looper, left hand) Eyelet
42250	7380	Spreader for 81-9 Machine
*42251		Arm with two each 462c and 42253, for
		81-20 and 81-21 Machines, obsolete
*42252	-	Arm with two each 462c and 42253, for
		81-9 Machine, obsolete
42253	5544	Needle Bar Bushing for 42251, 42252,
		42484 and 42485

		NAME
NO.	PLATE	
42263	-	Presser Foot Plate (front) for 42420
42264		Shank 101 42420, 42405 and
		42451
42266	7375	Frame Rotary Shaft for 81-9 Machine
42288	7397	Presser Foot Chaining-off Finger for
		42420 and 42439
42290	5530	Feed (front) Regulating Screw Stud Nut
11100	0000	Washer
42291	7380	Needle Bar Connecting Bracket with
12231	1000	223F and 1057E, for 81-9 Machine
42294	5598	Cloth Plate Extension (lower) for 42401
		Feed (front) Eccentric Cover for 42319
42298	7375	Frame Top Cover Extension Holder
*42319		Frame Top Cover Extension Holder
		42102 with 42101, 42212, 42298 and
		two each 1761 and 207F, for 81-9 Ma-
		chine
*42324		Frame Top Cover Extension Holder
		42102 with 42101, 42153, 42459 and two
		each 1761 and 207F, for 81-20 and 81-21
		Machines
10000		
42367	5585	Frame Rotary Shaft Front Bearing Oil
		Pad (braided cotton)
42376		Presser Lever 42069 with 42045, for 81-20
		and 81-21 Machines
42377		Presser Lever 42227 with 42045, for 81-9
		Machine
42401		Cloth Plate complete for 81-9 Machine,
		Nos. 42002, 42005, 42108, 42294, two
		236c and five 229E
42402	7397	Feed (front) Dog, 17 teeth (16 teeth to
12102	1001	the inch) for 42407, for 81-9 Machine
42403	7398	Looper (right hand) and Spreader Lever
42400	1000	Connection Oil Tube and Bracket
		with 29599, for 81-9 Machine
10101	T007	Presser Foot Chaining-off Finger for
42404	7397	
		42406
42405		Presser Foot Plate for 42406 and 132663
42405		" " (back) for 42420,
		42439 and 42451
42406	7397	Presser Foot (spring hinged) complete
		for 81-9 Machine, Nos. 233 _J , 464c,
		9320, 14058, 42157, 42160, 42404 and
		42405
42407	7397	Throat Plate for 42149 and 42402, for
	100 0 T 10 T 10 T	81-9 Machine
42415	7399	Throat Plate for 42421 and 42422, for
		81-20 Machine

NO.	PLATE	NAME Tension (looper, left hand) Screw Stud
42418		828c with 1560c
42418	-	Tension (looper, right hand) Screw Stud
42410		828c with 1560c
42420	7397	Presser Foot (spring hinged) complete
12.20		for 81-20 Machine, Nos. 233, 464c,
		9320, 14058, 42160, 42263, 42264,
		42288, 42405 and 42461
42421	7399	Feed (back) Dog, fine teeth, for silk work,
		for 42415 for 81-20 Machine, and for
		42468 for 81-21 Machine
42422	7399	Feed (front) Dog, fine teeth, for silk
		work, for 42415 for 81-20 Machine, and
		for 42468 for 81-21 Machine
42427	7398	Spreader for 81-20 and 81-21 Machines
	Nos	s. 42434 то 42436 гов 42437
42434	7400	Guide with 19045
42434	7400	" Holder
42436	7400	" Hinge Screw Friction Washer
42437		Guide (hinged) complete, for 81-20 Ma-
12101		chine, Nos. 1425j and 42434 to 42436
42438		Presser Foot Plate (front) for 42439
42439	7402	Presser Foot (spring hinged) complete
		for 42437, Nos. 2331, 464c, 9320, 14058,
		42160, 42264, 42288, 42405, 42438 and
		42461
42440	7400	Welt Guide Adjusting Slide for 42441
42441	-	" 42488 with 42440, for 42446.
42442	7400	" " Holder for 42443
42443	-	" " 42442 with 217B,
10111	7100	1117в, 1209с and 19044, for 42446
42444	7400	Welt Guide Holder Extension with 42445,
42445	7400	for 42446
42440	7400	42444
42446		Welt Guide complete, adjustable from
12110		½ to 1 in., for 81-21 Machine, Nos.
		42441, 42443, 42444 and two 228B
42449	7402	Presser Foot Chaining-off Finger for
		42451
42450		Presser Foot Plate (front) for 42451
42451	7402	Presser Foot (spring hinged) complete
		for 81-21 Machine, Nos. 2331, 464c,
		9320, 14058, 42160, 42264, 42405,
10.150	7000	42449, 42450 and 42461
42459	7398	Frame Top Cover Extension for 42324

NO.	PLATE	NAME
42461	7397	Presser Foot Plate (front) Hinge Pin for
		42420, 42439 and 42451
42468	7399	Throat Plate for 42421 and 42422, for
		81-21 Machine
42483	7396	Needle Bar Thread Retainer Disc
*42484	-	Arm with two each 462c, 624c, 42253 and
		42487, for 81-20 and 81-21 Machines
*42485		Arm with two each 462c, 624c, 42253
		and 42487, for 81-9 Machine
42487	7396	Needle Bar Crank Shaft Bushing for
10100		42484 and 42485
42488	7396	Welt Guide (solid) for 42441
42500	-	Presser Foot Chaining-off Finger for 132663
44209		Tension (needle thread) Screw Stud 916c
		with 1560c
505620	7396	Looper (left hand) Lever Connecting
		Link Hinge Screw
54967	5585	Frame Rotary Shaft Flanged Bushing
		(back) Oil Pad (braided cotton) for
		42026
56864	5566	Chain Hook (large) for 6439
56865	7396	
66707	7398	Machine Cushion Screw Washer for 42086.
68547	7396	Wrench for 1324, 1374, 1629 and 1728
100041		(Accessories)
120341	5566	Tweezers (curved) Accessories Oiler (copper plated) with 120345 (Acces-
120344	5566	sories)
120345	5566	Oiler Spout, 5 in. long, for 120344
120440	5566	Screw Driver (Accessories)
132663		Presser Foot (spring hinged) complete,
		Nos. 233 _J , 464c, 9320, 14058, 42157,
		42160, 42405 and 42500
*150057		Thread Unwinder Thread Separator for 150058.
150058	20778	Thread Unwinder Thread Separator
		150057 with 150059, for 150061
*150059	-	Thread Unwinder Thread Separator
		Bracket for 150058
150060	20778	Thread Unwinder Thread Separator
		Bracket Arm with 1641 and 9525, for
* *0000	00==0	150061
150061	20778	Thread Unwinder Thread Separator
		complete for 150178, Nos. 164J, 9525, 150058 and 150060
		190090 and 190000

NO. PLATE	NAME
150178 20778	Thread Unwinder complete, for three
100176 20776	spools, Nos. 150061, 201696J, 202490,
	225257, 225259, 225324, 225326, 225388
	and three each 150203, 225391 and
	wood screws 7/8 in. No. 12
150000	Thread Unwinder Spool Rest Cushion
150203 ——	(felt) for 150178
1 =0000	
150209 ——	Knife Grinder Knife Holder 41330 with
	970p, 41331, 41332 and two each 313c,
222222	771p, 1519j, 41333 and 41334, for 41335
200383c 7396	Thread Unwinder Spool Rest Rod Set
	Screw for 202490
201018c 7396	Thread Unwinder Spool Rest Set Screw
	for 225257 and 225259
201696」 7396	Thread Unwinder Thread Guide Lock
	Nut for 150178
202490 20778	Thread Unwinder Spool Stand with
	200383c, for 150178
225257 20778	Thread Unwinder Spool Rest (for two
	spools) with 201018c, for 150178
225259 20778	Thread Unwinder Spool Rest (for one
	spool) with 201018c, for 150178
225322 7396	Thread Unwinder Thread Guide Rod
	Washer for 225324
225324 20778	Thread Unwinder Thread Guide Rod
	with 208E and 225322, for 150178
225326 7396	Thread Unwinder Thread Guide Position
	Cup for 150178
225388 20778	Thread Unwinder Spool Rest Rod for
	150178
225390 7234	Thread Unwinder Thread Cone Holder,
	for inverted cones, for 150178
225391 20778	Thread Unwinder Thread Guide for
	150178

Genuine Singer Needles should be used in this machine. Their containers are marked with the

Company's Trade Mark "SIMANCO."1

Needles in Containers marked
"For Singer Machines"
are not Singer made needles.

FOR MACHINES Nos. 81-9, 81-20 and 81-21

PLATE 5526-ONE-HALF SIZE




PLATE 5529-FULL SIZE




PLATE 5530-FULL SIZE




PLATE 5542-FULL SIZE




PLATE 5543-FULL SIZE




PLATE 5544-FULL SIZE




PLATE 5545--FULL SIZE




PLATE 5553-FULL SIZE




PLATE 5557-FULL SIZE







PLATE 5563-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC


PLATE 5564-ONE-FOURTH SIZE






From the library of: Superior Sewing Machine & Supply LLC


PLATE 5567--ONE-HALF SIZE







From the library of: Superior Sewing Machine & Supply LLC

PLATE 5569-FULL SIZE







From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC




PLATE 5598-ONE-HALF SIZE 42294

From the library of: Superior Sewing Machine & Supply LLC



PLATE 7375-ONE-HALF SIZE






PLATE 7376-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC


PLATE 7380-FULL SIZE




From the library of: Superior Sewing Machine & Supply LLC

PLATE 7396-FULL SIZE 当


From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC




PLATE 20778-ONE-SIXTH SIZE

