FORM 18142 JANUARY, 1926 PRINTED IN U. S. A.

## LIST

OF

## **PARTS**



MACHINE No. 86-3

THE SINGER MANUFACTURING COMPANY

COPYRIGHT, U. S. A., 1916, 1921, 1922, 1923 AND 1926, BY THE SINGER MANUFACTURING CO.

ALL RIGHTS RESERVED FOR ALL COUNTRIES

### INDEX

	PAGE
Accessories	. 17
FOOT LIFTER PARTS	. 18
Iron Base	. 17
Machine No. 86-3	. 7
NUMERICAL LIST OF PARTS	. 21
Obsolete Parts	. 19
THREAD UNWINDER.	. 18

#### INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the PART number in the FIRST column.

The number stamped on a Sewing Machine part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

- A. Hardened, Polished and Plated.
- B. Polished and Plated.
- C. Hardened only.
- D. Polished only.
- E. Soft, not Polished.
- F. Hardened and Polished.
- G.
- H. Blued.
- J. Plated only.
- K. Hardened and Plated.
- L. Brass or Gilt.
- M. Oxidized.
- P. Japanned.
- R. Merlized.
- T. Copper-plated.

These letters MUST BE USED when they appear in the list, and AFTER the number as in the list.

In this series:

1 to 1500 and 50001 to 51500 are Screw Numbers.

1501 to 1800 are Nut Numbers.

1801 to 2000 are Roller Numbers.


2001 to 50000 and 52001 and upward are numbers of Machine Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (\*) are furnished only when repairs are made at factory.

#### LIST OF PARTS COMPLETE

FOR



#### MACHINE No. 86-3

FOR SEAM COVERING ON KNIT GOODS, UNDERWEAR, ETC.
TWO NEEDLES, ONE LOOPER. MECHANISM ENTIRELY
ENCLOSED. GAUGES ½8, 3 and ¼ INCH. OUTSIDE
STITCH REGULATING DEVICE. DROP FEED. FOOT LIFTER.
IN THE OPERATION OF THIS MACHINE, THE TOP OF THE
HAND WHEEL TURNS FROM INSTEAD OF TOWARD THE
OPERATOR.

NO.	PLATE	NAME
*55072		Arm
54913	6367	" Back Cover
54914		Arm Back Cover complete, Nos. 1538D,
		50223p, 54913, 54915, 54916 and two
		1443p

NO.	PLATE				NAME		
54915	6369	Arm	Back	Cove	Latch	with 911E	
502231	6385	"	"	"	"	Hinge Screw	
911E	6369	"	"	"	"	Screw Stud	
15381	6369	"	"	**	"	" "Thum	
		Nı	ıt				
54916	6369	Arm	Back	Cover	Spring	ξ······	
14431	6385	"	"	**	"	Screw	
54897	6384	"	Oil C	up			
54917	6384	"	" T	ube fo	r oiling	55077	•
55073	6389	"	Rock	Shaft			
54919	6369	"	"	**	Bushir	ng (back)	
502240	6385	"	"	"	"	" Set Screv	
54920	6369	"	"	66	"	(front)	
8880		"	"	"	"	" Set Screv	
54921	6390	"	"	**	Collar	with two 456c	V
456c		**	"	"		Set Screw	
54603	6390	"	"	**	Crank	(back) with two	
01000	0000	50	135c				
50135c	6390					(back) Set Screw	
54604	6390	"	110CK	"	Clank	(front) with two	
01001	0000	50	1350			(Hone) with two	)
50135c	6390	Arm	Rook	Shoft	Cronle	(front) Set Screw	
56016	6389	"	Side (	Correr	Clank	(Holl) Set Screw.	
286p		"	"	wer.	Thumb	Screw	
54923	6367	D.14	Corron				
134p		Dert "	Cover	Conce			
54885	6367	Clati		Ocrew		1000	
54886	6367	Cloth	riate	(left)	With 54	1889 and two 4621	
54887	6367	"	"	(rign	t)		
	6369	"	"	Brac	ket wit	h 345c	
50217p		"	"		Ser	ew	
54888	6369	"	"	Screy	v		
	6369	"	"	Sprii	ıg		
50218c		"	"	"	Guid	e Screw	
*54889	6369	"	"	"	Lock	Screw	
4621	6369	"	"	"	Pack	ing	
219p		"	"	"	~	Rivet	
54890	6385					v	
54890		Cloth	Plate	e com	plete,	Nos. 219D, 237D,	
E4001		502	18c, 5	04885,	54886	and 54888	
54891		Cloth	Plate	with	Bracke	et complete, Nos.	
55140	0000	548	87, 54	890 a	nd two	50217р	
55146	6389	Cranl	c Cor	mectir	ng Rod	complete, Nos.	
						616, 54925, 55033	
*54095		and	0503	4	D .	,	
*54925	6200	Cranl	Con	necting	g Rod (	(rod only)	
50368c		"		"	" I	Ball Screw Stud	
1520E	6390				**	" " "Nut	

Terrores .				** . * ***		
NO.	PLATE	0 10		NAME	0 0	
*54612					Cap (lo	wer)
896E	6385	"	"	"		" Screw
*54613		"	"	"	" (u)	oper)
171E	6385	"	"	"		" Screw
*54614		"	"	"	End	Bearing
01011		(lower	1			
******		Const	C	D	_ J T7_	d Bearing
*55032	-					
*54616						lower) Nos.
*55033		Crank C	onnecti	ng Rod	Head (1	ipper) Nos.
						о 171Е
1722E	6391					ower)
1723E		"	"	"		pper)
		"	"	"		
55034	6390	"	"	"	Positio	n Plate
219 <sub>F</sub>	6385					"Screw
*54927						664, 54943,
		54944	and two	о 391 р.		
54620	6384	Cylinder	Dowel	Pin		
54621	6389	"	End C	over		
54622		Cylinder	End C	over co	mnlete	Nos. 202d,
01022		54691	5.1790	195500	and tw	o 54628
	2000					
55151	6390	Cylinder	End C	over Lo	ck Spri	ng
54624	6369		"			Cap
189D	6385	"				"Screw
*54625		"	"	" Sli	ide (bac	k)
125599	6390	"	"	"		54625
		with 5	64626 ar	d 5462	7	
078E	6391	Cylinder	End	Cover	Slide I	Block Stop
0.01	0001					
*** 1000		Calinda	. E-1 C	C1:	de (fue	nt)
*54626		Cylinder	End	" over sn		
54627	6390	"	"			Hinge Pin
54628	6384			**	Rive	et
54643	6384	"	Oil Tu	be		
55074	6389	"	Rock S	Shaft (lo		th 54704
54929	6369	"		**	" Bu	shing
447c	6385	"	"	"	"	" Set
		Screw				
55075	6390	Cylinder	Rock	Shaft	(lower)	Eccentric
50225p		"	"	"	"	"
50225D	0000	A 11	· · · · ·			
* 100	2005	Adjus	ung Scr	ew		
54931	6390					Eccentric
						ndtwo 171E
*54932						Eccentric
		Conne	ecting R	od Cap		
171E	6385					Eccentric
-,						
		Comm	The state of	- Cap	201011	

NO.	PLATE	NAME
54933	6390	Cylinder Rock Shaft (lower) Eccentric Connecting Rod Stud with 207E
207E	6390	Cylinder Rock Shaft (lower) Eccentric Connecting Rod Stud Clamping Screw
103p	6385	Cylinder Rock Shaft (lower) Eccentric
		Hinge Screw
54704	6390	Cylinder Rock Shaft (lower) Key
54630	6389	" " (upper)
54934	6390	" " " Collar with two 465c
465c	6385	Cylinder Rock Shaft (upper) Collar Set Screw
54632	6390	Cylinder Rock Shaft (upper) Crank with
		two 457c
54935	6390	Cylinder Rock Shaft (upper) Crank Connecting Link
457c	6390	Cylinder Rock Shaft (upper) Crank Set Serew
55076	6392	Cylinder Rock Shaft (upper) Eccentric with 457c and 624c
55066	6394	Cylinder Rock Shaft (upper) Eccentric Connecting Rod with 54939, 54940 and two each 171E and 896E
	2200	
55067	6392	Cylinder Rock Shaft (upper) Eccentric Connecting Rod Ball Stud
1120c	6392	Cylinder Rock Shaft (upper) Eccentric
		Connecting Rod Ball Stud Set Screw
1700E	6392	Cylinder Rock Shaft (upper) Eccentric
		Connecting Rod Ball Stud Set Screw Nut
*54939		Cylinder Rock Shaft (upper) Eccentric
0.200		Connecting Rod Cap (lower)
171E	6385	Cylinder Rock Shaft (upper) Eccentric
*54940		Connecting Rod Cap (lower) Screw Cylinder Rock Shaft (upper) Eccentric
94940		Connecting Rod Cap (upper)
896E	6385	Cylinder Rock Shaft (upper) Eccentric Connecting Rod Cap (upper) Screw
55077	6393	Cylinder Rock Shaft (upper) Eccentric
		Connecting Rod Lever with 1120c and 1700E
54942	6374	Cylinder Rock Shaft (upper) Eccentric
446c	620=	Connecting Rod Lever Hinge Stud
440C	0380	Cylinder Rock Shaft (upper) Eccentric Connecting Rod Lever Hinge Stud Set Screw

NO.	PLATE	NAME
55034	6390	Cylinder Rock Shaft (upper) Eccentric
		Connecting Rod Position Plate
219 <sub>F</sub>	6385	Cylinder Rock Shaft (upper) Eccentric
		Connecting Rod Position Plate Screw
624c	6392	Cylinder Rock Shaft (upper) Eccentric
		Position Screw
457c	6390	Cylinder Rock Shaft (upper) Eccentric
		Set Screw
	6385	Cylinder Screw
54662	6374	" Thread Cover
767D	6385	Screw
*54943 54664	6384	" Top Cover (back)
460c	6385	" " " " Set
400C	0555	Screw. Set
******		
*54944		Cylinder Top Cover (front) with 665p and
001	200=	54666
	6385	Cylinder Top Cover (front) Screw
54666 665p	6374 6374	" " " Spring " " Screw
54945	6389	Face Plate with two 2827
46111	6384	" " Pin
203F		" " Screw
2827	6392	" " Thread Guard with 8505
8505	6392	" " " Rivet
54672	6395	Feed Dog (12 teeth) 16 teeth to the inch
54947	6374	" " Adjusting Wedge
55078	6392	" Carrier with two 462c
462c	6385	" " Set Screw
54949	6374	" " " Slide Block
50226c		" " " " Screw
50128c		Screw
55044	6392	Eccentric
103b 54865	6385 6374	" " Adjusting Screw
94809	0374	Washer
070	0000	Feed Eccentric Flange with two 440c
55079 440c	6392 6385	" " Adjusting Screw
	6385	" " Set Screw
	6385	" Hinge Screw
54865	6374	" " Friction
0 2000	0011	Washer
55080	6392	Feed Lifting Eccentric with 457c and 624c
624c		" " Position Screw
457c		" " Set Screw
54952	6394	" " Lever

NO.	PLATE			27.125	
54953	6394	Food I	ifting T	NAME Co	onnecting Rod with
94999	0994	Feed L	nung L	ever Co	Kod with
*54940		Food I	ifting T	VO 090E	onnecting Rod Cap
	6385	reed L	"	ever Co	" " Cap
990E	6860				
F0007	coor	Screv	V		
502270	6385				nnecting Rod Hinge
1000-	0005	Screv	V		D. 177
1020E	6385	reed L	itting L	ever Cor	nnecting Rod Hinge
2010		Bood	V Nut		
324c 54954	6385				ew Centre
54954	6374	"	egulatii	ig Levei	
127E		"	"	"	Bracket
974c		"	"	"	Screw
54956	6374	"	"	**	Hinge Screw
2269	6374	"		**	Spring
54957	6392				Stop Pin
54958	6392	"	egulato		
55118	0592			Frictio	on Spring
99119		Feed F	cou con	ipiete, 1	Nos. 1722E, 54960,
54960	6394	Food D	od (nod	0078	
*54961	0554				
896E	6385		" Cap	Conor	
*54962				Berew.	
		Food D	End	Bearing	54001 54000 I
54963	6394		lod Hes	d, Nos.	54961, 54962 and
54963	6394	two 8	lod Hes	id, Nos.	54961, 54962 and
54963 1722E	6394 6391	two 8	tod Hes 896E od Nut	id, Nos.	54961, 54962 and
54963	6394	two 8 Feed R Hand	dod Hea 896E od Nut Wheel a	id, Nos.	54961, 54962 and
54963 1722E 54964	6394 6391 6367	Feed R Hand With	dod Hes 896E od Nut Wheel s 430c an	and Pul	54961, 54962 and
54963 1722E 54964 430c	6394 6391 6367 6385	Feed R Hand With	tod Hes 896E od Nut Wheel s 430c an	and Pulled 1299c	54961, 54962 and ley, 21/4 in. diam.,
54963 1722E 54964 430c 1299c	6394 6391 6367 6385 6385	two 8 Feed R Hand V with Hand V	tod Hes 896E od Nut Wheel s 430c an	and Pulled 1299c	54961, 54962 and ley, 21/4 in. diam.,
54963 1722E 54964 430c 1299c 54965	6394 6391 6367 6385 6385 6394	two 8 Feed R Hand V with Hand V	tod Hes 896E od Nut Wheel s 430c an	and Pulled 1299c	54961, 54962 and ley, 21/4 in. diam., Set Screw (long) " " (short). Shaft
54963 1722E 54964 430c 1299c	6394 6391 6367 6385 6385	two 8 Feed R Hand V with Hand V " "	tod Hes 896E od Nut Wheel s 430c an Wheel an	ad, Nos.	54961, 54962 and ley, 2¼ in. diam., Set Screw (long). " " (short). Shaft " B u s h i n g
54963 1722E 54964 430c 1299c 54965 54966	6394 6391 6367 6385 6385 6394 6394	two 8 Feed R Hand V with Hand V " " (left)	tod Hes 896E od Nut Wheel s 430c an Wheel an	ad, Nos.	10 54961, 54962 and 10 10 10 10 10 10 10 10 10 10 10 10 10
54963 1722E 54964 430c 1299c 54965	6394 6391 6367 6385 6385 6394	two 8 Feed R Hand V with Hand V ( (left) Hand V	dod Hes 896E od Nut Wheel s 430c an Wheel an """  """  """  """  """  """  """  "	ad, Nos. and Pull ad 1299c ad Pulley  " " " " " " " " " " " " " " " " " "	ley, 2¼ in. diam.,  Set Screw (long)  " (short).  Shaft  " B u s h i n g
54963 1722E 54964 430c 1299c 54965 54966 54967	6394 6391 6367 6385 6385 6394 6394	two 8 Feed R Hand V  " " " " (left) Hand (left)	dod Hes 896E od Nut Wheel s 430c an Wheel an """ """ Wheel s	ad, Nos.	ley, 2¼ in. diam.,  Set Screw (long)  " (short).  Shaft  " B u s h i n g  ley Shaft Bushing d cotton)
54963 1722E 54964 430c 1299c 54965 54966 54967	6394 6391 6367 6385 6385 6394 6394	two 8 Feed R Hand V " " (left) Hand V (left) Hand V	Rod Hes 896E od Nut Wheel s 430c an Wheel an """ Wheel s Oil Pad	ad, Nos. and Pull dd 1299c dd Pulley  " " and Pul the	ley, 2¼ in. diam.,  Set Screw (long)  (short).  Shaft  Bushing d cotton)  ley Shaft Bushing
54963 1722E 54964 430c 1299c 54965 54966 54967 888c	6394 6391 6367 6385 6385 6394 6394 6384	two 8 Feed R Hand V  " " (left) Hand V (left) Hand V (left)	tod Hes 396E od Nut Wheel s 430c an Wheel an """ """ Wheel s Oil Pad Wheel s	ad, Nos. and Pulled 1299c d Pulley and Pulley and Pulley and Pulled (braide	ley, 2¼ in. diam.,  Set Screw (long)  " (short).  Shaft  " B u s h i n g  ley Shaft Bushing d cotton) ley Shaft Bushing
54963 1722E 54964 430c 1299c 54965 54966 54967	6394 6391 6367 6385 6385 6394 6394	two 8 Feed R Hand V  " " (left) Hand V (left) Hand V (left) Hand V (left) Hand V	tod Hes 396E od Nut Wheel s 430c an Wheel an """ """ Wheel s Set Scr Wheel s	ad, Nos. and Pulled 1299c d Pulley and Pulley and Pulley and Pulled (braide and Pulley and Pulley and Pulley	ley, 2¼ in. diam.,  Set Screw (long)  (short).  Shaft  Bushing deotton) ley Shaft Bushing
54963 1722E 54964 430c 1299c 54965 54966 54967 888c	6394 6391 6367 6385 6385 6394 6394 6384	two 8 Feed R Hand V  " " (left) Hand V (left) Hand V (left) Hand V (left) Hand V (right)	tod Hes 396E od Nut Wheel s 430c an Wheel an """ """ Wheel s Set Scr Wheel s	ad, Nos. and Pull dd 1299c dd Pulley and Pull for and Pull	ley, 2¼ in. diam.,  Set Screw (long)  (short).  Shaft  Bushing deotton) ley Shaft Bushing dey Shaft Bushing
54963 1722E 54964 430c 1299c 54965 54966 54967 888c 54968	6394 6391 6367 6385 6385 6394 6384 6384	two 8 Feed R Hand V  "  " (left) Hand V (left) Hand V (right) Hand V	and Hes seed and wheel a seed w	and Pulley	ley, 2¼ in. diam.,  Set Screw (long)  (short).  Shaft  Bushing dcotton) ley Shaft Bushing dcotton) ley Shaft Bushing
54963 1722E 54964 430c 1299c 54965 54966 54967 888c 54968 54969	6394 6391 6367 6385 6385 6394 6384 6384	two 8 Feed R Hand V  " " (left) Hand V (left) Hand V (righ) Hand V (righ)	Cod Hes S96E od Nut Wheel s 430c an Wheel a Goll Pad Wheel s Set Sci Wheel s t) Wheel s t) Oil Ps	and Pulley	ley, 2¼ in. diam.,  Set Screw (long)  (short).  Shaft  Bushing dcotton) ley Shaft Bushing dcotton) ley Shaft Bushing ley Shaft Bushing
54963 1722E 54964 430c 1299c 54965 54966 54967 888c 54968 54969	6394 6391 6367 6385 6385 6394 6384 6384 6384	two 8 Feed R Hand V  "  "  (left) Hand V  (left) Hand V  (right) Hand V  (right) Hand V	and Hes seed of Nut Wheel seed and Wheel seed seed wheel seed seed seed seed seed seed seed s	ad, Nos.  and Pulled 12990 d Pulley  and Pulley  and Pulled (braide  and Pulled (braide)  and Pulled (braide)	bey, 2¼ in. diam.,  Set Screw (long).  " " (short).  Shaft  " Bushing d cotton).  ley Shaft Bushing d cotton).  ley Shaft Bushing dey Shaft Bushing dey Shaft Bushing.
54963 1722E 54964 430c 1299c 54965 54966 54967 888c 54968 54969 895c	6394 6391 6367 6385 6385 6394 6384 6384 6384	two 8 Feed R Hand V  " " (left) Hand V (left) Hand V (righ) Hand V (righ) Hand V (righ)	tod Hes 396E od Nut Wheel s 430c an Vheel an "" "" "" "" "" "" "" "" "" "" "" "" ""	ad, Nos.  and Pul dd 1299c dd Pulley  and Pul (braide and Pul ew and Pul and Pul dd (braide and Pul cew dd (braide and Pul dd (braide	bey, 2¼ in. diam.,  "Set Screw (long).  " " (short).  Shaft  " Bushing d cotton).  ley Shaft Bushing.  ley Shaft Bushing.  ley Shaft Bushing.  Ley Shaft Bushing.  Shaft Bushing.  Ley Shaft Bushing.  Shaft Bushing.
54963 1722E 54964 430c 1299c 54965 54966 54967 888c 54968 54969 895c	6394 6391 6367 6385 6385 6394 6384 6384 6385	two 8 Feed R Hand V  " " (left) Hand V (left) Hand V (righ) Hand V (righ) Hand V (righ)	tod Hes 396E od Nut Wheel s 430c an Vheel an "" "" "" "" "" "" "" "" "" "" "" "" ""	ad, Nos.  and Pul dd 1299c dd Pulley  and Pul (braide and Pul ew and Pul and Pul dd (braide and Pul cew dd (braide and Pul dd (braide	bey, 2¼ in. diam.,  "Set Screw (long).  " " (short).  Shaft  " Bushing d cotton).  ley Shaft Bushing.  ley Shaft Bushing.  ley Shaft Bushing.  Ley Shaft Bushing.  Shaft Bushing.  Ley Shaft Bushing.  Shaft Bushing.
54963 1722E 54964 430c 1299c 54965 54966 54967 888c 54968 54969 895c 150b	6394 6391 6367 6385 6385 6394 6384 6384 6385 6394 6385 6394	two 8 Feed R Hand V  " " (left) Hand V (left) Hand V (right) Hand V (right) Hand V (right) Hand V "	tod Hes 396E od Nut Wheel s 430c an View Wheel s Oil Pad Wheel s Set Scr Wheel s t) Oil Ps Wheel s t) Oil Ps Wheel s t) Oil Ps Wheel s t) Set S Scr Wheel s t) Set S S S S S S S S S S S S S S S S S S	ad, Nos.  and Pulled 1299c d Pulley  and Pulley  and Pulled (braide and Pul  cew d Pulled (braide and Pul  cew d Pulley  """  """  """  """  """  """  """	bey, 2¼ in. diam.,  Set Screw (long).  " " (short).  Shaft  " Bushing d cotton).  ley Shaft Bushing.

NO. PLATE	NAME
55148 6396	Looper with 54707, for sweater goods
54691 6393	" Carrier with 447c and two 185H
185н 6393	" " Adjusting Screw
54692 6392	" " Hinge Pin
620c 6385	" " Set Screw
55082 6393	" Holder with 620c and two
00002 0000	211E
211E 6392	Looper Carrier Holder Clamping Screw
54694 6392	" " Slide Block (two pieces)
04094 0592	with 54695 and two 54705
+= 100=	
*54695	Looper Carrier Slide Block Ball Stud " " " Clamp-
208D 6392	
	ing Screw
54973 6392	Looper Carrier Slide Block Holder with
	202p and 208p
202р 6392	Looper Carrier Slide Block Holder Clamp-
	ing Screw
54705 6392	Looper Carrier Slide Block Pin
55083 6393	" Needle Guard
665D 6374	" " Screw
54707 6393	" " Steady Pin
447c 6385	" Set Screw
11.0 0000	Needle Bar (hollow)
01,00 0000	
54709	Needle Bar complete, Nos. 1449H, 54708
	and 54714 to 54716
54710 6393	Needle Bar Bushing (lower)
563c 6385	bet berew
54974 6393	" " (upper)
563c 6385	" " Set Screw
54711 6393	" Connecting Link
54712 6393	" " " Hinge Stud
1520E 6390	" " " " Nut
54713 6393	" " Stud with 207E
207E 6390	" " " Clamping
20.12 0000	Screw
54714 6393	Needle Clamp with two 209F
54715 6393	" " Thread Retainer
1449н 6393	" " Screw
209F 6393	Set Screw
55084 6393	Presser Bar
54978 6393	Dusning
563c 6385	Det Belew
125597 6393	" Guide Bracket with 207p and
	391b
391р 6385	Presser Bar Guide Bracket Adjusting Screw
207р 6390	" " Clamping Screw

PLATE	NAME
	Presser Bar Guide Bracket Guide Bar
0585	DCU
0005	Screw
	Presser Bar Lifter
	Hinge Screw
No.	Lifting Bracket with 1492E.
E 6395	Clamping
	Screw
A STATE OF THE PARTY OF THE PAR	Presser Bar Spring (flat)
	" " Stud
	" Foot Hinge Block
6384	" " Pin
6395	" " " Screw
	" " Plate
	" "Shank
6395	Presser Foot (double hinged) grooved on
	bottom, complete, Nos. 26276, 54723 to
	54725 and two 1080f
6385	Presser Foot Screw
6385	Pressure Regulating Thumb Screw
6385	" " " Lock
	Nut
6395	Seam Guide, for medium or heavy work
6392	" " Screw
6396	Slack Thread Regulator with 662p, 54986,
	55139 and two 39395
	55139 and two 39395
6385	55139 and two 39395
6385 6396	55139 and two 39395
6385 6396 6396	55139 and two 39395
6385 6396 6396 6396	55139 and two 39395
6385 6396 6396 6396 6396	55139 and two 39395
6385 6396 6396 6396 6396 6396	55139 and two 39395
6385 6396 6396 6396 6396	55139 and two 39395
6385 6396 6396 6396 6396 6396 6385	55139 and two 39395
6385 6396 6396 6396 6396 6396 6396 6396	55139 and two 39395
6385 6396 6396 6396 6396 6396 6385 0 6396	55139 and two 39395
6385 6396 6396 6396 6396 6396 6396 6396 639	55139 and two 39395  Slack Thread Regulator Screw.  " " " Section.  " " " Rivet  " " " Spring (heavy).  " " " " (light)  " " " " Bracket  " " " " " "  Screw.  Slack Thread Regulator Spring Screw  " " " Stop  " " " Stop  " " " Screw  Tension (under thread) Disc  " " Regulating Thumb  Nut
6385 6396 6396 6396 6396 6396 6396 6396 639	55139 and two 39395
6385 6396 6396 6396 6396 6396 6396 6396 639	55139 and two 39395
6385 6396 6396 6396 6396 6396 6385 0 6396 6380 6380 6380 6380 6380	55139 and two 39395
6385 6396 6396 6396 6396 6396 6385 0 6396 6380 6380 6380 6380 6380	55139 and two 39395
6385 6396 6396 6396 6396 6396 6385 0 6396 6380 6380 6380 6380 6380	55139 and two 39395
	6395 6385 6385 6385 6395 6392

NO. PLATE	NAME
1560c 6380	Tension (upper thread) Regulating Thumb
	Nut
32572 6380	Tension (upper thread) Releasing Disc
54988 6380	" " " Pin
54989 6380	" " " Shaft
54872 6396	
	Crank with 624c
54873 6396	Tension (upper thread) Releasing Shaft
	Crank Link
110c 6385	Tension (upper thread) Releasing Shaft
	Crank Link Hinge Screw
624c 6392	Tension (upper thread) Releasing Shaft
* * 4000 0000	Crank Set Screw
54990 6380	Tension (upper thread) Releasing Shaft
316F 6380	Spring Tension (upper thread) Releasing Shaft
9101 0900	Stop Screw
1547p 6380	Tension (upper thread) Releasing Shaft
101110 0000	Stop Screw Nut
50133c 6380	Tension (upper thread) Screw Stud
54738 6380	" " Spring
17547 6380	" " Thread Guide
55089 6396	Thread (under) Guard
337р 6396	" " Screw
55090 6396	" " Nipper Bracket
190р 6385	" " " Screw
55091 6396	" " Connecting Rod
	with 55092 and two 171E
*55092	Thread (under) Nipper Connecting Rod
	Cap
171E 6385	Thread (under) Nipper Connecting Rod
	Cap Screw
999г 6385	Thread (under) Nipper Connecting Rod
1700E 6392	Hinge Screw
1700E 0592	Hinge Screw Nut
55093 6396	Thread (under) Nipper Eccentric with
00000 0000	465c
465c 6385	Thread (under) Nipper Eccentric Set
	Screw
54740 6396	Thread (under) Nipper Spring
233р 6385	" " " Screw
55094 6397	" Pull-off with 460c
460c 6385	" Set Screw
55150 6397	" " Stripper
337р 6396	" " Screw

hread Guard					
	NAME	mi 1 ( 1 -)	PLATE	NO.	
	) Pull-on	Inread (under)	6397	55096	
1 0 1	D-11 -cc	with 220E	0000	220	
hread Guard	) Pull-off	Thread (under)	6369	220E	
		Stop Screw			
hread Guard	) Pull-off	Thread (under)	6397	55097	
ke-up Thread	(under) T	and Thread			
	r	Guard Holder			
hread Guard	·) Pull-off	Thread (under)	6385	190p	
ke-up Thread	(under) T	and Thread			
	r Screw	Guard Holder			
hread Guard	·) Pull-off	Thread (under)	6397	55098	
ke-up Thread	(under)	and Thread			
	Pin	Guard Hinge			
hread Guard	) Pull-off	Thread (under)	6397	55099	
		Spring			
hread Guard	) Pull-off	Thread (under)	6397	226p	
		Spring Screw.			
h 460c	Take-up	Thread (under)	6397	55100	
centric with	"	" "	6397	55101	
		440c			
		Thread (under)	6385	440c	
		Screw			
Screw	Take-up S	Thread (under)	6385	460c	
ft	" S	" "	6397	55102	
ft Screw	"			50229c	
~ 0 1 0 11		Centre	0000	002200	
Shaft Scrow	r) Take-u	Thread (under)	6385	4620	
		Centre Set Ser	0000	1020	
nnor	Take-un S	Thread (under)	6397	55103	
" Saran	"	" "		337p	
" Screw read Guard	" 7	" "	6397	55104	
read Guard	,	with 220m	0597	99104	
			6907	EE10E	
			0597	99109	
	T-1	Spring	6207	2000	
			0597	220D	
		Spring Screw.	2020	000	
11 1 01 1	) Take-up	Inread (under)	6369	220E	
Chread Guard			200=	*****	
	Controller	Thread (upper)			
eft thread)		11 11			
eft thread)	"		6397	55107	
eft thread) ight thread)	"	" "	6397	54806	
eft thread) ight thread) ever	"	« «	ESTABLE OF		
eft thread) ight thread) ever	"	" " tion	6397 6397	54806 54879	
eft thread)	" " " Controlle	" " tion Thread (upper)	6397	54806 54879	
eft thread)	" " " Controlle	tionThread (upper)	6397 6397 6385	54806 54879 999F	
eft thread)	" " Controlle crew	" " tion Thread (upper)	6397 6397	54806 54879 999F	
Thread Guar	) Take-up ) Take-up ) Take-up	with 220E Thread (under) Spring Thread (under) Spring Screw. Thread (under) Stop Screw Thread (upper)	6397 6397 6369 6397	220E 55106	

NO. PLATE			NAME	
54758 6397	Thread	(upper)	Controll	er Post
743c 6397	"	"	"	" Set Screw
219г 6385	"	"	"	Screw
55108 6397		"	Take-up	
330р 6397	"	"	"	Screw
55109 6397	**	"	"	Staple
1484F 6397	"	ee.	"	" Screw
55110 6397	"	"	"	Stripper
226р 6397	- 66	"	**	" Screw
54760 6389	"	Tube		
54773	"			54772
54772 6397				
1484F 6397		**		erew
54761 6384	- "	" fe		
55111 6395	Throat			3, 54764 and two
1319F 6395				
54763 6395	"			)
54764 6395		"		nt)
229р 6395	"	"		w

#### IRON BASE

NO.	PLATE			NAME		
54998	6367	in. No	. 12 and	four	ee wood scre each 935D,	42088
42088	6384					
	6384	"			v	
66707	6395		"	46	Washer	

#### **ACCESSORIES**

NO.	PLATE				NAMI	E	
1407 л	5563	Mach	nine T	humb	Screw	for 3	in. table
1408J	5563	"				" 2	in. table
14063	6384	"		44			g
9842	6384	"		"		"	Washer
120344	6375	Oiler					0345
120345	6375	"					
26026	6375	Screv	v Driv	ver (n	nachine	e)	
26485	6375	"	"	(sl	nuttle	tension	)
120341	6375	Twee	zers (	curve	d)		
4822	6375	Wren	ch fo	r 1547	and 1	700	
8908	6375	"					and 1723
37051	6375	"	. "	5036	38		

18142-2

#### **FOOT LIFTER PARTS**

NO.	PLATE	NAME
6439		Chain, 36 in. to 45 in., with 56864 and
		56865
Nor	re: Wh	en ordering No. 6439, give length required.
4879	6379	Chain Connecting Link
56864	6379	" Hook (large)
56865	6379	" (small)
55112	6379	Lifting Lever
54767	6379	" Extension
161p	6385	" " Screw
866p	6385	" " Hinge Screw
4881	6367	Treadle
4882	6379	" Shaft
4883	6379	" Spring
4884	6367	" Stand
4885	6367	Treadle complete, Nos. 4879, 4881 to 4884
		and two wood screws 1 in. No. 16
55113		Foot Lifter complete, Nos. 866p, 4885,
		6439, 54767, 55112 and two 161p

#### THREAD UNWINDER

(FOR THREE SPOOLS)

NO.	PLATE	NAME
225389	7165	Spool Rest (for one spool) with 201018c
225395	7165	" (for two spools) with 201018c
225388	7165	" " Rod
200383c	6391	" " Set Screw
201018c	6391	" " Set Screw
202490	7165	" Stand with 200383c
225391	7165	Thread Guide
201696л	6391	" " Lock Nut
225392	7165	" Rod with 208E and 225393
208E	6392	" " Screw
225393	6391	" " Washer
225397	7165	Thread Unwinder complete, Nos. 201696J,
		202490, 225388, 225389, 225392, 225395
		and three each 225391 and wood screws
		7/8 in. No. 13
27739	7234	Thread Cone (wood) for large cones
225390	7234	" Holder, for inverted cones
	Note	: Nos. 27739 and 225390 are used with,

but not included in, 225397.

### **OBSOLETE PARTS**

NO.	PLATE	NAME
55086	6393	Presser Bar Guide Bracket with 207D and 453C
4530	6385	Presser Bar Guide Bracket Set Screw
55088	6396	Slack Thread Regulator with 662p and
		54986, use 55138
55095	6397	Thread (under) Pull-off Stripper, use 55150

# NUMERICAL LIST OF PARTS FOR MACHINE No. 86-3

### NUMERICAL LIST OF PARTS

NAME
Cylinder Rock Shaft (lower) Eccentric
Hinge Screw
Feed Eccentric Adjusting Screw
" " Hinge Screw
Tension (upper thread) Releasing Shaft
Crank Link Hinge Screw
Feed Regulating Lever Bracket Screw
Belt Cover Screw
Cylinder Screw
Hand Wheel and Pulley Shaft Screw
Lifting Lever Extension Screw for 55113.
Crank Connecting Rod Cap (upper) Screw
for 55033
Cylinder Rock Shaft (lower) Eccentric
Connecting Rod Cap Screw for 54931
Cylinder Rock Shaft (upper) Eccentric
Connecting Rod Cap (lower) Screw for
55066
Thread (under) Nipper Connecting Rod
Cap Screw for 55091
Looper Carrier Adjusting Screw for 54691
Cylinder End Cover Lock Spring Cap
Screw
Presser Foot Screw
Thread (under) Nipper Bracket Screw
" " Pull-off Thread Guard
and Thread (under) Take-up Thread
Guard Holder Screw
Looper Carrier Slide Block Holder Clamp-
ing Screw for 54973
Seam Guide Screw for 54622
Slack Thread Regulator Screw
" " Spring Bracket
Screw
Face Plate Screw
Cylinder Rock Shaft (lower) Eccentric
Connecting Rod Stud Clamping Screw
for 54933
Needle Bar Connecting Stud Clamping
Screw for 54713
Presser Bar Guide Bracket Clamping
Screw for 55086 and 125597

	NO. PLATE	NAME
	208p 6392	Looper Carrier Slide Block Ball Stud
		Clamping Screw for 54973
	208E 6392	Thread Unwinder Thread Guide Rod
		Screw for 225392
	209F 6393	Needle Set Screw for 54714.
	211E 6392	Looper Carrier Holder Clamping Screw
	211E 0002	for 55082
	240 0000	
	219р 6385	Cloth Plate Spring Screw for 54890
	219г 6385	Crank Connecting Rod Position Plate
		Screw for 55146
	219F 6385	Cylinder Rock Shaft (upper) Eccentric
		Connecting Rod Position Plate Screw
	219г 6385	Thread (upper) Controller Screw
	220E 6369	" (under) Pull-off Thread Guard
7	2201 0000	Stop Screw for 55096
	220E 6369	Thread (under) Take-up Thread Guard
	220E 0505	Stop Screw for 55104
	226р 6397	Thread (under) Bull of Thread C. 1
	2200 0597	Thread (under) Pull-off Thread Guard
	000- 000	Spring Screw
	226р 6397	Thread (under) Take-up Thread Guard
		Spring Screw
	226p 6397	Thread (upper) Take-up Stripper Screw
	229р 6395	Throat Plate Guide Screw for 55111
	233р 6385	Thread (under) Nipper Spring Screw
	237р 6369	Cloth Plate Spring Guide Screw for 54890
	286р 6385	Arm Side Cover Thumb Screw
	316F 6380	Tension (upper thread) Releasing Shaft
		Stop Screw
	324c 6385	Feed Lifting Lever Screw Centre
	330р 6397	Thread (upper) Take-up Screw
	337р 6396	" (under) Guard Screw
	337p 6396	" Pull-off Stripper Screw
	337р 6396	" Take-up Stripper Screw
	345c 6369	Cloth Plate Bracket Screw for 54887
	376p 6380	Topsion (was an three d) Parel & G
	391р 6385	Tension (upper thread) Bracket Screw
	9910 0989	Cylinder Top Cover (front) Screw for
		54927
	391р 6385	Presser Bar Guide Bracket Adjusting
		Screw for 125597
	430c 6385	Hand Wheel and Pulley Set Screw (long)
		for 54964
	440c 6385	Feed Eccentric Flange Adjusting Screw
		for 55079
	440c 6385	Feed Eccentric Flange Set Screw for 55079
	440c 6385	Thread (under) Take-up Eccentric Set
		Screw for 55101

***	NAME
NO. PLATE 446c 6385	Cylinder Rock Shaft (upper) Eccentric
4400 0080	Connecting Rod Lever Hinge Stud Set
	Screw
446c 6385	Presser Bar Guide Bracket Guide Bar Set
4400 0080	Screw
447c 6385	Cylinder Rock Shaft (lower) Bushing Set
4470 0000	Screw
447c 6385	Looper Set Screw for 54691
453c 6385	Presser Bar Guide Bracket Set Screw for
4000 0000	55086, obsolete
456c 6385	Arm Rock Shaft Collar Set Screw for
4000 0080	54921
157- 6900	Cylinder Rock Shaft (upper) Crank Set
457c 6390	Screw for 54632
455 - 0000	Cylinder Rock Shaft (upper) Eccentric
457c 6390	Set Screw for 55076
455 0000	Feed Lifting Eccentric Set Screw for 55080
457c 6390	Cylinder Top Cover (back) Hinge Pin Set
460c 6385	Cylinder Top Cover (back) Hinge Pin Set
100- 0005	Screw for 54927  Thread (under) Pull-off Set Screw for
460c 6385	55094
460c 6385	Thread (under) Take-up Set Screw for
4000 0000	55100
462c 6385	Feed Dog Carrier Set Screw for 55078
462c 6385	Thread (under) Take-up Shaft Screw
4020 0505	Centre Set Screw
465c 6385	Cylinder Rock Shaft (upper) Collar Set
4000 0000	Screw for 54934
465c 6385	Thread (under) Nipper Eccentric Set
4000 0000	Screw for 55093
563c 6385	Needle Bar Bushing (lower) Set Screw
563c 6385	" " (upper) Set Screw
563c 6385	Presser Bar Bushing Set Screw
620c 6385	Looper Carrier Hinge Pin Set Screw for
0200 0000	55082
624c 6392	Cylinder Rock Shaft (upper) Eccentric
0210 0001	Position Screw for 55076
624c 6392	Feed Lifting Eccentric Position Screw for
	55080
624c 6392	Tension (upper thread) Releasing Shaft
0210 0002	Crank Set Screw for 54872
662p 6396	Slack Thread Regulator Spring Stop Screw
	for 55088 and 55138
665p 6374	Cylinder Top Cover (front) Spring Screw
	for 54944
665p 6374	Looper Needle Guard Screw
743c 6397	Thread (upper) Controller Post Set Screw
William Street	

NO. PLATE	NAME
767р 6385	Cylinder Thread Cover Screw
828c 6380	Tension (under thread) Screw Stud
866р 6385	Lifting Lever Hinge Screw for 55113
888c 6385	Arm Rock Shaft Bushing (front) Set Screw
888c 6385	Hand Wheel and Pulley Shaft Bushing
005 0005	(left) Set Screw.
895c 6385	Hand Wheel and Pulley Shaft Bushing
000 000=	(right) Set Screw
896E 6385	Crank Connecting Rod Cap (lower) Screw
000 000-	for 54616
896E 6385	Cylinder Rock Shaft (upper) Eccentric
	Connecting Rod Cap (upper) Screw for
896E 6385	55066 Feed Lifting Lever Connecting Rod Cap
090E 0909	Screw for 54953
896E 6385	Feed Rod Cap Screw for 54963
911E 6369	Arm Back Cover Latch Screw Stud for
311E 0309	54915
935р 6384	Machine Cushion Screw for 54998
974c 6374	Feed Regulating Lever Hinge Screw
974p 6374	Thread (upper) Controller Lever Hinge
0110 0011	Screw
978F 6391	Cylinder End Cover Slide Block Stop
0.01 0001	Screw
999F 6385	Thread (under) Nipper Connecting Rod
	Hinge Screw
999F 6385	Thread (upper) Controller Lever Connec-
	tion Hinge Screw
1080F 6395	Presser Foot Hinge Screw for 54726
1120c 6392	Cylinder Rock Shaft (upper) Eccentric
	Connecting Rod Ball Stud Set Screw
	for 55077
1299c 6385	Hand Wheel and Pulley Set Screw (short)
	for 54964
1319F 6395	Throat Plate Screw
1407л 5563	Machine Thumb Screw for 3 in. table (Ac-
	cessories)
1408J 5563	Machine Thumb Screw for 2 in. table (Ac-
4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	cessories)
1425D 6396	Slack Thread Regulator Spring Screw
1443p 6385	Arm Back Cover Spring Screw for 54914
1449н 6393	Needle Clamp Thread Retainer Screw for
1404- 000-	54709
1484F 6397	Thread (upper) Take-up Staple Screw
1484F 6397	Tube Bracket Screw
1492E 6395	Presser Bar Lifting Bracket Clamping
	Screw for 55087

NO. PLATE	NAME
1520E 6390	Crank Connecting Rod Ball Screw Stud
	Nut
1520E 6390	Needle Bar Connecting Link Hinge Stud
	Nut
1538р 6369	Arm Back Cover Latch Screw Stud
	Thumb Nut for 54914
1543р 6385	Pressure Regulating Thumb Screw Lock
	Nut
1547b 6380	Tension (upper thread) Releasing Shaft
	Stop Screw Nut
1560c 6380	Tension (under thread) Regulating Thumb
	Nut
1560c 6380	Tension (upper thread) Regulating Thumb
	Nut
1620E 6385	Feed Lifting Lever Connecting Rod Hinge
	Screw Nut
1700E 6392	Cylinder Rock Shaft (upper) Eccentric
	Connecting Rod Ball Stud Set Screw
	Nut for 55077
1700E 6392	Thread (under) Nipper Connecting Rod
	Hinge Screw Nut
1722E 6391	Crank Connecting Rod Nut (lower) for
1700 0001	55146
1722E 6391	Feed Rod Nut for 55118
1723 <sub>E</sub> 6391	Crank Connecting Rod Nut (upper) for
2102 6380	55146
2102 6380 2102 6380	Tension (under thread) Disc
2269 6374	" (upper thread) Disc Feed Regulating Lever Stop Pin
2827 6392	Face Plate Thread Guard with 8505, for
2021 0002	54945
4621 6369	Cloth Plate Spring Packing Rivet for
2022	54885
4822 6375	Wrench for 1547 and 1700 (Accessories)
4879 6379	Chain Connecting Link for 4885
	Nos. 4881 to 4884 for 4885
4881 6367	Treadle
4882 6379	" Shaft
4883 6379	" Spring
4884 6367	" Stand
4885 6367	Treadle complete for 55113, Nos. 4879,
	4881 to 4884 and two wood screws 1 in.
0.420	No. 16.
6439	Chain, 36 in. to 45 in., with 56864 and
8505 6392	56865, for 55113 Face Plate Thread Guard Rivet for 2827
0000 0092	race rate Thread Guard Rivet for 2827

	NO.	PLATE	NAME
	8908	6375	Wrench for 1520, 1620, 1722 and 1723
			(Accessories)
	9842	6384	Machine Thumb Screw Spring Washer
			(Accessories)
	10148	6380	Tension (under thread) Spring
	14063	6384	Machine Thumb Screw Spring (Accessories)
	17547	6380	Tension (under thread) Thread Guide
	17547	6380	" (upper thread) Thread Guide
	26026	6375	Screw Driver, machine (Accessories)
	26276	6384	Presser Foot Hinge Pin for 54726
	26485	6375	Screw Driver, shuttle tension (Accessories)
	27739	7234	Thread Unwinder Thread Cone (wood)
			for large cones, for 225397
	32572	6380	Tension (upper thread) Releasing Disc
	37051	6375	Wrench for 50368 (Accessories)
	39395	6396	Slack Thread Regulator Section Rivet for
			55138
	42088	6384	Machine Cushion (felt) for 54998
	46111	6384	Face Plate Pin
	50128c		Feed Dog Screw
	50132p		Pressure Regulating Thumb Screw
	50133c		Tension (upper thread) Screw Stud
	50135c	6390	Arm Rock Shaft Crank (back) Set Screw
			for 54603
	50135c	6390	Arm Rock Shaft Crank (front) Set Screw
			for 54604
	50217D		Cloth Plate Serew for 54891
	50218c		" Spring Lock Screw for 54890
	50223p	6385	Arm Back Cover Latch Hinge Screw for
			54914
	50224c		Arm Rock Shaft Bushing (back) Set Screw
	50225 D	6385	Cylinder Rock Shaft (lower) Eccentric
			Adjusting Screw
	50226c		Feed Dog Carrier Slide Block Screw
	50227c	6385	" Lifting Lever Connecting Rod Hinge Screw
	50228c	6395	Presser Bar Lifter Hinge Screw
	50229c	6385	Thread (under) Take-up Shaft Screw
			Centre
	50368c	6390	Crank Connecting Rod Ball Screw Stud
	- 1000	2000	for 55033
	54603	6390	Arm Rock Shaft Crank (back) with two 50135c
	54604	6390	Arm Rock Shaft Crank (front) with two
	01001	0000	50135c
×	54612		Crank Connecting Rod Cap (lower) for
			54616

NO.	PLATE	NAME
*54613		Crank Connecting Rod Cap (upper) for
		55033
*54614		Crank Connecting Rod End Bearing
		(lower) for 54616
*54616		Crank Connecting Rod Head (lower) for
		55146, Nos. 54612, 54614 and two 896E
54620	6384	Cylinder Dowel Pin
54621	6389	" End Cover for 54622
54622	-	Cylinder End Cover complete, Nos. 202D,
		54621, 54728, 125599 and two 54628
54624	6369	Cylinder End Cover Lock Spring Cap
*54625		" " Slide (back) for 125599
*54626	-	" " (front) for 125599
54627	6390	" " " Hinge Pin
		for 125599
54628	6384	Cylinder End Cover Slide Rivet for 54622
54630	6389	" Rock Shaft (upper)
54632	6390	" " Crank with two
		457c
54643	6384	Cylinder Oil Tube for 54927
54662	6374	" Thread Cover
54664	6384	" Top Cover (back) Hinge Pin for
		54927
54666	6374	Cylinder Top Cover (front) Spring for
		54944
54672	6395	Feed Dog (12 teeth) 16 teeth to the inch
54691	6393	Looper Carrier with 447c and two 185H.
54692	6392	" " Hinge Pin
54694	6392	" Slide Block (two pieces)
		with 54695 and two 54705
*54695		Looper Carrier Slide Block Ball Stud for
		54694
54704	6390	Cylinder Rock Shaft (lower) Key for 55074
54705	6392	Looper Carrier Slide Block Pin for 54694
54707	6393	" Needle Guard Steady Pin for 55081
54708	6389	Needle Bar (hollow) for 54709
54709		Needle Bar complete, Nos. 1449H, 54708
		and 54714 to 54716
54710	6393	Needle Bar Bushing (lower)
54711	6393	" " Connecting Link
54712	6393	" " " Hinge Stud
54713	6393	
54714	6393	" Clamp with two 209r, for 54709
54715	6393	" " Thread Retainer for 54709
54716	6393	" " " Spring for
		54709

	NO.	PLATE	NAME
	54719	6395	Presser Bar Lifter
	54722	6384	" " Spring Stud
	54723	6395	" Foot Hinge Block for 54726
	54724	-	" Plate for 54726
	54725	-	" Shank for 54726
	54726	6395	Presser Foot (double hinged) grooved on
			bottom, complete, Nos. 26276, 54723
			to 54725 and two 1080F
	54728	6395	Seam Guide, for medium or heavy work,
			for 54622
	54732	6396	Slack Thread Regulator Spring Bracket
	54738	6380	Tension (upper thread) Spring
	54740	6396	Thread (under) Nipper Spring
	54758	6397	" (upper) Controller Post
	54760	6389	" Tube for 54773
	54761	6384	" " 54927
	54763	6395	Throat Plate Guide (left) for 55111
	54764	6395	" " (right) for 55111
	54767	6379	Lifting Lever Extension for 55113
	54772	6397	Thread Tube Bracket for 54773
	54773		" 54760 with 54772
	54806	6397	" (upper) Controller Lever
	54865	6374	Feed Eccentric Adjusting Screw Friction
			Washer
	54865	6374	Feed Eccentric Hinge Screw Friction
			Washer
	54872	6396	Tension (upper thread) Releasing Shaft
			Crank with 624c
	54873	6396	Tension (upper thread) Releasing Shaft
			Crank Link
	54879	6397	Thread (upper) Controller Lever Connec-
			tion
	54885	6367	Cloth Plate (left) with 54889 and two 4621,
			for 54890
	54886	6367	Cloth Plate (right) for 54890
	54887	6367	" Bracket with 345c, for 54891
	54888	6369	" " Spring for 54890
-	*54889	6369	" " Packing for 54885
	.54890	-	Cloth Plate complete for 54891, Nos. 219D,
			237p, 50218c, 54885, 54886 and 54888
	54891	-	Cloth Plate with Bracket complete, Nos.
			54887, 54890 and two 50217D
	54897	6384	Arm Oil Cup
	54913	6367	" Back Cover for 54914
	54914		Arm Back Cover complete, Nos. 1538D,
			50223D, 54913, 54915, 54916 and two
			1443р

NO.	PLATE	NAME
54915	6369	Arm Back Cover Latch with 911E, for
		54914
54916	6369	Arm Back Cover Spring for 54914
54917	6384	" Oil Tube for oiling 55077
54919	6369	" Rock Shaft Bushing (back)
54920	6369	" " " (front)
54921	6390	" " Collar with two 456c
54923	6367	Belt Cover
*54925		Crank Connecting Rod (rod only) for
		55146
*54927		Cylinder with 460c, 54643, 54664, 54943,
		54944 and two 391p
54929	6369	Cylinder Rock Shaft (lower) Bushing
54931	6390	" " Eccentric
		Connecting Rod with 54932 and two
		171E
*54932		Cylinder Rock Shaft (lower) Eccentric
		Connecting Rod Cap for 54931
54933	6390	Cylinder Rock Shaft (lower) Eccentric
		Connecting Rod Stud with 207E
54934	6390	Cylinder Rock Shaft (upper) Collar with
		two 465c
54935	6390	Cylinder Rock Shaft (upper) Crank Con-
		necting Link
*54939		Cylinder Rock Shaft (upper) Eccentric
		Connecting Rod Cap (lower) for 55066
*54940		Cylinder Rock Shaft (upper) Eccentric
		Connecting Rod Cap (upper) for 55066
*54940		Feed Lifting Lever Connecting Rod Cap
		for 54953
54942	6374	Cylinder Rock Shaft (upper) Eccentric
		Connecting Rod Lever Hinge Stud
*54943		Cylinder Top Cover (back) for 54927.
*54944		" " (front) with 665p and
		54666, for 54927
54945	6389	Face Plate with two 2827
54947	6374	Feed Dog Adjusting Wedge
54949	6374	" Carrier Slide Block
54952	6394	" Lifting Lever
54953	6394	" " Connecting Rod with
		54940 and two 896E
54954	6374	Feed Regulating Lever
54955	6374	" " Bracket
54956	6374	" Spring
54957	6392	" Regulator
54958	6392	" " Friction Spring
54960	6394	" Rod (rod only) for 55118
		**************************************

NO.	PLATE	NAME
*54961		Feed Rod Cap for 54963
*54962	-	" End Bearing for 54963
54963	6394	Feed Rod Head for 55118, Nos. 54961,
		54962 and two 896E
54964	6367	Hand Wheel and Pulley, 21/4 in. diam.,
		with 430c and 1299c
54965	6394	Hand Wheel and Pulley Shaft
54966	6394	" " " Bushing
		(left)
54967	6384	Hand Wheel and Pulley Shaft Bushing
94907	0994	(left) Oil Pad (braided cotton)
54968	6394	Hand Wheel and Pulley Shaft Bushing
54908	0594	
* 1000	2001	(right)
54969	6384	Hand Wheel and Pulley Shaft Bushing
		(right) Oil Pad (braided cotton)
54970	6384	Hand Wheel and Pulley Shaft Washer
54973	6392	Looper Carrier Slide Block Holder with
		202p and 208p
54974	6393	Needle Bar Bushing (upper)
54978	6393	Presser Bar Bushing
54985	6396	Slack Thread Regulator Spring (heavy)
54986	6396	" " " Stop for
		55088 and 55138
54987	6380	Tension (upper thread) Bracket
54988	6380	" " Delegaing Din
		Releasing Fin
54989	6380	" " " Shaft
54990	6380	
- 1000		Spring
54998	6367	Machine Base with three wood screws $1\frac{1}{2}$
		in. No. 12 and four each 935p, 42088
		and 66707
55009	6379	Presser Bar Spring (flat)
55012	6396	Slack Thread Regulator Spring (light)
*55032		Crank Connecting Rod End Bearing
		(upper) for 55033
*55033		Crank Connecting Rod Head (upper) for
		55146, Nos. 50368c, 54613, 55032 and
		two 171E
55034	6390	Crank Connecting Rod Position Plate for
99094	0990	
EE00.4	6900	55146
55034	6390	Cylinder Rock Shaft (upper) Eccentric
	0000	Connecting Rod Position Plate
55044	6392	Feed Eccentric
55066	6394	Cylinder Rock Shaft (upper) Eccentric
		Connecting Rod with 54939, 54940 and
		two each 171E and 896E


NO.	PLATE	NAME
55067	6392	Cylinder Rock Shaft (upper) Eccentric
		Connecting Rod Ball Stud
*55072		Arm
55073	6389	" Rock Shaft
55074	6389	Cylinder Rock Shaft (lower) with 54704
55075	6390	" " Eccentric
55076	6392	" " (upper) Eccentric
		with 457c and 624c
55077	6393	Cylinder Rock Shaft (upper) Eccentric
		Connecting Rod Lever with 1120c and
		1700E
55078	6392	Feed Dog Carrier with two 462c, for 55118
55079	6392	" Eccentric Flange with two 440c
55080	6392	" Lifting Eccentric with 457c and 624c
55081	6393	Looper with 54707, for knit goods
55082	6393	" Carrier Holder with 620c and two
		211E
55083	6393	Looper Needle Guard
55084	6393	Presser Bar
55085	6393	" Guide Bracket Guide Bar
55086	6393	" " with 207p and
		453c, obsolete
55087	6395	Presser Bar Lifting Bracket with 1492E.
55088	6396	Slack Thread Regulator with 662p and
		54986, obsolete, use 55138
55089	6396	Thread (under) Guard
55090	6396	" " Nipper Bracket
55091	6396	" " Connecting Rod
		with 55092 and two 171E
*55092		Thread (under) Nipper Connecting Rod
		Cap for 55091
55093	6396	Thread (under) Nipper Eccentric with
		465c
55094	6397	Thread (under) Pull-off with 460c
55095	6397	" " Stripper, obsolete,
		use 55150
55096	6397	Thread (under) Pull-off Thread Guard
		with 220E
55097	6397	Thread (under) Pull-off Thread Guard
		and Thread (under) Take-up Thread
		Guard Holder
55098	6397	Thread (under) Pull-off Thread Guard and
		Thread (under) Take-up Thread Guard
		Hinge Pin
55099	6397	Thread (under) Pull-off Thread Guard
		Spring

NO.	PLATE	NAME
55100	6397	Thread (under) Take-up with 460c
55101	6397	" " Eccentric with
		440c
55102	6397	Thread (under) Take-up Shaft
55103	6397	" " Stripper " " Thread Guard
55104	6397	" " Thread Guard
		with 220E
55105	6397	Thread (under) Take-up Thread Guard
		Spring
55106	6397	Thread (upper) Controller (left thread)
55107	6397	" " (right thread)
55108	6397	" " Take-up
55109	6397	" " Staple " " Stripper
55110	6397	" " Stripper
55111	6395	Throat Plate with 54763, 54764 and two
		229p, for 54672
55112	6379	Lifting Lever for 55113
55113		Foot Lifter complete, Nos. 866p, 4885,
00110		6439, 54767, 55112 and two 161b
55118		Feed Rod complete, Nos. 1722E, 54960,
00110		54963 and 55078
55138	6396	Slack Thread Regulator with 662p, 54986,
00100	0000	55139 and two 39395
*55139	6396	Slack Thread Regulator Section for 55138
55146	6389	Crank Connecting Rod complete, Nos.
		219f, 1722e, 1723e, 54616, 54925, 55033
		and 55034
55148	6396	Looper with 54707, for sweater goods
55150	6397	Thread (under) Pull-off Stripper
55151	6390	Cylinder End Cover Lock Spring
56016	6389	Arm Side Cover
56864	6379	Chain Hook (large) for 6439
56865	6379	" (small) for 6439
66707	6395	Machine Cushion Screw Washer for 54998
120341	6375	Tweezers, curved (Accessories)
120344	6375	Oiler (copper plated) with 120345 (Acces-
111		sories)
120345	6375	Oiler Spout, 5 in. long, for 120344
125597	6393	Presser Bar Guide Bracket with 207p and
120001	0000	391p
125599	6390	Cylinder End Cover Slide (back) 54625
		with 54626 and 54627, for 54622
2003836	6391	Thread Unwinder Spool Rest Rod Set
		Screw for 202490
2010180	6391	Thread Unwinder Spool Rest Set Screw
		for 225389 and 225395


NO.	PLATE	NAME
201696л	6391	Spool Unwinder Thread Guide Lock Nut
		for 225397
202490	7165	Thread Unwinder Spool Stand with
		200383c, for 225397
225388	7165	Thread Unwinder Spool Rest Rod for
		225397
225389	7165	Thread Unwinder Spool Rest (for one
		spool) with 201018c, for 225397
225390	7234	Thread Unwinder Thread Cone Holder,
		for inverted cones, for 225397
225391	7165	Thread Unwinder Thread Guide for 225397
225392	7165	" " Rod with
		208E and 225393, for 225397
225393	6391	Thread Unwinder Thread Guide Rod
		Washer for 225392
225395	7165	Thread Unwinder Spool Rest (for two
		spools) with 201018c, for 225397
225397	7165	Thread Unwinder complete, Nos. 2016961,
		202490, 225388, 225389, 225392, 225395
		and three each 225391 and wood screws
		7/6 in No. 13

# FOR MACHINE No. 86-3

#### PLATE 5563-FULL SIZE




From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC


## PLATE 6369-FULL SIZE

From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC







From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC





#### PLATE 6389-ONE-HALF SIZE





From the library of: Superior Sewing Machine & Supply LLC

# PLATE 6390-FULL SIZE 50135 54627 54933 54935 55034

From the library of: Superior Sewing Machine & Supply LLC

### PLATE 6391-FULL SIZE







From the library of: Superior Sewing Machine & Supply LLC

### PLATE 6393-FULL SIZE 55084 55085

From the library of: Superior Sewing Machine & Supply LLC




From the library of: Superior Sewing Machine & Supply LLC




## PLATE 6396-FULL SIZE 55012 54985 662 55089 54986

From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC

