Form 18158
July, 1930
Printed in U.S.A.

LIST of PARTS



MACHINES Nos. 92-1 to 92-6

** A TRADE MARK OF

THE SINGER MANUFACTURING COMPANY

From the library of: Superior Sewing Machine & Supply LLC

INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, "TYPE B" or "TYPE D" OIL, sold only by Singer Sewing Machine Company, should be applied at least twice each day to all oil holes marked "OIL", as instructed in Form 8031.

"TYPE D" OIL is stainless.

COPYRIGHT, U. S. A., 1914, 1916, 1917, 1922 and 1926 BY THE SINGER MANUFACTURING COMPANY ALL RIGHTS RESERVED FOR ALL COUNTRIES

INDEX

| | | | PAGE |
|---------|-------|-------------|------|
| Accesso | RIES. | | . 54 |
| EDGE FO | OLDER | s | . 54 |
| Foor L | FTER | Parts | . 55 |
| HEMMER | | ••••• | . 55 |
| Knee L | IFTER | Parts | . 56 |
| Machin | e Bas | E | . 56 |
| " | No. | 92-1 | . 7 |
| " | " | 92-2 | . 15 |
| " | " | 92-3 | . 22 |
| 46 | " | 92-4 | . 31 |
| " | " | 92-5 | . 39 |
| " | " | 92-6 | . 47 |
| Numeric | AL L | ST OF PARTS | . 59 |
| THREAD | Unw | NDER | 57 |

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

-Hardened, Polished, Nickel Plated and Buffed -Polished, Nickel Plated and Buffed

C--Hardened Only D

-Polished Only -Soft, Not Polished \mathbf{E}

-Hardened and Polished F

H---Blued

-Nickel Plated Only

—Hardened and Nickel Plated K-

-Brass Plated L

M—Oxidized

N-

-Japanned, Dull -Japanned, Bright P-

R-—Merlized

—Copper Plated

T. A.—Hardened, Polished, Copper and Nickel Plated and Buffed

T. B.—Copper and Nickel Plated and Polished
T. J.—Copper and Nickel Plated Only
T. K.—Hardened, Copper and Nickel Plated
T. M.—Copper Plated and Oxidized

T. L.—Copper and Brass Plated

U-Zinc Plated

V-Silver Plated

W-Polished and Nickel Plated

Z-Chromium Plated

Z. B.—Polished, Nickel Plated, Buffed and Chromium Plated Z. J.—Nickel and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.


In this series:

1 to 1500 and 50001 to 51500 are Screw Numbers 1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 and upward are numbers of Machine Parts

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

LIST OF PARTS COMPLETE FOR



MACHINE No. 92-1

FOR BAG WORK. STITCH FROM 1/6 TO 1/3 INCH LONG. HAS ONE NEEDLE, ONE LOOPER AND THROAT PLATE FOR SINGLE THREAD; ALSO LOOPER AND THROAT PLATE FOR TWO-THREAD CHAIN STITCH.

| NO. | PLATE | | | | N | AME |
|--------|-------|-----|------|--------|-------|--------------------------|
| *49001 | | Arm | , up | per ar | nd lo | wer (solid) |
| 18130 | 6205 | " | | | | h 52045, for front bear- |
| | | in | g | | | |
| 18130 | 6205 | Arm | Oil | Tube | with | 52045, for intermediate |
| | | be | arin | ıg | | |
| 11119 | 6205 | Arm | Oil | Tube | with | 52045, for oiling 49101 |
| 18130 | 6205 | " | " | " | ** | 52045, for oiling 49049 |
| 49091 | 6205 | " | " | | | 49092, for oiling 49265 |
| | | (le | wei | beari | ng) | |

| *** | DY 4 DD | NAME |
|----------------|---------|---|
| NO. | PLATE | |
| 49141 | 6213 | Arm Oil Tube with 56006, for oiling 49265 (upper bearing) |
| E0045 | 6107 | Arm Oil Tube Packing (braided cotton) |
| 52045 | 6197 | for 11119 and 18130 |
| F0000 | 0107 | Arm Oil Tube Packing (braided cotton) |
| 56006 | 6197 | |
| 40000 | 2005 | for 49141 |
| 49092 | 6205 | Arm Oil Tube Packing (felt) for 49091 |
| 49156 | 6207 | ROCK Shart |
| 49271 | | 49100 WILL 49201 |
| 49003 | 6208 | Busning (back) |
| | 6208 | 200 201011 |
| 49004 | 6208 | " " " (intermediate) |
| 44 60 | 6208 | |
| 40000 | 2000 | Set Screw |
| 49006 | 6208 | Arm Rock Shaft Collar with two 443c |
| 4430 | | Det Delew |
| 49261 | 6219 | Crank (back) with 30202E |
| F0457 | 6010 | and 50457c |
| 50457 c | 6219 | Arm Rock Shaft Crank (back) Position |
| F0000- | coop | Screw |
| 50282E | | " " " (front) with |
| 49262 | 6219 | |
| 504570 | 6210 | 50282E and 50457c |
| 003010 | 0219 | Screw |
| 50282E | 6208 | Arm Rock Shaft Crank (front) Set Screw |
| 49005 | 6208 | " " Flanged Bushing (front) |
| | 6208 | " " " " " " |
| 1000 | 0200 | Set Screw |
| 49084 | 6181 | Arm Rock Shaft Oil Cover |
| 193r | _ | " " " " Screw |
| 49097 | 6207 | " Rotary Shaft |
| 49263 | | " " 49097 with 49266 |
| 49011 | 6181 | " " Bushing (front) |
| | 6208 | " " " SetScrew |
| 49010 | 6209 | " " Collar with two 1259c |
| 12590 | | " " Set Screw |
| 49012 | 6179 | " " Flanged Bushing (back) |
| | | with 49013 and 49093 |
| 49093 | 6205 | Arm Rotary Shaft Flanged Bushing (back) |
| | | Oil Pad (long) braided cotton |
| 49013 | 6205 | Arm Rotary Shaft Flanged Bushing (back) |
| | | Oil Pad (short) braided cotton |
| 1591 | 6198 | Arm Rotary Shaft Flanged Bushing (back) |
| 40014 | 6101 | Screw |
| 49014 | 6181 | Arm Rotary Shaft Flanged Bushing (inter- mediate) |
| | | |

| NO. | PLATE | NAME |
|------------------|--------|--|
| 448c | 6181 | Arm Rotary Shaft Flanged Bushing (inter- |
| | 0202 | mediate) Set Screw |
| 18144 | 6219 | Arm Rotary Shaft Oil Pad (felt) |
| | 6198 | " " Screw |
| 4288 | 6179 | " Side Cover (back) |
| | 6198 | " " " Thumb Screw |
| 4288 | 6179 | " " (front) |
| | 6198 | " " Thumb Screw |
| 23873 | 6210 | Balance Wheel, 2½ in. pulley, with two |
| 20010 | 0210 | |
| 430a | 6208 | 430c Balance Wheel Set Screw |
| 49106 | 6175 | Clash Dieta |
| 49016 | 0173 | Cloth Plate |
| 38419 | 6181 | Silue |
| | 6181 | opring |
| 49017 | 6179 | Screw |
| 49017 | 0179 | Cloth Plate Slide complete, Nos. 38419, |
| 40107 | | 49016 and two 7253 |
| 49107 | | Cloth Plate complete, Nos. 49017, 49053, |
| E0005 | 0100 | 49054, 49106, 49116 and two 226p |
| 50085F | | Cloth Plate Screw |
| 49265 | 6220 | Crank Connecting Rod with 49099 and |
| 10000 | | two 145e |
| 49266 | | Crank Connecting Rod 49265 with 1513J |
| **** | | and 50147c |
| *49099 | | Crank Connecting Rod Cap |
| 145E | | " " " Screw |
| 50147c | | " " Hinge Screw |
| 1513л | | . Nut |
| 49020 | 6179 | Face Plate |
| 193 _F | | " " Screw |
| 49021 | 6209 | Feed Bar with 220p and 457c |
| 49022 | 6209 | " " Hinge Pin |
| 457c | | " " " Set Screw |
| 49023 | 6209 _ | " Connecting Rod with 2653, 4784, |
| | | 49024 and two 896E |
| *49024 | | Feed Connecting Rod Cap |
| 896E | | " " " Screw |
| 4784 | 6192 | " " Oil Pad (felt) |
| 2653 | 6206 | " " " Pin |
| 49025 | 6182 | " Dog, 15 teeth (10 teeth to the inch) |
| | | for large bags |
| 49153 | 6188 | Feed Dog, 16 teeth (14 teeth to the inch) |
| | | for small bags |
| 49103 | 6182 | Feed Dog, spiked teeth, 15 teeth (10 teeth |
| | | to the inch) for clay filled bags |
| 49125 | 6184 | Feed Dog (double) 17 teeth (12 teeth to |
| | | the inch) |

| NO DI IMP | NAME |
|-------------|---|
| NO. PLATE | |
| 172c 6194 | Feed Dog Screw |
| 220ь 6209 | " " Stop Screw |
| 49026 6209 | " Eccentric with two 1259c |
| 1259c 6209 | " Set Screw |
| 49027 6197 | " Lifting Eccentric with two 1259c |
| 49253 6219 | " " Connection with |
| | 457c, 2653, 49029, 55515 and two 896E |
| *49029 —— | Feed Lifting Eccentric Connection Cap |
| 896E 6209 | ee ee ee ee |
| | Screw |
| 49030 6209 | Feed Lifting Eccentric Connection Hinge |
| | Pin |
| 457c 6196 | Feed Lifting Eccentric Connection Hinge |
| | Pin Set Screw |
| 55515 6219 | Feed Lifting Eccentric Connection Oil Pad |
| | (braided cotton) |
| 2653 6206 | Feed Lifting Eccentric Connection Oil Pad |
| | Pin |
| 1259c 6209 | Feed Lifting Eccentric Set Screw |
| 50086c 6181 | " Regulating Screw Stud |
| 1714c 6181 | " " " " Nut |
| 49031 6181 | " " " Sleeve |
| 49032 6181 | " " " Washer |
| 49033 6179 | " Rock Shaft |
| 49034 | Feed Rock Shaft complete, Nos. 49033 |
| | and 49267 |
| 49267 6220 | Feed Rock Shaft Crank with two 1177E. |
| 1177E 6219 | " " " Clamping Screw |
| 11398 6179 | " " " Hinge Pin |
| 1508л 6198 | " " " " Nut |
| 622c 6198 | " " " Screw Bearing |
| 1508j 6198 | |
| -0101 0103 | Nut |
| 27398 6181 | Feed Rock Shaft Washer |
| 36421 6200 | Guide |
| 194p 6200 | " Screw Stud |
| 671p 6200 | " Thumb Screw |
| 49036 6192 | Looper (double thread) with 590p and |
| 10000 0102 | 49080 |
| 49037 6192 | Looper (single thread) |
| *49257 | " Bell Crank |
| 49038 6207 | " " 49257 with 4784 |
| 49039 6207 | " " Hinge Stud |
| 44Sc 6181 | " " " Set Serew |
| 4784 6192 | " " Oil Pad (felt) |
| 49158 6207 | " " Pitman with 46223 |
| 10100 0201 | 49041 and two each 171E and 1057E |
| • | TOOL and two cath lile and loors |

| NO. PLATE | NAME |
|--------------------|---|
| NO. PLATE 49250 —— | Looper Bell Crank Pitman 49158 with |
| 49230 | 50069c and 50070c |
| E0070~ 6109 | Looper Bell Crank Pitman Ball Screw |
| 50070c 6192 | Charl (lamen) |
| 1000 0100 | Stud (lower) |
| 1636c 6198 | Looper Bell Crank Pitman Ball Screw |
| | Stud (lower) Nut |
| 50069c 6208 | Looper Bell Crank Pitman Ball Screw |
| | Stud (upper) |
| 1619E 6208 | Looper Bell Crank Pitman Ball Screw |
| | Stud (upper) Nut |
| *49041 | Looper Bell Crank Pitman Cap (lower) |
| 171E 6192 | " " " " " " |
| | Screw |
| *46223 | Looper Bell Crank Pitman Cap (upper) |
| 1057E 6209 | " " " " " " |
| 1037E 0209 | |
| | Screw |
| 49043 6192 | Looper Bell Crank Pitman Washer (fibre) |
| 49044 6192 | " Carrier with 4784 and two each |
| | 175E, 1147c and 59019 |
| 49194 | Looper Carrier 49044 with 49165, 49166 |
| | and 49248 |
| 175E 6192 | Looper Carrier Clamping Screw |
| 59019 6197 | " " Gib |
| 49165 6192 | " Hinge Pin |
| 49166 6192 | " " Hinge Pin |
| ±3100 0132 | 202F |
| 000 - 0100 | |
| 202r 6192 | Looper Carrier Hinge Pin Collar Set Screw |
| 157р 6193 | Clamping Screw |
| 4784 6192 | On rad (left) |
| 49045 6192 | Looper Carrier Pitman complete, Nos. |
| | 1708E, 1709E, 49046, 49088 and 49089 |
| 50070c 6192 | Looper Carrier Pitman Ball Screw Stud |
| 1519л 6192 | |
| | Nut |
| 46237 6192 | Looper Carrier Pitman Ball Stud (left). |
| 1147c 6192 | " " " " " " " " " |
| 11470 0192 | Set Screw |
| ***** | |
| *49085 — | Looper Carrier Pitman Cap (left) |
| 171E 6192 | ocrew |
| *49085 | " " " (right) |
| 171E 6192 | " " " Screw |
| *49086 | " " End Bearing (left) |
| *49087 —— | " " " (right) |
| 49088 6192 | " " Head (left) Nos. |
| | 46237, 49085, 49086 and two 171E |
| | |

| NO. | PLATE | NAME |
|-------------------|----------------|--|
| | | Looper Carrier Pitman Head (right) Nos. |
| 49089 | 6192 | |
| 40040 | 0100 | 49085, 49087, 50070c and two 171E |
| 49046 | 6192 | Looper Carrier Pitman Rod |
| | 6192 | ivat (leit) |
| | 6192 | (11g11t) |
| 49043 | 6192 | washer (hore) |
| 49047 | 6193 | NOCK SHAIL |
| 11411 | 6193 | Collar with |
| | | 453c |
| 453c | 6193 | Looper Carrier Rock Shaft Collar Set |
| | | Screw |
| 49048 | 6193 | Looper Carrier Rock Shaft Crank (back) |
| | | forked, with 50083c |
| 50083c | 6193 | Looper Carrier Rock Shaft Crank (back) |
| • | | Set Screw |
| 49049 | 6193 | Looper Carrier Rock Shaft Crank (back) |
| | | Slide Block |
| 49248 | 6193 | Looper Carrier Rock Shaft Crank (front) |
| | | with 157p and two 1324E |
| 1221- | 6193 | Looper Carrier Rock Shaft Crank (front) |
| 10245 | 0190 | Clamping Screw |
| | | |
| 49142 | 6193 | Looper Eccentric with two 1036c |
| 49258 | | 49142 WRH 49049 |
| | 6193 | bet berew |
| 49116 | 6210 | Gate with 440c |
| 49053 | 6181 | ninge rin |
| | 6181 | Set Screw |
| 49054 | 6181 | " Lock Spring |
| • | 6181 | " " " Screw |
| 11470 | 6192 | " Set Screw |
| 49080 | 6192 | " Thread Guard |
| 590r | 6192 | " " Screw |
| 49055 | 6194 | Needle Bar (hollow) |
| 49056 | 6194 | " " Bushing (lower) |
| 4350 | 6194 | " " Set Screw |
| 49056 | 6194 | " " " (upper) |
| 1133£ | 6195 | " " Set Screw |
| *49101 | 6194 | " Connecting Link |
| 49167 | | ." " " 49101 with |
| | | 49057 and 49268 |
| 49057 | 6194 | Needle Bar Connecting Link Hinge Stud |
| 1517 _J | | " " " " " " " " " " " " " " " " " " " |
| | | Nut |
| 49268 | 6219 | Needle Bar Connecting Stud with 704E |
| | 6219 c 6219 | " " " Clamping |
| 1011 | 2 0210 | Screw |
| | | ~~~~!? • · • • • • • • • • • • • • • • • • • |

| NO. PLATE | NAME |
|-----------------------|---|
| 1629c 6194 | Needle Clamping Nut |
| 49059 6195 | Presser Bar |
| 49060 6195 | " " Bushing (lower) |
| 435c 6195 | |
| 49061 6195 | Set Screw |
| 1133E 6195 | (upper) |
| | Set Screw |
| | Litter |
| 212p 6195 | Cap Screw |
| 49063 6195 | riction washer |
| 49064 6195 | ringe Stud |
| 453c 6195 | Set Screw. |
| 49065 6195 | Litting Dracket with 453c and |
| | 892r |
| 892 _F 6195 | Presser Bar Lifting Bracket Adjusting |
| | Screw |
| 453c 6195 | Presser Bar Lifting Bracket Set Screw |
| 49066 6195 | " " Link |
| 212в 6195 | " " Cap Screw |
| 724 _D 6195 | " " " Hinge Screw |
| 49067 6179 | " " Spring (flat) |
| 38468 6195 | " " Stud |
| 49082 6188 | " Foot for 49153 |
| 50087r 6198 | " " Hinge Screw |
| 49068 —— | " " Plate |
| 49069 | " " Shank |
| 49070 6182 | Presser Foot (hinged) complete for 49025 |
| | and 49103, Nos. 49068, 49069 and 50087r |
| 50087F 6198 | Presser Foot Hinge Screw |
| 49126 —— | " " Plate |
| 49127 | " " Shank |
| 49128 6184 | Presser Foot (hinged) complete for 49125, |
| | Nos. 49126, 49127 and 50087F |
| 190ь 6198 | Presser Foot Screw |
| 574w 6198 | Pressure Regulating Thumb Screw |
| 1539w 6198 | " " Lock |
| | Nut |
| 2102 6194 | Tension (under thread) Disc |
| 1560c 6194 | " " Regulating Thumb |
| -5555 5252 | Nut |
| 916c 6194 | Tension (under thread) Screw Stud |
| 44209 | " " " " 916c |
| | with 1560c |
| 10148 6194 | Tension (under thread) Spring |
| 49220 6214 | " " Thread Guide |
| 2102 6194 | " (upper thread) Disc |
| 1560c 6194 | " " Regulating Thumb |
| 10000 0194 | |
| | Nut |

| NO. PLA | TE | | NAME | | |
|-----------|---------|-----------|------------|----------|---------------|
| 916c 619 | 94 Tens | ion (uppe | r thread) | Screw S | Stud |
| 44209 | " | | | | " 916c |
| | wit | h 1560c. | | | |
| 13710 619 | 94 Tens | ion (uppe | r thread) | Spring. | |
| 49220 62 | | ` " | | | Guide |
| 49071 619 | 94 Thre | ad (under |) Evelet. | | |
| 172F 61 | | ` " | | | |
| 49072 61 | | " | Take-u |) | |
| 190p 61 | | " | " | | |
| 49073 61 | | (upper | ·) Control | | |
| 974F 61 | | (appoi | " | | ge Screw |
| 914r 61 | | " | " | | :W |
| 39541 61 | • - | " | " | " | Washer |
| 49075 61 | | " | Toke-m | n with 4 | 157c |
| 457c 61 | | " | ranc-u | • | rew |
| | | at Plata | for double | | l, for 49125 |
| | .84 " | | | | 49078, for |
| 49130 01 | | | | | |
| 49131 61 | | | | | |
| 49191 01 | | | | | l, for 49025 |
| 40100 01 | | | | | |
| 49132 61 | | | | | 49078, for |
| | | | | | 49103 |
| | | | | | l, for 49153 |
| 49155 61 | .88 " | | | | 078, for sin- |
| | | | | | |
| 691r 61 | | | | | |
| 49078 61 | .81 " | | | | |
| 665p 61 | .81 " | 66 | " | " | Screw |

SINGER Needles should be used in SINGER Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.**" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

LIST OF PARTS COMPLETE FOR

MACHINE No. 92-2

FOR BAG WORK. STITCH FROM 1/4 TO 1/2 INCH LONG. HAS ONE NEEDLE, ONE LOOPER AND THROAT PLATE FOR SINGLE THREAD; ALSO LOOPER AND THROAT PLATE FOR TWO-THREAD CHAIN STITCH.

| NO. | PLATE | | | | | IAME | | | | |
|--------|-------|-----|-------|--------|--------|-------|--------|------------|--------|------|
| *49001 | | Arm | , up | per ai | ıd lo | wer (| solid |) | | |
| 18130 | 6205 | " | Oil | Tube | e wit | h 520 |)45, f | or fi | ont b | ear- |
| | | in | | | | | | | | |
| 18130 | 6205 | | | | | | | | ermed | |
| | | | | | | | | | | |
| 11119 | 6205 | Arm | Oil' | Tube | with | 5204 | 15, fo | r oil | ing 49 | 101 |
| 18130 | 6205 | " | " | " | " | 5204 | | | ing 49 | |
| 49091 | 6205 | " | " | " | " | | | | ing 49 | |
| | | (lo | wer | beari | ng). | | | | | |
| 49141 | 6213 | Arm | Oil? | Гubе | with | 5600 | 6. fo | r oil | ing 49 | 265 |
| | | (u | pper | beari | ng) | | | | | |
| 52045 | 6197 | Arm | Oil | Tub | e Pa | cking | (br | aide | d cott | on) |
| | | fo | r 111 | 19 aı | nd 1 | 8130 | | | | |
| 56006 | 6197 | Arm | Oil | Tube | Pa | cking | (br | aide | d cott | on) |
| | | | | | | | | | | |
| 49092 | 6205 | Arm | Oil | Tube | Pac | king | (felt |) for | 4909 | i |
| 49156 | 6207 | " | Roc | k Sha | ft | | | , | | |
| 49271 | | " | " | " | | | | | 31 | |
| 49003 | 6208 | " | " | " | | | | | | |
| 446c | 6208 | " | " | " | | " | ٠. | " . | | |
| 49004 | 6208 | " | " | " | | " | (ir | - iteri | nedia | te) |
| 446c | 6208 | " | " | " | | " | \ | | " | υ, |
| | | Se | t Scr | ew | | | | | | |
| 49006 | 6208 | Arm | Roc | k Sha | ft C | ollar | with | two | 443c | |
| 443c | 6208 | " | " | | | | | | v | |
| 49261 | 6219 | " | " | " | C | rank | back | c) wit | h5028 | 32E |
| | | an | d 504 | 157c. | | | | | | |
| 50457c | 6219 | Arm | Roc | k Sh | aft (| Cranl | c (ba | ick) | Posit | ion |
| | | | | | | | | | | |
| 50282E | 6208 | Arm | Roc | k Sha | ft C | rank | Chac | k) S | et Scr | ew |
| 49262 | 6219 | " | " | " | | " (f | ront) | wit | h 5028 | 22E |
| • | | an | d 504 | 157c. | | | - 0, | | | ,_, |
| 50457c | 6219 | Arm | Roc | k Sh | ift. (| Trank | (fro | nnt.) | Posit | ior |
| | - | Sci | ew. | | | | | | - 0010 | |
| 50282E | 6208 | | | | | | | ıt) S | et Scr | ew |
| | | | | | | | | | | |

| NO. PLATE | NAME |
|-----------------------|--|
| 49005 6208 | Arm Rock Shaft Flanged Bushing (front) |
| 430c 6208 | |
| 10001 0101 | Set Screw |
| 49084 6181 | Arm Rock Shaft Oil Cover |
| 193ь 6181 | DCI GW |
| 49105 6211 | notary Shart |
| 49264 — | 49100 WIGH 49200 |
| 49011 6181 | Dusning (110116) |
| 430c 6208 | Denotiew |
| 49010 6209 | Collai with two 1209C. |
| 1259c 6209 | bet berew |
| 49012 6179 | rianged Dusning (Dack) |
| | with 49013 and 49093 |
| 49093 6205 | Arm Rotary Shaft Flanged Bushing (back) |
| | Oil Pad (long) braided cotton |
| 49013 6205 | Arm Rotary Shaft Flanged Bushing (back) |
| | Oil Pad (short) braided cotton |
| 159г 6198 | Arm Rotary Shaft Flanged Bushing (back) |
| | Screw |
| 49014 6181 | Arm Rotary Shaft Flanged Bushing (inter- |
| | mediate) |
| 448c 6181 | Arm Rotary Shaft Flanged Bushing (inter- |
| | mediate) Set Screw |
| 18144 6219 | Arm Rotary Shaft Oil Pad (felt) |
| 144 _D 6198 | " " Screw |
| 4288 6179 | " Side Cover (back) |
| 286р 6198 | " " Thumb Screw |
| 4288 6179 | " " " (front) |
| 286р 6198 | " " " Thumb Screw |
| 23873 6210 | Balance Wheel, 21/8 in. pulley, with two |
| | 430c |
| 430c 6208 | Balance Wheel Set Screw |
| 49143 6210 | Cloth Plate |
| 49016 —— | " " Slide |
| 38419 6181 | " " Spring |
| 725 _J 6181 | " " Screw |
| 49017 6179 | Cloth Plate Slide complete, Nos. 38419, |
| | 49016 and two 725j |
| 49144 | Cloth Plate complete, Nos. 49017, 49053, |
| | 49054, 49143, 49212 and two 226p |
| 50175F 6213 | Cloth Plate Screw |
| 49265 6220 | |
| | two 145E |
| 49266 —— | Crank Connecting Rod 49265 with 1513a |
| | and 50147c |
| *49099 | Crank Connecting Rod Cap |
| 145E 6198 | " " " Screw |

| NO. | PLATE | NAME |
|------------------|-------|---|
| 50147 | 6108 | Crank Connecting Rod Hinge Screw |
| | 6198 | " " " " " Nut |
| 49020 | 6179 | |
| | | Face Plate |
| | 6181 | ocrew |
| 49110 | 6197 | Feed Bar with 220p and 457c |
| 49022 | 6209 | " ninge Pin |
| | 6196 | Set Screw |
| 49023 | 6209 | " Connecting Rod with 2653, 4784, |
| | | 49024 and two 896E |
| *49024 | | Feed Connecting Rod Cap |
| | 6209 | " " " Screw |
| 4784 | 6192 | " " " Oil Pad (felt) |
| 2653 | 6206 | " " " Pin |
| 49111 | 6185 | " Dog, 14 teeth (7 teeth to the inch) |
| | | for heavy bags |
| 49138 | 6190 | Feed Dog, 17 teeth (14 teeth to the inch) |
| | | for medium and light bags |
| 49146 | 6223 | Feed Dog, 15 teeth (10 teeth to the inch) |
| 172c | 6194 | " " Screw |
| 220 _D | 6209 | " " Stop Screw |
| 49112 | 6197 | " Eccentric with two 1259c |
| 1259c | 6209 | " " Set Screw |
| 49113 | 6197 | " Lifting Eccentric with two 1259c |
| 49253 | 6219 | " " Connection with |
| | | 457c, 2653, 49029, 55515 and two 896E |
| *49029 | | Feed Lifting Eccentric Connection Cap |
| 896E | 6209 | |
| | | Screw |
| 49030 | 6209 | Feed Lifting Eccentric Connection Hinge |
| | | Pin |
| 457c | 6196 | Feed Lifting Eccentric Connection Hinge |
| | | Pin Set Screw |
| 55515 | 6219 | Feed Lifting Eccentric Connection Oil Pad |
| | | (braided cotton) |
| 2653 | 6206 | Feed Lifting Eccentric Connection Oil Pad |
| | | Pin |
| 1259c | 6209 | Feed Lifting Eccentric Set Screw |
| 50086c | 6181 | " Regulating Screw Stud |
| 1714c | 6181 | " " " Nut |
| 49031 | 6181 | " " " Sleeve |
| 49032 | 6181 | " " Washer |
| 49033 | 6179 | " Rock Shaft |
| 49114 | | Feed Rock Shaft complete, Nos. 49033 and |
| | | 49115 |
| 49115 | 6179 | Feed Rock Shaft Crank with two 896E |
| | | |
| 896E | 6209 | |
| 896E 11398 | | |


| NO. PL | \TE | | N | IAME | | |
|---------------------|---------|------------|---------|----------|-----------|-----------|
| 1508л 61 | 98 Feed | | | inge Pi | n Nut | |
| 622c 61 | 98 " | " | | " " | Screw B | earing |
| 1508J 61 | .98 " | " | u | " " | " | " |
| | N | ut | | | | |
| 27398 61 | 81 Feed | l Rock S | haft W | Vasher | | |
| 36421 62 | 00 Guid | le | | | | |
| 194 _D 62 | ° 00 | Screw | Stud. | | | |
| 671p 62 | 200 " | Thum | b Scre | w | | |
| 49036 61 | .92 Loo | per (dou | ible th | read) | with 590 | o and |
| | | | | | | |
| 49037 61 | 92 Loo | per (sing | le thre | ad) | | |
| *49257 - | " | Bell | Crank | | | |
| 49038 62 | 207 " | " | " | 49257 | with 4784 | 1 |
| | 207 " | " | 44 | Hinge | Stud | |
| 448c 6 | l81 " | " | 44 | " | " Set | Screw |
| - | 192 " | " | " | Oil Pac | d (felt) | |
| 49158 6 | 207 " | : " | " | Pitmar | n with | 46223, |
| | 49 | 9041 and | l two e | ach 171 | E and 10 | 57E |
| 4 9250 - | | | | | an 4915 | |
| | | | | | | |
| 50070c 6 | | | | | Ball Scre | |
| | | ower) | | | | |
| 1636c 6 | 198 Loc | per Bell | Crank | Pitman | Ball Scre | w Stud |
| | | | | | | |
| 50069c 6 | | per Bell | Crank | Pitman | Ball Sere | w Stud |
| | (1 | ipper) | | | | |
| 1619E 6 | 208 Loc | per Bell | Crank | Pitman | Ball Scre | w Stud |
| | | | | | | |
| *49041 - | Loc | per Bell | Cran | k Pitm | an Cap | (lower) |
| 171E 6 | | ĭ u | " | " | 46 | " |
| | S | crew | | | | |
| *46223 - | — Loc | per Bel | l Cran | k Pitm | an Cap | (upper) |
| 1057E 6 | 209 ' | <i>.</i> " | " | " | " | " |
| | S | crew | | | | |
| 49043 6 | 192 Loc | per Bell | Crank | : Pitma: | n Washer | r (fibre) |
| 49044 6 | 192 | | | | 4 and tw | |
| | | | | | | |
| 49 194 - | | | | | th 49165 | |
| | а | nd 4924 | 8 | | | |
| 175E 6 | 192 Loc | | | | Screw | |
| 59019 6 | 197 | ie 6 | Gi | b | | |
| 49165 6 | 192 | | 111 | | 1 | |
| 49166 6 | 192 | | | | Collar | |
| | | | | | | |
| 202F 6 | | | | nge Pin | Collar Se | et Screw |
| 157р б | 1199 | | | | Clampin | g Screw |
| 4784 6 | 192 | " | ' Oil | Pad (fe | elt) | |

| NO. | PLATE | | | NAMI | C. | | |
|------------------|-------|-------------|------------------|------------------|---------------|---|------------------|
| 49045 | 6192 | Looner | Carrier | | | mmlata | Mag |
| 45040 | 0192 | 1708 | e, 1709e | . 49046 | . 4 90 | mpiete 88 and | , 1908. 49089 |
| 50070c | 6192 | Looper | Carrier | Pitmai | Ba | ll Screv | v Stud |
| | 6192 | -copor | " | " | " | 20101 | " |
| -0-00 | 0-0- | Nut | | | | | |
| 46237 | 6192 | Looner | Carrier | Pitmai | . Bol | 1 Stud | (lof+) |
| | 6192 | Hooper " | " | " | | ıı buu | (1610) |
| 11470 | 0182 | Sat S | lanam | | | | |
| *49085 | | Tanna | Screw Carrier | Ditmon | Cam | /laf4\ | • • • • • • |
| | 6192 | Toober | " | ** T 10111911 | Cap " | | |
| *49085 | | " | " | 46 | " | | crew |
| | | " | " | " | " | (right) | |
| | 6192 | " | " | " | | | Screw |
| *49086 | | " | " | " | ena " | Bearin | |
| *49087 | 0100 | | | | | | (right) |
| 49088 | 6192 | Looper | Carrier | Pitmar | Hea | d (left) | , Nos. |
| | | 4623 | 7, 49085, | 49086 | and t | wo 171 | E |
| 49089 | 6192 | Looper | Carrier . | Pitman | Head | d (right |), Nos. |
| | | 4908 | 5, 49087, | 50070c | and | two 17 | 1E |
| 49046 | 6192 | Looper | Carrier . | Pitman | | • | |
| 1708E | | " | " | " | " | Nut (le | |
| 1709E | | " | " | " | " | " (r | ight) |
| 49043 | 6192 | " | " | ш | Was | her (fib | re) |
| 49047 | 6193 | " | "] | | haft. | | |
| 11411 | 6193 | " | " | " | | llar wit | h 453c |
| 453c | 6193 | " | " | " | | | Screw |
| 49048 | 6193 | " | " | " | | rank (l | |
| | | forke | d, with 5 | i0083с. | | | |
| 50083c | 6193 | Looper | Carrier : | Rock S | haft | Crank | (back) |
| | | Set S | crew | | | | |
| 49049 | 6193 | Looper | Carrier : | Rock S | haft | Crank | (back) |
| | | Slide | Block | | | | |
| 49248 | 6193 | Looper | Carrier 1 | Rock S | haft (| Crank (| (front) |
| | | with | 157p and | l two 13 | 324E. | | |
| 1324E | 6193 | Looper | Carrier 2 | Rock S | haft (| Crank (| (front) |
| | | Clam | ping Scr | ew | | | |
| 49142 | 6193 | Looper | Eccentri | c with | two 1 | .036c | |
| 49258 | | " | " | 49142 | with | 49049 | |
| 1036c | 6193 | " | " | | | · · · · · · · | |
| 49212 | 6210 | " | Gate wit | h 448c | | | |
| 49053 | 6181 | " | " Hi | nge Pin | | . | |
| 448c | 6181 | " | " " | u | Set i | Screw | |
| 49054 | 6181 | " | " Lo | ck Spri | ng | · • • • • • • | |
| 226 _D | 6181 | " | " " | | Sc | rew | |
| 1147c | 6192 | " | Set Scre | w | | | |
| 49080 | 6192 | " | Thread (| Guard | | | |
| 590p | 6192 | " | " | | | | |
| 49055 | 6194 | Needle | Bar (hol | low) | | | |
| | | | | | | | |

| NO. PLATE | NAME |
|-----------------|---|
| 49117 6197 | Needle Bar Bushing (lower) |
| | " " Set Screw |
| 435c 6194 | · Bet Berew |
| 49056 6194 | (upper) |
| 1133E 6195 | bet berew |
| *49101 6194 | Connecting Link |
| 49167 | 49101 WITH |
| | 49057 and 49268 |
| 49057 6194 | Needle Bar Connecting Link Hinge Stud |
| 1517ј 6194 | |
| | Nut |
| 49268 6219 | Needle Bar Connecting Stud with 704E |
| 704E 6219 | " " " Clamping |
| | Screw |
| 1629c 6194 | Needle Clamping Nut |
| 49059 6195 | Presser Bar |
| 49060 6195 | " " Bushing (lower) |
| 435c 6195 | " " " Set Screw |
| 49061 6195 | " " (upper) |
| 1133E 6195 | " " Set Screw |
| 49062 6195 | " " Lifter |
| 212р 6195 | " " Cap Screw |
| 49063 6195 | " " Friction Washer |
| 49064 6195 | " " " Hinge Stud |
| 453c 6195 | " " " " Set Screw. |
| 49065 6195 | " Lifting Bracket with 453c and |
| | 892r |
| 892F 6195 | Presser Bar Lifting Bracket Adjusting |
| | Screw |
| 453c 6195 | Presser Bar Lifting Bracket Set Screw |
| 49066 6195 | " " Link |
| 212р 6195 | " " Cap Screw |
| 724p 6195 | " " " Hinge Screw |
| 49067 6179 | " " Spring (flat) |
| 38468 6195 | " " Stud |
| 50087F 6198 | " Foot Hinge Screw |
| 49118 —— | " "Plate |
| 49119 — | " " Shank |
| 49120 6185 | Presser Foot (hinged) complete for 49111, |
| 19120 0100 | Nos. 49118, 49119 and 50087F |
| 50087F 6198 | Presser Foot Hinge Screw |
| 49126 — | " " Plate |
| 49127 — | " " Shank |
| 49128 6184 | Presser Foot (hinged) complete for 49138, |
| 20120 U104 | Nos. 49126, 49127 and 50087F |
| 50087F 6198 | Presser Foot Hinge Screw |
| 49068 | " " Plate |
| 49069 —— | rate |
| ₹8008 —— | " " Shank |

| NO. | PLATE | NAME |
|-------|--------|---|
| 49070 | 6182 | Presser Foot (hinged) complete for 49146, |
| | | Nos. 49068, 49069 and 50087r |
| 1900 | 6198 | Presser Foot Screw |
| | v 6198 | Pressure Regulating Thumb Screw |
| | v 6198 | " " " Took |
| | | " " Lock |
| 2102 | 6194 | Tension (under thread) Disc. |
| 1560c | 6194 | " " Regulating Thumb |
| | | Nut |
| 9160 | 6194 | Tension (under thread) Screw Stud. |
| 44209 | | " " " " 916c |
| | | with 1560c |
| 10148 | 6194 | Tension (under thread) Spring |
| 49220 | 6214 | " " Thread Guide |
| 2102 | 6194 | " (upper thread) Disc |
| 1560c | 6194 | " " Regulating Thumb |
| | | Nut |
| | 6194 | Tension (upper thread) Screw Stud |
| 44209 | | " " " " 916c |
| | | with 1560c |
| 13710 | 6194 | Tension (upper thread) Spring |
| 49220 | 6214 | " " Thread Guide |
| 49071 | 6194 | Thread (under) Eyelet |
| 172F | | " " Screw |
| 49072 | 6196 | " " Take-up |
| | 6196 | " " Screw |
| 49073 | 6196 | " (upper) Controller |
| | 6196 | " " Hinge Screw |
| | 6196 | " " Screw |
| 39541 | 6196 | wasner |
| 49075 | 6196 | Take-up with 457c |
| | 6196 | Set Screw |
| 49149 | 6221 | Throat Plate, for double thread, for 49111 |
| 49150 | 6221 | with 000D and 49078, for |
| 40151 | 0000 | single thread, for 49111 |
| 49151 | 6222 | Throat Plate, for double thread, for 49138 |
| 49152 | 6222 | with oood and 49078, for |
| 49147 | 6223 | single thread, for 49138 |
| 49147 | 6223 | Throat Plate, for double thread, for 49146 |
| 49140 | 0443 | with 000D and 49078, for |
| 742F | 6109 | single thread, for 49146 Throat Plate Screw |
| 49078 | 6181 | " " Thread Retainer |
| 665p | | " " Screw |
| מכטט | 0101 | ocrew |

LIST OF PARTS COMPLETE FOR



MACHINE No. 92-3

FOR SEWING CLAY-FILLED AND OTHER BAGS. STITCH FROM 1/6 TO 1/3 INCH LONG. HAS ONE NEEDLE, ONE LOOPER AND THROAT PLATE FOR SINGLE THREAD; ALSO LOOPER AND THROAT PLATE FOR TWO-THREAD CHAIN STITCH. FITTED WITH DEVICE FOR AUTOMATICALLY OILING THE PRINCIPAL BEARINGS OF THE MACHINE.

| NO. | PLATE | NAME |
|--------|-------|---|
| *49168 | | Arm, upper and lower (solid |
| 18130 | 6205 | " Oil Tube with 52045, for front bear- |
| | | ing |
| 18130 | 6205 | Arm Oil Tube with 52045, for intermediate |
| | | bearing |

| NO. | PLATE | NAME |
|----------------|--------|---|
| 11119 | 6205 | Arm Oil Tube with 52045, for oiling 49101 |
| 49169 | 6206 | " " " 49013, for oiling 49049 |
| 49091 | 6205 | " " " 49092, for oiling 49265 |
| | | (lower bearing) |
| 49170 | 6206 | Arm Oil Tube with 2653 and 49174, for |
| 20210 | 0200 | oiling 46223 |
| 49171 | 6206 | Arm Oil Tube with 2653 and 49174, for |
| 10111 | 0200 | oiling 49265 (upper bearing) |
| 49172 | 6206 | Arm Oil Tube with 2653 and 49174, for |
| 45112 | 0200 | oiling 49023 |
| 54897 | 6206 | Arm Oil Tube Oil Cup |
| 49173 | 6206 | "" " " Holder with |
| 49173 | 0200 | molder with |
| 40010 | 0005 | 54897, for 49169 |
| 49013 | 6205 | Arm Oil Tube Packing (braided cotton) |
| | | for 49169 |
| 49174 | 6206 | Arm Oil Tube Packing (braided cotton) |
| | | for 49170 to 49172 |
| 52045 | 6197 | Arm Oil Tube Packing (braided cotton) |
| | | for 11119 and 18130 |
| 49092 | 6205 | Arm Oil Tube Packing (felt) for 49091 |
| 2653 | 6206 | " " " Stop Pin for 49170 |
| | | to 49172 |
| 49156 | 6207 | Arm Rock Shaft |
| 49271 | | " " 49156 with 49261 |
| 49003 | 6208 | " " Bushing (back) |
| 4460 | 6208 | " " " Set Screw |
| 49004 | 6208 | " " (intermediate) |
| 4460 | 6208 | |
| | | Set Screw |
| 49006 | 6208 | Arm Rock Shaft Collar with two 443c |
| | 6208 | " " " Set Screw |
| 49261 | 6219 | " " Crank(back)with50282E |
| 10201 | 0210 | and 50457c |
| 504570 | 6210 | Arm Rock Shaft Crank (back) Position |
| 004010 | 0219 | Screw |
| 50282r | 6000 | Arm Rock Shaft Crank (back) Set Screw |
| 49262 | 6219 | " " " (front) with 50222 |
| 49202 | 0219 | (ITOHU) WITH SUZSZE |
| FO 4 FT. | - 0010 | and 50457c |
| 50457 0 | 6 6219 | Arm Rock Shaft Crank (front) Position |
| | | Screw |
| 502821 | | Arm Rock Shaft Crank (front) Set Screw |
| 49005 | 6208 | " " Flanged Bushing (front) |
| 4300 | 6208 | |
| | | Set Screw |
| 49084 | 6181 | Arm Rock Shaft Oil Cover |
| | 6181 | " " " " Screw |
| 49097 | 6207 | " Rotary Shaft |

| NO. PLATE | NAME |
|--------------|---|
| 49263 | Arm Rotary Shaft 49097 with 49266 |
| 49011 6181 | " " Bushing (front) |
| 430c 6208 | " " " SetScrew |
| 49010 6209 | " " Collar with two 1259c. |
| 1259c 6209 | " " Set Screw |
| 49012 6179 | " " Flanged Bushing (back) |
| | with 49013 and 49093 |
| 49093 6205 | Arm Rotary Shaft Flanged Bushing (back) |
| 10000 0200 | Oil Pad (long) braided cotton |
| . 40010 0005 | Arm Rotary Shaft Flanged Bushing (back) |
| 49013 6205 | Arm Rotary Snart Flanged Busning (back) |
| | Oil Pad (short) braided cotton |
| 159F 6198 | Arm Rotary Shaft Flanged Bushing (back) |
| | Screw |
| 49014 6181 | Arm Rotary Shaft Flanged Bushing (inter- |
| | mediate) |
| 448c 6181 | Arm Rotary Shaft Flanged Bushing (inter- |
| 1100 0101 | mediate) Set Screw |
| | |
| 49013 6205 | Arm Rotary Shaft Oil Pad (braided cotton) |
| | for front bearing |
| 49013 6205 | Arm Rotary Shaft Oil Pad (braided cotton) |
| | for intermediate bearing |
| 50249E 6206 | Arm Rotary Shaft Oil Pad Cap Screw |
| 144p 6198 | " " Screw |
| 4288 6179 | " Side Cover (back) |
| 286р 6198 | " " " Thumb Screw |
| 17677 6207 | " " (front) |
| 286p 6198 | " " " Thumb Screw |
| 23873 6210 | Balance Wheel, 21% in. pulley, with two |
| 20070 0210 | 430c |
| 400 0101 | |
| 430c 6181 | Balance Wheel Set Screw |
| 49175 6210 | Cloth Plate with two 46224 |
| 46224 6206 | On Cup |
| 49016 —— | Silue |
| 38419 6181 | " " " Spring |
| 725j 6181 | " " " Screw |
| 49017 6179 | Cloth Plate Slide complete, Nos. 38419, |
| | 49016 and two 725J |
| 49176 | Cloth Plate complete, Nos. 49017, 49053, |
| | 49054, 49116, 49175 and two 226p |
| 50085r 6198 | Cloth Plate Screw |
| 49265 6220 | Crank Connecting Rod with 49099 and two |
| 10200 0220 | 145E |
| 40000 | |
| 49266 —— | Crank Connecting Rod 49265 with 1513J |
| | and 50147c |

| NO. | PLATE | NAME |
|--------|--------|--|
| *49099 | | Crank Connecting Rod Cap |
| 145E | 6198 | " " Screw |
| 501470 | 6198 | " " Hinge Screw |
| | 6198 | " " " " Nut |
| 49020 | 6179 | Face Plate |
| | 6181 | " " Screw |
| 49021 | | Feed Bar with 220p and 457c |
| 49022 | 6209 | " " Hingo Din |
| | 6196 | minge i m |
| 49023 | 6209 | bet berew |
| 13020 | 0209 | " Connecting Rod with 2653, 4784, |
| *49024 | | 49024 and two 896E |
| | 6000 | Feed Connecting Rod Cap |
| | 6209 | Screw |
| 4784 | 6192 | Oli Pad (lett) |
| 2653 | 6206 | " " Pin |
| 49025 | 6182 | bog, to teem (to teem to the inch) |
| • | | for large bags |
| Non | re: No | . 49025 is sent with this machine unless |
| | anoth | er Feed Dog is specified on order. |
| 49153 | 6188 | Feed Dog, 16 teeth (14 teeth to the inch) |
| 49125 | 6184 | for small bags |
| 10120 | 0104 | the inch) |
| 49103 | 6182 | Food Dog (milead teath) 15 teath (10 test) |
| 19100 | 0102 | Feed Dog (spiked teeth) 15 teeth (10 teeth |
| 1790 | 6194 | to the inch) for clay-filled bags |
| | 6209 | Feed Dog Screw |
| 49026 | 6209 | Stop Screw |
| 1259c | | Eccentric with two 1259C |
| 49113 | | bet berew |
| 49253 | 6197 | Diving Eccentric with two 1259c |
| 49203 | 6219 | Connection with |
| *40000 | | 457c, 2653, 49029, 55515 and two 896E |
| *49029 | | Feed Lifting Eccentric Connection Cap |
| 890E | 6209 | |
| 40000 | | Screw |
| 49030 | 6209 | Feed Lifting Eccentric Connection Hinge |
| | | Pin |
| 457c | 6196 | Feed Lifting Eccentric Connection Hinge |
| | | Pin Set Screw |
| 55515 | 6219 | Feed Lifting Eccentric Connection Oil Pad |
| | | (braided cotton) |
| 2653 | 6206 | Feed Lifting Eccentric Connection Oil Pad |
| | | Pin |
| 1259c | - | Feed Lifting Eccentric Set Screw |
| 50086c | | " Regulating Screw Stud |
| 1714c | 6181 | " " " Nut |

| | YTE | NAME |
|-----------------|-------------|---|
| 49031 61 | 81 | Feed Regulating Screw Stud Sleeve |
| 49032 61 | .81 | " " Washer |
| 49177 62 | 211 | " Rock Shaft |
| 49178 — | | Feed Rock Shaft complete, Nos. 49177, |
| | | 49179 and 49267 |
| 49267 62 | 220 | Feed Rock Shaft Crank with two 1177E |
| 1177E 62 | | " " " Clamping Screw |
| | 79 | " " Hinge Pin |
| 1508J 61 | | " " " " Nut |
| 622c 61 | | " " " Screw Bearing |
| 1508J 61 | | " " " " " " " " |
| 10003 01 | 1.00 | Nut |
| 40150 00 | 200 | |
| | | Feed Rock Shaft Oil Cup with 49013 " " Packing (braided |
| 49013 62 | 205 | |
| | | cotton) |
| 27398 61 | 181 | Feed Rock Shaft Washer |
| 36221 62 | 200 | Guide |
| 194D 62 | 200 | " Screw Stud |
| 671p 62 | 200 | " Thumb Screw |
| 49036 61 | 192 | Looper (double thread) with 590p and |
| | | 49080 |
| 49037 63 | 192 | Looper (single thread) |
| *49257 - | | " Bell Crank |
| | 207 | " " 49257 with 4784 |
| | 207 | " " Hinge Stud |
| 448c 6 | | " " " Set Screw |
| | 192 | " " " Oil Pad (felt) |
| | 207 | " " Pitman with 46223, |
| 10100 0 | | 49041 and two each 171E and 1057E |
| 49250 — | | Looper Bell Crank Pitman 49158 with |
| 10200 | | 50069c and 50070c |
| 50070c 6 | 102 | Looper Bell Crank Pitman Ball Screw Stud |
| 000100 0 | 102 | (lower) |
| 1636c 6 | 100 | Looper Bell Crank Pitman Ball Screw Stud |
| 10000 0 | 190 | (lower) Nut |
| 50069c 6 | 200 | Looper Bell Crank Pitman Ball Screw Stud |
| 300030 0 | 200 | (upper) |
| 1619E 6 | วกจ | Looper Bell Crank Pitman Ball Screw Stud |
| TOTHE O | 200 | (upper) Nut |
| *49041 - | | Looper Bell Crank Pitman Cap (lower) |
| 171E 6 | 102 | " " " " " " " |
| TATE O | 194 | |
| *46223 - | | ScrewLooper Bell Crank Pitman Cap (upper) |
| | 200 | " " " " " " " " |
| 1057E 6 | 209 | |
| | | Screw |
| 49043 6 | 192 | Looper Bell Crank Pitman Washer (fibre) |

| NO. | PLATE | | | NAM | E | | |
|----------------|-------|-----------------|--------------------|----------------|---------|-------------|--------------------|
| 49044 | 6192 | Looper | Carrier | with 4 | 784 ar | nd two | each |
| 10011 | 0102 | 175e | , 1147c a | nd 500 | 10 | .uo | cacii |
| 49194 | | Looner | Carrier | 4004A | with 4 | 0165 | 401 <i>6</i> 6 |
| 10101 | | and 4 | 19248 | 10011 | WIGHT 3 | 10100, | 19100 |
| 175 | 6192 | Looper | Carrier | Clampi | na San | | |
| 59019 | 6197 | roober. | Carrier | Gib | ng ocr | ew | •••• |
| | | " | " | GID | n: | • • • • • • | • • • • • |
| 49165 | 6192 | " | " | Hinge 1 | rın | | |
| 49166 | 6192 | | 202F | | | llar v | |
| 202E | 6192 | Looper | Carrier 1 | Hinge F | in Call | ur Set S | Screw |
| | 6193 | 200pci | " | " | " Cla | mping S | Saraw |
| 4784 | 6192 | " | " . | Oil Pad | (falt) | mbing r | JULUM |
| 49045 | 6192 | Looper | Carrier | | | | |
| 79010 | 0152 | 1700 | E, 1709E | 40046 | 4000 | ipiete, | 1108. |
| 50070c | 6100 | T | Carrier | , 48040 D:4 | , 48000 | o anu • | E49 |
| | 6192 | Looper " | Carrier | ritina: | n Baii | ocrew | otua " |
| 19191 | 0192 | | | | | | |
| 4000 | | Nut. | | | | | |
| 46237 | 6192 | Looper | Carrier | Pitma | n Ball | Stud · | (left) |
| 1147c | 6192 | • | | | | | |
| | | _ Set S | crew | <u></u> | | | • • • • • |
| *49085 | | Looper | Carrier | | . Cap (| left) | •••• |
| | 6192 | " | " | . " | | " Sc | |
| *49085 | | ės – | " | " | | right). | |
| 171E | 6192 | " | " | " | " | | Screw |
| *49086 | | " | " | " | | earing | |
| *49087 | | " | " | " | " | " (1 | right) |
| 49088 | 6192 | " | " | " | Head | (left), | Nos. |
| | | 46237 | 7, 49085, | 49086 | and tw | o 171E | |
| 49089 | 6192 | Looper | Carrier 1 | Pitman | Head | (right), | Nos. |
| | | 49085 | 5, 49087, | 500700 | and t | wo 171 | Е |
| 49046 | 6192 | Looper | Carrier | Pitman | Rod | | . . |
| 1708E | 6192 | " | " | " | " N | Vut (lef | t) |
| 1709E | 6192 | " | " | " | " | - | ht). |
| 49043 | 6192 | " | " | " | Washe | er (fibro | |
| 49047 | 6193 | Looper | Carrier | Rock S | | | |
| 11411 | 6193 | " | " | " | " C | ollar | with |
| | | 453c. | | | | | |
| 453c | 6193 | Looper | Carrier | Rock | Shaft | Collar | r Set |
| | | | 7 | | | | |
| 49048 | 6193 | Looper | Carrier | Rock S | haft C | rank (l | back) |
| | | forke | d, with 5 | 0083c. | | | |
| 5 0083c | 6193 | Looper | Carrier | Rock S | haft C | rank (l | oack) |
| 400.40 | 0100 | Set S | crew | | | | • • • • • |
| 49049 | 6193 | Looper Slide | Carrier . Block | Kock S | nait C | rank (i | ack) |
| 49248 | 6193 | Looper | Carrier : | Rock S | haft C | rank (f | ront) |
| | | with | 1570 and | l two 1 | 324E | | |

| NO. | PLATE | NAME |
|--------|-------|---|
| 1324E | | Looper Carrier Rock Shaft Crank (front) |
| 10212 | 0100 | Clamping Screw |
| 49142 | 6193 | Looper Eccentric with two 1036c |
| 49258 | 0190 | " " 49142 with 49049 |
| 1036c | 6102 | |
| 49116 | | Der Derew |
| | 6210 | Gate with 448c |
| 49053 | 6181 | minge rm |
| | 6181 | Set Screw |
| 49054 | 6181 | Lock Spring |
| | 6181 | ocrew |
| 1147c | | Det ocrew |
| 49080 | 6192 | " Thread Guard |
| | 6192 | " " Screw |
| 49055 | 6194 | Needle Bar (hollow) |
| 49056 | 6194 | " " Bushing (lower) |
| 435c | 6194 | " " " Set Screw |
| 49056 | 6194 | " " (upper) |
| 1133E | 6194 | " " Set Screw |
| *49101 | 6194 | " Connecting Link |
| 49167 | | " " " 49101 with |
| | | 49057 and 49268 |
| 49057 | 6194 | Needle Bar Connecting Link Hinge Stud |
| 1517յ | 6194 | |
| | | Nut |
| 49268 | 6219 | Needle Bar Connecting Stud with 704E |
| 704E | 6219 | " " " Clamping |
| | | " " " Clamping |
| 1629c | 6194 | Needle Clamping Nut. |
| 49180 | 6212 | Oil Cup. |
| 49181 | | Oil Cup complete, Nos. 195E, 49180, 49182 |
| 10101 | | to 49184 and two 175E |
| 49182 | 6212 | Oil Cup Cover |
| | 6192 | " " Screw |
| 49183 | 6206 | Delew |
| | 6206 | On Hole Cover |
| 49184 | 6212 | berew |
| | 6206 | Strainer |
| | | berew |
| 49185 | 6212 | Tipe with 49191, for olding 49200 |
| 49186 | 6212 | 49191, for olding 49012 |
| 49187 | 6212 | 49191, for oning 49011 and |
| | | 49014 |
| 49188 | 6206 | Oil Pipe Connection with 49189 and two |
| | | 1980, for 49187, for oiling 49014 |
| *49189 | | Oil Pipe Connection Cap |
| | 6206 | " " Screw |
| 49190 | 6206 | " " Coupling |
| 1733d | 6206 | " . " Nut |

```
NO.
      PLATE
                          NAME
            Oil Pipe Sleeve.....
49191
      6206
49059
      6195
            Presser Bar....
49060
      6195
                      Bushing (lower).....
              "
                   "
  435c 6195
                               "
                                   Set Screw...
              "
                   "
                        "
49061
      6195
                             (upper).....
              "
                   "
 1133E 6195
                        "
                                   Set Screw...
              "
                   "
49062 6195
                      Lifter.....
              "
                   "
  212n 6195
                          Cap Screw.....
              ..
                   ..
                       "
49063 6195
                          Friction Washer.....
              "
                   "
                       "
49064 6195
                           Hinge Stud......
              "
                   "
                       "
                                 " Set Screw.
  453c 6195
              "
49065
      6195
                     Lifting Bracket with 453c and
            Presser Bar Lifting Bracket Adjusting
  892F 6195
  453c 6195
            Presser Bar Lifting Bracket Set Screw....
                       "
                           Link.....
49066 6195
              "
                   "
                        "
  212p 6195
                                Cap Screw....
              "
                   "
                             "
  724p 6195
                                Hinge Screw....
              "
49067
      6179
                     Spring (flat).......
              "
38468
      6195
                           Stud.....
              "
49082
      6188
                  Foot for 49153.....
              "
50087F 6198
                      Hinge Screw.....
              "
                      Plate....
49126
49127
                      Shank......
49128
      6184
           Presser Foot (hinged) complete for 49025
             and 49125, Nos. 49126, 49127 and 50087F
  Note: No. 49128 is sent with this machine unless an-
        other Presser Foot is specified on order.
           Presser Foot Hinge Screw.....
50087F 6198
              "
                   "
                      Plate....
49068
49069
                      Shank.....
      6182
           Presser Foot (hinged) complete for 49025
49070
             and 49103, Nos. 49068, 49069 and 50087F
           Presser Foot Screw.....
  190<sub>D</sub> 6198
 574w 6198
           Pressure Regulating Thumb Screw.....
                             "
 1539w 6198
             Nut.......
           Tension (under thread) Disc.....
2102 6194
                        " Regulating Thumb
1560c 6194
             Nut......
           Tension (under thread) Screw Stud.....
 916c 6194
                    "
                          "
                               "
                                    " 916c
44209
             with 1560c.....
10148
      6194
           Tension (under thread) Spring......
              "
                    "
49220
      6214
                              Thread Guide ....
```

| NO. | PLATE | NAME |
|-------|-------|--|
| 2102 | 6194 | Tension (upper thread) Disc |
| 1560c | 6194 | " " Regulating Thumb |
| | | Nut |
| 9160 | 6194 | Tension (upper thread) Screw Stud |
| 44209 | | " " " " 916c |
| | | with 1560c |
| 13710 | 6194 | Tension (upper thread) Spring |
| 49220 | 6214 | " " Thread Guide |
| 49192 | 6206 | Thread Guide (double) side of arm |
| 190r | 6196 | " " " " " Screw |
| 49071 | 6194 | " (under) Eyelet |
| 172F | 6194 | " " Screw |
| 49072 | 6196 | " " Take-up |
| 190r | 6196 | " " Screw |
| 49073 | 6196 | " (upper) Controller |
| 974F | 6196 | " " Hinge Screw. |
| 914F | 6196 | " " Screw |
| 39541 | 6196 | " " " Washer |
| 49075 | 6196 | " Take-up with 457c |
| 457c | 6196 | " " Set Screw |
| 49131 | | Throat Plate, for double thread, for 49025 |
| | | and 49103 |
| 49132 | 6182 | Throat Plate with 665D and 49078, for |
| | | single thread, for 49025 and 49103 |
| | | |
| | Note | :: Nos. 49131 and 49132 are sent with this |
| | | Machine unless another Throat Plate |
| | | is specified on order |
| 49269 | 6224 | Throat Plate, for double thread, for 49125 |
| 49270 | 6224 | " with 665D and 49078, for |
| | | single thread, for 49125 |
| 49154 | 6188 | Throat Plate, for double thread, for 49153 |
| 49155 | 6188 | " with 665D and 49078, for |
| | | single thread, for 49153 |
| 691s | 6198 | Throat Plate Screw |
| 49078 | 6181 | " "Thread Retainer |
| 6651 | 6181 | " " " Screw |

LIST OF PARTS COMPLETE



MACHINE No. 92-4

FOR STITCHING HEAVY BURLAP BAGS WITH FLAX, JUTE OR HEMP TWINE. MAKES TWO TO FOUR STITCHES TO THE INCH. HAS ONE NEEDLE, ONE LOOPER AND THROAT PLATE FOR SINGLE THREAD; ALSO LOOPER AND THROAT PLATE FOR TWO-THREAD CHAIN STITCH. HAS THE MECHANISM FOR REGULATING THE LENGTH OF STITCH ARRANGED SO THAT IT CAN BE ADJUSTED FROM THE TOP OF THE CLOTH PLATE, THERE BEING A CLEARANCE HOLE IN THE CLOTH PLATE FOR THIS PURPOSE. FITTED WITH NEEDLE BAR TO ACCOMMODATE .130 SHANK NEEDLE.

| NO. | PLATE | NAME | | | | | |
|--------|-------|--|--|--|--|--|--|
| *49001 | | Arm, upper and lower (solid) | | | | | |
| 18130 | 6205 | " Oil Tube with 52045, for front bearing | | | | | |
| 18130 | 6205 | " " " 52045, for intermediate | | | | | |
| | | bearing | | | | | |

| NO. PLATE | NAME |
|-------------|--|
| | |
| 11119 6205 | Arm Oil Tube with 52045, for oiling 49101 |
| 18130 6205 | 92049, for offing 49049 |
| 49091 6205 | 49092, for olding 49209 |
| | (lower bearing) |
| 49141 6213 | Arm Oil Tube with 56006, for oiling 49265 |
| | (upper bearing) |
| 52045 6197 | Arm Oil Tube Packing (braided cotton) |
| | for 11119 and 18130 |
| 56003 6197 | Arm Oil Tube Packing (braided cotton) |
| | for 49141 |
| 49092 6205 | Arm Oil Tube Packing (felt) for 49091 |
| 49156 6207 | " Rock Shaft |
| 49271 | " " 49156 with 49261 |
| 49003 6208 | " " Bushing (back) |
| 446c 6208 | " " " Set Screw |
| 49004 6208 | " " (intermediate) |
| 446c 6208 | « « « « |
| 1100 0200 | Set Screw |
| 49006 6208 | Arm Rock Shaft Collar with two 443c |
| 443c 6208 | " " Set Screw |
| 49261 6219 | " " Crank (back) with 50282E |
| 49201 0219 | |
| 50457c 6219 | and 50457c Arm Rock Shaft Crank (back) Position |
| 50457C 0219 | |
| E0000- 6000 | Screw |
| 50282E 6208 | Arm Rock Shaft Crank (back) Set Screw |
| 49262 6219 | (iront) with 50282E |
| | and 50457c |
| 50457c 6219 | Arm Rock Shaft Crank (front) Position |
| | Screw |
| 50282E 6208 | Arm Rock Shaft Crank (front) Set Screw |
| 49005 6208 | " " Flanged Bushing (front) |
| 430c 6208 | |
| | Set Screw |
| 49084 6181 | Arm Rock Shaft Oil Cover |
| 193p 6181 | " " " Screw |
| 49105 6211 | " Rotary Shaft |
| 49264 | " " " 40105 |
| 49011 6181 | " " 49105 with 49266 |
| 430c 6208 | Dusning (front) |
| 430C 0208 | |
| | Screw |
| 49010 6209 | Arm Rotary Shaft Collar with two 1259c |
| 1259c 6209 | " " " Set Screw |
| 49012 6179 | " " Flanged Bushing (back) |
| | with 49013 and 49093 |
| 49093 6205 | Arm Rotary Shaft Flanged Bushing (back) |
| | Oil Pad (long) braided cotton |
| | |

| NO. | PLATE | NAME |
|--------|-------|---|
| 49013 | 6205 | Arm Rotary Shaft Flanged Bushing (back) |
| | | Oil Pad (short) braided cotton |
| 159F | 6198 | Arm Rotary Shaft Flanged Bushing (back) |
| | | Screw |
| 49014 | 6181 | Arm Rotary Shaft Flanged Bushing (inter- |
| | | mediate) |
| 4480 | 6181 | Arm Rotary Shaft Flanged Bushing (inter- |
| | 0-0- | mediate) Set Screw |
| 49013 | 6205 | Arm Rotary Shaft Oil Pad (braided cotton) |
| 49010 | 0200 | for front booring |
| 1445 | 6100 | for front bearing |
| | 6198 | Arm Rotary Shaft Screw |
| 4288 | 6179 | side Cover (back) |
| | 6198 | Inumo Screw |
| 4288 | 6179 | (Iront) |
| | 6198 | " " " Thumb Screw |
| 46220 | 6210 | Balance Wheel, 213 in. pulley, with two |
| | | 430c |
| 430c | 6181 | Balance Wheel Set Screw |
| 49195 | 6210 | Cloth Plate |
| 49016 | | " " Slide |
| 38419 | 6181 | " " " Spring |
| 725ı | 6181 | " " " Screw |
| 49017 | 6179 | Cloth Plate Slide complete, Nos. 38419, |
| | | 49016 and two 725j |
| 49196 | | Cloth Plate complete, Nos. 49017, 49053, |
| | | 49054, 49195, 49212 and two 226b |
| 50175E | 6213 | Cloth Plate Screw |
| | 6220 | Crank Connecting Rod with 49099 and |
| 10200 | 0220 | two 145E |
| 49266 | | Crank Connecting Rod 49265 with 1513 _J |
| 40200 | | and 50147a |
| *49099 | | and 50147c |
| | 6100 | Crank Connecting Rod Cap |
| 145E | | ocrew |
| 50147c | _ | ringe Screw |
| 1513ј | | |
| 49020 | 6179 | Face Plate |
| 193ғ | | Berew |
| 49197 | 6213 | Feed Bar with 220p and 457c |
| 49022 | 6209 | " " Hinge Pin |
| 457c | | " " " Set Screw |
| 49198 | 6213 | " Connecting Rod with 4784, 49199, |
| | | 49241 and two 896E |
| *49199 | | Feed Connecting Rod Cap |
| 896E | | " " " Screw |
| 49200 | 6213 | " " Hinge Pin |
| 457c | 6196 | " " Set Screw |
| 4784 | 6192 | " " " Oil Pad (felt) |
| | | |

| NO. | PLATE | NAME |
|--------------|-------|---|
| 49241 | 6213 | Feed Connecting Rod Oil Pad Pin |
| 49201 | 6189 | " Dog, 14 teeth (7 teeth to the inch) |
| | 6194 | " Screw |
| | 6209 | " Stop Screw |
| 49112 | 6197 | " Eccentric with two 1259c |
| | | " Set Screw |
| | 6209 | Det Delew |
| 49113 | 6197 | Litting Eccentric with two 1209C |
| 49253 | 6219 | Connection with |
| +40000 | | 457c, 2653, 49029, 55515 and two 896E |
| *49029 | | Feed Lifting Eccentric Connection Cap |
| 896E | 6209 | |
| | | Screw |
| 49030 | 6209 | Feed Lifting Eccentric Connection Hinge |
| | | Pin |
| 4 57c | 6196 | Feed Lifting Eccentric Connection Hinge |
| | | Pin Set Screw |
| 55515 | 6219 | Feed Lifting Eccentric Connection Oil Pad |
| | | (braided cotton) |
| 2653 | 6206 | Feed Lifting Eccentric Connection Oil Pad |
| | | Pin |
| 1259c | 6209 | Feed Lifting Eccentric Set Screw |
| 49202 | 6213 | " Regulator with 457c and 914c |
| 49203 | 6213 | " Connection |
| 9140 | 6196 | " " Screw |
| 50331E | 6213 | " Regulating Screw |
| 49204 | 6213 | " - " Friction Washer |
| 931 E | 6213 | " " StopScrewBushing |
| 49205 | 6213 | " " Washer (fibre) |
| 49206 | 6213 | " " " (steel) |
| 49033 | 6179 | " Rock Shaft |
| 49207 | | Feed Rock Shaft complete, Nos. 49033 |
| | | and 49208 |
| 49208 | 6213 | Feed Rock Shaft Crank with two 896E |
| | 6209 | " " " Clamping Screw |
| 11398 | 6179 | " " Hinge Pin |
| | 6198 | " " " Nut |
| _ | 6198 | " " " " Nut " " " Screw Bearing |
| 15081 | | " " " " " " " " " |
| 10003 | 0100 | Nut |
| 27398 | 6181 | Feed Rock Shaft Washer |
| 36421 | 6200 | Guide |
| | 6200 | " Screw Stud |
| | 6200 | " Thumb Screw |
| 49209 | 6214 | Looper (double thread) with 590p and |
| 48208 | * | 49213 |
| 49210 | 6214 | Looper (single thread) |
| *49257 | | " Bell Crank |

| NO. PI | ATE | | | NAME | | |
|---------------------|-----|---------|----------|---------------|----------|---|
| 49038 6 | 207 | Looper | Bell Ci | ank 4925 | 7 with 4 | 1784 |
| | 207 | " | " | | | Set Screw |
| | 192 | " | " | | | ;) |
| | 207 | " | " | | | h 46223, |
| 10100 0 | 201 | 40041 | and to | | | l 1057E |
| 49250 - | | | | | | 9158 with |
| 49200 - | | | | | | |
| 50070c 6 | 100 | 7 | D-II C- | | | |
| 900706 9 | 192 | | | | | Screw Stud |
| 1000 0 | 100 | (lowe | r) | | | |
| 1636c 6 | 198 | Looper | Bell Cra | ank Pitma | in Balls | Screw Stud |
| E0000 - 0 | àoo | (lowe | r) Nut. | 1.704 | | |
| 50069c 6 | 208 | | | | | Screw Stud |
| 1010 0 | | _ (uppe | er) | | | |
| 1619E 6 | 208 | | | | | Screw Stud |
| | | | | | | |
| *49041 - | | | Bell C | rank Pit | man Ca | p (lower) |
| 171E 6 | 192 | " | | | | • |
| | | Screw | 7 | • • • • • • • | | |
| *46223 - | | | | rank Pit | man Ca | p (upper) |
| 1057E 6 | 209 | " | " | " | | " |
| | | | | | | |
| 49043 6 | 192 | | | | | her (fibre) |
| *49260 - | | | | | | 75E, 1147c |
| | | | | | | |
| 49211 6 | 214 | Looper | Carrier | 49260 w | ith 4784 | |
| 175E 6 | 192 | " | " | Clampin | g Screw | · |
| 59019 6 | 197 | " | " | Gib | | |
| 49165 6 | 192 | " | " | | | |
| 49166 6 | 192 | " | " | " " | ' Coll | ar with |
| | | two 2 | 02ғ | | | |
| 202г 6 | 192 | | | | | Set Screw |
| 157p 6 | 193 | " | 46 | " " | Clamr | ing Screw |
| | 192 | " | " | Oil Pad (| felt) | |
| 49247 - | | " | " | 49211 w | ith 491 | 65, 49166 |
| | | and 4 | 9248 | | | |
| 49045 6 | 192 | Looper | Carrie | r Pitman | . comp | lete, Nos. |
| | | 1708s | : 1709F | 49046 4 | 9088 an | d 49089 |
| 50070c 6 | 192 | | | | | crew Stud |
| 1519 _J 6 | | " | " | " | " | " " |
| 10100 0 | -02 | Nut | | | | |
| 46237 6 | 192 | | | | | tud (left) |
| 1147c 6 | | # | " | " | " " | " " |
| 11110 0 | 100 | Set S | orew | | | |
| *49085 - | | Looner | Carrier | Pitman | Can (lef | t) |
| 171E 6 | 102 | Toober | Carrier | TITILISH ' | Cap (lei | |
| | 192 | " | 44 | | | ht) |
| 49085 - 171E 6 | | " | " | " | (118 | Screw |
| TITE D | 192 | • • | | | | ocrew |

| | n | NAME OF THE PARTY |
|--------|-------|---|
| NO. | PLATE | NAME |
| *49086 | | Looper Carrier Pitman End Bearing (left) |
| *49087 | | (Light) |
| 49088 | 6192 | riead (left), Nos. |
| | | 46237, 49085, 49086 and two 171E |
| 49089 | 6192 | Looper Carrier Pitman Head (right), Nos. |
| | | 49085, 49087, 50070c and two 171E |
| 49046 | 6192 | Looper Carrier Pitman Rod |
| 1708E | 6192 | " " " Nut (left) |
| 1709E | 6192 | " " " " (right) |
| 49043 | 6192 | " " Washer (fibre) |
| 49047 | 6193 | " " Rock Shaft |
| 11411 | 6193 | " " " Collar with |
| | | 453c |
| 453c | 6193 | Looper Carrier Rock Shaft Collar Set |
| | | Screw |
| 49048 | 6193 | Looper Carrier Rock Shaft Crank (back) |
| 20010 | 0100 | forked, with 50083c |
| 50083c | 6103 | Looper Carrier Rock Shaft Crank (back) |
| 000000 | 0100 | Set Screw |
| 49049 | 6193 | Looper Carrier Rock Shaft Crank (back) |
| 10010 | 0190 | Slide Block |
| 49248 | 6193 | Looper Carrier Rock Shaft Crank (front) |
| 40440 | 0199 | |
| 1324E | 6102 | with 157p and two 1324E Looper Carrier Rock Shaft Crank (front) |
| 1924E | 0199 | |
| 40149 | 6102 | Clamping Screw |
| 49142 | 6193 | Looper Eccentric with two 1036c |
| 49258 | 6102 | 49142 With 49049 |
| 1036c | | bet berew |
| 49212 | 6210 | Gate with 440C |
| 49053 | 6181 | ringe rin |
| 448c | | Set Screw |
| 49054 | 6181 | " Lock Spring |
| 226D | | Screw |
| 1147c | | " Set Screw |
| 49213 | 6214 | " Thread Guard |
| | 6192 | " " Screw |
| 49214 | 6214 | Needle Bar (hollow) |
| 49215 | 6214 | " " Bushing (lower) |
| 435c | 6194 | " " Set Screw |
| 49216 | 6214 | " " (upper) |
| 1133E | 6194 | " " Set Screw |
| *49101 | 6194 | " Connecting Link |
| 49252 | | " " " 49101 with |
| | | 49057 and 49217 |
| 49057 | 6194 | Needle Bar Connecting Link Hinge Stud |
| 1517ј | 6194 | |
| | | Nut |

| NO. PLATE | 8 | NAME |
|-------------|--------------|---|
| 49217 6214 | Needle Bar | Connecting Stud with 1454E. |
| 1454E | " " | " " Clamping |
| | Screw | |
| 1740c 6214 | Needle Clar | nping Nut |
| 49059 6195 | Presser Bar | ···· |
| 49060 6195 | " " | Bushing (lower) |
| 435c 6195 | " " | |
| 49061 6195 | " " | bei berew |
| | " " | (upper) |
| 1133E 6195 | " " | bet berew |
| 49062 6195 | " " | Lifter |
| 212р 6195 | " " | Cap Screw |
| 49063 6195 | | . Priction washer |
| 49064 6195 | | " Hinge Stud |
| 453c 6195 | " " | " " Set Screw |
| 49065 6195 | " " | Lifting Bracket with 453c and |
| | 892F | • |
| 892F 6195 | Presser Bar | Lifting Bracket Adjusting |
| | Screw | *************************************** |
| 453c 6195 | Presser Bar | Lifting Bracket Set Screw |
| 49066 6195 | " " | " Link |
| 212р 6195 | " " | " Cap Screw |
| 724p 6195 | " " | " " Hinge Screw |
| 49067 6179 | " " | Spring (flat) |
| 38468 6195 | <i>"</i> " | " Stud |
| 50087F 6198 | " Foot | Hinge Screw |
| 49218 — | " " | Plate |
| 49119 | " " | |
| | D Foot | Shank |
| 49219 6189 | Presser Foot | (hinged) complete for 49201, |
| 100 0100 | Nos. 4911 | 9, 49218 and 50087F |
| 190р 6198 | Presser Foot | Screw |
| 574w 6198 | Pressure Reg | gulating Thumb Screw |
| 1539w 6198 | | " " Lock |
| | Nut | |
| 2102 6194 | Tension (und | ler thread) Disc |
| 1560c 6194 | | " Regulating Thumb |
| | Nut | |
| 916c 6194 | | der thread) Screw Stud |
| 44209 | | " " " 916c |
| | with 1560c | 3 |
| 10148 6194 | Tension (und | der thread) Spring |
| 49220 6214 | " " | " Thread Guide |
| 2102 6194 | " (up | per thread) Disc |
| 1560c 6194 | " " | " Regulating Thumb |
| | Nut | 8 |
| 916c 6194 | Tension (upr | per thread) Screw Stud |
| 44209 | " " " | " " 916c |
| | with 1560c | 310C |
| | 11 1011 TOOL | ···· |

| NO. | PLATE | | | NAME | | |
|-------|-------|---------|----------|----------|--------|--------------|
| 13710 | 6194 | Tension | n (upper | thread) | Spring | |
| 49220 | 6214 | " | " | | | l Guide |
| 49221 | 6214 | Thread | (under) | | | |
| 172 | 6194 | " | " | | | |
| 49222 | 6214 | " | " | Take-up | with | 49223 and |
| | | 4922 | 4 | _ | | |
| 49223 | 6214 | | | | | r |
| 49224 | 6214 | 44 | ` " ′ | " . | " | Pin |
| 190: | 6196 | " | " | " | Screw | r |
| 49073 | 6196 | " | (upper) | Controll | | |
| 9741 | 6196 | " | " | " | Hir | ige Screw |
| 9141 | 6196 | " | " | " | | ew |
| 39541 | 6196 | " | " | " | 66 | Washer |
| 49225 | 6214 | " | " | Take-ur | Arm | with 457c. |
| 4570 | 6196 | " | " | " | 46 | Set Screw. |
| 49223 | 6214 | 46 | " | " | Rolle | r |
| 49226 | 6214 | " | " | " | " | Bracket |
| | | with | 49223 at | nd 49224 | | |
| 2071 | 6214 | Thread | (upper) | Take-u | p Roll | ler Bracket |
| | | | | | - | |
| 49224 | 6214 | | | | | r Pin |
| 49227 | | | | | | plete, Nos. |
| | | | | | | |
| 49228 | 6189 | | | | | d, for 49201 |
| 49229 | 6189 | +6 | | | | 49078, for |
| | | singl | | | | |
| 7421 | 6198 | Throat | Plate Se | erew | | |
| 49078 | 6181 | " | | | | |
| 665 | 6181 | " | " | " | " | Screw |

SINGER Needles should be used in SINGER Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.**" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

LIST OF PARTS COMPLETE

FOR

MACHINE No. 92-5

FOR STITCHING HEAVY BURLAP BAGS WITH FLAX, JUTE OR HEMP TWINE. MAKES TWO TO FOUR STITCHES TO THE INCH. HAS ONE NEEDLE, ONE LOOPER AND THROAT PLATE FOR SINGLE THREAD; ALSO LOOPER AND THROAT PLATE FOR TWO-THREAD CHAIN STITCH. HAS THE MECHANISM FOR REGULATING THE LENGTH OF STITCH ARRANGED SO THAT IT CAN BE ADJUSTED FROM THE TOP OF THE CLOTH PLATE, THERE BEING A CLEARANCE HOLE IN THE CLOTH PLATE FOR THIS PURPOSE.

| NO. | PLATE | | | | | AME | |
|--------|-------|-----|---------------|---------|-------|---------|---------------------|
| *49231 | | | | | | | lid) |
| 18130 | 6205 | | | L'upe i | vith | 52045, | for front bearing |
| 18130 | 6205 | " | " | " | " | 52045, | for intermediate |
| | | be | arin | g | | | |
| 11119 | 6205 | Arm | Oil | Tube | with | 52048 | i, for oiling 49101 |
| 18130 | 6205 | " | " | | | | , for oiling 49049 |
| 49091 | 6205 | " | " | " | | | , for oiling 49265 |
| | | (lo | wer | beari | ng). | | , |
| 49141 | 6213 | Arm | Oil | Tube | with | 56000 | , for oiling 49265 |
| | | | | | | | , |
| 52045 | 6197 | Arm | Oil | Tube | e Pa | cking | (braided cotton) |
| | | fo | r 111 | 19 ar | id 18 | 3130 | |
| 56006 | 6197 | | | | | | (braided cotton) |
| | | fo | r 49 1 | 41 | | | |
| 49092 | 6205 | | | | | | (braided cotton) |
| | | | | | | | |
| 49156 | 6207 | | | | | | |
| 49271 | | " | " | 60 | 4 | 9156 w | ith 49261 |
| 49003 | 6208 | " | " | 44 | В | ushing | (back) |
| 446c | 6208 | " | " | 6 | • | " | " Set Screw |
| 49004 | 6208 | " | " | 60 | • | " | intermediate |
| 446c | 6208 | " | " | 66 | • | 46 | " Set |
| | | Sc | rew. | | | | |
| 49232 | 6215 | Arn | n R | ock S | haft | Colla | r and Thread |
| | | (u | ppei |) Nip | per l | Eccent | ric with two 446c |
| 446c | 6215 | Arm | Roc | k Sha | ft Co | llaran | d Thread (upper) |
| | | N | ippe | r Ecc | entri | c Set S | Screw |
| 49261 | 6219 | | | | | | ack) with 50282E |
| | | | | | | | |
| 50457c | 6219 | | | | | | (back) Position |
| | | | | | | | |

| NO. PLATE | NAME |
|-------------|---|
| | |
| 50282E 6208 | Arm Rock Shaft Crank (back) Set Screw |
| 49262 6219 | (iront)with50282E |
| | and 50457c |
| 50457c 6219 | Arm Rock Shaft Crank (front) Position |
| | Screw |
| 50282E 6208 | Arm Rock Shaft Crank (front) Set Screw |
| 49005 6208 | " " Flanged Bushing (front) |
| 430c 6208 | |
| | Set Screw |
| 49105 6211 | Arm Rotary Shaft |
| 49264 | " " 49105 with 49266 |
| 49011 6181 | " " Bushing (front) |
| 430c 6208 | " " " " Set |
| | Screw |
| 49010 6209 | Arm Rotary Shaft Collar with two 1259c |
| 1259c 6209 | " " Set Screw |
| 49012 6179 | ". " Flanged Bushing (back) |
| | with 49013 and 49093 |
| 49093 6205 | Arm Rotary Shaft Flanged Bushing (back) |
| | Oil Pad (long) braided cotton |
| 49013 6205 | Arm Rotary Shaft Flanged Bushing (back) |
| | Oil Pad (short) braided cotton |
| 159r 6198 | Arm Rotary Shaft Flanged Bushing (back) |
| | Screw |
| 49014 6181 | Arm Rotary Shaft Flanged Bushing (inter- |
| | mediate) |
| 448c 6181 | Arm Rotary Shaft Flanged Bushing (inter- |
| | mediate) Set Screw |
| 49013 6205 | Arm Rotary Shaft Oil Pad (braided cotton) |
| | for front bearing |
| 49013 6205 | Arm Rotary Shaft Oil Pad (braided cotton) |
| | for intermediate bearing |
| 144p 6198 | Arm Rotary Shaft Screw |
| 4288 6179 | " Side Cover (back) |
| 286p 6198 | " " " Thumb Screw |
| 4288 6179 | " " (front) |
| 286р 6198 | " " " Thumb Screw |
| 23873 6210 | Balance Wheel, 21/8 in. pulley, with two |
| | 430c |
| 430c 6181 | Balance Wheel Set Screw |
| 49195 6210 | Cloth Platc |
| 49016 — | " " Slide |
| 38419 6181 | |
| 725j 6181 | opring |
| 49017 6179 | " " " Screw |
| 49011 011A | 49016 and two 7251 |
| | 19010 and two /20J |

| NO. PLA | re | NAME |
|-----------------------|-------------------------|--------------------------------------|
| 49196 | Clot! | h Plate complete, Nos. 49017, 49053, |
| | 49 | 054, 49195, 49212 and two 226p |
| , 50175F 621 | 3 Clot | h Plate Screw |
| 49265 622 | 0 Cran | k Connecting Rod with 49099 and |
| | tw | о 145е |
| 49266 | | ak Connecting Rod 49265 with 1513J |
| | an | d 50147c |
| *49099 | - Crar | ak Connecting Rod Cap |
| 145E 619 | | " " Screw |
| 50147c 619 | | " " Hinge Screw |
| 1513л 619 | • | " " " Nut |
| 49020 617 | | Plate |
| 193F 618 | | " Screw |
| 49197 621 | | Bar with 220p and 457c |
| 49022 620 | | " Hinge Pin |
| 457c 619 | | " " Set Screw |
| 49198 621 | | Connecting Rod with 4784, 49199, |
| 19190 021 | | 241 and two 896E |
| *49199 | | Connecting Rod Cap |
| 896E 620 | | " " Screw |
| 49200 621 | _ | " " Hinge Pin |
| 49200 021 457c 619 | | " " Set Screw |
| | | " " Oil Pad (felt) |
| 4784 619 | 14 | " " " Din |
| 49241 621 | LO | FIII |
| 49138 619 | 70 | Dog, 17 teeth (14 teeth to the inch) |
| 170 - 010 | 101 1 | r medium and light bags |
| 172c 619 | | l Dog Screw |
| 220р 620 |) 9 | " Stop Screw |
| 49112 619 | 94 | Eccentric with two 1259c |
| 1259c 620 | 9 | Set Screw |
| 49113 619 | 94 | Lifting Eccentric with two 1259c |
| 49253 621 | Ly | Connection with |
| ***** | 45 | 7c, 2653, 49029, 55515 and two 896E |
| *49029 | | Lifting Eccentric Connection Cap |
| 896E 620 | 9 . | |
| 10000 000 | | rew |
| 49030 620 | | Lifting Eccentric Connection Hinge |
| | Pi | n |
| 457c 619 | | Lifting Eccentric Connection Hinge |
| | | n Set Screw |
| 55515 621 | | Lifting Eccentric Connection Oil Pad |
| | | raided cotton) |
| 2653 620 | | Lifting Eccentric Connection Oil Pad |
| 40 | | n |
| 1259c 620 | | Lifting Eccentric Set Screw |
| 49202 623 | | Regulator with 457c and 914c |
| 49203 62 | 13 " | " Connection |

| | | | | • | | | | | |
|----------------|-------|-------|-----------|--------------|-----------|-------------|--------------|-------------|---|
| NO. | PLATE | 12. 1 | n 1 | | NAME | | ~ | | |
| - | 6196 | r eea | Regula | tor C | onne - | ction | Screw | ٧ | • |
| 50331E | - | " | Kegula | ting | | | | | |
| 49204 | 6213 | •• | | | 46 | | | Washer | |
| | 6213 | " | " | | " | Stops | Screw | Bushin | g |
| 49205 | 6213 | " | " | | " | Wash | ıer (fi | bre) | |
| 49206 | 6213 | " | 46 | | " | " | | teel) | |
| 49033 | 6179 | " | Rock S | shaft. | | | | | |
| 49207 | | Feed | Rock | Shaft | con | nplete | , No | s. 4903 | 3 |
| | | and | d 49208 | | | | | | |
| 49208 | 6213 | Feed | Rock S | | | | | 896E | |
| 896E | 6209 | 44 | " | " | " | Cla | mpin | g Screv | v |
| 11398 | 6179 | " | " | " | Hing | e Pin. | | • • • • • | |
| 1508յ | 6198 | " | 46 | " | " | " | | | |
| 622c | 6198 | " | " | " | " | " § | | Bearing | |
| 1508յ | 6198 | " | " | " | " | " | | - 66 | , |
| | | Nu | ıt | | | | | | |
| 27398 | 6181 | Feed | Rock S | haft | Wasl | er. | | | • |
| 36421 | 6200 | | | | | | | | |
| | 6200 | 66 | Screw | Stud | l . | | | | • |
| | 6200 | " | Thum | b Ser | ъм. | • • • • • | • • • • • | | • |
| 49233 | 6215 | Loop | er (do: | ible 1 | hren | d) wi | th 50 | 90o an | 4 |
| 10200 | 0210 | | | | | | | ···· | |
| 49037 | 6192 | Loon | or (sina | lathr | ood) | | • • • • • | | • |
| *49257 | | 200p | Roll | Crani | eau) | • • • • • | • • • • • | | • |
| 49038 | 6207 | 66 | nen. | Ciani " | ռ 400 | 57 | . L. 170 | 8 4. | • |
| 49039 | 6207 | " | " | " | | | | | |
| | 6181 | " | 44 | " | 1111 | | | t Screv | |
| 4784 | 6192 | " | " | " | | | | | |
| 49158 | 6207 | 66 | " | " | | | | 40000 | |
| 49199 | 0207 | | | | PIU | man | with | 46223 | , |
| 49250 | | | | | | | | 057E | |
| 49200 | | | | | | | | 58 witl | |
| 50070 ~ | C100 | JUG T | oge and | ນວບບ | TUC. | | | | |
| 50070c | 0192 | | | | | | | ew Stud | |
| 1000 | 2100 | (101 | wer) | | | • • • • • | | | , |
| 1636c | 6198 | | | | | | | ew Stud | |
| 70000 | 2222 | (101 | ver) Nu | ıt | | • • • • • | | <u>.</u> | |
| 50069c | 6208 | Loop | er Bell (| Frank | Pitn | ian Ba | ıll Scr | ew Stud | l |
| | | _ (up | per) | | • • • • • | · • • • • | | | |
| 1619E | 6208 | | | | | | | ew Stud | l |
| | | | per) N | | | | | | |
| *49041 | | Loop | er Bell | Cran | k Pi | | | (lower) |) |
| 171E | 6192 | " | | " | | " | " | 46 | |
| | | Scr | ew | | | . . | | | |
| *46223 | | Loope | er Bell | Cran | k Pi | tman | Cap | (upper) |) |
| 1057E | 6209 | " | " | 44 | | " | " | " | |
| | | Scr | ew | | | · • • • • | | | |
| 49043 | 6192 | Loope | er Bell (| Crank | : Piti | nan V | Vashe | r (fibre) | , |

| NO. PLATE | NAME |
|-----------------------|---|
| | |
| *49260 —— | Looper Carrier with two each 175E and |
| 40011 0014 | 1147c and 59019 |
| 49211 6214 | Looper Carrier 49260 with 4784 |
| 49247 | 49211 With 49105, 49106 |
| | and 49248 |
| 175E 6192 | Looper Carrier Clamping Screw |
| 59019 6197 | Gib |
| 49165 6192 | ninge Fin |
| 49166 6192 | " " Collar with |
| | two 202F |
| 202F 6192 | Looper Carrier Hinge Pin Collar Set Screw |
| 157 _D 6193 | " " Clamping Screw |
| 4784 6192 | " Oil Pad (felt) |
| 49045 6192 | Looper Carrier Pitman complete, Nos. |
| | 1708E, 1709E, 49046, 49088 and 49089. |
| 50070c 6192 | Looper Carrier Pitman Ball Screw Stud |
| 1519ј 6192 | |
| | Nut |
| 46237 6192 | Looper Carrier Pitman Ball Stud (left) |
| 1147c 6192 | |
| | Set Screw |
| *49085 —— | Looper Carrier Pitman Cap (left) |
| 171E 6192 | " " " Screw |
| *49085 | " " " (right) |
| 171E 6192 | " " " Screw |
| *49086 | " " End Bearing (left) |
| *49087 | " " " " (right) |
| 49088 6192 | " " Head (left), Nos. |
| | 46237, 49085, 49086 and two 171E |
| 49089 6192 | Looper Carrier Pitman Head (right), Nos. |
| | 49085, 49087, 50070c and two 171E |
| 49046 6192 | Looper Carrier Pitman Rod |
| 1708E 6192 | " " " Nut (left) |
| 1709E 6192 | " " " (right) |
| 49043 6192 | " " Washer (fibre) |
| 49047 6193 | " Rock Shaft |
| 11411 6193 | " " Collar with 453c |
| 453c 6193 | " " Set Screw |
| 49048 6193 | " " " Crank (back) |
| 13010 0130 | forked, with 50083c |
| E0000 - 6100 | Looper Carrier Rock Shaft Crank (back) |
| 50083c 6193 | |
| | Set Screw |
| 49049 6193 | Looper Carrier Rock Shaft Crank (back) |
| | Slide Block |
| 49248 6193 | Looper Carrier Rock Shaft Crank (front) |
| | with 157p and two 1324E |
| | |

| NO DIAME | NAME |
|-------------------------|---|
| NO. PLATE | NAME |
| 1324E 6193 | Looper Carrier Rock Shaft Crank (front) Clamping Screw |
| 49142 6193 | Looper Eccentric with two 1036c |
| 49258 — | " 49142 with 49049 |
| 1036c 6193 | " Set Screw |
| 49212 6210 | " Gate with 448c |
| 49053 6181 | " "Hinge Pin |
| 448c 6181 | " " Set Screw |
| 49054 6181 | " Lock Spring |
| 226p 6181 | " " " Screw |
| 1147c 6192 | " Set Screw |
| 49213 6214 | " Thread Guard |
| 590р 6192 | " " Screw |
| 49055 6194 | Needle Bar (hollow) |
| 49117 6197 | " " Bushing (lower) |
| 435c 6194 | " " Set Screw |
| 49056 6194 | " " (upper) |
| 1133E 6194 | " " Set Screw |
| *49101 6194 | " " Connecting Link |
| 49167 | " " " 49101 with |
| | 49057 and 49268 |
| 49057 6194 | Needle Bar Connecting Link Hinge Stud |
| 1517ј 6194 | |
| | Nut |
| 49268 6219 | Needle Bar Connecting Stud with 704E |
| 704E 6219 | " " " Clamping |
| | Screw |
| 1629c 6194 | Needle Clamping Nut |
| 49059 6195 | Presser Bar |
| 49060 6195 | " " Bushing (lower) |
| 435c 6195 | " " Set Screw |
| 4 9061 6195 | " " " (upper) |
| 1133E 6195 | " " Set Screw |
| 49062 6195 | " " Lifter |
| 212ь 6195 | " " Cap Screw |
| 49063 6195 | riction washer |
| 49064 6195 | " Hinge Stud |
| 453c 6195 | Set Screw |
| 49065 6195 | Litting Dracket with 455C and |
| 000 010 5 | 892F |
| 892F 6195 | Presser Bar Lifting Bracket Adjusting |
| 450- 0105 | Screw |
| 453c 6195 | Presser Bar Lifting Bracket Set Screw |
| 49066 6195 212p 6195 | Link |
| 724p 6195 | Cap Screw |
| 724D 6195 49067 6179 | Hinge Screw |
| #8001 0118 | " Spring (flat) |

| NO. PLAT | | |
|-----------------------|--------------------------------------|----|
| 38468 6195 | | • |
| 50087r 6198 | root minge ottew | • |
| 49234 | riate | |
| 49119 | " " Shank | |
| 49235 6190 | | 3, |
| | Nos. 49119, 49234 and 50087f | |
| 190 _D 6198 | Presser Foot Screw | |
| 574w 6198 | Pressure Regulating Thumb Screw | |
| 1539w 6198 | " " " Loc | k |
| | Nut | |
| 2102 6194 | Tension (under thread) Disc | |
| 1560c 6194 | " " Regulating Thum | b |
| | Nut | |
| 916c 6194 | Tension (under thread) Screw Stud | |
| 44209 | " " " " 916 | |
| | and 1560c | |
| 10148 6194 | Tension (under thread) Spring | |
| 49220 6214 | " " Thread Guide | • |
| 2102 6194 | " (upper thread) Disc | • |
| 1560c 6194 | " " Regulating Thuml | |
| | Nut | |
| 916c 6194 | Tension (upper thread) Screw Stud | |
| 44209 —— | " " " " " 916 | |
| 11200 | and 1560c | |
| 13710 6194 | Tension (upper thread) Spring | • |
| 49220 6214 | " " Thread Guide | |
| 49221 6214 | Thread (under) Eyelet | |
| 172F 6194 | " " Screw | |
| 49222 3214 | " Take-up with 49223 and | , |
| 13222 0214 | | |
| 49223 6214 | 49224 Thread (under) Take-up Roller | |
| 49224 6214 | | |
| 190p 6196 | 1 111 | |
| 49073 6196 | ocrew | |
| 974F 6196 | " (upper) Controller | |
| 914F 6196 | illinge ociew | |
| 39541 6196 | " " " Screw " " " " Washer | |
| 49236 6215 | wasner | |
| 49244 | Nipper Bracket | |
| 49244 | Thread (upper) Nipper complete, Nos. | • |
| | 1560c, 32572, 49236, 49238, 50133c, | , |
| 101- 001- | 54738 and two 2102 | |
| 181b 6215 | Thread (upper) Nipper Bracket Screw | |
| 2102 6215 | | |
| 1560c 6215 | Regulating I numo | |
| BOFFO 0017 | Nut | |
| 32572 6215 | Thread (upper) Nipper Releasing Disc | |
| 49237 6215 | " " " Stud | |
| | | |

| NO. | PLATE | | | NAME | : | | |
|--------|--------|--------|-----------|----------|---------|---------|--------|
| 501330 | 6215 | Thread | (upper) | Nipper | Screw | Stud | |
| 54738 | 6215 | " | " | " | Spring | | |
| 49238 | 6215 | " | " | " | Threa | | |
| 49245 | 6215 | " | " | Take-u | p Arm | with | 457c |
| 4570 | 6196 | " | " | " | " | Set | Screw |
| 49223 | 6214 | " | " | " | Rolle | er | |
| 49226 | 6214 | " | " | " | " | Br | acket |
| | | with | 49223 a | nd 4922 | 4 | | |
| 2071 | 6214 | Thread | (upper) | Take- | up Rol | ler B | racket |
| | | Screv | v | | | | |
| 49224 | 6214 | Thread | (upper) | Take-u | p Rolle | er Pir | ı |
| 49246 | | Thread | (upper | Take- | up con | plete | , Nos. |
| | | 207 D, | 49226 a | ind 4924 | 15 | | |
| 49239 | 6190 | Throat | Plate, fo | or doubl | e threa | d, for | 49138 |
| 49240 | 6190 | " | | ith 665 | | | |
| | | single | thread | for 491 | 38 | | |
| 742 | F 6198 | Throat | Plate Se | crew | | | |
| 49078 | 6181 | " | | hread R | | | |
| 6651 | 6181 | " | " | " | " | Scre | w |

SINGER Needles should be used in SINGER Machines.' These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.**" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

LIST OF PARTS COMPLETE FOR

MACHINE No. 92-6

FOR STITCHING HEAVY BURLAP BAGS WITH FLAX, JUTE OR HEMP TWINE, MAKES TWO TO FOUR STITCHES TO THE INCH. HAS ONE NEEDLE, ONE LOOPER AND THROAT PLATE FOR SINGLE THREAD; ALSO LOOPER AND THROAT PLATE FOR TWO-THREAD CHAIN STITCH.

| NO. | PLATE | | | | _ | AME | | | |
|----------------|-------|-------|------|--------|-------|-------|------------|------------|-----|
| *49231 | | | | | | | | | |
| 18130 | 6205 | " | Oil | Tube | with | h 520 | 45, forfr | ontbeari | ng |
| 18130 | 6205 | " | " | " | " | 520 | 45, for in | itermedia | ιte |
| | | be | arin | | | | | | |
| 11119 | 6205 | Arm | Oil | Tube | with | 520 | 45, for c | iling 491 | 01 |
| 18130 | 6205 | " | " | " | " | 520 | 45, for c | oiling 490 | 49 |
| 49091 | 6205 | " | " | " | " | | | iling 492 | |
| | | . (lo | wer | beari | ng). | | | | |
| 49141 | 6213 | | | | | | | iling 492 | 65 |
| | | | | | | | | | |
| 52045 | 6197 | Arm | Oil | Tube | Pa | ckin | g (braid | led cotto | n) |
| | | | | | | | | | |
| 56006 | 6197 | Arm | Oil | Tube | Pa | ckin | z (braid | led cotto | n) |
| | | | | | | | | | |
| 49092 | 6205 | Arm | Oil | Tube | Pac | king | (felt) fo | or 49091. | |
| 49156 | 6207 | | | | | | | | |
| 49271 | | " | " | " | 4 | 9156 | with 49 | 261 | |
| 49003 | 6208 | " | " | " | E | Bushi | ng (bac | k) | |
| 446 c | 6208 | " | " | " | | " | | Set Scre | ew |
| 49004 | 6208 | " | " | " | : | " | (inte | rmediat | e) |
| 446c | 6208 | " | 46 | " | | " | • | " | |
| | | Se | t Sc | rew | | | | | |
| 49232 | 6215 | Arm | Roc | kShaf | t Co | llarv | vith Thr | ead (uppe | er) |
| | | | | | | | | 46c | |
| 446c | 6215 | | | | | | | ead (uppe | |
| | | N: | ippe | r Ecce | entri | c Set | Screw. | | |
| 49261 | 6219 | Arm | Roc | k Sha | ft Cı | rank | (back) v | vith 5028 | 2е |
| | | an | d 50 | 457c. | | | | | |
| 50457 c | 6219 | Arm | Ro | ck Sh | aft | Cran | k (bacl | k) Positi | on |
| | | Sc | rew. | | | | | | |
| 50282E | 6208 | Arm | Roc | | | | (back) | Set Screv | N. |
| 49262 | 6219 | " | " | " | | " | (front) | with5028 | 2Е |
| | | an | d 50 | 457c. | | | | | |
| | | | | | | | | | |

| NO. PLATE | NAME |
|-----------------------|---|
| 50457c 6219 | Arm Rock Shaft Crank (front) Position |
| 304370 0219 | Screw |
| 50282E 6208 | Arm Rock Shaft Crank (front) Set Screw |
| 49005 6208 | " " Flanged Bushing (front) |
| 430c 6208 | |
| | Set Screw |
| 49105 6211 | Arm Rotary Shaft |
| 49264 —— | " " 49105 with 49266 |
| 49011 6181 | " " Bushing (front) |
| 430c 6208 | " " " Set |
| 49010 6209 | Screw |
| 1259c 6209 | " " Set Screw |
| 49012 6179 | |
| 49012 0179 | " " FlangedBushing(back) with 49013 and 49093 |
| 49093 6205 | Arm Rotary Shaft Flanged Bushing (back) |
| 49090 0200 | Oil Pad (long) braided cotton |
| 49013 6205 | Arm Rotary Shaft Flanged Bushing (back) |
| 13010 0200 | Oil Pad (short) braided cotton |
| 159F 6198 | Arm Rotary Shaft Flanged Bushing (back) |
| 1037 0130 | Screw |
| 49014 6181 | Arm Rotary Shaft Flanged Bushing (inter- |
| 10011 0101 | mediate) |
| 448c 6181 | Arm Rotary Shaft Flanged Bushing (inter- |
| 2100 0101 | mediate) Set Screw |
| 49013 6205 | Arm Rotary Shaft Oil Pad (braided cotton) |
| | for front bearing |
| 49013 6205 | Arm Rotary Shaft Oil Pad (braided cotton) |
| | for intermediate bearing |
| 144p 6198 | Arm Rotary Shaft Screw |
| 4288 6179 | " Side Cover (back) |
| 286р 6198 | " " " Thumb Screw |
| 4288 6179 | " " " (front) |
| 286p 6198 | " " " Thumb Screw |
| 23873 6210 | Balance Wheel, 21/8 in. pulley, with two |
| | 430c |
| 430c 6181 | Balance Wheel Set Screw |
| 49143 6210 | Cloth Plate |
| 49016 | " " Slide |
| 38419 6181 | " " Spring |
| 725 _J 6181 | " " " Screw |
| 49017 6179 | Cloth Plate Slide complete, Nos. 38419, |
| | 49016 and two 725j |
| 49144 | Cloth Plate complete, Nos. 49017, 49053, |
| | 49054, 49143, 49212 and two 226D |
| 50175F 6213 | Cloth Plate Screw |

| *** | | |
|------------------|-------|--|
| NO. | PLATE | NAME |
| 49265 | 6220 | Crank Connecting Rod with 49099 and two 145E |
| 49266 | | Crank Connecting Rod 49265 with 1513J |
| 10-00 | | and 50147c |
| *49099 | | Crank Connecting Rod Cap |
| 145E | 6198 | " " " " Camarr |
| 50147c | 6198 | " " Hinge Screw |
| 1513յ | 6198 | " " " Nut |
| 49020 | 6179 | Face Plate |
| 193r | 6181 | " " Screw |
| 49110 | 6197 | Feed Bar with 220p and 457c |
| 49022 | 6209 | " " Hinge Pin |
| 457c | 6196 | " " " Set Screw |
| 49023 | 6209 | " Connecting Rod with 2653, 4784, |
| | | 49024 and two 896E |
| *49024 | | Feed Connecting Rod Cap |
| 896E | 6209 | " " " Screw |
| 4784 | 6192 | " " " Oil Pad (felt) |
| 2653 | 6206 | " " " Pin |
| 49138 | 6190 | " Dog, 17 teeth (14 teeth to the inch) |
| | | for medium and light bags |
| 172c | 6194 | Feed Dog Screw |
| 220 _D | 6209 | " " Stop Screw |
| 49112 | 6197 | " Eccentric with two 1259c |
| 1259c | 6209 | " Set Screw |
| 49113 | 6197 | " Lifting Eccentric with two 1259c |
| 49253 | 6219 | " " Connection with |
| | | 457c, 2653, 49029, 55515 and two 896E |
| *49029 | | Feed Lifting Eccentric Connection Cap |
| 896E | 6209 | |
| | | Screw |
| 49030 | 6209 | Feed Lifting Eccentric Connection Hinge |
| | | Pin |
| 457c | 6196 | Feed Lifting Eccentric Connection Hinge |
| | | Pin Set Screw |
| 55515 | 6219 | Feed Lifting Eccentric Connection Oil Pad |
| • | | (braided cotton) |
| 2653 | 6206 | Feed Lifting Eccentric Connection Oil Pad |
| | | Pin |
| 1259c | | Feed Lifting Eccentric Set Screw |
| 50086c | | " Regulating Screw Stud |
| 1714c | | Nut |
| 49031 | 6181 | Sieeve |
| 49032 | 6181 | wasner |
| 49033 | 6179 | " Rock Shaft |
| 49114 | | Feed Rock Shaft complete, Nos. 49033 and |
| | | 49115 |

| NO. | PLATE | | | | NAME | | | |
|---------------|--------|-------|-----------------------|---------|---------|-------------|---------|-----------|
| | | E4 | Daala C | 12 - EL | Crank | :41- 4- | 00 | o_ |
| 49115 | 6179 | reed | ROCK E | onan o | Crank | | | |
| | 6209 | " | " | " | | Clamp | | |
| 11398 | | " | " | " | Hinge | Pin | | • • • • • |
| | 6198 | " | " | " | " | " Nu | ıt | • • • • • |
| | 6198 | " | " | " | " | " Ser | ew Be | aring |
| 1508J | 6198 | | | | | | | |
| | | Nu | t | | | • • • • • • | • • • • | • • • • • |
| 27398 | 6181 | | | | Washe | | | |
| 36421 | 6200 | | 3 | • • • • | | • • • • • • | • • • • | • • • • • |
| | 6200 | " | Screw | Stu | d | • • • • • • | • • • • | • • • • • |
| • • • • • | 6200 | - " | Thun | ib Sc | rew | | • • • • | • • • • • |
| 49233 | 6215 | | | | thread) | | | |
| | | 492 | 213 | | | • • • • • • | • • • • | |
| 49037 | 6192 | | er (sing | de th | read) | | | |
| *49257 | | " | Bell | | ık | | | |
| 49038 | 6207 | " | " | " | 4925 | 7 with | 4784. | |
| 49039 | 6207 | " | | " | Hing | e Stud | | |
| 4480 | 6181 | " | " | " | " | | | Screw |
| 4784 | 6192 | " | " | " | Oil F | ad (fel | t) | |
| 49158 | 6207 | " | " | " | Pitm | an wi | th 4 | 6223, |
| | | 490 |)41 and | two | each 1 | 71E and | d 105 | 7в |
| 49250 | | Loop | er Bell | Cra | ank Pit | man 4 | 9158 | with |
| | | 500 |)69c an | d 50 | 070c | | | |
| 50070 | 6192 | | | | k Pitma | | | |
| | | (lo | wer) | | | | | |
| 16360 | 6198 | Loop | er Bell (| Cran | k Pitma | n Ball | Screw | Stud |
| | | (lo | wer) N | ut | | | | |
| 500690 | 6208 | Loop | er Bell (| Cran | k Pitma | n Ball | Screw | Stud |
| | | (up | per) | | | | | |
| 1619 | 6208 | Loop | er Bell (| Cran | k Pitma | n Ball | Screw | Stud |
| | • | (up | per) N | ut | | | | |
| *49041 | | Loop | er Bell | Cra | nk Pit | man C | ap (l | ower) |
| 171: | 6192 | " | " | " | : (| :4 | · ` | " |
| | | Scr | ew | | | | | |
| *46223 | | Loop | er Bell | Cra | nk Piti | nan C | ap (u | pper) |
| 1057 | e 6209 | " | " | 60 | : (| | | |
| | | Scr | ew | | | | | |
| 49043 | 6192 | Loop | er Bell | Crai | ık Pitm | an Wa | sher (| (fibre) |
| 49044 | 6192 | " | Carr | ier v | vith 47 | 84 and | two | each |
| | | 178 | б <mark>е, 114</mark> | 7c ar | d 5901 | 9 | | |
| 49194 | | Loop | er Car | rier 4 | 19044 v | vith 49 | 165, | 49166 |
| | | and | 1 49248 | 3 | | | | |
| 1751 | 6192 | Loop | er Carı | ier C | Clampin | g Screv | v | |
| 5 9019 | 6197 | " | " | | iib | | | |
| 49165 | 6192 | " | " | F | linge P | in | | |
| 49166 | 6192 | " | " | | " | ' Col | lar ' | with |
| | | t 337 | 202₽ | | | | | |

| NO. | PLATE | | | NAI | | | |
|---------------|-------------|------------------|----------|------------|----------|---------------|-----------|
| 202F | 6192 | Looper | Carri | er Hinge | Pin Co | llar Set | Screw |
| 157 D | 6193 | " | " | " | " Cla | mpi ng | Screw |
| 4784 | 6192 | " | " | Oil Pa | d (felt) |) | |
| 49045 | 6192 | Looper | Carr | ier Pitn | nan co | mplete, | Nos. |
| | | 1708 | е, 170 | 9e, 4904 | 16, 4908 | 38 and | 49089 |
| 50070c | 6192 | | | ier Pitm | | | |
| | 6192 | 200por | " | " | | | " |
| 10103 | 0102 | Nut | | | | | |
| 40007 | 0100 | | | | | | |
| 46237 | 6192 | Looper (left) | Carr | ier Pitm | an bai | 1 Screw | Stua |
| 11470 | 6192 | | | ier Pitm | | | |
| 11470 | 0132 | (left) | Set | Screw | an Dai | LOCIEW | Diud |
| *40000 | | | | | | | |
| *49085 | | Looper | Carri | er Pitma | in Cap | (left) | •••• |
| | 6192 | " | " | " | | " Sci | |
| *49085 | | " | " | | " | (right). | |
| | 6192 | " | " | " | | | Screw |
| *49086 | | " | " | • " | End. | Bearing | |
| *49087 | | " | " | | | | right) |
| 49088 | 6192 | | | • | | l (left), | |
| | | | | 85, 49080 | | | |
| 49089 | 6192 | Looper | Carri | er Pitma | n Head | (right), | , Nos. |
| | | 4908 | 5, 490 | 87, 50070 | oc and | two 171 | E |
| 4 9046 | 6192 | | | er Pitma | | | |
| | 6192 | " | " | " | | Nut (le | |
| 1709E | - | . " | " | | " | " (ri | ght) |
| 49043 | 6192 | " | " | | 11 0001 | er (fibr | e) |
| 49047 | 6193 | 66 . | " | TOOLE | Shaft | | • • • • • |
| 11411 | 6193 | " | ". | " | " Co | llarwith | 1453c |
| 453c | 6193 | " | " | " | " | " Set S | Screw |
| 49048 | 6193 | " | " | " | " Cr | ank (b | ack) |
| | | forke | d, wit | h 50083c | , | | |
| 50083c | 6193 | Looper | Carri | er Rock | Shaft (| Crank (| back) |
| | | Set S | crew. | | | • • • • • • | • • • • • |
| 49049 | 6193 | Looper | Carri | er Rock | Shaft (| Crank (| back) |
| | | Slide | Block | | | | |
| 49248 | 6193 | Looper | Carri | er Rock | Shaft C | Crank (f | ront) |
| | | with | 157D | and two | 1324E | | |
| 1324E | 6193 | Looper | Carri | er Rock | Shaft C | Crank (f | ront) |
| | • | Clam | ping 8 | Screw | | | |
| 49142 | 6193 | Looper | Eccer | itric with | two 10 | 036c | |
| 49258 | | " | " | 4914 | 12 with | 49049. | |
| 1036c | 6193 | " | " | Set | Screw | | |
| 49212 | 6210 | " | Gate | with 448 | c | | |
| 49053 | 6181 | " | " | Hinge Pi | in | | |
| 448c | 6181 | " | " | " . | Set S | crew | |
| 49054 | 6181 | " | " | Lock Spi | | | |

| NO. PLATE | NAME |
|-------------------------|---|
| 226p 6181 | Looper Gate Lock Spring Screw |
| 1147c 6192 | |
| 49213 6214 | Det Dutew |
| 590p 6192 | Inread Guard |
| | Screw |
| 49055 6194 | Needle Bar (hollow) |
| 49117 6197 | Dusning (lower) |
| 435c 6194 | Set Screw |
| 49056 6194 | (upper) |
| 1133E 6194 | bet berew |
| *49101 6194 | Connecting Link |
| 49167 —— | 49101 With |
| | 49057 and 49268 |
| 49057 6194 | Needle Bar Connecting Link Hinge Stud |
| 1517ј 6194 | |
| | Nut |
| 49268 6219 | Needle Bar Connecting Stud with 704E |
| 704E 6219 | " " " Clamping |
| | Screw |
| 1629c 6194 | Needle Clamping Nut |
| 49059 6195 | Presser Bar |
| 49060 6195 | " "Bushing (lower) |
| 435c 6195 | " " Set Screw |
| 49061 6195 | " " (upper) |
| 1133E 6195 | " " Set Screw |
| 49062 6195 | " " Lifter |
| 212p 6195 | " " Cap Screw |
| 49063 6195 | " " Friction Washer |
| 49064 6195 | " " Hinge Stud |
| 453c 6195 | " " " Set Screw |
| 49065 6195 | " Lifting Bracket with 453c and |
| 49000 0190 | |
| 000- 0105 | |
| 892 _F 6195 | Presser Bar Lifting Bracket Adjusting |
| | Screw |
| 453c 6195 | Presser Bar Lifting Bracket Set Screw |
| 49066 6195 | " " Link |
| . 212 _D 6195 | " " Cap Screw |
| 724 _D 6195 | " " " Hinge Screw |
| 49067 6179 | " " Spring (flat) |
| 38468 6195 | " " " Stud |
| 50087F 6198 | " Foot Hinge Screw |
| 49234 | " " Plate |
| 49119 | " " Shank |
| 49235 6190 | Presser Foot (hinged) complete for 49138, |
| | Nos. 49119, 49234 and 50087F |
| 190ь 6198 | Presser Foot Screw |
| 574w 6198 | Pressure Regulating Thumb Screw |
| | |

| NO. PLATE | NAME | |
|-------------|-------------------------------|---------------|
| 1539w 6198 | Pressure Regulating Thum | b Sarow Tools |
| 1999M 0199 | Nut | |
| 2102 6194 | Tension (under thread) Disc | |
| 1560c 6194 | " " " Pogu | lating Thumb |
| 10000 0134 | Nut | |
| 916c 6194 | Tension (under thread) Screen | ar Stud |
| 44209 | " " " " " | |
| 11200 | and 1560c | 0100 |
| 10148 6194 | Tension (under thread) Spri | na |
| 49220 6214 | | ead Guide |
| 2102 6194 | " (upper thread) Disc. | |
| 1560c 6194 | | lating Thumb |
| 10000 0101 | Nut | _ |
| 916c 6194 | Tension (upper thread) Scre | w Stud. |
| 44209 | " " " " " | " 916c |
| 11200 | and 1560c | |
| 13710 6194 | Tension (upper thread) Spri | ng |
| 49220 6214 | " " Thr | ead Guide |
| 49221 6214 | Thread (under) Eyelet | |
| 172F 6194 | | w |
| 49222 6214 | Thread (under) Take-up wi | |
| 10222 0211 | 49224 | |
| 49223 6214 | Thread (under) Take-up Ro | ller |
| 49224 6214 | | ' Pin |
| 190p 6196 | " " Ser | ew |
| 49073 6196 | " (upper) Controller | |
| 974F 6196 | | linge Screw |
| 914r 6196 | | crew |
| 39541 6196 | | " Washer |
| 49236 6215 | " " Nipper Brad | ket |
| 49244 —— | Thread (upper) Nipper co | |
| 10211 | 1560c, 32572, 49236, 49 | 238. 50133c. |
| | 54738 and two 2102 | |
| 181p 6215 | Thread (upper) Nipper Brad | |
| 2102 6215 | | |
| 1560c 6215 | | lating Thumb |
| | Nut | • |
| 32572 6215 | Thread (upper) Nipper Rele | |
| 49237 6215 | ** | " Stud |
| 50133c 6215 | " " " Scre | w Stud |
| 54738 6215 | " " " Sprii | ng |
| 49238 6215 | " " " Thre | ad Guide |
| 49245 6215 | " " Take-up Arr | n with 457c |
| 457c 6196 | | Set Screw |
| 49223 6214 | | ller |
| 49226 6214 | | Bracket |
| | with 49223 and 49224 | |

| NO. | PLATE | | | r | NAME | | | |
|-------|-------|--------|--------|---------|-----------------|-------|-------|-----|
| 207р | 6214 | Thread | | | ake-up | | | |
| 49224 | 6214 | Thread | | | | | | |
| 49246 | | Thread | | | ake-up 49245 | | | |
| 49239 | 6190 | Throat | | | | | | |
| 49240 | 6190 | " | " | with | 665p | and 4 | 9078, | for |
| | | single | e thre | ad, for | 49138 | | | |
| 742F | 6198 | Throat | Plate | Screv | v | | | |
| 49078 | 6181 | " | " | Threa | ad Reta | iner | | |
| 665D | 6181 | " | " | " | " | Sc | rew | |

ACCESSORIES

| NO. | PLATE | NAME |
|--------|-------|-----------------------------------|
| 4718 | 6218 | Machine Cushion |
| 501441 | 6199 | " Thumb Screw with 49095 for |
| | | power table |
| 49095 | 6199 | Machine Thumb Screw Washer |
| 120344 | 6201 | Oiler (copper plated) with 120345 |
| 120345 | 6201 | " Spout, 5 in. long |
| 11831 | 6201 | Screw Driver (large) |
| 26026 | 6201 | " " (small) |
| 120341 | 6201 | Tweezers (curved) |
| 23766 | 6201 | Wrench for 1508 and 1636 |
| 8909 | 6201 | " " 1513 and 1517 |
| 8908 | 6201 | " " 1519, 1708 and 1709 |
| 19221 | 6201 | " " 1619 |
| 19079 | 6201 | " " 1324 and 1629 |
| 49079 | 6201 | " " 1714 |
| 49242 | 6201 | " " 1740 |

EDGE FOLDERS

EDGE FOLDER

| NO. | PLATE | | | N | AME | | |
|-------|-------|------|---------|---------------------|----------|--------|------------|
| 36900 | 5676 | Edge | Folder | (doub | ole) | | |
| 36901 | 5676 | " | " | | | | |
| 1423p | 6219 | " | " | Screw | · | | |
| 36902 | 5676 | " | | | | | |
| 78p | 6219 | " | " | " | Hinge | Screw | 7 |
| 2818 | 6219 | " | " | " | " | " | Washer |
| 36903 | | Edge | Folder | (doub | le) com | olete, | for burlap |
| | | bag | s, Nos. | 78 _D , 2 | 818, 369 | 300 to | 36902 and |
| | | two | 1423p | • • • • • | | | |

EDGE FOLDER

FOR 92-1 AND 92-2 MACHINES

| NO. | PLATE | | | N. | AME |
|-------|-------|------|--------|-------|-------------------------|
| 36503 | 5676 | Edge | Folder | | ••••• |
| 36504 | 5676 | " | " | Hinge | Plate |
| 74p | 6219 | | | | Screw |
| 36505 | 5676 | Edge | Folder | (doub | le) swinging, complete, |
| | | for | burlap | bags, | Nos. 74D, 36503 and |
| | | 365 | 04 | | |

EDGE FOLDER ON SHANK

FOR 92-3 MACHINE

| NO. | PLATE | NAME |
|-------|-------|--|
| 36846 | 5676 | Edge Folder, to turn right hand edge up, |
| | | for burlap |

HEMMER

| NO. | PLATE | NAME | | | | |
|-------|-------|----------------------------------|--|--|--|--|
| 36436 | 6200 | Hemmer on Shank, for burlap bags | | | | |

FOOT LIFTER PARTS

| NO. | PLATE | NAME |
|--------|--------|---|
| 6439 | | Chain, 36 in. to 45 in., with 56864 and |
| | | 56865 |
| Non | re: Wh | nen ordering No. 6439, give length required |
| 4879 | 6218 | Chain Connecting Link |
| 56864 | 6220 | " Hook (large) |
| 56865 | 6219 | " " (small) |
| 49160 | 6211 | Lifting Lever |
| 802p | 6218 | " " Hinge Screw |
| 49161 | 6218 | " " Link |
| 50183D | 6218 | " " Hinge Screw |
| 49162 | 6218 | " " Spring |
| 4881 | 6216 | Treadle |
| 4882 | 6218 | " Shaft |
| 4883 | 6218 | " Spring |
| 4884 | 6216 | " Stand |
| 4885 | 6216 | Treadle complete, Nos. 4879, 4881 to 4884 |
| | | and two wood screws 1 in. No. 16 |
| 49164 | | Foot Lifter complete, Nos. 802D, 4885, |
| | | 6439, 49160 to 49162 and 50183D |

KNEE LIFTER PARTS

| NO. | PLATE | NAME |
|----------------|-------|---|
| 49159 | | Chain, length 13½ in., with 39575 and |
| | | 39576 |
| 39575 | 6205 | Chain Hook (lower) |
| 39576 | 6205 | " (upper) |
| 49160 | 6211 | Lifting Lever |
| 802r | 6218 | " " Hinge Screw |
| 49161 | 6218 | " " Link |
| 50183 r | 6218 | " " Hinge Screw |
| 49162 | 6218 | " " Spring |
| 7124 | 6216 | Rock Shaft |
| 2764 | 6216 | " " Hanger (back) with two wood |
| | | screws 1 in. No. 10 |
| 16128 | 6216 | Rock Shaft Hanger (front) with two wood |
| | | screws 1 in. No. 10 |
| 16646 | 6216 | Rock Shaft Knee Arm |
| 16647 | | Rock Shaft Knee Arm complete, Nos. |
| | | 2766, 2767 and 16646 |
| 2766 | 6216 | Rock Shaft Knee Arm Hub with 356c |
| 356c | 6198 | " " " Set Screw |
| 2767 | 6216 | " " Plate with 356c |
| 356c | 6198 | " " Set Screw |
| 6337 | 6216 | " Lifting Bracket with two 356c |
| 6338 | 6216 | " " " Hook |
| 3560 | 6198 | " " Set Screw |
| 356c | 6198 | " " Set Screw |
| 2770 | 6216 | " Stop Dog with 356c |
| 356c | 6198 | " " Set Screw |
| 16129 | 6216 | Rock Shaft complete, Nos. 2764, 6337, |
| | | 6338, 7124, 16128, 16647 and two 2770 |
| 49163 | | Knee Lifter complete, Nos. 802D, 16129, |
| _ | | 49159 to 49162 and 50183p |
| | | |

MACHINE BASE

| NO. | PLATE | | | NAM | 1E | |
|--------|-------|---------|------|--------|--------|---------------|
| 49123 | 6199 | Machine | Base | Oil Pi | pe | |
| 49124 | 6199 | " | " | " " | ' Valv | e |
| 663E | 6199 | " | " | | | |
| 50144ј | 6199 | " | | | | with 49095. |
| 49095 | 6199 | " | " | " | " | Washer |
| 49096 | 6199 | " | " | | | er) |
| 49094 | 6216 | " | | | | 124 and three |
| | | each 66 | | | | 2-1, 92-2 and |
| | | | | | | |
| 49193 | 6217 | | | | | 124 and three |
| | | | | | | 2-3 Machine |

THREAD UNWINDER

FOR TWO SPOOLS

| NO. | PLATE | NAME |
|---------|--------|---|
| 225395 | 7233 | Spool Rest with 201018c |
| 225388 | 7233 | " " Rod |
| 200383c | 6219 | " " Set Screw |
| 201018c | 6219 | " Set Screw |
| 202490 | 7233 | " Stand with 200383c |
| 225391 | 7233 | Thread Guide |
| 201696л | 6219 | " Lock Nut |
| 225392 | 7233 | " Rod with 208E and 225393 |
| 208E | 6198 | " " Screw |
| 225393 | 6219 | " " Washer |
| 225396 | 7233 | Thread Unwinder complete, Nos. 2016961 |
| | | 202490, 225388, 225392, 225395, two |
| | | 225391 and three wood screws 7/8 in |
| | | No. 12 |
| 27739 | 7234 | Thread Cone (wood) for large cones |
| 225390 | 7234 | " " Holder, for inverted cones. |
| No | re: No | s. 27739 and 225390 are used with, but no included in 225396 |

SINGER Needles should be used in SINGER Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.**" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

NUMERICAL LIST OF PARTS

NUMERICAL LIST OF PARTS

| NO. | PLATE | NAME |
|------|-------|--|
| 74D | 6219 | Edge Folder Hinge Screw for 36505 |
| 78b | 6219 | " Shank Hinge Screw for 36903 |
| 144d | 6198 | Arm Rotary Shaft Screw |
| 145E | 6198 | Crank Connecting Rod Cap Screwfor 49265 |
| 157b | 6193 | Looper Carrier Hinge Pin Clamping Screw |
| | | for 49248 |
| 159F | 6198 | Arm Rotary Shaft Flanged Bushing (back) Screw |
| 171E | 6192 | Looper Bell Crank Pitman Cap (lower) Screw for 49158 |
| 171E | 6192 | Looper Carrier Pitman Cap (left) Screw for 49088 |
| 171E | 6192 | Looper Carrier Pitman Cap (right) Screw for 49089 |
| 172c | 6194 | Feed Dog Screw |
| 172F | 6194 | Thread (under) Eyelet Screw |
| 175E | 6192 | Looper Carrier Clamping Screw for 49044 |
| | | and 49260 |
| 175E | 6192 | Oil Cup Cover Screw for 49181 |
| 181d | 6215 | Thread (upper) Nipper Bracket Screw for |
| | | 92-5 and 92-6 Machines |
| | 6198 | Presser Foot Screw |
| | 6196 | Thread (under) Take-up Screw |
| 190d | 6196 | " Guide (double) side of arm Screw |
| | | for 92-3 Machine |
| 193d | 6181 | Arm Rock Shaft Oil Cover Screw for 92-1 to 92-4 Machines |
| 193ғ | 6181 | Face Plate Screw |
| 194D | 6200 | Guide Screw Stud |
| 195E | 6206 | Oil Cup Oil Hole Cover Screw for 49181 |
| 198d | 6206 | " Pipe Connection Cap Screw for 49188 |
| 202F | 6192 | Looper Carrier Hinge Pin Collar Set Screw for 49166 |
| 207р | 6214 | Thread (upper) Take-up Roller Bracket Screw for 49227 and 49246 |
| 208E | 6198 | Thread Unwinder Thread Guide Rod Screw for 225392 |
| 212p | 6195 | Presser Bar Lifter Cap Screw |
| 212p | 6195 | " " Lifting Link Cap Screw |
| 220b | 6209 | Feed Dog Stop Screw for 49021, 49110 and 49197 |
| 226p | 6181 | Looper Gate Lock Spring Screw for 49107, |

| NO. PLATE | NAME |
|----------------|--|
| 286р 6198 | Arm Side Cover (back) Thumb Screw |
| 286p 6198 | " " (front) " " |
| 356c 6198 | Rock Shaft Knee Arm Hub Set Screw for |
| 0000 0100 | 2766 |
| 356c 6198 | Rock Shaft Knee Plate Set Screw for 2767 |
| 356c 6198 | " " Lifting Bracket Hook Set Screw |
| 0000 0100 | for 6337 |
| 356c 6198 | Rock Shaft Lifting Bracket Set Screw for |
| 356c 6198 | 6337 Rock Shaft Stop Dog Set Screw for 2770 |
| 430c 6208 | Arm Rock Shaft Flanged Bushing (front) |
| 4500 0206 | Set Screw |
| 430c 6208 | Arm Rock Shaft Bushing (front) Set Screw |
| 430c 6208 | Balance Wheel Set Screw for 23873 and |
| 1000 0200 | 46220 |
| 435c 6194 | Needle Bar Bushing (lower) Set Screw |
| 435c 6195 | Presser Bar Bushing (lower) Set Screw |
| 443c 6208 | Arm Rock Shaft CollarSetScrewfor49006 |
| 446c 6208 | " " Bushing (back)SetScrew |
| 446c 6208 | " " " (intermediate) |
| 440 0015 | Set Screw |
| 446c 6215 | Arm Rock Shaft Collar and Thread (upper) |
| 440 a 6101 | Nipper Eccentric Set Screw for 49232 Arm Rotary Shaft Flanged Bushing (inter- |
| 448c 6181 | mediate) Set Screw |
| 448c 6181 | Looper Bell Crank Hinge Stud Set Screw |
| 448c 6181 | " Gate Hinge Pin Set Screw for |
| 1100 0101 | 49116 and 49212 |
| 453c 6193 | Looper Carrier Rock Shaft Collar Set |
| | Screw for 11411 |
| 453c 6195 | Presser Bar Lifter Hinge Stud Set Screw. |
| 453c 6195 | " Lifting Bracket Set Screw for |
| | 49065 |
| 457c 6196 | Feed Bar Hinge Pin Set Screw for 49021, |
| | 49110 and 49197 |
| 457c 6196 | Feed Connecting Rod Hinge Pin Set Screw for 49202 |
| 457c 6196 | Feed Lifting Eccentric Connection Hinge |
| | Pin Set Screw for 49253 |
| 457c 6196 | Thread (upper) Take-up Set Screw for |
| | 49075 |
| 457c 6196 | Thread (upper) Take-up Arm Set Screw |
| 4 2400 | for 49225 and 49245 |
| 574w 6198 | Pressure Regulating Thumb Screw |
| 590р 6192 | Looper Thread Guard Screw for 49036, 49209 and 49233 |
| 622c 6198 | Feed Rock Shaft Hinge Pin Screw Bearing |
| 663E 6199 | Machine Base Screw for 49094 and 49193 |
| GOID GOOD | machine Dasc Deleg for Tour and 49190 |

| NO. PLATE | NAME |
|------------|---|
| 665D 6181 | Throat Plate Thread Retainer Screw for |
| | 49130, 49132, 49148, 49150, 49152, |
| | 49155, 49229, 49240 and 49270 |
| 671p 6200 | Guide Thumb Screw |
| 690р 6206 | Oil Cup Screw for 92-3 Machine |
| 691F 6198 | Throat Plate Screw for 92-1 and 92-3 Ma- |
| | chines |
| 704E 6219 | Needle Bar Connecting Stud Clamping |
| | Screw for 49268 |
| 724D 6195 | Presser Bar Lifting Link Hinge Screw |
| 725j 6181 | Cloth Plate Slide Spring Screw for 49017 |
| 742F 6198 | Throat Plate Screw for 92-2 and 92-4 to |
| 000- 0010 | 92-6 Machines |
| 802p 6218 | Lifting Lever Hinge Screw for 49163 and |
| 892r 6195 | 49164 |
| 892F 0195 | Presser Bar Lifting Bracket Adjusting Screw for 49065 |
| 896E 6209 | Feed Connecting Rod Cap Screw for 49023 |
| 000E 0200 | and 49198 |
| 896E 6209 | Feed Lifting Eccentric Connection Cap |
| 050E 0205 | Screw for 49253 |
| 896E 6209 | Feed Rock Shaft Crank Clamping Screw |
| 0000 0000 | for 49115 and 49208 |
| 914c 6196 | Feed Regulator Connection Screw for |
| | 49202 |
| 914F 6196 | Thread (upper) Controller Screw |
| 916c 6194 | Tension (under thread) Screw Stud for |
| | 44209 |
| 916F 6194 | Tension (upper thread) Screw Stud for |
| | 44209 |
| 931E 6213 | Feed Regulating Screw Stop Screw Bush- |
| | ing for 92-4 and 92-5 Machines |
| 974F 6196 | Thread (upper) Controller Hinge Screw |
| 1036c 6193 | Looper Eccentric Set Screw for 49142 |
| 1057E 6209 | " Bell Crank Pitman Cap (upper) |
| | Screw for 49158 |
| 1133E 6194 | Needle Bar Bushing (upper) Set Screw |
| 1133E 6195 | Presser Bar Bushing (upper) Set Screw |
| 1147c 6192 | Looper Carrier Pitman Ball Stud (left) |
| 1147- 0100 | Set Screw |
| 1147c 6192 | Looper Set Screw for 49044 and 49260 |
| 1177E 6219 | Feed Rock Shaft Crank Clamping Screw |
| 1259c 6209 | for 49267 |
| 12080 0208 | 49010 |
| 1259c 6209 | Feed Eccentric Set Screw for 49026 and |
| | 49112 |

| NO. | PLATE | NAME |
|-------------------|-------|--|
| 1259c | 6209 | Feed Lifting Eccentric Set Screw for 49027 |
| | | and 49113 |
| 1324E | 6193 | Looper Carrier Rock Shaft Crank (front) |
| | | Clamping Serew for 49248 |
| 1423D | 6219 | Edge Folder Screw for 36903 |
| 1454E | | Needle Bar Connecting Stud Clamping |
| | | Screw for 49217 |
| 1508J | 6198 | Feed Rock Shaft Hinge Pin Nut |
| 1508J | 6198 | " " " Screw Bearing |
| | | Nut |
| 1513л | 6198 | Crank Connecting Rod Hinge Screw Nut |
| | | for 49266 |
| 1517 _J | 6194 | Needle Bar Connecting Link Hinge Stud |
| | | Nut |
| 1519л | 6192 | Looper Carrier Pitman Ball Screw Stud |
| 10100 | - | Nut |
| 1539w | 6198 | Pressure Regulating Thumb Screw Lock |
| 2000 | 0.00 | Nut |
| 1560c | 6194 | Tension (under thread) Regulating Thumb |
| 10000 | 0101 | Nut for 44209 |
| 1560c | 6194 | Tension (upper thread) Regulating Thumb |
| 10000 | 0101 | Nut for 44209 |
| 1560c | 6215 | Thread (upper) Nipper Regulating Thumb |
| 10000 | 0210 | Nut for 49244 |
| 1619E | 6208 | Looper Bell Crank Pitman Ball Screw Stud |
| -0-0- | 0200 | (upper) Nut |
| 1629c | 6194 | Needle Clamping Nut for 92-1 to 92-3, |
| -0-00 | 0.0- | 92-5 and 92-6 Machines |
| 1636c | 6198 | Looper Bell Crank Pitman Ball Screw Stud |
| 20000 | 0100 | (lower) Nut |
| 1708E | 6192 | Looper Carrier Pitman Rod Nut (left) for |
| 11000 | 0102 | 49045 |
| 1709E | 6192 | Looper Carrier Pitman Rod Nut (right) |
| 110011 | 0102 | for 49015 |
| 1714c | 6181 | Feed Regulating Screw Stud Nut for 92-1 |
| 1,110 | 0101 | to 92-3 and 92-6 Machines |
| 1733b | 6206 | Oil Pipe Coupling Nut for 92-3 Machine. |
| 1740c | | Nee lle Clamping Nut for 92-4 Machine. |
| 2102 | 6194 | Tension (under thread) Disc |
| 2102 | 6194 | " (upper thread) Disc |
| 2102 | 6215 | Thread (upper) Nipper Disc for 49214 |
| 2653 | 6206 | Arm Oil Tube Packing Stop Pin for 49170 |
| _000 | 0200 | to 49172 |
| 2653 | 6206 | Feed Connecting Rod Oil Pad Pin for |
| _000 | 0200 | 49023 |
| 2653 | 6206 | Feed Lifting Eccentric Connection Oil Pad |
| | 3-00 | Pin for 49253 |
| | | |

| NO. | PLATE | NAME |
|-------|-------|--|
| 2764 | 6216 | Rock Shaft Hanger (back) with two wood |
| 2101 | 0210 | screws 1 in. No. 10, for 16129 |
| 2766 | 6216 | Rock Shaft Knee Arm Hub with 356c, for |
| 2700 | 0210 | |
| | 2010 | 16647 |
| 2767 | 6216 | Rock Shaft Knee Plate with 356c, for |
| | | 16647 |
| 2770 | 6216 | Rock Shaft Stop Dog with 356c, for 16129 |
| 2818 | 6219 | Edge Folder Shank Hinge Screw Washer |
| | | for 36903 |
| 4288 | 6179 | Arm Side Cover (back) |
| 4288 | 6179 | " " (front) for 92-1, 92-2 and |
| | | 92-4 to 92-6 Machines |
| 4718 | 6218 | Machine Cushion (Accessories) |
| 4784 | 6192 | Feed Connecting Rod Oil Pad (felt) for |
| | | 49023 and 49198 |
| 4784 | 6192 | Looper Bell Crank Oil Pad (felt) for 49038 |
| 4784 | 6192 | " Carrier Oil Pad (felt) for 49044 |
| | | and 49211 |
| 4879 | 6218 | Chain Connecting Link for 4885 |
| 20.0 | 0210 | - |
| | | Nos. 4881 to 4884 for 4885 |
| 4881 | 6216 | Treadle |
| 4882 | 6218 | " Shaft |
| 4883 | 6218 | " Spring |
| 4884 | 6216 | " Stand |
| 4885 | 6216 | Treadle complete for 49164, Nos. 4879, |
| | | 4881 to 4884 and two wood screws 1 in. |
| | | No. 16 |
| 6337 | 6216 | Rock Shaft Lifting Bracket with two 356c. |
| | | for 16129 |
| 6338 | 6216 | Rock Shaft Lifting Bracket Hook for |
| | | 16129 |
| 6439 | | Chain, 36 in. to 45 in., with 56864 and |
| | | 56865, for 49164 |
| 7124 | 6216 | Rock Shaft for 16129 |
| 8908 | 6201 | Wrench for 1519, 1708 and 1709 (Acces- |
| | | sories) |
| 8909 | 6201 | Wrench for 1513 and 1517 (Accessories) |
| 10148 | 6194 | Tension (under thread, Spring |
| 11119 | 6205 | Arm Oil Tube with 52045, for oiling 49101 |
| 11398 | 6179 | Feed Rock Shaft Hinge Pin |
| 11411 | 6193 | Looper Carrier Rock Shaft Collar with |
| ***** | 0100 | 453c |
| 11831 | 6201 | Screw Driver, large (Accessories) |
| 13710 | 6194 | Tension (upper thread) Spring |
| 16128 | 6216 | Rock Shaft Hanger (front) with two wood |
| ~O*FO | J. 10 | screws 1 in. No. 10, for 16129 |
| | | 5020110 X 1441 2101 20, 101 10140 |

| NO. | PLATE | NAME |
|-------|--------------|--|
| 16129 | 6216 | Rock Shaft complete for 49163, Nos. 2764, |
| 10125 | 0210 | 6337, 6338, 7124, 16128, 16647 and two 2770 |
| 16646 | 6216 | Rock Shaft Knee Arm for 16647 |
| 16647 | | Rock Shaft Knee Arm complete for 16129, |
| | | Nos. 2766, 2767 and 16646 |
| 17677 | 6207 | Arm Side Cover (front) for 92-3 Machine |
| 18130 | 6205 | " Oil Tube with 52045 for front bearing |
| 18130 | 6205 | " " " 52045 for intermediate |
| | | bearing |
| 18130 | 6205 | Arm Oil Tube with 52045, for oiling 49049, |
| | | for 92-1, 92-2 and 92-4 to 92-6 Machines |
| 18144 | 6219 | Arm Rotary Shaft Oil Pad (felt) for 92-1 |
| | | and 92-2 Machines |
| 19079 | 6201 | Wrench for 1324 and 1629 (Accessories) |
| 19221 | 6201 | " " 1619 (Accessories) |
| 23766 | 6201 | " 1508 and 1636 (Accessories) |
| 23873 | 6210 | Balance Wheel, 218 in. pulley, with two |
| | | 430c, for 92-1 to 92-3, 92-5 and 92-6 Machines |
| 26026 | 6201 | Screw Driver, small (Accessories) |
| 27398 | 6181 | Feed Rock Shaft Washer |
| 27739 | 7234 | Thread Unwinder Thread Cone (wood) for |
| | | large cones, for 225396 |
| 32572 | 6215 | Thread (upper) Nipper Releasing Disc for |
| | | 49244 |
| 36221 | 6200 | Guide for 92-3 Machine |
| 36421 | 6200 | " for 92-1, 92-2 and 92-4 to 92-6 Ma- |
| | | chines |
| 36436 | 6200 | Hemmer on Shank, for burlap bags |
| 36503 | 5676 | Edge Folder for 36505 |
| 36504 | 5 676 | " " Hinge Plate for 36505 |
| 36505 | 5676 | Edge Folder (double) swinging, complete, |
| | | for burlap bags, for 92-1 and 92-2 Ma- |
| | | chines, Nos. 74p, 36503 and 36504 |
| 36846 | 5676 | Edge Folder on Shank, to turn right hand |
| | | edge up, for burlap, for 92-3 Machine |
| | | Nos. 36900 to 36902 for 36903 |
| 36900 | 5676 | Edge Folder (double) |
| 36901 | 5676 | " " Hinge Plate |
| 36902 | 5676 | " " Shank |
| 36903 | | Edge Folder (double) complete, for burlap |
| | | bags, Nos. 78n, 2818, 36900 to 36902 and two 1423n |
| 38419 | 6181 | Cloth Plate Slide Spring for 49017 |
| 38468 | 6195 | Presser Bar Spring Stud |
| | | was viring water |

| NO. | PLATE | NAME |
|--------|-------|---|
| 39541 | 6196 | Thread (upper) Controller Screw Washer |
| 39575 | 6205 | Chain Hook (lower) for 49159 |
| 39576 | 6205 | (upper) for 49109 |
| 44209 | | Tension (under thread) Screw Stud 916c with 1560c |
| 44209 | | Tension (upper thread) Screw Stud 916c with 1560c |
| 46220 | 6210 | Balance Wheel, $2\frac{13}{16}$ in. pulley, with two 430c, for 92-4 Machine |
| *46223 | | Looper Bell Crank Pitman Cap (upper) |
| 46224 | 6206 | for 49158 |
| 46237 | 6192 | Looper Carrier Pitman Ball Stud (left) for |
| 40201 | 0192 | 46241 and 49088 |
| *49001 | | Arm, upper and lower (solid) for 92-1, 92-2 and 92-4 Machines |
| 49003 | 6208 | Arm Rock Shaft Bushing (back) |
| 49004 | 6208 | " " (intermediate) |
| 49005 | 6208 | " " Flanged Bushing (front) |
| 49006 | 6208 | " " Collar with two 443c, for |
| #9000 | 0200 | 92-1 to 92-4 Machines |
| 49010 | 6209 | Arm Rotary Shaft Collar with two 1259c |
| 49011 | 6181 | " " Bushing (front) |
| 49011 | 6179 | " " Flanged Bushing (back) |
| 49012 | 0179 | with 49013 and 49093 |
| 49013 | 6205 | Arm Oil Tube Packing (braided cotton) |
| | | for 49169 |
| 49013 | 6205 | Arm Rotary Shaft Flanged Bushing (back) |
| | | Oil Pad (short) braided cotton, for 49012 |
| 49013 | 6205 | Arm Rotary Shaft Oil Pad (braided cotton) |
| | | for front bearing, for 92-3 to 92-6 Machines |
| 49013 | 6205 | Arm Rotary Shaft Oil Pad (braided cotton) |
| | | for intermediate bearing for 92-3, 92-5 and 92-6 Machines |
| 49013 | 6205 | Feed Rock Shaft Oil Cup Packing (braided cotton) for 49179 |
| 49014 | 6181 | Arm Rotary Shaft Flanged Bushing (in- |
| 10011 | 0101 | termediate) |
| 49016 | | Cloth Plate Slide for 49017 |
| 49017 | 6179 | Cloth Plate Slide complete for 49107, |
| | | 49144, 49176 and 49196, Nos. 38419, 49016 and two 725J |
| 49020 | 6179 | Face Plate |
| 49021 | 6209 | Feed Bar with 220p and 457c, for 92-1 |
| 20021 | J#00 | and 92-3 Machines |

| NO. | PLATE | NAME |
|-----------|-------|--|
| 49022 | 6209 | Feed Bar Hinge Pin |
| 49023 | 6209 | " Connecting Rod with 2653, 4784, 49024 and two 896E, for 92-1 to 92-3 and 92-6 Machines |
| *49024 | | Feed Connecting Rod Cap for 49023 |
| 49025 | 6182 | " Dog, 15 teeth (10 teeth to the inch) for large bags, for 92-1 and 92-3 Machines |
| 49026 | 6209 | Feed Eccentric with two 1259c, for 92-1 and 92-3 Machines |
| 49027 | 6197 | Feed Lifting Eccentric with two 1259c, for 92-1 Machine |
| *49029 | | Feed Lifting Eccentric Connection Cap for 49253. |
| 49030 | 6209 | Feed Lifting Eccentric Connection Hinge Pin |
| 49031 | 6181 | Feed Regulating Screw Stud Sleeve for 92-1 to 92-3 and 92-6 Machines |
| 49032 | 6181 | Feed Regulating Screw Stud Washer for 92-1 to 92-3 and 92-6 Machines |
| 49033 | 6179 | Feed Rock Shaft for 49034, 49114 and 49207 |
| 49034 | | Teed RockShaft complete for 92-1 Machine, Nos. 49033 and 49267 |
| 49036 | 6192 | Looper (double thread) with 590b and 49080, for 92-1 to 92-3 Machines |
| 19037 | 6192 | Looper (single thread) for 92-1 to 92-3, 92-5 and 92-6 Machines |
| 49038 | 6207 | Looper Bell Crank 49257 with 4784 |
| 49039 | 6207 | " " " Hinge Stud |
| *49041 | | " " " Pitman Cap (lower) for 49158 |
| 49043 | 6192 | Looper Bell Crank Pitman Washer (fibre) |
| 49043 | 6192 | " Carrier Pitman Washer (fibre) |
| 49044 | 6192 | " with 4784 and two each 175E, 1147c and 59019, for 49194 |
| 49045 | 6192 | Looper Carrier Pitman complete, Nos. 1708c, 1709c, 49046, 49088 and 49089 |
| 49046 | 6192 | Looper Carrier Pitman Rod for 49045 |
| 49047 | 6193 | " Rock Shaft |
| 49048 | 6193 | " " " Crank (back) forked, with 50083c |
| 49049 | 6193 | Looper Carrier Rock Shaft Crank (back) Slide Block for 49258 |
| 49053 | 6181 | Looper Gate Hinge Pin for 49107, 49144, |

| NO. | PLATE | NAME |
|--------|-------|--|
| 49054 | 6181 | Looper Gate Lock Spring for 49107, 49144, |
| 400== | 0104 | 49176 and 49196 |
| 49055 | 6194 | Needle Bar (hollow) for 92-1 to 92-3, 92-5 |
| 100=0 | 0104 | and 92-6 Machines |
| 49056 | 6194 | Needle Bar Bushing (lower) for 92-1 and |
| 400=0 | | 92-3 Machines |
| 49056 | 6194 | Needle Bar Bushing (upper) for 92-1 to |
| 400== | | 92-3, 92-5 and 92-6 Machines |
| 49057 | 6194 | Needle Bar Connecting Link Hinge Stud |
| | | for 49167 and 49252 |
| 49059 | 6195 | Presser Bar |
| 49060 | 6195 | Dusning (lower) |
| 49061 | 6195 | (upper) |
| 49062 | 6195 | Tanter |
| 49063 | 6195 | riction washer |
| 49064 | 6195 | ringe stud |
| 49065 | 6195 | Ditting Diacket with 4550 and |
| | | 892r |
| 49066 | 6195 | Presser Bar Lifting Link |
| 49067 | 6179 | " - " Spring (flat) |
| 49068 | | " Foot Plate for 49070 |
| 49069 | | Presser Foot Shank for 49070 |
| 49070 | 6182 | Presser Foot (hinged) complete for 49025, |
| | | 49103 and 49146, Nos. 49068, 49069 and |
| | | 50087f |
| 49071 | 6194 | Thread (under) Eyelet for 92-1 to 92-3 |
| | | Machines |
| 49072 | 6196 | Thread (under) Take-up for 92-1 to 92-3 |
| | | Machines |
| 49073 | 6196 | Thread (upper) Controller |
| 49075 | 6196 | " Take-up with 457c, for |
| | | 92-1 to 92-3 Machines |
| 49078 | 6181 | Throat Plate Thread Retainer for 49130, |
| | | 49132, 49148, 49150, 49152, 49155, |
| | | 49229, 49240 and 49270 |
| 49079 | 6201 | Wrench for 1714 (Accessories) |
| 49080 | 6192 | Looper Thread Guard for 49036 |
| 49082 | 6188 | Presser Foot for 49153 |
| 49084 | 6181 | Arm Rock Shaft Oil Cover for 92-1 to 92-4 |
| | V-0- | Machines |
| *49085 | | Looper Carrier Pitman Cap (left) for |
| | | 49088 |
| *49085 | | Looper Carrier Pitman Cap (right) for |
| | | 49089 |
| *49086 | | Looper Carrier Pitman End Bearing (left) |
| | | for 49088. |

| NO. | PLATE | NAME |
|--------|-------|--|
| *49087 | | Looper Carrier Pitman End Bearing (right) for 49089 |
| 49088 | 6192 | Looper Carrier Pitman Head (left) for 49045, Nos. 46237, 49085, 49086 and two 171E |
| 49089 | 6192 | Looper Carrier Pitman Head (right) for 49045, Nos. 49085, 49087, 50070c and two 171E |
| 49091 | 6205 | Arm Oil Tube with 49092, for oiling 49265 (lower bearing) |
| 49092 | 6205 | Arm Oil Tube Packing (felt) for 49091 |
| 49093 | 6205 | " Rotary Shaft Flanged Bushing (back) Oil Pad, long (braided cotton) for 49012 |
| 49094 | 6216 | Machine Base with 49123, 49124 and three each 663E and 49096, for 92-1, 92-2 and 92-4 to 92-6 Machines |
| 49095 | 6199 | Machine Base Thumb Screw Washer for 50144 |
| 49095 | 6199 | Machine Thumb Screw Washer for 50144 |
| 49096 | 6199 | " Washer (leather) for 49094 and |
| | | 49193 |
| 49097 | 6207 | Arm Rotary Shaft for 49263 |
| *49099 | | Crank Connecting Rod Cap for 49265 |
| *49101 | 6194 | Needle Bar Connecting Link for 49167 and 49252 |
| 49103 | 6182 | Feed Dog (spiked teeth) 15 teeth (10 teeth to the inch) for clay filled bags, for 92-1 and 92-3 Machines |
| 49105 | 6211 | Arm Rotary Shaft for 49264 |
| 49106 | 6175 | Cloth Plate for 49107 |
| 49107 | | Cloth Plate complete for 92-1 Machine, Nos. 49017, 49053, 49054, 49106, 49116 and two 226p |
| 49110 | 6197 | Feed Bar with 220p and 457c, for 92-2 and 92-6 Machines. |
| 49111 | 6185 | Feed Dog, 14 teeth (7 teeth to the inch) for heavy bags, for 92-2 Machine and 36436 for the same machine |
| 49112 | 6197 | Feed Eccentric with two 1259c, for 92-2 and 92-4 to 92-6 Machines |
| 49113 | 6197 | Feed Lifting Eccentric with two 1259c for 92-2 to 92-6 Machines |
| 49114 | | Feed Rock Shaft complete for 92-2 and 92-6 Machines, Nos. 49033 and 49115 |
| 49115 | 6179 | Feed Rock Shaft Crank with two 896E, for |

| NO. | PLATE | NAME |
|-------|-------|--|
| 49116 | 6210 | Looper Gate with 448c, for 49107 and |
| 40415 | 210 | 49176 |
| 49117 | 6197 | Needle Bar Bushing (lower) for 92-2, 92-5 and 92-6 Machines. |
| 49118 | | Presser Foot Plate for 49120 |
| 49119 | | " "Shank for 49120, 49219 and 49235 |
| 49120 | 6185 | Presser Foot (hinged) complete for 49111, Nos. 49118, 49119 and 50087F |
| 49123 | 6199 | Machine Base Oil Pipe for 49094 and 49193 |
| 49124 | 6199 | " " " Valve for 49094 |
| | 0200 | and 49193 |
| 49125 | 6184 | Feed Dog (double) 17 teeth (12 teeth to the inch) for 92-1 and 92-3 Machines |
| 10122 | | and 36436 for the same machines |
| 49126 | | Presser Foot Plate for 49128 |
| 49127 | | " " Shank for 49128 |
| 49128 | 6184 | Presser Foot (hinged) complete for 49025, 49125 and 49138, Nos. 49126, 49127 and 50087F |
| 49129 | 6184 | Throat Plate, for double thread, for 49125 |
| 49130 | 6184 | " with 665p and 49078, for |
| | | single thread, for 49125 |
| 49131 | 6182 | Throat Plate, for double thread, for 49025 and 49103 |
| 49132 | 6182 | Throat Plate with 665p and 49078, for single thread, for 49025 and 49103 |
| 49138 | 6190 | Feed Dog, 17 teeth (14 teeth to the inch) for medium and light bags, for 92-2, 92-5 and 92-6 Machines and 36436 for the same machines. |
| 49141 | 6213 | Arm Oil Tube with 56006, for oiling 49265 |
| 10111 | 0210 | (upper bearing) for 92-1, 92-2 and 92-4 to 92-6 Machines |
| 49142 | 6193 | Looper Eccentric with two 1036c, for 49258 |
| 49143 | 6210 | Cloth Plate for 49144 |
| 49144 | | Cloth Plate complete, for 92-2 and 92-6 |
| | | Machines, Nos. 49017, 49053, 49054, 49143, 49212 and two 2260 |
| 49146 | 6223 | Feed Dog, 15 teeth (10 teeth to the inch) for 92-2 Machine |
| 49147 | 6223 | Throat Plate, for double thread, for 49146 |
| 49148 | 6223 | " with 665p and 49078, for |
| | | single thread, for 49146 |
| 49149 | 6221 | Throat Plate, for double thread, for 49111 |
| 49150 | 6221 | " with 665p and 49078, for |
| - * | | single thread, for 49111 |

| *** | | | | | |
|--------------------------------------|-------|--|--|--|--|
| NO. | PLATE | NAME | | | |
| 49151 | 6222 | Throat Plate for double thread, for 49138 | | | |
| 49152 | 6222 | with 6000 and 49078, for | | | |
| 40170 | 4100 | single thread, for 49138 | | | |
| 49153 | 6188 | Feed Dog. 16 teeth (14 teeth to the inch) | | | |
| | | for small bags, for 92-1 and 92-3 | | | |
| | | Machines | | | |
| 49154 | 6188 | Throat Plate, for double thread, for 49153 | | | |
| 49155 | 6188 | " with 665p and 49078, for | | | |
| | | single thread, for 49153 | | | |
| 49156 | 6207 | Arm Rock Shaft for 49271 | | | |
| 49158 | 6207 | Looper Bell Crank Pitman with 46223, | | | |
| | | 49041 and two each 171E and 1057E, for | | | |
| | | 49250 | | | |
| 49159 | | Chain, length 131/2 in., with 39575 and | | | |
| | | 39576, for 49163 | | | |
| | Vos | . 49160 to 49162 for 49163 and 49164 | | | |
| | | | | | |
| 49160 | 6211 | Lifting Lever | | | |
| 49161 | 6218 | " " Link | | | |
| 49162 | 6218 | " " Spring | | | |
| 49163 | | Knee Lifter complete, Nos. 802p, 16129, | | | |
| | | 49159 to 49162 and 50183D | | | |
| 49164 | | Foot Lifter complete, Nos. 802b, 4885, | | | |
| | | 6439, 49160 to 49162 and 50183b | | | |
| 49165 | 6192 | Looper Carrier Hinge Pin for 49194 and 49247 | | | |
| 49166 | 6192 | Looper Carrier Hinge Pin Collar with two 202F, for 49194 and 49247 | | | |
| 49167 | | Needle Bar Connecting Link 49101 with | | | |
| | | 49057 and 49268, for 92-1 to 92-3, 92-5 | | | |
| | | and 92-6 Machines | | | |
| Nos. 49168 to 49181 for 92-3 Machine | | | | | |
| *49168 | | Arm, upper and lower (solid) | | | |
| 49169 | 6206 | " Oil Tube with 49013, for oiling 49049 | | | |
| 49170 | 6206 | " " " 2653 and 49174, for | | | |
| | | oiling 46223 | | | |
| 49171 | 6206 | Arm Oil Tube with 2653 and 49174, for | | | |
| | | oiling 49265 (upper bearing) | | | |
| 49172 | 6206 | Arm Oil Tube with 2653 and 49174, for | | | |
| | | oiling 49023 | | | |
| 49173 | 6206 | Arm Oil Tube Oil Cup Holder with 54897 | | | |
| | | for 49169 | | | |
| 49174 | 6206 | Arm Oil Tube Packing (braided cotton) | | | |
| | | for 49170 to 49172 | | | |
| 49175 | 6210 | Cloth Plate with two 46224, for 49176 | | | |

| NO. | PLATE | NAME |
|--------|---------|--|
| 49176 | | Cloth Plate complete, Nos. 49017, 49053, |
| | | 49054, 49116, 49175 and two 2260 |
| 49177 | 6211 | Feed Rock Shaft for 49178 |
| 49178 | | Feed Rock Shaft complete, Nos. 49177, |
| | | 49179 and 49267 |
| 49179 | 6209 | Feed Rock Shaft Oil Cup with 49013, for |
| | | 49178 |
| 49180 | 6212 | Oil Cup for 49181 |
| 49181 | | Oil Cup complete, Nos. 195E, 49180, 49182. |
| | | to 49184 and two 175E |
| | | |
| | | Nos. 49182 to 49184 for 49181 |
| 49182 | 6212 | Oil Cup Cover |
| 49183 | 6206 | " " Oil Hole Cover |
| 49184 | 6212 | " " Strainer |
| | | |
| | Nos | . 49185 то 49193 for 92-3 Масніле |
| 49185 | 6212 | Oil Pipe with 49191, for oiling 49265 |
| 49186 | 6212 | " " 49191, for oiling 49012 |
| 49187 | 6212 | " " 49191, for oiling 49011 and |
| | | 49014 |
| 49188 | 6206 | Oil Pipe Connection with 49189 and two |
| 20.00 | | 198p, for 49187, for oiling 49014 |
| *49189 | | Oil Pipe Connection Cap for 49188 |
| 49190 | 6206 | " " Coupling |
| 49191 | 6206 | " " Sleeve for 49185 to 49187 |
| 49192 | 6206 | Thread Guide (double) side of arm |
| 49193 | 6217 | Machine Base with 49123, 49124 and three |
| 37130 | 0217 | each 663E and 49096 |
| 49194 | | |
| 40104 | | Looper Carrier 49044 with 49165, 49166 and 49248, for 92-1 to 92-3 and 92-6 |
| | | |
| | | Machines |
| N | os. 491 | 95 to 49200 for 92-4 and 92-5 Machines |
| 49195 | 6210 | Cloth Plate for 49196 |
| 49196 | | Cloth Plate complete, Nos. 49017, 49053, |
| | | 49054, 49195, 49212 and two 226b |
| 49197 | 6213 · | Feed Bar with 2200 and 457c, for 92-4 and |
| | | 92-5 Machines |
| 49198 | 6213 | Feed Connecting Rod with 4784, 49199, |
| 20200 | 3213 | 49241 and two 896E |
| *49199 | | Feed Connecting Rod Cap for 49198 |
| 49200 | 6213 | " " " Hinge Pin |
| 49201 | 6189 | " Dog, 14 teeth (7 teeth to the inch) |
| 10201 | 0100 | for 92-4 Machine and 36436 for the same |
| | | machine |
| | | *************************************** |

| NO. | PLATE | NAME |
|-------|---------|---|
| | Nos. 49 | 202 to 49208 for 924 and 925 Machines |
| 49202 | 6213 | Feed Regulator with 457c and 914c |
| 49203 | 6213 | " " Connection |
| 49204 | 6213 | " Regulating Screw Friction Washer |
| 49205 | 6213 | " " Washer (fibre) |
| 49205 | 6213 | " " (steel) |
| | 0213 | (Steel) |
| 49207 | | Feed Rock Shaft complete, Nos. 49033 and 49208 |
| 49208 | 6213 | Feed Rock Shaft Crank with two 896E, for 49207 |
| 49209 | 6214 | Looper (double thread) with 590p and |
| | | 49213, for 92-4 Machine |
| 49210 | 6214 | Looper (single thread) for 92-4 Machine |
| 49211 | 6214 | " Carrier 49260 with 4784, for 49247 |
| 49212 | 6210 | " Gate with 448c, for 49144 and 49196 |
| 49213 | 6214 | Looper Thread Guard for 49209 and 49233 |
| | N | os. 49214 to 49217 for 92-4 Machine |
| 49214 | 6214 | Needle Bar (hollow) |
| 49215 | 6214 | " " Bushing (lower) |
| 49216 | 6214 | " " (upper) |
| 49217 | 6214 | " " Connecting Stud with 1454E |
| 10-11 | 0211 | for 49252 |
| 49218 | | Presser Foot Plate for 49219 |
| 49219 | 6189 | Presser Foot (hinged) complete for 49201, |
| | | Nos. 49119, 49218 and 50087r |
| 49220 | 6214 | Tension (under thread) Thread Guide |
| 49220 | 6214 | " (upper thread) Thread Guide |
| 49221 | 6214 | Thread (under) Eyelet for 92-4 to 92-6 |
| | | Machines |
| 49222 | 6214 | Thread (under) Take-up with 49223 and |
| | | 49224 for 92-4 to 92-6 Machines |
| 49223 | 6214 | Thread (under) Take-up Roller for 49222 |
| 49223 | 6214 | " (upper) Take-up Roller for 49226 |
| 49224 | 6214 | " (under) Take-up Roller Pin for 49222 |
| 49224 | 6214 | Thread (upper) Take-up Roller Pin for |
| | | 49226 |
| 49225 | 6214 | Thread (upper) Take-up Arm with 457c for 49227 |
| 49226 | 6214 | Thread (upper) Take-up Roller Bracket with 49223 and 49224, for 49227 and |
| 49227 | | 49246 |

| NO. 49228 | PLATE 6189 | NAME Throat Plate, for double thread, for 49201 |
|--------------|---------------|--|
| 49229 | 6189 | " with 665p and 49078, for single thread, for 49201 |
| 1 | Nos. 492 | 231 to 49233 for $92-5$ and $92-6$ Machines |
| *49231 | | Arm, upper and lower (solid) |
| 49232 | 6215 | " Rock Shaft Collar and Thread (upper) Nipper Eccentric with two 446c |
| 49233 | 6215 | Looper (double thread) with 590p and 49213 |
| 49234 | | Presser Foot Plate for 49235 |
| 49235 | 6190 | Presser Foot (hinged) complete for 49138, Nos. 49119, 49234 and 50087F |
| 49236 | 6215 | Thread (upper) Nipper Bracket for 49244 |
| 49237 | 6215 | " " Releasing Stud for 92-5 and 92-6 Machines |
| 49238 | 6215 | Thread (upper) Nipper Thread Guide for 49244 |
| 49239 | 6190 | Throat Plate, for double thread, for 49138 |
| 49240 | 6190 | " " with 665p and 49078, for single thread, for 49138 |
| 49241 | 6213 | Feed Connecting Rod Oil Pad Pin for 49198 |
| 49242 | 6201 | Wrench for 1740 (Accessories) |
| 49244 | | Thread (upper) Nipper complete for 92-5 and 92-6 Machines, Nos. 1560c, 32572, 49236, 49238, 50133c, 54738 and two 2102 |
| 49245 | 6215 | Thread (upper) Take-up Arm with 457c, for 49246 |
| 49246 | | Thread (upper) Take-up complete for 92-5 and 92-6 Machines, Nos. 207D, 49226 and 49245 |
| 49247 | | Looper Carrier 49211 with 49165, 49166 and 49248, for 92-4 and 92-5 Machines. |
| 49248 | 6193 | Looper Carrier Rock Shaft Crank (front) with 157p and two 1324E, for 49194 and 49247 |
| 49250 | | Looper Bell Crank Pitman 49158 with 50069c and 50070c |
| 49252 | | Needle Bar Connecting Link 49101 with 49057 and 49217, for 92-4 Machine |
| 49253 | 6219 | Feed Lifting Eccentric Connection with 457c, 2653, 49029, 55515 and two 896E |
| *49257 | | Looper Bell Crank for 49038 |
| 49258 | | " Eccentric 49142 with 49049 |

| NO. | PLATE | NAME |
|--------------------|-------|---|
| *49260 | | Looper Carrier with two each 175E, 1147c |
| | | and 59019, for 49211 |
| 49261 | 6219 | Arm Rock Shaft Crank (back) with 50282E and 50457c, for 49271 |
| 10000 | 6910 | Arm Rock Shaft Crank (front) with 50282E |
| 19262 | 6219 | and 50457c |
| 49263 | | Arm Rotary Shaft 49097 with 49266, for |
| 10001 | | 92-1 and 92-3 Machines |
| 49264 | | 92-2, 92-4 to 92-6 Machines |
| 49265 | 6220 | Crank Connecting Rod with 49099 and |
| | | two 145E, for 49266 |
| 49266 | | Crank Connecting Rod 49265 with 1513 _J |
| | | and 50147c for 49263 and 49264 |
| 49267 | 6220 | Feed Rock Shaft Crank with two 1177E, |
| | | for 49034 and 49178 |
| 49268 | 6219 | Needle Bar Connecting Stud with 704E, |
| | | for 49167 |
| 49269 | 6224 | Throat Plate, for double thread, for 49125 |
| 49270 | 6224 | " with 665p and 49078, for |
| | | single thread, for 49125 |
| 49271 | | Arm Rock Shaft 49156 with 49261 |
| 50069c | 6208 | Looper Bell Crank Pitman Ball Screw Stud (upper) for 49250 |
| 500700 | 6102 | Looper Bell Crank Pitman Ball Screw Stud |
| | | (lower) for 49250 |
| 50070c | 6192 | Looper Carrier Pitman Ball Screw Stud for 49089 |
| 500830 | 6193 | Looper Carrier Rock Shaft Crank (back) |
| | | Set Screw for 49048 |
| 50085F | 6198 | Cloth Plate Screw for 92-1 and 92-3 Ma- |
| | | chines |
| 50086c | 6181 | Feed Regulating Screw Stud for 92-1 to 92-3 and 92-6 Machines |
| 50087F | 6198 | Presser Foot Hinge Screw for 49070, 49120 |
| | | 49128, 49219 and 49235 |
| 50133 c | 6215 | Thread (upper) Nipper Screw Stud for 49244. |
| 50144 _J | 6199 | Machine Base Thumb Screw with 49095 |
| 501443 | | " Thumb Screw with 49095, for |
| OULTI | 3100 | power table (Accessories) |
| 50147c | 6198 | Crank Connecting Rod Hinge Screw for |
| | | 49266 |
| 50175F | 6213 | Cloth Plate Screw for 92-2 and 92-4 to 92-6 Machine |
| 50183n | 6218 | Lifting Lever Link Hinge Screw for 49163 |

| NO. | PLATE | NAME |
|---------|-------|--|
| 50249E | 6206 | Arm Rotary Shaft Oil Pad Cap Screw for |
| | | 92-3 Machine |
| 50282E | 6208 | Arm Rock Shaft Crank (back) Set Screw for 49261 |
| 50282E | 6208 | Arm Rock Shaft Crank (front) Set Screw for 49262 |
| 50331E | 6213 | Feed Regulating Screw for 92-4 and 92-5 Machines |
| 50457c | 6219 | Arm Rock Shaft Crank (back) Position Screw for 49261 |
| 50457c | 6219 | Arm Rock Shaft Crank (front) Position Screw for 49262 |
| 52045 | 6197 | Arm Oil Tube Packing (braided cotton) for 11119 and 18130. |
| 54738 | 6215 | Thread (upper) Nipper Spring for 49214 |
| 54897 | 6206 | Arm Oil Tube Oil Cup for 49173 |
| 55515 | 6219 | Feed Lifting Eccentric Connection Oil Pad |
| 00010 | 0213 | (braided cotton) for 49253 |
| 56006 | 6197 | Arm Oil Tube Packing (braided cotton) for 49141 |
| 56864 | 6220 | Chain Hook (large) for 6439 |
| 56865 | 6219 | " " (small) for 6439 |
| 59019 | 6197 | Looper Carrier Gib for 49044 and 49260. |
| 120341 | 6201 | Tweezers, curved (Accessories) |
| 120344 | 6201 | Oiler (copper plated) with 120345 (Accessories) |
| 120345 | 6201 | Oiler Spout, 5 in. long, for 120344 |
| 200383c | | Thread Unwinder Spool Rest Rod Set |
| | | Screw for 202490 |
| 201018c | 6219 | Thread Unwinder Spool Rest Set Screw for 225395 |
| 201696ј | 6219 | Thread Unwinder Thread Guide Lock Nut for 225396 |
| 202490 | 7233 | Thread Unwinder Spool Stand with 200383c for 225396 |
| 225388 | 7233 | Thread Unwinder Spool Rest Rod for 225396 |
| | Nos | . 225390 то 225392 гоп 225396 |
| 225390 | 7234 | Thread Unwinder Thread Cone Holder. for inverted cones |
| 225391 | 7233 | Thread Unwinder Thread Guide |
| 225392 | 7233 | " " Rod with 208E and 225393 |
| | 2212 | |
| 225393 | 6219 | Thread Unwinder Thread Guide Rod Washer for 225392 |

| NO. | PLATE | NAME |
|--------|-------|--|
| 225395 | 7233 | Thread Unwinder Spool Rest with 201018c, for 225396 |
| 225396 | 7233 | Thread Unwinder complete, for two spools, Nos. 2016961, 202490, 225388, 225392, 225395, two 225391 and three wood screws 1/2 in. No. 12 |

SINGER Needles should be used in SINGER Machines.
These Needles and their Containers are marked with the
Company's Trade Mark "SIMANCO.**" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

OF PARTS

PLATE 5676-ONE-HALF SIZE






PLATE 6175-ONE-FOURTH SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 6179-ONE-HALF SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 6181-FULL SIZE






PLATE 6182-FULL SIZE




From the library of: Superior Sewing Machine & Supply LLC

PLATE 6184-FULL SIZE




From the library of: Superior Sewing Machine & Supply LLC


PLATE 6185-FULL SIZE




From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC





From the library of: Superior Sewing Machine & Supply LLC

PLATE 6192-FULL SIZE





PLATE 6193-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 6194-FULL SIZE





PLATE 6195-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 6196-FULL SIZE




PLATE 6197-FULL SIZE




PLATE 6198-FULL SIZE






PLATE 6199-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 6200-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 6201-ONE-HALF SIZE




PLATE 6205-FULL SIZE




PLATE 6206-FULL SIZE






PLATE 6207-ONE-HALF SIZE




From the library of: Superior Sewing Machine & Supply LLC

PLATE 6208-FULL SIZE




From the library of: Superior Sewing Machine & Supply LLC

PLATE 6209-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 6210-ONE-FOURTH SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 6211-ONE-HALF SIZE




PLATE 6212-ONE-HALF SIZE






PLATE 6213-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machine & Supply LLC

PLATE 6215-FULL SIZE





PLATE 6216-ONE-FOURTH SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 6217-ONE-FOURTH SIZE





PLATE 6218-FULL SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 6219-FULL SIZE




PLATE 6220-ONE-HALF SIZE




PLATE 6221-FULL SIZE




PLATE 6222-FULL SIZE




PLATE 6223-FULL SIZE




PLATE 6224-FULL SIZE





PLATE 7233-ONE-FOURTH SIZE



From the library of: Superior Sewing Machine & Supply LLC

PLATE 7234-ONE-HALF SIZE

