

# PRICE LIST

OF

# PARTS



**MACHINE No. 96-10**

---

**THE SINGER MANUFACTURING**

COPYRIGHT, U. S. A., 1913 AND 1916, BY THE SINGER MANUFACTURING CO.

## INDEX

---

|                                   | PAGE |
|-----------------------------------|------|
| ACCESSORIES.....                  | 16   |
| BOBBIN WINDERS.....               | 19   |
| FINGER GUARD.....                 | 17   |
| FOOT LIFTER PARTS.....            | 21   |
| HEMMERS.....                      | 17   |
| IRON BASE.....                    | 16   |
| KNEE LIFTER PARTS.....            | 22   |
| MACHINE No. 96-10.....            | 7    |
| NUMERICAL LIST OF PARTS.....      | 29   |
| OBSOLETE PARTS.....               | 27   |
| PRESSER FEET.....                 | 18   |
| THREAD UNWINDER.....              | 23   |
| UNDER DRIVER (BALL BEARING).....  | 25   |
| “ “ (OIL CONTROLLING PULLEY)..... | 24   |

## INSTRUCTIONS FOR ORDERING

---

In ordering from this list, use **ONLY** the part **NUMBER** in the **FIRST** column.

The number stamped on a Sewing Machine part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the **SAME PART** in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

- A. Hardened, Polished and Plated.
- B. Polished and Plated.
- C. Hardened only.
- D. Polished only.
- E. Soft, not Polished.
- F. Hardened and Polished.
- G.
- H. Blued.
- J. Plated only.
- K. Hardened and Plated.
- L. Brass or Gilt.
- M. Oxidized.
- P. Japanned.

These letters **MUST BE USED** *when* they appear in the list, and **AFTER** the number *as* in the list.

In this series

1 to 1500 and 50001 to 51500 are Screw Numbers.

1501 to 1800 are Nut Numbers.

1801 to 2000 are Roller Numbers.

2001 to 50000 and 52001 and upward are numbers of Machine Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are **NOT TO BE USED** in ordering.

Parts marked with an asterisk (\*) are furnished only when repairs are made at factory.

# LIST OF PARTS COMPLETE

FOR

## MACHINE NO. 96-10

FOR CLOAKS, CLOTHING AND OTHER WORK IN CLOTH. HAS ROTATING  
HOOK DRIVEN BY GEARS, DROP FEED.

| NO.    | PLATE | NAME                                                                            | EACH    |
|--------|-------|---------------------------------------------------------------------------------|---------|
| *52381 | —     | Arm with two 56015.....                                                         | \$ 4 50 |
| 16532  | 5943  | “ Dowel Pin.....                                                                | 02      |
| 24131  | 5900  | “ Oil Tube with 29599, for oiling<br>24036.....                                 | 06      |
| 52084  | 5900  | Arm Oil Tube with 29599, for oiling<br>24040.....                               | 06      |
| 11119  | 5900  | Arm Oil Tube with 29599, for oiling<br>52022.....                               | 06      |
| 12454  | 5900  | Arm Oil Tube with 29599, for oiling<br>52024.....                               | 06      |
| 24131  | 5900  | Arm Oil Tube with 29599, for oiling<br>12430, for 52043.....                    | 06      |
| 29599  | 5900  | Arm Oil Tube Packing (felt)....per 100                                          | 25      |
| 748E   | 5942  | “ Screw (back).....                                                             | 08      |
| 854E   | 5942  | “ “ (front).....                                                                | 12      |
| 52382  | 5946  | “ Shaft (horizontal).....                                                       | 1 25    |
| 52059  | 5894  | “ “ “ Flanged Bushing<br>(back).....                                            | 50      |
| 56006  | 5900  | Arm Shaft (horizontal) Flanged Bushing<br>(back) Oil Pad (braided cotton).....  | 01      |
| 448c   | 5875  | Arm Shaft (horizontal) Flanged Bushing<br>(back) Set Screw.....                 | 03      |
| 52078  | 5894  | Arm Shaft (horizontal) Flanged Bushing<br>(front).....                          | 50      |
| 56006  | 5900  | Arm Shaft (horizontal) Flanged Bushing<br>(front) Oil Pad (braided cotton)..... | 01      |
| 435c   | 5899  | Arm Shaft (horizontal) Flanged Bushing<br>(front) Set Screw.....                | 04      |
| 54897  | 5900  | Arm Shaft (horizontal) Front Bearing Oil<br>Cup.....                            | 10      |
| 52060  | 5898  | Arm Shaft (horizontal) Gear with two<br>1036c.....                              | 1 35    |
| 52071  | 5894  | Arm Shaft (horizontal) Gear Case (two<br>pieces) with 121E and 50234D.....      | 75      |
| 50234D | 5899  | Arm Shaft (horizontal) Gear Case Plug<br>Screw.....                             | 06      |

| NO.    | PLATE | NAME                                                               | EACH  |
|--------|-------|--------------------------------------------------------------------|-------|
| 121E   | 5899  | Arm Shaft (horizontal) Gear Case Screw.                            | \$ 06 |
| 1036C  | 5948  | " " " " Set Screw...                                               | 03    |
| 144D   | 5875  | " " " Screw.....                                                   | 08    |
| 52062  | 5898  | " " (upright).....                                                 | 50    |
| 56099  | 5898  | " " " Bushing (lower)....                                          | 35    |
| 432C   | 5898  | " " " " " Set Screw.....                                           | 04    |
| 56100  | 5898  | Arm Shaft (upright) Bushing (upper)....                            | 50    |
| 1149C  | 5875  | " " " " " Set Screw.....                                           | 04    |
| 56013  | 5898  | Arm Shaft (upright) Gear (lower) with two 1253c.....               | 75    |
| 1253C  | 5869  | Arm Shaft (upright) Gear (lower) Set Screw.....                    | 03    |
| 56101  | 5898  | Arm Shaft (upright) Gear (upper) with two 1253c.....               | 75    |
| 1253C  | 5869  | Arm Shaft (upright) Gear (upper) Set Screw.....                    | 03    |
| 56015  | 5900  | Arm Shaft (upright) Oil Tube (lower)....                           | 05    |
| 56015  | 5900  | " " " " " (upper)...                                               | 05    |
| 12480  | 5894  | " Side Cap.....                                                    | 05    |
| 219D   | 5875  | " " " Screw.....                                                   | 02    |
| 12193  | 5894  | " " Cover.....                                                     | 10    |
| 50053D | 5899  | " " " Thumb Screw.....                                             | 10    |
| 12403  | 5900  | " Spool Pin and Thread Eyelet.....                                 | 05    |
| 8879   | 5936  | " " " Washer (cloth).....                                          | 01    |
| 52042  | 5896  | " Top Cover.....                                                   | 15    |
| 52043  | 5896  | " " " 52042 with 12403 and 24131.....                              | 25    |
| 180D   | 5875  | Arm Top Cover Screw.....                                           | 03    |
| 52005  | 5893  | Balance Wheel (power) light rim, 2½ in. pulley, with two 448c..... | 80    |
| 52081  | 5893  | Balance Wheel (stand) heavy rim, 3 in. pulley, with two 448c.....  | 80    |
| 52063  | 5894  | Balance Wheel Oil Cover.....                                       | 10    |
| 210D   | 5875  | " " " " Screw.....                                                 | 04    |
| 448C   | 5875  | " " Set Screw.....                                                 | 03    |
| *52383 | —     | Bed.....                                                           | 5 00  |
| 12431  | —     | " Slide.....                                                       | 25    |
| 12432  | 5894  | Bed Slide complete, Nos. 4307, 12431 and two 725E.....             | 30    |
| 4307   | 5894  | Bed Slide Spring.....                                              | 05    |
| 725E   | 5875  | " " " Screw.....                                                   | 02    |
| 52051  | —     | Face Plate.....                                                    | 50    |
| 52052  | 5894  | Face Plate complete, Nos. 52051, 52053, 56086 and two 226D.....    | 60    |
| 190D   | 5875  | Face Plate Screw.....                                              | 03    |

## PARTS FOR MACHINE NO. 96-10

9

| NO.    | PLATE | NAME                                                                              | EACH |
|--------|-------|-----------------------------------------------------------------------------------|------|
| 52053  | 5900  | Face Plate Thread Guard (lower).....\$                                            | 02   |
| 226D   | 5900  | " " " " " Screw..                                                                 | 02   |
| 56086  | 5900  | " " " " (upper).....                                                              | 02   |
| 226D   | 5900  | " " " " " Screw..                                                                 | 02   |
| 50190D | 5899  | " " Thumb Screw.....                                                              | 10   |
| 52011  | 5896  | Feed Bar.....                                                                     | 40   |
| 313C   | 5875  | " " Screw Centre.....                                                             | 04   |
| 1519E  | 5942  | " " " " Nut.....                                                                  | 03   |
| 3033   | 5897  | " Connecting Link.....                                                            | 20   |
| 375C   | 5897  | " " " " Hinge Screw.....                                                          | 12   |
| 1518E  | 5897  | " " " " " Nut.....                                                                | 04   |
| 52073  | 5897  | " " " " Stud.....                                                                 | 12   |
| 50083C | 5897  | " " " " " S e t                                                                   |      |
|        |       | Screw.....                                                                        | 05   |
| 20009  | 5932  | Feed Dog, for tailor work.....                                                    | 40   |
| 12369  | 5932  | " " " cloth, 12 teeth (12 teeth to the inch).....                                 | 40   |
| 12457  | 5932  | Feed Dog, for cloth, 16 teeth (16 teeth to the inch).....                         | 40   |
| 12370  | 778   | Feed Dog, for cloth.....                                                          | 40   |
| 12425  | 5932  | " " " " .....                                                                     | 40   |
| 12450  | 5933  | " " " " 11 teeth (18 teeth to the inch).....                                      | 40   |
| 20348  | 5933  | Feed Dog, for chiffon, 22 teeth (36 teeth to the inch).....                       | 40   |
| 20106  | 1259  | Feed Dog, for cloth.....                                                          | 40   |
| 20119  | 1259  | " " " heavy work on duck, overalls, etc.....                                      | 40   |
| 20158  | 1262  | Feed Dog, for shirt work.....                                                     | 40   |
| 20151  | 1262  | " " " " " beveled f o r                                                           |      |
|        |       | hemmer.....                                                                       | 40   |
| 20117  | 5933  | Feed Dog, for shirt work, beveled for hemmer, 16 teeth (16 teeth to the inch).... | 40   |
| 20138  | 1263  | Feed Dog, for shirt work, beveled for hemmer, 13 teeth (12 teeth to the inch).... | 40   |
| 20162  | 1263  | Feed Dog, for shirt work, beveled for hemmer, 17 teeth (16 teeth to the inch).... | 40   |
| 20147  | 5933  | Feed Dog, four teeth at right of needle, square corner.....                       | 40   |
| 12481  | 778   | Feed Dog, for general work.....                                                   | 40   |
| 50117E | 5875  | " " Screw.....                                                                    | 02   |
| 20283  | 5947  | " and Feed Lifting Eccentric with 446c.....                                       | 50   |
| 446C   | 5942  | Feed and Feed Lifting Eccentric Set Screw.....                                    | 03   |
| 24036  | 5896  | Feed and Feed Lifting Eccentric Sleeve..                                          | 75   |
| 20284  | 5947  | " Forked Connection.....                                                          | 75   |

| NO.    | PLATE | NAME                                                                   | EACH  |
|--------|-------|------------------------------------------------------------------------|-------|
| 375C   | 5897  | Feed Forked Connection Hinge Screw....                                 | \$ 12 |
| 1518E  | 5897  | " " " " " Nut                                                          | 04    |
| 52384  | 5946  | " Lifting Rock Shaft.....                                              | 40    |
| 52385  | —     | Feed Lifting Rock Shaft complete, Nos.<br>12376 and 52384.....         | 80    |
| 12430  | 5896  | Feed Lifting Rock Shaft Connecting Rod<br>with 12204 and two 966E..... | 80    |
| *12204 | —     | Feed Lifting Rock Shaft Connecting Rod<br>Cap.....                     | —     |
| 966E   | 5899  | Feed Lifting Rock Shaft Connecting Rod<br>Cap Screw.....               | 04    |
| 375C   | 5897  | Feed Lifting Rock Shaft Connecting Rod<br>Hinge Screw.....             | 12    |
| 1518E  | 5897  | Feed Lifting Rock Shaft Connecting Rod<br>Hinge Screw Nut.....         | 04    |
| 12376  | 5897  | Feed Lifting Rock Shaft Crank with 157E<br>and 1813.....               | 40    |
| 157E   | 5897  | Feed Lifting Rock Shaft Crank Clamping<br>Screw.....                   | 04    |
| 1813   | 5897  | Feed Lifting Rock Shaft Crank Roller and<br>Stud.....                  | 20    |
| 50191C | 5899  | Feed Lifting Rock Shaft Screw Centre                                   | 06    |
| 1513E  | 5942  | " " " " " " Nut.....                                                   | 05    |
| 52074  | 5897  | Feed Regulator with 50083c.....                                        | 50    |
| 1128E  | 5897  | " " Hinge Screw.....                                                   | 12    |
| 818D   | 5897  | " " Thumb Screw.....                                                   | 10    |
| 52359  | 5948  | " " " " Stop.....                                                      | 20    |
| 52386  | 5946  | " Rock Shaft.....                                                      | 40    |
| 52387  | —     | Feed Rock Shaft complete, Nos. 29633<br>and 52386.....                 | 65    |
| 29633  | 5897  | Feed Rock Shaft Crank with 157E.....                                   | 25    |
| 157E   | 5897  | " " " " Clamping Screw.                                                | 04    |
| 50191C | 5899  | " " " Screw Centre.....                                                | 06    |
| 1513E  | 5942  | " " " " " Nut.....                                                     | 05    |
| 25866  | 6449  | Guide.....                                                             | 15    |
| 732D   | 5875  | " Thumb Screw.....                                                     | 10    |
| 52304  | 5948  | Needle Bar (hollow).....                                               | 60    |
| 52305  | 5948  | " " Bushing (lower) with 29532..                                       | 80    |
| 1133E  | 5948  | " " " " Set Screw...                                                   | 02    |
| 52014  | 5948  | " " " (upper).....                                                     | 80    |
| 1133E  | 5948  | " " " " Set Screw...                                                   | 02    |
| 24040  | 5948  | " " Connecting Link with 794E..                                        | 50    |
| 794E   | 5948  | " " " " Adjusting<br>Screw.....                                        | 05    |
| 775E   | 5948  | Needle Bar Connecting Link Cap Screw..                                 | 06    |
| 24041  | 5948  | " " " Stud with 207E..                                                 | 35    |

## PARTS FOR MACHINE NO. 96-10

11

| NO.   | PLATE | NAME                                                                                         | EACH |
|-------|-------|----------------------------------------------------------------------------------------------|------|
| 207E  | 5948  | Needle Bar Connecting Stud Clamping Screw.....\$                                             | 02   |
| 24052 | 5947  | Needle Bar Crank with 858c, 1036c, 1037c and 1065c.....                                      | 80   |
| 1065C | 5875  | Needle Bar Crank Position Screw.....                                                         | 10   |
| 858C  | 5875  | " " " Set Screw.....                                                                         | 03   |
| 29532 | 5948  | " " Oil Cup.....                                                                             | 03   |
| 52306 | 5948  | " " Thread Guard.....                                                                        | 10   |
| 229D  | 5948  | " " " " Screw.....                                                                           | 02   |
| 52307 | 5948  | " Clamp with 808F.....                                                                       | 25   |
| 808F  | 5948  | " " Screw.....                                                                               | 03   |
| 12391 | 5896  | Presser Bar (hollow).....                                                                    | 80   |
| 52338 | 5936  | " " Guide Bracket with 223c and 453c.....                                                    | 60   |
| 453C  | 5936  | Presser Bar Guide Bracket Set Screw....                                                      | 02   |
| 52016 | 5936  | " " Lifter.....                                                                              | 20   |
| 689C  | 5936  | " " " Screw.....                                                                             | 10   |
| 1520E | 5936  | " " " " Nut.....                                                                             | 03   |
| 12327 | 5936  | " " Lifting and Releasing Lever Bracket.....                                                 | 50   |
| 11167 | 5896  | Presser Bar Spring.....                                                                      | 05   |
| 11170 | 5936  | " " " Washer.....                                                                            | 01   |
| 20458 | 5949  | " Foot for 20009.....                                                                        | 45   |
| 12143 | 5864  | " " " 12369, 12457 and 20106.....                                                            | 40   |
| 12335 | 5949  | " " (narrow) for 12369, 12457 and 20106.....                                                 | 40   |
| 12258 | 5949  | Presser Foot (wide) for 12369, 12457 and 20106.....                                          | 40   |
| 12142 | 5949  | Presser Foot for 12370.....                                                                  | 40   |
| 12259 | 5949  | " " " 12425.....                                                                             | 40   |
| 12144 | 5864  | " " " 20117, 20138, 20147, 20151, 20158 and 20162.....                                       | 45   |
| 12260 | 5864  | Presser Foot for 12450, 20147 and 20348.....                                                 | 40   |
| 12474 | 5949  | " " " 20138 and 20162.....                                                                   | 45   |
| 20342 | 5949  | " " " 12450 and 20348.....                                                                   | 40   |
| 20343 | 5949  | " " with guide on bottom to the right of needle hole, for 12369, 12450, 12457 and 20348..... | 60   |
| 12261 | 5864  | Presser Foot for 12481.....                                                                  | 50   |
| 7298  | 5900  | " " Hinge Pin.....per 100                                                                    | 10   |
| 24544 | —     | " " Plate.....                                                                               | 65   |
| 24545 | —     | " " Shank.....                                                                               | 60   |
| 24546 | 5938  | Presser Foot (hinged) complete for 12425 and 20119, Nos. 7298, 24544 and 24545.              | 1 25 |
| 7298  | 5900  | Presser Foot Hinge Pin.....per 100                                                           | 10   |
| 19334 | —     | " " Plate.....                                                                               | 65   |
| 19335 | —     | " " Shank.....                                                                               | 60   |

| NO.   | PLATE | NAME                                                                                                                                   | EACH       |
|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------|------------|
| 19336 | 5938  | Presser Foot (hinged) complete for 12370,<br>Nos. 7298, 19334 and 19335.....                                                           | \$ 1 25    |
| 7298  | 5900  | Presser Foot Hinge Pin.....                                                                                                            | per 100 10 |
| 20268 | —     | “ “ Plate.....                                                                                                                         | 65         |
| 20269 | —     | “ “ Shank.....                                                                                                                         | 60         |
| 20270 | 5938  | Presser Foot (hinged) complete for 12369,<br>12457 and 20106, Nos. 7298, 20268 and<br>20269.....                                       | 1 25       |
| 2532  | 5900  | Presser Foot Hinge Pin.....                                                                                                            | per 100 10 |
| 20310 | —     | “ “ Plate.....                                                                                                                         | 65         |
| 19223 | —     | “ “ Shank.....                                                                                                                         | 60         |
| 20311 | 5949  | Presser Foot (hinged) complete for 20117,<br>20138, 20147, 20151, 20158 and 20162,<br>Nos. 2532, 19223 and 20310.....                  | 1 25       |
| 2532  | 5900  | Presser Foot Hinge Pin.....                                                                                                            | per 100 10 |
| 20344 | —     | “ “ Plate.....                                                                                                                         | 65         |
| 20345 | —     | “ “ Shank.....                                                                                                                         | 60         |
| 26231 | 5900  | “ “ Spring.....                                                                                                                        | 02         |
| 20346 | 5949  | Presser Foot (spring hinged) complete for<br>20117, 20138, 20147, 20151, 20158 and<br>20162, Nos. 2532, 20344, 20345 and<br>26231..... | 1 25       |
| 190D  | 5875  | Presser Foot Screw.....                                                                                                                | 03         |
| 688E  | 5875  | Pressure Regulating Thumb Screw.....                                                                                                   | 25         |
| 52089 | 5898  | Rotating Hook with 40274, 52090, two<br>1253c, three 1367F and four 1053D.....                                                         | 2 50       |
| 40264 | 5869  | Rotating Hook Bobbin.....                                                                                                              | 05         |
| 40392 | 5869  | “ “ “ Case Latch.....                                                                                                                  | 10         |
| 40409 | 5869  | “ “ “ “ “ Lever.....                                                                                                                   | 10         |
| 2974  | 5869  | “ “ “ “ “ “<br>Fulcrum Pin.....                                                                                                        | per 100 10 |
| 2975  | 5869  | Rotating Hook Bobbin Case Latch Spring.....                                                                                            | 02         |
| 592E  | 5869  | “ “ “ “ “ S t o p<br>Screw.....                                                                                                        | 02         |
| 40393 | —     | Rotating Hook Bobbin Case Hinge, Nos.<br>2974, 40392 and 40409.....                                                                    | 25         |
| 591F  | 5869  | Rotating Hook Bobbin Case Tension<br>Regulating Screw.....                                                                             | 02         |
| 40394 | 5869  | Rotating Hook Bobbin Case Tension<br>Spring.....                                                                                       | 10         |
| 1380D | 5869  | Rotating Hook Bobbin Case Tension<br>Spring Screw.....                                                                                 | 02         |
| 40395 | 5869  | Rotating Hook Bobbin Case complete,<br>Nos. 591F, 592E, 1380D, 2975, 40393 and<br>40394.....                                           | 75         |
| 40408 | —     | Rotating Hook Bobbin Case 40395 with<br>40396.....                                                                                     | 2 50       |

## PARTS FOR MACHINE NO. 96-10

13

| NO.     | PLATE | NAME                                                                    | EACH    |
|---------|-------|-------------------------------------------------------------------------|---------|
| 40396   | 5869  | Rotating Hook Bobbin Case Holder.....                                   | \$ 1 75 |
| 52018   | 5869  | “ “ “ “ “ Position<br>Bracket.....                                      | 60      |
| 914D    | 5869  | Rotating Hook Bobbin Case Holder<br>Position Bracket Screw.....         | 04      |
| 40274   | 5869  | Rotating Hook Section.....                                              | 75      |
| 1367F   | 5869  | “ “ “ Screw.....                                                        | 02      |
| 1253C   | 5869  | “ “ Set Screw.....                                                      | 03      |
| 52388   | 5946  | “ “ Shaft.....                                                          | 80      |
| 56106   | 5898  | “ “ “ Bushing (back)....                                                | 50      |
| 52045   | 5898  | “ “ “ “ “ Pack-<br>ing (cotton).....                                    | 01      |
| 447C    | 5898  | Rotating Hook Shaft Bushing (back) Set<br>Screw.....                    | 03      |
| 56107   | 5898  | Rotating Hook Shaft Bushing (front)                                     | 50      |
| 52045   | 5898  | “ “ “ “ “<br>Packing (cotton).....                                      | 01      |
| 1148C   | 5898  | Rotating Hook Shaft Bushing (front) Set<br>Screw.....                   | 05      |
| 56013   | 5898  | Rotating Hook Shaft Gear with two<br>1253C.....                         | 75      |
| 52072   | 5894  | Rotating Hook Shaft Gear Case (two<br>pieces) with 121E and 50234D..... | 40      |
| 50234D  | 5899  | Rotating Hook Shaft Gear Case Plug<br>Screw.....                        | 06      |
| 121E    | 5899  | Rotating Hook Shaft Gear Case Screw...                                  | 06      |
| 1253C   | 5869  | “ “ “ “ Set Screw....                                                   | 03      |
| 52090   | 5898  | “ “ Thread Guard.....                                                   | 25      |
| 1053D   | 5869  | “ “ “ “ Screw....                                                       | 02      |
| 52337   | 5936  | Slack Thread Regulator.....                                             | 10      |
| 223C    | 5936  | “ “ “ Screw.....                                                        | 02      |
| 52046   | 5947  | Spool Holder Base.....                                                  | 15      |
| 389D    | 5942  | “ “ “ Screw.....                                                        | 04      |
| 204296  | 5947  | “ “ “ Wire.....                                                         | 10      |
| 200079H | 5942  | “ “ “ “ Hinge Screw....                                                 | 02      |
| 52047   | 5947  | Spool Holder complete, Nos. 52046,<br>200079H and 204296.....           | 25      |
| 2102    | 5872  | Tension Disc.....                                                       | 05      |
| 1560C   | 5872  | “ Regulating Thumb Nut.....                                             | 04      |
| 32572   | 5872  | “ Releasing Disc.....                                                   | 05      |
| 43944   | 5936  | “ “ Lever.....                                                          | 20      |
| 12398   | 5936  | “ “ “ Hinge Pin.....                                                    | 01      |
| 12329   | 5936  | “ “ “ Spring.....                                                       | 02      |
| 32574   | 5872  | “ “ Pin.....                                                            | 03      |
| 2103    | 5899  | “ Spring.....                                                           | 03      |
| 50304C  | 5899  | “ Stud.....                                                             | 12      |
| 50305C  | 5899  | “ “ Set Screw.....                                                      | 02      |

| NO.    | PLATE | NAME                                                                   | EACH  |
|--------|-------|------------------------------------------------------------------------|-------|
| 52027  | 5872  | Thread Guard (side of arm).....                                        | \$ 01 |
| 210958 | 5900  | " Retaining Collar.....                                                | 08    |
| 210993 | 5900  | " " Sleeve.....                                                        | 05    |
| 52398  | 5900  | " " Spring.....                                                        | 01    |
| 52378  | 5900  | " " Stud.....                                                          | 07    |
| 460c   | 5872  | " " " Set Screw.....                                                   | 02    |
| 52379  | —     | Thread Retainer complete, Nos. 52378,<br>52398, 210958 and 210993..... | 20    |
| 52021  | 5948  | Thread Take-up Crank.....                                              | 80    |
| 1036c  | 5948  | " " " Position Screw...                                                | 03    |
| 1037c  | 5948  | " " " Set Screw.....                                                   | 04    |
| 52022  | 5948  | " " Lever.....                                                         | 40    |
| 52023  | 5948  | " " " Hinge Pin.....                                                   | 05    |
| 52024  | 5948  | " " " Link.....                                                        | 25    |
| 11204  | 5948  | " " " " Hinge Pin...                                                   | 15    |
| 435c   | 5899  | " " " " " " " Set<br>Screw.....                                        | 04    |
| 52025  | —     | Thread Take-up Lever complete, Nos.<br>52022 to 52024.....             | 75    |
| 52394  | 5948  | Thread Take-up Spring.....                                             | 03    |
| 52083  | 5899  | " " " Regulator with<br>50305c.....                                    | 30    |
| 448c   | 5875  | Thread Take-up Spring Regulator Set<br>Screw.....                      | 03    |
| 20010  | 5932  | Throat Plate, large needle hole, for 20009                             | 50    |
| 20024  | —     | " " small needle hole, for 20009                                       | 50    |
| 12411  | 5932  | " " large needle hole, for 12369<br>and 12457.....                     | 50    |
| 12449  | —     | Throat Plate, small needle hole, for 12369<br>and 12457.....           | 50    |
| 12412  | 778   | Throat Plate, large needle hole, for 12370                             | 50    |
| 12426  | 5932  | " " " " " " 12425                                                      | 50    |
| 12466  | —     | " " small needle hole, for 12425                                       | 50    |
| 12464  | 5933  | " " large needle hole, for 12450<br>and 20348.....                     | 50    |
| 12451  | —     | Throat Plate, small needle hole, for 12450<br>and 20348.....           | 50    |
| 20315  | —     | Throat Plate, large needle hole, for 20106                             | 50    |
| 20107  | 1259  | " " small needle hole, for 20106                                       | 50    |
| 20120  | 1259  | " " large oblong needle hole, for<br>20119.....                        | 50    |
| 20187  | —     | Throat Plate, small oblong needle hole, for<br>20119.....              | 50    |
| 19497  | 5933  | Throat Plate, large needle hole, for 20117                             | 50    |
| 19405  | —     | " " small needle hole, for 20117                                       | 50    |
| 19409  | —     | " " large needle hole, for 20138<br>and 20162.....                     | 50    |

## PARTS FOR MACHINE NO. 96-10

15

| NO.   | PLATE | NAME                                                         | EACH  |
|-------|-------|--------------------------------------------------------------|-------|
| 19410 | 1263  | Throat Plate, small needle hole, for 20138<br>and 20162..... | \$ 50 |
| 19415 | 1262  | Throat Plate, large needle hole, for 20151                   | 50    |
| 19416 | —     | “ “ small needle hole, for 20151                             | 50    |
| 19418 | 1262  | “ “ large needle hole, for 20158                             | 50    |
| 19419 | —     | “ “ small needle hole, for 20158                             | 50    |
| 19412 | 5933  | “ “ large needle hole, for 20147                             | 50    |
| 19413 | —     | “ “ small needle hole, for 20147                             | 50    |
| 12482 | —     | “ “ large needle hole, for 12481                             | 50    |
| 12483 | 778   | “ “ small needle hole, for 12481                             | 50    |
| 691F  | 5875  | “ “ Screw.....                                               | 04    |
| 20021 | 5235  | Drip Pan with four 1 in. wire nails.....                     | 25    |

## IRON BASE

| NO.   | PLATE | NAME                                                                                                                                 | EACH  |
|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------|-------|
| 19219 | 5943  | Bed Frame Cushion (leather).....                                                                                                     | \$ 05 |
| 158c  | 5943  | " " " Screw.....                                                                                                                     | 03    |
| 19220 | 5943  | " " " Spring.....                                                                                                                    | 05    |
| 19226 | 5943  | " " Hinge Connection.....                                                                                                            | 15    |
| 19398 | —     | " " " " 19226 with<br>211F and 19397.....                                                                                            | 20    |
| 19397 | 5943  | Bed Frame Hinge Connection Cap.....                                                                                                  | 03    |
| 211F  | 5943  | " " " " " Screw.                                                                                                                     | 02    |
| 16555 | 5943  | " " " Plate.....                                                                                                                     | 15    |
| 14010 | 5943  | " " " " Rivet.....                                                                                                                   | 01    |
| 20067 | 819   | Bed Frame with two each 16555, 19398,<br>four each 19219, 19220, six each 14010,<br>wood screws 1¼ in. No. 12 and eight<br>158c..... | 2 15  |

## ACCESSORIES

| NO.   | PLATE | NAME                                                                                   | EACH  |
|-------|-------|----------------------------------------------------------------------------------------|-------|
| 12361 | 5943  | Machine Hinge Connection.....                                                          | \$ 15 |
| 12362 | 5943  | " " Plate.....                                                                         | 15    |
| 12363 | —     | Machine Hinge complete, Nos. 12361,<br>12362 and two wood screws 1¼ in.<br>No. 14..... | 30    |
| 12405 | 5943  | Machine Rest (felt).....                                                               | 02    |
| 36569 | 5901  | Oiler with 36571.....                                                                  | 05    |
| 36570 | —     | " 36569, filled with oil.....                                                          | 08    |
| 36571 | 5901  | " Spout, 1¾ in. long, with 36807....                                                   | 01    |
| 36807 | 5900  | " " Washer (leather).....                                                              | 01    |
| 26026 | 5901  | Screw Driver (large).....                                                              | 10    |
| 26485 | 5901  | " " (small).....                                                                       | 05    |
| 8909  | 5901  | Wrench for 1513 and 1518.....                                                          | 10    |
| 8908  | 5901  | " " 1519 and 1520.....                                                                 | 08    |

## FINGER GUARD

| NO.    | PLATE | NAME                                                          | EACH  |
|--------|-------|---------------------------------------------------------------|-------|
| 36818  | 5945  | Finger Guard.....                                             | \$ 06 |
| 36819  | 5945  | " " Friction Washer.....                                      | 01    |
| 50316J | 5945  | " " Hinge Screw.....                                          | 04    |
| 36820  | 5945  | " " Holder with 196J.....                                     | 10    |
| 196J   | 5945  | " " " Clamping Screw...                                       | 02    |
| 36821  | 5945  | Finger Guard complete, Nos. 36818 to<br>36820 and 50316J..... | 20    |

## HEMMERS

| NO.   | PLATE | NAME                                      | EACH  |
|-------|-------|-------------------------------------------|-------|
| 36118 | —     | Hemmer (foot) $\frac{3}{32}$ in. hem..... | \$ 75 |
| 36119 | 5881  | " " $\frac{1}{8}$ in. hem.....            | 75    |
| 36120 | —     | " " $\frac{5}{32}$ in. hem.....           | 75    |
| 36121 | —     | " " $\frac{3}{16}$ in. hem.....           | 75    |
| 36122 | —     | " " $\frac{7}{32}$ in. hem.....           | 75    |
| 36749 | —     | " " $\frac{1}{4}$ in. hem.....            | 75    |
| 6267  | 5900  | " Folder.....                             | 02    |
| 25888 | 5900  | " Tongue.....                             | 01    |

NOTE: When ordering Nos. 6267 or 25888 state width of hem and No. of hemmer for which it is required.

|       |      |                                                                                               |      |
|-------|------|-----------------------------------------------------------------------------------------------|------|
| 20117 | 5933 | Feed Dog for 36118 to 36122 and 36749..                                                       | 40   |
| 19497 | 5933 | Throat Plate, large needle hole, for 20117                                                    | 50   |
| 19405 | —    | " " small needle hole, for 20117                                                              | 50   |
| 35710 | 1252 | Hemmer (foot) $\frac{3}{32}$ in. hem, with guide on<br>bottom to the right of needle hole.... | 1 50 |
| 35682 | —    | Hemmer (foot) $\frac{1}{8}$ in. hem, with guide on<br>bottom to the right of needle hole....  | 1 50 |
| 36524 | —    | Hemmer (foot) $\frac{5}{32}$ in. hem, with guide on<br>bottom to the right of needle hole.... | 1 50 |
| 35997 | —    | Hemmer (foot) $\frac{3}{16}$ in. hem, with guide on<br>bottom to the right of needle hole.... | 1 50 |
| 36309 | —    | Hemmer (foot) $\frac{7}{32}$ in. hem, with guide on<br>bottom to the right of needle hole.... | 1 50 |
| 36072 | —    | Hemmer (foot) $\frac{1}{4}$ in. hem, with guide on<br>bottom to the right of needle hole....  | 1 50 |
| 35711 | 1252 | Feed Dog for 35682, 35710, 35997, 36072,<br>36309 and 36524.....                              | 40   |

| NO.                                                                        | PLATE | NAME                                                              | EACH  |
|----------------------------------------------------------------------------|-------|-------------------------------------------------------------------|-------|
| 35712                                                                      | 1252  | Throat Plate, small needle hole, for 35711                        | \$ 75 |
| NOTE. When ordering No. 35712 state width of hem for which it is required. |       |                                                                   |       |
| 36162                                                                      | —     | Hemmer (foot) $\frac{3}{2}$ in. hem, for China silk,<br>etc.....  | 2 25  |
| 36432                                                                      | 5881  | Hemmer (foot) $\frac{1}{8}$ in. hem, for China silk,<br>etc.....  | 2 25  |
| 36433                                                                      | —     | Hemmer (foot) $\frac{5}{2}$ in. hem, for China silk,<br>etc.....  | 2 25  |
| 36434                                                                      | —     | Hemmer (foot) $\frac{3}{16}$ in. hem, for China silk,<br>etc..... | 2 25  |
| 20158                                                                      | 1262  | Feed Dog, for shirt work, for 36162 and<br>36432 to 36434.....    | 40    |
| 19418                                                                      | 1262  | Throat Plate, large needle hole, for 20158                        | 50    |
| 19419                                                                      | —     | " " small needle hole, for 20158                                  | 50    |
| 36413                                                                      | —     | Hemmer (foot) plain bottom, $\frac{1}{16}$ in. hem.               | 75    |
| 36414                                                                      | —     | " " " " $\frac{3}{2}$ in. hem.                                    | 75    |
| 36415                                                                      | 5881  | " " " " $\frac{1}{8}$ in. hem..                                   | 75    |
| 36471                                                                      | 5881  | " " " " " " "                                                     | 75    |
|                                                                            |       | slotted for lace.....                                             | 75    |
| 36480                                                                      | —     | Hemmer (foot) plain bottom, $\frac{5}{2}$ in. hem.                | 75    |
| 36416                                                                      | —     | " " " " $\frac{3}{16}$ in. hem.                                   | 75    |

## PRESSER FEET

| NO.                                                                                         | PLATE | NAME                                                                                                                       | EACH  |
|---------------------------------------------------------------------------------------------|-------|----------------------------------------------------------------------------------------------------------------------------|-------|
| 36464                                                                                       | 5892  | Presser Foot Spring Guide.....                                                                                             | \$ 40 |
| 665D                                                                                        | 5892  | " " " " Screw.....                                                                                                         | 02    |
| 36465                                                                                       | 5892  | Presser Foot (right hand, spring guide)<br>with 665D and 36464, for $\frac{1}{32}$ in. to $\frac{5}{16}$ in.<br>gauge..... | 2 00  |
| NOTE. When ordering Nos. 36464 or 36465 state required distance from edge of goods to seam. |       |                                                                                                                            |       |
| 36574                                                                                       | 5945  | Presser Foot.....                                                                                                          | 50    |
| 36575                                                                                       | 5945  | " " 36574 with 36576 and two<br>50202D.....                                                                                | 60    |
| 36576                                                                                       | 5945  | Presser Foot Finger Guard.....                                                                                             | 06    |
| 50202D                                                                                      | 5945  | " " " " Screw.....                                                                                                         | 02    |

# BOBBIN WINDERS

## BOBBIN WINDER

(SWINGING AUTOMATIC, RIGHT HAND)

| NO.   | PLATE | NAME                                                                                                                                 | EACH  |
|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------|-------|
| 52042 | 5896  | Arm Top Cover.....                                                                                                                   | \$ 15 |
| 52043 | 5896  | “ “ “ 52042 with 12403 and<br>24131.....                                                                                             | 25    |
| 24131 | 5900  | Arm Top Cover Oil Tube with 29599....                                                                                                | 06    |
| 29599 | 5900  | “ “ “ “ “ Packing (felt),<br>per 100.....                                                                                            | 25    |
| 180D  | 5875  | Arm Top Cover Screw.....                                                                                                             | 03    |
| 12403 | 5900  | “ “ “ Spool Pin and Thread<br>Eyelet.....                                                                                            | 05    |
| 8879  | 5936  | Arm Top Cover Spool Pin Washer (cloth)                                                                                               | 01    |
| 41339 | 2833  | Base.....                                                                                                                            | 15    |
| 41340 | 2833  | Frame.....                                                                                                                           | 15    |
| 1429D | 2834  | “ Hinge Screw.....                                                                                                                   | 05    |
| 41341 | 2833  | “ Spring.....                                                                                                                        | 05    |
| 207D  | 2834  | “ “ Screw.....                                                                                                                       | 02    |
| 41342 | 2833  | Pulley with 200F.....                                                                                                                | 20    |
| 200F  | 2834  | “ Set Screw.....                                                                                                                     | 03    |
| 41343 | 2834  | Spindle.....                                                                                                                         | 15    |
| 27306 | 2834  | Spool Pin.....                                                                                                                       | 05    |
| 27307 | 2833  | “ Stand.....                                                                                                                         | 10    |
| 27308 | 2833  | Spool Stand complete, Nos. 418E, 1562J,<br>2106, 10141, 11241, 27306, 27307 and<br>two each 2455 and wood screws 1 in<br>No. 10..... | 35    |
| 11241 | 2833  | Spool Washer (cloth).....per 100                                                                                                     | 25    |
| 41344 | 2834  | Stop Latch.....                                                                                                                      | 10    |
| 41345 | 2834  | “ “ Finger.....                                                                                                                      | 10    |
| 152F  | 2834  | “ “ “ Screw.....                                                                                                                     | 03    |
| 1430D | 2834  | “ “ Hinge Screw.....                                                                                                                 | 05    |
| 1550H | 2834  | “ “ “ “ Nut.....                                                                                                                     | 03    |
| 41346 | 2834  | “ “ Lever.....                                                                                                                       | 15    |
| 1430D | 2834  | “ “ “ Hinge Screw.....                                                                                                               | 05    |
| 2455  | 2834  | Tension Disc.....                                                                                                                    | 02    |
| 1562J | 2834  | “ Regulating Thumb Nut.....                                                                                                          | 04    |
| 418E  | 2834  | “ Screw Stud.....                                                                                                                    | 08    |
| 10141 | 2834  | “ Spring.....                                                                                                                        | 01    |
| 2106  | 2834  | “ Thread Guide.....                                                                                                                  | 01    |

## BOBBIN WINDERS

| NO.   | PLATE | NAME                                                                                                                                | EACH    |
|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------|---------|
| 41347 | 2833  | Bobbin Winder, Nos. 152F, 207D, 1429D, 1550H, 41339 to 41346, two each 9331, wood screws 1 in. No. 10 R. H. B. and three 1430D..... | \$ 1 35 |
| 41348 | —     | Bobbin Winder (swinging automatic, right hand) complete, Nos. 27308 and 41347                                                       | 1 60    |
| 9331  | 2834  | Bobbin Winder Washer.....                                                                                                           | 01      |

## BOBBIN WINDER

(SWINGING AUTOMATIC, LEFT HAND)

| NO.   | PLATE | NAME                                                                                       | EACH  |
|-------|-------|--------------------------------------------------------------------------------------------|-------|
| 41913 | 5902  | Bracket with 457C.....                                                                     | \$ 35 |
| 41583 | 5902  | Frame with 457C.....                                                                       | 60    |
| 34105 | 5902  | " Hinge Pin.....                                                                           | 05    |
| 457C  | 5942  | " " Set Screw.....                                                                         | 02    |
| 41914 | 5902  | " Spring.....                                                                              | 05    |
| 41585 | 5902  | Pulley with 171D.....                                                                      | 20    |
| 171D  | 5942  | " Set Screw.....                                                                           | 03    |
| 41586 | 5902  | Spindle.....                                                                               | 20    |
| 41587 | 5902  | Stop Latch.....                                                                            | 10    |
| 42614 | 5902  | " " Hinge Stud.....                                                                        | 15    |
| 457C  | 5942  | " " " Set Screw.....                                                                       | 02    |
| 41588 | 5902  | " " Tripping Arm with 185H....                                                             | 10    |
| 185H  | 5942  | " " " Clamping Screw.....                                                                  | 02    |
| 41591 | 5902  | Tension Bracket with 460C.....                                                             | 25    |
| 41592 | 5902  | Tension Bracket complete, Nos. 12403, 24131, 41591, 41593 to 41595 and two 2455.....       | 55    |
| 24131 | 5900  | Tension Bracket Oil Tube with 29599....                                                    | 06    |
| 29599 | 5900  | " " " " Packing (felt), per 100.....                                                       | 25    |
| 180D  | 5875  | Tension Bracket Screw.....                                                                 | 03    |
| 12403 | 5900  | " " Spool Pin.....                                                                         | 05    |
| 8879  | 5936  | " " " Washer (cloth).....                                                                  | 01    |
| 2455  | 2834  | " Disc.....                                                                                | 02    |
| 41593 | 5936  | " Spring.....                                                                              | 02    |
| 41594 | 5936  | " Stud.....                                                                                | 10    |
| 460C  | 5872  | " " Set Screw.....                                                                         | 02    |
| 41595 | 5936  | " Thread Guide.....                                                                        | 03    |
| 41915 | 5902  | Bobbin Winder, Nos. 880D, 25446, 34105, 41583, 41585 to 41588, 41913, 41914 and 42614..... | 1 90  |
| 41916 | —     | Bobbin Winder (swinging automatic, left hand) complete, Nos. 41592 and 41915               | 2 45  |
| 880D  | 5899  | Bobbin Winder Screw.....                                                                   | 06    |
| 25446 | 5900  | " " " Washer.....                                                                          | 02    |

## FOOT LIFTER PARTS

| NO.                                                   | PLATE | NAME                                                                                     | EACH  |
|-------------------------------------------------------|-------|------------------------------------------------------------------------------------------|-------|
| 5596                                                  | 5947  | Bell Crank.....                                                                          | \$ 05 |
| 5599                                                  | 5947  | " " Bracket.....                                                                         | 08    |
| 178c                                                  | 5875  | " " " Screw.....                                                                         | 03    |
| 5601                                                  | 5943  | " " Hinge Pin.....                                                                       | 01    |
| 5735                                                  | 5943  | " " Spring.....                                                                          | 02    |
| 5598                                                  | 5947  | Bell Crank complete, Nos. 5596, 5599,<br>5601 and 5735.....                              | 20    |
| 5670                                                  | —     | Chain, length 26 in. to 35 in.....                                                       | 15    |
| NOTE. When ordering No. 5670 give length<br>required. |       |                                                                                          |       |
| 4879                                                  | 5947  | Chain Connecting Link.....                                                               | 03    |
| 12237                                                 | 5946  | Lifting Lever with 448c.....                                                             | 25    |
| 52028                                                 | 5947  | " " Connecting Rod.....                                                                  | 10    |
| 12416                                                 | 5936  | " " " " Joint.....                                                                       | 08    |
| 76D                                                   | 5875  | " " " " " Hinge<br>Screw.....                                                            | 06    |
| 1521E                                                 | 5942  | Lifting Lever Connecting Rod Lock Nut.                                                   | 03    |
| 802D                                                  | 5875  | " " Hinge Screw.....                                                                     | 10    |
| 12241                                                 | 5936  | " " Link.....                                                                            | 10    |
| 766D                                                  | 5875  | " " Hinge Screw.....                                                                     | 05    |
| 12240                                                 | 5936  | " " Pin.....                                                                             | 05    |
| 448c                                                  | 5875  | " " Set Screw.....                                                                       | 03    |
| 2763                                                  | 819   | Rock Shaft.....                                                                          | 10    |
| 12242                                                 | 819   | " " Hanger with two wood screws<br>1 in. No. 10.....                                     | 08    |
| 6337                                                  | 819   | Rock Shaft Lifting Bracket with two<br>356c.....                                         | 20    |
| 12243                                                 | 819   | Rock Shaft Lifting Bracket Hook.....                                                     | 15    |
| 7125                                                  | 819   | " " " " " ".....                                                                         | 15    |
| 356c                                                  | 5875  | " " " " " " Set<br>Screw.....                                                            | 06    |
| 356c                                                  | 5875  | Rock Shaft Lifting Bracket Set Screw...                                                  | 06    |
| 2770                                                  | 819   | " " Stop Dog with 356c.....                                                              | 12    |
| 356c                                                  | 5875  | " " " " Set Screw.....                                                                   | 06    |
| 4880                                                  | 819   | Rock Shaft complete, Nos. 2763, 2770,<br>7125, 12243 and two each 6337 and<br>12242..... | 1 00  |
| 4881                                                  | 819   | Treadle.....                                                                             | 30    |
| 4882                                                  | 5947  | " Shaft.....                                                                             | 05    |
| 4883                                                  | 5947  | " Spring.....                                                                            | 10    |
| 4884                                                  | 819   | " Stand.....                                                                             | 25    |

## FOOT LIFTER PARTS

| NO.   | PLATE | NAME                                                                                                                                    | EACH |
|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------|------|
| 4885  | 819   | Treadle complete, Nos. 4879, 4881 to 4884<br>and two wood screws 1 in. No. 16.....\$                                                    | 75   |
| 52319 | —     | Foot Lifter complete, Nos. 76D, 766D,<br>802D, 1521E, 4880, 4885, 5598, 5670,<br>12237, 12240, 12241, 12416, 52028 and<br>two 178c..... | 3 00 |

## KNEE LIFTER PARTS

| NO.   | PLATE | NAME                                                        | EACH |
|-------|-------|-------------------------------------------------------------|------|
| 5596  | 5947  | Bell Crank.....\$                                           | 05   |
| 5599  | 5947  | " " Bracket.....                                            | 08   |
| 178c  | 5875  | " " " Screw.....                                            | 03   |
| 5601  | 5943  | " " Hinge Pin.....                                          | 01   |
| 5735  | 5943  | " " Spring.....                                             | 02   |
| 5598  | 5947  | Bell Crank complete, Nos. 5596, 5599,<br>5601 and 5735..... | 20   |
| 12237 | 5946  | Lifting Lever with 448c.....                                | 25   |
| 52028 | 5947  | " " Connecting Rod.....                                     | 10   |
| 12416 | 5936  | " " " " Joint.....                                          | 08   |
| 76D   | 5875  | " " " " " Hinge<br>Screw.....                               | 06   |
| 1521E | 5942  | Lifting Lever Connecting Rod Lock Nut.....                  | 03   |
| 802D  | 5875  | " " Hinge Screw.....                                        | 10   |
| 12241 | 5936  | " " Link.....                                               | 10   |
| 766D  | 5875  | " " " Hinge Screw.....                                      | 05   |
| 12240 | 5936  | " " Pin.....                                                | 05   |
| 448c  | 5875  | " " " Set Screw.....                                        | 03   |
| 2763  | 5235  | Rock Shaft.....                                             | 10   |
| 12242 | 5235  | " " Hanger with two wood screws<br>1 in. No. 10.....        | 08   |
| 2765  | 5235  | Rock Shaft Knee Arm.....                                    | 10   |
| 2766  | 5235  | " " " " Hub with 356c....                                   | 15   |
| 356c  | 5875  | " " " " " Set Screw....                                     | 06   |
| 2768  | —     | Rock Shaft Knee Arm complete, Nos.<br>2765 to 2767.....     | 40   |
| 2767  | 5235  | Rock Shaft Knee Plate with 356c.....                        | 18   |
| 356c  | 5875  | " " " " Set Screw.....                                      | 06   |
| 6337  | 5235  | " " Lifting Bracket with two<br>356c.....                   | 20   |
| 2778  | 5235  | Rock Shaft Lifting Bracket Hook.....                        | 05   |
| 356c  | 5875  | " " " " " S e t<br>Screw.....                               | 06   |
| 356c  | 5875  | Rock Shaft Lifting Bracket Set Screw...                     | 06   |
| 2770  | 5235  | " " Stop Dog with 356c.....                                 | 12   |
| 356c  | 5875  | " " " " Set Screw.....                                      | 06   |

# KNEE LIFTER PARTS

23

| NO.   | PLATE | NAME                                                                                                                                      | EACH    |
|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 2777  | 5235  | Rock Shaft complete, Nos. 2763, 2768,<br>2770, 2778, 6337 and two 12242.....                                                              | \$ 1 00 |
| 52320 | —     | Knee Lifter complete (power table) Nos.<br>76d, 766d, 802d, 1521E, 2777, 5598,<br>12237, 12240, 12241, 12416, 52028 and<br>two 178c;..... | 2 10    |

## THREAD UNWINDER

FOR TWO LARGE SPOOLS OR TWO LARGE CONES OF THREAD

| NO.   | PLATE | NAME                                                                                                                              | EACH  |
|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------|-------|
| 27623 | 2837  | Spool Pin.....                                                                                                                    | \$ 08 |
| 155c  | 5875  | " " Set Screw.....                                                                                                                | 03    |
| 41530 | 2837  | " Rest.....                                                                                                                       | 30    |
| 41531 | —     | " " 41530 with 1149c and two each<br>155c and 27623.....                                                                          | 50    |
| 1149c | 5875  | Spool Rest Set Screw.....                                                                                                         | 04    |
| 27940 | 2837  | " Stand with 453c.....                                                                                                            | 20    |
| 41514 | 2837  | " Weight, 4 in. diam., with 41515....                                                                                             | 15    |
| 41515 | 5943  | " " Centre Pin.....                                                                                                               | 05    |
| 27739 | 2837  | Thread Cone (wood).....                                                                                                           | 05    |
| 41631 | 2837  | " Guard with 208E and two 41569..                                                                                                 | 35    |
| 41569 | 5943  | " " Eyelet.....                                                                                                                   | 02    |
| 41637 | 2837  | " " Rod (lower).....                                                                                                              | 10    |
| 41638 | 2837  | " " " (upper).....                                                                                                                | 15    |
| 41639 | 2837  | " " " Coupling with two<br>456c.....                                                                                              | 20    |
| 456c  | 5942  | Thread Guard Rod Coupling Set Screw..                                                                                             | 02    |
| 41640 | —     | Thread Guard Rod complete, 30 in. long,<br>Nos. 41637 to 41639.....                                                               | 45    |
| 453c  | 5936  | Thread Guard Rod Set Screw.....                                                                                                   | 02    |
| 208E  | 5942  | " " Screw.....                                                                                                                    | 02    |
| 41533 | 2837  | Thread Unwinder complete, Nos. 27940,<br>41531, 41631, 41640, two each 27739,<br>41514 and three wood screws 1 in.<br>No. 12..... | 1 80  |

## UNDER DRIVER

### LEVER PRESSURE, THREE SPEED, RIGHT HAND (OIL CONTROLLING PULLEY)

| NO.   | PLATE | NAME                                                                                          | EACH  |
|-------|-------|-----------------------------------------------------------------------------------------------|-------|
| 27508 | 362   | Belt Guard.....                                                                               | \$ 08 |
| 649E  | 5875  | " " Screw.....                                                                                | 05    |
| 27509 | 362   | Cone Pulley (grooved) three speed, 2½ in.<br>3¾ in. and 5¼ in. diam., with 27473..            | 60    |
| 27473 | 1101  | Cone Pulley Centre Bearing.....                                                               | 08    |
| 27474 | 363   | Dress Guard (right hand).....                                                                 | 08    |
| 138E  | 1101  | " " Screw.....                                                                                | 05    |
| 27630 | 362   | Driving Pulley (grooved) 6 in. diam., with<br>433c, 27598 and two 7958.....                   | 60    |
| 27598 | —     | Driving Pulley Friction Ring (leather)...                                                     | 05    |
| 7958  | 2642  | " " " " Stop Pin...                                                                           | 01    |
| 27631 | 1101  | " " Hollow Stud with 27600..                                                                  | 15    |
| 27600 | 1101  | " " " " Position<br>Stud.....                                                                 | 02    |
| 356c  | 5875  | Driving Pulley Hollow Stud Set Screw...                                                       | 06    |
| 27632 | —     | " " " " Wick.....                                                                             | 01    |
| 27633 | —     | " " " " Wire<br>with 27632.....                                                               | 05    |
| 433c  | 1101  | Driving Pulley Screw Centre Bearing                                                           | 08    |
| 7958  | 2642  | " " " " " "                                                                                   |       |
|       |       | Dowel Pin.....                                                                                | 01    |
| 27634 | 362   | Frame.....                                                                                    | 60    |
| 41338 | 362   | Lever.....                                                                                    | 25    |
| 27483 | 1101  | " Brake Spring.....                                                                           | 02    |
| 27497 | 1101  | " " Strip (leather).....                                                                      | 02    |
| 12178 | 1101  | " Centre Plug (wood).....                                                                     | 01    |
| 427E  | 1101  | " " " Adjusting Screw.....                                                                    | 08    |
| 1508E | 1101  | " " " " " Nut..                                                                               | 06    |
| 27485 | 1101  | " Hinge Pin.....                                                                              | 01    |
| 27635 | 362   | Oil Cup.....                                                                                  | 25    |
| 127E  | 5899  | " " Screw.....                                                                                | 04    |
| 27070 | 363   | Shaft Driving Pulley (sectional, grooved)<br>10 in. diam., 1⅜ in. bore, with two<br>597c..... | 45    |
| 597c  | 2642  | Shaft Driving Pulley Clamping Screw...                                                        | 08    |
| 27636 | 363   | Treadle.....                                                                                  | 30    |
| 9082  | 1101  | " Bearing Cotter Pin.....                                                                     | 01    |
| 27637 | 362   | " Pitman Rod (lower).....                                                                     | 05    |
| 27638 | 1101  | " " " " Spring.....                                                                           | 03    |
| 27639 | 362   | " " " (upper).....                                                                            | 05    |

## UNDER DRIVER

25

| NO.   | PLATE | NAME                                                                                                                                                                                                              | EACH |
|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 9079  | 362   | Treadle Pitman Rod Clamp with 354c . . . \$                                                                                                                                                                       | 12   |
| 354c  | 1101  | " " " " Screw . . . . .                                                                                                                                                                                           | 06   |
| 27640 | 362   | Treadle Pitman complete, Nos. 2762, 9079<br>and 27637 to 27639 . . . . .                                                                                                                                          | 35   |
| 2878  | 363   | Treadle Stand . . . . .                                                                                                                                                                                           | 15   |
| 2762  | 2642  | " Stop Collar with 362F . . . . .                                                                                                                                                                                 | 10   |
| 362F  | 2642  | " " " Set Screw . . . . .                                                                                                                                                                                         | 05   |
| 27642 | —     | Treadle complete, Nos. 2878, 9082, 27636<br>and four wood screws 1 in. No. 16 . . . . .                                                                                                                           | 45   |
| 27643 | —     | Treadle and Pitman complete, Nos. 27640<br>and 27642 . . . . .                                                                                                                                                    | 80   |
| 27644 | —     | Transmitter complete, Nos. 138E, 356C,<br>427E, 649E, 1508E, 12178, 27474, 27483,<br>27485, 27497, 27508, 27509, 27630,<br>27631, 27633 to 27635, 41338, two 127E<br>and four wood screws 1½ in. No. 16 . . . . . | 3 00 |
| 27645 | —     | Under Driver, lever pressure, right hand,<br>three speed (oil controlling pulley) com-<br>plete, Nos. 27070, 27643 and 27644 . . . . .                                                                            | 4 00 |

## UNDER DRIVER

(BALL BEARING)

### LEVER PRESSURE, TWO SPEED, RIGHT HAND

| NO.   | PLATE | NAME                                                                                 | EACH |
|-------|-------|--------------------------------------------------------------------------------------|------|
| 27750 | 2640  | Cone Pulley (grooved) two speed, 3¾ in.<br>and 5¼ in. diam., with 878D and 12459. \$ | 60   |
| 25303 | 2641  | Cone Pulley Ball, size ¼ in. . . . . per 100                                         | 1 00 |
| 27753 | 2641  | " " " Bearing Adjusting Ring                                                         | 15   |
| 1143C | 2641  | " " " " " " " " " " " "                                                              |      |
|       |       | Set Screw . . . . .                                                                  | 03   |
| 27795 | 2641  | Cone Pulley Ball Bearing Adjusting Ring<br>Set Screw Washer . . . . . per 100        | 25   |
| 878D  | 2641  | Cone Pulley Oil Hole Stop Screw . . . . .                                            | 06   |
| 12459 | 2641  | " " " " " " " Washer<br>(leather) . . . . . per 100                                  | 50   |
| 27755 | 2640  | Dress Guard (right hand) . . . . .                                                   | 10   |
| 348E  | 2642  | " " Screw . . . . .                                                                  | 06   |
| 2718  | 2642  | " " " Washer . . . . .                                                               | 01   |
| 27756 | 2640  | Driving Pulley (grooved) 6 in. diam., with<br>315C, 7958 and 27598 . . . . .         | 60   |
| 27598 | —     | Driving Pulley Friction Ring (leather) . . .                                         | 05   |
| 7958  | 2642  | " " " " Stop Pin . . .                                                               | 01   |
| 315C  | 2642  | " " Set Screw . . . . .                                                              | 04   |
| 27757 | 2641  | " " Shaft . . . . .                                                                  | 60   |

## UNDER DRIVER

| NO.   | PLATE | NAME                                                                                                                        | EACH    |
|-------|-------|-----------------------------------------------------------------------------------------------------------------------------|---------|
| 25303 | 2641  | Driving Pulley Shaft Ball, size $\frac{1}{4}$ in.,<br>per 100. ....                                                         | \$ 1 00 |
| 27751 | 2641  | Driving Pulley Shaft Ball Bearing Collar                                                                                    | 25      |
| 27752 | 2641  | " " " " " "                                                                                                                 |         |
|       |       | Pin.....                                                                                                                    | 04      |
| 27758 | 2641  | Driving Pulley Shaft Ball Safety Washer.                                                                                    | 01      |
| 27759 | 2641  | " " " Screw Bearing Ball<br>Case (left).....                                                                                | 20      |
| 27760 | —     | Driving Pulley Shaft Screw Bearing Ball<br>Case (left) complete, Nos. 27758, 27759,<br>27761 to 27763 and twelve 25303..... | 50      |
| 27761 | 2641  | Driving Pulley Shaft Screw Bearing Ball<br>Case (left) Friction Stud.....                                                   | 10      |
| 25303 | 2641  | Driving Pulley Shaft Screw Bearing Ball<br>Case (left) Friction Stud Ball, size $\frac{1}{4}$ in.,<br>per 100.....          | 1 00    |
| 27762 | 2641  | Driving Pulley Shaft Screw Bearing Ball<br>Case (left) Friction Stud Ball Plate....                                         | 05      |
| 27763 | 2641  | Driving Pulley Shaft Screw Bearing Ball<br>Case (left) Friction Stud Ball Plate<br>Washer.....                              | 01      |
| 27754 | 2641  | Driving Pulley Shaft Screw Bearing Ball<br>Case (left) Friction Stud Extension Pin                                          | 02      |
| 1122c | 2641  | Driving Pulley Shaft Screw Bearing Ball<br>Case (left) Set Screw.....                                                       | 03      |
| 27764 | 2641  | Driving Pulley Shaft Screw Bearing Ball<br>Case (right).....                                                                | 20      |
| 27765 | —     | Driving Pulley Shaft Screw Bearing Ball<br>Case (right) complete, Nos. 27758,<br>27764 and eight 25303.....                 | 30      |
| 1122c | 2641  | Driving Pulley Shaft Screw Bearing Ball<br>Case (right) Set Screw.....                                                      | 03      |
| 27766 | 2640  | Frame with two 1122c.....                                                                                                   | 75      |
| 27767 | 2640  | Lever with 27768 and two 27878.....                                                                                         | 35      |
| 1093c | 2642  | " Adjusting Screw.....                                                                                                      | 10      |
| 1513E | 2642  | " " " Nut.....                                                                                                              | 05      |
| 27768 | 2642  | " Brake (leather) two pieces.....                                                                                           | 03      |
| 27878 | 2642  | " " Rivet.....                                                                                                              | 01      |
| 1092E | 2642  | " Hinge Screw.....                                                                                                          | 20      |
| 1507E | 2642  | " " " Nut.....                                                                                                              | 05      |
| 27769 | 2642  | " Spring.....                                                                                                               | 10      |
| 27070 | 363   | Shaft Driving Pulley (sectional, grooved)<br>10 in. diam., $1\frac{3}{16}$ in. bore, with two 597c                          | 45      |
| 597c  | 2642  | Shaft Driving Pulley Clamping Screw...                                                                                      | 08      |
| 27636 | 363   | Treadle.....                                                                                                                | 30      |
| 9082  | 2642  | " Bearing Cotter Pin.....                                                                                                   | 01      |
| 27637 | 2640  | " Pitman Rod (lower).....                                                                                                   | 05      |

# UNDER DRIVER

27

| NO.   | PLATE | NAME                                                                                                                                                                                                                                   | EACH |
|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 27638 | 2642  | Treadle Pitman Rod (lower) Spring.....\$                                                                                                                                                                                               | 03   |
| 27639 | 2640  | “ “ “ (upper).....                                                                                                                                                                                                                     | 05   |
| 9079  | 2640  | “ “ “ Clamp with 354c...                                                                                                                                                                                                               | 12   |
| 354C  | 2642  | “ “ “ Screw.....                                                                                                                                                                                                                       | 06   |
| 27640 | 2640  | Treadle Pitman complete, Nos. 2762, 9079<br>and 27637 to 27639.....                                                                                                                                                                    | 35   |
| 2878  | 363   | Treadle Stand.....                                                                                                                                                                                                                     | 15   |
| 2762  | 2642  | “ Stop Collar with 362F.....                                                                                                                                                                                                           | 10   |
| 362F  | 2642  | “ “ “ Set Screw.....                                                                                                                                                                                                                   | 05   |
| 27642 | —     | Treadle complete, Nos. 2878, 9082, 27636<br>and four wood screws 1 in. No. 16.....                                                                                                                                                     | 45   |
| 27643 | —     | Treadle and Pitman complete, Nos. 27640<br>and 27642.....                                                                                                                                                                              | 80   |
| 27770 | —     | Transmitter complete, Nos. 348E, 1092E,<br>1093C, 1507E, 1513E, 2718, 27750 to<br>27752, 27754 to 27757, 27760, 27765 to<br>27767, 27769, two each 1143C, 27753,<br>27795, three wood screws 2 in. No. 16<br>and twenty-two 25303..... | 3 00 |
| 27771 | —     | Under Driver (ball bearing) lever pressure,<br>right hand, two speed, complete, Nos.<br>27070, 27643 and 27770.....                                                                                                                    | 4 00 |

## OBSOLETE PARTS

| NO.   | PLATE | NAME                                                                                            | EACH |
|-------|-------|-------------------------------------------------------------------------------------------------|------|
| 286D  | 5875  | Arm Side Cover Thumb Screw.....\$                                                               | 10   |
| 732D  | 5875  | Face Plate Thumb Screw.....                                                                     | 10   |
| 145E  | 5875  | Feed Lifting Rock Shaft Connecting Rod<br>Cap Screw for 12430.....                              | 04   |
| 20059 | 5897  | Presser Bar Guide Bracket with 453c...                                                          | 35   |
| 52076 | 5869  | Rotating Hook with 40274, 40398, two<br>1253c and three each 1053D and 1367F,<br>use 52089..... | 2 50 |
| 40398 | 5869  | Rotating Hook Thread Guard.....                                                                 | 25   |
| 20060 | 5872  | Slack Thread Regulator.....                                                                     | 35   |
| 225F  | 5872  | “ “ “ Set Screw.....                                                                            | 03   |
| 1274C | 5872  | Tension Screw Stud.....                                                                         | 10   |
| 29642 | 5872  | Thread Eyelet (side of arm).....                                                                | 15   |
| 52348 | 5899  | “ Take-up Spring.....                                                                           | 03   |
| 7336  | 5872  | “ “ “ Regulator.....                                                                            | 25   |

**NUMERICAL LIST OF PARTS**  
**FOR**  
**MACHINE No. 96-10**

## NUMERICAL LIST OF PARTS

| NO.  | PLATE | NAME                                                                         | EACH |
|------|-------|------------------------------------------------------------------------------|------|
| 76D  | 5875  | Lifting Lever Connecting Rod Joint Hinge<br>Screw for 52319 and 52320.....\$ | 06   |
| 121E | 5899  | Arm Shaft (horizontal) Gear Case Screw<br>for 52071.....                     | 06   |
| 121E | 5899  | Rotating Hook Shaft Gear Case Screw for<br>52072.....                        | 06   |
| 127E | 5899  | Under Driver Oil Cup Screw for 27644...                                      | 04   |
| 138E | 1101  | Under Driver Dress Guard Screw for 27644                                     | 05   |
| 144D | 5875  | Arm Shaft (horizontal) Screw.....                                            | 08   |
| 145E | 5875  | Feed Lifting Rock Shaft Connecting Rod<br>Cap Screw for 12430, obsolete..... | 04   |
| 152F | 2834  | Bobbin Winder Stop Latch Finger Screw<br>for 41347.....                      | 03   |
| 155C | 5875  | Thread Unwinder Spool Pin Set Screw for<br>41531.....                        | 03   |
| 157E | 5897  | Feed Lifting Rock Shaft Crank Clamping<br>Screw for 12376.....               | 04   |
| 157E | 5897  | Feed Rock Shaft Crank Clamping Screw<br>for 29633.....                       | 04   |
| 158C | 5943  | Bed Frame Cushion Screw for 20067.....                                       | 03   |
| 171D | 5942  | Bobbin Winder Pulley Set Screw for 41585                                     | 03   |
| 178C | 5875  | Bell Crank Bracket Screw for 52319 and<br>52320.....                         | 03   |
| 180D | 5875  | Arm Top Cover Screw.....                                                     | 03   |
| 180D | 5875  | Bobbin Winder Arm Top Screw for 52043                                        | 03   |
| 180D | 5875  | “ “ Tension Bracket Screw<br>for 41592.....                                  | 03   |
| 185H | 5942  | Bobbin Winder Stop Latch Tripping Arm<br>Clamping Screw for 41588.....       | 02   |
| 190D | 5875  | Face Plate Screw.....                                                        | 03   |
| 190D | 5875  | Presser Foot Screw.....                                                      | 03   |
| 196J | 5945  | Finger Guard Holder Clamping Screw for<br>36820.....                         | 02   |
| 200F | 2834  | Bobbin Winder Pulley Set Screw for 41342                                     | 03   |
| 207D | 2834  | Bobbin Winder Frame Spring Screw for<br>41347.....                           | 02   |
| 207E | 5948  | Needle Bar Connecting Stud Clamping<br>Screw for 24041.....                  | 02   |
| 208E | 5942  | Thread Unwinder Thread Guard Screw for<br>41631.....                         | 02   |
| 210D | 5875  | Balance Wheel Oil Cover Screw.....                                           | 04   |

## NUMERICAL LIST OF PARTS

| NO.  | PLATE | NAME                                                                | EACH |
|------|-------|---------------------------------------------------------------------|------|
| 211F | 5943  | Bed Frame Hinge Connection Cap Screw<br>for 19398.....\$            | 02   |
| 219D | 5875  | Arm Side Cap Screw.....                                             | 02   |
| 223C | 5936  | Slack Thread Regulator Screw for 52338.                             | 02   |
| 225F | 5872  | “ “ “ Set Screw,<br>obsolete.....                                   | 03   |
| 226D | 5900  | Face Plate Thread Guard (lower) Screw<br>for 52052.....             | 02   |
| 226D | 5900  | Face Plate Thread Guard (upper) Screw<br>for 52052.....             | 02   |
| 229D | 5948  | Needle Bar Thread Guard Screw.....                                  | 02   |
| 286D | 5875  | Arm Side Cover Thumb Screw, obsolete..                              | 10   |
| 313C | 5875  | Feed Bar Screw Centre.....                                          | 04   |
| 315C | 2642  | Under Driver Driving Pulley Set Screw for<br>27756.....             | 04   |
| 348E | 2642  | Under Driver Dress Guard Screw for<br>27770.....                    | 06   |
| 354C | 1101  | Under Driver Treadle Pitman Rod Clamp<br>Screw for 9079.....        | 06   |
| 356C | 5875  | Rock Shaft Knee Arm Hub Set Screw for<br>2766.....                  | 06   |
| 356C | 5875  | Rock Shaft Knee Plate Set Screw for 2767                            | 06   |
| 356C | 5875  | “ “ Lifting Bracket Hook Set<br>Screw for 6337.....                 | 06   |
| 356C | 5875  | Rock Shaft Lifting Bracket Set Screw for<br>6337.....               | 06   |
| 356C | 5875  | Rock Shaft Stop Dog Set Screw for 2770.                             | 06   |
| 356C | 5875  | Under Driver Driving Pulley Hollow Stud<br>Set Screw for 27644..... | 06   |
| 362F | 2642  | Under Driver Treadle Stop Collar Set<br>Screw for 2762.....         | 05   |
| 375C | 5897  | Feed Connecting Link Hinge Screw.....                               | 12   |
| 375C | 5897  | “ Forked Connection Hinge Screw...                                  | 12   |
| 375C | 5897  | “ Lifting Rock Shaft Connecting Rod<br>Hinge Screw.....             | 12   |
| 389D | 5942  | Spool Holder Base Screw.....                                        | 04   |
| 418E | 2834  | Bobbin Winder Tension Screw Stud for<br>27308.....                  | 08   |
| 427E | 1101  | Under Driver Lever Centre Plug Adjust-<br>ing Screw for 27644.....  | 08   |
| 432C | 5898  | Arm Shaft (upright) Bushing (lower) Set<br>Screw.....               | 04   |
| 433C | 1101  | Under Driver Driving Pulley Screw Centre<br>Bearing for 27630.....  | 08   |
| 435C | 5899  | Arm Shaft (horizontal) Flanged Bushing<br>(front) Set Screw.....    | 04   |

## NUMERICAL LIST OF PARTS

31

| NO.  | PLATE | NAME                                                               | EACH  |
|------|-------|--------------------------------------------------------------------|-------|
| 435c | 5899  | Thread Take-up Lever Link Hinge Pin Set Screw.....                 | \$ 04 |
| 446c | 5942  | Feed and Feed Lifting Eccentric Set Screw for 20283.....           | 03    |
| 447c | 5898  | Rotating Hook Shaft Bushing (back) Set Screw.....                  | 03    |
| 448c | 5875  | Arm Shaft (horizontal) Flanged Bushing (back) Set Screw.....       | 03    |
| 448c | 5875  | Balance Wheel Set Screw for 52005 and 52081.....                   | 03    |
| 448c | 5875  | Lifting Lever Pin Set Screw for 12237....                          | 03    |
| 448c | 5875  | Thread Take-up Spring Regulator Set Screw.....                     | 03    |
| 453c | 5936  | Presser Bar Guide Bracket Set Screw for 20059 and 52338.....       | 02    |
| 453c | 5936  | Thread Unwinder Thread Guard Rod Set Screw for 27940.....          | 02    |
| 456c | 5942  | Thread Unwinder Thread Guard Rod Coupling Set Screw for 41639..... | 02    |
| 457c | 5942  | Bobbin Winder Frame Hinge Pin Set Screw for 41583.....             | 02    |
| 457c | 5942  | Bobbin Winder Stop Latch Hinge Stud Set Screw for 41913.....       | 02    |
| 460c | 5872  | Bobbin Winder Tension Stud Set Screw for 41591.....                | 02    |
| 460c | 5872  | Thread Retaining Stud Set Screw.....                               | 02    |
| 591F | 5869  | Rotating Hook Bobbin Case Tension Regulating Screw for 40395.....  | 02    |
| 592E | 5869  | Rotating Hook Bobbin Case Latch Stop Screw for 40395.....          | 02    |
| 597c | 2642  | Under Driver Shaft Driving Pulley Clamping Screw for 27070.....    | 08    |
| 649E | 5875  | Under Driver Belt Guard Screw for 27644                            | 05    |
| 665D | 5892  | Presser Foot Spring Guide Screw for 36465                          | 02    |
| 688E | 5875  | Pressure Regulating Thumb Screw.....                               | 25    |
| 689c | 5936  | Presser Bar Lifter Screw.....                                      | 10    |
| 691F | 5875  | Throat Plate Screw.....                                            | 04    |
| 725E | 5875  | Bed Slide Spring Screw for 12432.....                              | 02    |
| 732D | 5875  | Face Plate Thumb Screw, obsolete.....                              | 10    |
| 732D | 5875  | Guide Thumb Screw.....                                             | 10    |
| 748E | 5942  | Arm Screw (back).....                                              | 08    |
| 766D | 5875  | Lifting Lever Link Hinge Screw for 52319 and 52320.....            | 05    |
| 775E | 5948  | Needle Bar Connecting Link Cap Screw..                             | 06    |
| 794E | 5948  | “ “ “ “ Adjusting Screw for 24040.....                             | 05    |

## NUMERICAL LIST OF PARTS

| NO.   | PLATE | NAME                                                                                       | EACH  |
|-------|-------|--------------------------------------------------------------------------------------------|-------|
| 802D  | 5875  | Lifting Lever Hinge Screw for 52319 and 52320.....                                         | \$ 10 |
| 808F  | 5948  | Needle Clamp Screw for 52307.....                                                          | 03    |
| 818D  | 5897  | Feed Regulator Thumb Screw.....                                                            | 10    |
| 854E  | 5942  | Arm Screw (front).....                                                                     | 12    |
| 858C  | 5875  | Needle Bar Crank Set Screw for 24052...                                                    | 03    |
| 878D  | 2641  | Under Driver Cone Pulley Oil Hole Stop Screw for 27750.....                                | 06    |
| 880D  | 5899  | Bobbin Winder Screw for 41915.....                                                         | 06    |
| 914D  | 5869  | Rotating Hook Bobbin Case Holder Position Bracket Screw.....                               | 04    |
| 966E  | 5899  | Feed Lifting Rock Shaft Connecting Rod Cap Screw for 12430.....                            | 04    |
| 1036C | 5948  | Arm Shaft (horizontal) Gear Set Screw for 52060.....                                       | 03    |
| 1036C | 5948  | Thread Take-up Crank Position Screw for 24052.....                                         | 03    |
| 1037C | 5948  | Thread Take-up Crank Set Screw for 24052.....                                              | 04    |
| 1053D | 5869  | Rotating Hook Thread Guard Screw for 52076 and 52089.....                                  | 02    |
| 1065C | 5875  | Needle Bar Crank Position Screw for 24052.....                                             | 10    |
| 1092E | 2642  | Under Driver Lever Hinge Screw for 27770                                                   | 20    |
| 1093C | 2642  | " " " Adjusting Screw for 27770.....                                                       | 10    |
| 1122C | 2641  | Under Driver Driving Pulley Shaft Screw Bearing Ball Case (left) Set Screw for 27766.....  | 03    |
| 1122C | 2641  | Under Driver Driving Pulley Shaft Screw Bearing Ball Case (right) Set Screw for 27766..... | 03    |
| 1128E | 5897  | Feed Regulator Hinge Screw.....                                                            | 12    |
| 1133E | 5948  | Needle Bar Bushing (lower) Set Screw...                                                    | 02    |
| 1133E | 5948  | " " " (upper) Set Screw...                                                                 | 02    |
| 1143C | 2641  | Under Driver Cone Pulley Ball Bearing Adjusting Ring Set Screw for 27770....               | 03    |
| 1148C | 5898  | Rotating Hook Shaft Bushing (front) Set Screw.....                                         | 05    |
| 1149C | 5875  | Arm Shaft (upright) Bushing (upper) Set Screw.....                                         | 04    |
| 1149C | 5875  | Thread Unwinder Spool Rest Set Screw for 41531.....                                        | 04    |
| 1253C | 5869  | Arm Shaft (upright) Gear (lower) Set Screw for 56013.....                                  | 03    |
| 1253C | 5869  | Arm Shaft (upright) Gear (upper) Set Screw for 56101.....                                  | 03    |

# NUMERICAL LIST OF PARTS

33

| NO.   | PLATE | NAME                                                              | EACH |
|-------|-------|-------------------------------------------------------------------|------|
| 1253C | 5869  | Rotating Hook Set Screw for 52076 and 52089.....\$                | 03   |
| 1253C | 5869  | Rotating Hook Shaft Gear Set Screw for 56013.....                 | 03   |
| 1274C | 5872  | Tension Screw Stud, obsolete.....                                 | 10   |
| 1367F | 5869  | Rotating Hook Section Screw for 52076 and 52089.....              | 02   |
| 1380D | 5869  | Rotating Hook Bobbin Case Tension Spring Screw for 40395.....     | 02   |
| 1429D | 2834  | Bobbin Winder Frame Hinge Screw for 41347.....                    | 05   |
| 1430D | 2834  | Bobbin Winder Stop Latch Hinge Screw for 41347.....               | 05   |
| 1430D | 2834  | Bobbin Winder Stop Latch Lever Hinge Screw for 41347.....         | 05   |
| 1507E | 2642  | Under Driver Lever Hinge Screw Nut for 27770.....                 | 05   |
| 1508E | 1101  | Under Driver Lever Centre Plug Adjusting Screw Nut for 27644..... | 06   |
| 1513E | 5942  | Feed Lifting Rock Shaft Screw Centre Nut.....                     | 05   |
| 1513E | 5942  | Feed Rock Shaft Screw Centre Nut.....                             | 05   |
| 1513E | 2642  | Under Driver Lever Adjusting Screw Nut for 27770.....             | 05   |
| 1518E | 5897  | Feed Connecting Link Hinge Screw Nut.                             | 04   |
| 1518E | 5897  | “ Forked Connection Hinge Screw Nut                               | 04   |
| 1518E | 5897  | “ Lifting Rock Shaft Connecting Rod Hinge Screw Nut.....          | 04   |
| 1519E | 5942  | Feed Bar Screw Centre Nut.....                                    | 03   |
| 1520E | 5936  | Presser Bar Lifter Screw Nut.....                                 | 03   |
| 1521E | 5942  | Lifting Lever Connecting Rod Lock Nut for 52319 and 52320.....    | 03   |
| 1550H | 2834  | Bobbin Winder Stop Latch Hinge Screw Nut for 41347.....           | 03   |
| 1560C | 5872  | Tension Regulating Thumb Nut.....                                 | 04   |
| 1562J | 2834  | Bobbin Winder Tension Regulating Thumb Nut for 27308.....         | 04   |
| 1813  | 5897  | Feed Lifting Rock Shaft Crank Roller and Stud for 12376.....      | 20   |
| 2102  | 5872  | Tension Disc.....                                                 | 05   |
| 2103  | 5899  | “ Spring.....                                                     | 03   |
| 2106  | 2834  | Bobbin Winder Tension Thread Guide for 27308.....                 | 01   |
| 2455  | 2834  | Bobbin Winder Tension Disc for 27308 and 41592.....               | 02   |
| 2532  | 5900  | Presser Foot Hinge Pin for 20311 and 20346.....per 100            | 10   |

## NUMERICAL LIST OF PARTS

| NO.                         | PLATE | NAME                                                                                               | EACH  |
|-----------------------------|-------|----------------------------------------------------------------------------------------------------|-------|
| 2718                        | 2642  | Under Driver Dress Guard Screw Washer<br>for 27770.....                                            | \$ 01 |
| 2762                        | 2642  | Under Driver Treadle Stop Collar with<br>362F, for 27640.....                                      | 10    |
| 2763                        | 819   | Rock Shaft for 2777 and 4880.....                                                                  | 10    |
| Nos. 2765 TO 2767 FOR 2768. |       |                                                                                                    |       |
| 2765                        | 5235  | Rock Shaft Knee Arm.....                                                                           | 10    |
| 2766                        | 5235  | " " " " Hub with 356c....                                                                          | 15    |
| 2767                        | 5235  | " " " Plate with 356c.....                                                                         | 18    |
| 2768                        | —     | Rock Shaft Knee Arm complete for 2777,<br>Nos. 2765 to 2767.....                                   | 40    |
| 2770                        | 819   | Rock Shaft Stop Dog with 356c, for 2777<br>and 4880.....                                           | 12    |
| 2777                        | 5235  | Rock Shaft complete for 52320, Nos.<br>2763, 2768, 2770, 2778, 6337 and two<br>12242.....          | 1 00  |
| 2778                        | 5235  | Rock Shaft Lifting Bracket Hook for 2777                                                           | 05    |
| 2878                        | 363   | Under Driver Treadle Stand for 27642...                                                            | 15    |
| 2974                        | 5869  | Rotating Hook Bobbin Case Latch Lever<br>Fulcrum Pin for 40393.....per 100                         | 10    |
| 2975                        | 5869  | Rotating Hook Bobbin Case Latch Spring<br>for 40395.....                                           | 02    |
| 3033                        | 5897  | Feed Connecting Link.....                                                                          | 20    |
| 4307                        | 5894  | Bed Slide Spring for 12432.....                                                                    | 05    |
| 4879                        | 5947  | Chain Connecting Link for 4885.....                                                                | 03    |
| 4880                        | 819   | Rock Shaft complete for 52319, Nos. 2763,<br>2770, 7125, 12243 and two each 6337<br>and 12242..... | 1 00  |
| Nos. 4881 TO 4884 FOR 4885. |       |                                                                                                    |       |
| 4881                        | 819   | Treadle.....                                                                                       | 30    |
| 4882                        | 5947  | " Shaft.....                                                                                       | 05    |
| 4883                        | 5947  | " Spring.....                                                                                      | 10    |
| 4884                        | 819   | " Stand.....                                                                                       | 25    |
| 4885                        | 819   | Treadle complete for 52319, Nos. 4879,<br>4881 to 4884 and two wood screws 1 in.<br>No. 16.....    | 75    |
| 5596                        | 5947  | Bell Crank for 5598.....                                                                           | 05    |
| 5598                        | 5947  | Bell Crank complete for 52319 and 52320,<br>Nos. 5596, 5599, 5601 and 5735.....                    | 20    |
| 5599                        | 5947  | Bell Crank Bracket for 5598.....                                                                   | 08    |
| 5601                        | 5943  | " " Hinge Pin for 5598.....                                                                        | 01    |
| 5670                        | —     | Chain, length 26 in. to 35 in., for 52319...                                                       | 15    |
| 5735                        | 5943  | Bell Crank Spring for 5598.....                                                                    | 02    |
| 6267                        | 5900  | Hemmer Folder.....                                                                                 | 02    |

## NUMERICAL LIST OF PARTS

35

| NO.    | PLATE | NAME                                                                           | EACH |
|--------|-------|--------------------------------------------------------------------------------|------|
| 6337   | 819   | Rock Shaft Lifting Bracket with two 356c,<br>for 2777 and 4880.....\$          | 20   |
| 7125   | 819   | Rock Shaft Lifting Bracket Hook for 4880                                       | 15   |
| 7298   | 5900  | Presser Foot Hinge Pin for 19336,<br>20270 and 24546.....per 100               | 10   |
| 7336   | 5872  | Thread Take-up Spring Regulator,<br>obsolete.....                              | 25   |
| 7958   | 2642  | Under Driver Driving Pulley Friction<br>Ring Stop Pin for 27630 and 27756....  | 01   |
| 7958   | 2642  | Under Driver Driving Pulley Screw Centre<br>Bearing Dowel Pin for 27630.....   | 01   |
| 8879   | 5936  | Arm Spool Pin Washer (cloth).....                                              | 01   |
| 8879   | 5936  | Bobbin Winder Arm Top Cover Spool Pin<br>Washer (cloth) for 52043.....         | 01   |
| 8879   | 5936  | Bobbin Winder Tension Bracket Spool Pin<br>Washer (cloth) for 41592.....       | 01   |
| 8908   | 5901  | Wrench for 1519 and 1520 (Accessories)..                                       | 08   |
| 8909   | 5901  | " " 1513 and 1518 (Accessories)..                                              | 10   |
| 9079   | 362   | Under Driver Treadle Pitman Rod Clamp<br>with 354c, for 27640.....             | 12   |
| 9082   | 1101  | Under Driver Treadle Bearing Cotter Pin<br>for 27642.....                      | 01   |
| 9331   | 2834  | Bobbin Winder Washer for 41347.....                                            | 01   |
| 10141  | 2834  | " " Tension Spring for 27308.                                                  | 01   |
| 11119  | 5900  | Arm Oil Tube with 29599, for oiling 52022                                      | 06   |
| 11167  | 5896  | Presser Bar Spring.....                                                        | 05   |
| 11170  | 5936  | " " " Washer.....                                                              | 01   |
| 11204  | 5948  | Thread Take-up Lever Link Hinge Pin..                                          | 15   |
| 11241  | 2833  | Bobbin Winder Spool Washer (cloth) for<br>27308.....per 100                    | 25   |
| 12142  | 5949  | Presser Foot for 12370.....                                                    | 40   |
| 12143  | 5864  | " " " 12369, 12457 and 20106.                                                  | 40   |
| 12144  | 5864  | " " " 20117, 20138, 20147,<br>20151, 20158 and 20162.....                      | 45   |
| 12178  | 1101  | Under Driver Lever Centre Plug (wood)<br>for 27644.....                        | 01   |
| 12193  | 5894  | Arm Side Cover.....                                                            | 10   |
| *12204 | —     | Feed Lifting Rock Shaft Connecting Rod<br>Cap for 12430.....                   | —    |
| 12237  | 5946  | Lifting Lever with 448c, for 52319 and<br>52320.....                           | 25   |
| 12240  | 5936  | Lifting Lever Pin for 52319 and 52320...                                       | 05   |
| 12241  | 5936  | " " Link for 52319 and 52320..                                                 | 10   |
| 12242  | 819   | Rock Shaft Hanger with two wood screws<br>1 in. No. 10, for 2777 and 4880..... | 08   |
| 12243  | 819   | Rock Shaft Lifting Bracket Hook for 4880                                       | 15   |

## NUMERICAL LIST OF PARTS

| NO.   | PLATE | NAME                                                                                           | EACH  |
|-------|-------|------------------------------------------------------------------------------------------------|-------|
| 12258 | 5949  | Presser Foot (wide) for 12369, 12457 and 20106.....                                            | \$ 40 |
| 12259 | 5949  | Presser Foot for 12425.....                                                                    | 40    |
| 12260 | 5864  | " " " 12450, 20147 and 20348.                                                                  | 40    |
| 12261 | 5864  | " " " 12481.....                                                                               | 50    |
| 12327 | 5936  | " Bar Lifting and Releasing Lever Bracket.....                                                 | 50    |
| 12329 | 5936  | Tension Releasing Lever Spring.....                                                            | 02    |
| 12335 | 5949  | Presser Foot (narrow) for 12369, 12457 and 20106.....                                          | 40    |
| 12361 | 5943  | Machine Hinge Connection for 12363. . .                                                        | 15    |
| 12362 | 5943  | " " Plate for 12363.....                                                                       | 15    |
| 12363 | —     | Machine Hinge complete, Nos. 12361, 12362 and two wood screws 1¼ in. No. 14 (Accessories)..... | 30    |
| 12369 | 5932  | Feed Dog, for cloth, 12 teeth (12 teeth to the inch).....                                      | 40    |
| 12370 | 778   | Feed Dog, for cloth.....                                                                       | 40    |
| 12376 | 5897  | " Lifting Rock Shaft Crank with 157E and 1813, for 52385.....                                  | 40    |
| 12391 | 5896  | Presser Bar (hollow).....                                                                      | 80    |
| 12398 | 5936  | Tension Releasing Lever Hinge Pin.....                                                         | 01    |
| 12403 | 5900  | Arm Spool Pin and Thread Eyelet for 52043.....                                                 | 05    |
| 12403 | 5900  | Bobbin Winder Arm Top Cover Spool Pin and Thread Eyelet for 52043.....                         | 05    |
| 12403 | 5900  | Bobbin Winder Tension Bracket Spool Pin for 41592.....                                         | 05    |
| 12405 | 5943  | Machine Rest, felt (Accessories).....                                                          | 02    |
| 12411 | 5932  | Throat Plate, large needle hole, for 12369 and 12457.....                                      | 50    |
| 12412 | 778   | Throat Plate, large needle hole, for 12370                                                     | 50    |
| 12416 | 5936  | Lifting Lever Connecting Rod Joint for 52319 and 52320.....                                    | 08    |
| 12425 | 5932  | Feed Dog, for cloth.....                                                                       | 40    |
| 12426 | 5932  | Throat Plate, large needle hole, for 12425                                                     | 50    |
| 12430 | 5896  | Feed Lifting Rock Shaft Connecting Rod with 12204 and two 966E.....                            | 80    |
| 12431 | —     | Bed Slide for 12432.....                                                                       | 25    |
| 12432 | 5894  | Bed Slide complete, Nos. 4307, 12431 and two 725E.....                                         | 30    |
| 12449 | —     | Throat Plate, small needle hole, for 12369 and 12457.....                                      | 50    |
| 12450 | 5933  | Feed Dog, for cloth, 11 teeth (18 teeth to the inch).....                                      | 40    |
| 12451 | —     | Throat Plate, small needle hole, for 12450 and 20348.....                                      | 50    |

## NUMERICAL LIST OF PARTS

37

| NO.   | PLATE | NAME                                                                                  | EACH  |
|-------|-------|---------------------------------------------------------------------------------------|-------|
| 12454 | 5900  | Arm Oil Tube with 29599, for oiling 52024                                             | \$ 06 |
| 12457 | 5932  | Feed Dog, for cloth, 16 teeth (16 teeth to the inch).....                             | 40    |
| 12459 | 2641  | Under Driver Cone Pulley Oil Hole Stop Screw Washer (leather) for 27750, per 100..... | 50    |
| 12464 | 5933  | Throat Plate, large needle hole, for 12450 and 20348.....                             | 50    |
| 12466 | —     | Throat Plate, small needle hole, for 12425                                            | 50    |
| 12474 | 5949  | Presser Foot for 20138 and 20162.....                                                 | 45    |
| 12480 | 5894  | Arm Side Cap.....                                                                     | 05    |
| 12481 | 778   | Feed Dog, for general work.....                                                       | 40    |
| 12482 | —     | Throat Plate, large needle hole, for 12481                                            | 50    |
| 12483 | 778   | “ “ small needle hole, for 12481                                                      | 50    |
| 14010 | 5943  | Bed Frame Hinge Plate Rivet for 20067..                                               | 01    |
| 16532 | 5943  | Arm Dowel Pin.....                                                                    | 02    |
| 16555 | 5943  | Bed Frame Hinge Plate for 20067.....                                                  | 15    |
| 19219 | 5943  | “ “ Cushion (leather) for 20067...                                                    | 05    |
| 19220 | 5943  | “ “ Cushion (spring) for 20067...                                                     | 05    |
| 19223 | —     | Presser Foot Shank for 20311.....                                                     | 60    |
| 19226 | 5943  | Bed Frame Hinge Connection for 19398..                                                | 15    |
| 19334 | —     | Presser Foot Plate for 19336.....                                                     | 65    |
| 19335 | —     | “ “ Shank for 19336.....                                                              | 60    |
| 19336 | 5938  | Presser Foot (hinged) complete for 12370, Nos. 7298, 19334 and 19335.....             | 1 25  |
| 19397 | 5943  | Bed Frame Hinge Connection Cap for 19398.....                                         | 03    |
| 19398 | —     | Bed Frame Hinge Connection 19226 with 211F and 19397, for 20067.....                  | 20    |
| 19405 | —     | Throat Plate, small needle hole, for 20117                                            | 50    |
| 19409 | —     | “ “ large needle hole, for 20138 and 20162.....                                       | 50    |
| 19410 | 1263  | Throat Plate, small needle hole, for 20138 and 20162.....                             | 50    |
| 19412 | 5933  | Throat Plate, large needle hole, for 20147                                            | 50    |
| 19413 | —     | “ “ small needle hole, for 20147                                                      | 50    |
| 19415 | 1262  | “ “ large needle hole, for 20151                                                      | 50    |
| 19416 | —     | “ “ small needle hole, for 20151                                                      | 50    |
| 19418 | 1262  | “ “ large needle hole, for 20158                                                      | 50    |
| 19419 | —     | “ “ small needle hole, for 20158                                                      | 50    |
| 19497 | 5933  | “ “ large needle hole, for 20117                                                      | 50    |
| 20009 | 5932  | Feed Dog, for tailor work.....                                                        | 40    |
| 20010 | 5932  | Throat Plate, large needle hole, for 20009.                                           | 50    |
| 20021 | 5235  | Drip Pan with four 1 in. wire nails.....                                              | 25    |
| 20024 | —     | Throat Plate, small needle hole, for 20009                                            | 50    |
| 20059 | 5897  | Presser Bar Guide Bracket with 453c, obsolete.....                                    | 35    |

| NO.   | PLATE | NAME                                                                                                                                 | EACH |
|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------|------|
| 20060 | 5872  | Slack Thread Regulator, obsolete.....\$                                                                                              | 35   |
| 20067 | 819   | Bed Frame with two each 16555, 19398,<br>four each 19219, 19220, six each 14010,<br>wood screws 1¼ in. No. 12 and eight<br>158c..... | 2 15 |
| 20106 | 1259  | Feed Dog, for cloth.....                                                                                                             | 40   |
| 20107 | 1259  | Throat Plate, small needle hole, for 20106                                                                                           | 50   |
| 20117 | 5933  | Feed Dog, for shirt work, beveled for hem-<br>mer, 16 teeth (16 teeth to the inch) for<br>36118 to 36122 and 36749.....              | 40   |
| 20119 | 1259  | Feed Dog, for heavy work on duck, over-<br>alls, etc.....                                                                            | 40   |
| 20120 | 1259  | Throat Plate, large oblong needle hole, for<br>20119.....                                                                            | 50   |
| 20138 | 1263  | Feed Dog, for shirt work, beveled for hem-<br>mer, 13 teeth (12 teeth to the inch)....                                               | 40   |
| 20147 | 5933  | Feed Dog, four teeth at right of needle,<br>square corner.....                                                                       | 40   |
| 20151 | 1262  | Feed Dog, for shirt work, beveled for<br>hemmer.....                                                                                 | 40   |
| 20158 | 1262  | Feed Dog, for shirt work, for 36162 and<br>36432 to 36434.....                                                                       | 40   |
| 20162 | 1263  | Feed Dog, for shirt work, beveled for<br>hemmer, 17 teeth (16 teeth to the inch).                                                    | 40   |
| 20187 | —     | Throat Plate, small oblong needle hole, for<br>20119.....                                                                            | 50   |
| 20268 | —     | Presser Foot Plate for 20270.....                                                                                                    | 65   |
| 20269 | —     | “ “ Shank for 20270.....                                                                                                             | 60   |
| 20270 | 5938  | Presser Foot (hinged) complete for 12369,<br>12457 and 20106, Nos. 7298, 20268 and<br>20269.....                                     | 1 25 |
| 20283 | 5947  | Feed and Feed Lifting Eccentric with 446c                                                                                            | 50   |
| 20284 | 5947  | “ Forked Connection.....                                                                                                             | 75   |
| 20310 | —     | Presser Foot Plate for 20311.....                                                                                                    | 65   |
| 20311 | 5949  | Presser Foot (hinged) complete for 20117,<br>20138, 20147, 20151, 20158 and 20162,<br>Nos. 2532, 19223 and 20310.....                | 1 25 |
| 20315 | —     | Throat Plate, large needle hole, for 20106                                                                                           | 50   |
| 20342 | 5949  | Presser Foot for 12450 and 20348.....                                                                                                | 40   |
| 20343 | 5949  | “ “ with guide on bottom to the<br>right of needle hole, for 12369, 12450,<br>12457 and 20348.....                                   | 60   |
| 20344 | —     | Presser Foot Plate for 20346.....                                                                                                    | 65   |
| 20345 | —     | “ “ Shank for 20346.....                                                                                                             | 60   |

## NUMERICAL LIST OF PARTS

39

| NO.   | PLATE | NAME                                                                                                                                                          | EACH    |
|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 20346 | 5949  | Presser Foot (spring hinged) complete for<br>20117, 20138, 20147, 20151, 20158 and<br>20162, Nos. 2532, 20344, 20345 and<br>26231.....                        | \$ 1 25 |
| 20348 | 5933  | Feed Dog, for chiffon, 22 teeth (36 teeth to<br>the inch).....                                                                                                | 40      |
| 20458 | 5949  | Presser Foot for 20009.....                                                                                                                                   | 45      |
| 24036 | 5896  | Feed and Feed Lifting Eccentric Sleeve..                                                                                                                      | 75      |
| 24040 | 5948  | Needle Bar Connecting Link with 794E..                                                                                                                        | 50      |
| 24041 | 5948  | " " " Stud with 207E..                                                                                                                                        | 35      |
| 24052 | 5947  | " " Crank with 858c, 1035c, 1037c<br>and 1065c.....                                                                                                           | 80      |
| 24131 | 5900  | Arm Oil Tube with 29599, for oiling<br>24036.....                                                                                                             | 06      |
| 24131 | 5900  | Arm Oil Tube with 29599, for oiling<br>12430, for 52043.....                                                                                                  | 06      |
| 24131 | 5900  | Bobbin Winder Arm Top Cover Oil Tube<br>with 29599, for 52043.....                                                                                            | 06      |
| 24131 | 5900  | Bobbin Winder Tension Bracket Oil Tube<br>with 29599, for 41592.....                                                                                          | 06      |
| 24544 | —     | Presser Foot Plate for 24546.....                                                                                                                             | 65      |
| 24545 | —     | " " Shank for 24546.....                                                                                                                                      | 60      |
| 24546 | 5938  | Presser Foot (hinged) complete for 12425<br>and 20119, Nos. 7298, 24544 and 24545.                                                                            | 1 25    |
| 25303 | 2641  | Under Driver Cone Pulley Ball, size $\frac{1}{4}$ in.,<br>for 27770.....per 100                                                                               | 1 00    |
| 25303 | 2641  | Under Driver Driving Pulley Shaft Ball,<br>size $\frac{1}{4}$ in., for 27760 and 27765, per 100                                                               | 1 00    |
| 25303 | 2641  | Under Driver Driving Pulley Shaft Screw<br>Bearing Ball Case (left) Friction Stud<br>Ball, size $\frac{1}{4}$ in., for 27760.....per 100                      | 1 00    |
| 25446 | 5900  | Bobbin Winder Screw Washer for 41915..                                                                                                                        | 02      |
| 25866 | 6449  | Guide.....                                                                                                                                                    | 15      |
| 25888 | 5900  | Hemmer Tongue.....                                                                                                                                            | 01      |
| 26026 | 5901  | Screw Driver, large (Accessories).....                                                                                                                        | 10      |
| 26231 | 5900  | Presser Foot Spring for 20346.....                                                                                                                            | 02      |
| 26485 | 5901  | Screw Driver, small (Accessories).....                                                                                                                        | 05      |
| 27070 | 363   | Under Driver Shaft Driving Pulley<br>(sectional, grooved) 10 in. diam., $1\frac{3}{16}$ in.<br>bore, with two 597c, for 27645 and<br>27771.....               | 45      |
| 27306 | 2834  | Bobbin Winder Spool Pin for 27308.....                                                                                                                        | 05      |
| 27307 | 2833  | " " " Stand for 27308...                                                                                                                                      | 10      |
| 27308 | 2833  | Bobbin Winder Spool Stand complete for<br>41348, Nos. 418E, 1562J, 2106, 10141,<br>11241, 27306, 27307 and two each 2455<br>and wood screws 1 in. No. 10..... | 35      |

| NO.                            | PLATE | NAME                                                                                                   | EACH  |
|--------------------------------|-------|--------------------------------------------------------------------------------------------------------|-------|
| 27473                          | 1101  | Under Driver Cone Pulley Centre Bearing for 27509.....                                                 | \$ 08 |
| 27474                          | 363   | Under Driver Dress Guard (right hand) for 27644.....                                                   | 08    |
| 27483                          | 1101  | Under Driver Lever Brake Spring for 27644.....                                                         | 02    |
| 27485                          | 1101  | Under Driver Lever Hinge Pin for 27644.                                                                | 01    |
| 27497                          | 1101  | " " " Brake Strip (leather) for 27644.....                                                             | 02    |
| 27508                          | 362   | Under Driver Belt Guard for 27644.....                                                                 | 08    |
| 27509                          | 362   | " " Cone Pulley (grooved) three speed, 2½ in., 3¾ in., and 5¼ in. diam., with 27473, for 27644.....    | 60    |
| 27598                          | —     | Under Driver Driving Pulley Friction Ring (leather) for 27630 and 27756....                            | 05    |
| 27600                          | 1101  | Under Driver Driving Pulley Hollow Stud Position Stud for 27631.....                                   | 02    |
| 27623                          | 2837  | Thread Unwinder Spool Pin for 41531....                                                                | 08    |
| 27630                          | 362   | Under Driver Driving Pulley (grooved) 6 in. diam., with 433c, 27598 and two 7958, for 27644.....       | 60    |
| 27631                          | 1101  | Under Driver Driving Pulley Hollow Stud with 27600, for 27644.....                                     | 15    |
| 27632                          | —     | Under Driver Driving Pulley Hollow Stud Wick for 27633.....                                            | 01    |
| Nos. 27633 TO 27635 FOR 27644. |       |                                                                                                        |       |
| 27633                          | —     | Under Driver Driving Pulley Hollow Stud Wick Wire with 27632.....                                      | 05    |
| 27634                          | 362   | Under Driver Frame.....                                                                                | 60    |
| 27635                          | 362   | " " Oil Cup.....                                                                                       | 25    |
| 27636                          | 363   | " " Treadle for 27642.....                                                                             | 30    |
| Nos. 27637 TO 27639 FOR 27640. |       |                                                                                                        |       |
| 27637                          | 362   | Under Driver Treadle Pitman Rod (lower)                                                                | 05    |
| 27638                          | 1101  | " " " " " " " Spring.....                                                                              | 03    |
| 27639                          | 362   | Under Driver Treadle Pitman Rod (upper)                                                                | 05    |
| 27640                          | 362   | Under Driver Treadle Pitman complete for 27643, Nos. 2762, 9079 and 27637 to 27639.....                | 35    |
| 27642                          | —     | Under Driver Treadle complete for 27643, Nos. 2878, 9082, 27636 and four wood screws 1 in. No. 16..... | 45    |
| 27643                          | —     | Under Driver Treadle and Pitman complete for 27645 and 27771, Nos. 27640 and 27642.....                | 80    |

## NUMERICAL LIST OF PARTS

41

| NO.                            | PLATE | NAME                                                                                                                                                                                                                                    | EACH    |
|--------------------------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 27644                          | —     | Under Driver Transmitter complete for<br>27645, Nos. 138E, 356C, 427E, 649E,<br>1508E, 12178, 27474, 27483, 27485,<br>27497, 27508, 27509, 27630, 27631,<br>27633 to 27635, 41338, two 127E and four<br>wood screws 1½ in. No. 16. .... | \$ 3 00 |
| 27645                          | —     | Under Driver, lever pressure, right hand,<br>three speed (oil controlling pulley) com-<br>plete, Nos. 27070, 27643 and 27644. ....                                                                                                      | 4 00    |
| 27739                          | 2837  | Thread Unwinder Thread Cone (wood) for<br>41533. ....                                                                                                                                                                                   | 05      |
| Nos. 27750 TO 27757 FOR 27770. |       |                                                                                                                                                                                                                                         |         |
| 27750                          | 2640  | Under Driver Cone Pulley (grooved) two<br>speed, 3¾ in. and 5¼ in. diam., with<br>878D and 12459. ....                                                                                                                                  | 60      |
| 27751                          | 2641  | Under Driver Driving Pulley Shaft Ball<br>Bearing Collar. ....                                                                                                                                                                          | 25      |
| 27752                          | 2641  | Under Driver Driving Pulley Shaft Ball<br>Bearing Collar Pin. ....                                                                                                                                                                      | 04      |
| 27753                          | 2641  | Under Driver Cone Pulley Ball Bearing<br>Adjusting Ring. ....                                                                                                                                                                           | 15      |
| 27754                          | 2641  | Under Driver Driving Pulley Shaft Screw<br>Bearing Ball Case (left) Friction Stud<br>Extension Pin. ....                                                                                                                                | 02      |
| 27755                          | 2640  | Under Driver Dress Guard (right hand)..                                                                                                                                                                                                 | 10      |
| 27756                          | 2640  | “ “ Driving Pulley (grooved)<br>6 in. diam., with 315C, 7958 and 27598.                                                                                                                                                                 | 60      |
| 27757                          | 2641  | Under Driver Driving Pulley Shaft. ....                                                                                                                                                                                                 | 60      |
| 27758                          | 2641  | “ “ “ “ “ Ball<br>Safety Washer for 27760 and 27765. ....                                                                                                                                                                               | 01      |
| 27759                          | 2641  | Under Driver Driving Pulley Shaft Screw<br>Bearing Ball Case (left) for 27760. ....                                                                                                                                                     | 20      |
| 27760                          | —     | Under Driver Driving Pulley Shaft Screw<br>Bearing Ball Case (left) complete for<br>27770, Nos. 27758, 27759, 27761 to<br>27763 and twelve 25303. ....                                                                                  | 50      |
| Nos. 27761 TO 27763 FOR 27760. |       |                                                                                                                                                                                                                                         |         |
| 27761                          | 2641  | Under Driver Driving Pulley Shaft Screw<br>Bearing Ball Case (left) Friction Stud.                                                                                                                                                      | 10      |
| 27762                          | 2641  | Under Driver Driving Pulley Shaft Screw<br>Bearing Ball Case (left) Friction Stud<br>Ball Plate. ....                                                                                                                                   | 05      |
| 27763                          | 2641  | Under Driver Driving Pulley Shaft Screw<br>Bearing Ball Case (left) Friction Stud<br>Ball Plate Washer. ....                                                                                                                            | 01      |

## NUMERICAL LIST OF PARTS

| NO.                            | PLATE | NAME                                                                                                                                                                                                                                                             | EACH |
|--------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 27764                          | 2641  | Under Driver Driving Pulley Shaft Screw<br>Bearing Ball Case (right) for 27765....\$                                                                                                                                                                             | 20   |
| Nos. 27765 TO 27767 FOR 27770. |       |                                                                                                                                                                                                                                                                  |      |
| 27765                          | —     | Under Driver Driving Pulley Shaft Screw<br>Bearing Ball Case (right) complete, Nos.<br>27758, 27764 and eight 25303.....                                                                                                                                         | 30   |
| 27766                          | 2640  | Under Driver Frame with two 1122c....                                                                                                                                                                                                                            | 75   |
| 27767                          | 2640  | " " Lever with 27768 and two<br>27878.....                                                                                                                                                                                                                       | 35   |
| 27768                          | 2642  | Under Driver Lever Brake (leather) two<br>pieces, for 27767.....                                                                                                                                                                                                 | 03   |
| 27769                          | 2642  | Under Driver Lever Spring for 27770....                                                                                                                                                                                                                          | 10   |
| 27770                          | —     | Under Driver Transmitter complete for<br>27771, Nos. 348E, 1092E, 1093C, 1507E,<br>1513E, 2718, 27750 to 27752, 27754 to<br>27757, 27760, 27765 to 27767, 27769, two<br>each 1143C, 27753, 27795, three wood<br>screws 2 in. No. 16 and twenty-two<br>25303..... | 3 00 |
| 27771                          | —     | Under Driver (ball bearing) lever pressure,<br>right hand, two speed, complete, Nos.<br>27070, 27643 and 27770.....                                                                                                                                              | 4 00 |
| 27795                          | 2641  | Under Driver Cone Pulley Ball Bearing<br>Adjusting Ring Set Screw Washer for<br>27770.....per 100                                                                                                                                                                | 25   |
| 27878                          | 2642  | Under Driver Lever Brake Rivet for 27767                                                                                                                                                                                                                         | 01   |
| 27940                          | 2837  | Thread Unwinder Spool Stand with 453c,<br>for 41533.....                                                                                                                                                                                                         | 20   |
| 29532                          | 5948  | Needle Bar Oil Cup for 52305.....                                                                                                                                                                                                                                | 03   |
| 29599                          | 5900  | Arm Oil Tube Packing (felt) for 11119,<br>12454, 24131 and 52084.....per 100                                                                                                                                                                                     | 25   |
| 29599                          | 5900  | Bobbin Winder Arm Top Cover Oil Tube<br>Packing (felt) for 24131.....per 100                                                                                                                                                                                     | 25   |
| 29599                          | 5900  | Bobbin Winder Tension Bracket Oil Tube<br>Packing (felt) for 24131.....per 100                                                                                                                                                                                   | 25   |
| 29633                          | 5897  | Feed Rock Shaft Crank with 157E, for<br>52387.....                                                                                                                                                                                                               | 25   |
| 29642                          | 5872  | Thread Eyelet (side of arm) obsolete....                                                                                                                                                                                                                         | 15   |
| 32572                          | 5872  | Tension Releasing Disc.....                                                                                                                                                                                                                                      | 05   |
| 32574                          | 5872  | " " Pin.....                                                                                                                                                                                                                                                     | 03   |
| 34105                          | 5902  | Bobbin Winder Frame Hinge Pin for 41915                                                                                                                                                                                                                          | 05   |
| 35682                          | —     | Hemmer (foot) $\frac{1}{8}$ in. hem, with guide on<br>bottom to the right of needle hole.....                                                                                                                                                                    | 1 50 |
| 35710                          | 1252  | Hemmer (foot) $\frac{3}{32}$ in. hem, with guide on<br>bottom to the right of needle hole.....                                                                                                                                                                   | 1 50 |

## NUMERICAL LIST OF PARTS

43

| NO.   | PLATE | NAME                                                                                                        | EACH  |
|-------|-------|-------------------------------------------------------------------------------------------------------------|-------|
| 35711 | 1252  | Feed Dog for 35682, 35710, 35997, 36072, 36309 and 36524.....                                               | \$ 40 |
| 35712 | 1252  | Throat Plate, small needle hole, for 35711                                                                  | 75    |
| 35997 | —     | Hemmer (foot) $\frac{3}{16}$ in. hem, with guide on bottom to the right of needle hole.....                 | 1 50  |
| 36072 | —     | Hemmer (foot) $\frac{1}{4}$ in. hem, with guide on bottom to the right of needle hole.....                  | 1 50  |
| 36118 | —     | Hemmer (foot) $\frac{3}{32}$ in. hem.....                                                                   | 75    |
| 36119 | 5881  | " " $\frac{1}{8}$ in. hem.....                                                                              | 75    |
| 36120 | —     | " " $\frac{5}{32}$ in. hem.....                                                                             | 75    |
| 36121 | —     | " " $\frac{3}{16}$ in. hem.....                                                                             | 75    |
| 36122 | —     | " " $\frac{7}{32}$ in. hem.....                                                                             | 75    |
| 36162 | —     | " " $\frac{3}{32}$ in. hem, for China silk, etc.....                                                        | 2 25  |
| 36309 | —     | Hemmer (foot) $\frac{7}{32}$ in. hem, with guide on bottom to the right of needle hole.....                 | 1 50  |
| 36413 | —     | Hemmer (foot) plain bottom, $\frac{1}{16}$ in. hem.                                                         | 75    |
| 36414 | —     | " " " " $\frac{3}{32}$ in. hem.                                                                             | 75    |
| 36415 | 5881  | " " " " $\frac{1}{8}$ in. hem.                                                                              | 75    |
| 36416 | —     | " " " " $\frac{3}{16}$ in. hem.                                                                             | 75    |
| 36432 | 5881  | " " $\frac{1}{8}$ in. hem, for China silk, etc.....                                                         | 2 25  |
| 36433 | —     | Hemmer (foot) $\frac{5}{32}$ in. hem, for China silk, etc.....                                              | 2 25  |
| 36434 | —     | Hemmer (foot) $\frac{3}{16}$ in. hem, for China silk, etc.....                                              | 2 25  |
| 36464 | 5892  | Presser Foot Spring Guide for 36465.....                                                                    | 40    |
| 36465 | 5892  | " " (right hand, spring guide) with 665p and 36464, for $\frac{1}{32}$ in. to $\frac{5}{16}$ in. gauge..... | 2 00  |
| 36471 | 5881  | Hemmer (foot) plain bottom, $\frac{1}{8}$ in. hem, slotted for lace.....                                    | 75    |
| 36480 | —     | Hemmer (foot) plain bottom, $\frac{5}{32}$ in. hem.                                                         | 75    |
| 36524 | —     | " " $\frac{5}{32}$ in. hem, with guide on bottom to the right of needle hole.....                           | 1 50  |
| 36569 | 5901  | Oiler with 36571, for 36570.....                                                                            | 05    |
| 36570 | —     | " 36569, filled with oil (Accessories) ..                                                                   | 08    |
| 36571 | 5901  | " Spout, $1\frac{3}{4}$ in. long, with 36807, for 36569.....                                                | 01    |
| 36574 | 5945  | Presser Foot for 36575.....                                                                                 | 50    |
| 36575 | 5945  | " " 36574 with 36576 and two 50202b.....                                                                    | 60    |
| 36576 | 5945  | Presser Foot Finger Guard for 36575.....                                                                    | 06    |
| 36749 | —     | Hemmer (foot) $\frac{1}{4}$ in. hem.....                                                                    | 75    |
| 36807 | 5900  | Oiler Spout Washer (leather) for 36571...                                                                   | 01    |

## NUMERICAL LIST OF PARTS

| NO.                            | PLATE | NAME                                                                                                                                                   | EACH  |
|--------------------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Nos. 36818 to 36820 for 36821. |       |                                                                                                                                                        |       |
| 36818                          | 5945  | Finger Guard.....                                                                                                                                      | \$ 06 |
| 36819                          | 5945  | “ “ Friction Washer.....                                                                                                                               | 01    |
| 36820                          | 5945  | “ “ Holder with 196J.....                                                                                                                              | 10    |
| 36821                          | 5945  | Finger Guard complete, Nos. 36818 to<br>36820 and 50316J.....                                                                                          | 20    |
| 40264                          | 5869  | Rotating Hook Bobbin.....                                                                                                                              | 05    |
| 40274                          | 5869  | “ “ Section for 52076 and<br>52089.....                                                                                                                | 75    |
| 40392                          | 5869  | Rotating Hook Bobbin Case Latch for<br>40393.....                                                                                                      | 10    |
| 40393                          | —     | Rotating Hook Bobbin Case Hinge, Nos.<br>2974, 40392 and 40409, for 40395.....                                                                         | 25    |
| 40394                          | 5869  | Rotating Hook Bobbin Case Tension<br>Spring for 40395.....                                                                                             | 10    |
| 40395                          | 5869  | Rotating Hook Bobbin Case complete for<br>40408, Nos. 591F, 592E, 1380D, 2975,<br>40393 and 40394.....                                                 | 75    |
| 40396                          | 5869  | Rotating Hook Bobbin Case Holder for<br>40408.....                                                                                                     | 1 75  |
| 40398                          | 5869  | Rotating Hook Thread Guard for 52076,<br>obsolete.....                                                                                                 | 25    |
| 40408                          | —     | Rotating Hook Bobbin Case 40395 with<br>40396.....                                                                                                     | 2 50  |
| 40409                          | 5869  | Rotating Hook Bobbin Case Latch Lever<br>for 40393.....                                                                                                | 10    |
| 41338                          | 362   | Under Driver Lever for 27644.....                                                                                                                      | 25    |
| Nos. 41339 to 41346 for 41347. |       |                                                                                                                                                        |       |
| 41339                          | 2833  | Bobbin Winder Base.....                                                                                                                                | 15    |
| 41340                          | 2833  | “ “ Frame.....                                                                                                                                         | 15    |
| 41341                          | 2833  | “ “ “ Spring.....                                                                                                                                      | 05    |
| 41342                          | 2833  | “ “ Pulley with 200F.....                                                                                                                              | 20    |
| 41343                          | 2834  | “ “ Spindle.....                                                                                                                                       | 15    |
| 41344                          | 2834  | “ “ Stop Latch.....                                                                                                                                    | 10    |
| 41345                          | 2834  | “ “ “ “ Finger.....                                                                                                                                    | 10    |
| 41346                          | 2834  | “ “ “ “ Lever.....                                                                                                                                     | 15    |
| 41347                          | 2833  | Bobbin Winder for 41348, Nos. 152F, 207D,<br>1429D, 1550H, 41339 to 41346, two each<br>9331, wood screws 1 in. No. 10 R. H. B.<br>and three 1430D..... | 1 35  |
| 41348                          | —     | Bobbin Winder (swinging automatic,<br>right hand) complete, Nos. 27308 and<br>41347.....                                                               | 1 60  |
| 41514                          | 2837  | Thread Unwinder Spool Weight, 4 in.<br>diam., with 41515, for 41533.....                                                                               | 15    |

## NUMERICAL LIST OF PARTS

45

| NO.                            | PLATE | NAME                                                                                                                                                                                    | EACH  |
|--------------------------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 41515                          | 5943  | Thread Unwinder Spool Weight Centre<br>Pin for 41514.....                                                                                                                               | \$ 05 |
| 41530                          | 2837  | Thread Unwinder Spool Rest for 41531..                                                                                                                                                  | 30    |
| 41531                          | —     | “ “ “ “ 41530 with<br>1149c and two each 155c and 27623, for<br>41533.....                                                                                                              | 50    |
| 41533                          | 2837  | Thread Unwinder complete, for two large<br>spools or two large cones of thread, Nos.<br>27940, 41531, 41631, 41640, two each<br>27739, 41514 and three wood screws 1 in.<br>No. 12..... | 1 80  |
| 41569                          | 5943  | Thread Unwinder Thread Guard Eyelet<br>for 41631.....                                                                                                                                   | 02    |
| 41583                          | 5902  | Bobbin Winder Frame with 457c, for<br>41915.....                                                                                                                                        | 60    |
| Nos. 41585 TO 41588 FOR 41915. |       |                                                                                                                                                                                         |       |
| 41585                          | 5902  | Bobbin Winder Pulley with 171D.....                                                                                                                                                     | 20    |
| 41586                          | 5902  | “ “ Spindle.....                                                                                                                                                                        | 20    |
| 41587                          | 5902  | “ “ Stop Latch.....                                                                                                                                                                     | 10    |
| 41588                          | 5902  | “ “ “ “ Tripping Arm<br>with 185H.....                                                                                                                                                  | 10    |
| 41591                          | 5902  | Bobbin Winder Tension Bracket with<br>460c, for 41592.....                                                                                                                              | 25    |
| 41592                          | 5902  | Bobbin Winder Tension Bracket com-<br>plete for 41916, Nos. 12403, 24131,<br>41591, 41593 to 41595 and two 2455...                                                                      | 55    |
| Nos. 41593 TO 41595 FOR 41592. |       |                                                                                                                                                                                         |       |
| 41593                          | 5936  | Bobbin Winder Tension Spring.....                                                                                                                                                       | 02    |
| 41594                          | 5936  | “ “ “ Stud.....                                                                                                                                                                         | 10    |
| 41595                          | 5936  | “ “ “ Thread Guide...                                                                                                                                                                   | 03    |
| 41631                          | 2837  | Thread Unwinder Thread Guard with<br>208E and two 41569, for 41533.....                                                                                                                 | 35    |
| Nos. 41637 TO 41639 FOR 41640. |       |                                                                                                                                                                                         |       |
| 41637                          | 2837  | Thread Unwinder Thread Guard Rod<br>(lower).....                                                                                                                                        | 10    |
| 41638                          | 2837  | Thread Unwinder Thread Guard Rod<br>(upper).....                                                                                                                                        | 15    |
| 41639                          | 2837  | Thread Unwinder Thread Guard Rod<br>Coupling with two 456c.....                                                                                                                         | 20    |
| 41640                          | —     | Thread Unwinder Thread Guard Rod<br>complete, 30 in. long, for 41533, Nos.<br>41637 to 41639.....                                                                                       | 45    |
| 41913                          | 5902  | Bobbin Winder Bracket with 457c, for<br>41915.....                                                                                                                                      | 35    |
| 41914                          | 5902  | Bobbin Winder Frame Spring for 41915..                                                                                                                                                  | 05    |

## NUMERICAL LIST OF PARTS

| NO.                            | PLATE | NAME                                                                                                        | EACH    |
|--------------------------------|-------|-------------------------------------------------------------------------------------------------------------|---------|
| 41915                          | 5902  | Bobbin Winder for 41916, Nos. 880b,<br>25446, 34105, 41583, 41585 to 41588,<br>41913, 41914 and 42614. .... | \$ 1 90 |
| 41916                          | —     | Bobbin Winder (swinging automatic, left<br>hand) complete, Nos. 41592 and 41915.                            | 2 45    |
| 42614                          | 5902  | Bobbin Winder Stop Latch Hinge Stud for<br>41915. ....                                                      | 15      |
| 43944                          | 5936  | Tension Releasing Lever. ....                                                                               | 20      |
| 50053b                         | 5899  | Arm Side Cover Thumb Screw. ....                                                                            | 10      |
| 50083c                         | 5897  | Feed Connecting Link Hinge Stud Set<br>Screw for 52074. ....                                                | 05      |
| 50117e                         | 5875  | Feed Dog Screw. ....                                                                                        | 02      |
| 50190b                         | 5899  | Face Plate Thumb Screw. ....                                                                                | 10      |
| 50191c                         | 5899  | Feed Lifting Rock Shaft Screw Centre. .                                                                     | 06      |
| 50191c                         | 5899  | “ Rock Shaft Screw Centre. ....                                                                             | 06      |
| 50202b                         | 5945  | Presser Foot Finger Guard Screw for 36575                                                                   | 02      |
| 50234b                         | 5899  | Arm Shaft (horizontal) Gear Case Plug<br>Screw for 52071. ....                                              | 06      |
| 50234b                         | 5899  | Rotating Hook Shaft Gear Case Plug<br>Screw for 52072. ....                                                 | 06      |
| 50304c                         | 5899  | Tension Stud. ....                                                                                          | 12      |
| 50305c                         | 5899  | “ “ Set Screw for 52083. ....                                                                               | 02      |
| 50316j                         | 5945  | Finger Guard Hinge Screw for 36821. .                                                                       | 04      |
| 52005                          | 5893  | Balance Wheel (power) light rim, 2½ in.<br>pulley, with two 448c. ....                                      | 80      |
| 52011                          | 5896  | Feed Bar. ....                                                                                              | 40      |
| 52014                          | 5948  | Needle Bar Bushing (upper). ....                                                                            | 80      |
| 52016                          | 5936  | Presser Bar Lifter. ....                                                                                    | 20      |
| 52018                          | 5869  | Rotating Hook Bobbin Case Holder<br>Position Bracket. ....                                                  | 60      |
| 52021                          | 5948  | Thread Take-up Crank. ....                                                                                  | 80      |
| Nos. 52022 TO 52024 FOR 52025. |       |                                                                                                             |         |
| 52022                          | 5948  | Thread Take-up Lever. ....                                                                                  | 40      |
| 52023                          | 5948  | “ “ “ Hinge Pin. ....                                                                                       | 05      |
| 52024                          | 5948  | “ “ “ Link. ....                                                                                            | 25      |
| 52025                          | —     | Thread Take-up Lever complete, Nos.<br>52022 to 52024. ....                                                 | 75      |
| 52027                          | 5872  | Thread Guard (side of arm). ....                                                                            | 01      |
| 52028                          | 5947  | Lifting Lever Connecting Rod for 52319<br>and 52320. ....                                                   | 10      |
| 52042                          | 5896  | Arm Top Cover for 52043. ....                                                                               | 15      |
| 52042                          | 5896  | Bobbin Winder Arm Top Cover for 52043                                                                       | 15      |
| 52043                          | 5896  | Arm Top Cover 52042 with 12403 and<br>24131. ....                                                           | 25      |
| 52043                          | 5896  | Bobbin Winder Arm Top Cover 52042<br>with 12403 and 24131, for 41348. ....                                  | 25      |

## NUMERICAL LIST OF PARTS

47

| NO.   | PLATE | NAME                                                                                                                                     | EACH |
|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------|------|
| 52045 | 5898  | Rotating Hook Shaft Bushing (back)                                                                                                       |      |
|       |       | Packing (cotton).....\$                                                                                                                  | 01   |
| 52045 | 5898  | Rotating Hook Shaft Bushing (front)                                                                                                      |      |
|       |       | Packing (cotton).....                                                                                                                    | 01   |
| 52046 | 5947  | Spool Holder Base for 52047.....                                                                                                         | 15   |
| 52047 | 5947  | Spool Holder complete, Nos. 52046,<br>200079H and 204296.....                                                                            | 25   |
| 52051 | —     | Face Plate for 52052.....                                                                                                                | 50   |
| 52052 | 5894  | Face Plate complete, Nos. 52051, 52053,<br>56086 and two 226D.....                                                                       | 60   |
| 52053 | 5900  | Face Plate Thread Guard (lower) for 52052                                                                                                | 02   |
| 52059 | 5894  | Arm Shaft (horizontal) Flanged Bushing<br>(back).....                                                                                    | 50   |
| 52060 | 5898  | Arm Shaft (horizontal) Gear with two 1036C                                                                                               | 1 35 |
| 52062 | 5898  | Arm Shaft (upright).....                                                                                                                 | 50   |
| 52063 | 5894  | Balance Wheel Oil Cover.....                                                                                                             | 10   |
| 52071 | 5894  | Arm Shaft (horizontal) Gear Case (two<br>pieces) with 121E and 50234D.....                                                               | 75   |
| 52072 | 5894  | Rotating Hook Shaft Gear Case (two<br>pieces) with 121E and 50234D.....                                                                  | 40   |
| 52073 | 5897  | Feed Connecting Link Hinge Stud.....                                                                                                     | 12   |
| 52074 | 5897  | " Regulator with 50083C.....                                                                                                             | 50   |
| 52076 | 5869  | Rotating Hook with 40274, 40398, two<br>1253C and three each 1053D and 1367F,<br>obsolete, use 52089.....                                | 2 50 |
| 52078 | 5894  | Arm Shaft (horizontal) Flanged Bushing<br>(front).....                                                                                   | 50   |
| 52081 | 5893  | Balance Wheel (stand) heavy rim, 3 in.<br>pulley, with two 448C.....                                                                     | 80   |
| 52083 | 5899  | Thread Take-up Spring Regulator with<br>50305C.....                                                                                      | 30   |
| 52084 | 5900  | Arm Oil Tube with 29599, for oiling 24040                                                                                                | 06   |
| 52089 | 5898  | Rotating Hook with 40274, 52090, two<br>1253C, three 1367F and four 1053D.....                                                           | 2 50 |
| 52090 | 5898  | Rotating Hook Thread Guard for 52089.                                                                                                    | 25   |
| 52304 | 5948  | Needle Bar (hollow).....                                                                                                                 | 60   |
| 52305 | 5948  | " " Bushing (lower) with 29532..                                                                                                         | 80   |
| 52306 | 5948  | " " Thread Guard.....                                                                                                                    | 10   |
| 52307 | 5948  | " Clamp with 808F.....                                                                                                                   | 25   |
| 52319 | —     | Foot Lifter complete, Nos. 76D, 766D,<br>802D, 1521E, 4880, 4885, 5598, 5670,<br>12237, 12240, 12241, 12416, 52028 and<br>two 178C.....  | 3 00 |
| 52320 | —     | Knee Lifter complete (power table) Nos.<br>76D, 766D, 802D, 1521E, 2777, 5598,<br>12237, 12240, 12241, 12416, 52028 and<br>two 178C..... | 2 10 |


## NUMERICAL LIST OF PARTS

| NO.     | PLATE | NAME                                                                            | EACH  |
|---------|-------|---------------------------------------------------------------------------------|-------|
| 52337   | 5936  | Slack Thread Regulator.....                                                     | \$ 10 |
| 52338   | 5936  | Presser Bar Guide Bracket with 223c and<br>453c.....                            | 60    |
| 52348   | 5899  | Thread Take-up Spring, obsolete.....                                            | 03    |
| 52359   | 5948  | Feed Regulator Thumb Screw Stop.....                                            | 20    |
| 52378   | 5900  | Thread Retaining Stud for 52379.....                                            | 07    |
| 52379   | —     | Thread Retainer complete, Nos. 52378,<br>52398, 210958 and 210993.....          | 20    |
| *52381  | —     | Arm with two 56015.....                                                         | 4 50  |
| 52382   | 5946  | " Shaft (horizontal).....                                                       | 1 25  |
| *52383  | —     | Bed.....                                                                        | 5 00  |
| 52384   | 5946  | Feed Lifting Rock Shaft for 52385.....                                          | 40    |
| 52385   | —     | Feed Lifting Rock Shaft complete, Nos.<br>12376 and 52384.....                  | 80    |
| 52386   | 5946  | Feed Rock Shaft for 52387.....                                                  | 40    |
| 52387   | —     | Feed Rock Shaft complete, Nos. 29633 and<br>52386.....                          | 65    |
| 52388   | 5946  | Rotating Hook Shaft.....                                                        | 80    |
| 52394   | 5948  | Thread Take-up Spring.....                                                      | 03    |
| 52398   | 5900  | " Retaining Spring for 52379.....                                               | 01    |
| 54897   | 5900  | Arm Shaft (horizontal) Front Bearing Oil<br>Cup.....                            | 10    |
| 56006   | 5900  | Arm Shaft (horizontal) Flanged Bushing<br>(back) Oil Pad (braided cotton).....  | 01    |
| 56006   | 5900  | Arm Shaft (horizontal) Flanged Bushing<br>(front) Oil Pad (braided cotton)..... | 01    |
| 56013   | 5898  | Arm Shaft (upright) Gear (lower) with<br>two 1253c.....                         | 75    |
| 56013   | 5898  | Rotating Hook Shaft Gear with two 1253c                                         | 75    |
| 56015   | 5900  | Arm Shaft (upright) Oil Tube (lower) for<br>52381.....                          | 05    |
| 56015   | 5900  | Arm Shaft (upright) Oil Tube (upper) for<br>52381.....                          | 05    |
| 56086   | 5900  | Face Plate Thread Guard (upper) for<br>52052.....                               | 02    |
| 56099   | 5898  | Arm Shaft (upright) Bushing (lower)....                                         | 35    |
| 56100   | 5898  | " " " " (upper)....                                                             | 50    |
| 56101   | 5898  | " " " Gear (upper) with<br>two 1253c.....                                       | 75    |
| 56106   | 5898  | Rotating Hook Shaft Bushing (back)....                                          | 50    |
| 56107   | 5898  | " " " " (front)....                                                             | 50    |
| 200079H | 5942  | Spool Holder Base Wire Hinge Screw for<br>52047.....                            | 02    |
| 204296  | 5947  | Spool Holder Base Wire for 52047.....                                           | 10    |
| 210958  | 5900  | Thread Retaining Collar for 52379.....                                          | 08    |
| 210993  | 5900  | " " Sleeve for 52379.....                                                       | 05    |


**ILLUSTRATIONS OF PARTS**  
**FOR**  
**MACHINE No. 96-10**

# PLATE 362—ONE-FOURTH SIZE


27630




27509




27640



27635




27634



27508



41338



.....27637

PLATE 363—ONE-FOURTH SIZE

27636



27474



2878



27070




PLATE 778—FULL SIZE





PLATE 819—ONE-FOURTH SIZE



# PLATE 1101—FULL SIZE

27497



27631



12178



27485



9082



27483



27638



27473



344



354



427



138



433



27600



2018




1508




PLATE 1252—FULL SIZE

35711



35712



35710




PLATE 1259—FULL SIZE





PLATE 1262—FULL SIZE


20152




20151



19415



19418




20158



PLATE 1263—FULL SIZE


19410



20162



20139



20138



20190






PLATE 2640—ONE-FOURTH SIZE




# PLATE 2641—FULL SIZE

27757



27759



27762



25303




1122



27761



27758




27754



27763



27751



27752



27795




1143



27753



27764



878



12459



# PLATE 2642—FULL SIZE





PLATE 2833—ONE-HALF SIZE




41347


41341



41342





41340



41339

11241

27308



27307

# PLATE 2834—FULL SIZE

27306




41343



9331



41346



41344



41345



1429



207



1430



152



200



1550



2106



418



2455



10141



1562



PLATE 2837—ONE-FOURTH SIZE




PLATE 5235—ONE-FOURTH SIZE





PLATE 5864—FULL SIZE

12261



12143




12144




12260




12261




12143




12144




12260



# PLATE 5869—FULL SIZE



# PLATE 5872—FULL SIZE



# PLATE 5875—FULL SIZE






PLATE 5881—FULL SIZE

36119



36415




36471



36432



36119



36415



36471



36432



PLATE 5892—FULL SIZE

36465




36464




665



36717



36715



36716

233




36773




PLATE 5893—ONE-HALF SIZE

52005




52081




52196

PLATE 5894—ONE-HALF SIZE

52052




12193



4307



12432



52059



52063



52078



12480



52072



52071




PLATE 5896—ONE-HALF SIZE

12430



12391



11167



52011



24036




52043



52042

PLATE 5897—FULL SIZE



# PLATE 5898—FULL SIZE

52062




56101



561Q0



52060



56106




56107



447



1148



432



52045



52089

56099



52090

56013



# PLATE 5899—FULL SIZE

50304



52083



52082



2103



41569



52348



50305



50190



50053



50234



1443



590



121



880



127



966



158



456



457



435



446



171



185



208



50191



# PLATE 5900—FULL SIZE

52084 56015 12454 18130 24131 11119



41515

16532



26276

7298

2532

12403



52378

52398

210993

210958



52053

56086

6267

25888

226

56006

29599

25446

36807



54897

26231



PLATE 5901—ONE-HALF SIZE

26026



26485



8909



8908



36569




--36571

PLATE 5902—ONE-HALF SIZE


41592

41915

41585



41591




41913



41587



41586




41583



41588

42614

41914




34105



PLATE 5932—FULL SIZE


20010



20009



12411




12369



12457



12426




12425




PLATE 5933—FULL SIZE


19497



20117



12464




12450




20348



19412




20147



# **PLATE 5936—FULL SIZE**

52338




12329



12398



43944



12327



453



41593



41594




41595



223



52337



52016



689



11170



12240



1520



12241



12416



8879



**PLATE 5938—FULL SIZE**

52354



24546



19336



20270




52354




24546




19336



20270



# PLATE 5942—FULL SIZE



# PLATE 5943—FULL SIZE




PLATE 5945—FULL SIZE

36575



36574



36576



50202



36821



36820



196



36818



50316



36819



PLATE 5946 ONE-FOURTH SIZE

52382 52386 52384 52388 12237





PLATE 5947—ONE-HALF SIZE



# PLATE 5948—FULL SIZE

52304



52014



1133



24040



794



775



24041



52394

207



52021



1036




52024



1037



52022



52305



29532



11204

229



52023



52307



808



52359



52306



PLATE 5949—FULL SIZE

20458



12335



12258



12142



12474



20342



20343



12259



20311




20346




PLATE 6449—FULL SIZE

25878



25878

25866



25866



